SAP Media

www.SAP-TCodes.org

This Book is Based on:

SAP ERP 6 EhP 7

SAP CRM 7 EhP 3 SR2

SAP SRM 7 EhP 3 SR2

SAP Solution Manager 7.1 SR1

SAP Basis 7.40 SP08

The Best Online SAP Transaction Code Analytics

SAP Media

This book is based on <u>our</u> knowledge of SAP system, and it is constantly reviewed to avoid errors; well we cannot warrant full correctness of all content. Use the information and content on this book at your own risk.

Published by:

book@sap-tcodes.org www.SAP-TCodes.org Generated at Sun, 27 Sep 2020 02:10:05 +0000

Copyleft © 2020 www.SAP-TCodes.org

This book is delivered under MIT License, as bellow

Permission is hereby granted, free of charge, to any person obtaining a copy of this book and associated documentation files (the "Book"), to deal in the Book without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Book, and to permit persons to whom the Book is furnished to do so, subject to the following conditions:

The above copyleft notice and this permission notice shall be included in all copies or substantial portions of the Book.

THE BOOK IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYLEFT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE BOOK OR THE USE OR OTHER DEALINGS IN THE BOOK.

SAP and the SAP logo are registered trademarks of <u>SAP SE</u>.

This book is **not** sponsored by, affiliated with, or approved by <u>SAP SE</u>.

<u>SAP SE</u> is **not** the publisher of this book and is not responsible for it under any aspect of press law.

Table of Content

SAP TCodes in Module IS-M - SAP Media	• •	3
SAP TCodes in Module IS-M - SAP Media	(6
SAP TCodes in Module IS-M-IS - Information System	12:	2
SAP TCodes in Module IS-M-MD - Master Data	12	4

SAP TCodes in Module

IS-M

SAP Media

IS-M - SAP Media

#	T-Code	Description	Module	Component
1	EK M100	Defaults for Payment Medium ID	<u>IS-M</u>	<u>IS-M</u>
2	ISMCA00	Account Assgt for Main Transaction	<u>IS-M</u>	<u>IS-M</u>
3	ISMCA01	Account Assgt for Sub-Transaction	<u>IS-M</u>	<u>IS-M</u>
4	ISMCA03	Derive Transaction from IS-M	<u>IS-M</u>	<u>IS-M</u>
5	ISMCA04	Derive Document Type from IS-M	<u>IS-M</u>	<u>IS-M</u>
6	ISMCA05	Derive Document Type from IS-M	IS-M	<u>IS-M</u>
7	ISMCA06	Derive Document Type from IS-M	<u>IS-M</u>	<u>IS-M</u>
8	ISMCA07	Derive Document Type from IS-M	<u>IS-M</u>	<u>IS-M</u>
9	ISMCA08	Control Incoming Payment for Subs	<u>IS-M</u>	<u>IS-M</u>
10	ISMCA10	Default Settgs for IS-M Acct Display	<u>IS-M</u>	<u>IS-M</u>
11	ISMCA700	Record Doc. Type for Revenue Accrual	IS-M	<u>IS-M</u>
12	<u>J&00</u>	IS-M: Views/Clusters for Cond.Tech	IS-M	<u>IS-M</u>
13	<u>J&S0</u>	IS-M: Create Output	IS-M	<u>IS-M</u>
14	<u>J&S1</u>	IS-M: Create Output w/Reference	<u>IS-M</u>	<u>IS-M</u>
15	<u>J&S2</u>	IS-M: Change Output	IS-M	<u>IS-M</u>
16	<u>J&S3</u>	IS-M: Display Output	IS-M	IS-M
17	<u>J-01</u>	Update Maintenance for MDIS	IS-M	<u>IS-M</u>
18	<u>J-02</u>	Std Analyses Std Settings MDIS	IS-M	<u>IS-M</u>
19	<u>J-03</u>	Media Info System: Mtn.Requirements	IS-M	<u>IS-M</u>
20	<u>J-04</u>	Media Info System: Maintain Formulas	IS-M	IS-M
21	<u>J-05</u>	MDIS: Overview of Field Catalogs	IS-M	IS-M
22	<u>J-20</u>	MDIS: Update Settings	IS-M	<u>IS-M</u>
23	<u>J-31</u>	IS-M: Access Std Analyses for MDIS	IS-M	IS-M
24	<u>J-33</u>	IS-M: Var.Std Analyses - User MDIS	IS-M	IS-M
25	<u>J-34</u>	IS-M: Perform Eval.of Info System	IS-M	IS-M
26	<u>J-35</u>	IS-M: Create Eval.of Info System	<u>IS-M</u>	<u>IS-M</u>
27	<u>J-36</u>	IS-M: Change Eval.of Info System	<u>IS-M</u>	<u>IS-M</u>
28	<u>J-37</u>	IS-M: Display Eval.of Info System	IS-M	<u>IS-M</u>
29	<u>J-38</u>	IS-M: Create Evaluation Structure	IS-M	<u>IS-M</u>
30	J-39	IS-M: Change Evaluation Structure	IS-M	<u>IS-M</u>
31	<u>J-40</u>	IS-M: Display Evaluation Structure	IS-M	<u>IS-M</u>
32	<u>J-50</u>	IS-M: Exception Analysis MDIS	<u>IS-M</u>	<u>IS-M</u>
33	<u>J-61</u>	IS-M: Create Selection Version MDIS	<u>IS-M</u>	<u>IS-M</u>
34	<u>J-62</u>	IS-M: Change Selection Version MDIS	<u>IS-M</u>	<u>IS-M</u>
35	<u>J-63</u>	IS-M: Display selection version MDIS	IS-M	<u>IS-M</u>
36	<u>J-64</u>	IS-M: Sel.Vers.: Schedule Job MDIS	IS-M	<u>IS-M</u>
37	<u>J-6A</u>	IS-M: Selection Version Tree MDIS	IS-M	<u>IS-M</u>
38	<u>J-6B</u>	IS-M: User-Spec.Sel.Vers.Tree MDIS	<u>IS-M</u>	<u>IS-M</u>
39	<u>J-A1</u>	IS-M/SD: Customer Anal Selection	<u>IS-M</u>	<u>IS-M</u>
40	<u>J-A4</u>	IS-M/SD: Sales Off.Anal Selection	<u>IS-M</u>	<u>IS-M</u>
41	<u>J-A7</u>	IS-M/SD: Product Anal Selection	IS-M	IS-M
42	<u>J-AA</u>	IS-M/SD: Plant/Ctry AnalSelection	IS-M	<u>IS-M</u>
43	J-AD	IS-M/SD: Sales Agent Anal Sel.	IS-M	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
44	<u>J-AG</u>	IS-M/SD: Promotion Anal Selection	<u>IS-M</u>	<u>IS-M</u>
45	<u>J-AJ</u>	IS-M/SD: AR Cat.Analysis - Selection	<u>IS-M</u>	<u>IS-M</u>
46	<u>J-AM</u>	IS-M/SD: Carrier Route AnalSel.	<u>IS-M</u>	<u>IS-M</u>
47	J-C1	IS-M/SD: Std Settgs f.Customer Anal.	<u>IS-M</u>	<u>IS-M</u>
48	J-C2	IS-M/SD: Std.Sett.f.Sales Off.Anal.	IS-M	IS-M
49	<u>J-C3</u>	IS-M/SD: Std.Sett.f.Product Analysis	<u>IS-M</u>	<u>IS-M</u>
50	<u>J-C4</u>	IS-M/SD: Std.Sett.f.Plant/Ctry Anal.	<u>IS-M</u>	<u>IS-M</u>
51	<u>J-C5</u>	IS-M/SD: Std.Sett.for Sales Ag.Anal.	<u>IS-M</u>	<u>IS-M</u>
52	<u>J-C6</u>	IS-M/SD: Std.Sett.for Prom.Analysis	<u>IS-M</u>	<u>IS-M</u>
53	<u>J-C7</u>	IS-M/SD: AR Category Statistics	<u>IS-M</u>	<u>IS-M</u>
54	<u>J-C8</u>	IS-M/SD: Std.Sett.f.Carr.Route Anal	<u>IS-M</u>	<u>IS-M</u>
55	<u>J-F1</u>	IS-M/SD: Reorg.LIS Data f.Sales Ord.	<u>IS-M</u>	<u>IS-M</u>
56	<u>J-F2</u>	IS-M/SD: Reorg.LIS Data for CorrOrd.	<u>IS-M</u>	<u>IS-M</u>
57	<u>J-F3</u>	IS-M/SD: Update LIS Delivery Data	<u>IS-M</u>	<u>IS-M</u>
58	<u>J-F4</u>	IS-M/SD: Reorg.LIS Data for Billing	<u>IS-M</u>	<u>IS-M</u>
59	<u>J-FA</u>	IS-M/SD: LIS Upd.Simul.f.Sales Order	<u>IS-M</u>	<u>IS-M</u>
60	<u>J-FB</u>	IS-M/SD: LIS Update Sim.Corr.Order	<u>IS-M</u>	<u>IS-M</u>
61	<u>J-FC</u>	IS-M/SD: LIS Update Sim.for Delivery	<u>IS-M</u>	<u>IS-M</u>
62	<u>J-FD</u>	IS-M/SD: LIS Update Sim.for Billing	<u>IS-M</u>	<u>IS-M</u>
63	<u>J-FL</u>	IS-M/SD: Reorg.LIS Data for Delivery	<u>IS-M</u>	<u>IS-M</u>
64	<u>J-FU</u>	IS-M/SD: Indicator Delivery Updated	<u>IS-M</u>	<u>IS-M</u>
65	<u>J-IX</u>	IS-M/SD: Initialize Gen.LIS Data	<u>IS-M</u>	<u>IS-M</u>
66	<u>J-K1</u>	IS-M/AM: Business Partner Analysis	<u>IS-M</u>	<u>IS-M</u>
67	<u>J-K2</u>	IS-M/AM: Order Simulation	<u>IS-M</u>	<u>IS-M</u>
68	<u>J-K3</u>	IS-M/AM: Restructure Order Update	<u>IS-M</u>	<u>IS-M</u>
69	<u>J-K5</u>	IS-M/AM: Analyse BU, Cont.Component	<u>IS-M</u>	<u>IS-M</u>
	<u>J-K6</u>	IS-M/AM: Maintain TJHMC1	<u>IS-M</u>	<u>IS-M</u>
71	<u>J-K7</u>	IS-M/AM: Maintain TJHMC3	<u>IS-M</u>	<u>IS-M</u>
72	<u>J-K8</u>	IS-M: Order Sales Agent Assignment	<u>IS-M</u>	<u>IS-M</u>
73	<u>J-K9</u>	IS-M/AM: LIS Restructure Billing	<u>IS-M</u>	<u>IS-M</u>
	<u>J-L1</u>	IS-M: LIS Billing Simulation Update	<u>IS-M</u>	<u>IS-M</u>
	<u>J-M1</u>	Media information system	<u>IS-M</u>	<u>IS-M</u>
76	<u>J-M2</u>	Media information system	<u>IS-M</u>	<u>IS-M</u>
77	<u>J/43</u>	Create cond.table for comm.settlemt	IS-M	<u>IS-M</u>
78	<u>J/44</u>	Change cond.table for comm.settlemt	<u>IS-M</u>	<u>IS-M</u>
79	<u>J/45</u>	Display cond.table for comm.settlemt	<u>IS-M</u>	<u>IS-M</u>
80	<u>J/63</u>	Create cond.table for HDel.settlemt	<u>IS-M</u>	<u>IS-M</u>
81	<u>J/64</u>	Change cond.table for HDel.settlemt	<u>IS-M</u>	<u>IS-M</u>
82	<u>J/65</u>	Display cond.table for HDel.settlemt	<u>IS-M</u>	<u>IS-M</u>
83	<u>J/72</u>	IS-M: Output processing from NAST	<u>IS-M</u>	<u>IS-M</u>
	<u>J/73</u>	Message Overview	IS-M	<u>IS-M</u>
	<u>J/H1</u>	Create pricing report COA scale	IS-M	<u>IS-M</u>
86	<u>J/H2</u>	Change pricing report COA scale	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
87	<u>J/H3</u>	Display pricing report COA scale	<u>IS-M</u>	<u>IS-M</u>
88	<u>J/H4</u>	Execute pricing report COA scale	<u>IS-M</u>	<u>IS-M</u>
89	<u>J/H5</u>	Create Condition List Prices JA	<u>IS-M</u>	<u>IS-M</u>
90	<u>J/H6</u>	Change Condition List Prices JA	<u>IS-M</u>	<u>IS-M</u>
91	<u>J/H7</u>	Display Condition List Prices	<u>IS-M</u>	<u>IS-M</u>
92	<u>J/H8</u>	IS-M: Execute Condition List JA	<u>IS-M</u>	IS-M
93	J/LA	Create Condition List	<u>IS-M</u>	IS-M
94	J/LB	Change Condition List	<u>IS-M</u>	<u>IS-M</u>
95	J/LC	Display Condition List	<u>IS-M</u>	<u>IS-M</u>
96	<u>J/LD</u>	Execute Condition List	<u>IS-M</u>	<u>IS-M</u>
97	J/LE	IS-M/SD: Create Pr.Report- Post.Chrg	<u>IS-M</u>	<u>IS-M</u>
98	J/LF	IS-M: Change Pr.Report f.Post.Sett	<u>IS-M</u>	<u>IS-M</u>
99	<u>J/LG</u>	IS-M/SD: Display Pr.Rept f.Post.Chgs	<u>IS-M</u>	<u>IS-M</u>
100	J/LH	IS-M: Pr.Report for Postal Charges	<u>IS-M</u>	<u>IS-M</u>
101	<u>J/P0</u>	Create cond.table for postal settlmt	<u>IS-M</u>	<u>IS-M</u>
102	<u>J/P1</u>	Change cond.table f.postal settlemt	<u>IS-M</u>	<u>IS-M</u>
103	<u>J/P2</u>	Display cond.table f.postal settlemt	<u>IS-M</u>	<u>IS-M</u>
104	<u>J1S!</u>	IS-M: CH/F: VAT Payment Types	<u>IS-M</u>	<u>IS-M</u>
105	<u>J1S\$</u>	IS-M: CH: WEMF-Spec. Cat.Processing	<u>IS-M</u>	<u>IS-M</u>
106	<u>J1S(</u>	IS-M: CH: PTT Settlement Check	<u>IS-M</u>	<u>IS-M</u>
107	<u>J1S)</u>	IS-M: CH: Daily WEMF Update	<u>IS-M</u>	<u>IS-M</u>
108	<u>J1S+</u>	IS-M: CH/L: Item Cat.f.PTT Settlemt	<u>IS-M</u>	<u>IS-M</u>
109	<u>J1S/</u>	IS-M: CH: Weight Groups for Post Tax	<u>IS-M</u>	<u>IS-M</u>
110	<u>J1S0</u>	IS-M: Interm.Dataset for Postal Upgr	<u>IS-M</u>	<u>IS-M</u>
111	<u>J1S1</u>	IS-M: CH/S: Basic Postal Codes	<u>IS-M</u>	<u>IS-M</u>
112	<u>J1S2</u>	IS-M: CH/S: Preposition Code	<u>IS-M</u>	<u>IS-M</u>
113	<u>J1S4</u>	Create Operating System Files	<u>IS-M</u>	<u>IS-M</u>
114	<u>J1S5</u>	IS-M: CH/S: Conversion Processing	<u>IS-M</u>	<u>IS-M</u>
115	<u>J1S6</u>	IS-M: CH/F: Maintain Dunning Levels	<u>IS-M</u>	<u>IS-M</u>
116	<u>J1S7</u>	IS-M: CH/S: Customer-Spec.Streets	<u>IS-M</u>	<u>IS-M</u>
117	<u>J1S8</u>	IS-M: CH/J: Retail Return Assignmts	<u>IS-M</u>	<u>IS-M</u>
118	<u>J1S9</u>	IS-M: CH/V: Max.Weight for Postman	<u>IS-M</u>	<u>IS-M</u>
	<u>J1S:</u>	IS-M: CH/V: PCode-Prod.Seq.Assignmt	<u>IS-M</u>	<u>IS-M</u>
120	J1S	IS-M: CH/V: Manual ZEBU CH Version	<u>IS-M</u>	<u>IS-M</u>
121	<u>J1S=</u>	IS-M: CH: Spec.Category Default	<u>IS-M</u>	<u>IS-M</u>
122	<u>J1S?</u>	IS-M: CH/F: Monthly Sales Tax List	<u>IS-M</u>	<u>IS-M</u>
123	J1SA	IS-M: CH/V: Maint.PCd-ProdSeq.Assgt	<u>IS-M</u>	<u>IS-M</u>
124	J1SAVER	IS-M: Print Postal Dispatch List	<u>IS-M</u>	<u>IS-M</u>
125	J1SB	IS-M: CH/V: Displ.PCd-ProdSeq.Assgt	<u>IS-M</u>	<u>IS-M</u>
126	J1SC	IS-M: CH/V: Maintain ZEBU Data	<u>IS-M</u>	<u>IS-M</u>
127	J1SD	IS-M: CH/V: Display ZEBU Data	<u>IS-M</u>	<u>IS-M</u>
128	J1SE	IS-M: CH/F: Format POR Data	<u>IS-M</u>	<u>IS-M</u>
129	J1SF	IS-M: CH/F: POR Billing Doc.Release	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
130	J1SG	IS-M: CH/F: LSV Billing Doc.Release	<u>IS-M</u>	<u>IS-M</u>
131	J1SI	IS-M: CH/F: Dunning Run	<u>IS-M</u>	<u>IS-M</u>
132	J1SJ	IS-M: CH/S: Prepare PCode Data	IS-M	<u>IS-M</u>
133	J1SK	IS-M: CH/V: Display Prod.Sequence	<u>IS-M</u>	IS-M
134	J1SL	IS-M: CH/S: DMK Dummy Entry CH	<u>IS-M</u>	IS-M
135	J1SM	IS-M: CH/S: Change PCode Data	<u>IS-M</u>	IS-M
136	J1SN	IS-M: CH/S: Prepare Carrier Data	<u>IS-M</u>	<u>IS-M</u>
137	J1SNB	Data Transfer: Carriers	<u>IS-M</u>	<u>IS-M</u>
138	J1SNO	Data Transfer: City	<u>IS-M</u>	<u>IS-M</u>
139	J1SNP	Data Transfer: Postal Code	<u>IS-M</u>	IS-M
140	J1SNS	Data Transfer: Streets	<u>IS-M</u>	<u>IS-M</u>
141	J1SO	IS-M: CH/V: Display Prod.Sequence	<u>IS-M</u>	IS-M
142	J1SP	IS-M: CH/S: Change Street Data	<u>IS-M</u>	<u>IS-M</u>
143	J1SPTAX00	IS-M: CH: Edition Data Postal Tax	<u>IS-M</u>	<u>IS-M</u>
144	J1SPTAX01	IS-M: Postal Charge Forecast CH	<u>IS-M</u>	<u>IS-M</u>
145	J1SPTAX02	IS-M: Postal Charge Reporting CH	<u>IS-M</u>	<u>IS-M</u>
146	J1SPTAXL	IS-M: CH: Country Grp. f.Postal Tax	<u>IS-M</u>	<u>IS-M</u>
147	J1SPTAXREPA	IS-MSD-CH/S: Postal Charge Rept List	<u>IS-M</u>	<u>IS-M</u>
	<u>UL</u>			
148	J1SPTAXZ	IS-M: CH: Ctry Grp.Asgt for Post Tax	<u>IS-M</u>	<u>IS-M</u>
149	J1SPUP	Maintenance View J_1SVPUPBESTAND	<u>IS-M</u>	<u>IS-M</u>
150	J1SQ	IS-M: CH/S: Change Carrier Data	<u>IS-M</u>	<u>IS-M</u>
151	J1SR	IS-M: CH/V: ZEBU Setup Part 1	<u>IS-M</u>	<u>IS-M</u>
152	J1SS	IS-M: CH/V: ZEBU Setup Part 2	<u>IS-M</u>	<u>IS-M</u>
	J1SSUP	Maintenance View J_1SVSUPBESTAND	<u>IS-M</u>	<u>IS-M</u>
	J1ST	IS-M: CH/V: Check Program ZEBU CH	<u>IS-M</u>	<u>IS-M</u>
	<u>J1SU</u>	IS-M: CH/V: Copy ZEBU Variant	<u>IS-M</u>	<u>IS-M</u>
	J1SV	IS-M: CH/S: Postal Charge Reporting	<u>IS-M</u>	<u>IS-M</u>
	J1SW	Number Plan for PPacking and Sacking	<u>IS-M</u>	<u>IS-M</u>
158	J1SX	IS-M: CH/S: Num.Range.Maint.J_1S_ORT	<u>IS-M</u>	<u>IS-M</u>
	J1SY	IS-M: CH/V: Foreign PPack Addresses	<u>IS-M</u>	<u>IS-M</u>
160	J1SZ	IS-M: CH: CH Specifications	<u>IS-M</u>	<u>IS-M</u>
161	<u>J1S[</u>	IS-M: CH: Monthly WEMF Update	<u>IS-M</u>	<u>IS-M</u>
162	<u>J1S]</u>	IS-M: CH: Annual WEMF Update	<u>IS-M</u>	<u>IS-M</u>
	JARC	IS-M: Archiving Development	<u>IS-M</u>	<u>IS-M</u>
164	JBW_AM_CO	IS-M: Determine BW Classificat.Again	<u>IS-M</u>	<u>IS-M</u>
	<u>A_1</u>			
165	JBW AM CO	IS-M: Unload Contracts from BW	<u>IS-M</u>	<u>IS-M</u>
	<u>A 2</u>	70.16 0 111 27	TO 3.5	70.7.5
166	JC9A	IS-M: Condition Master Data	<u>IS-M</u>	IS-M
167	JC9B	IS-M: Condition Master Data - Sales	IS-M	IS-M
168	JC9C	IS-M: Condition Master Data	IS-M	IS-M
169	JC9D	IS-M: Condition Master Data	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
170	JCIC INWAIT	IS-M: CIC, INWAIT Dialog Box	<u>IS-M</u>	<u>IS-M</u>
	_POPUP			
171	JCP4	IS-M: Master Data f.Postal Charges	<u>IS-M</u>	<u>IS-M</u>
172	JCR0	IS-M/SD: Postal Charges, Gen.BI Sess	IS-M	<u>IS-M</u>
173	JCR1	IS-M/SD:Postal Charges, Display Data	IS-M	<u>IS-M</u>
174	JCR2	IS-M/SD: Extract Postal Charges	<u>IS-M</u>	<u>IS-M</u>
175	JCS0	IS-M: Create Condition	<u>IS-M</u>	<u>IS-M</u>
176	JCS1	IS-M: Create Condition w/Reference	<u>IS-M</u>	<u>IS-M</u>
177	JCS2	IS-M: Change Condition	<u>IS-M</u>	<u>IS-M</u>
178	JCS3	IS-M: Display Condition	<u>IS-M</u>	<u>IS-M</u>
179	<u>JD01</u>	IS-M: Create Gen.Rule for Edition	<u>IS-M</u>	<u>IS-M</u>
180	<u>JD02</u>	IS-M: Change Gen.Rule for Edition	<u>IS-M</u>	<u>IS-M</u>
181	<u>JD03</u>	IS-M: Display Gen.Rule for Edition	<u>IS-M</u>	<u>IS-M</u>
182	<u>JD04</u>	IS-M: Create Gen.Rule f.Truck Route	<u>IS-M</u>	<u>IS-M</u>
183	<u>JD05</u>	IS-M: Change Gen.Rule f.Truck Route	<u>IS-M</u>	<u>IS-M</u>
184	<u>JD06</u>	IS-M: Display Gen.Rule f.Truck Route	<u>IS-M</u>	<u>IS-M</u>
185	<u>JD10</u>	IS-M: Create Ad Pre-Prt.(Fast Entry)	<u>IS-M</u>	<u>IS-M</u>
186	<u>JD11</u>	IS-M: Change Ad Pre-Prt.(Fast Entry)	<u>IS-M</u>	<u>IS-M</u>
187	<u>JD12</u>	IS-M: Display Ad Pre-Prt.(Fast Ent.)	<u>IS-M</u>	<u>IS-M</u>
188	<u>JD20</u>	IS-M: Create Gen.Rule for Media Prod	<u>IS-M</u>	<u>IS-M</u>
189	<u>JD21</u>	IS-M: Change Gen.Rule for Media Prod	<u>IS-M</u>	<u>IS-M</u>
190	<u>JD22</u>	IS-M: Display Gen.Rule for Med.Prod.	<u>IS-M</u>	<u>IS-M</u>
191	<u>JD31</u>	IS-M: Create Publication	<u>IS-M</u>	<u>IS-M</u>
192	<u>JD32</u>	IS-M: Change Publication	<u>IS-M</u>	<u>IS-M</u>
193	<u>JD33</u>	IS-M: Display Publication	<u>IS-M</u>	<u>IS-M</u>
	<u>JD34</u>	Create Edition	<u>IS-M</u>	<u>IS-M</u>
195	<u>JD35</u>	Change Edition	<u>IS-M</u>	<u>IS-M</u>
196	<u>JD36</u>	Display Edition	<u>IS-M</u>	<u>IS-M</u>
197	<u>JD37</u>	IS-M: Create Issue	<u>IS-M</u>	<u>IS-M</u>
198	<u>JD38</u>	IS-M: Change Issue	<u>IS-M</u>	<u>IS-M</u>
	<u>JD39</u>	IS-M: Display Issue	IS-M	<u>IS-M</u>
200	<u>JD40</u>	IS-M: Coll.Processing of Issues	<u>IS-M</u>	<u>IS-M</u>
201	<u>JD41</u>	IS-M: Collective Issue Display	<u>IS-M</u>	<u>IS-M</u>
202	<u>JD42</u>	Automatic Issue Generation	IS-M	<u>IS-M</u>
	<u>JD43</u>	Issue Numbering	IS-M	<u>IS-M</u>
204	<u>JD44</u>	IS-M: Coll.Issue Proc.for Pub.Date	IS-M	<u>IS-M</u>
	<u>JD45</u>	Move Publication Date of Issue	IS-M	<u>IS-M</u>
206	<u>JD46</u>	Log: Move Issue Publication Date	<u>IS-M</u>	<u>IS-M</u>
207	<u>JD51</u>	IS-M: Edit Edition Gen.Triggers	<u>IS-M</u>	<u>IS-M</u>
208	<u>JD52</u>	IS-M: Display Edition Gen.Triggers	<u>IS-M</u>	<u>IS-M</u>
-	<u>JD55</u>	IS-M: Create Issue Archiving	<u>IS-M</u>	<u>IS-M</u>
	<u>JD56</u>	IS-M: Delete Issue Archiving	<u>IS-M</u>	<u>IS-M</u>
211	<u>JD57</u>	IS-M: Reload Issue Archiving	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
212	<u>JD58</u>	IS-M: Management of Issue Archiving	<u>IS-M</u>	<u>IS-M</u>
213	<u>JD70</u>	IS-M: Arrival Times of TP Objects	<u>IS-M</u>	<u>IS-M</u>
214	JD71	IS-M: Editions of Publications	<u>IS-M</u>	<u>IS-M</u>
215	JD72	IS-M: Displ.Edition Publ.Calendar	<u>IS-M</u>	<u>IS-M</u>
216	JD73	IS-M: Edition Overview	<u>IS-M</u>	IS-M
217	<u>JD74</u>	IS-M: Overview of Issue Weights	<u>IS-M</u>	<u>IS-M</u>
218	<u>JD75</u>	IS-M: Issue Overview	<u>IS-M</u>	<u>IS-M</u>
219	<u>JD76</u>	IS-M: Display Ad Pre-Print Pub.Cal.	<u>IS-M</u>	<u>IS-M</u>
220	<u>JD77</u>	IS-M: Ad Pre-Print Overview	<u>IS-M</u>	<u>IS-M</u>
221	<u>JD81</u>	IS-M: Edit Bundling Rule	<u>IS-M</u>	<u>IS-M</u>
222	<u>JD82</u>	IS-M: Display Bundling Rule	<u>IS-M</u>	<u>IS-M</u>
223	<u>JD83</u>	IS-M: Maintain Edit.Bundling Group	<u>IS-M</u>	<u>IS-M</u>
224	<u>JD84</u>	IS-M: Display Edition Bundling Group	<u>IS-M</u>	<u>IS-M</u>
225	<u>JD85</u>	IS-M: List Editions in Bundling Grp	<u>IS-M</u>	<u>IS-M</u>
226	<u>JD86</u>	IS-M: Maintain Edit.Bundling Group	<u>IS-M</u>	<u>IS-M</u>
227	<u>JD87</u>	IS-M: Display Edition Packing Group	<u>IS-M</u>	<u>IS-M</u>
228	JDM1	(empty)	<u>IS-M</u>	<u>IS-M</u>
229	JDMPS0	IS-M: Edit Media Product Master Data	<u>IS-M</u>	<u>IS-M</u>
230	JDMPS1	IS-M: Display Media Prod.Master Data	<u>IS-M</u>	<u>IS-M</u>
231	JDPOST01	Edition Postal Data	<u>IS-M</u>	<u>IS-M</u>
232	<u>JF01</u>	IS-M/SD: Create Billing Document	<u>IS-M</u>	<u>IS-M</u>
233	<u>JF02</u>	IS-M: Change Billing Document	<u>IS-M</u>	<u>IS-M</u>
234	<u>JF03</u>	IS-M: Display Billing Document	<u>IS-M</u>	<u>IS-M</u>
235	<u>JF04</u>	IS-M: Create Billing Document	<u>IS-M</u>	<u>IS-M</u>
236	<u>JF05</u>	Create Billing Interface	<u>IS-M</u>	<u>IS-M</u>
237	<u>JF06</u>	IS-M: Billing Logs	<u>IS-M</u>	<u>IS-M</u>
238	<u>JF07</u>	Simulate Billing Interface	<u>IS-M</u>	<u>IS-M</u>
239	<u>JF11</u>	IS-M: Reverse Billing Document	<u>IS-M</u>	<u>IS-M</u>
240	<u>JF12</u>	IS-M: Reverse Coll. Billing Run	<u>IS-M</u>	<u>IS-M</u>
241	JF2A	IS-M: Reorg.Billg Index aft.Canc.	<u>IS-M</u>	<u>IS-M</u>
242	JF2B	IS-M: Tfer Postings Bef.STax Reg.	<u>IS-M</u>	<u>IS-M</u>
	<u>JF61</u>	List of Open Items and Balance	<u>IS-M</u>	<u>IS-M</u>
244	<u>JF87</u>	IS-M/SD: Create Rev.Acct Det.Table	<u>IS-M</u>	<u>IS-M</u>
245	<u>JF88</u>	IS-M/SD: Change Rev.Acct Det.Table	<u>IS-M</u>	<u>IS-M</u>
246	<u>JF89</u>	IS-M/SD:Display Rev.Acct Det.Table	<u>IS-M</u>	<u>IS-M</u>
247	<u>JFAF</u>	IS-M: Billing Document Check List	<u>IS-M</u>	<u>IS-M</u>
248	JFB2	IS-M: Data Transfer f.Bank Return	<u>IS-M</u>	<u>IS-M</u>
249	JFB3	IS-M: Reconc.List for Bank Return	<u>IS-M</u>	<u>IS-M</u>
250	JFB4	IS-M: Ords fr.Bank Rtns for Change	<u>IS-M</u>	<u>IS-M</u>
251	JFB5	IS-M: Ref.Transfer of Bank Returns	<u>IS-M</u>	<u>IS-M</u>
252	<u>JFBF</u>	IS-M: Billing Document Flow	<u>IS-M</u>	<u>IS-M</u>
253	<u>JFBS</u>	IS-M: Bank Returns by Return Reason	<u>IS-M</u>	<u>IS-M</u>
254	<u>JFBT</u>	IS-M: Payment Medium Germany	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
255	<u>JFCA</u>	IS-M/SD: Billing Doc.Authorization	<u>IS-M</u>	<u>IS-M</u>
256	<u>JFCB</u>	Check Payment Cards Before Billing	<u>IS-M</u>	<u>IS-M</u>
257	<u>JFCC</u>	Checking Log for Payment Cards	<u>IS-M</u>	<u>IS-M</u>
258	<u>JFCO</u>	Issue - Addit. Account Assignment	<u>IS-M</u>	<u>IS-M</u>
259	JFCO_PVA	Edition - Additional Account Assgmt	<u>IS-M</u>	<u>IS-M</u>
260	JFF1	Maintain number range: ISP_FIBU	<u>IS-M</u>	IS-M
261	<u>JFFB</u>	Doc.According to Billing Cond.Types	<u>IS-M</u>	<u>IS-M</u>
262	<u>JFFI</u>	FI Journal for Revenue Posting/Dist.	<u>IS-M</u>	<u>IS-M</u>
263	<u>JFJOURNREV</u>	Posting Journal for Per. Rev. Accr.	<u>IS-M</u>	<u>IS-M</u>
	<u>PER</u>			
264	<u>JFLI</u>	IS-M/SD: List Billing Documents	<u>IS-M</u>	<u>IS-M</u>
265	JFM1	Media Sales + Distribution - Billing	<u>IS-M</u>	<u>IS-M</u>
266	<u>JFNF</u>	Set Up Indexes	<u>IS-M</u>	<u>IS-M</u>
267	<u>JFNL</u>	Non-Billed Deliveries	<u>IS-M</u>	<u>IS-M</u>
268	JFP2	Billing Docs not Transfd to RF/FI	<u>IS-M</u>	<u>IS-M</u>
269	JFP3	Collective Proc./Transfer Assignment	<u>IS-M</u>	<u>IS-M</u>
270	<u>JFRA</u>	Posting Journal for Revenue Accrual	<u>IS-M</u>	<u>IS-M</u>
271	<u>JFRE</u>	IS-M: Revenue Distribution Journal	<u>IS-M</u>	IS-M
272	<u>JFREVENUEC</u>	Revenue Accrual Cockpit	<u>IS-M</u>	<u>IS-M</u>
	<u>OCKPIT</u>			
273	<u>JFRJ</u>	IS-M: Outgoing Invoice Journal	<u>IS-M</u>	<u>IS-M</u>
274	<u>JFRT</u>	Orders Not Billed	<u>IS-M</u>	<u>IS-M</u>
275	<u>JFSI</u>	IS-M/SD: Simulate Billing	<u>IS-M</u>	<u>IS-M</u>
276	<u>JFSU</u>	IS-M: Information on Coll.Proc.	<u>IS-M</u>	<u>IS-M</u>
277	JFT1	Individual Transfer to FI	<u>IS-M</u>	<u>IS-M</u>
278	<u>JFT2</u>	Collective Transfer to FI	<u>IS-M</u>	<u>IS-M</u>
279	JFT3	IS-M/SD: Payment Card Transfer	<u>IS-M</u>	<u>IS-M</u>
280	JFT4	Collection Transfer for Billing	<u>IS-M</u>	<u>IS-M</u>
281	JFT5	IS-M/SD: Bank Returns Transfer	<u>IS-M</u>	<u>IS-M</u>
282	JFT6	IS-M/SD: Transfer Revenue Distrib.	<u>IS-M</u>	<u>IS-M</u>
283	<u>JFTA</u>	IS-M/SD: Call Up Individual Transfer	<u>IS-M</u>	<u>IS-M</u>
284	<u>JFTB</u>	IS-M/SD: Call Up Collective Transfer	<u>IS-M</u>	<u>IS-M</u>
285	<u>JFTC</u>	IS-M/SD: Call Up Field Coll.Transfer	<u>IS-M</u>	<u>IS-M</u>
286	<u>JFTD</u>	IS-M/SD: Access Bank Rtns.Transfer	<u>IS-M</u>	<u>IS-M</u>
287	<u>JFTE</u>	IS-M/SD: Access Revenue Accrual	<u>IS-M</u>	<u>IS-M</u>
288	<u>JFTH</u>	IS-M/SD: Data Transfer to HR	<u>IS-M</u>	<u>IS-M</u>
289	JFU1	Individual Transfer to FI	<u>IS-M</u>	<u>IS-M</u>
290	JFU2	Collective Transfer to FI	<u>IS-M</u>	<u>IS-M</u>
291	JFU3	IS-M/SD: Bank Returns Transfer	<u>IS-M</u>	<u>IS-M</u>
292	JFU4	Collection Transfer for Billing	<u>IS-M</u>	<u>IS-M</u>
293	<u>JFUV</u>	Transfer Issue to Financial Accounts	<u>IS-M</u>	<u>IS-M</u>
294	<u>JFVL</u>	Open Issue Account Assignments	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
295	JF ITALY VA	Setting for VAT Reporting	<u>IS-M</u>	<u>IS-M</u>
	<u>T_01</u>			
296	JF ITALY VA	VAT Reporting - Italy	IS-M	<u>IS-M</u>
	<u>T 02</u>			
297	<u>JG01</u>	IS-M: Create General Bus.Partner	IS-M	<u>IS-M</u>
298	<u>JG02</u>	IS-M: Change General Bus.Partner	IS-M	<u>IS-M</u>
299	<u>JG03</u>	IS-M: Display General Bus.Partner	IS-M	<u>IS-M</u>
300	<u>JG07</u>	IS-M/SD: Create Carrier	<u>IS-M</u>	<u>IS-M</u>
301	<u>JG08</u>	IS-M/SD: Change Carrier	<u>IS-M</u>	<u>IS-M</u>
302	<u>JG09</u>	IS-M/SD: Display Carrier	<u>IS-M</u>	<u>IS-M</u>
303	<u>JG10</u>	IS-M/SD: Create Service Company	<u>IS-M</u>	<u>IS-M</u>
304	<u>JG11</u>	IS-M/SD: Change Service Company	<u>IS-M</u>	<u>IS-M</u>
305	<u>JG12</u>	IS-M/SD: Display Service Company	<u>IS-M</u>	<u>IS-M</u>
306	<u>JG16</u>	IS-M/SD: Create Sales Customer	<u>IS-M</u>	<u>IS-M</u>
307	<u>JG17</u>	IS-M/SD: Change Sales Customer	<u>IS-M</u>	<u>IS-M</u>
308	<u>JG18</u>	IS-M/SD: Display Sales Customer	<u>IS-M</u>	<u>IS-M</u>
309	<u>JG19</u>	IS-M/SD: Create Retailer	<u>IS-M</u>	<u>IS-M</u>
310	<u>JG20</u>	IS-M/SD: Change Retailer	<u>IS-M</u>	<u>IS-M</u>
311	<u>JG21</u>	IS-M/SD: Display Retailer	<u>IS-M</u>	<u>IS-M</u>
312	<u>JG34</u>	IS-M/SD: Create Commission Recipient	<u>IS-M</u>	<u>IS-M</u>
313	<u>JG35</u>	IS-M/SD: Change Commission Recipient	<u>IS-M</u>	<u>IS-M</u>
314	<u>JG36</u>	IS-M/SD: Display Commission Recipt	<u>IS-M</u>	<u>IS-M</u>
315	<u>JG40</u>	IS-M/SD: Create Field Collector	<u>IS-M</u>	<u>IS-M</u>
316	<u>JG41</u>	IS-M/SD: Change Field Collector	<u>IS-M</u>	<u>IS-M</u>
317	<u>JG42</u>	IS-M/SD: Display Field Collector	<u>IS-M</u>	<u>IS-M</u>
318	<u>JG43</u>	IS-M/SD: Create Researcher	<u>IS-M</u>	<u>IS-M</u>
319	<u>JG44</u>	IS-M/SD: Change Researcher	<u>IS-M</u>	<u>IS-M</u>
320	<u>JG45</u>	IS-M/SD: Display Researcher	<u>IS-M</u>	<u>IS-M</u>
321	<u>JG49</u>	IS-M/SD: Create Forwarding Agent	<u>IS-M</u>	<u>IS-M</u>
322	<u>JG50</u>	IS-M/SD: Change Forwarding Agent	<u>IS-M</u>	<u>IS-M</u>
323	<u>JG51</u>	IS-M/SD: Display Forwarding Agent	<u>IS-M</u>	<u>IS-M</u>
324	<u>JG55</u>	IS-M/SD: Create Postal Data	<u>IS-M</u>	<u>IS-M</u>
325	<u>JG56</u>	IS-M/SD: Change Postal Data	<u>IS-M</u>	<u>IS-M</u>
326	<u>JG57</u>	IS-M/SD: Display Postal Data	<u>IS-M</u>	<u>IS-M</u>
327	<u>JG58</u>	IS-M/SD: Create Sales Cust.(Central)	<u>IS-M</u>	<u>IS-M</u>
328	<u>JG59</u>	IS-M/SD: Change Sales Cust.(Central)	<u>IS-M</u>	<u>IS-M</u>
329	<u>JG60</u>	IS-M/SD: Display Sales Cust.(Cent.)	<u>IS-M</u>	<u>IS-M</u>
330	<u>JG61</u>	IS-M/SD: Create Retailer (Central)	<u>IS-M</u>	<u>IS-M</u>
331	<u>JG62</u>	IS-M/SD: Change Retailer (Central)	<u>IS-M</u>	<u>IS-M</u>
332	<u>JG63</u>	IS-M/SD: Display Retailer (Central)	<u>IS-M</u>	<u>IS-M</u>
333	<u>JG90</u>	IS-M: Block Order/Bill.Doc Change	<u>IS-M</u>	<u>IS-M</u>
334	<u>JG91</u>	IS-M: Block Order/Bill.DocDisplay	<u>IS-M</u>	<u>IS-M</u>
335	<u>JG92</u>	IS-M: Block Roles - Change	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
336	<u>JG93</u>	IS-M: Block Roles - Display	<u>IS-M</u>	<u>IS-M</u>
337	<u>JG94</u>	IS-M: Change BP Deletion Flags	IS-M	<u>IS-M</u>
338	<u>JG95</u>	IS-M: Display BP Deletion Flags	IS-M	<u>IS-M</u>
339	JGA0	IS-M: Maintain Address Management	IS-M	<u>IS-M</u>
340	JGA1	IS-MP: Display Address Management	IS-M	<u>IS-M</u>
341	JGA2	IS-M: Maintain Business Partner Asgt	IS-M	<u>IS-M</u>
342	JGA3	IS-M: Display Bus.Partner Assignment	<u>IS-M</u>	<u>IS-M</u>
343	JGA4	IS-M: Maintain Address Print Formats	<u>IS-M</u>	<u>IS-M</u>
344	JGA6	IS-M:Maint.AddPrintFormat-Env.Assgmt	<u>IS-M</u>	<u>IS-M</u>
345	JGA8	IS-M: Address Recording	<u>IS-M</u>	<u>IS-M</u>
346	JGA9	IS-M/SD: Add.Change -> Check Orders	<u>IS-M</u>	<u>IS-M</u>
347	<u>JGAD</u>	IS-M: Determine Address Duplicates	<u>IS-M</u>	<u>IS-M</u>
348	<u>JGAE</u>	IS-M: Determine Jurisdiction Code	<u>IS-M</u>	<u>IS-M</u>
349	<u>JGAF</u>	IS-M: BP Log in Non-SAP System	<u>IS-M</u>	<u>IS-M</u>
350	<u>JGAS</u>	IS-M: Screen Mod.for SD BP Transacs	<u>IS-M</u>	<u>IS-M</u>
351	JGB3	IS-M: Add.Synch. IS-M -> Standard	<u>IS-M</u>	<u>IS-M</u>
352	JGB4	IS-M: Add.Synch. IS-M -> Non-SAP	<u>IS-M</u>	<u>IS-M</u>
353	JGB5	IS-M: Transfer Customers on Hand	<u>IS-M</u>	<u>IS-M</u>
354	JGB6	IS-M: BTCI Session BP Data Transfer	<u>IS-M</u>	<u>IS-M</u>
355	JGB7	IS-M: Synch.bank conn. IS-M->FI	<u>IS-M</u>	<u>IS-M</u>
356	JGB8	IS-M: Bank con.synchronization log	<u>IS-M</u>	<u>IS-M</u>
357	<u>JGBA</u>	IS-M: Transfer Bank Data	<u>IS-M</u>	<u>IS-M</u>
358	<u>JGBD</u>	IS-M: Bank data changes	<u>IS-M</u>	<u>IS-M</u>
359	JGBDC1	Change Bank Number in Bank Details	<u>IS-M</u>	<u>IS-M</u>
360	JGBDC2	Bank Details Change: Create File	<u>IS-M</u>	<u>IS-M</u>
361	JGBDC2A	BnkDetChge.: Generate File With IBAN	<u>IS-M</u>	<u>IS-M</u>
362	JGBDC3	Bank Details Change: Read File	<u>IS-M</u>	<u>IS-M</u>
	JGBDC3A	BankDet.Change.: Read File With IBAN	<u>IS-M</u>	<u>IS-M</u>
364	JGBP_CHANG	IS-M: Change Business Partner	<u>IS-M</u>	<u>IS-M</u>
	<u>E</u>			
365	JGBP_SHOW	IS-M: Display Business Partner	<u>IS-M</u>	<u>IS-M</u>
366	JGCL	IS-M: BP Classification	<u>IS-M</u>	<u>IS-M</u>
367	<u>JGKS</u>	IS-M: Sales Summary	<u>IS-M</u>	<u>IS-M</u>
368	JGM0	Business Partner	<u>IS-M</u>	<u>IS-M</u>
369	JGR1	IS-M/SD: SC Employee Turnover	<u>IS-M</u>	<u>IS-M</u>
370	JGR2	IS-M: Service Company Employees	<u>IS-M</u>	<u>IS-M</u>
371	JGR3	IS-M: Overview of Fwding Agents	<u>IS-M</u>	<u>IS-M</u>
372	JGSEPA01	Mandate Usage	<u>IS-M</u>	<u>IS-M</u>
373	JGSEPA02	Mandate Usage (Display)	<u>IS-M</u>	<u>IS-M</u>
374	JGV3	IS-M: Maintain Lost Time for SC EE	<u>IS-M</u>	<u>IS-M</u>
375	JGV4	IS-M: Display Lost Time for SC EE	<u>IS-M</u>	<u>IS-M</u>
376	JGV7	IS-M: Maintain Employment Relnship	<u>IS-M</u>	<u>IS-M</u>
377	JGV8	IS-M: Display Employment Relnship	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
378	JGWWWIU1	IS-M: Create Internet User	<u>IS-M</u>	<u>IS-M</u>
379	JGWWWIU2	IS-M: Change Acc.Data for Int.User	<u>IS-M</u>	<u>IS-M</u>
380	JGZ0	Check SAP BP Customizing	<u>IS-M</u>	<u>IS-M</u>
381	JGZ1	IS-M: Create Customer	<u>IS-M</u>	IS-M
382	JGZ2	IS-M: Change Customer	IS-M	<u>IS-M</u>
383	JGZ20	IS-M: Create Sales Customer	IS-M	<u>IS-M</u>
384	JGZ21	IS-M: Change Sales Customer	<u>IS-M</u>	<u>IS-M</u>
385	JGZ22	IS-M: Display Sales Customer	<u>IS-M</u>	<u>IS-M</u>
386	JGZ23	IS-M: Create Retailer	<u>IS-M</u>	<u>IS-M</u>
387	JGZ24	IS-M: Change Retailer	<u>IS-M</u>	<u>IS-M</u>
388	JGZ25	IS-M: Display Retailer	<u>IS-M</u>	<u>IS-M</u>
389	JGZ3	IS-M: Create Vendor	<u>IS-M</u>	<u>IS-M</u>
390	JGZ30	IS-M: Create Service Company	<u>IS-M</u>	<u>IS-M</u>
391	JGZ31	IS-M: Change Service Company	<u>IS-M</u>	<u>IS-M</u>
392	JGZ32	IS-M: Display Service Company	<u>IS-M</u>	<u>IS-M</u>
393	JGZ33	IS-M: Create Carrier	<u>IS-M</u>	<u>IS-M</u>
394	JGZ34	IS-M: Change Carrier	<u>IS-M</u>	<u>IS-M</u>
395	JGZ35	IS-M: Display Carrier	<u>IS-M</u>	<u>IS-M</u>
396	JGZ36	IS-M: Create Researcher	<u>IS-M</u>	<u>IS-M</u>
397	JGZ37	IS-M: Change Researcher	<u>IS-M</u>	<u>IS-M</u>
398	JGZ38	IS-M: Display Researcher	<u>IS-M</u>	<u>IS-M</u>
399	JGZ39	IS-M: Create Field Collector	<u>IS-M</u>	<u>IS-M</u>
400	JGZ4	IS-M: Change Vendor	<u>IS-M</u>	<u>IS-M</u>
401	JGZ40	IS-M: Change Field Collector	<u>IS-M</u>	<u>IS-M</u>
402	JGZ41	IS-M: Display Field Collector	<u>IS-M</u>	<u>IS-M</u>
403	JGZ42	IS-M: Create Commission Recipient	<u>IS-M</u>	<u>IS-M</u>
404	JGZ43	IS-M: Change Commission Recipient	<u>IS-M</u>	<u>IS-M</u>
405	JGZ44	IS-M: Display Commission Recipient	<u>IS-M</u>	<u>IS-M</u>
406	<u>JGZ50</u>	IS-M: Create Publisher	<u>IS-M</u>	<u>IS-M</u>
407	<u>JGZ51</u>	IS-M: Change Publisher	<u>IS-M</u>	<u>IS-M</u>
408	JGZ52	IS-M: Display Publisher	<u>IS-M</u>	<u>IS-M</u>
409	JGZ60	IS-M: Create Media Customer	<u>IS-M</u>	<u>IS-M</u>
410	JGZ61	IS-M: Change Media Customer	<u>IS-M</u>	<u>IS-M</u>
411	JGZ62	IS-M: Display Media Customer	<u>IS-M</u>	<u>IS-M</u>
412	JGZ70	IS-M: Create Media Sales Agent	<u>IS-M</u>	<u>IS-M</u>
413	JGZ71	IS-M: Change Media Sales Agent	<u>IS-M</u>	<u>IS-M</u>
414	JGZ72	IS-M: Display Media Sales Agent	<u>IS-M</u>	<u>IS-M</u>
415	<u>JGZ90</u>	IS-M: Create Household	<u>IS-M</u>	<u>IS-M</u>
416	<u>JGZ91</u>	IS-M: Change Household	<u>IS-M</u>	<u>IS-M</u>
417	JGZ92	IS-M: Display Household	<u>IS-M</u>	<u>IS-M</u>
418	<u>JH00</u>	IS-M: Condition Refs Check List	<u>IS-M</u>	<u>IS-M</u>
419	<u>JH01</u>	IS-M: Condition Refs Check List	<u>IS-M</u>	<u>IS-M</u>
420	<u>JH51</u>	Display UM for pricing	<u>IS-M</u>	<u>IS-M</u>

#	T-Code	Description	Module	Component
421	<u>JH52</u>	Design Ad Type: Admissibility	<u>IS-M</u>	<u>IS-M</u>
422	<u>JH53</u>	General Ad Type: Admissibility	<u>IS-M</u>	<u>IS-M</u>
423	<u>JH54</u>	UM for Ads & Pricing (Display)	<u>IS-M</u>	<u>IS-M</u>
424	<u>JH55</u>	Ad Type Design Admissibility (Displ)	<u>IS-M</u>	IS-M
425	<u>JH56</u>	General Ad Type Admissibility(Displ)	<u>IS-M</u>	IS-M
426	<u>JH57</u>	BU Grouping for Ad Type Admissibilty	<u>IS-M</u>	<u>IS-M</u>
427	<u>JH60</u>	Generate schedule lines	<u>IS-M</u>	IS-M
428	<u>JH61</u>	Display generation period	<u>IS-M</u>	<u>IS-M</u>
429	<u>JH62</u>	Item list according to date type	<u>IS-M</u>	<u>IS-M</u>
430	<u>JH64</u>	Status/char.attributes for item	<u>IS-M</u>	<u>IS-M</u>
431	<u>JH65</u>	Data transfer for new orders	<u>IS-M</u>	<u>IS-M</u>
432	<u>JH66</u>	Data transfer for old orders	<u>IS-M</u>	<u>IS-M</u>
433	<u>JH67</u>	Data transfer for COAs	<u>IS-M</u>	<u>IS-M</u>
434	<u>JH68</u>	Status/char.attributes bill.dataset	<u>IS-M</u>	<u>IS-M</u>
435	<u>JH69</u>	Status/Char.Attributes S.Line/Ad Spc	<u>IS-M</u>	<u>IS-M</u>
436	<u>JH70</u>	Status/Char.Attributes for AI SLine	<u>IS-M</u>	<u>IS-M</u>
437	<u>JH72</u>	Status/char.attributes for com.SLine	<u>IS-M</u>	<u>IS-M</u>
438	<u>JH73</u>	Status/Char.Attribute DT Sched.Line	<u>IS-M</u>	<u>IS-M</u>
439	<u>JH75</u>	Manual on-screen mark up check	<u>IS-M</u>	<u>IS-M</u>
440	<u>JH76</u>	Data trans.for new commercial orders	<u>IS-M</u>	<u>IS-M</u>
441	<u>JH77</u>	Status/Char.Attributes S.Line/Ad Spc	<u>IS-M</u>	<u>IS-M</u>
442	<u>JH78</u>	Return Actual Online Data Manually	<u>IS-M</u>	<u>IS-M</u>
443	<u>JH84</u>	Grouping for Fixed Spaces Planning	<u>IS-M</u>	<u>IS-M</u>
444	<u>JH85</u>	Fixed spaces capacity	<u>IS-M</u>	<u>IS-M</u>
445	<u>JH86</u>	Date-spec. capacity for fixed spaces	<u>IS-M</u>	<u>IS-M</u>
446	<u>JH89</u>	IS-M/AM: Order Transfer to TS Online	<u>IS-M</u>	<u>IS-M</u>
447	<u>JH91</u>	Create Conditions	<u>IS-M</u>	<u>IS-M</u>
448	<u>JH92</u>	Create conditions using template	<u>IS-M</u>	<u>IS-M</u>
449	<u>JH93</u>	Change Conditions	<u>IS-M</u>	<u>IS-M</u>
450	<u>JH94</u>	Display Conditions	<u>IS-M</u>	<u>IS-M</u>
451	<u>JH99</u>	Order transfer from emerg.sys.ACCESS	<u>IS-M</u>	<u>IS-M</u>
452	JHA0	IS-M: Sales Area Menu	<u>IS-M</u>	<u>IS-M</u>
453	JHA1	IS-M/AM: Create Order	<u>IS-M</u>	<u>IS-M</u>
454	JHA1N	IS-M/AM: Create Order	<u>IS-M</u>	IS-M
-	JHA1X	IS-M/AM: Create Order	<u>IS-M</u>	IS-M
	JHA2	IS-M/AM: Change Order	<u>IS-M</u>	IS-M
	JHA2N	IS-M/AM: Change Order	<u>IS-M</u>	IS-M
458	JHA2X	IS-M/AM: Change Order	<u>IS-M</u>	<u>IS-M</u>
459	JHA3	IS-M/AM: Display Order	<u>IS-M</u>	<u>IS-M</u>
460	JHA3N	IS-M/AM: Display Order	<u>IS-M</u>	<u>IS-M</u>
461	JHA3X	IS-M/AM: Display Order	IS-M	<u>IS-M</u>
462	JHA4	IS-M: Maintain Fast Entry	<u>IS-M</u>	<u>IS-M</u>
463	JHA6	IS-M/AM: Central Access	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
464	JHA7	Advertisement orders 1	<u>IS-M</u>	<u>IS-M</u>
465	JHA8	Business partner usage	<u>IS-M</u>	<u>IS-M</u>
466	JHAD	IS-M: Positioning Information	<u>IS-M</u>	<u>IS-M</u>
467	JHAE	IS-M: Error List for Tech.System	IS-M	<u>IS-M</u>
468	JHAF	IS-M: Todo List for Technical System	IS-M	<u>IS-M</u>
469	<u>JHAG</u>	Cam.rdy cpy with past reminder date	IS-M	<u>IS-M</u>
470	<u>JHAH</u>	IS-M: Payment Cards: Authorization	<u>IS-M</u>	<u>IS-M</u>
471	<u>JHAI</u>	IS-M/AM: Credit Check for Orders	<u>IS-M</u>	<u>IS-M</u>
472	<u>JHAJ</u>	Payment Cards:Coll.Process.Overview	<u>IS-M</u>	<u>IS-M</u>
473	<u>JHAK</u>	Credit Mgmt: Coll.Process.Overview	<u>IS-M</u>	<u>IS-M</u>
474	JHAORDER_O	IS-M: Display Order	<u>IS-M</u>	<u>IS-M</u>
	BJ_CHANGE			
475	JHAORDER_O	IS-M: Display Order	<u>IS-M</u>	<u>IS-M</u>
	BJ_SHOW			
476	<u>JHAP</u>	IS-M/AM Order Update Collective Log	<u>IS-M</u>	<u>IS-M</u>
477	<u>JHAVMA</u>	IS-M/AM: Update Orders	<u>IS-M</u>	<u>IS-M</u>
478	JHAVM_REGE	IS-M: Generate New AM Order Items	<u>IS-M</u>	<u>IS-M</u>
	<u>N</u>			
479	<u>JHAW</u>	IS-M/AM: IAC Enter Classified Ad	<u>IS-M</u>	<u>IS-M</u>
480	JHAW ADMI	IS-M/AM: IAC Classified Ads Adminis.	<u>IS-M</u>	<u>IS-M</u>
	<u>N</u>			
481	JHAW_WEBE	IS-M/AM: Web Editor Test Transaction	<u>IS-M</u>	<u>IS-M</u>
	DITOR			
482	JHB1	IS-M: Ad Insert Planning	IS-M	<u>IS-M</u>
483	JHB10	IS-M/AM: Online Planning	<u>IS-M</u>	<u>IS-M</u>
	JHB2	IS-M: Commercial Planning	<u>IS-M</u>	<u>IS-M</u>
	JHB3	IS-M: Commercial Planning Export	<u>IS-M</u>	<u>IS-M</u>
	JHB4	IS-M/AM: Fixed Spaces Planning	<u>IS-M</u>	<u>IS-M</u>
487	JHB4_IAC	IS-M/AM: IAC Display Free Spaces	<u>IS-M</u>	<u>IS-M</u>
488	JHB5	IS-M/AM: Local Windows Planning	<u>IS-M</u>	<u>IS-M</u>
489	JHB6	IS-M: Display BU Hierarchy	IS-M	<u>IS-M</u>
490	JHB7	IS-M: Change BU Hierarchy	<u>IS-M</u>	<u>IS-M</u>
491	JHB9	IS-M: M/AM Order Qty <> M/SD Del.Qty	<u>IS-M</u>	<u>IS-M</u>
			1.0.1.	
492	JHBA	Cond.Maint.Using Index: Display JC	IS-M	IS-M
493	JHBB	Cond.Maint.Via Index: Create JC	IS-M	IS-M
494	JHBC	Cond.Maint.Using Index: Display JE	IS-M	IS-M
495	JHBD HHBE	Cond.Maint.Using Index: Create JE	IS-M	IS-M
496	JHBE HHBG	Cond.Maint.Using Index: Change JC	IS-M	IS-M
497	<u>JHBO</u>	Cond.Maint.Using Index: Change JE	IS-M	IS-M
498	JHBW WAGE	IS-M: AI Plant Data Assignment List	IS-M	IS-M
499	JHC1	Contact Conversion	IS-M	IS-M
500	JHC2	Maintain positioning factor	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
501	<u>JHCA</u>	Archive	<u>IS-M</u>	<u>IS-M</u>
502	JHCB	Archive	IS-M	<u>IS-M</u>
503	JHCNTENT R	IS-M: Access Report With Variant	<u>IS-M</u>	<u>IS-M</u>
	EP CALL	-		
504	JHCP_CHANG	Change Contact Person	<u>IS-M</u>	<u>IS-M</u>
	<u>E</u>	_		
505	JHCP_CONV	Media Contact: Convert Order/Contrct	<u>IS-M</u>	<u>IS-M</u>
506	JHCP CONV	Media CP: Sales Support Conversion	<u>IS-M</u>	<u>IS-M</u>
	CAS			
507	JHCP_CONV_	Media CP: CAS/INDX Conversion	IS-M	<u>IS-M</u>
	CAS_INDX			
508	JHCP_DISPLA	Display Contact Person	<u>IS-M</u>	<u>IS-M</u>
	$ \mathbf{Y} $			
509	JHD1	Create Condition Records (JA)	<u>IS-M</u>	<u>IS-M</u>
510	JHD2	Change Condition Records (JA)	<u>IS-M</u>	<u>IS-M</u>
511	JHD3	Display Condition Records (JA)	<u>IS-M</u>	<u>IS-M</u>
512	JHD4	Create Condition Records (JB)	<u>IS-M</u>	<u>IS-M</u>
513	JHD5	Change Condition Records (JB)	<u>IS-M</u>	<u>IS-M</u>
514	JHD6	Display Condition Records (JB)	<u>IS-M</u>	<u>IS-M</u>
515	JHD7	IS-M: Create Condition Table (JD)	<u>IS-M</u>	<u>IS-M</u>
516	JHD8	IS-M: Change Condition Table (JD)	<u>IS-M</u>	<u>IS-M</u>
517	JHD9	IS-M: Display Condition Table (JD)	<u>IS-M</u>	<u>IS-M</u>
518	<u>JHDA</u>	Create Condition List Prices JC	<u>IS-M</u>	<u>IS-M</u>
519	<u>JHDB</u>	IS-M: Change Cond.List Prices JC	<u>IS-M</u>	<u>IS-M</u>
520	<u>JHDC</u>	IS-M: Display Cond.List Prices JC	<u>IS-M</u>	<u>IS-M</u>
521	<u>JHDD</u>	IS-M: Execute Condition List JC	<u>IS-M</u>	<u>IS-M</u>
522	<u>JHDE</u>	IS-M: Create Cond.List Prices JE	<u>IS-M</u>	<u>IS-M</u>
523	<u>JHDF</u>	IS-M: Change Cond.List Prices JE	<u>IS-M</u>	<u>IS-M</u>
524	<u>JHDG</u>	IS-M: Display Cond.List Prices JE	<u>IS-M</u>	<u>IS-M</u>
525	<u>JHDH</u>	IS-M: Execute Condition List JE	<u>IS-M</u>	<u>IS-M</u>
526	JHE0	Account Determination: Display Table	<u>IS-M</u>	<u>IS-M</u>
527	JHE1	Account Determination: Create Table	<u>IS-M</u>	<u>IS-M</u>
528	JHE2	Account Determination: Change Table	<u>IS-M</u>	<u>IS-M</u>
529	JHE7	Dynam.cond.maint.f.pricng for c.ord.	<u>IS-M</u>	<u>IS-M</u>
530	<u>JHEB</u>	Account Determination: Create Table	<u>IS-M</u>	<u>IS-M</u>
531	<u>JHEC</u>	Account Determination: Change Table	<u>IS-M</u>	<u>IS-M</u>
532	JHED	Account Determination: Display Table	<u>IS-M</u>	<u>IS-M</u>
533	JHEF1	Sales Volume Proof Media Partnership	<u>IS-M</u>	<u>IS-M</u>
534	JHEF2	IS-M: VBOX Restructure	<u>IS-M</u>	<u>IS-M</u>
535	<u>JHEM</u>	IS-M: Create Media Partnership	<u>IS-M</u>	<u>IS-M</u>
536	JHEM1	IS-M: Create Media Partnership	<u>IS-M</u>	<u>IS-M</u>
537	<u>JHEN</u>	IS-M: Change Media Partnership	<u>IS-M</u>	<u>IS-M</u>
538	<u>JHEO</u>	IS-M: Display Media Partnership	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
539	<u>JHEOBA</u>	IS-M/AM: Update Revenue Object Docs	<u>IS-M</u>	<u>IS-M</u>
540	JHEOBA RRR	IS-M/AM: Convert Orders for ROD	IS-M	<u>IS-M</u>
	<u>EL</u>			
541	JHF0	IS-M: Billing	IS-M	<u>IS-M</u>
542	JHF1	IS-M/AM: Create Billing Document	IS-M	<u>IS-M</u>
543	JHF2	IS-M/AM: Change Billing Document	IS-M	<u>IS-M</u>
544	JHF3	IS-M/AM: Display Billing Document	IS-M	<u>IS-M</u>
545	JHF7	IS-M/AM: Collective Billing Run	<u>IS-M</u>	<u>IS-M</u>
546	JHF8	IS-M/AM: Reverse Bill.Coll.Processng	<u>IS-M</u>	<u>IS-M</u>
547	JHF9	IS-M: Contract Settlement	<u>IS-M</u>	<u>IS-M</u>
548	JHFA	Coll.Proc.Contract Settlement Log	IS-M	<u>IS-M</u>
549	<u>JHFB</u>	IS-M/AM: Billing Overview	IS-M	<u>IS-M</u>
550	<u>JHFC</u>	IS-M/AM: Release to Accounting	<u>IS-M</u>	<u>IS-M</u>
551	<u>JHFD</u>	Billing Document Reversal BCat-Ind.	<u>IS-M</u>	<u>IS-M</u>
552	<u>JHFE</u>	IS-M/AM: Revenue Distribution	<u>IS-M</u>	<u>IS-M</u>
553	<u>JHFK</u>	IS-M: Cntrct Settlement Billing Doc.	<u>IS-M</u>	<u>IS-M</u>
554	<u>JHFL</u>	IS-M/AM: Bill.Log for Cntrct Sttlmnt	<u>IS-M</u>	<u>IS-M</u>
555	<u>JHFP</u>	IS-M/AM: Overview Coll.Billing Run	<u>IS-M</u>	<u>IS-M</u>
556	<u>JHFR</u>	IS-M/AM: Individual Release (Dialog)	<u>IS-M</u>	<u>IS-M</u>
557	<u>JHFS</u>	IS-M/AM: Billing - Ind.Reversal	<u>IS-M</u>	<u>IS-M</u>
558	<u>JHFT</u>	IS-M: General Receivables Charge-Off	<u>IS-M</u>	<u>IS-M</u>
559	<u>JHFU</u>	IS-M/AM: Release Customer Accounting	<u>IS-M</u>	<u>IS-M</u>
560	JHG1	Create Condition Table (JC)	<u>IS-M</u>	<u>IS-M</u>
561	JHG2	Change Condition Table (JC)	<u>IS-M</u>	<u>IS-M</u>
562	JHG3	Display Condition Table (JC)	<u>IS-M</u>	<u>IS-M</u>
563	<u>JHGP</u>	IS-M/AM: Overview Coll.Billing Run	<u>IS-M</u>	<u>IS-M</u>
564	<u>JHGR</u>	IS-M/AM: Individual Release (Dialog)	<u>IS-M</u>	<u>IS-M</u>
565	<u>JHGS</u>	IS-M/AM: CSetBill. Reverse Dialog	<u>IS-M</u>	<u>IS-M</u>
566	<u>JHGT</u>	IS-M: Charge Off Contract Settlement	<u>IS-M</u>	<u>IS-M</u>
567	JHH1	IS-M: Display Revenue Object Doc.	<u>IS-M</u>	<u>IS-M</u>
568	JHINSSERT_D	Enter Series Determ.Rule Parameters	<u>IS-M</u>	<u>IS-M</u>
	<u>ET</u>			
569	JHK1	IS-M: Pricing Proc.Det.for Pricing	<u>IS-M</u>	<u>IS-M</u>
570	JHK4	Activate Condition Index	<u>IS-M</u>	<u>IS-M</u>
571	JHK8	Condition table: Change index (JA)	<u>IS-M</u>	<u>IS-M</u>
572	JHK9	Reorganize condition indexes	<u>IS-M</u>	<u>IS-M</u>
573	<u>JHKD</u>	Condition table: Change index (JC)	<u>IS-M</u>	<u>IS-M</u>
574	<u>JHKE</u>	Condition table: Change index (JE)	<u>IS-M</u>	<u>IS-M</u>
575	<u>JHKH</u>	Reorganize condition indexes	<u>IS-M</u>	<u>IS-M</u>
576	<u>JHKI</u>	Reorganize condition indices JE	<u>IS-M</u>	<u>IS-M</u>
577	<u>JHKJ</u>	Condition table: Change index (JD)	<u>IS-M</u>	<u>IS-M</u>
578	<u>JHKL</u>	IS-M/AM: Sales Activity List	<u>IS-M</u>	<u>IS-M</u>
579	<u>JHKM</u>	Cond.maint.using index: Create	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
580	<u>JHKN</u>	Cond.maint.using index: Change	<u>IS-M</u>	<u>IS-M</u>
581	<u>JHKO</u>	Cond.maint.using index: Display	<u>IS-M</u>	<u>IS-M</u>
582	<u>JHKP</u>	Define campaigns	<u>IS-M</u>	<u>IS-M</u>
583	<u>JHKR</u>	Reorganize condition indices JE	<u>IS-M</u>	<u>IS-M</u>
584	JHKS	Cond.maint.using index: Create JA	<u>IS-M</u>	IS-M
585	JHKS2	Cond.Maint.Using Index: Create JD	<u>IS-M</u>	<u>IS-M</u>
586	<u>JHKT</u>	Reorganize condition indices JD	<u>IS-M</u>	<u>IS-M</u>
587	<u>JHKU</u>	Cond.Maint.Using Index: Change JA	<u>IS-M</u>	<u>IS-M</u>
588	JHKU2	Cond.Maint.Using Index: Change JD	<u>IS-M</u>	<u>IS-M</u>
589	<u>JHKX</u>	Cond.maint.using index: Display JA	<u>IS-M</u>	<u>IS-M</u>
590	JHKX2	Cond.Maint.Using Index: Display JD	<u>IS-M</u>	<u>IS-M</u>
591	JHM0	IS-M/AM: Interface Records Contents	<u>IS-M</u>	<u>IS-M</u>
592	JHM1	IS-M/AM: Data Generat.for New Order	<u>IS-M</u>	<u>IS-M</u>
593	JHM2	IS-M/AM: Generate Contract Data	<u>IS-M</u>	<u>IS-M</u>
594	JHM3	IS-M/AM: Data Gen.for Legacy Order	<u>IS-M</u>	<u>IS-M</u>
595	JHM4	File Check for Order Migration	<u>IS-M</u>	<u>IS-M</u>
596	JHN1	IS-M: Create Condition Table (JK)	<u>IS-M</u>	<u>IS-M</u>
597	JHN2	IS-M: Change Condition Table (JK)	<u>IS-M</u>	<u>IS-M</u>
598	JHN2JM	IS-M: Change Condition Table (JK)	<u>IS-M</u>	<u>IS-M</u>
599	JHN3	IS-M: Display Condition Table (JK)	<u>IS-M</u>	<u>IS-M</u>
600	JHN4	IS-M: Create Condition Records (JK)	<u>IS-M</u>	<u>IS-M</u>
601	JHN5	IS-M: Change Condition Records (JK)	<u>IS-M</u>	<u>IS-M</u>
602	JHN6	IS-M: Display Condition Records (JK)	<u>IS-M</u>	<u>IS-M</u>
603	JHO2	IS-M: Change Responses	<u>IS-M</u>	<u>IS-M</u>
604	JHO3	IS-M: Display Responses	<u>IS-M</u>	<u>IS-M</u>
605	JHO4	Number range maintenance: ISP_CHINR	<u>IS-M</u>	<u>IS-M</u>
606	JHO5	Display Box No.Resubmission Date	<u>IS-M</u>	<u>IS-M</u>
607	JHP0	IS-M: Sales Agent Settlement	<u>IS-M</u>	<u>IS-M</u>
608	JHP1	IS-M: Create Sales Agent Settlement	<u>IS-M</u>	<u>IS-M</u>
609	JHP2	IS-M: Change Sales Agent Settlement	<u>IS-M</u>	<u>IS-M</u>
610	JHP3	IS-M: Display Sales Agent Settlement	<u>IS-M</u>	<u>IS-M</u>
611	JHP7	IS-M: SlsAgent Settlement Coll.Proc.	<u>IS-M</u>	<u>IS-M</u>
612	JHP8	IS-M/AM: Reverse Coll.SlsAgnt Sett.	<u>IS-M</u>	<u>IS-M</u>
613	<u>JHPA</u>	Account Determination: Create Table	<u>IS-M</u>	<u>IS-M</u>
614	<u>JHPB</u>	Account Determination: Change Table	<u>IS-M</u>	<u>IS-M</u>
615	<u>JHPC</u>	Account Determination: Display Table	<u>IS-M</u>	<u>IS-M</u>
616	<u>JHPP</u>	IS-M/AM Evaluate Sls Agent Coll.Proc	<u>IS-M</u>	<u>IS-M</u>
617	<u>JHPR</u>	IS-M/AM: Individual Release (Dialog)	<u>IS-M</u>	<u>IS-M</u>
618	<u>JHPS</u>	IS-M:Ind.Vendor Bill.Doc.Reversal	<u>IS-M</u>	<u>IS-M</u>
619	<u>JHPU</u>	IS-M/AM: Release Vendor Documents	<u>IS-M</u>	<u>IS-M</u>
620	JHR0	IS-M: Contract Settlement	<u>IS-M</u>	<u>IS-M</u>
621	JHR1	IS-M/AM: Create Final Settlement	<u>IS-M</u>	<u>IS-M</u>
622	JHR2	IS-M/AM: Change Settlement	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
623	JHR3	IS-M/AM: Display Settlement	<u>IS-M</u>	<u>IS-M</u>
624	JHR4	IS-M/AM: Settlements List	<u>IS-M</u>	<u>IS-M</u>
625	JHR5	IS-M/AM: Create Interim Settlement	<u>IS-M</u>	<u>IS-M</u>
626	JHR6	IS-M: Alt.Payer in Contract Settlemt	<u>IS-M</u>	<u>IS-M</u>
627	<u>JHRE</u>	IS-M: Complaints List	<u>IS-M</u>	<u>IS-M</u>
628	<u>JHSA</u>	Evaluate Collective Processing Run	<u>IS-M</u>	<u>IS-M</u>
629	<u>JHSP</u>	IS-M: Collective Processing Log	<u>IS-M</u>	<u>IS-M</u>
630	<u>JHSR</u>	IS-M/AM: Reorganize Coll.Processing	<u>IS-M</u>	<u>IS-M</u>
631	JHT1	Create Condition Table (JA)	<u>IS-M</u>	<u>IS-M</u>
632	JHT2	IS-M: Change Condition Table (JA)	IS-M	<u>IS-M</u>
633	JHT3	Display Condition Table (JA)	IS-M	<u>IS-M</u>
634	JHT4	Create Condition Table (JC)	IS-M	<u>IS-M</u>
635	JHT5	Change Condition Table (JC)	IS-M	<u>IS-M</u>
636	JHT6	Display Condition Table (JC)	<u>IS-M</u>	<u>IS-M</u>
637	<u>JHTB</u>	IS-M: Create Condition Table (JE)	<u>IS-M</u>	<u>IS-M</u>
638	<u>JHTC</u>	IS-M: Change Condition Table (JE)	<u>IS-M</u>	<u>IS-M</u>
639	<u>JHTD</u>	IS-M: Display Condition Table (JE)	<u>IS-M</u>	<u>IS-M</u>
640	JHV1	IS-M: Create Contract Requirements	<u>IS-M</u>	<u>IS-M</u>
641	JHV2	IS-M: Change Contract Requirement	<u>IS-M</u>	<u>IS-M</u>
642	JHV3	IS-M: Display Contract Requirement	<u>IS-M</u>	<u>IS-M</u>
643	JHV4	Maintain number range: COA	<u>IS-M</u>	<u>IS-M</u>
644	JHV5	IS-M: Maintain Substitute Reqs	<u>IS-M</u>	<u>IS-M</u>
645	JHV6	Overview of Contract Requirements	<u>IS-M</u>	<u>IS-M</u>
646	JHVCATVAST D SM34	IS-M: Issue Shift: Order Item Pool	<u>IS-M</u>	<u>IS-M</u>
647	JHW0	IS-M: Contract Monitoring	IS-M	IS-M
	JHW1	IS-M: Create Contract	IS-M	IS-M
	JHW2	IS-M: Change Contract	IS-M	IS-M
	JHW3	IS-M: Display Contract	IS-M	IS-M
651	JHW3_IAC	IS-M/AM: Query Contract	IS-M	IS-M
652	JHW4	IS-M: Display BP Hierarchy	IS-M	IS-M
653	JHW5	IS-M: Create External Sales Volume	IS-M	IS-M
654	JHW6	Maintain number range: COA	IS-M	IS-M
655	JHW8	IS-M: Change Contract Billing Doc.	IS-M	IS-M
656	JHW9	IS-M: Display Contract Billing Doc.	IS-M	IS-M
657	JHWA	IS-M: Create Media-Mix Contract	IS-M	IS-M
658	JHWB	IS-M: Change Media-Mix Contract	IS-M	IS-M
659	JHWC	IS-M: Display Media-Mix Contract	IS-M	IS-M
660	JHWD	IS-M: Maintain Media-Mix Packages	IS-M	IS-M
661	JHWE	IS-M: Define No.Range Intervals	IS-M	IS-M
662	JHWF	IS-M: Create Media-Mix Settlement	IS-M	IS-M
663	JHWF1	IS-M: Media-Mix Interim Settlement	IS-M	IS-M
664	JHWF2	IS-M: Media-Mix Final Settlement	IS-M	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
665	<u>JHWG</u>	IS-M: Change Media-Mix Settlement	<u>IS-M</u>	<u>IS-M</u>
666	<u>JHWH</u>	IS-M: Display Media Mix Settlement	<u>IS-M</u>	<u>IS-M</u>
667	<u>JHWI</u>	IS-M: Media-Mix Settlement Coll.Proc	<u>IS-M</u>	<u>IS-M</u>
668	<u>JHWJ</u>	Media-Mix Initial Screen Tree Strct.	IS-M	<u>IS-M</u>
669	<u>JHWL</u>	IS-M: Subsequent Contract Assignment	IS-M	<u>IS-M</u>
670	<u>JHWM</u>	IS-M: Select Assignments	IS-M	<u>IS-M</u>
671	<u>JHWN</u>	IS-M: Subsequent Assignment of BDst	IS-M	<u>IS-M</u>
672	JHWWWTEMP	Edit Order Data from the Internet	IS-M	<u>IS-M</u>
673	JHZ1	IS-M/AM: Number Range Obj.for Order	IS-M	<u>IS-M</u>
674	JH_COPY_FU	IS-M: Access Copying Function	IS-M	<u>IS-M</u>
	NC_CALL			
675	JH_P	Maintain Print Parameters	IS-M	<u>IS-M</u>
676	JH_PUB_CHA	Publications Collective Change Order	IS-M	<u>IS-M</u>
	NGE	-		
677	<u>JI20</u>	IS-M: IVW Audit Report (General)	IS-M	<u>IS-M</u>
678	<u>JI21</u>	IS-M: IVW Audit Rep.for Daily Papers	IS-M	<u>IS-M</u>
679	<u>JI22</u>	IS-M: IVW Audit Report for Magazine	IS-M	<u>IS-M</u>
680	<u>JI30</u>	IS-M: Average Audit Report Qties	IS-M	<u>IS-M</u>
681	<u>JI31</u>	IS-M: Period Comparison of AR Qties	IS-M	<u>IS-M</u>
682	<u>JI32</u>	IS-M: AR Monthly Revenue Accrual	IS-M	<u>IS-M</u>
683	<u>JI33</u>	IS-M: AR Distribution Analysis	IS-M	<u>IS-M</u>
684	<u>JI34</u>	Daily CAR Statistics (w/o Hierarchy)	IS-M	<u>IS-M</u>
685	<u>JI35</u>	CAR Quantity Statement for Period	IS-M	<u>IS-M</u>
686	<u>JI36</u>	IS-M: AR Revenue Accrual per Issue	IS-M	<u>IS-M</u>
687	<u>JI37</u>	IS-M: IVW Revenue Accrual/Month	IS-M	<u>IS-M</u>
688	<u>JI40</u>	Edit PCode Area Evaluation Variants	<u>IS-M</u>	<u>IS-M</u>
689	<u>JI41</u>	Display PCode Area Eval. Variants	<u>IS-M</u>	<u>IS-M</u>
690	<u>JI42</u>	Edit Postal Code Evaluation Areas	<u>IS-M</u>	<u>IS-M</u>
691	<u>JI43</u>	Display Postal Code Evaluation Areas	<u>IS-M</u>	<u>IS-M</u>
692	<u>JI44</u>	Assign Postal Codes to Eval. Areas	<u>IS-M</u>	<u>IS-M</u>
693	<u>JI45</u>	Display PCode-Eval.Area Assignment	<u>IS-M</u>	<u>IS-M</u>
694	<u>JI46</u>	Create Geo.Hierarchy Variant	<u>IS-M</u>	<u>IS-M</u>
695	<u>JI47</u>	Delete Geo.Hierarchy Variant	<u>IS-M</u>	<u>IS-M</u>
696	JIA0	Update Circulation Book for ABC	<u>IS-M</u>	<u>IS-M</u>
697	JIA1	Manage Audit Reports (Period)	<u>IS-M</u>	<u>IS-M</u>
698	JIA2	Delete Circulation Book Records	IS-M	<u>IS-M</u>
699	JIA3	Display ABC Update Log	<u>IS-M</u>	<u>IS-M</u>
700	JIA4	Recompile Returns in Circ.Book	<u>IS-M</u>	<u>IS-M</u>
701	<u>JIAA</u>	IS-M/SD: Circulation Book Overview	<u>IS-M</u>	<u>IS-M</u>
702	<u>JIAUDITREPO</u>	IS-M: Evaluate Audit Report for MPM	<u>IS-M</u>	<u>IS-M</u>
	RT MPS			
703	<u>JIAUDITREPO</u>	IS-M: Evaluate Audit Report for MSD	<u>IS-M</u>	<u>IS-M</u>
	RT MSD	1	1	1

IS-M - SAP Media

#	T-Code	Description	Module	Component
704	JII0	Update Circulation Book for Audit	<u>IS-M</u>	<u>IS-M</u>
705	JII1	Close/Open IVW Audit Period	<u>IS-M</u>	<u>IS-M</u>
706	JII2	Delete Daily AR Statistics Data	<u>IS-M</u>	<u>IS-M</u>
707	JII3	Update Circulation Book for Audit	<u>IS-M</u>	<u>IS-M</u>
708	JIM1	IS-M/SD: Circulation Auditing	<u>IS-M</u>	<u>IS-M</u>
709	JIRECATEGO	IS-M: Recategorize Subscrip. Orders	<u>IS-M</u>	<u>IS-M</u>
	RIZE	_		
710	JISDCIRCCAT	IS-M/SD: Mass Maint.of Aud.Rpt Cat.	<u>IS-M</u>	<u>IS-M</u>
711	JISDSCSDORD	Audit Report Categorization SD Order	<u>IS-M</u>	<u>IS-M</u>
712	JIU1	Change Edition Audit Report Type	IS-M	<u>IS-M</u>
713	<u>JJ/0</u>	IS-M: Maintain Forms	<u>IS-M</u>	<u>IS-M</u>
714	JJ/C	IS-M: Billing Print Parameters	<u>IS-M</u>	<u>IS-M</u>
715	<u>JJ11</u>	Create Conditions	<u>IS-M</u>	<u>IS-M</u>
716	<u>JJ12</u>	Create conditions using template	<u>IS-M</u>	<u>IS-M</u>
717	<u>JJ13</u>	Change Conditions	<u>IS-M</u>	<u>IS-M</u>
718	<u>JJ14</u>	Display Conditions	<u>IS-M</u>	<u>IS-M</u>
719	<u>JJ20</u>	IS-M/AM: Order Archiving	<u>IS-M</u>	<u>IS-M</u>
720	<u>JJ21</u>	IS-M/AM: Order Archiving Order-Del.	<u>IS-M</u>	<u>IS-M</u>
721	<u>JJ23</u>	IS-M: Archiving Order Management	<u>IS-M</u>	<u>IS-M</u>
722	<u>JJ24</u>	IS-M: Display Archive Orders	<u>IS-M</u>	<u>IS-M</u>
723	<u>JJ25</u>	IS-M/AM: Archive Display Full Run	<u>IS-M</u>	<u>IS-M</u>
724	<u>JJ26</u>	IS-M/AM: Archive Order Check	IS-M	<u>IS-M</u>
725	<u>JJ30</u>	IS-M/AM: Billing Archiving	<u>IS-M</u>	<u>IS-M</u>
726	<u>JJ31</u>	Billing Archiving - Billing-Delete	<u>IS-M</u>	<u>IS-M</u>
727	<u>JJ33</u>	IS-M: Billing Archiving Management	<u>IS-M</u>	<u>IS-M</u>
728	<u>JJ34</u>	IS-M: Display Billing Archive	<u>IS-M</u>	<u>IS-M</u>
729	<u>JJ35</u>	IS-M/AM: Archive Display Full Run	<u>IS-M</u>	<u>IS-M</u>
730	<u>JJ36</u>	IS-M/AM: Archive Billing Check	<u>IS-M</u>	<u>IS-M</u>
731	<u>JJ40</u>	IS-M/AM: Contract Archiving	<u>IS-M</u>	<u>IS-M</u>
732	<u>JJ41</u>	IS-M/AM: Contract Archiving Delete	<u>IS-M</u>	<u>IS-M</u>
733	<u>JJ43</u>	IS-M: Archiving Contract Management	<u>IS-M</u>	<u>IS-M</u>
734	<u>JJ44</u>	IS-M: Display Archive Contract	<u>IS-M</u>	<u>IS-M</u>
735	<u>JJ45</u>	IS-M/AM: Archive Display Full Run	<u>IS-M</u>	<u>IS-M</u>
736	<u>JJ46</u>	IS-M/AM: Archive Contract Check	<u>IS-M</u>	<u>IS-M</u>
737	<u>JJ50</u>	IS-M: Display M/AM Address Changes	<u>IS-M</u>	<u>IS-M</u>
738	<u>JJ60</u>	IS-M/AM: Media-Mix Archiving	<u>IS-M</u>	<u>IS-M</u>
739	<u>JJ61</u>	IS-M/AM: Archiving Med-Mix Delete	<u>IS-M</u>	<u>IS-M</u>
740	<u>JJ63</u>	IS-M: Media-Mix Archive Management	<u>IS-M</u>	<u>IS-M</u>
741	<u>JJ64</u>	IS-M/AM: Display Media-Mix Archive	<u>IS-M</u>	<u>IS-M</u>
742	<u>JJ65</u>	IS-M/AM: Archive Display Full Run	<u>IS-M</u>	<u>IS-M</u>
743	<u>JJ66</u>	IS-M/AM: Archive Media-Mix Check	<u>IS-M</u>	<u>IS-M</u>
744	JJA0	IS-M: Sales Support	<u>IS-M</u>	<u>IS-M</u>
745	JJA1	IS-M/AM: Create Contact Person	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
746	JJA2	IS-M/AM: Change Contact Person	<u>IS-M</u>	<u>IS-M</u>
747	JJA3	IS-M/AM: Display Contact Person	<u>IS-M</u>	<u>IS-M</u>
748	JJA4	IS-M/AM: Number Range Maint. PARTNER	<u>IS-M</u>	<u>IS-M</u>
749	JJADVSLSZ_	Define Weekdays for AdvertSalesZones	IS-M	IS-M
	<u>WEEKDAYS</u>			
750	<u>JJAM</u>	(empty)	<u>IS-M</u>	<u>IS-M</u>
751	JJB0	(empty)	<u>IS-M</u>	<u>IS-M</u>
752	JJB1	IS-M: Create Booking Unit	<u>IS-M</u>	<u>IS-M</u>
753	JJB2	IS-M: Change Booking Unit	<u>IS-M</u>	<u>IS-M</u>
754	JJB3	IS-M: Display Booking Unit	<u>IS-M</u>	<u>IS-M</u>
755	JJB7	IS-M: Create Date-Specific BU	<u>IS-M</u>	<u>IS-M</u>
756	JJB8	IS-M: Change Date-Specific BU	<u>IS-M</u>	<u>IS-M</u>
757	JJB9	IS-M: Display Date-Specific BU	<u>IS-M</u>	<u>IS-M</u>
758	<u>JJBB</u>	IS-M: Create/Change Date-Specific BU	<u>IS-M</u>	<u>IS-M</u>
759	<u>JJBC</u>	Check BU Completeness	<u>IS-M</u>	<u>IS-M</u>
760	<u>JJBD</u>	Delete Individual booking units	<u>IS-M</u>	<u>IS-M</u>
761	<u>JJBE</u>	IS-M: Display BU Assignments	<u>IS-M</u>	<u>IS-M</u>
762	JJBF	IS-M: M/AM PCirQy <> M/SD Del.Qties	IS-M	<u>IS-M</u>
763	JJBG	IS-M: Copy BU Hierarchies	<u>IS-M</u>	<u>IS-M</u>
764	<u>JJBH</u>	Check BU Hierarchies	<u>IS-M</u>	<u>IS-M</u>
765	<u>JJBI</u>	Check Content Component Master Data	IS-M	<u>IS-M</u>
766	<u>JJBJ</u>	Maintain Alternative Dates	IS-M	<u>IS-M</u>
767	<u>JJBK</u>	CM_BU: Maintain content	IS-M	IS-M
768	JJBL	CM-BU: Maintain Date-Specific Cont.	IS-M	<u>IS-M</u>
769	<u>JJBM</u>	Check BU completeness new	<u>IS-M</u>	<u>IS-M</u>
770	JJBN	Check Booking Unit Content	<u>IS-M</u>	<u>IS-M</u>
771	JJBO	Distribution BU Planned Quantities	IS-M	<u>IS-M</u>
772	JJBO_FPLZ	IS-M: Maintain Online Fixed Spaces	IS-M	<u>IS-M</u>
773	JJBO_KTZHL	IS-M: Maintain Plan.Gross Impressns	<u>IS-M</u>	<u>IS-M</u>
774	JJBO_ZUO	IS-M: Maintain Online Assignments	<u>IS-M</u>	<u>IS-M</u>
775	<u>JJBP</u>	Check production unit content	<u>IS-M</u>	<u>IS-M</u>
776	JJBV	IS-M: Maintain AI BU Variant	<u>IS-M</u>	<u>IS-M</u>
777	JJBW	AI-BU: Maintain Date-Specific Capac.	IS-M	IS-M
778	JJBY	IS-M: Gen. Work Area for BU Hier.	IS-M	IS-M
779	JJBZ	IS-M: AI BU Admissibility	IS-M	IS-M
780	JJC1	IS-M: Ad Insert Processing Type	IS-M	IS-M
781	JJCAMPAIGN	IS-M: Campaigns With CRM Reference	IS-M	IS-M
	CRM			
782	JJCAMPAIGN	IS-M: Campaigns Without CRM Refernce	IS-M	<u>IS-M</u>
	NOCRM			
783	JJCP_ACT	IS-M/AM: Activate Contact Person	<u>IS-M</u>	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
784	JJCP CHANG	IS-M: Change Contact Person	<u>IS-M</u>	<u>IS-M</u>
	<u>E</u>			
785	JJCP CLA1	CP Class.: Fill JJCPCLASSCONV Table	<u>IS-M</u>	<u>IS-M</u>
786	JJCP_CLA2	CP Class.: Copy Classes	IS-M	<u>IS-M</u>
787	JJCP_CLA3	CP Class.: Copy Classifications	IS-M	<u>IS-M</u>
788	JJCP_CLA4	CP Class.: Delete Classification	IS-M	<u>IS-M</u>
789	JJCP_CONV_F	Convert Free Subscription	IS-M	<u>IS-M</u>
	<u>S</u>			
790	JJCP CONV R	Convert Responsibility	<u>IS-M</u>	<u>IS-M</u>
	<u>B</u>			
791	JJCP_SHOW	IS-M: Display Contact Person	IS-M	<u>IS-M</u>
792	JJCP_STATUS	Media Cnt: Define Conversion Status	IS-M	<u>IS-M</u>
793	JJD0	IS-M: Services	IS-M	IS-M
794	JJD1	IS-M: Create Service	<u>IS-M</u>	<u>IS-M</u>
795	JJD2	IS-M: Change Service	<u>IS-M</u>	<u>IS-M</u>
796	JJD3	IS-M: Display Service	<u>IS-M</u>	<u>IS-M</u>
797	JJD4	Maintain number range: ISP_DIEN	IS-M	IS-M
798	JJF2	IS-M: Change Condition Table (JF)	IS-M	IS-M
799	JJF3	IS-M: Change Condition Table (JG)	IS-M	<u>IS-M</u>
800	JJF5	IS-M: Change Condition Records (JF)	<u>IS-M</u>	<u>IS-M</u>
801	JJF7	IS-M: Change Condition Table (JA)	IS-M	IS-M
802	<u>JJFK</u>	IS-M: Requirement for output deter.	IS-M	<u>IS-M</u>
803	JJFM	IS-M: Change Condition Table (JH)	IS-M	<u>IS-M</u>
804	JJG0	(empty)	IS-M	<u>IS-M</u>
805	JJG1	IS-M/AM: Create Media Customer	IS-M	<u>IS-M</u>
806	JJG2	IS-M/AM: Change Media Customer	<u>IS-M</u>	<u>IS-M</u>
807	JJG3	IS-M/AM: Display Media Customer	IS-M	<u>IS-M</u>
808	JJG4	Maintain Telephone Barring List	IS-M	<u>IS-M</u>
809	JJG5	Maintain Telephone Barring List	IS-M	<u>IS-M</u>
810	JJG6	Display barred telephone list	IS-M	<u>IS-M</u>
811	JJG7	Maintain Sales Agent Pool	IS-M	<u>IS-M</u>
812	JJG9	Display Agent Pool	<u>IS-M</u>	<u>IS-M</u>
813	<u>JJGA</u>	Create Media Sales Agent	<u>IS-M</u>	<u>IS-M</u>
814	<u>JJGB</u>	Change Media Sales Agent	IS-M	<u>IS-M</u>
815	<u>JJGC</u>	Display Media Sales Agent	IS-M	<u>IS-M</u>
816	<u>JJGD</u>	IS-M/AM: Maintain BP Alias	IS-M	<u>IS-M</u>
817	<u>JJGE</u>	IS-M/AM: Display BP Alias	<u>IS-M</u>	IS-M
818	<u>JJGK</u>	Maintain Sales Agent ID Code	<u>IS-M</u>	<u>IS-M</u>
819	<u>JJGL</u>	IS-M/AM: Display Sales Agent ID Code	<u>IS-M</u>	<u>IS-M</u>
820	<u>JJGM</u>	Maintain Alternative Customer Number	<u>IS-M</u>	<u>IS-M</u>
821	<u>JJGN</u>	IS-M: Display Former Advertiser No.	IS-M	<u>IS-M</u>
822	JJH0	IS-M/AM: Product Hierarchy	IS-M	<u>IS-M</u>
823	JJH2	IS-M: Change BP Hierarchy	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
824	JJH3	IS-M: Display BP Hierarchy	<u>IS-M</u>	<u>IS-M</u>
825	JJI1	IS-M: Create Content Component	<u>IS-M</u>	<u>IS-M</u>
826	JJI2	IS-M: Change Content Component	<u>IS-M</u>	<u>IS-M</u>
827	JJI3	IS-M: Display Content Component	IS-M	<u>IS-M</u>
828	JJI4	IS-M: Coll.Entry of Content Comps	IS-M	<u>IS-M</u>
829	JJI5	IS-M: Coll.Processing of CCs	IS-M	<u>IS-M</u>
830	JJI6	IS-M: Coll.Display of Cont.Comps	IS-M	<u>IS-M</u>
831	JJI7	IS-M: Create Cont.Comp.Hierarchy	<u>IS-M</u>	<u>IS-M</u>
832	JJI8	IS-M: Process Cont.Comp.Hierarchy	<u>IS-M</u>	<u>IS-M</u>
833	JJI9	IS-M: Display Cont.Comp Hierarchy	<u>IS-M</u>	<u>IS-M</u>
834	<u>JJIA</u>	Content component conversion	<u>IS-M</u>	<u>IS-M</u>
835	<u>JJIB</u>	IS-M: Copy Content Components	<u>IS-M</u>	<u>IS-M</u>
836	<u>JJIC</u>	IS-M: Copy Content Comp.Hier.Parts	<u>IS-M</u>	<u>IS-M</u>
837	<u>JJIH</u>	IS-M: Where-Used List for CC Hier.	<u>IS-M</u>	<u>IS-M</u>
838	<u>JJIK</u>	IS-M: Where-Used List for CCs	<u>IS-M</u>	<u>IS-M</u>
839	JJK0	Call up dynamic condition mainten.	<u>IS-M</u>	<u>IS-M</u>
840	JJK1	Dynam.cond.maint.f.pricng for c.ord.	<u>IS-M</u>	<u>IS-M</u>
841	JJK2	Dyn.Cnd.Maint.f.Contrct Disc.Pricing	<u>IS-M</u>	<u>IS-M</u>
842	JJK3	Dynam.Cond.Maint.in Pric.for Commis.	<u>IS-M</u>	<u>IS-M</u>
843	JJK4	Dynam.cond.maint.f.pricng for c.ord.	<u>IS-M</u>	<u>IS-M</u>
844	JJK5		<u>IS-M</u>	<u>IS-M</u>
845	JJL2	IS-M: Standard Access Analyze Pages	<u>IS-M</u>	<u>IS-M</u>
846	JJL3	IS-M: Standard Access Analyze Pages	<u>IS-M</u>	<u>IS-M</u>
847	JJL4	Std Settings for Sales Agnt Analysis	<u>IS-M</u>	<u>IS-M</u>
848	JJP2	Generate booking unit - content	<u>IS-M</u>	<u>IS-M</u>
849	JJP3	Delete Booking Unit Content	<u>IS-M</u>	<u>IS-M</u>
850	JJP4	Generate Production Units	<u>IS-M</u>	<u>IS-M</u>
851	JJP5	Display generation status	<u>IS-M</u>	<u>IS-M</u>
852	JJP6	IS-M: Display Generated PUs	<u>IS-M</u>	<u>IS-M</u>
853	JJP7	IS-M/AM: Coll.Maintenance of PUs	<u>IS-M</u>	<u>IS-M</u>
854	JJP8	IS-M: Update PUs	IS-M	<u>IS-M</u>
855	JJP9	Display generation status	<u>IS-M</u>	<u>IS-M</u>
856	<u>JJPH</u>	IS-M/AM: Maintain product hierarchy	<u>IS-M</u>	<u>IS-M</u>
857	<u>JJPI</u>	IS-M/AM: Display Product Hierarchy	<u>IS-M</u>	<u>IS-M</u>
858	<u>JJPO</u>	IS-M: Partner Objects	IS-M	<u>IS-M</u>
859	JJPRDH_AV	IS-M/AM: Provis.Products Worklist	IS-M	<u>IS-M</u>
860	JJPRDH_AZ	IS-M/AM: Worklist Link Table	IS-M	<u>IS-M</u>
861	JJPRDH DU	IS-M/AM: Duplicate Check (ProdHier.)	<u>IS-M</u>	<u>IS-M</u>
862	JJPRDH FA	IS-M/AM: Create WL for Link Table	<u>IS-M</u>	<u>IS-M</u>
863	JJPRDH IF	IS-M/AM: Data Transfer (Prod.Hier.)	<u>IS-M</u>	<u>IS-M</u>
864	JJPRDH_P1	IS-M/AM: Maintain Economic Sectors	IS-M	<u>IS-M</u>
865	JJPRDH_P2	IS-M/AM: Maintain Product Groups	IS-M	<u>IS-M</u>
866	JJPRDH_P3	IS-M/AM: Maintain Product Families	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
867	JJPRDH P4	IS-M/AM: Maintain Umbrella Products	<u>IS-M</u>	<u>IS-M</u>
868	JJPRDH P5	IS-M/AM: Maintain Products	<u>IS-M</u>	<u>IS-M</u>
869	JJPRDH P6	IS-M/AM: Maintain Link Table	<u>IS-M</u>	<u>IS-M</u>
870	JJPRDH_PNKR	IS-M/AM: No.Range for Prov.Products	<u>IS-M</u>	<u>IS-M</u>
	<u>S</u>			
871	JJPRDH_TGLO	IS-M/AM: Global Setting: Prod.Hier.	<u>IS-M</u>	<u>IS-M</u>
	BAL			
872	JJPRDH TPRS	IS-M/AM: Product Search (Cust)	<u>IS-M</u>	<u>IS-M</u>
873	JJPRDH TUA	IS-M/AM: Assign Agency Role (Cust)	<u>IS-M</u>	<u>IS-M</u>
	<u>G</u>			
874	JJPRDH_UK	IS-M/AM: Update Link Table	<u>IS-M</u>	<u>IS-M</u>
875	JJPRDH_UV	IS-M/AM: Update Provisional Products	<u>IS-M</u>	<u>IS-M</u>
876	JJS0	IS-M: Area Menu - Structures/Dist.	<u>IS-M</u>	<u>IS-M</u>
877	JJS1	Maintain Bank Details Barring List	<u>IS-M</u>	<u>IS-M</u>
878	JJS1 BKID	IS-M: Bank Details ID Maintain Excp.	<u>IS-M</u>	<u>IS-M</u>
879	JJS2	Display Bank Details Barring List	<u>IS-M</u>	<u>IS-M</u>
880	JJS2_BKID	IS-M: Bank Details ID Display Excep.	<u>IS-M</u>	<u>IS-M</u>
881	JJS3	Number Range Maintenance: ISP_SINR	<u>IS-M</u>	<u>IS-M</u>
882	JJS4	IS-M: Create Ad Insert	<u>IS-M</u>	<u>IS-M</u>
883	JJS5	IS-M: Change Ad Insert	<u>IS-M</u>	<u>IS-M</u>
884	JJS6	IS-M: Display Ad Insert	<u>IS-M</u>	<u>IS-M</u>
885	<u>JJSI</u>	IS-M: Ad Insert	<u>IS-M</u>	<u>IS-M</u>
886	JJSNRO_ISM_	Number Range Maintenance: ISM_FESTPL	<u>IS-M</u>	<u>IS-M</u>
	<u>FESTPL</u>			
887	<u>JJUPSELL</u>	IS-M: Maintain Upselling Proposals	<u>IS-M</u>	<u>IS-M</u>
888	<u>JJV002</u>	RJJGA002	<u>IS-M</u>	<u>IS-M</u>
	<u>JJV003</u>	RJJGA003	<u>IS-M</u>	<u>IS-M</u>
890	JJV1	IS-M/AM: Create Sales Agent Contract	<u>IS-M</u>	<u>IS-M</u>
891	JJV2	IS-M/AM: Change Sales Agent Contract	<u>IS-M</u>	<u>IS-M</u>
892	JJV3	IS-M: Display Sales Agent Contract	<u>IS-M</u>	<u>IS-M</u>
893	JJV4	IS-M/AM: Edit Exclusion Requirements	<u>IS-M</u>	<u>IS-M</u>
894	JJV5	IS-M: Display Exclusion Requirement	<u>IS-M</u>	<u>IS-M</u>
895	JJV7	IS-M/AM: Edit Inclusive Requirements	<u>IS-M</u>	<u>IS-M</u>
896	JJV8	IS-M: Display Inclusive Requirement	<u>IS-M</u>	<u>IS-M</u>
897	JJV9	Create Occasional Sales Agent Cntrct	<u>IS-M</u>	<u>IS-M</u>
898	JJW1	IS-M/AM: Add Sales Activity	<u>IS-M</u>	<u>IS-M</u>
899	JJW2	IS-M/AM: Change Sales Activity	<u>IS-M</u>	<u>IS-M</u>
900	JJW3	IS-M/AM: Display Sales Activity	<u>IS-M</u>	<u>IS-M</u>
901	<u>JJWA</u>	IS-M/AM: Edit Address List	<u>IS-M</u>	<u>IS-M</u>
902	<u>JJWB</u>	IS-M/AM: Create Letter	<u>IS-M</u>	<u>IS-M</u>
903	JJWM	IS-M/AM: Create Mailing	<u>IS-M</u>	<u>IS-M</u>
904	JJWT	IS-M/AM: Create Telephone Call	<u>IS-M</u>	<u>IS-M</u>
905	<u>JJWV</u>	IS-M/AM: Create Sales Call	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
906	JJXX	IS-M: Configurat.Reqs and Formulas	<u>IS-M</u>	IS-M
907	JK01	Create Subscription Order	<u>IS-M</u>	IS-M
908	JK01X	Create Subscription Order	<u>IS-M</u>	IS-M
909	JK02	Change Subscription Order	IS-M	IS-M
910	JK02X	Change Subscription Order	IS-M	IS-M
911	JK03	Display Subscription Order	IS-M	IS-M
912	JK03X	Display Subscription Order	IS-M	IS-M
913	<u>JK04</u>	Display Subscription Order	<u>IS-M</u>	<u>IS-M</u>
914	JK07	IS-M: Fast Entry of Subscriptions	<u>IS-M</u>	<u>IS-M</u>
915	JK11	Create retail order	IS-M	IS-M
916	JK11X	Create Retail Order	<u>IS-M</u>	<u>IS-M</u>
917	JK12	Change retail order	IS-M	IS-M
918	JK12X	Change Retail Order	<u>IS-M</u>	<u>IS-M</u>
919	JK13	Display retail order	<u>IS-M</u>	<u>IS-M</u>
920	JK13X	Display Retail Order	<u>IS-M</u>	<u>IS-M</u>
921	JK14	Display retail order	<u>IS-M</u>	<u>IS-M</u>
922	JK16	Fast Entry for Retail Purchase Qties	<u>IS-M</u>	<u>IS-M</u>
923	JK21	Create coupon order	<u>IS-M</u>	IS-M
924	JK21X	Create Coupon Order	IS-M	IS-M
925	JK22	Change coupon order	<u>IS-M</u>	<u>IS-M</u>
926	JK22X	Change Coupon Order	<u>IS-M</u>	<u>IS-M</u>
927	JK23	Display coupon order	IS-M	<u>IS-M</u>
928	JK23X	Display Coupon Order	<u>IS-M</u>	<u>IS-M</u>
929	<u>JK24</u>	Display coupon order	<u>IS-M</u>	<u>IS-M</u>
930	<u>JK31</u>	Create Gift Distribution Order	<u>IS-M</u>	<u>IS-M</u>
931	<u>JK31X</u>	Create Gift Distribution Order	<u>IS-M</u>	<u>IS-M</u>
	<u>JK32</u>	Maintain order f.char.transfer dist.	<u>IS-M</u>	<u>IS-M</u>
933	JK32X	Maintain Order f.Char.Transfer Dist.	<u>IS-M</u>	<u>IS-M</u>
934	<u>JK33</u>	Display order for char.transfer dis.	<u>IS-M</u>	<u>IS-M</u>
935	JK33X	Display Order for Char. Transfer Dis.	<u>IS-M</u>	<u>IS-M</u>
936	<u>JK34</u>	Display order for char.transfer dis.	<u>IS-M</u>	<u>IS-M</u>
937	<u>JK41</u>	Create Subscription Offer	<u>IS-M</u>	<u>IS-M</u>
938	JK41X	Create Subscription Offer	<u>IS-M</u>	<u>IS-M</u>
939	JK42	Change Subscription Offer	<u>IS-M</u>	IS-M
940	JK42X	Change Subscription Offer	<u>IS-M</u>	<u>IS-M</u>
941	JK43	Display Subscription Offer	<u>IS-M</u>	<u>IS-M</u>
942	JK43X	Display Subscription Offer	<u>IS-M</u>	IS-M
943	<u>JK44</u>	Display Subscription Offer	<u>IS-M</u>	<u>IS-M</u>
944	<u>JK51</u>	Create retail offer	<u>IS-M</u>	<u>IS-M</u>
945	JK51X	Create Retail Offer	<u>IS-M</u>	<u>IS-M</u>
946	JK52	Change retail offer	<u>IS-M</u>	<u>IS-M</u>
947	JK52X	Change Retail Offer	<u>IS-M</u>	<u>IS-M</u>
948	JK53	Display retail offer	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
949	<u>JK53X</u>	Display Retail Offer	<u>IS-M</u>	<u>IS-M</u>
950	<u>JK54</u>	Display retail offer	<u>IS-M</u>	<u>IS-M</u>
951	JK61	Create xx offer - not used	<u>IS-M</u>	<u>IS-M</u>
952	JK62	Change xx offer - not used	<u>IS-M</u>	<u>IS-M</u>
953	JK63	Display xx offer - not used	<u>IS-M</u>	<u>IS-M</u>
954	JKA1	Create External Delivery Order	IS-M	<u>IS-M</u>
955	JKA1X	Create External Delivery Order	IS-M	<u>IS-M</u>
956	JKA2	Change External Delivery Order	<u>IS-M</u>	<u>IS-M</u>
957	JKA2X	Change External Delivery Order	<u>IS-M</u>	<u>IS-M</u>
958	JKA3	Display External Delivery Order	<u>IS-M</u>	<u>IS-M</u>
959	JKA3X	Display External Delivery Order	<u>IS-M</u>	<u>IS-M</u>
960	JKA4	Display third-party delivery order	<u>IS-M</u>	<u>IS-M</u>
961	<u>JKACCNEWC</u>	Currency Change for Liability Accts	<u>IS-M</u>	<u>IS-M</u>
	<u>URR</u>			
962	<u>JKAN</u>	New Acct.Det.with Rev.Acct.Transfer	<u>IS-M</u>	<u>IS-M</u>
963	JKAN_ALOG	IS-M/SD: Log New Account Det.	<u>IS-M</u>	<u>IS-M</u>
964	JKB1	Create internal order	<u>IS-M</u>	<u>IS-M</u>
965	JKB1X	Create Internal Order	<u>IS-M</u>	<u>IS-M</u>
966	JKB2	Change internal order	<u>IS-M</u>	<u>IS-M</u>
967	JKB2X	Change Internal Order	<u>IS-M</u>	<u>IS-M</u>
968	JKB3	Display internal order	<u>IS-M</u>	<u>IS-M</u>
969	JKB3X	Display Internal Order	<u>IS-M</u>	<u>IS-M</u>
970	JKB4	Display internal order	<u>IS-M</u>	<u>IS-M</u>
971	JKCOMPL1	IS-M/SD: Create Customer Complaint	<u>IS-M</u>	<u>IS-M</u>
972	JKCOMPL1_F	IS-M/SD: Create Complaint (Func.Mod)	<u>IS-M</u>	<u>IS-M</u>
	<u>M</u>			
973	JKCOMPL1 P	IS-M/SD: Create Complaint (Defaults)	<u>IS-M</u>	<u>IS-M</u>
	RESET			
974		IS-M/SD: Create Complaint (Posted.)	<u>IS-M</u>	<u>IS-M</u>
	<u>WWTEMP</u>			
975	JKCOMPL2	IS-M/SD: Change Customer Complaint	IS-M	<u>IS-M</u>
976	JKCOMPL3	IS-M/SD: Display Customer Complaint	<u>IS-M</u>	<u>IS-M</u>
977	JKD0	Edit Delivery Viability Optimization	<u>IS-M</u>	<u>IS-M</u>
978	JKD1	Display Delivery Via.Optimization	IS-M	<u>IS-M</u>
979	JKD3	IS-M/SD: Delivery Viab.Optimization	IS-M	<u>IS-M</u>
980	JKD4	Publications for Address	<u>IS-M</u>	<u>IS-M</u>
981	JKFB01	IS-M/SD: Mass Incoming Payment	<u>IS-M</u>	<u>IS-M</u>
982	<u>JKGP</u>	IS-M: Generate Ad Pre-Print Order	<u>IS-M</u>	<u>IS-M</u>
983	JKK0	Order processing - central maint.	<u>IS-M</u>	<u>IS-M</u>
984	JKK1	Order management - central display	<u>IS-M</u>	<u>IS-M</u>
	JKLF	IS-M: Sales, Current Settings	<u>IS-M</u>	IS-M
986	<u>JKLIABACC</u>	Liability Account Analysis	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
987	JKLIAB REVE	Reverse Liability Account Transfer	<u>IS-M</u>	<u>IS-M</u>
	<u>RSE</u>			
988	JKM1	(empty)	<u>IS-M</u>	<u>IS-M</u>
989	<u>JKON</u>	IS-M: Generic Condition Maintenance	<u>IS-M</u>	<u>IS-M</u>
990	JKP1	Create Ad Pre-Print Order	IS-M	IS-M
991	JKP2	Change Ad Pre-Print Order	<u>IS-M</u>	<u>IS-M</u>
992	JKP3	Display Ad Pre-Print Order	<u>IS-M</u>	<u>IS-M</u>
993	JKR1	Create customer complaint	<u>IS-M</u>	<u>IS-M</u>
994	JKR2	Change customer complaint	<u>IS-M</u>	<u>IS-M</u>
995	JKR3	Display customer complaint	<u>IS-M</u>	<u>IS-M</u>
996	JKR4	Release customer complaint	<u>IS-M</u>	IS-M
997	JKR8	Release return	<u>IS-M</u>	IS-M
998	<u>JKRA</u>	Create Return	<u>IS-M</u>	IS-M
999	JKRAP	Update Amortization Plan	<u>IS-M</u>	IS-M
1,000	<u>JKRB</u>	Change Return	<u>IS-M</u>	<u>IS-M</u>
1,001	<u>JKRC</u>	Display Return	<u>IS-M</u>	IS-M
1,002	JKREX	Update Expiration Date	IS-M	IS-M
1,003	JKRGL	Data Transfer for Going Live	IS-M	IS-M
1,004	JKRGL_BUIL	Data Transfer for Going Live	IS-M	IS-M
,	D_AMODATA			
1,005	JKRM	IS-M/SD: Subscription Monitoring	<u>IS-M</u>	<u>IS-M</u>
	JKRM_ALOG	IS-M/SD: Subscription Monitoring Log	<u>IS-M</u>	IS-M
1,007	JKRN	IS-M/SD: Amortization	IS-M	IS-M
1,008	JKRNP	Display Amortization Log	IS-M	<u>IS-M</u>
1,009	JKRN_MASTE	IS-M: Amortization - Parallel Proc.	IS-M	IS-M
,	$\frac{1}{R}$			
1,010	JKRN OVERV	Overview of Amortization Logs	IS-M	IS-M
,	IEW	č		
1,011	JKRT	IS-M/SD: Liability Account Transfer	IS-M	IS-M
1,012	JKRTP	Log for Liability Account Transfer	IS-M	IS-M
1,013	JKS1	IS-PSD: Analysis of live subscrips	IS-M	IS-M
1,014	JKS2	Comparison of Live Subs (S/T/F)	IS-M	IS-M
1,015	JKS3	IS-PSD: Compare live sub.trans (all)	IS-M	IS-M
1,016	JKS4	IS-PSD: Transacs affecting live subs	IS-M	IS-M
1,017	JKS5	IS-PSD: Compare live subscr.transacs	IS-M	IS-M
	JKS6	IS-M: Daily Retail Sales	IS-M	IS-M
1,019	JKS7	IS-M: Weekly Retail Sales	IS-M	IS-M
1,020	JKS8	IS-M: Reader Structure Ind./Occup.	IS-M	IS-M
1,021	JKS9	IS-M: Edition Distrib.Geo/Carr.Route	IS-M	IS-M
1,022	JKSA	IS-M: Dist.Rept Geo/CRoute Ret./Sub.	IS-M	IS-M
1,023	JKSADR	Deactivate Divert/Voucher Ship.Addr.	IS-M	IS-M
1,024	JKSB	IS-M: Dist.Rept Geo/CRoute DatComp.	IS-M	IS-M
1,025	JKSC	Subscription lifetime analysis	IS-M	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,026	<u>JKSD</u>	IS-M: Distribution of Transfers	<u>IS-M</u>	<u>IS-M</u>
1,027	JKSD03	Edit Quantity Plan	<u>IS-M</u>	<u>IS-M</u>
1,028	JKSD04	Display Quantity Plan	<u>IS-M</u>	<u>IS-M</u>
1,029	JKSD05	Edit Quantity Plan for Phase Deliv.	<u>IS-M</u>	<u>IS-M</u>
1,030	JKSD06	Display Quantity Plan for Phase Del.	<u>IS-M</u>	<u>IS-M</u>
1,031	JKSD07	Edit Quantity Plan per Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,032	JKSD07A	Display Qty Plan per Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,033	JKSD08	Edit Quantity Plan Versions	<u>IS-M</u>	<u>IS-M</u>
1,034	JKSD09	Copy Quantity Plan Versions	<u>IS-M</u>	<u>IS-M</u>
1,035	JKSD10	Delete Quantity Plan Versions	<u>IS-M</u>	<u>IS-M</u>
1,036	JKSD11	Refresh Planning from BP Calendar	<u>IS-M</u>	<u>IS-M</u>
1,037	JKSD12	Quantity Plan from Planning Calendar	<u>IS-M</u>	<u>IS-M</u>
1,038	JKSD13	Process Worklist of Media Issues	<u>IS-M</u>	<u>IS-M</u>
1,039	JKSD13A	Display Worklist of Media Issues	<u>IS-M</u>	<u>IS-M</u>
1,040	JKSD14	Mass Change to SD Orders	<u>IS-M</u>	<u>IS-M</u>
1,041	JKSD15	Set Statuses of Media Issues	<u>IS-M</u>	IS-M
1,042	JKSD15_PROT	Log of Setting Media Issue Statuses	<u>IS-M</u>	IS-M
1,043	JKSD16	Mass Change to SD Orders	<u>IS-M</u>	<u>IS-M</u>
1,044	JKSD17	Copy Delivery Quantity from Product	<u>IS-M</u>	<u>IS-M</u>
	JKSD21	Adjust Quantity Planning	<u>IS-M</u>	<u>IS-M</u>
1,046	JKSDADRRAS	Address Formatting	<u>IS-M</u>	<u>IS-M</u>
	<u>S</u>	_		
1,047	JKSDAREA01	Quantity Planning: Planning Area	<u>IS-M</u>	<u>IS-M</u>
1,048	JKSDAREA02	Quantity Planning: Segments	<u>IS-M</u>	<u>IS-M</u>
1,049	JKSDASSIGN	IS-M: Assigns Segments to Contracts	<u>IS-M</u>	<u>IS-M</u>
	CONTRACT			
1,050	JKSDCA01	IS-M: Central Access	<u>IS-M</u>	<u>IS-M</u>
1,051	JKSDCOLLEC	Create Collection	<u>IS-M</u>	<u>IS-M</u>
	<u>T01</u>			
1,052	<u>JKSDCOLLEC</u>	Create Collection - POS Closure	<u>IS-M</u>	<u>IS-M</u>
	<u>T02</u>			
1,053	<u>JKSDCOLLEC</u>	Calculate Collection Date for Issue	<u>IS-M</u>	<u>IS-M</u>
	<u>TCALC</u>			
1,054	JKSDCOLLEC	Determine Issues for Collection	<u>IS-M</u>	<u>IS-M</u>
	<u>TION</u>			
1,055	JKSDCOLLEC	Create Log for Return Index	<u>IS-M</u>	<u>IS-M</u>
	<u>TIONPROT</u>			
1,056	<u>JKSDCOLLEC</u>	Maintain Coll. Date for Media Issue	<u>IS-M</u>	<u>IS-M</u>
	<u>TISSUEDATE</u>			
	JKSDCOLLEC	Plan Collection	<u>IS-M</u>	<u>IS-M</u>
1,057	JEDUCOLLEC			
1,057	TPLAN1			
1,057 1,058	TPLAN1	Edit Return Index	IS-M	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,059	JKSDCOMP01	Edit Product Kit Structure	<u>IS-M</u>	<u>IS-M</u>
1,060	JKSDCOMP02	Edit Product Kit	<u>IS-M</u>	<u>IS-M</u>
1,061	JKSDCOMP03	Generate Product Kit from Structure	<u>IS-M</u>	<u>IS-M</u>
1,062	JKSDCOMP04	Display Product Kit Structure	<u>IS-M</u>	<u>IS-M</u>
1,063	JKSDCOMP05	Display Product Kit	<u>IS-M</u>	<u>IS-M</u>
1,064	JKSDCON01	IS-M: Copy Contract Data	<u>IS-M</u>	<u>IS-M</u>
1,065	JKSDCON02	IS-M: Create Contracts	IS-M	<u>IS-M</u>
1,066	JKSDCON03	IS-M/SD: Copy Contract Data	<u>IS-M</u>	<u>IS-M</u>
1,067	JKSDCON04	IS-M/SD: Reject Contracts	<u>IS-M</u>	<u>IS-M</u>
1,068	JKSDCON05	IS-M/SD: Schedule Contracts	<u>IS-M</u>	<u>IS-M</u>
1,069	JKSDCON06	IS-M/SD: Schedule Contr. Rejections	<u>IS-M</u>	<u>IS-M</u>
1,070	JKSDCONTRA	Fast Entry of Customer Quantity Plan	<u>IS-M</u>	<u>IS-M</u>
	<u>CTFAST</u>			
1,071	<u>JKSDCONTRA</u>	Contract Monitor	<u>IS-M</u>	<u>IS-M</u>
	<u>CTINFO</u>			
1,072	<u>JKSDCOPYFO</u>	IS-M: Replicates Reference Issues	<u>IS-M</u>	<u>IS-M</u>
	RECAST			
1,073	<u>JKSDCOPYMS</u>	Copy Quantities (Master-Slave)	<u>IS-M</u>	<u>IS-M</u>
1,074	JKSDCRED1	Mark Credit Memo Req.w/Ref.to Order	<u>IS-M</u>	<u>IS-M</u>
1,075	JKSDCRED12	Log Credit Memos to SD	<u>IS-M</u>	<u>IS-M</u>
1,076	JKSDCRED1E	Mark Credit Memo Req.w/Ref.to Order	<u>IS-M</u>	<u>IS-M</u>
1,077	JKSDCRED2	Create Credit Memo Requests	IS-M	<u>IS-M</u>
1,078	JKSDCRED3	Mark Cred.Memo Req.w/Ref.to Contract	IS-M	<u>IS-M</u>
	JKSDCRED3E	Mark Cred.Memo Req.w/Ref.to Contract	IS-M	<u>IS-M</u>
1,080	JKSDCRED4	Mark CMRs w/o Reference to Document	<u>IS-M</u>	<u>IS-M</u>
1,081	JKSDCRED4E	Mark CMRs w/o Reference to Document	<u>IS-M</u>	<u>IS-M</u>
1,082	JKSDCUST02	IS-M: Maintain Req.for Contract	<u>IS-M</u>	<u>IS-M</u>
1,083	JKSDCUST07	IS-M: Maintain Geo. Assignment Type	<u>IS-M</u>	<u>IS-M</u>
1,084	JKSDCUST11	IS-M: Audit Report Category Determ.	<u>IS-M</u>	<u>IS-M</u>
1,085	<u>JKSDDELIVE</u>	IS-M: Update Delivery	<u>IS-M</u>	<u>IS-M</u>
	<u>RY01</u>			
1,086		IS-M: Update Log	<u>IS-M</u>	<u>IS-M</u>
	<u>RY11</u>			
1,087	JKSDDISPLAY	IS-M: Display Quantities for Segment	<u>IS-M</u>	<u>IS-M</u>
	QUAN			
1,088		Display Assignm. Segment - Contracts	<u>IS-M</u>	<u>IS-M</u>
	<u>SC01</u>			
1,089	JKSDDISPLAY	Change Assignm. Segment - Contracts	<u>IS-M</u>	<u>IS-M</u>
	<u>SC02</u>			
1,090	JKSDEVENTE	Change Quantity Plan from Events	<u>IS-M</u>	<u>IS-M</u>
	XEC			
1,091	JKSDFORECA	Change Reference Issues	<u>IS-M</u>	<u>IS-M</u>
	<u>ST02</u>			

#	T-Code	Description	Module	Component
1,092	JKSDFORECA	Display Reference Issues	<u>IS-M</u>	<u>IS-M</u>
	<u>ST03</u>			
1,093	JKSDFORECA	IS-M: Assign "Like" Contracts	<u>IS-M</u>	<u>IS-M</u>
	<u>ST04</u>			
1,094	JKSDFORECA	Write Delivery Quantity to Contracts	<u>IS-M</u>	<u>IS-M</u>
	STPLAN			
1,095	JKSDFORECA	IS-M: Display Log	IS-M	<u>IS-M</u>
	STPROTOCOL			
1,096	<u>JKSDHORIZO</u>	Display Planning Horizons	<u>IS-M</u>	<u>IS-M</u>
	NDISPLAY			
1,097	JKSDISSUEDA	Create Coll. Index for Media Issues	<u>IS-M</u>	<u>IS-M</u>
	TECREATE			
1,098	JKSDKNVP	Maintain Time-Dep. Partner Roles	<u>IS-M</u>	<u>IS-M</u>
1,099	JKSDKNVP1	Display Time-Dep. Partner Roles	<u>IS-M</u>	<u>IS-M</u>
1,100	JKSDKNVP2	Adjust Partner Roles in Contracts	<u>IS-M</u>	<u>IS-M</u>
1,101	JKSDKNVP3	Log of Partner Roles in Contracts	<u>IS-M</u>	<u>IS-M</u>
1,102	JKSDKNVP4	Adjust Partner Roles in Cust. Master	<u>IS-M</u>	<u>IS-M</u>
1,103	JKSDKNVP5	Log of Partner Roles in Cust. Master	<u>IS-M</u>	<u>IS-M</u>
1,104	JKSDMPMAST	Master-Slave Products	<u>IS-M</u>	<u>IS-M</u>
	ER01			
1,105	JKSDORDER0	Generate Orders for Contracts	<u>IS-M</u>	<u>IS-M</u>
	<u>1</u>			
1,106	JKSDORDER0	Quantity Changes to Orders	<u>IS-M</u>	<u>IS-M</u>
	2			
1,107	JKSDORDER0	Delete Order Items	<u>IS-M</u>	<u>IS-M</u>
	<u>3</u>			
1,108	JKSDORDER0	Modify Delivery Date	<u>IS-M</u>	<u>IS-M</u>
	<u>4</u>			
1,109	JKSDORDER0	Postedit Partially Generated Orders	<u>IS-M</u>	<u>IS-M</u>
	<u>5</u>			
1,110	JKSDORDER0	Adjust Components in Orders	<u>IS-M</u>	<u>IS-M</u>
	<u>6</u>			
1,111	JKSDORDER0	Restart Order Generation	<u>IS-M</u>	<u>IS-M</u>
	<u>8</u>			
1,112	JKSDORDER1	IS-M: Contract/Media Product Item	IS-M	<u>IS-M</u>
	<u>0</u>			
1,113	JKSDORDER1	Log Order Generation	IS-M	<u>IS-M</u>
	1			
1,114	JKSDORDER1	Quantity Change Log	<u>IS-M</u>	<u>IS-M</u>
	2			
1,115	JKSDORDER1	Log Order Item Deletion	IS-M	<u>IS-M</u>
l	<u>3</u>		1	

#	T-Code	Description	Module	Component
1,116	JKSDORDER1	Delivery Date Log	<u>IS-M</u>	<u>IS-M</u>
	<u>4</u>			
1,117	JKSDORDER1	Adjust Components in Orders	<u>IS-M</u>	<u>IS-M</u>
	<u>6</u>			
1,118	JKSDORDER1	Log of Orders not Created Fully	<u>IS-M</u>	<u>IS-M</u>
	8			
1,119	<u>JKSDORDERB</u>	Process Order Quantity Planning	<u>IS-M</u>	<u>IS-M</u>
	<u>OOK01</u>			
1,120	<u>JKSDORDERB</u>	Display Order Quantity Planning	<u>IS-M</u>	<u>IS-M</u>
	<u>OOK02</u>			
1,121	<u>JKSDORDERB</u>	Initialize Purchase Order Planning	<u>IS-M</u>	<u>IS-M</u>
	<u>OOKGEN</u>			
1,122	<u>JKSDORDERB</u>	Purch.Order Planning: Initialize Mix	<u>IS-M</u>	<u>IS-M</u>
	OOKGEN02			
1,123	<u>JKSDPORDER</u>	Generate Purchase Orders	<u>IS-M</u>	<u>IS-M</u>
	<u>GEN</u>			
1,124	<u>JKSDPROTOC</u>	Log	<u>IS-M</u>	<u>IS-M</u>
	<u>OL</u>			
1,125	<u>JKSDPROTOC</u>	Delete Log Entries	<u>IS-M</u>	<u>IS-M</u>
	OLDEL			
1,126	<u>JKSDPROTOC</u>	IS-M: Display Log for ID	<u>IS-M</u>	<u>IS-M</u>
	OLID			
1,127	JKSDQEVENT	Events for Quantity Planning	<u>IS-M</u>	<u>IS-M</u>
1,128	<u>JKSDQEVENT</u>	Corrected Sales Qty: Initialize	<u>IS-M</u>	<u>IS-M</u>
	INIT			
1,129	<u>JKSDQEVENT</u>	Quantity Verification for Events	<u>IS-M</u>	<u>IS-M</u>
	<u>VERIFY</u>			
1,130	<u>JKSDQEVENT</u>	Quantity Verification for Events	<u>IS-M</u>	<u>IS-M</u>
	VERIFYCUST			
1,131	JKSDQEVENT	Number Range Maintenance: ISP_EVENTQ	<u>IS-M</u>	<u>IS-M</u>
	<u>NRKR</u>			
1,132	JKSDQUAN01	IS-M/SD: Quantity Determination	<u>IS-M</u>	<u>IS-M</u>
1,133	JKSDREQUES To a	Administration Request	<u>IS-M</u>	<u>IS-M</u>
	<u>T01</u>			
1,134	JKSDRETPRO	IS-M: Display Log for ID	<u>IS-M</u>	<u>IS-M</u>
	TOCOLID			
1,135	JKSDSEGMEN 	Edit Segments	<u>IS-M</u>	<u>IS-M</u>
	T			70.75
1,136	<u>JKSDSETWER</u>	Plant Assigned to Issue and Contract	<u>IS-M</u>	<u>IS-M</u>
4.5-	KSISSUE		TO 3.5	70.15
1,137	JKSDTRANS0	Process Request	<u>IS-M</u>	<u>IS-M</u>
	1			

#	T-Code	Description	Module	Component
1,138	JKSDTRANS0	Create Transfer Documents	<u>IS-M</u>	<u>IS-M</u>
	<u>2</u>			
1,139	JKSDTRANS0	Process Request	<u>IS-M</u>	<u>IS-M</u>
	<u>3</u>	_		
1,140	JKSDTRANS1	Log Transfer	<u>IS-M</u>	<u>IS-M</u>
	<u>2</u>	_		
1,141	JKSDUNSOLD	Process Requests	<u>IS-M</u>	<u>IS-M</u>
	<u>01</u>	_		
1,142	JKSDUNSOLD	Create Request Documents	<u>IS-M</u>	<u>IS-M</u>
	<u>02</u>			
1,143	JKSDUNSOLD	Process Requests	<u>IS-M</u>	<u>IS-M</u>
	<u>03</u>	_		
1,144	JKSDUNSOLD	Process Request	<u>IS-M</u>	<u>IS-M</u>
	<u>04</u>	_		
1,145	JKSDUNSOLD	Maintain Default User Settings	<u>IS-M</u>	<u>IS-M</u>
	<u>05</u>			
1,146	JKSDUNSOLD	Edit Returns (Set-Get-Parameters)	IS-M	<u>IS-M</u>
	<u>10</u>			
1,147	JKSDUNSOLD	Postprocess Single Returns	<u>IS-M</u>	<u>IS-M</u>
	<u>11</u>			
1,148	JKSDUNSOLD	Log Request Documents	<u>IS-M</u>	<u>IS-M</u>
	<u>12</u>			
1,149	<u>JKSDUNSOLD</u>	IS-M: Evaluation	<u>IS-M</u>	<u>IS-M</u>
	<u>20</u>			
1,150	<u>JKSDUNSOLD</u>	Delete Docs for Return Rel. to SD	<u>IS-M</u>	<u>IS-M</u>
	CANCEL			
1,151	<u>JKSDUNSOLD</u>	Delete Log Doc. for Return Release	<u>IS-M</u>	<u>IS-M</u>
	CANCELP			
1,152	JKSDWWW01	WWW Logon	<u>IS-M</u>	<u>IS-M</u>
1,153	JKSDWWW02	WWW Entry Screen for Returns	<u>IS-M</u>	<u>IS-M</u>
1,154	JKSDWWW03	Overview of Possible Returns	<u>IS-M</u>	<u>IS-M</u>
1,155	JKSDWWW04	Query Tool for Returns	<u>IS-M</u>	<u>IS-M</u>
1,156	JKSDWWW10	IS-M: Individual Order via Internet	<u>IS-M</u>	<u>IS-M</u>
1,157	JKSDWWW11	IS-M: Individual Order via Internet	<u>IS-M</u>	<u>IS-M</u>
1,158	JKSDWWW15	IS-M: Individual Order via WAP	<u>IS-M</u>	<u>IS-M</u>
1,159	JKSD_CONTR	Contract Generation from Assortments	<u>IS-M</u>	<u>IS-M</u>
	ACT_ASSORT			
1,160	JKSD CONTR	Log Contract Gen. for Assortments	<u>IS-M</u>	<u>IS-M</u>
	ACT AS BAL			
1,161	<u>JKSE</u>	IS-M: Coll.Ex.Copy Del. Retail Ord.	<u>IS-M</u>	<u>IS-M</u>
1,162	JKSE01	Process Shipping Planning	<u>IS-M</u>	<u>IS-M</u>
1,163	JKSE02	Display Shipping Planning	<u>IS-M</u>	<u>IS-M</u>
1,164	JKSE25	Compile Index for Contract	<u>IS-M</u>	<u>IS-M</u>

#	T-Code	Description	Module	Component
1,165	JKSE26	Log of Contract Index	<u>IS-M</u>	<u>IS-M</u>
1,166	JKSECONTRA	Activate Series Contract	<u>IS-M</u>	<u>IS-M</u>
	<u>CT01</u>			
1,167	JKSECONTRA	Log of Series Contract Activation	IS-M	IS-M
	<u>CT02</u>			
1,168	JKSECONTRA	Adjust Pricing for Billing Plan	IS-M	<u>IS-M</u>
	<u>CT03</u>			
1,169	JKSECONTRA	Log of Pricing Adjustment	<u>IS-M</u>	<u>IS-M</u>
	<u>CT04</u>			
1,170	JKSECREATE	IS-M: Create Contract from Order	IS-M	<u>IS-M</u>
	CONTRACT			
1,171	JKSECREATE	Log Order from Contract	IS-M	IS-M
	CONTRACTP			
1,172	JKSEORDER0	Order Generation	<u>IS-M</u>	<u>IS-M</u>
	1			
1,173	JKSEORDER0	Delete Order Items	IS-M	<u>IS-M</u>
,	3			
1,174	JKSEORDER0	Complete Order Creation	IS-M	IS-M
, ,	4	r		
1,175	JKSEORDER0	Restart Order Generation	<u>IS-M</u>	IS-M
,	8			
1,176	JKSEORDER1	Log Order Generation	IS-M	IS-M
	1			
1,177	JKSEORDER1	Adjust Pricing for Order	IS-M	IS-M
	2			
1,178	JKSEORDER1	Log Order Deletion	<u>IS-M</u>	IS-M
,	3			
1,179	JKSEORDER1	Log Adjustment of Pricing for Order	IS-M	IS-M
	4			
1,180	JKSEORDER1	Log Restart of Order Generation	IS-M	IS-M
	8			
1,181	JKSEPLAN01	Adjust Delivery Schedules	IS-M	IS-M
1,182	JKSEPLAN11	Log Delivery Schedule Adjustment	IS-M	IS-M
1,183	JKSESUBPRIC	IS-M: JKSESUBPRICESET	IS-M	IS-M
1,105	ESET			
1,184	JKSESUBPRIC	IS-M: JKSESUBPRICESETA	IS-M	IS-M
1,101	ESETA			
1,185	JKSESUBPRIC	IS-M: JKSESUBPRICESETD	IS-M	IS-M
-,-55	ESETD			
1,186	JKSESUBPRIC	IS-M: JKSESUBPRICESETM	IS-M	IS-M
1,100	ESETM			
1,187	JKSESUBPRIC	IS-M: JKSESUBPRICESETO	IS-M	<u>IS-M</u>
1,107	ESETO			

#	T-Code	Description	Module	Component
1,188	JKSF	IS-M: Trial Items Longer Than N Days	<u>IS-M</u>	<u>IS-M</u>
1,189	JKSG	IS-M: Suspensions Longer Than N Days	<u>IS-M</u>	<u>IS-M</u>
1,190	<u>JKSH</u>	ISPC Returns Interface	<u>IS-M</u>	<u>IS-M</u>
1,191	<u>JKSI</u>	IS-M: Transfer Dist.:Process Session	IS-M	<u>IS-M</u>
1,192	JKSJ	Subscription Lifetime Statistics	IS-M	IS-M
1,193	JKU1	Where-used list of BP in order	IS-M	IS-M
1,194	JKU2	Orders for Carrier Route	IS-M	<u>IS-M</u>
1,195	JKU3	Orders for geography	<u>IS-M</u>	<u>IS-M</u>
1,196	JKU4	Orders for item types	<u>IS-M</u>	<u>IS-M</u>
1,197	JKU5	Ad Pre-Print Orders for Carr.Route	IS-M	IS-M
1,198	JKU6	Ad Pre-Print Orders for Carr.Edition	IS-M	IS-M
1,199	JKU7	Generate free subscriptions	IS-M	IS-M
1,200	JKU8	Incomplete order items	IS-M	IS-M
1,201	JKU9	Ad Pre-Prints - Planning Overview	<u>IS-M</u>	<u>IS-M</u>
1,202	<u>JKUA</u>	Orders with billing block	<u>IS-M</u>	<u>IS-M</u>
1,203	<u>JKUB</u>	Orders with Monitoring Block	IS-M	<u>IS-M</u>
1,204	<u>JKUD</u>	Notification from Shipping Serv. Agt	IS-M	<u>IS-M</u>
1,205	<u>JKUDSTATUS</u>	Status of ND Notifications	<u>IS-M</u>	<u>IS-M</u>
1,206	JKVIAC_REST	Activate IAC Changes After Planning	<u>IS-M</u>	<u>IS-M</u>
	<u>ORE</u>			
1,207	JKVIAC SUSP	Suspend IAC Changes Before Planning	<u>IS-M</u>	<u>IS-M</u>
	<u>END</u>			
1,208	JKVIAC_SUSP	Overview of Suspended IAC Changes	<u>IS-M</u>	<u>IS-M</u>
	END_OV			
1,209	<u>JKWA</u>	IS-M: WBZ Outb.Proc., Data Carrier	<u>IS-M</u>	<u>IS-M</u>
1,210	<u>JKWB</u>	WBZ Stock List (Record Type 119)	<u>IS-M</u>	<u>IS-M</u>
1,211	<u>JKWC</u>	IS-M: WBZ Outbound, Manual Comm.	<u>IS-M</u>	<u>IS-M</u>
1,212	<u>JKWD</u>	IS-M: WBZ, Delete Entries, RtnFile	<u>IS-M</u>	<u>IS-M</u>
1,213	<u>JKWE</u>	IS-M: WBZ, Inbound Processing	<u>IS-M</u>	<u>IS-M</u>
1,214	<u>JKWF</u>	IS-M/SD: WBZ, Overview	<u>IS-M</u>	<u>IS-M</u>
1,215	<u>JKWR</u>	IS-M: WBZ, Create Confirmation File	<u>IS-M</u>	<u>IS-M</u>
1,216	<u>JKWT</u>	IS-M/SD: WBZ, Cust.Number Exchange	<u>IS-M</u>	<u>IS-M</u>
1,217	JKWWW01	IAC Subscription Sales	<u>IS-M</u>	<u>IS-M</u>
1,218	JKWWW02	IAC Change Address	<u>IS-M</u>	<u>IS-M</u>
1,219	JKWWW03	IAC Subscription Vacation Service	<u>IS-M</u>	<u>IS-M</u>
1,220	JKWWW04	IAC Change Payment Data	<u>IS-M</u>	<u>IS-M</u>
1,221	JKWWW05	IS-M/SD: IAC Create Complaint	<u>IS-M</u>	<u>IS-M</u>
1,222	<u>JKWWWPROT</u>	IS-M: Log of Internet Changes	<u>IS-M</u>	<u>IS-M</u>
1,223	JKWWWTEMP	Edit Order Data from Internet	<u>IS-M</u>	<u>IS-M</u>
1,224	<u>JKWWWTEMP</u>	IS-M: Edit Internet Address Change	<u>IS-M</u>	<u>IS-M</u>
	<u>ADR</u>			
1,225	<u>JKWWWTEMP</u>	IS-M/SD: Edit Complaints	<u>IS-M</u>	<u>IS-M</u>
	_COMPL			

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,226	JKWWWTEMP	Access Internet Postediting	<u>IS-M</u>	<u>IS-M</u>
	<u>MONITOR</u>	-		
1,227	JKWWWTEMP	IS-M: Edit Internet Applications	<u>IS-M</u>	<u>IS-M</u>
	SERV			
1,228	JKX1	IS-M: Create Order Archive	<u>IS-M</u>	<u>IS-M</u>
1,229	JKX11	IS-M/SD: Read Archived Complaints	<u>IS-M</u>	<u>IS-M</u>
1,230	JKX2	IS-M: Delivery Archiving - Delete	<u>IS-M</u>	<u>IS-M</u>
1,231	JKX21	IS-M/SD: Archive Amo.Data for Acct	<u>IS-M</u>	<u>IS-M</u>
1,232	JKX3	IS-M: Reload Order Archive	<u>IS-M</u>	<u>IS-M</u>
1,233	<u>JKX31</u>	IS-M/SD: Archive Liability Account	<u>IS-M</u>	<u>IS-M</u>
1,234	JKX4	IS-M: Admin of Delivery Archive	<u>IS-M</u>	<u>IS-M</u>
1,235	JKY4	Transfer Subscription Changes	<u>IS-M</u>	<u>IS-M</u>
1,236	JKY7	Data transfer for sales docs (fMod.)	<u>IS-M</u>	<u>IS-M</u>
1,237	JK RJKBST80	TI, FI Conversion Statistics	<u>IS-M</u>	<u>IS-M</u>
1,238	JL1D	IS-M: Transfer EE Comm.Settlement	<u>IS-M</u>	<u>IS-M</u>
1,239	JL1E	IS-M: Transfer SC Comm.Settlement	<u>IS-M</u>	<u>IS-M</u>
1,240	JL1F	IS-M: Transfer EE HDel.Settlement	<u>IS-M</u>	<u>IS-M</u>
1,241	JL1G	IS-M: Transfer SC Home Del.Sett.	<u>IS-M</u>	<u>IS-M</u>
1,242	JL2A	IS-M: Reverse Coll.Proc.EE Commiss.	<u>IS-M</u>	<u>IS-M</u>
1,243	JL2B	IS-M: Reverse Coll.Proc.SC Commiss.	<u>IS-M</u>	<u>IS-M</u>
1,244	JL2C	IS-M: Reverse Coll.Proc.EE Home Del.	<u>IS-M</u>	<u>IS-M</u>
1,245	JL2D	IS-M: Reverse Coll.Proc.SC Home Del.	<u>IS-M</u>	<u>IS-M</u>
1,246	JL3A	IS-M: Tfer Comm.Sett.to Seq.File	<u>IS-M</u>	<u>IS-M</u>
1,247	JL3B	IS-M: Tfer SC Commiss.to Seq.File	<u>IS-M</u>	<u>IS-M</u>
1,248	JL3C	IS-M: Tfer Deliv.Sett.to Seq.File	<u>IS-M</u>	<u>IS-M</u>
1,249	JL3D	IS-M: Transfer Del.SC to Seq.File	<u>IS-M</u>	<u>IS-M</u>
1,250	<u>JL60</u>	IS-M: Create EE Comm.Settlement	<u>IS-M</u>	<u>IS-M</u>
1,251	<u>JL61</u>	IS-M: Change EE Comm.Settlement	<u>IS-M</u>	<u>IS-M</u>
1,252	<u>JL62</u>	IS-M: Display Comm.Settlement EE	<u>IS-M</u>	<u>IS-M</u>
1,253	<u>JL63</u>	IS-M: Reverse Comm. Settlement EE	<u>IS-M</u>	<u>IS-M</u>
1,254	<u>JL64</u>	IS-M: Coll.Run for Comm.Sett EE	<u>IS-M</u>	<u>IS-M</u>
1,255	<u>JL65</u>	IS-M: Create Comm.Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,256	<u>JL66</u>	IS-M: Change Comm.Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,257	<u>JL67</u>	IS-M: Display Comm.Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,258	<u>JL68</u>	IS-M: Reverse Comm. Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,259	<u>JL69</u>	IS-M: Coll.Run for Comm.Sett.SC	<u>IS-M</u>	<u>IS-M</u>
1,260	<u>JL70</u>	IS-M/SD: Create HDel.Settlement EE	<u>IS-M</u>	<u>IS-M</u>
1,261	<u>JL71</u>	IS-M: Change HDel.Settlement EE	<u>IS-M</u>	<u>IS-M</u>
1,262	<u>JL72</u>	IS-M: Display HDel.Settlement EE	<u>IS-M</u>	<u>IS-M</u>
1,263	<u>JL73</u>	IS-M: Reverse HDel. Settlement EE	<u>IS-M</u>	<u>IS-M</u>
1,264	<u>JL74</u>	IS-M: Coll.Run for HDel.Sett EE	<u>IS-M</u>	<u>IS-M</u>
1,265	<u>JL75</u>	IS-M: Create HDel.Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,266	<u>JL76</u>	IS-M: Change HDel.Settlement SC	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,267	<u>JL77</u>	IS-M: Display HDel.Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,268	<u>JL78</u>	IS-M: Reverse Deliv. Settlement SC	<u>IS-M</u>	<u>IS-M</u>
1,269	<u>JL79</u>	IS-M: Coll.HDel.Settlement Run(SC)	<u>IS-M</u>	<u>IS-M</u>
1,270	<u>JL80</u>	IS-M/SD: Display Collective Runs	IS-M	<u>IS-M</u>
1,271	JL81	IS-M: Disp.Coll.Proc.EE Comm.Sett.	IS-M	<u>IS-M</u>
1,272	JL82	Display Coll.Commission Sett Run- SC	<u>IS-M</u>	<u>IS-M</u>
1,273	<u>JL83</u>	IS-M: Disp.Coll.HDel.Sett.Run - EE	<u>IS-M</u>	<u>IS-M</u>
1,274	<u>JL84</u>	IS-M: Disp.Coll.HDel.Sett.Run - SC	<u>IS-M</u>	<u>IS-M</u>
1,275	<u>JLAA</u>	IS-M: Exceps f.Transfer to HR/RP	<u>IS-M</u>	<u>IS-M</u>
1,276	<u>JLAB</u>	IS-M: Monitor Missing BP Substits	<u>IS-M</u>	<u>IS-M</u>
1,277	JLAC	IS-M: Transfer Lost Times to HR	<u>IS-M</u>	<u>IS-M</u>
1,278	<u>JLAD</u>	IS-M: Monitor Missing Absences	<u>IS-M</u>	<u>IS-M</u>
1,279	<u>JLAK</u>	Document by Billing Condition Types	<u>IS-M</u>	<u>IS-M</u>
1,280	<u>JLAP</u>	IS-M/SD: Settlement Transfers	<u>IS-M</u>	<u>IS-M</u>
1,281	JLC0	IS-M: Maintain Acct Det.Data (J0)	<u>IS-M</u>	<u>IS-M</u>
1,282	JLC1	IS-M: Maintain Acct Det.Data (J1)	<u>IS-M</u>	<u>IS-M</u>
1,283	JLC2	IS-M: Maintain Acc.Assgt Data (J2)	<u>IS-M</u>	<u>IS-M</u>
1,284	<u>JLCB</u>	Master Data on Payment Terms	<u>IS-M</u>	<u>IS-M</u>
1,285	<u>JLCD</u>	Master Data on Payment Terms for SC	<u>IS-M</u>	<u>IS-M</u>
1,286	<u>JLCE</u>	IS-M: Settlement Data for SComp.	<u>IS-M</u>	<u>IS-M</u>
1,287	<u>JLCF</u>	IS-M: Default Sett. Data for PA	<u>IS-M</u>	<u>IS-M</u>
1,288	<u>JLCG</u>	Master Data Contract Arr. Ext. Carr.	<u>IS-M</u>	<u>IS-M</u>
1,289	<u>JLCH</u>	Master Data Contract Arr. Ext. SC	<u>IS-M</u>	<u>IS-M</u>
1,290	<u>JLCK</u>	IS-M: Maintain Account Det.Data	<u>IS-M</u>	<u>IS-M</u>
1,291	JLI3	IS-M: Transfer Del.Sett to RP	<u>IS-M</u>	<u>IS-M</u>
1,292	JLI4	Tfer Del.Billing to Human Resources	<u>IS-M</u>	<u>IS-M</u>
1,293	JLI5	IS-M: Tfer Comm.Sett - Human Res	<u>IS-M</u>	<u>IS-M</u>
1,294	JLL1	Create Pricing Report	<u>IS-M</u>	<u>IS-M</u>
1,295	JLL2	Change Pricing Report	<u>IS-M</u>	<u>IS-M</u>
1,296	JLL3	Display Pricing Report	<u>IS-M</u>	<u>IS-M</u>
1,297	JLL4	Execute Condition List	<u>IS-M</u>	<u>IS-M</u>
1,298	<u>JLLA</u>	Create Pricing Report	<u>IS-M</u>	<u>IS-M</u>
1,299	<u>JLLB</u>	Change Pricing Report	<u>IS-M</u>	<u>IS-M</u>
1,300	<u>JLLC</u>	Display Pricing Report	<u>IS-M</u>	<u>IS-M</u>
1,301	<u>JLLD</u>	Execute Condition List	<u>IS-M</u>	<u>IS-M</u>
1,302	JLM1	IS-M: Home Del.Service Settlement	<u>IS-M</u>	<u>IS-M</u>
1,303	JLM2	IS-M: Serv.Settlement for Comm.	<u>IS-M</u>	<u>IS-M</u>
1,304	JLM3	IS-M: Serv.Settlement for Comm.	<u>IS-M</u>	<u>IS-M</u>
1,305	JLP0	IS-M: Postal Circulation of Edition	<u>IS-M</u>	<u>IS-M</u>
1,306	JLP1	IS-M: Determine Postal Circulation	<u>IS-M</u>	<u>IS-M</u>
1,307	<u>JLPA</u>	IS-M: Postal Charge Forecast for PDI	<u>IS-M</u>	<u>IS-M</u>
1,308	<u>JLPB</u>	IS-M: Post.Charges for Labeled PP	<u>IS-M</u>	<u>IS-M</u>
1,309	<u>JLPC</u>	IS-M: Postal Charges for RCP	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,310	<u>JLPD</u>	IS-M: Overv of Goods Arr.Lists PDI	<u>IS-M</u>	<u>IS-M</u>
1,311	<u>JLPE</u>	IS-M: Postal Charge Stats for PDI	<u>IS-M</u>	<u>IS-M</u>
1,312	JLPF	IS-M: Postal Charges - Labeled PP	<u>IS-M</u>	<u>IS-M</u>
1,313	JLPG	IS-M: Postal Charge Stats f.RCP	IS-M	<u>IS-M</u>
1,314	<u>JLPH</u>	IS-M: Overall Postal Charge Stats	IS-M	<u>IS-M</u>
1,315	JLSDHDSETT	Interface for HDel. Settlemt Update	IS-M	<u>IS-M</u>
	LEMENT	-		
1,316	JLT1	IS-M/SD: Transfer EE HDel.Sett.to FI	<u>IS-M</u>	<u>IS-M</u>
1,317	JLT2	IS-M/SD: Transfer SC HDel.Sett to FI	<u>IS-M</u>	<u>IS-M</u>
1,318	JLT3	IS-M/SD: Transfer EE Comm.Sett.to FI	IS-M	<u>IS-M</u>
1,319	JLT4	IS-M/SD: Transfer SC Comm.Sett.to FI	<u>IS-M</u>	<u>IS-M</u>
1,320	<u>JLTA</u>	IS-M/SD: Access EE HDel.Sett.Transf.	IS-M	<u>IS-M</u>
1,321	<u>JLTB</u>	IS-M/SD: Access SC HDel.Sett.Transf.	IS-M	<u>IS-M</u>
1,322	<u>JLTC</u>	IS-M/SD: Access EE Comm.Sett.Transf.	<u>IS-M</u>	<u>IS-M</u>
	<u>JLTD</u>	IS-M/SD: Access SC Comm.Sett.Transf.	<u>IS-M</u>	<u>IS-M</u>
1,324	<u>JLTS</u>	Settlements Not Yet Transferred	IS-M	<u>IS-M</u>
1,325	JLTT	Assign Coll.Processing to Transfer	IS-M	<u>IS-M</u>
1,326	JLU1	Commission Due Dates	IS-M	<u>IS-M</u>
	JLW7	IS-M: Create Cond.TabEAD HDel.	IS-M	<u>IS-M</u>
	JLW8	IS-M: Change Cond.Table-EAD HDel.	<u>IS-M</u>	<u>IS-M</u>
1,329	JLW9	IS-M: Disp.Cond.Table for HDeliv.	<u>IS-M</u>	<u>IS-M</u>
1,330	JLX7	IS-M: Create Cond.Tab.f.ExpAccDet.	IS-M	<u>IS-M</u>
1,331	JLX8	IS-M: Change Cond.Tab.f.ExpAcDet.	IS-M	<u>IS-M</u>
1,332	JLX9	IS-M: Disp.Cond.Table f.ExpAccDet.	IS-M	<u>IS-M</u>
1,333	<u>JM01</u>	IS-M: Create Material	IS-M	<u>IS-M</u>
1,334	<u>JM02</u>	IS-M: Change Material	<u>IS-M</u>	<u>IS-M</u>
1,335	<u>JM03</u>	IS-M: Display Material	<u>IS-M</u>	<u>IS-M</u>
1,336	JN01	IS-M: Create Research	IS-M	<u>IS-M</u>
1,337	JN02	IS-M: Change Research	IS-M	<u>IS-M</u>
1,338	JN03	IS-PSD: Display Research	IS-M	<u>IS-M</u>
1,339	JN04	IS-M: Create Bank Returns Research	IS-M	<u>IS-M</u>
1,340	JN05	IS-M: Change Bank Returns Research	<u>IS-M</u>	<u>IS-M</u>
1,341	JN06	IS-M: Display Bank Rtns Research	<u>IS-M</u>	<u>IS-M</u>
1,342	JN30	Condition Master Data	<u>IS-M</u>	<u>IS-M</u>
1,343	JND0	IS-M: Reorg.Output Cont.(Order)	<u>IS-M</u>	<u>IS-M</u>
1,344	JND1	IS-M: Reorg.Output Cont.(Billing)	<u>IS-M</u>	<u>IS-M</u>
1,345	JND2	IS-M: Reorg.Output Cont.(Settlement)	<u>IS-M</u>	<u>IS-M</u>
1,346	JND3	IS-M: Reorg.Output Cont.(Dist.ErrH.)	<u>IS-M</u>	<u>IS-M</u>
1,347	JND4	IS-M: Reorg.Output Contr.(Research)	<u>IS-M</u>	<u>IS-M</u>
1,348	JND5	IS-M: Outpt Control Reorg.(Add.Chge)	<u>IS-M</u>	<u>IS-M</u>
1,349	JNS0	IS-M: Sales Output	<u>IS-M</u>	<u>IS-M</u>
1,350	JNS1	IS-M: Billing Output	<u>IS-M</u>	<u>IS-M</u>
1,351	JNS2	IS-M: Settlement Output	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,352	JNS3	IS-M: Complaint Output	<u>IS-M</u>	<u>IS-M</u>
1,353	JNS4	IS-M: Resubmission Output	<u>IS-M</u>	<u>IS-M</u>
1,354	JNS5	IS-M: Address Change Output	<u>IS-M</u>	<u>IS-M</u>
1,355	JNS6	IS-M: Dist.Error Message Output	IS-M	<u>IS-M</u>
1,356	JNS7	IS-M: Bank Returns Output	IS-M	<u>IS-M</u>
1,357	JNS8	IS-M: Research Output	IS-M	<u>IS-M</u>
1,358	JNS9	IS-M/SD: Monitoring Output	IS-M	<u>IS-M</u>
1,359	<u>JNSB</u>	Fast Entry of Bank Returns	<u>IS-M</u>	<u>IS-M</u>
1,360	<u>JP02</u>	Change Title Master	<u>IS-M</u>	<u>IS-M</u>
1,361	<u>JP03</u>	Display Title Master	<u>IS-M</u>	<u>IS-M</u>
1,362	<u>JP20</u>	Media Product Master Browser	<u>IS-M</u>	<u>IS-M</u>
1,363	JP20NEU	Media Product Master Browser	<u>IS-M</u>	<u>IS-M</u>
1,364	<u>JP21</u>	Create Media Product Family	<u>IS-M</u>	<u>IS-M</u>
1,365	<u>JP22</u>	Change Media Product Family	<u>IS-M</u>	<u>IS-M</u>
1,366	<u>JP23</u>	Display Media Product Family	<u>IS-M</u>	<u>IS-M</u>
1,367	<u>JP24</u>	Create Media Product	<u>IS-M</u>	<u>IS-M</u>
1,368	<u>JP25</u>	Change Media Product	<u>IS-M</u>	<u>IS-M</u>
1,369	<u>JP26</u>	Display Media Product	<u>IS-M</u>	<u>IS-M</u>
1,370	<u>JP27</u>	Create Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,371	<u>JP28</u>	Change Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,372	<u>JP29</u>	Display Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,373		Move Media Issue Publication Date	<u>IS-M</u>	<u>IS-M</u>
1,374	<u>JP31</u>	Log: Move Publ. Date of Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,375	<u>JPBDCCR</u>	Create OR Data Collector	<u>IS-M</u>	<u>IS-M</u>
1,376	<u>JPBDCDL</u>	Reset OR Data Collector	<u>IS-M</u>	<u>IS-M</u>
1,377	JPC1	Create Media Prod.Mast.from WBS Elmt	<u>IS-M</u>	<u>IS-M</u>
1,378	JPC3	Log Media Prod.Mast.from WBS Element	<u>IS-M</u>	<u>IS-M</u>
1,379	JPC4	Create Media Prod.Mast.from App.Req.	<u>IS-M</u>	<u>IS-M</u>
1,380	JPC6	Log Media Prod.Mast.from App.Req.	<u>IS-M</u>	<u>IS-M</u>
1,381	<u>JPECPVT</u>	Define Valuation Templates	<u>IS-M</u>	<u>IS-M</u>
1,382	JPMDG1	Define Master Data Template	IS-M	<u>IS-M</u>
	JPMDG2	Maintain Generation Profile	<u>IS-M</u>	<u>IS-M</u>
	JPMDG3	Generate Media Product Master Recs	<u>IS-M</u>	<u>IS-M</u>
	JPMDG4	Log Media Product Master Rec.Gen.	IS-M	<u>IS-M</u>
	JPMG0	Edit Issue Sequence	IS-M	<u>IS-M</u>
1,387	JPMG1	Display Issue Sequence	IS-M	<u>IS-M</u>
1,388	JPMG2	Create Issues in an Issue Sequence	IS-M	<u>IS-M</u>
1,389	JPMG3	Display Generation Log	<u>IS-M</u>	<u>IS-M</u>
1,390	JPMG4	Use of Media Issue in Issue Sequence	<u>IS-M</u>	<u>IS-M</u>
1,391	JPMG5	Preassign Issue Sequences	<u>IS-M</u>	<u>IS-M</u>
1,392	JPMG6	Create Issues in Several Issue Seqs	IS-M	<u>IS-M</u>
<u> </u>	JPMG7	Preassign Issue Sequences: Log	IS-M	<u>IS-M</u>
1,394	JPMGD2	Maintain Generation Profile	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,395	JPMGLEVEL	IS-M: DO NOT USE	<u>IS-M</u>	<u>IS-M</u>
1,396	<u>JPMPMIG</u>	Media Product Migration	<u>IS-M</u>	<u>IS-M</u>
1,397	JPMPMIG1	IS-M: Med.Prod.Migration: Check Data	<u>IS-M</u>	<u>IS-M</u>
1,398	JPMPMIG2	IS-M: Med.Prod.Migration: JFREVVA	IS-M	<u>IS-M</u>
1,399	JPMPMIG3	IS-M: Complete Media Prod.Migration	<u>IS-M</u>	<u>IS-M</u>
1,400	JPMPMIG_PR	Logs of Media Product Migration	<u>IS-M</u>	<u>IS-M</u>
	<u>OT</u>			
1,401	JPMPMIG PR	Logs of Completion of Media Prod.Mig	<u>IS-M</u>	<u>IS-M</u>
	OT1			
1,402	<u>JPMPMIG_PR</u>	Logs of Checks on Media Prod.Migr.	<u>IS-M</u>	<u>IS-M</u>
	OT2			
1,403	<u>JPMPMIG_PR</u>	JFREVVA Conversion Logs (Migration)	<u>IS-M</u>	<u>IS-M</u>
	OT3			
1,404	JPS1	Create Ad Insert	<u>IS-M</u>	<u>IS-M</u>
1,405	JPS2	Change Ad Insert	<u>IS-M</u>	<u>IS-M</u>
1,406	JPS3	Display Ad Insert	<u>IS-M</u>	<u>IS-M</u>
1,407	<u>JPSEPRODCO</u>	Series Product Hierarchy	<u>IS-M</u>	<u>IS-M</u>
	<u>MP</u>			
1,408	<u>JPTSTARTER</u>	Assign Basic Edition to Media Prod.	<u>IS-M</u>	<u>IS-M</u>
1,409	<u>JPTSTARTERP</u>	Assign Basic Edition to Media Prod.	<u>IS-M</u>	<u>IS-M</u>
	RICE			
1,410	<u>JR01</u>	IS-M/SD: Create Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,411	JR01E	IS-M/SD: Create Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,412	<u>JR02</u>	IS-M/SD: Change Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,413	JR02E	IS-M/SD: Change Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,414	<u>JR03</u>	IS-M/SD: Display Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,415	JR03E	IS-M/SD: Display Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,416	<u>JR04</u>	IS-M: Create Truck Route Contract	<u>IS-M</u>	<u>IS-M</u>
1,417	<u>JR05</u>	IS-M: Change Truck Route Contract	<u>IS-M</u>	<u>IS-M</u>
1,418	<u>JR06</u>	IS-M: Display Truck Route Contract	<u>IS-M</u>	<u>IS-M</u>
1,419	<u>JR07</u>	IS-M: Create Loading/Unloading Point	<u>IS-M</u>	<u>IS-M</u>
1,420	<u>JR08</u>	IS-M: Change Loading/Unloading Point	<u>IS-M</u>	<u>IS-M</u>
1,421	<u>JR09</u>	IS-M: Display Loading/Unloading Pt	<u>IS-M</u>	<u>IS-M</u>
1,422	<u>JR10</u>	IS-M: Mass Rec.of Daily Truck Routes	<u>IS-M</u>	<u>IS-M</u>
1,423	<u>JR11</u>	IS-M: Create Daily Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,424	<u>JR12</u>	IS-M/SD: Change Daily Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,425	<u>JR13</u>	IS-M: Display Daily Truck Route	<u>IS-M</u>	<u>IS-M</u>
1,426	<u>JR14</u>	IS-M: Auto.Gen.of Daily Truck Routes	<u>IS-M</u>	<u>IS-M</u>
1,427	<u>JR15</u>	IS-M: Edit Gen.Trigs for Truck Rtes	<u>IS-M</u>	<u>IS-M</u>
1,428	<u>JR16</u>	IS-M: Display Gen.Trigs f.Truck Rtes	<u>IS-M</u>	<u>IS-M</u>
1,429	<u>JR17</u>	IS-M: Manual Gen.of Daily Truck Rtes	<u>IS-M</u>	<u>IS-M</u>
1,430	<u>JR18</u>	IS-M: Maintain Unloading Via.Sets	<u>IS-M</u>	<u>IS-M</u>
1,431	<u>JR20</u>	IS-M: Display Unloading Via.Sets	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,432	<u>JR24</u>	Copy Generation Triggers for Routes	<u>IS-M</u>	<u>IS-M</u>
1,433	<u>JR25</u>	IS-M: Maint.Unl.Via.Set (Del.Round)	IS-M	<u>IS-M</u>
1,434	<u>JR26</u>	IS-M:Summ.Unl.VSet maint spec.days	IS-M	<u>IS-M</u>
1,435	JR27	IS-M:Display Unl.Via.Set (Del.Round)	IS-M	<u>IS-M</u>
1,436	JR28	IS-M: Maintain Unloading Via.Set	IS-M	<u>IS-M</u>
1,437	JR29	IS-M: Maint.Unl.VSets for Spec.Days	IS-M	<u>IS-M</u>
1,438	<u>JR30</u>	IS-M: Access Unload.VSet Display	IS-M	<u>IS-M</u>
1,439	<u>JR32</u>	IS-M/SD: Edit Unloading Rule	IS-M	<u>IS-M</u>
1,440	<u>JR33</u>	IS-M: Display Unloading Rule	IS-M	<u>IS-M</u>
1,441	JR34	IS-M: Unloading Point Sequence	IS-M	<u>IS-M</u>
1,442	<u>JR36</u>	Display Unloading Rules	IS-M	<u>IS-M</u>
1,443	<u>JR40</u>	IS-M/SD: Replace Unloading Points	IS-M	<u>IS-M</u>
1,444	JR50	IS-M: Shipping Archiving - Create	IS-M	IS-M
1,445	<u>JR51</u>	IS-M: Shipping Archiving - Delete	<u>IS-M</u>	<u>IS-M</u>
1,446	<u>JR52</u>	IS-M: Shipping Archiving - Reload	<u>IS-M</u>	<u>IS-M</u>
1,447	<u>JR53</u>	IS-M: Shipping Archiving - Reload	IS-M	<u>IS-M</u>
1,448	<u>JR54</u>	IS-M: Delivery Archiving - Create	IS-M	<u>IS-M</u>
1,449	JR55	IS-M: Delivery Archiving - Delete	IS-M	IS-M
1,450	JR56	IS-M: Delivery Archiving - Reload	IS-M	IS-M
1,451	<u>JR57</u>	IS-M: Admin of Delivery Archive	<u>IS-M</u>	<u>IS-M</u>
1,452	<u>JR58</u>	IS-M: Daily Truck Route ArchCreate	<u>IS-M</u>	<u>IS-M</u>
1,453	JR59	IS-M: Daily Truck Route ArchDelete	IS-M	<u>IS-M</u>
1,454	JR60	IS-M: Dly Truck Route Arch Reload	IS-M	<u>IS-M</u>
1,455	JR61	IS-M: Daily Truck Route ArchManage	IS-M	<u>IS-M</u>
1,456	<u>JRPRESHIP</u>	IS-M: Log. Del. Type for Preshipping	IS-M	<u>IS-M</u>
1,457	<u>JS01</u>	IS-M: Create Geographical Units	<u>IS-M</u>	<u>IS-M</u>
1,458	<u>JS02</u>	IS-M: Change Geographical Units	<u>IS-M</u>	<u>IS-M</u>
1,459	<u>JS03</u>	IS-M: Display Geographical Units	IS-M	<u>IS-M</u>
1,460	<u>JS04</u>	IS-M: Edit Geographical Hierarchy	IS-M	<u>IS-M</u>
1,461	<u>JS05</u>	IS-M: Display Geographical Hierarchy	<u>IS-M</u>	<u>IS-M</u>
1,462	<u>JS06</u>	IS-M: Edit Carrier Route-Geo. Assgmts	<u>IS-M</u>	<u>IS-M</u>
1,463	<u>JS07</u>	IS-M: Display Carr.Route-Geo.Assgmts	<u>IS-M</u>	<u>IS-M</u>
1,464	<u>JS08</u>	IS-M: Edit Truck Route Assignments	<u>IS-M</u>	<u>IS-M</u>
1,465	<u>JS09</u>	IS-M: Display Truck Route Assgmts	<u>IS-M</u>	<u>IS-M</u>
1,466	<u>JS10</u>	IS-M: Create Postal Code	IS-M	<u>IS-M</u>
1,467	<u>JS11</u>	IS-M: Change Postal Code	IS-M	<u>IS-M</u>
1,468	<u>JS12</u>	IS-M: Display Postal Code Data	IS-M	<u>IS-M</u>
1,469	<u>JS13</u>	IS-M: Create Cities	<u>IS-M</u>	<u>IS-M</u>
1,470	<u>JS14</u>	IS-M: Change Cities	<u>IS-M</u>	<u>IS-M</u>
1,471	<u>JS15</u>	IS-M: Display Cities	<u>IS-M</u>	<u>IS-M</u>
1,472	<u>JS16</u>	IS-M: Create Streets	<u>IS-M</u>	<u>IS-M</u>
1,473	<u>JS17</u>	IS-M: Change Streets	<u>IS-M</u>	<u>IS-M</u>
1,474	<u>JS18</u>	IS-M: Display Streets	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,475	<u>JS19</u>	IS-M: Create P.O.Box Racks	<u>IS-M</u>	<u>IS-M</u>
1,476	<u>JS20</u>	IS-M: Change P.O.Box Racks	<u>IS-M</u>	<u>IS-M</u>
1,477	<u>JS21</u>	IS-M: Display P.O.Box Racks	<u>IS-M</u>	<u>IS-M</u>
1,478	<u>JS22</u>	IS-M: Edit Truck Route-Edit.Assgmt	IS-M	<u>IS-M</u>
1,479	<u>JS24</u>	IS-M: Display Truck Rte-Publ./Edit.	IS-M	IS-M
1,480	<u>JS26</u>	IS-M: Edit DistrDistr.Assignment	IS-M	IS-M
1,481	<u>JS27</u>	IS-M: Display DistrDistr.Assgmt	IS-M	IS-M
1,482	<u>JS28</u>	IS-M: Edit GeoPost Assignment	<u>IS-M</u>	<u>IS-M</u>
1,483	<u>JS29</u>	IS-M: Display GeoPost Assignment	<u>IS-M</u>	<u>IS-M</u>
1,484	<u>JS30</u>	IS-M: Edit Org.Structure-Geo.Unit	<u>IS-M</u>	<u>IS-M</u>
1,485	<u>JS31</u>	IS-M: Display Org StrucGeo.Unit	<u>IS-M</u>	<u>IS-M</u>
1,486	<u>JS32</u>	IS-M: Edit Org. Hierarchy	<u>IS-M</u>	<u>IS-M</u>
1,487	<u>JS33</u>	IS-M: Display Org.Hierarchy	IS-M	IS-M
1,488	<u>JS34</u>	IS-M: Edit Unloading Point Seq.	<u>IS-M</u>	<u>IS-M</u>
1,489	<u>JS35</u>	IS-M: Display Unloading Pt Seq.	<u>IS-M</u>	<u>IS-M</u>
1,490	<u>JS40</u>	Check Run for Change Number	IS-M	IS-M
1,491	<u>JS41</u>	Release Change Number	IS-M	<u>IS-M</u>
1,492	JS41ALOG	IS-M: Change Number Log	IS-M	<u>IS-M</u>
1,493	<u>JS42</u>	Analyze Change Number	IS-M	IS-M
1,494	<u>JS43</u>	IS-M: Create Gen.Change Number	<u>IS-M</u>	<u>IS-M</u>
1,495	<u>JS44</u>	IS-M: Modify Change Number	<u>IS-M</u>	<u>IS-M</u>
1,496	<u>JS45</u>	Display Change Number	IS-M	<u>IS-M</u>
1,497	<u>JS46</u>	IS-M: Find Change Number	IS-M	<u>IS-M</u>
1,498	<u>JS47</u>	IS-M: Create Daily Change Number	IS-M	IS-M
1,499	<u>JS48</u>	IS-M: Delete Change Number	IS-M	IS-M
1,500	<u>JS49</u>	IS-M: Postpone Date of Change Number	<u>IS-M</u>	<u>IS-M</u>
1,501	<u>JS50</u>	IS-M: Display Round Sequence	<u>IS-M</u>	<u>IS-M</u>
1,502	<u>JS51</u>	IS-M: Edit Round Sequence	<u>IS-M</u>	<u>IS-M</u>
1,503	<u>JS54</u>	IS-M: UPt Sequence, Reorganization	<u>IS-M</u>	<u>IS-M</u>
1,504	<u>JS55</u>	Analysis of Orders on Change Number	<u>IS-M</u>	<u>IS-M</u>
1,505	<u>JS70</u>	IS-M: Update addresses	<u>IS-M</u>	<u>IS-M</u>
1,506	<u>JS71</u>	Refresh Structures	<u>IS-M</u>	<u>IS-M</u>
1,507	<u>JS72</u>	Status of Postal Change Service	<u>IS-M</u>	<u>IS-M</u>
1,508	JSA1	Geo.Units in Carrier Routes	<u>IS-M</u>	<u>IS-M</u>
1,509	JSA2	Postal Units in Carrier Route	<u>IS-M</u>	<u>IS-M</u>
1,510	JSA3	Organizational Units in Carr.Routes	<u>IS-M</u>	<u>IS-M</u>
1,511	JSA4	Carrier Routes in Geo.Units	IS-M	<u>IS-M</u>
1,512	JSA5	Postal Units in Geo.Units	<u>IS-M</u>	<u>IS-M</u>
1,513	JSA6	Unloading Points in Geo.Units	<u>IS-M</u>	<u>IS-M</u>
1,514	JSA7	Org.Structure for Geo.Units	<u>IS-M</u>	<u>IS-M</u>
1,515	JSA8	Postal Units in Carrier Routes	IS-M	<u>IS-M</u>
1,516	JSA9	Postal unit for geographical units	IS-M	<u>IS-M</u>
1,517	<u>JSAA</u>	Postal Unit for Org.Structure	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,518	<u>JSAB</u>	Postal Unit for Addresses	<u>IS-M</u>	<u>IS-M</u>
1,519	<u>JSAC</u>	Org.Structure for Carrier Routes	<u>IS-M</u>	<u>IS-M</u>
1,520	JSAD	Org.Structure for Addresses	<u>IS-M</u>	<u>IS-M</u>
1,521	<u>JSAE</u>	Unloading Points in Carrier Route	<u>IS-M</u>	<u>IS-M</u>
1,522	<u>JSAF</u>	Editions Viable for Home Delivery	<u>IS-M</u>	<u>IS-M</u>
1,523	<u>JSAG</u>	IS-M: Display Truck Rtes in Car.Rte	<u>IS-M</u>	<u>IS-M</u>
1,524	<u>JSAH</u>	IS-M: Display Daily Truck Routes	<u>IS-M</u>	<u>IS-M</u>
1,525	JSB1	Split Entire Postal File	<u>IS-M</u>	<u>IS-M</u>
1,526	JSB2	IS-M: Postal Transfer DMun.Key	<u>IS-M</u>	<u>IS-M</u>
1,527	JSB3	IS-M: Transfer City Data	<u>IS-M</u>	<u>IS-M</u>
1,528	JSB4	IS-M: Transfer City District Data	<u>IS-M</u>	<u>IS-M</u>
1,529	JSB5	IS-M: Transfer Postal Code Data	<u>IS-M</u>	<u>IS-M</u>
1,530	JSB6	IS-M: Transfer Data on Streets	<u>IS-M</u>	<u>IS-M</u>
1,531	JSB7	IS-M: Transfer Data on P.O.Boxes	<u>IS-M</u>	<u>IS-M</u>
1,532	JSB8	IS-M: Convert Phonetic Search	IS-M	<u>IS-M</u>
1,533	JSB9	IS-M: Copy Ext.Street Directory	<u>IS-M</u>	<u>IS-M</u>
1,534	JSE0	Update Postal Data - Germany	<u>IS-M</u>	<u>IS-M</u>
1,535	JSE01	Refresh Postal Code-City Assignments	<u>IS-M</u>	<u>IS-M</u>
1,536	JSE02	Evaluate City References	<u>IS-M</u>	<u>IS-M</u>
1,537	JSE03	Evaluate Street References	<u>IS-M</u>	<u>IS-M</u>
1,538	JSE1	Transfer Cities, Postal Codes - USA	<u>IS-M</u>	<u>IS-M</u>
1,539	JSE10	Transfer Streets - Italy	<u>IS-M</u>	<u>IS-M</u>
1,540	JSE11	Transfer Postal Data (NL)	<u>IS-M</u>	<u>IS-M</u>
1,541	JSE2	Transfer Streets, P.O.Boxes - USA	<u>IS-M</u>	<u>IS-M</u>
1,542	JSE4	Set Origin Ind.for Street in City	<u>IS-M</u>	<u>IS-M</u>
1,543	JSE7	Update Cities, Postal Codes - USA	<u>IS-M</u>	<u>IS-M</u>
1,544	JSE8	Update Streets - USA	<u>IS-M</u>	<u>IS-M</u>
1,545	JSE9	Transfer Cities - Italy	<u>IS-M</u>	<u>IS-M</u>
1,546	<u>JSGEOGEO</u>	IS-M/SD: Create Geo-Geo Assignments	<u>IS-M</u>	<u>IS-M</u>
1,547	<u>JSGEOPOST</u>	IS-M/SD: Create Geo-Geo Assignments	<u>IS-M</u>	<u>IS-M</u>
1,548	JSM1	IS-M: Organizational structure	<u>IS-M</u>	<u>IS-M</u>
1,549	JSP0	(empty)	<u>IS-M</u>	<u>IS-M</u>
1,550	JUC016	BP Conversion Industries T016 TB023	<u>IS-M</u>	<u>IS-M</u>
1,551	JUC05	BP Conv. Occupations TJG05 TB028	<u>IS-M</u>	<u>IS-M</u>
1,552	JUC37	BP Conversion Grouping TJG37 TB001	<u>IS-M</u>	<u>IS-M</u>
	JUC39	BP Conversion Role Categs TJG39 TBZ0	<u>IS-M</u>	<u>IS-M</u>
1,554	JUC41	BP Conversion Origin TJG41 TB005	<u>IS-M</u>	<u>IS-M</u>
<u> </u>	JUC43	BP Conversion FOAs TJG43 TSAD3	<u>IS-M</u>	<u>IS-M</u>
1,556	JUC45	BP Conv.Marital Status TJG45 TB027	<u>IS-M</u>	<u>IS-M</u>
1,557	JUC535N1	BP Conv.Academic Title TJ535NU TSAD2	<u>IS-M</u>	<u>IS-M</u>
1,558	JUC535N2	BP Conv.Prefixes TJ535NU TSAD4	<u>IS-M</u>	<u>IS-M</u>
1,559	JUC535N3	BP Conv.Name Affixes TJ535NU TSAD5	<u>IS-M</u>	<u>IS-M</u>
1,560	JUCC1	Init. SAP BP Customizing	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,561	JUCC2	Customizing Conversion	<u>IS-M</u>	<u>IS-M</u>
1,562	<u>JUCDCM</u>	Customer and Vendor Conversion	<u>IS-M</u>	<u>IS-M</u>
1,563	JUCDCMLOG	Logs of Customer/Vendor Conversion	<u>IS-M</u>	<u>IS-M</u>
1,564	JUCM1	Change BP Control for Migration	<u>IS-M</u>	<u>IS-M</u>
1,565	JUCM2	Change BP Control After Migration	<u>IS-M</u>	<u>IS-M</u>
1,566	<u>JUCMO</u>	Migration Overview	<u>IS-M</u>	<u>IS-M</u>
1,567	JUCP1	Conversion of IS-M Partner to SAP BP	<u>IS-M</u>	<u>IS-M</u>
1,568	JUCP7	Display Conversion Logs	<u>IS-M</u>	<u>IS-M</u>
1,569	<u>JUCVGF</u>	BP Conv. Legal Entity TVGF TB032	<u>IS-M</u>	<u>IS-M</u>
1,570	<u>JUPART</u>	Conversion IS-M BP to SAP BP	<u>IS-M</u>	<u>IS-M</u>
1,571	JV01	IS-M: Create Carrier Route	<u>IS-M</u>	<u>IS-M</u>
1,572	JV02	IS-M: Change Carrier Route	<u>IS-M</u>	<u>IS-M</u>
1,573	JV03	IS-M: Display Carrier Route	<u>IS-M</u>	<u>IS-M</u>
1,574	<u>JV04</u>	Create Delivery Round-BP Assignment	<u>IS-M</u>	<u>IS-M</u>
1,575	JV06	Display Carr.Route-Bus.Partner Assgt	<u>IS-M</u>	<u>IS-M</u>
1,576	<u>JV10</u>	IS-M: Edit Delivery Viability Set	<u>IS-M</u>	<u>IS-M</u>
1,577	JV12	Display Delivery Viability Set	<u>IS-M</u>	<u>IS-M</u>
1,578	JV13	IS-M: Maintain BP Deliv.Via.Sets	<u>IS-M</u>	<u>IS-M</u>
1,579	JV15	IS-M: Display BP Delivery Via.Sets	IS-M	<u>IS-M</u>
1,580	JV17	IS-M: Deliveries/Unloading VSets	<u>IS-M</u>	<u>IS-M</u>
1,581	JV18	Delta Betw.Postal and ZEBU Data	<u>IS-M</u>	<u>IS-M</u>
1,582	JV19	Check Result	<u>IS-M</u>	<u>IS-M</u>
1,583	JV21	IS-M: Maintain Cont.Packing Rule	<u>IS-M</u>	<u>IS-M</u>
1,584	<u>JV23</u>	IS-M: Display Cont.Packing Rule	<u>IS-M</u>	<u>IS-M</u>
1,585	<u>JV24</u>	IS-M: Create Variants	<u>IS-M</u>	<u>IS-M</u>
1,586	<u>JV26</u>	IS-M: Display Variants	<u>IS-M</u>	<u>IS-M</u>
1,587	<u>JV27</u>	IS-M: Edit Shipping Schedule	<u>IS-M</u>	<u>IS-M</u>
1,588	JV28	IS-M: Container/Postal Pack Numberg	<u>IS-M</u>	<u>IS-M</u>
1,589	<u>JV29</u>	IS-M: Display Shipping Schedule	<u>IS-M</u>	<u>IS-M</u>
1,590	JV2SD01	Synchronize Unloading Pts to SAP BP	<u>IS-M</u>	<u>IS-M</u>
1,591	JV2SD02	Create Contract Items for LES	<u>IS-M</u>	<u>IS-M</u>
1,592	JV2SD03	Synch. Drop-Offs for Purch. Qty Plan	<u>IS-M</u>	<u>IS-M</u>
1,593	<u>JV30</u>	IS-M: Bundling	<u>IS-M</u>	<u>IS-M</u>
1,594	JV31	IS-M: Container Packing	<u>IS-M</u>	<u>IS-M</u>
	JV34	IS-M: Import Changes into ZEBU	<u>IS-M</u>	<u>IS-M</u>
1,596		IS-M: Set Order Deadline	<u>IS-M</u>	<u>IS-M</u>
1,597	<u>JV38</u>	IS-M: Init.Transfer of ZEBU Data	<u>IS-M</u>	<u>IS-M</u>
1,598	<u>JV40</u>	IS-M: List Shipping Problem Messages	<u>IS-M</u>	<u>IS-M</u>
1,599	<u>JV41</u>	IS-M: Create Shipping Prob.Message	<u>IS-M</u>	<u>IS-M</u>
1,600	<u>JV42</u>	IS-M: Change Shipping Prob.Message	<u>IS-M</u>	<u>IS-M</u>
1,601	<u>JV43</u>	IS-M: Display Shipping Prob.Message	<u>IS-M</u>	<u>IS-M</u>
1,602	<u>JV44</u>	IS-M: Evaluate Shipping Prob.Message	<u>IS-M</u>	<u>IS-M</u>
1,603	<u>JV45</u>	Postprocess Shipping Chars f.Deliv.	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,604	<u>JV46</u>	Display Shipping Chars f.Delivery	<u>IS-M</u>	<u>IS-M</u>
1,605	<u>JV47</u>	Edit Settlement Data f.Deliveries	<u>IS-M</u>	<u>IS-M</u>
1,606	<u>JV48</u>	Display Settlement Data f.Deliveries	<u>IS-M</u>	<u>IS-M</u>
1,607	JV50	IS-M: Edit ZEBU File	<u>IS-M</u>	<u>IS-M</u>
1,608	JV51	IS-M: Display ZEBU File	<u>IS-M</u>	<u>IS-M</u>
1,609	JV55	Create agent district	<u>IS-M</u>	<u>IS-M</u>
1,610	JV56	Change agent district	<u>IS-M</u>	<u>IS-M</u>
1,611	JV57	Display agent district	<u>IS-M</u>	<u>IS-M</u>
1,612	JV59	IS-M: Update Daily Delivery Stats	<u>IS-M</u>	<u>IS-M</u>
1,613	JV60	IS-M: Shipping Preparation for TMC	<u>IS-M</u>	<u>IS-M</u>
1,614	JV61	IS-M: Edit Planning Trigger	<u>IS-M</u>	<u>IS-M</u>
1,615	JV62	IS-M: Display Planning Trigger	<u>IS-M</u>	<u>IS-M</u>
1,616	JV63	IS-M: Copy Trigger Interval	<u>IS-M</u>	<u>IS-M</u>
1,617	JV64	IS-M: Completeness Check f.Planng	<u>IS-M</u>	<u>IS-M</u>
1,618	<u>JV65</u>	IS-M: Regen.Planng f.CircPlanning	<u>IS-M</u>	<u>IS-M</u>
1,619	<u>JV66</u>	Start Coll.Netchange Run Manually	<u>IS-M</u>	<u>IS-M</u>
1,620	<u>JV67</u>	IS-M: Shipping Prep.f.Insertion	<u>IS-M</u>	<u>IS-M</u>
1,621	<u>JV68</u>	IS-M: Shipping Prep.f.Distribution	<u>IS-M</u>	<u>IS-M</u>
1,622	<u>JV69</u>	Display Planning Trigger List	<u>IS-M</u>	<u>IS-M</u>
1,623	<u>JV72</u>	IS-M: Maintain ShDoc.Destinations	<u>IS-M</u>	<u>IS-M</u>
1,624	<u>JV73</u>	IS-M: Display ShDoc.Destinations	<u>IS-M</u>	<u>IS-M</u>
1,625	<u>JV74</u>	IS-M: Maintain ShDoc.Type Usage	<u>IS-M</u>	<u>IS-M</u>
1,626	<u>JV75</u>	IS-M: Display ShDoc.Type Usage	<u>IS-M</u>	<u>IS-M</u>
1,627	<u>JV76</u>	IS-M: Edit Shipp.Doc.Control Data	<u>IS-M</u>	<u>IS-M</u>
1,628	<u>JV80</u>	IS-M: Maint.ShDoc.Dest.Search Seq.	<u>IS-M</u>	<u>IS-M</u>
1,629	<u>JV84</u>	IS-M: Create Shipping Documents	<u>IS-M</u>	<u>IS-M</u>
1,630	<u>JV85</u>	IS-M: Shipping Document Printing	<u>IS-M</u>	<u>IS-M</u>
1,631	JV86	IS-M: Carrier List	<u>IS-M</u>	<u>IS-M</u>
1,632	JV90	IS-M: Edit Order Deadline	<u>IS-M</u>	<u>IS-M</u>
1,633	JV91	IS-M: Display Order Deadline	<u>IS-M</u>	<u>IS-M</u>
1,634		IS-M: ShipList f.Labeled Per.Post	<u>IS-M</u>	<u>IS-M</u>
1,635	<u>JV93</u>	IS-M: Shipp.List f.Red.Charge.Pkge	<u>IS-M</u>	<u>IS-M</u>
1,636		IS-M: Check Del.Round-BP Assignment	<u>IS-M</u>	<u>IS-M</u>
1,637	JV99	Edit ZEBU Manual	<u>IS-M</u>	<u>IS-M</u>
	JVA0	IS-M/SD: Goods Arr.List -Period.Post	<u>IS-M</u>	<u>IS-M</u>
1,639	JVA1	IS-M: Move Goods Arrival List No.	IS-M	<u>IS-M</u>
1,640	JVA2	IS-M: Ship.List f.Periodical Post	<u>IS-M</u>	<u>IS-M</u>
1,641	JVA3	IS-M: Plant Data for Del.Record	<u>IS-M</u>	<u>IS-M</u>
1,642	JVA4	IS-M: Alt.Init.Sales Date f.Del.Rec	<u>IS-M</u>	<u>IS-M</u>
	JVA5	IS-M: Start Report for Del.Record	<u>IS-M</u>	<u>IS-M</u>
1,644		IS-M: Goods Arrival List for RCP	<u>IS-M</u>	<u>IS-M</u>
1,645	JVA7	IS-M: Copy Trigger in Past	<u>IS-M</u>	<u>IS-M</u>
1,646	JVA8	IS-M: Start AM Exchange Report	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,647	JVA9	IS-M: Customer Data for AM Exchange	<u>IS-M</u>	IS-M
1,648	JVB1	Display Planned Circ.for Carr.Route	<u>IS-M</u>	<u>IS-M</u>
1,649	JVB2	Edit Planned Circ.for Carrier Route	<u>IS-M</u>	<u>IS-M</u>
1,650	JVC1	Number Range Maintenance: ISP_GP_ERS	IS-M	IS-M
1,651	JVDPAM_NR1	Number Range Maintenance: ISM_DPAM_1	IS-M	IS-M
1,652	JVDPAM_NR2	Number Range Maintenance: ISM_DPAM_2	IS-M	<u>IS-M</u>
1,653	<u>JVFM</u>	IS-M: Maintain Driver Notification	<u>IS-M</u>	<u>IS-M</u>
1,654	JVG1	Display Planned Circ.for Geo.Unit	<u>IS-M</u>	<u>IS-M</u>
1,655	JVG2	Edit Planned Circ.for Geo.Unit	<u>IS-M</u>	<u>IS-M</u>
1,656	JVLA	IS-M: Deliveries for Order	<u>IS-M</u>	<u>IS-M</u>
1,657	JVLF	IS-M: Sales, Current Settings	<u>IS-M</u>	<u>IS-M</u>
1,658	JVM4	IS-M: Distribution	IS-M	<u>IS-M</u>
1,659	JVM5	IS-M: Shipping Schedule	IS-M	<u>IS-M</u>
1,660	JVM6	IS-M: Shipping Preparation	<u>IS-M</u>	<u>IS-M</u>
1,661	JVM7	IS-M: Shipping	<u>IS-M</u>	IS-M
1,662	<u>JVNC</u>	Execute Netchange Order by Order	<u>IS-M</u>	<u>IS-M</u>
1,663	JVP1	IS-M: Prod.Sequence (Prod.Data)	<u>IS-M</u>	<u>IS-M</u>
1,664	JVP2	IS-M: Production Procedure	IS-M	<u>IS-M</u>
1,665	JVP3	IS-M: Procedure Det.for Prod.Proced.	<u>IS-M</u>	<u>IS-M</u>
1,666	JVP4	IS-M: Subs.Proced.for Prod.Data	<u>IS-M</u>	<u>IS-M</u>
1,667	JVP5	IS-M: Elements of Prod.Grouping	<u>IS-M</u>	<u>IS-M</u>
1,668	JVP6	IS-M: Create Production Data	IS-M	<u>IS-M</u>
1,669	JVP9	IS-M: Production Paper Usage	<u>IS-M</u>	<u>IS-M</u>
1,670	<u>JVPC</u>	IS-M: Production Group	<u>IS-M</u>	<u>IS-M</u>
1,671	<u>JVPE</u>	IS-M: Create Production Data	<u>IS-M</u>	<u>IS-M</u>
1,672	JVPH0	IS-M/SD: Maintain Geo.Usage Type	<u>IS-M</u>	<u>IS-M</u>
1,673	JVPH1	IS-M/SD: Display Geo.Usage Type	<u>IS-M</u>	<u>IS-M</u>
1,674	JVPH10	Initialize Ordering Schedule: Phases	<u>IS-M</u>	<u>IS-M</u>
1,675	JVPH2	Edit Phase Model	<u>IS-M</u>	<u>IS-M</u>
1,676	JVPH3	Display Phase Model	<u>IS-M</u>	<u>IS-M</u>
1,677	JVPH4	Edit Phase Shipping Dates	<u>IS-M</u>	<u>IS-M</u>
1,678	JVPH5	Display Phase Shipping Dates	<u>IS-M</u>	<u>IS-M</u>
1,679	JVPH8	IS-M/SD: Monitor Phase Shipping	<u>IS-M</u>	<u>IS-M</u>
1,680	JVPH9	IS-M/SD: Create Phase Shippg Orders	<u>IS-M</u>	<u>IS-M</u>
1,681	JVRULE_COP	IS-M: Maintain Packing Rule f.Copies	<u>IS-M</u>	<u>IS-M</u>
1,682	JVRV	IS-M: Deliveries for Backdated Subs.	<u>IS-M</u>	<u>IS-M</u>
1,683	JVSD01	IS-M/SD: Edit Media Issue Mix	<u>IS-M</u>	<u>IS-M</u>
1,684	JVSD04	IS-M: Generate Media Issue Mixes	<u>IS-M</u>	<u>IS-M</u>
1,685	JVSD05	IS-M/SD: Create Media Issue Mixes	<u>IS-M</u>	<u>IS-M</u>
1,686	JVSD06	IS-M/SD: Change Media Issue Mixes	<u>IS-M</u>	<u>IS-M</u>
1,687	JVSD07	IS-M/SD: Display Media Issue Mixes	<u>IS-M</u>	<u>IS-M</u>
1,688	JVSD08	Assign Inserts to Contracts	<u>IS-M</u>	<u>IS-M</u>
1,689	JVSD10	Initialize Delivery Quantities	<u>IS-M</u>	<u>IS-M</u>

#	T-Code	Description	Module	Component
1,690	JVSD11	Update Delivery Quantities	<u>IS-M</u>	<u>IS-M</u>
1,691	JVSD12	Interactive Insert Planning	<u>IS-M</u>	<u>IS-M</u>
1,692	JVSD13	Copy Insert Booking	IS-M	<u>IS-M</u>
1,693	JVSD14	Business Partner Insert Groups	IS-M	<u>IS-M</u>
1,694	JVSD15	Edit Quantities for Deliv.Priorities	IS-M	IS-M
1,695	JVSD2MSD	Transfer SD Orders to IS-M/SD	IS-M	<u>IS-M</u>
1,696	JVSDAD01	Ad Inserts from AI Orders	IS-M	<u>IS-M</u>
1,697	JVSDCUST05	SAP BP Insert Groups	<u>IS-M</u>	<u>IS-M</u>
1,698	JVSDCUST06	Insert Groups	<u>IS-M</u>	<u>IS-M</u>
1,699	JVSDGEO1	Ambiguity Check	<u>IS-M</u>	<u>IS-M</u>
1,700	JVSDHD0	ISM: Maint. HDel.Schedule for Mat.	IS-M	IS-M
1,701	JVSDHD1	ISM: Display HDel. Schedule for Mat.	IS-M	IS-M
1,702	JVSDHD3	Edit Ref. Edition for SD Home Del.	IS-M	IS-M
1,703	JVSDHD4	Display Ref.Edition for SD Home Del.	<u>IS-M</u>	<u>IS-M</u>
1,704	JVSDHD COL	ISM: HDel.Planning: Select SD Orders	<u>IS-M</u>	<u>IS-M</u>
	<u>LECT</u>			
1,705	JVSDHD_HEA	ISM: HDel.Planning: Delete Header	<u>IS-M</u>	<u>IS-M</u>
	DER_DELETE			
1,706	JVSDHD_REL	ISM: HDel.Planning: Home Del. Data	<u>IS-M</u>	<u>IS-M</u>
	<u>EASE</u>			
1,707	JVSDHD REL	ISM: HDel.Planning: Delete HDel.Data	<u>IS-M</u>	<u>IS-M</u>
	EASE DEL			
1,708	JVSDHD_VDA	ISM: HDel.Planning: Move Shippg Date	<u>IS-M</u>	<u>IS-M</u>
	T_SHIFT			
1,709	<u>JVSDHSHIFT</u>	IS-M: Move Horizon	<u>IS-M</u>	<u>IS-M</u>
1,710	JVSDMIXLOG	IS-M: Mix Creation Logs	<u>IS-M</u>	<u>IS-M</u>
1,711	<u>JVSDPG</u>	Define Packaging Characteristics	<u>IS-M</u>	<u>IS-M</u>
1,712	JVSDPL01	Weekday-Dependent Plant Determ.	<u>IS-M</u>	<u>IS-M</u>
1,713	JVSDPR0	Packaging Rules for Media Issues	<u>IS-M</u>	<u>IS-M</u>
1,714	JVSDPR0I	Packaging Rule for Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,715	JVSDPR0M	Packaging Rule Material	<u>IS-M</u>	<u>IS-M</u>
1,716	JVSDPR1	Packaging Rules for Media	<u>IS-M</u>	<u>IS-M</u>
1,717	JVSDPR1I	Packaging Rule for Media Issue	<u>IS-M</u>	<u>IS-M</u>
1,718	JVSDPR1M	Packaging Rule Material	<u>IS-M</u>	<u>IS-M</u>
1,719	JVSDPR2	Copy Packaging Rules	<u>IS-M</u>	<u>IS-M</u>
1,720	JVSDPR3	Edit Media Issue for Packing Char.	<u>IS-M</u>	<u>IS-M</u>
1,721	JVSO1	Create Shipping Order	<u>IS-M</u>	<u>IS-M</u>
1,722	JVSO10	Display Edition and Ref.Edition	<u>IS-M</u>	<u>IS-M</u>
1,723	JVSO11	Monitor Shipping Order	<u>IS-M</u>	<u>IS-M</u>
1,724	JVSO12	Full Import Assistant	<u>IS-M</u>	<u>IS-M</u>
1,725	JVSO13	Delta Import Assistant	<u>IS-M</u>	<u>IS-M</u>
1,726	JVSO14	Ship. Order Archiving: Write Archive	IS-M	<u>IS-M</u>
1,727	JVSO15	Sh. Order Archiving: Delete Archive	<u>IS-M</u>	<u>IS-M</u>

#	T-Code	Description	Module	Component
1,728	JVSO16	Sh. Order Archiving: Reload Archive	<u>IS-M</u>	<u>IS-M</u>
1,729	JVSO17	Ship. Ord. Archiving: Manage Archive	<u>IS-M</u>	<u>IS-M</u>
1,730	JVSO2	Change Shipping Order	<u>IS-M</u>	<u>IS-M</u>
1,731	JVSO3	Display Shipping Order	IS-M	<u>IS-M</u>
1,732	JVSO4	Delete Shipping Order	IS-M	<u>IS-M</u>
1,733	JVSO5	Generate Deliveries for Shipp.Orders	IS-M	<u>IS-M</u>
1,734	JVSO6	Delete Deliveries for Shipping Order	IS-M	<u>IS-M</u>
1,735	JVSO7	Check Shipping Date for Shipp.Order	<u>IS-M</u>	<u>IS-M</u>
1,736	JVSO8	Error List for Shipping Orders	<u>IS-M</u>	<u>IS-M</u>
1,737	JVSO9	Edit Edition and Reference Edition	<u>IS-M</u>	<u>IS-M</u>
1,738	JVSOCOMPL1	IS-M/SD: Create Ship.Order Complaint	<u>IS-M</u>	<u>IS-M</u>
1,739	JVSOCOMPL1	IS-M/SD: Create Issue Compl.(Def.)	IS-M	<u>IS-M</u>
	PRESET	-		
1,740	JVSOCOMPL2	IS-M/SD: Change Ship.Order Complaint	<u>IS-M</u>	<u>IS-M</u>
1,741	JVSOCOMPL3	IS-M/SD: Display Ship.Order Complt	<u>IS-M</u>	<u>IS-M</u>
1,742	JVSOCOMPL_	Export File for Shipp. Order Compl.	IS-M	<u>IS-M</u>
	EXPORT			
1,743	JVSOCOMPL_	Import File: Import Ship.Ord.Compl.	IS-M	<u>IS-M</u>
	<u>IMPORT</u>			
1,744	JVSOCOMPL	Shipping Order Complaint Overview	<u>IS-M</u>	<u>IS-M</u>
	<u>LIST</u>			
1,745	JVTMCP_EXC	IS-M: TMCP Exclusion CRte/GUnit	IS-M	<u>IS-M</u>
	<u>L_STRU</u>			
1,746	JVTMCP_GEN	IS-M: TMCP: Generate Shipping Orders	<u>IS-M</u>	<u>IS-M</u>
1,747	JVTMCP_GEN	IS-M: TMCP: Log of Shipp. Order Gen.	<u>IS-M</u>	<u>IS-M</u>
	<u>PROT</u>			
1,748	JVTMCP PLA	IS-M: TMCP: Planning for Ship.Orders	<u>IS-M</u>	<u>IS-M</u>
	<u>NNING</u>			
1,749	JVTMC_HH	Maintain Household Parameters	<u>IS-M</u>	<u>IS-M</u>
1,750	JVU1	IS-M: Drop-Off Overview	<u>IS-M</u>	<u>IS-M</u>
1,751	JVU2	IS-M: Key Date Comparison: Drop-Off	<u>IS-M</u>	<u>IS-M</u>
1,752	JVU3	IS-M: Circ.of Carriers and Inserts	<u>IS-M</u>	<u>IS-M</u>
1,753	JVU4	IS-M: Carr.Circulation f.ShipDate	<u>IS-M</u>	<u>IS-M</u>
1,754	JVU5	IS-M: Check Draw Against Del.Qty	<u>IS-M</u>	<u>IS-M</u>
1,755	JVU6	IS-M: Production Stats for Bundles	<u>IS-M</u>	<u>IS-M</u>
1,756	JVU7	IS-M: Shipping Overview	<u>IS-M</u>	<u>IS-M</u>
1,757	JVV1	IS-M: Generate Issue Splits	<u>IS-M</u>	<u>IS-M</u>
1,758	JVV2	IS-M: Gen.Delivery for Ad Insert TMC	<u>IS-M</u>	<u>IS-M</u>
1,759	JVV3	IS-M: Gen.Delivery for AI Distrib.	<u>IS-M</u>	<u>IS-M</u>
1,760	JVV4	Edit Deliveries for AI Distribution	<u>IS-M</u>	<u>IS-M</u>
1,761	JVV5	Display Delivery for AI Distribution	<u>IS-M</u>	<u>IS-M</u>
1,762	JVV6	Edit Deliveries for Ad Insert TMC	<u>IS-M</u>	<u>IS-M</u>
1,763	JVV7	Display Delivery for Ad Insert TMC	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,764	JVV8	Assign Issue Splits to Deliveries	<u>IS-M</u>	<u>IS-M</u>
1,765	JVV9	Display Issue Splits in Deliveries	<u>IS-M</u>	<u>IS-M</u>
1,766	<u>JVVA</u>	IS-M: Generate Issue Splits	<u>IS-M</u>	<u>IS-M</u>
1,767	JVVB	IS-M: Qty Comp.SD/AM AI Insertion	IS-M	<u>IS-M</u>
1,768	<u>JVVR</u>	IS-M: Qty comp.SD/AM Ad Insert TMC	IS-M	<u>IS-M</u>
1,769	JVVV	IS-M: Qty Comp.SD/AM AI Distribution	IS-M	<u>IS-M</u>
1,770	JVX1	IS-M: Display Sales Offices	IS-M	<u>IS-M</u>
1,771	JVZAEM0	IS-M: Generate Std Deliv.Exception	<u>IS-M</u>	<u>IS-M</u>
1,772	JVZM	IS-M: Maintain Carrier Notification	<u>IS-M</u>	<u>IS-M</u>
1,773	JW25	IS-M/SD: Create Sales Promotion	<u>IS-M</u>	<u>IS-M</u>
1,774	JW26	IS-M/SD: Change Sales Promotion	IS-M	<u>IS-M</u>
1,775	JW27	IS-M/SD: Display Sales Promotion	IS-M	<u>IS-M</u>
1,776	JW34	IS-M/SD: Create Campaign Framework	IS-M	<u>IS-M</u>
1,777	<u>JW35</u>	IS-M/SD: Change Campaign Framework	<u>IS-M</u>	<u>IS-M</u>
1,778	<u>JW36</u>	IS-M/SD: Display Campaign Framework	<u>IS-M</u>	<u>IS-M</u>
1,779	JWM1	IS-M: Promotion Master Data	IS-M	<u>IS-M</u>
1,780	JWU1	IS-M/SD: Std Letter for Sales Prom.	IS-M	<u>IS-M</u>
1,781	JWU10	Standard Letter By Classification	IS-M	<u>IS-M</u>
1,782	JWU2	Print Labels for Free Gifts	IS-M	IS-M
1,783	JWU3	IS-M/SD: Orders for Gift	<u>IS-M</u>	<u>IS-M</u>
1,784	JWU4	IS-M/SD:Sales Activities in Geo.Unit	<u>IS-M</u>	<u>IS-M</u>
1,785	JWU5	Sales Activities for Bus.Partner	IS-M	<u>IS-M</u>
1,786	JWU6	IS-M/SD: Compare Sales Activities	IS-M	<u>IS-M</u>
1,787	JWU7	IS-M/SD: Shipped/Reserved Gifts	IS-M	<u>IS-M</u>
1,788	JWU8	IS-M: Update Sales Promotions	IS-M	<u>IS-M</u>
1,789	JWW1	IS-M/SD: Create Sales Activity	<u>IS-M</u>	<u>IS-M</u>
1,790	JWW2	IS-M/SD: Change Sales Activity	<u>IS-M</u>	<u>IS-M</u>
1,791	JWW3	IS-M/SD: Display Sales Activity	<u>IS-M</u>	<u>IS-M</u>
1,792	JX01	Maintain Types of Geo. Units	IS-M	<u>IS-M</u>
1,793	JX02	Maint.Hierarchy Type in Geo.Unit	<u>IS-M</u>	<u>IS-M</u>
1,794	JX57	SM30 Maintenance of IS-M Acct Group	IS-M	<u>IS-M</u>
1,795	<u>JX67</u>	SM30 Maintenance of Stats Groupings	<u>IS-M</u>	<u>IS-M</u>
1,796	<u>JX72</u>	SM30 Maint. Counter Restart DTrsfer	<u>IS-M</u>	<u>IS-M</u>
1,797	<u>JX74</u>	SM30 Maint.Search Seq.f.Std Packing	<u>IS-M</u>	<u>IS-M</u>
1,798	<u>JX75</u>	SM30 Maint.Search Seq.f.Std Packing	<u>IS-M</u>	<u>IS-M</u>
1,799	JX82	SM30: Edit Advertising Media	<u>IS-M</u>	<u>IS-M</u>
1,800	JX83	SM30 Maint.: Display Advertisg Media	<u>IS-M</u>	<u>IS-M</u>
1,801	JXA8	SM30 Display Edition Rept Grping 2	<u>IS-M</u>	<u>IS-M</u>
1,802	JXAD	IS-M: Maintain Odd Bundle Group	<u>IS-M</u>	<u>IS-M</u>
1,803	<u>JXAE</u>	IS-M: Display Edit-OddBdleGrp.Assgmt	<u>IS-M</u>	<u>IS-M</u>
1,804	JXAJ	SM30 Maint.of Stats Grp f.Sales Doc.	IS-M	IS-M
1,805	JXAK	SM30 Maint.of Update Grp Header	<u>IS-M</u>	<u>IS-M</u>
1,806	JXAL	SM30 Maint.of Update Grp for Item	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,807	<u>JXAM</u>	SM30 Maint.of UpdGrp for Delivery	<u>IS-M</u>	<u>IS-M</u>
1,808	<u>JXAN</u>	Sm30 Maint.of Stats Grp per Ord.Type	<u>IS-M</u>	<u>IS-M</u>
1,809	<u>JXAO</u>	SM30 Maint.Stats Grp per OType/I.Ass	<u>IS-M</u>	<u>IS-M</u>
1,810	JXAP	SM30 Maint.Stats Grp per Billg Type	IS-M	<u>IS-M</u>
1,811	JXAQ	SM30 Maint.UpdGrp f.DelOrd.Assgmt	IS-M	<u>IS-M</u>
1,812	JXBD	IS-M/SD: Maintain Odd Bundle Group	IS-M	<u>IS-M</u>
1,813	JXBDSD	IS-M: Maintain Comm.Odd Bundle Group	IS-M	<u>IS-M</u>
1,814	<u>JXBE</u>	IS-M: Maint.EditOdd Bdle Grp Asgt	<u>IS-M</u>	<u>IS-M</u>
1,815	<u>JXBESD</u>	IS-M: Maint.EditOdd Bdle Grp Asgt	<u>IS-M</u>	<u>IS-M</u>
1,816	JXG8	Assign ctry grping to shipping sch.	<u>IS-M</u>	<u>IS-M</u>
1,817	JXG9	Country Grouping for Shipping Sched.	<u>IS-M</u>	<u>IS-M</u>
1,818	<u>JXVA</u>	IS-M: Display Post.Packing Rule Det.	<u>IS-M</u>	<u>IS-M</u>
1,819	<u>JXVB</u>	IS-M: Edit Post.Packing Rule Determ.	<u>IS-M</u>	<u>IS-M</u>
1,820	<u>JXVZ</u>	IS-M: Consist.Check for Purch.Org.	<u>IS-M</u>	<u>IS-M</u>
1,821	<u>JY10</u>	IS-M: Formulas and Requirements	<u>IS-M</u>	<u>IS-M</u>
1,822	<u>JY20</u>	Condition Master Data	<u>IS-M</u>	<u>IS-M</u>
1,823	<u>JY81</u>	IS-M: Test - TOA01	<u>IS-M</u>	<u>IS-M</u>
1,824	JYA1	IS-M: Create Deliv.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,825	JYA2	IS-M: Delete Deliv.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,826	JYA3	IS-M: Reload Del.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,827	JYA4	IS-M: Create Deliv.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,828	JYA5	IS-M: Display Home Del.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,829	JYA6	IS-M: Display Comm.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,830	JYA9	Number Range Maintenance: ISP_ABUEB	<u>IS-M</u>	<u>IS-M</u>
1,831	JYB1	IS-M: Create Billing Archive	<u>IS-M</u>	<u>IS-M</u>
1,832	JYB2	IS-M: Delete Billing Archive	<u>IS-M</u>	<u>IS-M</u>
1,833	JYB3	IS-M: Reload Del.Sett Archive	<u>IS-M</u>	<u>IS-M</u>
1,834	JYB4	IS-M: Mgmt of Billing Archive	IS-M	<u>IS-M</u>
1,835	JYB5	Check Archivability of Billing Docs	<u>IS-M</u>	<u>IS-M</u>
1,836	<u>JYBOREXECU</u>	Execute BOR Method	IS-M	<u>IS-M</u>
	<u>TE</u>			
1,837	JYC1	Maintain number range doc.conditions	<u>IS-M</u>	<u>IS-M</u>
1,838		Maintain number range: ISP_DRER	<u>IS-M</u>	<u>IS-M</u>
1,839	JYD2	Maintain number range: ISP_VA	IS-M	<u>IS-M</u>
1,840	JYD3	Number range maintenance: ISP_VASYNC	IS-M	<u>IS-M</u>
1,841	JYE1	Create Archive for Commiss.Billing	IS-M	<u>IS-M</u>
1,842	JYE2	IS-M: Comm.Sett.Archive: Delete	IS-M	<u>IS-M</u>
1,843	JYE3	IS-M: Comm.Sett.Archive: Reload	<u>IS-M</u>	<u>IS-M</u>
1,844	JYE4	Comm.Sett.Archive: Administration	<u>IS-M</u>	<u>IS-M</u>
1,845	JYF1	Maintain number range: ISP_FSAMMG	<u>IS-M</u>	<u>IS-M</u>
1,846	JYF2	Maintain number range: ISP_FUEBL	<u>IS-M</u>	IS-M
1,847	JYF3	Maintain number range: ISP_FAKBL	<u>IS-M</u>	IS-M
1,848	JYF5	Number Range Maintenance: ISM_FICOL	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,849	JYF6	IS-M: Display Billing Archive	<u>IS-M</u>	<u>IS-M</u>
1,850	JYG1	Maintain number range: ISP_GP_NR	<u>IS-M</u>	<u>IS-M</u>
1,851	JYG2	Maintain number range: ISP_ADRNR	<u>IS-M</u>	<u>IS-M</u>
1,852	JYG4	Number range maintenance: ISP_BV	<u>IS-M</u>	<u>IS-M</u>
1,853	JYG5	Maintain number range: Logs	IS-M	IS-M
1,854	JYI1	IS-M/SD: Number Ranges for Circ.Book	IS-M	IS-M
1,855	JYITSWAIT	ITS Waiting	IS-M	IS-M
1,856	JYK1	Maintain number range: ISP_BELEG	<u>IS-M</u>	<u>IS-M</u>
1,857	JYK2	Number Range Maint. for Research	<u>IS-M</u>	<u>IS-M</u>
1,858	JYK4	Maintain number range: ISP_PROSP	<u>IS-M</u>	<u>IS-M</u>
1,859	<u>JYKWWW</u>	Number Range Maintenance: ISM_SESSNO	<u>IS-M</u>	<u>IS-M</u>
1,860	JYL1	Maintain number range: ISP_LSAMMG	IS-M	<u>IS-M</u>
1,861	JYL2	Maintain number range: ISP_ABRCHN	IS-M	<u>IS-M</u>
1,862	JYL3	Maintain number range: ISP_JKONV	<u>IS-M</u>	<u>IS-M</u>
1,863	JYM1	Maintain number range: ISP_MAT	<u>IS-M</u>	<u>IS-M</u>
1,864	JYN2	Number range maintenance: ISP_RECHDR	<u>IS-M</u>	<u>IS-M</u>
	JYPO	IS-M: Print Param.f.Outpt Control	IS-M	<u>IS-M</u>
1,866	JYR1	Maintain number range: ISP_ROUPVA	IS-M	<u>IS-M</u>
1,867	JYR2	Maintain number range: ISP_ROUTE	IS-M	<u>IS-M</u>
1,868	JYR3	Maintain number range: ISP_RVERT	<u>IS-M</u>	<u>IS-M</u>
1,869	<u>JYRA</u>	Number Range Maintenance: ISP_ABLRGL	<u>IS-M</u>	<u>IS-M</u>
1,870	<u>JYRB</u>	IS-M: Install Specific Report Tree	IS-M	<u>IS-M</u>
1,871	JYRT	IS-M: Choose Report Tree	IS-M	<u>IS-M</u>
1,872	JYRZ	Maintain report trees for pub.system	<u>IS-M</u>	<u>IS-M</u>
1,873	JYS1	IS-M:	IS-M	<u>IS-M</u>
1,874	JYS2	IS-M: Number Ranges for Geo.Units	<u>IS-M</u>	<u>IS-M</u>
1,875	JYS3	Maintain number range: ISP_GEOPST	<u>IS-M</u>	<u>IS-M</u>
1,876	JYS4	Maintain number range: ISP_LAUFLI	<u>IS-M</u>	<u>IS-M</u>
1,877	<u>JYSC</u>	Number Range Maintenance: ISP_ORT	<u>IS-M</u>	<u>IS-M</u>
1,878	<u>JYSS</u>	Maintain number range: ISP_STR	<u>IS-M</u>	<u>IS-M</u>
1,879	JYTCODEEXE	Execute Transaction	<u>IS-M</u>	<u>IS-M</u>
	<u>CUTE</u>			
1,880	JYV1	IS-M: Num.Range Object - Drop-Off	<u>IS-M</u>	<u>IS-M</u>
1,881	JYV2	Maintain number range: ISP_NCAEND	<u>IS-M</u>	<u>IS-M</u>
1,882	JYV3	IS-M: Maint.Carrier Route No.Range	IS-M	<u>IS-M</u>
	JYV4	IS-M: Num.Range Maint.for Post.Packs	<u>IS-M</u>	<u>IS-M</u>
1,884	JYV5	IS-M: Number Range for Containers	<u>IS-M</u>	<u>IS-M</u>
1,885	JYV7	Maintain number range: ISP_LFNGNR	<u>IS-M</u>	<u>IS-M</u>
1,886	JYV8	Maintain number range: ISP_JVTFV	<u>IS-M</u>	<u>IS-M</u>
1,887	JYV9	Maintain number range: ISP_BEABST	IS-M	IS-M
1,888	JYVA	IS-M: Num.Range Ship.Schedule Var.	IS-M	IS-M
	JYVB	IS-M: Num.Range Shipping Schedule	IS-M	IS-M
1,890	JYVC	Number range maintenance: ISP_PAKET	<u>IS-M</u>	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,891	<u>JYVL</u>	Maintain number range: ISP_LFBAR	<u>IS-M</u>	<u>IS-M</u>
1,892	<u>JYVS</u>	Maintain Number Range: ISM_JVSOH	<u>IS-M</u>	<u>IS-M</u>
1,893	JYW0	IS-M: Currency Change	<u>IS-M</u>	<u>IS-M</u>
1,894	JYW2	Number Range Maintenance: ISM_PROMO	<u>IS-M</u>	<u>IS-M</u>
1,895	JYWW	Maintain number range: ISP_WEKONR	<u>IS-M</u>	<u>IS-M</u>
1,896	JYX1	IS-M: Edit Order Deadline Status	<u>IS-M</u>	<u>IS-M</u>
1,897	<u>JZ06</u>	Maintain BU hierarchy	<u>IS-M</u>	<u>IS-M</u>
1,898	<u>JZ25</u>	Maintain settlement calendar - agent	<u>IS-M</u>	<u>IS-M</u>
1,899	<u>JZ26</u>	Maintain number range: ISP_FAKT	<u>IS-M</u>	<u>IS-M</u>
1,900	<u>JZ27</u>	Maintain agt det.proc. for media agt	<u>IS-M</u>	<u>IS-M</u>
1,901	<u>JZ30</u>	Number Range Maintenance: ISP_BELEIN	<u>IS-M</u>	<u>IS-M</u>
1,902	JZ31	Number range maintenance: ISP_INHAKO	<u>IS-M</u>	<u>IS-M</u>
1,903	JZ33	Maintain date combination (fixed)	<u>IS-M</u>	<u>IS-M</u>
1,904	<u>JZ34</u>	Number Range Maintenance: ISP_VERMV	<u>IS-M</u>	<u>IS-M</u>
1,905	<u>JZ38</u>	IS-M: Maintain Sales Agent Types	<u>IS-M</u>	<u>IS-M</u>
1,906	JZ39	Number range maintenance: ISP_PE	<u>IS-M</u>	<u>IS-M</u>
	<u>JZ40</u>	Maintain number range: ISP_SAMMG	<u>IS-M</u>	<u>IS-M</u>
1,908	<u>JZ41</u>	Copy pricing procedure and cnd.types	<u>IS-M</u>	<u>IS-M</u>
1,909	<u>JZ43</u>	Maintain Date Combination (Flexible)	<u>IS-M</u>	<u>IS-M</u>
	<u>JZ44</u>	Number Range Maintenance: ISP_EV	<u>IS-M</u>	<u>IS-M</u>
1,911	<u>J 03</u>	Cond. Table: Create (Sales Price)	<u>IS-M</u>	<u>IS-M</u>
1,912	<u>J_04</u>	Cond. Table: Change (Sales Price)	<u>IS-M</u>	<u>IS-M</u>
1,913	<u>J_05</u>	Cond.Table: Display (Sales Price)	<u>IS-M</u>	<u>IS-M</u>
1,914	J_DEV2	IS-M: Dev	<u>IS-M</u>	<u>IS-M</u>
1,915	RJKREBOOKI NG	Transfer Post Add.Payments/Refunds	IS-M	<u>IS-M</u>
1,916	S ANI 680001 83	(empty)	<u>IS-M</u>	<u>IS-M</u>
1,917	S_ANI_680001 84	(empty)	IS-M	<u>IS-M</u>
1,918	S_ANI_680001 85	(empty)	IS-M	<u>IS-M</u>
1,919	S ANI 680001 86	(empty)	<u>IS-M</u>	<u>IS-M</u>
1,920	S_ANI_680001 87	(empty)	IS-M	IS-M
1,921	S_ANI_680001 88	(empty)	IS-M	IS-M
1,922	S ANI 680001 89	(empty)	<u>IS-M</u>	<u>IS-M</u>
1,923	S_ANI_680001 90	(empty)	<u>IS-M</u>	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,924	S ANI 680001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>91</u>			
1,925	S ANI 680001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>92</u>			
1,926	S_ANI_680001	(empty)	IS-M	IS-M
	<u>93</u>			
1,927	S_ANI_680001	(empty)	IS-M	IS-M
	<u>94</u>			
1,928	S ANI 680001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>95</u>			
1,929	S_ANI_680001	(empty)	<u>IS-M</u>	IS-M
	<u>96</u>			
1,930	S_ANI_680001	(empty)	IS-M	IS-M
	<u>97</u>			
1,931	S ANI 680001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>98</u>			
1,932	S_ANI_680001	(empty)	IS-M	IS-M
	<u>99</u>			
1,933	S_KK4_740012	IMG Activity: ISPSD_ABRPROVABRART	IS-M	IS-M
	<u>14</u>			
1,934	S KK4 740012	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>15</u>	ISPSD_ABRPROVLOHNART		
1,935	S_KK4_740012	IMG Activity:	IS-M	IS-M
	<u>16</u>	ISPSD_ABRKONDARTKAUT		
1,936	S_KK4_740012	IMG Activity: ISMSD_ABRPROVSPERR	<u>IS-M</u>	IS-M
	<u>17</u>			
1,937	S KK4 740012	IMG Activity: ISMSD_ABREINLNRPOST	<u>IS-M</u>	<u>IS-M</u>
	<u>18</u>			
1,938	S_KK4_740012	IMG Activity: ISPSD_ABRPOSTABRART	<u>IS-M</u>	<u>IS-M</u>
	<u>19</u>			
1,939	S_KK4_740012	IMG Activity: ISPSD_ABRNRDPOST	IS-M	<u>IS-M</u>
	<u>20</u>			
1,940	S KK4 740012	IMG Activity: ISPSD_ABRZUSTGPERSTZ	<u>IS-M</u>	<u>IS-M</u>
	<u>21</u>			
1,941	S_KK4_740012	IMG Activity: ISMSD_ABRECHNDELIV	<u>IS-M</u>	<u>IS-M</u>
	22			
1,942	S_KK4_740012	IMG Activity: ISPSD_ABRZUSTABRART	<u>IS-M</u>	<u>IS-M</u>
	<u>23</u>			
1,943	S KK4 740012	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>24</u>	ISPSD_ABRZUSTLOHNART		
1,944	S_KK4_740012	IMG Activity: ISPSD_ABRZUSTVERKMA	<u>IS-M</u>	<u>IS-M</u>
	<u>25</u>			

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,945	S KK4 740012	IMG Activity: ISPSD_ABRKLASSTAET	<u>IS-M</u>	<u>IS-M</u>
	<u>26</u>	-		
1,946	S KK4 740012	IMG Activity: ISPSD_ABRZUSTZUSCHL	<u>IS-M</u>	<u>IS-M</u>
	<u>27</u>	•		
1,947	S_KK4_740012	IMG Activity:	IS-M	<u>IS-M</u>
	<u>28</u>	ISPSD_ABRZUSVERTRMOD		
1,948	S_KK4_740012	IMG Activity:	IS-M	<u>IS-M</u>
	<u>29</u>	ISPSD_ABRZUOANRTRAEG		
1,949	S KK4 740012	IMG Activity: ISPAM_TJHAEIN	<u>IS-M</u>	<u>IS-M</u>
	<u>30</u>			
1,950	S_KK4_740012	IMG Activity: ISMAM_TJHCENTACCESS	<u>IS-M</u>	<u>IS-M</u>
	<u>31</u>			
1,951	S_KK4_740012	IMG Activity: ISPAM_WTYP	<u>IS-M</u>	<u>IS-M</u>
	<u>32</u>			
1,952	S KK4 740012	IMG Activity: ISPAM_RHYTHM	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
1,953	S_KK4_740012	IMG Activity: ISPAM_TJJAD	IS-M	<u>IS-M</u>
	<u>34</u>			
1,954	S_KK4_740012	IMG Activity: ISPAM_TJHB5	IS-M	IS-M
	<u>35</u>			
1,955	S KK4 740012	IMG Activity: ISPAM_TJHSTOG	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
1,956	S_KK4_740012	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>37</u>	ISPAM_NUMMERNKREISEA		
1,957	S_KK4_740012	IMG Activity: ISPSD_ABRZUOANRBEILA	<u>IS-M</u>	<u>IS-M</u>
	<u>38</u>			
1,958	S KK4 740012	IMG Activity: ISPAM_KONTAKTARTEN	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>			
1,959		IMG Activity: ISPAM_KONTAKTSTATUS	<u>IS-M</u>	<u>IS-M</u>
	<u>40</u>			
1,960	S_KK4_740012	IMG Activity: ISPAM_KONTAKTGRUND	<u>IS-M</u>	<u>IS-M</u>
	41			
1,961	S KK4 740012	IMG Activity: ISPAM_KONTAKTERG	<u>IS-M</u>	<u>IS-M</u>
	<u>42</u>			
1,962	S_KK4_740012	IMG Activity: ISPAM_KONTAKTBESCHR	IS-M	<u>IS-M</u>
	43			
1,963	S_KK4_740012	IMG Activity:	IS-M	<u>IS-M</u>
	44	ISPAM_NUMMERNKREISEK		
1,964	S KK4 740012	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>	ISMSD_CCARD_KONSCHEM		
1,965	S_KK4_740012		<u>IS-M</u>	<u>IS-M</u>
	46	ISMSD_CCARD_KONTOZUO		

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,966	S KK4 740012 47	IMG Activity: ISMSD_CCARD_KONAUT	<u>IS-M</u>	<u>IS-M</u>
1,967	S KK4 740012 48	IMG Activity: ISMSD_CCARD_MERCHID	<u>IS-M</u>	<u>IS-M</u>
1,968	S_KK4_740012 49	IMG Activity: ISMSD_CCARD_TEXTERG	IS-M	IS-M
1,969	S_KK4_740012 50	IMG Activity: ISPSD_FAKTUEBERLEITA	<u>IS-M</u>	IS-M
1,970	S KK4 740012 51	IMG Activity: ISPSD_FAKTFIBUBELEG	<u>IS-M</u>	<u>IS-M</u>
1,971	S_KK4_740012 52	IMG Activity: ISMSD_CCARD_KONDART	<u>IS-M</u>	IS-M
1,972	S_KK4_740012 53	IMG Activity: ISMSD_KARTENART	<u>IS-M</u>	IS-M
1,973		IMG Activity: ISMSD_KARTENTYP	<u>IS-M</u>	IS-M
1,974	S_KK4_740012 55	IMG Activity: ISMSD_PRUEFGRUPPE	<u>IS-M</u>	IS-M
1,975		IMG Activity: ISMSD_AUTGUELTDAUER	<u>IS-M</u>	IS-M
1,976	S KK4 740012 57	IMG Activity: ISMSD_CCARD_FELDKAT	<u>IS-M</u>	<u>IS-M</u>
1,977	<u>S_KK4_740012</u> 58	IMG Activity: ISMSD_CCARD_KONDTAB	<u>IS-M</u>	IS-M
1,978	S_KK4_740012 59	IMG Activity: ISMSD_CCARD_ZUGRIFF	<u>IS-M</u>	IS-M
1,979	S KK4 740012 60	IMG Activity: ISPSD_FAKTBELARTERM	<u>IS-M</u>	IS-M
1,980	S KK4 740012 61	IMG Activity: ISPSD_ABRECHSTORNO	<u>IS-M</u>	IS-M
1,981	S KK4 740012 62	IMG Activity: ISPSD_ABRECHNRKRS	<u>IS-M</u>	IS-M
1,982	S KK4 740012 63	IMG Activity: ISPSD_ABRBELEGARTFI	<u>IS-M</u>	<u>IS-M</u>
1,983	S_KK4_740012 64	IMG Activity: ISPSD_ABRBELARTFIND	IS-M	IS-M
1,984	S KK4 740012 65	IMG Activity: ISPSD_ABRSTEUERKZFI	<u>IS-M</u>	IS-M
1,985	S KK4 740012 66	IMG Activity: ISPSD_ABRSTEUERKZISP	<u>IS-M</u>	IS-M
1,986	S_KK4_740012	IMG Activity: ISPSD_ABRSTKZFIND	IS-M	IS-M
	<u>67</u>			

IS-M - SAP Media

#	T-Code	Description	Module	Component
1,987	S KK4 740012	IMG Activity: ISPSD_FAKTSPERRGUTSC	<u>IS-M</u>	<u>IS-M</u>
	<u>68</u>	-		
1,988	S KK4 740012	IMG Activity: ISPSD_FAKTMWSTKENNZ	<u>IS-M</u>	<u>IS-M</u>
	<u>69</u>	•		
1,989	S_KK4_740012	IMG Activity:	IS-M	<u>IS-M</u>
	<u>70</u>	ISPSD_FAKTZAHLWEGAUS		
1,990	S_KK4_740012	IMG Activity:	IS-M	<u>IS-M</u>
	<u>71</u>	ISPSD_FAKTKTOMWSTDIF		
1,991	S KK4 740012	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>	ISPSD_FAKTGRENZBETRD		
1,992	S_KK4_740012	IMG Activity: ISPSD_FAKTRECHART	IS-M	<u>IS-M</u>
	<u>73</u>			
1,993	S_KK4_740012	IMG Activity: ISPSD_FAKTRECHERCHE	IS-M	<u>IS-M</u>
	<u>74</u>			
1,994	S KK4 740012	IMG Activity: ISPSD_FAKTBANKRINTER	<u>IS-M</u>	<u>IS-M</u>
	<u>75</u>			
1,995	S_KK4_740012	IMG Activity: ISPAM_DRVZV	IS-M	<u>IS-M</u>
	<u>76</u>			
1,996	S_KK4_740012	IMG Activity: ISPAM_PLAZANW	IS-M	<u>IS-M</u>
	<u>77</u>			
1,997	S KK4 740012	IMG Activity: ISPAM_TJJ65VB	<u>IS-M</u>	<u>IS-M</u>
	<u>78</u>			
1,998	S_KK4_740012	IMG Activity: ISPAM_TJHB1	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			
1,999	S_KK4_740012	IMG Activity: ISPAM_SEITPOS	<u>IS-M</u>	<u>IS-M</u>
	80			
2,000	S KK4 740012	IMG Activity: ISPAM_TMOTKNZ	<u>IS-M</u>	<u>IS-M</u>
	<u>81</u>			
2,001	S_KK4_740012	IMG Activity: ISPAM_TMOTLAGE	<u>IS-M</u>	<u>IS-M</u>
	<u>82</u>			
2,002	S_KK4_740012	IMG Activity: ISPAM_CHINUMVKBUR	<u>IS-M</u>	<u>IS-M</u>
	83			
2,003	S KK4 740012	IMG Activity: ISPAM_TJHPSF	<u>IS-M</u>	<u>IS-M</u>
	<u>84</u>			
2,004	S_KK4_740012	IMG Activity: ISPAM_KORRART	<u>IS-M</u>	<u>IS-M</u>
	<u>85</u>			
2,005	S_KK4_740012	IMG Activity: ISPAM_TJH57	<u>IS-M</u>	<u>IS-M</u>
	<u>86</u>			
2,006	S KK4 740012	IMG Activity: ISPAM_TJH51	<u>IS-M</u>	<u>IS-M</u>
	<u>87</u>			
2,007	S_KK4_740012	IMG Activity: ISPAM_TEILBEL	<u>IS-M</u>	<u>IS-M</u>
	88			

2,008 S. KK4 740012 IMG Activity: ISPAM_CHIFFREKNZ IS-M	#	T-Code	Description	Module	Component
2,010 S. KK4_740012 IMG Activity: ISPAM_RASTERUNGEN IS-M IS-M IS-M 22	2,008		IMG Activity: ISPAM_CHIFFREKNZ	<u>IS-M</u>	IS-M
2,011 S. KK4 740012 IMG Activity: ISPAM_AZART_VORL IS-M IS-M IS-M	2,009		IMG Activity: ISPAM_NUMKRCHI	<u>IS-M</u>	<u>IS-M</u>
2,012 S. KK4 740012 IMG Activity: ISPAM_AZART_SONDER IS-M IS-M	2,010		IMG Activity: ISPAM_RASTERUNGEN	IS-M	IS-M
2,013 S. KK4 740012 IMG Activity: ISPAM_AZART_PLAZ IS-M IS-M	2,011		IMG Activity: ISPAM_AZART_VORL	IS-M	IS-M
2,013 S_KK4_740012 IMG Activity: ISPAM_AZART_PLAZ IS-M	2,012		IMG Activity: ISPAM_AZART_SONDER	<u>IS-M</u>	<u>IS-M</u>
2,015 S. KK4 740012 IMG Activity: ISP_FARBIGKEIT IS-M I	2,013		IMG Activity: ISPAM_AZART_PLAZ	IS-M	IS-M
2,015 S. KK4 740012 IMG Activity: ISP_FARBIGKEIT IS-M I	2,014		IMG Activity: ISPAM_TJJ15VB	<u>IS-M</u>	IS-M
2,016 S.KK4_740012 IMG Activity: ISPAM_AZARTGEST IS-M IS-M IS-M	2,015	S KK4 740012	IMG Activity: ISP_FARBIGKEIT	<u>IS-M</u>	<u>IS-M</u>
2,017 S_KK4_740012 IMG Activity: ISPAM_AZART_FORMAT IS-M IS-M	2,016	S_KK4_740012	IMG Activity: ISPAM_AZARTGEST	IS-M	IS-M
2,018 S KK4 740012 IMG Activity: ISPAM_AZART_RECH IS-M IS-M 2,019 S KK4 740013 IMG Activity: ISPAM_RAHMENTYPEN IS-M IS-M 2,020 S KK4 740013 IMG Activity: ISPAM_FARBTYP IS-M IS-M 01 2,021 S KK4 740013 IMG Activity: ISPAM_FARBEN IS-M IS-M 02 2,022 S KK4 740013 IMG Activity: ISPAM_TJJAB IS-M IS-M 03 2,023 S KK4 740013 IMG Activity: ISPAM_TJHAG IS-M IS-M 04 2,024 S KK4 740013 IMG Activity: ISPAM_TJHB3 IS-M IS-M 05 S KK4 740013 IMG Activity: ISPAM_AZART_FORM IS-M IS-M 2,025 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_DI IS-M IS-M 06 07 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_WS IS-M IS-M 2,028 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-M	2,017	S KK4 740012	IMG Activity: ISPAM_AZART_FORMAT	IS-M	IS-M
2,019 S. KK4 740013 IMG Activity: ISPAM_RAHMENTYPEN IS-M IS-M IS-M O0 IS-M IS-M IS-M IS-M IS-M IS-M IS-M O1 2,020 S. KK4 740013 IMG Activity: ISPAM_FARBEN IS-M IS-M O2 IS-M IS-M IS-M IS-M IS-M IS-M IS-M IS-M O3 2,021 S. KK4 740013 IMG Activity: ISPAM_TJJAB IS-M IS-M IS-M O4 IS-M IS-M IS-M IS-M IS-M IS-M IS-M IS-M IS-M O5 2,024 S. KK4 740013 IMG Activity: ISPAM_TJHB3 IS-M IS-M IS-M O5 IS-M IS-M IS-M IS-M IS-M IS-M IS-M O6 2,025 S. KK4 740013 IMG Activity: ISPAM_AZART_FORM IS-M IS-M O6 IS-M IS-M IS-M IS-M IS-M IS-M IS-M O7 2,026 S. KK4 740013 IMG Activity: ISPAM_KOPIEVAR_DI IS-M IS-M IS-M O8 2,027 S. KK4 740013 IMG Activity: ISPAM_KOPIEVAR_WS IS-M IS-M IS-M O8 2,028 S. KK4 740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-	2,018	S KK4 740012	IMG Activity: ISPAM_AZART_RECH	<u>IS-M</u>	IS-M
2,020 S_KK4_740013 IMG Activity: ISPAM_FARBTYP 2,021 S_KK4_740013 IMG Activity: ISPAM_FARBEN 2,022 S_KK4_740013 IMG Activity: ISPAM_TJJAB 2,023 S_KK4_740013 IMG Activity: ISPAM_TJHAG 04 2,024 S_KK4_740013 IMG Activity: ISPAM_TJHB3 2,025 S_KK4_740013 IMG Activity: ISPAM_TJHB3 05 2,026 S_KK4_740013 IMG Activity: ISPAM_AZART_FORM 06 2,026 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_DI 07 2,027 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_WS 08 2,028 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M	2,019	S KK4 740013	IMG Activity: ISPAM_RAHMENTYPEN	IS-M	IS-M
2,021 S KK4 740013 O2 IMG Activity: ISPAM_FARBEN IS-M IS-M 2,022 S KK4 740013 IMG Activity: ISPAM_TJJAB IS-M IS-M 2,023 S KK4 740013 IMG Activity: ISPAM_TJHAG IS-M IS-M 2,024 S KK4 740013 IMG Activity: ISPAM_TJHB3 IS-M IS-M 2,025 S KK4 740013 IMG Activity: ISPAM_AZART_FORM IS-M IS-M IS-M 2,026 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_DI IS-M IS-M IS-M 2,027 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_WS IS-M IS-M IS-M 2,028 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-M	2,020		IMG Activity: ISPAM_FARBTYP	IS-M	IS-M
2,022 S_KK4_740013 IMG Activity: ISPAM_TJJAB IS-M	2,021	S KK4 740013	IMG Activity: ISPAM_FARBEN	<u>IS-M</u>	<u>IS-M</u>
2,023 S_KK4_740013 IMG Activity: ISPAM_TJHAG IS-M IS-M 2,024 S_KK4_740013 IMG Activity: ISPAM_TJHB3 IS-M IS-M 2,025 S_KK4_740013 IMG Activity: ISPAM_AZART_FORM IS-M IS-M 2,026 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_DI IS-M IS-M 2,027 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_WS IS-M IS-M 2,028 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-M	2,022	S_KK4_740013	IMG Activity: ISPAM_TJJAB	IS-M	IS-M
2,024 S KK4 740013 IMG Activity: ISPAM_TJHB3 IS-M IS-M 2,025 S KK4_740013 IMG Activity: ISPAM_AZART_FORM IS-M IS-M IS-M 2,026 S KK4_740013 IMG Activity: ISPAM_KOPIEVAR_DI IS-M IS-M IS-M 2,027 S KK4_740013 IMG Activity: ISPAM_KOPIERVAR_WS IS-M IS-M IS-M 2,028 S KK4_740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-M	2,023	S KK4 740013	IMG Activity: ISPAM_TJHAG	IS-M	IS-M
2,025 S_KK4_740013 IMG Activity: ISPAM_AZART_FORM IS-M	2,024	S KK4 740013	IMG Activity: ISPAM_TJHB3	<u>IS-M</u>	<u>IS-M</u>
2,026 S_KK4_740013 IMG Activity: ISPAM_KOPIEVAR_DI IS-M	2,025	S KK4 740013	IMG Activity: ISPAM_AZART_FORM	IS-M	IS-M
2,027 S KK4 740013 IMG Activity: ISPAM_KOPIERVAR_WS IS-M IS-M IS-M 2,028 S KK4 740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-M IS-M	2,026	S_KK4_740013	IMG Activity: ISPAM_KOPIEVAR_DI	IS-M	IS-M
2,028 S KK4_740013 IMG Activity: ISPAM_KOPIEVAR_VT IS-M IS-M	2,027	S KK4 740013	IMG Activity: ISPAM_KOPIERVAR_WS	<u>IS-M</u>	IS-M
	2,028		IMG Activity: ISPAM_KOPIEVAR_VT	IS-M	IS-M

#	T-Code	Description	Module	Component
2,029	S KK4 740013 10	IMG Activity: ISPAM_KOPIERVAR_OL	<u>IS-M</u>	<u>IS-M</u>
2,030	S KK4 740013 11	IMG Activity: ISPAM_JHVAKO_GRFA	<u>IS-M</u>	<u>IS-M</u>
2,031	S_KK4_740013 12	IMG Activity: ISPAM_JHVAKO_EINT	<u>IS-M</u>	IS-M
2,032	S_KK4_740013 13	IMG Activity: ISPAM_TJHAD	<u>IS-M</u>	IS-M
2,033		IMG Activity: ISPAM_KOPIEVAR_SI	<u>IS-M</u>	<u>IS-M</u>
2,034		IMG Activity: ISMAM_CORRCAUSE	<u>IS-M</u>	IS-M
2,035		IMG Activity: ISPAM_TJHAF	<u>IS-M</u>	IS-M
2,036		IMG Activity: ISPAM_TJHAVMUPD	<u>IS-M</u>	<u>IS-M</u>
2,037		IMG Activity: ISPAM_MSTZ	<u>IS-M</u>	IS-M
2,038		IMG Activity: ISPAM_AMPEL	<u>IS-M</u>	IS-M
2,039		IMG Activity: ISPAM_JHVAKO_AVM	<u>IS-M</u>	<u>IS-M</u>
2,040	S_KK4_740013 21	IMG Activity: ISPAM_KOPIEVAR_AZ	<u>IS-M</u>	IS-M
2,041		IMG Activity: ISPAM_VBEREIN	<u>IS-M</u>	IS-M
2,042		IMG Activity: ISPAM_AVMNUMINT	<u>IS-M</u>	<u>IS-M</u>
2,043		IMG Activity: ISPAM_NUMVK	<u>IS-M</u>	<u>IS-M</u>
2,044		IMG Activity: ISPAM_BESTART	<u>IS-M</u>	<u>IS-M</u>
2,045		IMG Activity: ISPAM_POSTYP	<u>IS-M</u>	<u>IS-M</u>
2,046		IMG Activity: ISPAM_TJHSTGVB	<u>IS-M</u>	IS-M
2,047	S_KK4_740013 28	IMG Activity: ISPAM_TJHAKPZ	<u>IS-M</u>	<u>IS-M</u>
2,048	S KK4 740013 29	IMG Activity: ISPAM_POSART	<u>IS-M</u>	<u>IS-M</u>
2,049	S_KK4_740013 30	IMG Activity: ISPAM_AUFART	IS-M	IS-M
	20			

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,050	S KK4 740013	IMG Activity: ISPAM_VBER_BONREAK	<u>IS-M</u>	<u>IS-M</u>
	<u>31</u>			
2,051	S KK4 740013	IMG Activity: ISPAM_DUBIOSITAET	<u>IS-M</u>	<u>IS-M</u>
	<u>32</u>			
2,052	S_KK4_740013	IMG Activity: ISPAM_PRICE_BEZKO_2	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
2,053	S_KK4_740013	IMG Activity: ISPAM_PRICE_BEZKO_3	<u>IS-M</u>	<u>IS-M</u>
	<u>34</u>			
2,054	S KK4 740013	IMG Activity: ISPAM_PRICE_BEZKO_4	<u>IS-M</u>	<u>IS-M</u>
	<u>35</u>			
2,055	S_KK4_740013	IMG Activity: ISPAM_BELEGART	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
2,056	S_KK4_740013	IMG Activity: ISPAM_TJHKD	<u>IS-M</u>	<u>IS-M</u>
	<u>37</u>			
2,057	S KK4 740013	IMG Activity: ISPSD_FAKT_FEHLERTYP	<u>IS-M</u>	<u>IS-M</u>
	<u>38</u>			
2,058	S_KK4_740013	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>	ISMAM_CRED_MGMT_ASSI		
2,059	S_KK4_740013	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>40</u>	ISMAM_CRED_MGMT_MAIN		
2,060	S KK4 740013	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>41</u>	ISMSD_ERLOSABGRRWINT		
2,061	S_KK4_740013	IMG Activity: ISMSD_TTYPV_RWIN	<u>IS-M</u>	<u>IS-M</u>
	<u>42</u>			
2,062		IMG Activity: ISPSD_KONTAKTDEF	<u>IS-M</u>	<u>IS-M</u>
	<u>43</u>			
2,063		IMG Activity: ISPSD_KONTAKTERGEBN	<u>IS-M</u>	<u>IS-M</u>
	44			
2,064		IMG Activity: ISPSD_NRKRSWERBKONT	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>			
2,065		IMG Activity: ISMAM_CRED_MGMT_KG	<u>IS-M</u>	<u>IS-M</u>
	<u>46</u>			
2,066	S KK4 740013	IMG Activity: ISPAM_FIND_TAX_1	<u>IS-M</u>	<u>IS-M</u>
	<u>47</u>			
2,067	S_KK4_740013	,	<u>IS-M</u>	<u>IS-M</u>
	48	ISMSD_STEUERBEFRARTE		
2,068	S_KK4_740013	1	<u>IS-M</u>	<u>IS-M</u>
	49	ISMAM_USTAX_TXJCD_PL		
2,069	S KK4 740013	IMG Activity: ISMAM_USTAX_TAXIW	<u>IS-M</u>	<u>IS-M</u>
	50	7.7	70.7-	
2,070	S KK4 740013	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>51</u>	ISMAM_USTAX_TAXIW_PL		

#	T-Code	Description	Module	Component
2,071	S KK4 740013	IMG Activity: ISMAM_CM_LIS_ACTIVE	<u>IS-M</u>	IS-M
	<u>52</u>	-		
2,072	S KK4 740013	IMG Activity: ISMAM_CM_BASIC_SET	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>	•		
2,073	S_KK4_740013	IMG Activity: ISPSD_NRKREISEVK	IS-M	<u>IS-M</u>
	<u>54</u>	•		
2,074	S_KK4_740013	IMG Activity: ISPSD_SPERRGRDAUFTRA	IS-M	<u>IS-M</u>
	<u>55</u>			
2,075	S KK4 740013	IMG Activity: ISMSD_PREISSCHLABO	IS-M	<u>IS-M</u>
	<u>56</u>	-		
2,076	S_KK4_740013	IMG Activity: ISPSD_VKBRIEFTYPEN	IS-M	<u>IS-M</u>
	<u>57</u>	•		
2,077	S_KK4_740013	IMG Activity: ISMSD_VKRENEWSTEUER	IS-M	<u>IS-M</u>
	<u>58</u>	•		
2,078	S KK4 740013	IMG Activity: ISMSD_VKRENFI	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>	-		
2,079	S KK4 740013	IMG Activity: ISMSD_RENKALKSCHEM	IS-M	<u>IS-M</u>
	<u>60</u>			
2,080	S KK4 740013	IMG Activity: ISMSD_VKRENVERSPZLG	IS-M	<u>IS-M</u>
	<u>61</u>	-		
2,081	S KK4 740013	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>62</u>	ISPSD_FAKTZAHLWEGEIN		
2,082	S_KK4_740013	IMG Activity:	IS-M	<u>IS-M</u>
	<u>63</u>	ISPSD_VKNRKRSKONDBEL		
2,083	S_KK4_740013	IMG Activity: ISPSD_VKALLGPARAM	IS-M	<u>IS-M</u>
	<u>64</u>			
2,084	S KK4 740013	IMG Activity: ISPSD_AUFTRAGSARTEN	<u>IS-M</u>	<u>IS-M</u>
	<u>65</u>			
2,085	S_KK4_740013	IMG Activity: ISPSD_POSITIONSARTEN	<u>IS-M</u>	<u>IS-M</u>
	<u>66</u>			
2,086	S_KK4_740013	IMG Activity:	IS-M	<u>IS-M</u>
	<u>67</u>	ISPSD_AUFTRARTBEZANG		
2,087	S KK4 740013	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>68</u>	ISMSD_VKEREIGNVERMIT		
2,088	S_KK4_740013	IMG Activity: ISPSD_EINSTVKBELEGE	<u>IS-M</u>	<u>IS-M</u>
	<u>69</u>			
2,089	S_KK4_740013	IMG Activity: ISPSD_KONTFINDERLOES	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>			
2,090	S KK4 740013	IMG Activity: ISPAM_GRUFU_KONT_A1	<u>IS-M</u>	<u>IS-M</u>
	<u>71</u>			
2,091	S_KK4_740013	IMG Activity: ISPAM_GRUFU_KONT_A2	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>			

IS-M - SAP Media

	Description	Module	Component
S KK4 740013 73	IMG Activity: ISPAM_GRUFU_KONT_A3	<u>IS-M</u>	<u>IS-M</u>
	IMG Activity: ISPAM_GRUFU_KONT_A4	<u>IS-M</u>	<u>IS-M</u>
	IMG Activity: ISPAM_GRUFU_KONT_A5	IS-M	IS-M
S_KK4_740013	· · · · · · · · · · · · · · · · · · ·	IS-M	IS-M
S KK4 740013		<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013	IMG Activity: ISPSD_AKONTSCHEMATA	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013	IMG Activity: ISPSD_AKONTSCHLUESS	IS-M	IS-M
S KK4 740013	•	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013		IS-M	IS-M
S_KK4_740013	IMG Activity: ISPSD_KONTTABELLE	IS-M	IS-M
S KK4 740013	IMG Activity: ISPSD_KONTZUGRF	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013	IMG Activity: ISPSD_KONTSCHEM	IS-M	IS-M
S_KK4_740013	IMG Activity: ISPAM_GRUFU_KONT_A6	<u>IS-M</u>	IS-M
S KK4 740013	IMG Activity: ISPAM_KONT_ERLVT_2	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013	IMG Activity: ISPAM_KONT_ERLVT_3	<u>IS-M</u>	IS-M
S_KK4_740013	IMG Activity: ISPAM_KONT_ERLVT_4	<u>IS-M</u>	<u>IS-M</u>
S KK4 740013	IMG Activity: ISPAM_KONT_ERLVT_5	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013	IMG Activity: ISPAM_MENU_KONT_EVT	IS-M	IS-M
S_KK4_740013	IMG Activity: ISPAM_KONT_ERLVT_6	IS-M	IS-M
S KK4 740013	IMG Activity: ISPAM_FIND_TAX_2	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740013	IMG Activity: ISPAM_KONT_ERLVT_1	IS-M	IS-M
	KK4 740013 4 KK4 740013 5 KK4 740013 6 KK4 740013 8 KK4 740013 9 KK4 740013 1 KK4 740013 2 KK4 740013 3 KK4 740013 5 KK4 740013 4 KK4 740013 5 KK4 740013 5 KK4 740013 6 KK4 740013 7 KK4 740013 7 KK4 740013 8 KK4 740013 9 KK4 740013 9 KK4 740013 9 KK4 740013 9 KK4 740013 1 KK4 740013	KK4 740013 IMG Activity: ISPAM_GRUFU_KONT_A4 KK4 740013 IMG Activity: ISPAM_GRUFU_KONT_A5 KK4 740013 IMG Activity: ISPSD_KONTSCHLUESS KK4 740013 IMG Activity: ISPSD_KONTSCHLUESS KK4 740013 IMG Activity: ISPSD_AKONTSCHEMATA KK4 740013 IMG Activity: ISPSD_AKONTSCHLUESS KK4 740013 IMG Activity: ISPSD_AKONTSCHLUESS KK4 740013 IMG Activity: ISPSD_KONTSCHLUESS KK4 740013 IMG Activity: ISPSD_KONTSTAMM IMG Activity: ISPSD_KONTSTAMM IMG Activity: ISPSD_KONTTABELLE KK4 740013 IMG Activity: ISPSD_KONTZUGRF KK4 740013 IMG Activity: ISPSD_KONTSCHEM IMG Activity: ISPSD_KONTSCHEM KK4 740013 IMG Activity: ISPAM_GRUFU_KONT_A6 KK4 740013 IMG Activity: ISPAM_GRUFU_KONT_A6 KK4 740013 IMG Activity: ISPAM_KONT_ERLVT_2 KK4 740013 IMG Activity: ISPAM_KONT_ERLVT_3 IMG Activity: ISPAM_KONT_ERLVT_4 KK4 740013 IMG Activity: ISPAM_KONT_ERLVT_5 KK4 740013 IMG Activity: ISPAM_KONT_ERLVT_5 KK4 740013 IMG Activity: ISPAM_KONT_ERLVT_6 KK4 740013 IMG Activity: ISPAM_FIND_TAX_2 KK4 740013 IMG Activity: ISPAM_FIND_TAX_2 KK4 740013 IMG Activity: ISPAM_FIND_TAX_2	KK4 740013 IMG Activity: ISPAM_GRUFU_KONT_A4 IS-M

2,113 S. KK4 740013 IMG Activity: ISPAM_KONT_STAMM_1 IS-M IS-M S. KK4 740013 IMG Activity: ISPAM_KONT_STAMM_2 IS-M IS-M IS-M S. KK4 740013 IMG Activity: ISPAM_KONT_STAMM_3 IS-M	#	T-Code	Description	Module	Component
2.114 S.KK4 740013 IMG Activity: ISPAM_KONT_STAMM_2 IS-M IS-M IS-M 96 2.115 S.KK4 740013 IMG Activity: ISPAM_KONT_STAMM_3 IS-M IS-M IS-M 96 2.116 S.KK4 740013 IMG Activity: ISPAM_KONT_STAMM_4 IS-M IS-M IS-M 98 2.117 S.KK4 740013 IMG Activity: ISPAM_KONT_STAMM_5 IS-M IS-M IS-M 98 2.118 S.KK4 740013 IMG Activity: ISPAM_KONT_STAMM_5 IS-M IS-M	2,113		IMG Activity: ISPAM_KONT_STAMM_1	<u>IS-M</u>	<u>IS-M</u>
25					
2,115 S_KK4_740013 IMG Activity: ISPAM_KONT_STAMM_3 IS-M IS-M	2,114		IMG Activity: ISPAM_KONT_STAMM_2	IS-M	<u>IS-M</u>
Q6	2.115		IMG Activity: ISPAM KONT STAMM 3	IS-M	IS-M
2,117 S. KK4 740013 IMG Activity: ISPAM_KONT_STAMM_5 IS-M IS-M	2,113		into reavity. Ist ravi_itervi_s travini_s	15 11	10 11
2,117 S. KK4 740013 IMG Activity: ISPAM_KONT_STAMM_5 IS-M IS-M	2,116		IMG Activity: ISPAM_KONT_STAMM_4	IS-M	IS-M
2,118 S. KK4 740013 IMG Activity: IS-M IS	2,117	S KK4 740013	IMG Activity: ISPAM_KONT_STAMM_5	<u>IS-M</u>	<u>IS-M</u>
29	2.118		IMG Activity:	IS-M	IS-M
2,120 S. KK4 740014 IMG Activity: ISPSD_VFUNKTBVERSPAP IS-M IS-M IS-M O2	_,,		_		
2,120 S. KK4 740014 IMG Activity: ISPSD_VFUNKTBVERSPAP IS-M IS	2,119		IMG Activity: ISPAM_KONT_STAMM_6	IS-M	<u>IS-M</u>
01	2 120		IMG Activity: ISPSD_VFIINKTRVFRSPAP	IS-M	IS-M
Q2	2,120			15 1/1	10 111
2,122 S. KK4_740014 IMG Activity: ISPSD_VERSEINLIEFNR IS-M IS-M O4	2,121	S_KK4_740014	IMG Activity: ISPSD_VERSPAPZUAB	<u>IS-M</u>	IS-M
Q3					
2,123 S KK4 740014 IMG Activity: ISPSD_VERSFEHLERNRKR IS-M IS-M O4	2,122		IMG Activity: ISPSD_VERSEINLIEFNR	<u>IS-M</u>	<u>IS-M</u>
Q4	2.122			TG 3.5	TG 3.6
2,124 S_KK4_740014 IMG Activity: ISPSD_VFEHLVERBR IS-M IS-M O5 2,125 S_KK4_740014 IMG Activity: ISPSD_VGRDFEHLVERBR IS-M IS-M O6 2,126 S_KK4_740014 IMG Activity: ISPSD_VFEHLVERBR IS-M IS-M IS-M ISPSD_VFEHLVERBRVERU 2,127 S_KK4_740014 IMG Activity: ISPSD_VERSZUSTBUCHFO IS-M IS-M IS-M IS-M IS-M IS-M IS-M IS-M	2,123		IMG Activity: ISPSD_VERSFEHLERNRKR	IS-M	<u>IS-M</u>
05	2,124		IMG Activity: ISPSD_VFEHLVERBR	IS-M	IS-M
Q6					
2,126 S KK4 740014 07 IMG Activity: ISPSD_VFEHLVERBRVERU IS-M IS-M 2,127 S KK4 740014 08 IMG Activity: ISPSD_VNUMARTBUNDE IS-M IS-M IS-M 2,128 S KK4 740014 09 IMG Activity: ISPSD_VNUMARTBUNDE IS-M IS-M IS-M 2,129 S KK4 740014 1MG Activity: ISPSD_VSPOOLVERSANDP IS-M IS-M IS-M 2,130 S KK4 740014 1MG Activity: ISPSD_VERSPAPARTGRP IS-M IS-M 11 11 IMG Activity: ISPSD_VERSPAPARTEN IS-M IS-M 2,132 S KK4 740014 1MG Activity: ISPSD_VERSPAPDESTSU IS-M IS-M 2,133 S KK4 740014 IMG Activity: ISPSD_VERSPAPSORT IS-M	2,125		IMG Activity: ISPSD_VGRDFEHLVERBR	IS-M	<u>IS-M</u>
07	2 126		IMG Activity:	IS_M	IS_M
08	2,120		_	<u>15-1/1</u>	19-1/1
2,128 \$\subsetext{S_KK4_740014}\$ \text{IMG Activity: ISPSD_VNUMARTBUNDE} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \text{IS-M} \	2,127	S_KK4_740014	IMG Activity:	<u>IS-M</u>	IS-M
09		<u>08</u>	ISMSD_VERSZUSTBUCHFO		
2,129 S KK4 740014 10 IMG Activity: ISPSD_VSPOOLVERSANDP IS-M IS-M 2,130 S_KK4_740014 1MG Activity: ISPSD_VERSPAPARTGRP 11 IS-M IS-M 2,131 S_KK4_740014 1MG Activity: ISPSD_VERSPAPARTEN 12 IS-M IS-M 2,132 S_KK4_740014 1MG Activity: ISPSD_VERSPAPDESTSU 13 IS-M IS-M 2,133 S_KK4_740014 IMG Activity: ISPSD_VERSPAPSORT IS-M IS-M	2,128		IMG Activity: ISPSD_VNUMARTBUNDE	<u>IS-M</u>	<u>IS-M</u>
10	2.129		IMG Activity: ISPSD_VSPOOLVERSANDP	IS-M	IS-M
11 2,131 S_KK4_740014 IMG Activity: ISPSD_VERSPAPARTEN IS-M IS-M 2,132 S_KK4_740014 IMG Activity: ISPSD_VERSPAPDESTSU IS-M IS-M 2,133 S_KK4_740014 IMG Activity: ISPSD_VERSPAPSORT IS-M IS-M					10 111
2,131 S_KK4_740014 12 IMG Activity: ISPSD_VERSPAPARTEN IS-M IS-M 2,132 S_KK4_740014 13 IMG Activity: ISPSD_VERSPAPDESTSU IS-M IS-M 2,133 S_KK4_740014 IMG Activity: ISPSD_VERSPAPSORT IS-M IS-M	2,130	S_KK4_740014	IMG Activity: ISPSD_VERSPAPARTGRP	<u>IS-M</u>	<u>IS-M</u>
12 2,132 S KK4 740014 IMG Activity: ISPSD_VERSPAPDESTSU IS-M IS-M 2,133 S KK4 740014 IMG Activity: ISPSD_VERSPAPSORT IS-M					
2,132 S KK4 740014 IMG Activity: ISPSD_VERSPAPDESTSU IS-M 13 S_KK4_740014 IMG Activity: ISPSD_VERSPAPSORT IS-M IS-M IS-M	2,131		IMG Activity: ISPSD_VERSPAPARTEN	<u>IS-M</u>	<u>IS-M</u>
13 IS-M 2,133 S_KK4_740014 IMG Activity: ISPSD_VERSPAPSORT IS-M	2.122		IMC Activity ICDCD VEDCDADDECTCH	IC M	IC M
2,133 SKK4_740014 IMG Activity: ISPSD_VERSPAPSORT IS-M IS-M	2,132		INIG ACTIVITY: ISPSD_VERSPAPDES ISU	13-W	<u>13-W</u>
, -	2,133		IMG Activity: ISPSD_VERSPAPSORT	IS-M	IS-M
,					

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,134	S KK4 740014	IMG Activity: ISPSD_VERSPAPFORM	<u>IS-M</u>	<u>IS-M</u>
	<u>15</u>	•		
2,135	S KK4 740014	IMG Activity:	IS-M	IS-M
	<u>16</u>	ISMSD_FKRENERLOSABGR		
2,136	S_KK4_740014	IMG Activity: ISPSD_NRKRSFAKT	IS-M	IS-M
	<u>17</u>	·		
2,137	S_KK4_740014	IMG Activity: ISPSD_GLOBPARAMFAKT	<u>IS-M</u>	<u>IS-M</u>
	<u>18</u>	-		
2,138	S KK4 740014	IMG Activity: ISPSD_FAKTPERIOD	<u>IS-M</u>	<u>IS-M</u>
	<u>19</u>			
2,139	S_KK4_740014	IMG Activity: ISPSD_FAKTMODALABO	IS-M	<u>IS-M</u>
	<u>20</u>			
2,140	S_KK4_740014	IMG Activity: ISPSD_FAKTART	<u>IS-M</u>	<u>IS-M</u>
	<u>21</u>			
2,141	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>22</u>	ISMSD_FAKTBELTRENNKR		
2,142	S_KK4_740014	IMG Activity: ISPSD_FAKTBELEGFL	<u>IS-M</u>	<u>IS-M</u>
	<u>23</u>			
2,143	S_KK4_740014	IMG Activity: ISPSD_STORNOGRDFAKT	<u>IS-M</u>	<u>IS-M</u>
	<u>24</u>			
2,144	S KK4 740014	IMG Activity: ISPSD_FAKTSACHINTERI	<u>IS-M</u>	<u>IS-M</u>
	<u>25</u>			
2,145	S_KK4_740014	1	<u>IS-M</u>	<u>IS-M</u>
	<u>26</u>	ISPSD_FAKTBELARTDAUB		
2,146	S_KK4_740014	IMG Activity: ISMSD_FKREVUR	<u>IS-M</u>	<u>IS-M</u>
	<u>27</u>			
2,147		IMG Activity: ISMSD_ERLBELEGMITBEZ	<u>IS-M</u>	<u>IS-M</u>
	<u>28</u>			
2,148	S_KK4_740014	1	<u>IS-M</u>	<u>IS-M</u>
	<u>29</u>	ISMSD_ERLBELEGOHNBEZ		
2,149	S_KK4_740014	IMG Activity: ISMSD_ERLBELEGPERIOD	<u>IS-M</u>	<u>IS-M</u>
	30			
2,150	S KK4 740014	IMG Activity: ISPSD_SPERRGRDFAKTUR	<u>IS-M</u>	<u>IS-M</u>
	31			
2,151		IMG Activity: ISPSD_BEZPFLEGEN	<u>IS-M</u>	<u>IS-M</u>
	32			
2,152	S_KK4_740014	IMG Activity: ISPSD_WBZRECHENZENT	<u>IS-M</u>	<u>IS-M</u>
	33			1
2,153	S KK4 740014	IMG Activity: ISPSD_WBZANRED	<u>IS-M</u>	<u>IS-M</u>
	34	n.a	TO 3.5	10.35
2,154	S_KK4_740014	IMG Activity: ISPSD_WKZFRISTEN	<u>IS-M</u>	<u>IS-M</u>
	<u>35</u>			

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,155	S KK4 740014	IMG Activity: ISPSD_WBZAUFTEING	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
2,156	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>37</u>	ISPSD_WBZLIEFENDVORG		
2,157	S_KK4_740014	IMG Activity: ISPSD_LOGIDAT	IS-M	<u>IS-M</u>
	<u>38</u>			
2,158	S_KK4_740014	IMG Activity: ISMSD_VKWBZDATEN	IS-M	<u>IS-M</u>
	<u>39</u>	•		
2,159	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>40</u>	ISMSD_VKRENSTUFENART		
2,160	S_KK4_740014	IMG Activity: ISMSD_REMSCHEMATA	IS-M	<u>IS-M</u>
	<u>41</u>	•		
2,161	S KK4 740014	IMG Activity: ISMSD_REMSCHEMFIND	IS-M	<u>IS-M</u>
	42			
2,162	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	43	ISMSD_VKRENTRANSFTYP		
2,163	S KK4 740014	IMG Activity: ISPSD_PROSPAUFTRUND	IS-M	IS-M
	44	_		
2,164	S KK4 740014	IMG Activity: ISPSD_VKNRKRSPROSPA	IS-M	IS-M
	45	_		
2,165	S KK4 740014	IMG Activity: ISPSD_VTBERFIND	IS-M	IS-M
	46	_		
2,166	S KK4 740014	IMG Activity: ISPSD_REMISSIONSMELD	IS-M	<u>IS-M</u>
	<u>47</u>	•		
2,167	S KK4 740014	IMG Activity: ISPSD_VERSDISPONRKRS	IS-M	<u>IS-M</u>
	48	_		
2,168	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>49</u>	ISMSD_VERSPAKETABLRE		
2,169	S_KK4_740014	IMG Activity: ISPSD_VERSPAKETFNRKR	IS-M	<u>IS-M</u>
	50	_		
2,170	S KK4 740014	IMG Activity:	IS-M	<u>IS-M</u>
	<u>51</u>	ISPSD_VFUNKTBAUSTPAK		
2,171	S KK4 740014	IMG Activity: ISPSD_VKUNDFUNKTPAK	IS-M	<u>IS-M</u>
	<u>52</u>	_		
2,172	S KK4 740014	IMG Activity:	IS-M	IS-M
	<u>53</u>	ISPSD_VMINDESTGRBUND		
2,173	S KK4 740014	_	IS-M	<u>IS-M</u>
	<u>54</u>			
2,174		IMG Activity: ISPSD_VERSGRP	IS-M	<u>IS-M</u>
	<u>55</u>	_		_
2,175		IMG Activity: ISMSD_VKREMPERZUS	IS-M	IS-M
	56			
L	I .	1		

#	T-Code	Description	Module	Component
2,176	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>57</u>	ISMSD_AUFTRREKLAMGR		
2,177	S KK4 740014	IMG Activity: ISMSD_REKLVERURSACH	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>	•		
2,178	S_KK4_740014	IMG Activity: ISMSD_VERKREKLAM	IS-M	IS-M
	<u>59</u>	•		
2,179	S_KK4_740014	IMG Activity: ISPSD_VKNRKRSRECHER	IS-M	<u>IS-M</u>
	<u>60</u>			
2,180	S KK4 740014	IMG Activity: ISPSD_VKRECHARTEN	IS-M	<u>IS-M</u>
	<u>61</u>	-		
2,181	S_KK4_740014	IMG Activity: ISPSD_EINSTRECHERCHE	IS-M	<u>IS-M</u>
	<u>62</u>	-		
2,182	S_KK4_740014	IMG Activity: ISP_IS-M:L_STAMM_NKER	IS-M	<u>IS-M</u>
	<u>63</u>	-		
2,183	S KK4 740014	IMG Activity: ISP_IS-M:L_FUNCPRPROF	IS-M	<u>IS-M</u>
	<u>64</u>	-		
2,184	S_KK4_740014	IMG Activity: ISP_IS-M:L_FUNCPRNKPP	<u>IS-M</u>	<u>IS-M</u>
	<u>65</u>	-		
2,185	S_KK4_740014	IMG Activity: ISP_IS-M:L_FUNCPRNKPW	IS-M	<u>IS-M</u>
	<u>66</u>			
2,186	S KK4 740014	IMG Activity: ISP_IS-M:L_FUNCMVAKT	<u>IS-M</u>	<u>IS-M</u>
	<u>67</u>			
2,187	S_KK4_740014	IMG Activity: ISP_IS-M:L_FUNCMVKPRO	<u>IS-M</u>	<u>IS-M</u>
	<u>68</u>			
2,188	S_KK4_740014	IMG Activity: ISP_IS-	<u>IS-M</u>	<u>IS-M</u>
	<u>69</u>	M:L_FUNCMVKZUO		
2,189	S KK4 740014	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>	ISP_OS_PL_STAMM_NKMK		
2,190	S_KK4_740014	IMG Activity: ISP_IS_BFLA_TRANSPNR	<u>IS-M</u>	<u>IS-M</u>
	<u>71</u>			
2,191	S_KK4_740014	IMG Activity: ISP_IS_BFLA_MASSGEN	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>			
2,192	S KK4 740014	IMG Activity: ISP_IS_BFLA_LAYOUTRE	<u>IS-M</u>	<u>IS-M</u>
	<u>73</u>			
2,193	S_KK4_740014	IMG Activity: ISP_IS_BFLA_STDLAYOU	<u>IS-M</u>	<u>IS-M</u>
	<u>74</u>			
2,194	S_KK4_740014	IMG Activity: ISP_IS_BFLA_SETS	<u>IS-M</u>	<u>IS-M</u>
	<u>75</u>			
2,195	S KK4 740014	IMG Activity: ISP_IS_BFLA_VARIAB	<u>IS-M</u>	<u>IS-M</u>
	<u>76</u>			
2,196	S_KK4_740014	IMG Activity: ISP_IS-M:L_STAMM_PARA	<u>IS-M</u>	<u>IS-M</u>
	<u>77</u>			

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,197		IMG Activity: ISP_IS-M:L_FUNCMVUEPR	<u>IS-M</u>	<u>IS-M</u>
2,198	78 S KKA 740014	IMG Activity: ISP_IS_FKTERW_LDW_02	IS-M	<u>IS-M</u>
2,196	79	INIO Activity. ISI_IS_I*KTERW_EDW_02	15-1/1	10-1/1
2,199	S_KK4_740014	IMG Activity: ISP_IS_FKTERW_LDW_01	<u>IS-M</u>	<u>IS-M</u>
	80			
2,200	<u>S_KK4_740014</u> <u>81</u>	IMG Activity: ISP_IS-M:L_TOOL_PLTYP	<u>IS-M</u>	<u>IS-M</u>
2,201	S KK4 740014 82	IMG Activity: ISP_IS-M:L_TOOL_BMETH	<u>IS-M</u>	<u>IS-M</u>
2,202	S KK4 740014	IMG Activity: ISP_IS-M:L_TOOL_TSTAM	IS-M	<u>IS-M</u>
2 202	83 S VV 4 740014	IMC Astistica ICD IC M.I. TOOL DDADA	IC M	IC M
2,203	<u>84</u>	IMG Activity: ISP_IS-M:L_TOOL_BPARA	<u>IS-M</u>	<u>IS-M</u>
2,204		IMG Activity: ISP_IS_BERE_PFLEGEN	<u>IS-M</u>	<u>IS-M</u>
2 205	85 S VV4 740014	IMC Activity ISD IS DEDE DDOEH ED	IC M	IC M
2,205	86	IMG Activity: ISP_IS_BERE_PROFILEP	<u>IS-M</u>	<u>IS-M</u>
2,206	S KK4 740014	IMG Activity: ISP_IS_LDWFS_VSG_KND	<u>IS-M</u>	IS-M
2.207	87	DIG A COLOR TO A DIVIDO MOS DIVA	TG 3.6	TG 14
2,207	88 KK4 /40014	IMG Activity: ISP_IS_LDWFS_VSG_PVA	<u>IS-M</u>	<u>IS-M</u>
2,208	S_KK4_740014	IMG Activity: ISP_IS_LDWFS_VSG_VBE	<u>IS-M</u>	<u>IS-M</u>
• • • • • • • • • • • • • • • • • • • •	89		TO 3.5	
2,209	S_KK4_/40014 90	IMG Activity: ISP_IS_LDWFS_VSGZVBE	<u>IS-M</u>	<u>IS-M</u>
2,210		IMG Activity: ISP_IS_LDWFS_VSGZFKA	<u>IS-M</u>	<u>IS-M</u>
	<u>91</u>			
2,211	<u>S_KK4_740014</u> 92	IMG Activity: ISP_IS_LDWFS_VSGZVBP	<u>IS-M</u>	<u>IS-M</u>
2,212	S_KK4_740014	IMG Activity: ISP_IS_LDWFS_AKTIV	<u>IS-M</u>	<u>IS-M</u>
2 212	93 S VV 4 740014	IMC Astistica ICD IC I DWDD WEDWZA	IC M	IC M
2,213	<u>5 KK4 /40014</u> <u>94</u>	IMG Activity: ISP_IS_LDWDB_WERKZ4	<u>IS-M</u>	<u>IS-M</u>
2,214	S KK4 740014	IMG Activity: ISP_IS_LDWDB_WERKZ5	<u>IS-M</u>	<u>IS-M</u>
2.215	95 S. W. 4. 740014	DAG A C C TOD IG I DWDD GD00001	TC M	TC 14
2,215	S_KK4_740014 96	IMG Activity: ISP_IS_LDWFD_GR00001	<u>IS-M</u>	<u>IS-M</u>
2,216	S KK4 740014	IMG Activity: ISP_IS_LDWFD_REGEL01	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>			
2,217	S_KK4_740014	IMG Activity: ISP_IS_LDWFD_BEDINGG	<u>IS-M</u>	<u>IS-M</u>
	98			

#	T-Code	Description	Module	Component
2,218	S KK4 740014 99	IMG Activity: ISP_IS_LDWFD_FORMELN	<u>IS-M</u>	<u>IS-M</u>
2,219		IMG Activity: ISP_IS_LDWFD_GENPROT	<u>IS-M</u>	<u>IS-M</u>
2,220		IMG Activity: ISPAM_BEGRP_STAT	IS-M	<u>IS-M</u>
2,221		IMG Activity: ISP_IS_LDWFS_STWAE	IS-M	<u>IS-M</u>
2,222		IMG Activity: ISP_IS_LDWFS_KONTPRO	<u>IS-M</u>	<u>IS-M</u>
2,223	S_KK4_740015 04	IMG Activity: ISP_IS_LDWFS_KONTSIM	IS-M	<u>IS-M</u>
2,224		IMG Activity: ISP_IS_BSTA_EINST	IS-M	<u>IS-M</u>
2,225		IMG Activity: ISP_IS_BSTA_SELVERS	<u>IS-M</u>	<u>IS-M</u>
2,226		IMG Activity: ISP_IS_BFLA_LANG_DEF	IS-M	IS-M
2,227		IMG Activity: ISP_IS_BFLA_LANG_TRL	IS-M	IS-M
2,228		IMG Activity: ISPAM_JHVTJH05_S	<u>IS-M</u>	<u>IS-M</u>
2,229		IMG Activity: ISP_IS_LDWFS_VFG_VBK	<u>IS-M</u>	<u>IS-M</u>
2,230		IMG Activity: ISP_IS_LDWFS_VFG_VBP	<u>IS-M</u>	<u>IS-M</u>
2,231		IMG Activity: ISP_IS_LDWFS_VFG_LFG	<u>IS-M</u>	<u>IS-M</u>
2,232		IMG Activity: ISP_IS_LDWFS_VFG_LFZ	IS-M	<u>IS-M</u>
2,233	S_KK4_740015 14	IMG Activity: ISPAM_TJHMC1	IS-M	<u>IS-M</u>
2,234		IMG Activity: ISPAM_TJHMC3	<u>IS-M</u>	<u>IS-M</u>
2,235	S_KK4_740015 16	IMG Activity: ISPSD_WERKZDUEBAUFTR	IS-M	<u>IS-M</u>
2,236	S_KK4_740015 17	IMG Activity: ISPSD_WERKZDUEBABO	IS-M	IS-M
2,237	S KK4 740015 18	IMG Activity: ISMSD_WKZDUEPRODSTRT	<u>IS-M</u>	<u>IS-M</u>
2,238	S_KK4_740015 19	-	IS-M	<u>IS-M</u>

#	T-Code	Description	Module	Component
2,239	S KK4 740015	1	IS-M	IS-M
2,237	20	ISMAM_WERKZDUE_GEN_O	10 111	15 111
2,240	S KK4 740015		IS-M	IS-M
2,210	21	ISMAM_WERKZDUE_DATEI	10 111	15 111
2,241	S KK4 740015		IS-M	IS-M
2,2 . 1	22	ISMAM_WERKZDUE_CHECK	10 111	<u> </u>
2,242	S KK4 740015		IS-M	IS-M
_,	23	ISMSD_WERKZDUEGOLIVE		
2,243	S KK4 740015	IMG Activity: ISM_WERKZDUEPOSTIT1	IS-M	<u>IS-M</u>
, -	24			
2,244		IMG Activity: ISM_WERKZDUEPOSTIT2	IS-M	IS-M
,	25	, <u> </u>		
2,245	S KK4 740015	IMG Activity: ISM_WERKZDUEPOSTIT3	IS-M	IS-M
	26	, –		
2,246	S KK4 740015	IMG Activity: ISP_GP_NRKRS_PROT	IS-M	IS-M
	<u>27</u>	, – – –		
2,247	S KK4 740015	IMG Activity: ISPSD_WERKZDUEBGP1	IS-M	<u>IS-M</u>
	<u>28</u>	, –		
2,248	S KK4 740015	IMG Activity: ISPSD_WERKZDUEBGP2	IS-M	<u>IS-M</u>
	<u>29</u>			
2,249	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>30</u>	ISMSD_WERKZVACHTYPE		
2,250	S_KK4_740015	IMG Activity: ISMAM_WERKZDUE_AZSI	<u>IS-M</u>	<u>IS-M</u>
	<u>31</u>			
2,251	S_KK4_740015	IMG Activity: ISP_WERKZARCHIV	<u>IS-M</u>	<u>IS-M</u>
	<u>32</u>			
2,252	S KK4 740015	IMG Activity: ISPAM_ARCHV_COND	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
2,253	S_KK4_740015	IMG Activity: ISP_FOMELNBED	<u>IS-M</u>	<u>IS-M</u>
	<u>34</u>			
2,254	S_KK4_740015	IMG Activity: ISP_BEDINGUNGEN	<u>IS-M</u>	<u>IS-M</u>
	<u>35</u>			
2,255	S KK4 740015	IMG Activity: ISP_BERECHTIGUNGEN	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
2,256	S_KK4_740015	IMG Activity: ISP_BERECHTPROFILE	<u>IS-M</u>	IS-M
	<u>37</u>			
2,257	S_KK4_740015	IMG Activity: ISP_BERECHTBENUTZER	<u>IS-M</u>	<u>IS-M</u>
	38			
2,258	S KK4 740015	IMG Activity: ISPAM_TJHVSW01	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>			
2,259	S_KK4_740015		<u>IS-M</u>	<u>IS-M</u>
	40	ISMAM_WERKZDUE_WSVT		

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,260	S KK4 740015	IMG Activity: ISMAM_WERKZDUE_ALT	<u>IS-M</u>	<u>IS-M</u>
	<u>41</u>	-		
2,261	S KK4 740015	IMG Activity: ISMAM_WERKZDUE_NOT	<u>IS-M</u>	<u>IS-M</u>
	<u>42</u>	•		
2,262	S_KK4_740015	IMG Activity: ISPSD_ZEBUMODIF	IS-M	IS-M
	<u>43</u>	•		
2,263	S KK4 740015	IMG Activity: ISPSD_ERSTDATENZEBU	IS-M	<u>IS-M</u>
	<u>44</u>	•		
2,264	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>	ISPSD_WERKZDUEBZAEHL		
2,265	S_KK4_740015	IMG Activity: ISPAM_TJHVSW02	IS-M	IS-M
	<u>46</u>	•		
2,266	S_KK4_740015	IMG Activity: ISPSD_PLZAUSWGEB	IS-M	<u>IS-M</u>
	<u>47</u>	•		
2,267	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>48</u>	ISPSD_WERKZKOMFUBRFC		
2,268	S_KK4_740015	IMG Activity: ISPSD_WERKZKOMMRFC	IS-M	IS-M
	<u>49</u>	·		
2,269	S KK4 740015	IMG Activity:	IS-M	<u>IS-M</u>
	<u>50</u>	ISPSD_WERKZKOMRFCIND		
2,270	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>51</u>	ISPSD_WERKZKOMRFCZUO		
2,271	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>52</u>	ISPSD_WERKZKOMEREIGA		
2,272	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>	ISPSD_WERKZKOMMERZUO		
2,273	S KK4 740015	IMG Activity: ISMSD_CIRCBOOK_NKRS	<u>IS-M</u>	<u>IS-M</u>
	<u>54</u>			
2,274	S_KK4_740015	IMG Activity: ISPSD_AUFLMELDART	IS-M	<u>IS-M</u>
	<u>55</u>			
2,275	S_KK4_740015	IMG Activity:	<u>IS-M</u>	IS-M
	<u>56</u>	ISPSD_AUFLMELDKATEGV		
2,276	S KK4 740015	IMG Activity: ISPSD_AUFLMELDHIERAR	<u>IS-M</u>	<u>IS-M</u>
	<u>57</u>			
2,277	S_KK4_740015	IMG Activity: ISMSD_RFCFI	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>			
2,278	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>	ISPSD_WERKZDUEBEXTST		
2,279	S KK4 740015	IMG Activity: ISM_WERKZPOSTAKTDE1	<u>IS-M</u>	<u>IS-M</u>
	<u>60</u>			
2,280	S KK4 740015	IMG Activity: ISM_WERKZPOSTUSA1	<u>IS-M</u>	<u>IS-M</u>
	<u>61</u>			

IS-M - SAP Media

2,281 S KK4 740015 IMG Activity: ISM_WERKZPOSTUSA2 IS-M	#	T-Code	Description	Module	Component
2,282 S KK4 740015 IMG Activity: ISM_WERKZPOSTUSA3 IS-M	2,281	S KK4 740015	IMG Activity: ISM_WERKZPOSTUSA2	<u>IS-M</u>	<u>IS-M</u>
Color		<u>62</u>			
2,283 S KK4 740015 IMG Activity: IS-M IS-	2,282	S KK4 740015	IMG Activity: ISM_WERKZPOSTUSA3	<u>IS-M</u>	<u>IS-M</u>
Column		<u>63</u>			
2,284 S_KK4_740015 IMG Activity: IS-M IS-	2,283	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
Columbia Columbia		<u>64</u>	ISM_WERKZPOSTAKTUSA1		
2,285 S KK4 740015 IMG Activity: IS-M IS-M IS-M	2,284	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
2,286 S KK4 740015 IMG Activity: IS-M IS-		<u>65</u>	ISM_WERKZPOSTAKTUSA2		
2,286 S_KK4_740015 IMG Activity: IS-M IS-	2,285	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
2,287 S_KK4_740015 IMG Activity: IS-M IS-M IS-M ISPSD_WERKZDUEBPOST2		<u>66</u>	ISPSD_WERKZDUEBPOST8		
2,287 \$\text{KK4} \text{ 740015} \text{ IMG Activity:} \text{ ISPSD_WERKZDUEBPOST2} IS-M IS-M 2,288 \$\text{KK4} \text{ 740015} \text{ IMG Activity:} \text{ ISPSD_WERKZDUEBPOST3} IS-M IS-M 2,289 \$\text{S_KK4} \text{ 740015} \text{ IMG Activity:} \text{ ISPSD_WERKZDUEBPOST4} IS-M IS-M 2,290 \$\text{S_KK4} \text{ 740015} \text{ IMG Activity:} \text{ ISPSD_WERKZDUEBPOST5} IS-M IS-M 2,291 \$\text{S_KK4} \text{ 740015} \text{ IMG Activity:} \text{ ISPSD_WERKZDUEBPOST6} IS-M IS-M 2,292 \$\text{S_KK4} \text{ 740015} \text{ IMG Activity:} \text{ ISPSD_WERKZDUEBPOST7} IS-M IS-M 2,293 \$\text{S_KK4} \text{ 740015} \text{ IMG Activity: ISP_IS_LDWDB_WERKZ3} \text{ IS-M IS-M 2,294 \$\text{S_KK4} \text{ 740015} IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M	2,286	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
68 ISPSD_WERKZDUEBPOST2 2,288 S_KK4_740015 IMG Activity: IS-M IS-M 69 ISPSD_WERKZDUEBPOST3 IS-M IS-M 2,289 S_KK4_740015 IMG Activity: IS-M IS-M 2,290 S_KK4_740015 IMG Activity: IS-M IS-M 2,291 S_KK4_740015 IMG Activity: IS-M IS-M 2,292 S_KK4_740015 IMG Activity: IS-M IS-M 2,292 S_KK4_740015 IMG Activity: IS-M IS-M 2,293 S_KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M		<u>67</u>	ISPSD_WERKZDUEBPOST1		
2,288 S KK4 740015 IMG Activity: ISPSD_WERKZDUEBPOST3 IS-M IS-M 2,289 S KK4_740015 IMG Activity: ISPSD_WERKZDUEBPOST4 IS-M IS-M 2,290 S KK4_740015 IMG Activity: ISPSD_WERKZDUEBPOST5 IS-M IS-M 2,291 S KK4_740015 IMG Activity: ISPSD_WERKZDUEBPOST6 IS-M IS-M 2,292 S KK4_740015 IMG Activity: ISPSD_WERKZDUEBPOST7 IS-M IS-M 2,293 S KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M	2,287	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
Columbia Columbia		<u>68</u>	ISPSD_WERKZDUEBPOST2		
2,289 S_KK4_740015 IMG Activity: IS-M IS-M 2,290 S_KK4_740015 IMG Activity: IS-M IS-M 2,291 S_KK4_740015 IMG Activity: IS-M IS-M 2,291 S_KK4_740015 IMG Activity: IS-M IS-M 2,292 S_KK4_740015 IMG Activity: IS-M IS-M 2,293 S_KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M	2,288	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
70 ISPSD_WERKZDUEBPOST4 2,290 \$\text{S_KK4_740015}\$ IMG Activity: IS-M 1 ISPSD_WERKZDUEBPOST5 IS-M 2,291 \$\text{S_KK4_740015}\$ IMG Activity: IS-M 1 ISPSD_WERKZDUEBPOST6 IS-M 2,292 \$\text{S_KK4_740015}\$ IMG Activity: IS-M 1 ISPSD_WERKZDUEBPOST7 IS-M 2,293 \$\text{S_KK4_740015}\$ IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M 2,294 \$\text{S_KK4_740015}\$ IMG Activity: ISM_COA_ASS_KONFL IS-M 1 IS-M IS-M		<u>69</u>	ISPSD_WERKZDUEBPOST3		
2,290 S_KK4_740015 71 IMG Activity: ISPSD_WERKZDUEBPOST5 IS-M IS-M 2,291 S_KK4_740015 72 IMG Activity: ISPSD_WERKZDUEBPOST6 IS-M IS-M 2,292 S_KK4_740015 73 IMG Activity: ISPSD_WERKZDUEBPOST7 IS-M IS-M 2,293 S_KK4_740015 74 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S_KK4_740015 75 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M	2,289	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
71 ISPSD_WERKZDUEBPOST5 2,291 S_KK4_740015 IMG Activity: IS-M IS-M 72 ISPSD_WERKZDUEBPOST6 IS-M IS-M 2,292 S_KK4_740015 IMG Activity: IS-M IS-M 2,293 S_KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M		<u>70</u>	ISPSD_WERKZDUEBPOST4		
2,291 S KK4 740015 IMG Activity: IS-M IS-M 2,292 S KK4 740015 IMG Activity: IS-M IS-M 2,293 S KK4 740015 IMG Activity: ISPSD_WERKZDUEBPOST7 IS-M IS-M 2,293 S KK4 740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S KK4 740015 IMG Activity: ISM_COA_ASS_KONFL IS-M 75 IS-M	2,290	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
72 ISPSD_WERKZDUEBPOST6 2,292 \$\frac{S_KK4_740015}{2}\$ IMG Activity: IS-M 1S-M IS-M 1S-M IS-M 2,293 \$\frac{S_KK4_740015}{2}\$ IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M 2,294 \$\frac{S_KK4_740015}{2}\$ IMG Activity: ISM_COA_ASS_KONFL IS-M 1S-M IS-M		<u>71</u>	ISPSD_WERKZDUEBPOST5		
2,292 S_KK4_740015 IMG Activity: IS-M IS-M 73 ISPSD_WERKZDUEBPOST7 IS-M IS-M 2,293 S_KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M 75 IS-M IS-M IS-M	2,291	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
73 ISPSD_WERKZDUEBPOST7 2,293 S_KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M IS-M		<u>72</u>	ISPSD_WERKZDUEBPOST6		
2,293 S_KK4_740015 IMG Activity: ISP_IS_LDWDB_WERKZ3 IS-M 2,294 S_KK4_740015 IMG Activity: ISM_COA_ASS_KONFL IS-M 75 IS-M	2,292	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
74 2,294 S KK4 740015 IMG Activity: ISM_COA_ASS_KONFL IS-M IS-M		<u>73</u>	ISPSD_WERKZDUEBPOST7		
2,294 <u>S KK4 740015</u> IMG Activity: ISM_COA_ASS_KONFL <u>IS-M</u> <u>IS-M</u>	2,293	S_KK4_740015	IMG Activity: ISP_IS_LDWDB_WERKZ3	<u>IS-M</u>	<u>IS-M</u>
75		<u>74</u>			
	2,294	S KK4 740015	IMG Activity: ISM_COA_ASS_KONFL	<u>IS-M</u>	<u>IS-M</u>
		<u>75</u>			
2,295 <u>S_KK4_740015</u> IMG Activity: ISPAM_ABS_COND16 <u>IS-M</u> <u>IS-M</u>	2,295	S_KK4_740015	IMG Activity: ISPAM_ABS_COND16	<u>IS-M</u>	<u>IS-M</u>
<u>76</u>		<u>76</u>			
2,296 S_KK4_740015 IMG Activity: IS-M IS-M	2,296	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
77 ISMAM_BEZKOND_BEMGR		<u>77</u>	ISMAM_BEZKOND_BEMGR		
2,297 S KK4 740015 IMG Activity: ISPAM_TJHFACTOR IS-M	2,297	S KK4 740015	IMG Activity: ISPAM_TJHFACTOR	<u>IS-M</u>	<u>IS-M</u>
<u>78</u>		<u>78</u>			
2,298 S_KK4_740015 IMG Activity: ISM_MMCOA_KAUSSCHL IS-M IS-M	2,298	S KK4 740015	IMG Activity: ISM_MMCOA_KAUSSCHL	<u>IS-M</u>	<u>IS-M</u>
<u>79</u>		<u>79</u>			
2,299 S_KK4_740015 IMG Activity: ISM_MMCOA_ERFREGEL IS-M IS-M	2,299	S_KK4_740015	IMG Activity: ISM_MMCOA_ERFREGEL	<u>IS-M</u>	<u>IS-M</u>
80		80			
2,300 S KK4 740015 IMG Activity: ISM_MMCOA_MXART IS-M IS-M	2,300	S KK4 740015	IMG Activity: ISM_MMCOA_MXART	<u>IS-M</u>	<u>IS-M</u>
<u>81</u>		<u>81</u>			
2,301 S_KK4_740015 IMG Activity: ISMAM_COA_ASS_PART IS-M IS-M	2,301	S KK4 740015	IMG Activity: ISMAM_COA_ASS_PART	<u>IS-M</u>	<u>IS-M</u>
<u>82</u>		82			

#	T-Code	Description	Module	Component
2,302	S KK4 740015	IMG Activity: ISPAM_ABS_COND17	<u>IS-M</u>	IS-M
	<u>83</u>	-		
2,303	S KK4 740015	IMG Activity: ISPAM_ABSLIVAR_DEF	<u>IS-M</u>	<u>IS-M</u>
	<u>84</u>	•		
2,304	S_KK4_740015	IMG Activity: ISPAM_ABSLIST	IS-M	IS-M
	<u>85</u>	•		
2,305	S_KK4_740015	IMG Activity: ISPAM_VAR_LT_DEF	IS-M	IS-M
	<u>86</u>			
2,306	S KK4 740015	IMG Activity: ISPAM_ABSVBART	<u>IS-M</u>	<u>IS-M</u>
	<u>87</u>	-		
2,307	S_KK4_740015	IMG Activity: ISPAM_ABSVAR1	IS-M	IS-M
	88	•		
2,308	S_KK4_740015	IMG Activity: ISM_COA_PART	IS-M	IS-M
	<u>89</u>	-		
2,309	S KK4 740015	IMG Activity: ISM_MMCOA_PRUEF	<u>IS-M</u>	<u>IS-M</u>
	<u>90</u>	-		
2,310	S KK4 740015	IMG Activity: ISP_FIBLART_RUECK	IS-M	IS-M
	<u>91</u>			
2,311	S KK4 740015	IMG Activity:	IS-M	IS-M
	<u>92</u>	ISMAM_FK_COPA_ZUO_WE		
2,312	S KK4 740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>93</u>	ISMAM_FK_COPA_RES_WE		
2,313	S_KK4_740015	IMG Activity:	IS-M	IS-M
	<u>94</u>	ISMAM_FK_COPA_ZUO_ME		
2,314	S_KK4_740015	IMG Activity: ISMAM_CCARD_INSTITUT	<u>IS-M</u>	IS-M
	<u>95</u>			
2,315	S KK4 740015	IMG Activity: ISMAM_CCARD_TYPE	<u>IS-M</u>	<u>IS-M</u>
	<u>96</u>			
2,316	S_KK4_740015	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>	ISMAM_CCARD_EXCLCOND		
2,317	S_KK4_740015	IMG Activity: ISPAM_TTYPV_JHTFK	<u>IS-M</u>	<u>IS-M</u>
	<u>98</u>			
2,318	S KK4 740015	IMG Activity: ISPAM_SYSTEME	<u>IS-M</u>	<u>IS-M</u>
	<u>99</u>			
2,319	S_KK4_740016	IMG Activity: ISPAM_ANWZUOSYSTEM	IS-M	<u>IS-M</u>
	<u>00</u>			
2,320	S_KK4_740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>01</u>	ISPAM_EREIGZUOANWEND		
2,321	S KK4 740016	IMG Activity: ISP_TBDLS_DEST_F	<u>IS-M</u>	<u>IS-M</u>
	<u>02</u>			
2,322	S_KK4_740016	IMG Activity: ISPAM_JZ26	<u>IS-M</u>	<u>IS-M</u>
	<u>03</u>			

#	T-Code	Description	Module	Component
2,323		IMG Activity: ISPAM_SMARTNUMKI	IS-M	IS-M
2,323	04		15 111	15 111
2,324		IMG Activity: ISPAM_BELARTFIND_FI	IS-M	IS-M
_,6	05		10 111	<u> </u>
2,325	S KK4 740016	IMG Activity: ISPAM_TJJW5	IS-M	<u>IS-M</u>
	06	_		
2,326	S KK4 740016	IMG Activity: ISPAM_TJJBEVTPA	IS-M	<u>IS-M</u>
	<u>07</u>	_		
2,327	S KK4 740016	IMG Activity: ISMAM_TJHUNITOL	IS-M	<u>IS-M</u>
	<u>08</u>	·		
2,328	S_KK4_740016	IMG Activity: ISMAM_TJHBOOKL	<u>IS-M</u>	<u>IS-M</u>
	<u>09</u>			
2,329	S_KK4_740016	IMG Activity: ISMAM_TJJPLZONL	<u>IS-M</u>	<u>IS-M</u>
	<u>10</u>			
2,330	S KK4 740016	IMG Activity: ISMAM_TJHTARGET	<u>IS-M</u>	<u>IS-M</u>
	<u>11</u>			
2,331		IMG Activity: ISMAM_TJHOLFMT	<u>IS-M</u>	<u>IS-M</u>
	12			
2,332		IMG Activity: ISPAM_TJJ41	IS-M	<u>IS-M</u>
	<u>13</u>			
2,333		IMG Activity: ISPAM_TJJ13VB	<u>IS-M</u>	<u>IS-M</u>
2 224	14 S. KK 4, 740016	IMC A C C IGDAM ADEA	TC M	IC M
2,334	5_KK4_/40016 15	IMG Activity: ISPAM_AREA	<u>IS-M</u>	<u>IS-M</u>
2,335		IMG Activity: ISPAM_TJJAREAHIE	IS-M	IS-M
2,333	16	INTO ACTIVITY. IST AM_TIJJAKEATHE	13-111	15-1/1
2,336		IMG Activity: ISPAM_NUMSI	<u>IS-M</u>	IS-M
2,330	17	into ricuvity. Isi riivi_ivenisi	15 111	15 111
2,337		IMG Activity: ISPAM_TJHSIBTYP	<u>IS-M</u>	<u>IS-M</u>
,	18			
2,338		IMG Activity: ISPAM_SIBEARB	IS-M	<u>IS-M</u>
	<u>19</u>	_		
2,339	S KK4 740016	IMG Activity: ISPAM_SITYP	<u>IS-M</u>	<u>IS-M</u>
	<u>20</u>			
2,340	S_KK4_740016	IMG Activity: ISMAM_TJHOLBME	IS-M	<u>IS-M</u>
	<u>21</u>			
2,341	S_KK4_740016	IMG Activity: ISM_COA_OVERLAP	<u>IS-M</u>	<u>IS-M</u>
	22			
2,342	S KK4 740016	IMG Activity: ISPAM_ABSNRIV	<u>IS-M</u>	<u>IS-M</u>
	23		1-0-1-	10.25
2,343		IMG Activity: ISM_MMCOA_NRIV	<u>IS-M</u>	<u>IS-M</u>
	24			

#	T-Code	Description	Module	Component
2,344	S KK4 740016	IMG Activity: ISPAM_ABSBNRIV	<u>IS-M</u>	<u>IS-M</u>
	<u>25</u>			
2,345	S KK4 740016	IMG Activity: ISMAM_COA_UNITS	<u>IS-M</u>	<u>IS-M</u>
	<u>26</u>			
2,346	S_KK4_740016	IMG Activity:	<u>IS-M</u>	IS-M
	<u>27</u>	ISPAM_COAA_SUM_TYPES		
2,347	S KK4 740016	IMG Activity: ISPAM_ABS_COND_AUFR	<u>IS-M</u>	<u>IS-M</u>
	<u>28</u>	-		
2,348	S KK4 740016	IMG Activity: ISM_COA_AKTUA	<u>IS-M</u>	<u>IS-M</u>
	<u>29</u>			
2,349	S_KK4_740016	IMG Activity: ISMAM_TJHOLHME	<u>IS-M</u>	<u>IS-M</u>
	<u>30</u>	-		
2,350	S_KK4_740016	IMG Activity: ISM_COA_GPROLLEN	<u>IS-M</u>	<u>IS-M</u>
	<u>31</u>	-		
2,351	S KK4 740016	IMG Activity: ISM_COA_DONT_READ	<u>IS-M</u>	<u>IS-M</u>
	<u>32</u>			
2,352	S_KK4_740016	IMG Activity: ISPAM_PAYROLL_FILE	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
2,353	S_KK4_740016	IMG Activity: ISPAM_GP_VV_AK_PFL	<u>IS-M</u>	<u>IS-M</u>
	<u>34</u>			
2,354	S KK4 740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>35</u>	ISPAM_BELEGARTENPRAB		
2,355	S_KK4_740016	IMG Activity: ISPAM_FKARTPRAB	<u>IS-M</u>	IS-M
	<u>36</u>			
2,356	S_KK4_740016	IMG Activity: ISPAM_TJHSTOG_ERLV	<u>IS-M</u>	<u>IS-M</u>
	<u>37</u>			
2,357	S KK4 740016	IMG Activity: ISPAM_FKART_ERLOES	<u>IS-M</u>	<u>IS-M</u>
	<u>38</u>			
2,358	<u>S_KK4_740016</u>	IMG Activity: ISPAM_EFKART_ZUO	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>			
2,359	S_KK4_740016	IMG Activity: ISPAM_JHVTJH49	IS-M	<u>IS-M</u>
	<u>40</u>			
2,360	S KK4 740016	IMG Activity: ISPAM_TECINTERFACE	<u>IS-M</u>	<u>IS-M</u>
	<u>41</u>			
2,361	S_KK4_740016	IMG Activity: ISP_IS_LDWDB_KOMM11	IS-M	<u>IS-M</u>
	<u>42</u>			
2,362	S_KK4_740016	IMG Activity: ISP_IS_LDWDB_KOMM12	<u>IS-M</u>	<u>IS-M</u>
	<u>43</u>			
2,363	S KK4 740016	IMG Activity: ISP_IS_LDWDB_KOMM2	<u>IS-M</u>	<u>IS-M</u>
	44			
2,364		IMG Activity: ISP_IS_LDWDB_FELDKEI	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>			

#	T-Code	Description	Module	Component
2,365	S KK4 740016	IMG Activity: ISP_IS_LDWDB_INFOST1	<u>IS-M</u>	<u>IS-M</u>
	<u>46</u>	-		
2,366	S KK4 740016	IMG Activity: ISP_IS_LDWDB_INFOST2	<u>IS-M</u>	<u>IS-M</u>
	<u>47</u>			
2,367	S_KK4_740016	IMG Activity: ISP_IS_LDWDB_WERKZ1	IS-M	<u>IS-M</u>
	48			
2,368	S_KK4_740016	IMG Activity: ISP_IS_LDWDB_EIGAPP1	IS-M	<u>IS-M</u>
	<u>49</u>			
2,369	S KK4 740016	IMG Activity: ISPAM_TECHSYS	<u>IS-M</u>	<u>IS-M</u>
	<u>50</u>			
2,370	S_KK4_740016	IMG Activity: ISPAM_EDITSYS	<u>IS-M</u>	<u>IS-M</u>
	<u>51</u>			
2,371	S_KK4_740016	IMG Activity: ISPAM_TJHA5	<u>IS-M</u>	<u>IS-M</u>
	<u>52</u>			
2,372	S KK4 740016	IMG Activity: ISPAM_PLZAVM	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>			
2,373	S_KK4_740016	IMG Activity: ISPAM_RFCDES	IS-M	<u>IS-M</u>
	<u>54</u>			
2,374	S_KK4_740016	IMG Activity: ISPAM_TJHTMMZ	<u>IS-M</u>	<u>IS-M</u>
	<u>55</u>			
2,375	S KK4 740016	IMG Activity: ISP_REPTREES	<u>IS-M</u>	<u>IS-M</u>
	<u>56</u>			
2,376	<u>S_KK4_740016</u>	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>57</u>	ISMAM_CCARD_ACCASSGN		
2,377	<u>S_KK4_740016</u>	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>	ISMAM_CCARD_AUTCONTR		
2,378	S KK4 740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>	ISMAM_CCARD_MERCHANT		
2,379	S_KK4_740016	1	<u>IS-M</u>	<u>IS-M</u>
	<u>60</u>	ISMAM_CCARD_AUTHTEXT		
2,380	S_KK4_740016	IMG Activity: ISPAM_BELEGARTEN	<u>IS-M</u>	<u>IS-M</u>
	61			
2,381	S KK4 740016	IMG Activity: ISPAM_FKARTAUFTRAG	<u>IS-M</u>	<u>IS-M</u>
	<u>62</u>			
2,382	S_KK4_740016	IMG Activity: ISM_COA_STL_NUMKR	<u>IS-M</u>	<u>IS-M</u>
	<u>63</u>			
2,383	S_KK4_740016		<u>IS-M</u>	<u>IS-M</u>
	64	ISMAM_CCARD_CHECKGRP		
2,384	S KK4 740016	1	<u>IS-M</u>	<u>IS-M</u>
	<u>65</u>	ISMAM_CCARD_AUTH_VAL		
2,385	<u>S_KK4_740016</u>	1	<u>IS-M</u>	<u>IS-M</u>
	66	ISMAM_CCARD_FIELDCAT		

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,386	S KK4 740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>67</u>	ISMAM_CCARD_CONDTAB		
2,387	S KK4 740016	IMG Activity: ISMAM_CCARD_ACCSEQ	<u>IS-M</u>	<u>IS-M</u>
	<u>68</u>			
2,388	S_KK4_740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>69</u>	ISMAM_CCARD_CONDTYPE		
2,389	S_KK4_740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>	ISMAM_CCARD_ACCSCHEM		
2,390	S KK4 740016	IMG Activity: ISPAM_COAS_VBWIDE	<u>IS-M</u>	<u>IS-M</u>
	<u>71</u>			
2,391	S_KK4_740016	IMG Activity:	<u>IS-M</u>	IS-M
	<u>72</u>	ISMAM_OUTBK_FKART_DF		
2,392	S_KK4_740016	IMG Activity:	<u>IS-M</u>	IS-M
	<u>73</u>	ISMAM_OUTBK_FKART_AS		
2,393	S KK4 740016	IMG Activity: ISPAM_FKARTAABR	<u>IS-M</u>	<u>IS-M</u>
	<u>74</u>			
2,394	S_KK4_740016	IMG Activity: ISPAM_COAS_SCALE	<u>IS-M</u>	<u>IS-M</u>
	<u>75</u>			
2,395	S_KK4_740016	IMG Activity: ISPAM_XNOVABR	<u>IS-M</u>	<u>IS-M</u>
	<u>76</u>			
2,396	S KK4 740016	IMG Activity: ISPAM_COND_BMGR	<u>IS-M</u>	<u>IS-M</u>
	<u>77</u>			
2,397	<u>S_KK4_740016</u>	IMG Activity: ISMAM_COAS_KSTEU	<u>IS-M</u>	<u>IS-M</u>
	<u>78</u>			
2,398	<u>S_KK4_740016</u>	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>	ISMAM_TWIN_BILLNGGRP		
2,399	S KK4 740016	<u> </u>	<u>IS-M</u>	<u>IS-M</u>
	<u>80</u>	ISPAM_BELEGARTEN_AAB		
2,400	S_KK4_740016	IMG Activity: ISPSD_AKONTZUGRFOLG	<u>IS-M</u>	<u>IS-M</u>
	<u>81</u>			
2,401	S_KK4_740016	1	<u>IS-M</u>	<u>IS-M</u>
	82	ISM_GPMAHNSCHLUESSEL		
2,402	S KK4 740016	IMG Activity: ISMSD_STVERSLIEFART	<u>IS-M</u>	<u>IS-M</u>
	83			
2,403		IMG Activity: ISPSD_VERSANDAUSSTA	<u>IS-M</u>	<u>IS-M</u>
	84			
2,404		IMG Activity: ISM_GPMAHNBEREICHE	<u>IS-M</u>	<u>IS-M</u>
	<u>85</u>			
2,405		IMG Activity: ISPSD_VSUCHFPAKETBIL	<u>IS-M</u>	<u>IS-M</u>
	<u>86</u>			
2,406		IMG Activity: ISPSD_VPAKETFERTART	<u>IS-M</u>	<u>IS-M</u>
	87			

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,407	S KK4 740016	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	88	ISM_GPMAHNSPERRGRND		
2,408	S KK4 740016	IMG Activity: ISPSD_GPVTNRKRSGPER2	<u>IS-M</u>	<u>IS-M</u>
	<u>89</u>			
2,409	S_KK4_740016	IMG Activity: ISMSD_STVERBRABLADB	IS-M	<u>IS-M</u>
	<u>90</u>			
2,410	S_KK4_740016	IMG Activity:	IS-M	<u>IS-M</u>
	<u>91</u>	ISPSD_VERSABLREGNRKR		
2,411	S KK4 740016	IMG Activity: ISPSD_VERSSTNRKRSVPV	<u>IS-M</u>	<u>IS-M</u>
	<u>92</u>			
2,412	S_KK4_740016	IMG Activity: ISPSD_VERSSTNRKRSVPL	<u>IS-M</u>	<u>IS-M</u>
	<u>93</u>			
2,413	S_KK4_740016	IMG Activity: ISPSD_VLAENDGRUPP	<u>IS-M</u>	<u>IS-M</u>
	<u>94</u>			
2,414	S KK4 740016	IMG Activity: ISPSD_VBUNDFERTSTUF	<u>IS-M</u>	<u>IS-M</u>
	<u>95</u>			
2,415	S_KK4_740016	IMG Activity: ISPSD_INCOTERMS	<u>IS-M</u>	<u>IS-M</u>
	<u>96</u>			
2,416	S_KK4_740016	IMG Activity: ISPSD_VPRODWDHGRP	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>			
2,417	S KK4 740016	IMG Activity: ISPSD_VPRODSEQ	<u>IS-M</u>	<u>IS-M</u>
	<u>98</u>			
2,418	S_KK4_740016	IMG Activity: ISPSD_VNRKSPRODUKTIO	<u>IS-M</u>	<u>IS-M</u>
	<u>99</u>			
2,419	S_KK4_740017	IMG Activity: ISPSD_WERBEART	<u>IS-M</u>	<u>IS-M</u>
	<u>00</u>			
2,420	S KK4 740017	IMG Activity: ISPSD_VREGARTBUNDF	<u>IS-M</u>	<u>IS-M</u>
	<u>01</u>			
2,421		IMG Activity: ISPSD_VPOSTSENDART	IS-M	<u>IS-M</u>
	<u>02</u>			
2,422	S_KK4_740017	IMG Activity: ISPSD_VNETZEPOST	IS-M	<u>IS-M</u>
	03			
2,423	S KK4 740017	IMG Activity: ISPSD_VNETZLIEFART	<u>IS-M</u>	<u>IS-M</u>
	04			
2,424	S_KK4_740017	IMG Activity: ISPSD_AUSNAHMELPLZ	<u>IS-M</u>	<u>IS-M</u>
	<u>05</u>			
2,425	S_KK4_740017	IMG Activity: ISPSD_VGEBINDEART	<u>IS-M</u>	<u>IS-M</u>
	<u>06</u>			
2,426	S KK4 740017	IMG Activity: ISP_ZAHLUNGSBED	<u>IS-M</u>	<u>IS-M</u>
	<u>07</u>			
2,427	S_KK4_740017	IMG Activity: ISMSD_STVERBREITALLG	<u>IS-M</u>	<u>IS-M</u>
	08			

T-Code	Description	Module	Component
	IMG Activity: ISP_GP_BERUFE	<u>IS-M</u>	<u>IS-M</u>
S KK4 740017	IMG Activity: ISPSD_FREIEBEZKATEG	<u>IS-M</u>	<u>IS-M</u>
	IMG Activity: ISP_BEZIRKSNR	IS-M	IS-M
S_KK4_740017 12	IMG Activity: ISPSD_STRUKNKRSLAUFL	IS-M	IS-M
	IMG Activity: ISP_GP_FAMSTAND	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740017 14	IMG Activity: ISP_GP_TITEL	IS-M	IS-M
S_KK4_740017	IMG Activity: ISPSD_BEZKATEGORIEN	IS-M	IS-M
S KK4 740017	IMG Activity: ISM_STAMMGEOSTR	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740017	IMG Activity: ISM_STAMMGEOSEKADR	IS-M	IS-M
S_KK4_740017	IMG Activity: ISP_GP_HERKUNFT	IS-M	IS-M
S KK4 740017	IMG Activity: ISP_GEOGRAPHARTEN	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740017	IMG Activity: ISPSD_STRUKNRKRSGEO	IS-M	IS-M
S_KK4_740017	IMG Activity: ISPSD_GEO_POSTNRKRS	<u>IS-M</u>	IS-M
S KK4 740017	IMG Activity: ISPSD_VERSABLNRKRS	<u>IS-M</u>	<u>IS-M</u>
S_KK4_740017	,	IS-M	IS-M
S KK4 740017		IS-M	IS-M
S KK4 740017	IMG Activity: ISPSD_VLIEFERARTEN	<u>IS-M</u>	<u>IS-M</u>
S KK4 740017	IMG Activity: ISPSD_VERSLIEFNRKRS	IS-M	IS-M
S_KK4_740017	IMG Activity: ISPSD_STRUKBEZRUND	IS-M	IS-M
S KK4 740017	_	<u>IS-M</u>	IS-M
S_KK4_740017	-	<u>IS-M</u>	IS-M
	S KK4 740017 11 S KK4 740017 11 S KK4 740017 12 S KK4 740017 14 S KK4 740017 15 S KK4 740017 16 S KK4 740017 17 S KK4 740017 18 S KK4 740017 19 S KK4 740017 20 S KK4 740017 21 S KK4 740017 22 S KK4 740017 22 S KK4 740017 23 S KK4 740017 24 S KK4 740017 25 S KK4 740017 26 S KK4 740017 25 S KK4 740017 26 S KK4 740017 26 S KK4 740017 27 S KK4 740017 26 S KK4 740017 27 S KK4 740017 26 S KK4 740017 27 S KK4 740017 28 S KK4 740017 26 S KK4 740017 27 S KK4 740017 28	S KK4 740017 IMG Activity: ISPSD_FREIEBEZKATEG S KK4 740017 IMG Activity: ISPSD_STRUKNKRSLAUFL S KK4 740017 IMG Activity: ISPSD_STRUKNKRSLAUFL S KK4 740017 IMG Activity: ISPSD_BEZKATEGORIEN S KK4 740017 IMG Activity: ISPSD_BEZKATEGORIEN S KK4 740017 IMG Activity: ISPSD_BEZKATEGORIEN S KK4 740017 IMG Activity: ISM_STAMMGEOSTR S KK4 740017 IMG Activity: ISM_STAMMGEOSEKADR S KK4 740017 IMG Activity: ISP_GP_HERKUNFT S KK4 740017 IMG Activity: ISP_GP_HERKUNFT S KK4 740017 IMG Activity: ISPSD_STRUKNRKRSGEO S KK4 740017 IMG Activity: ISPSD_STRUKNRKRSGEO S KK4 740017 IMG Activity: ISPSD_VERSABLNRKRS S KK4 740017 IMG Activity: ISPSD_VERSABLNERS S KK4 740017 IMG Activity: ISPSD_VERSLIEFNRKRS S KK4 740017 IMG Activity: ISPSD_VERSLIEFNRKRS S KK4 740017 IMG Activity: ISPSD_VERSLIEFNRKRS S KK4 740017 IMG Activity: ISPSD_STRUKBEZRUND S KK4 740017	S

#	T-Code	Description	Module	Component
2,449	S KK4 740017	IMG Activity: ISPSD_STRUKROUTPERIO	<u>IS-M</u>	<u>IS-M</u>
	<u>30</u>			
2,450	S KK4 740017	IMG Activity: ISPSD_ROUTENKATEG	<u>IS-M</u>	<u>IS-M</u>
	<u>31</u>			
2,451	S_KK4_740017	IMG Activity: ISPSD_FREIROUTENKAT	<u>IS-M</u>	<u>IS-M</u>
	<u>32</u>			
2,452	S_KK4_740017	IMG Activity: ISPSD_VERKEHRSMART	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
2,453	S KK4 740017	IMG Activity: ISPSD_VERSRAUMABL	<u>IS-M</u>	<u>IS-M</u>
	<u>34</u>			
2,454	S_KK4_740017	IMG Activity: ISPSD_NRKRSWERBEMAT	<u>IS-M</u>	<u>IS-M</u>
	<u>35</u>			
2,455	S_KK4_740017	IMG Activity: ISPSD_PABRPRKONDTAB	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
2,456	S KK4 740017	IMG Activity: ISPSD_PABRPRKONDART	<u>IS-M</u>	<u>IS-M</u>
	<u>37</u>			
2,457	S_KK4_740017	IMG Activity: ISPSD_PABRPRZUGRFOLG	<u>IS-M</u>	<u>IS-M</u>
	38			
2,458	S_KK4_740017	IMG Activity: ISPSD_PABRPRKALKSCHE	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>			
2,459	S KK4 740017	IMG Activity: ISM_GPTEXTEBK	<u>IS-M</u>	<u>IS-M</u>
	40			
2,460		IMG Activity: ISM_GPTEXTEZK	<u>IS-M</u>	<u>IS-M</u>
2.461	41	DAG A STATE OF THE PROPERTY OF THE PARTY OF	TC 3.6	TG 3.6
2,461		IMG Activity: ISM_GPTEXTARTENVERK	<u>IS-M</u>	<u>IS-M</u>
2.462	42 G WW 4 740017	DAG A C. C.	TC 3.6	10.14
2,462	S KK4 740017	1	<u>IS-M</u>	<u>IS-M</u>
2.462	43 S. W. 4. 740017	ISM_GPTEXTEVERKSCHEM	IC M	TC M
2,463	S_KK4_740017 44	IMG Activity: ISPSD_PABRZUKONDAUSG	<u>IS-M</u>	IS-M
2.464	S KK4 740017	_	IC M	IC M
2,464	<u>5_KK4_/4001/</u> 45	IMG Activity: ISPSD-PABRZUAUSSCHKZ	19-M	<u>IS-M</u>
2,465	S KK4 740017	IMG Activity: ISM_GPTEXTVERKZUGR	<u>IS-M</u>	IS-M
2,403	3 KK4 /4001/ 46	INTO ACTIVITY. ISIVI_OF TEAT VERKZOOK	19-1/1	19-1/1
2,466	S_KK4_740017	IMG Activity:	<u>IS-M</u>	IS-M
2,400	47	ISPSD PABRZUMENSTAMM	10-141	10-141
2,467	S KK4 740017	IMG Activity: ISPSD_PABRZLISTKOND	IS-M	IS-M
2,707	48	Into reavity. Ist SD_1 ribitalist itolib	15 111	10 141
2,468	S KK4 740017	IMG Activity: ISPSD-PABRPOKONDART	<u>IS-M</u>	IS-M
2,100	49			171
2,469	S KK4 740017	IMG Activity:	IS-M	IS-M
	50	ISPSD_PABRPOZUGRFOLG		
	ı 	1 12 12	l	

# T-Code Description	Module	Component
2,470 S KK4 740017 IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
SPSD_PABRPOKALK	SCHE	
2,471 S KK4 740017 IMG Activity: ISPAM_0	GPHITYP IS-M	<u>IS-M</u>
52		
2,472 <u>S_KK4_740017</u> IMG Activity:	IS-M	IS-M
ISPSD_PABRPOKOND	DAUSG	
2,473 <u>S_KK4_740017</u> IMG Activity: ISPSD_P	ABRPOAUSSCHKZ IS-M	IS-M
54		
2,474 S KK4 740017 IMG Activity: ISPSD_P	ABRPOKONDTAB IS-M	<u>IS-M</u>
55		
2,475 <u>S_KK4_740017</u> IMG Activity:	IS-M	IS-M
SPSD_PABRPRKOND	DAUSG	
2,476 <u>S_KK4_740017</u> IMG Activity: ISPSD_P	ABRPRAUSSCHKZ IS-M	IS-M
57		
2,477 S KK4 740017 IMG Activity: ISM_GP	TEXTBD IS-M	<u>IS-M</u>
58		
2,478 <u>S_KK4_740017</u> IMG Activity:	IS-M	<u>IS-M</u>
SPSD_PABRPRMENS	TAMM	
2,479 <u>S_KK4_740017</u> IMG Activity: ISPSD_P	ABRPRLISTKOND IS-M	<u>IS-M</u>
60		
2,480 S KK4 740017 IMG Activity: ISM_GP	TEXTZD IS-M	<u>IS-M</u>
<u>61</u>		
2,481 <u>S_KK4_740017</u> IMG Activity:	IS-M	<u>IS-M</u>
62 ISPSD_PABRZUKALK	SCHE	
2,482 <u>S_KK4_740017</u> IMG Activity:	IS-M	<u>IS-M</u>
63 ISPSD_FAKTKONDGU	JTSCH	
2,483 S KK4 740017 IMG Activity: ISPSD_K	ONDARTZUGR IS-M	<u>IS-M</u>
64		
2,484 <u>S_KK4_740017</u> IMG Activity: ISPSD_K	ALKSCHEMATA IS-M	<u>IS-M</u>
65		
2,485 <u>S_KK4_740017</u> IMG Activity: ISP_TAX	KNZ_DEB <u>IS-M</u>	<u>IS-M</u>
66		
2,486 <u>S KK4 740017</u> IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
67 ISPSD_KONDAUSSCH	ILGRP	
2,487 <u>S_KK4_740017</u> IMG Activity: ISPSD_A	USSCHLKZKOND IS-M	<u>IS-M</u>
68		
2,488 <u>S_KK4_740017</u> IMG Activity: ISPSD_K	CONDART IS-M	IS-M
69		
2,489 S KK4 740017 IMG Activity: ISPSD_K	UNDSTATISTGRP <u>IS-M</u>	<u>IS-M</u>
<u>70</u>		
2,490 <u>S_KK4_740017</u> IMG Activity: ISP_KUN	NDGRP <u>IS-M</u>	<u>IS-M</u>
71		

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,491	S KK4 740017	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>	ISPSD_GPSTAMMINFOZUO		
2,492	S KK4 740017	IMG Activity: ISPSD_GPINFOBLOCK	<u>IS-M</u>	<u>IS-M</u>
	<u>73</u>	•		
2,493	S_KK4_740017	IMG Activity: ISPSD_GPSTAMMINFOSI	IS-M	<u>IS-M</u>
	74	•		
2,494	S_KK4_740017	IMG Activity: ISPSD_KONDTAB	IS-M	IS-M
	<u>75</u>	-		
2,495	S KK4 740017	IMG Activity: ISPSD_BEDINGPREIS	<u>IS-M</u>	<u>IS-M</u>
	<u>76</u>			
2,496	S_KK4_740017	IMG Activity: ISPSD_FORMELNPREIS	IS-M	<u>IS-M</u>
	<u>77</u>	-		
2,497	S_KK4_740017	IMG Activity: ISM_GPTEXTEEKORG	IS-M	IS-M
	<u>78</u>	-		
2,498	S KK4 740017	IMG Activity: ISPSD_PABRZUKONDTAB	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			
2,499	S_KK4_740017	IMG Activity: ISPSD_PABRZUKONDART	IS-M	<u>IS-M</u>
	<u>80</u>			
2,500	S_KK4_740017	IMG Activity:	IS-M	<u>IS-M</u>
	<u>81</u>	ISPSD_PABRZUZUGRFOLG		
2,501	S KK4 740017	IMG Activity: ISPSD_KONDLISTLAYOUT	<u>IS-M</u>	<u>IS-M</u>
	<u>82</u>			
2,502	S_KK4_740017	IMG Activity: ISPSD_PREISRELEVFLD	<u>IS-M</u>	<u>IS-M</u>
	<u>83</u>			
2,503	S_KK4_740017	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>84</u>	ISPSD_LANDGRPVERSAND		
2,504	S KK4 740017	IMG Activity: ISP_PVAKONDGRP	<u>IS-M</u>	<u>IS-M</u>
	<u>85</u>			
2,505	<u>S_KK4_740017</u>	IMG Activity: ISPSD_PREISPERIODIZ	<u>IS-M</u>	<u>IS-M</u>
	<u>86</u>			
2,506	S_KK4_740017	IMG Activity: ISPSD_MENUESTAMMD	<u>IS-M</u>	<u>IS-M</u>
	<u>87</u>			
2,507	S KK4 740017	IMG Activity: ISP_KTO_ABSTIMM	<u>IS-M</u>	<u>IS-M</u>
	88			
2,508	S_KK4_740017	IMG Activity: ISPSD_STRUKNRKRSSTRA	IS-M	<u>IS-M</u>
	89			
2,509	S_KK4_740017	IMG Activity: ISPAM_TJJPOS	<u>IS-M</u>	<u>IS-M</u>
	90			
2,510	S KK4 740017	IMG Activity: ISPAM_TJJSPVM	<u>IS-M</u>	<u>IS-M</u>
	91			
2,511	<u>S_KK4_740017</u>	IMG Activity: ISPAM_TJJVERT	<u>IS-M</u>	<u>IS-M</u>
	92			

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,512	S KK4 740017	IMG Activity: ISPSD_BESCHABWESENH	<u>IS-M</u>	<u>IS-M</u>
	<u>93</u>	-		
2,513	S KK4 740017	IMG Activity: ISP_DRUCKERZART	<u>IS-M</u>	<u>IS-M</u>
	<u>94</u>	•		
2,514	S_KK4_740017	IMG Activity: ISP_TITELART	IS-M	IS-M
	<u>95</u>	•		
2,515	S_KK4_740017	IMG Activity: ISPAM_TJJAMTL	IS-M	IS-M
	<u>96</u>	•		
2,516	S KK4 740017	IMG Activity: ISP_ADR_MONTFIND	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>	-		
2,517	S_KK4_740017	IMG Activity: ISP_GEOPHONETSUCHE	IS-M	IS-M
	<u>98</u>	•		
2,518	S_KK4_740017	IMG Activity:	IS-M	IS-M
	<u>99</u>	ISPSD_WERKZDUEBPHOSU		
2,519	S KK4 740018	IMG Activity: ISPAM_VERBR_BEZ	<u>IS-M</u>	<u>IS-M</u>
	<u>00</u>	-		
2,520	S_KK4_740018	IMG Activity: ISP0_PARTNER_AP	IS-M	IS-M
	<u>01</u>	-		
2,521	S KK4 740018	IMG Activity:	IS-M	IS-M
	<u>02</u>	ISPSD_BESCHABGANGSGR		
2,522	S KK4 740018	IMG Activity: ISP_PERIODIZITAT	<u>IS-M</u>	<u>IS-M</u>
	<u>03</u>			
2,523	S_KK4_740018	IMG Activity: ISPSD_BASPVASTATGRP	<u>IS-M</u>	IS-M
	<u>04</u>			
2,524	S KK4 740018	IMG Activity: ISP_BERICHTSGRP	IS-M	IS-M
	<u>05</u>	-		
2,525	S KK4 740018	IMG Activity: ISPSD_BEZTYP	<u>IS-M</u>	<u>IS-M</u>
	<u>06</u>			
2,526	S_KK4_740018	IMG Activity: ISPSD_BEZPERZUS	<u>IS-M</u>	IS-M
	<u>07</u>			
2,527	S_KK4_740018	IMG Activity:	IS-M	IS-M
	<u>08</u>	ISPSD_VKWOCHTAGBEZPE		
2,528	S KK4 740018	IMG Activity: ISP_GENERIERUNGSGRUP	IS-M	<u>IS-M</u>
	<u>09</u>			<u> </u>
2,529	S_KK4_740018	IMG Activity: ISP_NRKRSDRZ	<u>IS-M</u>	IS-M
	<u>10</u>			
2,530	S_KK4_740018	IMG Activity: ISPSD_BESCHART	IS-M	IS-M
	<u>11</u>			
2,531	S KK4 740018	IMG Activity: ISP_NRKRSVERWGDRZ	<u>IS-M</u>	<u>IS-M</u>
	<u>12</u>			
2,532	S KK4 740018	IMG Activity: ISMSD_PRODSCHEM	IS-M	IS-M
	<u>13</u>			

#	T-Code	Description	Module	Component
2,533	S KK4 740018 14	IMG Activity: ISP_NRKRSBESCHVERH	<u>IS-M</u>	<u>IS-M</u>
2,534		IMG Activity: ISP_PVAART	<u>IS-M</u>	<u>IS-M</u>
2,535		IMG Activity: ISP_MTYP_INTSORTKEY	IS-M	IS-M
2,536		IMG Activity: ISPAM_FATBB	<u>IS-M</u>	IS-M
2,537		IMG Activity: ISPAM_GP_VV_VA_PFL	<u>IS-M</u>	<u>IS-M</u>
2,538		IMG Activity: ISPAM_BEDGRUPPE	<u>IS-M</u>	IS-M
2,539		IMG Activity: ISP_FAKTURATRENN	IS-M	IS-M
2,540	S KK4 740018	IMG Activity: ISPAM_GP_VV_VS_PFL	<u>IS-M</u>	<u>IS-M</u>
2,541		IMG Activity: ISPAM_GP_VV_BA_PFL	<u>IS-M</u>	IS-M
2,542		IMG Activity: ISP_ZAHLBEDGRUPPE	IS-M	IS-M
2,543		IMG Activity: ISPAM_GRUNDEINST_1	<u>IS-M</u>	<u>IS-M</u>
2,544		IMG Activity: ISPAM_VERMV_NUMKI	IS-M	IS-M
2,545		IMG Activity: ISP_JLVEKDLART_0020	IS-M	<u>IS-M</u>
2,546		IMG Activity: ISPAM_DEFAULTSPRAB	<u>IS-M</u>	<u>IS-M</u>
2,547	27 S_KK4_740018 28	IMG Activity: ISP_ADR_DRFORMATE	<u>IS-M</u>	IS-M
2,548	S_KK4_740018	IMG Activity: ISP_DRUCKSTEUER	<u>IS-M</u>	IS-M
2,549	29 S KK4 740018 30	IMG Activity: ISP_ADR_DRFORMULARE	<u>IS-M</u>	<u>IS-M</u>
2,550		IMG Activity: ISP_ADR_MTYP_NAMEN	IS-M	IS-M
2,551	S_KK4_740018	IMG Activity: ISP_ADR_MTYP_DEBNAM	IS-M	IS-M
2,552	32 S KK4 740018 33	IMG Activity: ISP_ADR_MTYP_KREDNAM	<u>IS-M</u>	<u>IS-M</u>
2,553	S_KK4_740018	IMG Activity: ISP_JGVTJG90C	IS-M	IS-M
	34			

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,554	S KK4 740018	IMG Activity: ISP_PROVSCHL	<u>IS-M</u>	IS-M
	<u>35</u>	-		
2,555	S KK4 740018	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>	ISPAM_STEUERKLASSKRE		
2,556	S KK4 740018	IMG Activity:	IS-M	IS-M
	<u>37</u>	ISMAM_AGNTCONTRGROUP		
2,557	S_KK4_740018	IMG Activity: ISPAM_KONKAUS	IS-M	IS-M
	<u>38</u>	-		
2,558	S KK4 740018	IMG Activity: ISP_KUKARRIERE	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>	-		
2,559	S_KK4_740018	IMG Activity: ISP_NRKRS_ADR	IS-M	IS-M
	<u>40</u>	•		
2,560	S_KK4_740018	IMG Activity: ISPSD_VERMITTLERTYP	IS-M	IS-M
	<u>41</u>	•		
2,561	S KK4 740018	IMG Activity: ISPAM_TJJW9	<u>IS-M</u>	<u>IS-M</u>
	<u>42</u>	-		
2,562	S KK4 740018	IMG Activity: ISPAM_TJJBEVTMD	IS-M	<u>IS-M</u>
	<u>43</u>			
2,563	S KK4 740018	IMG Activity: ISPSD_SPERRGRDFAKT	IS-M	<u>IS-M</u>
	<u>44</u>	-		
2,564	S KK4 740018	IMG Activity: ISPSD_SPERRGRDAUFTR	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>			
2,565	S_KK4_740018	IMG Activity: ISPAM_DIEN_NUMK	<u>IS-M</u>	<u>IS-M</u>
	<u>46</u>			
2,566	S_KK4_740018	IMG Activity: ISP-FAKTKAL	IS-M	IS-M
	<u>47</u>	-		
2,567	S KK4 740018	IMG Activity: ISPAM_TJJW7	<u>IS-M</u>	<u>IS-M</u>
	<u>48</u>			
2,568	S_KK4_740018	IMG Activity: ISPAM_JJTBEVRGRP	IS-M	<u>IS-M</u>
	<u>49</u>			
2,569	S_KK4_740018	IMG Activity: ISPAM_BEHIEVERS	<u>IS-M</u>	<u>IS-M</u>
	<u>50</u>			
2,570	S KK4 740018	IMG Activity: ISPAM_TERMINSPEZ	<u>IS-M</u>	<u>IS-M</u>
	<u>51</u>			
2,571	S_KK4_740018	IMG Activity: ISPAM_TJJW1	<u>IS-M</u>	<u>IS-M</u>
	<u>52</u>			
2,572	S_KK4_740018	IMG Activity: ISPAM_TJJW3	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>			
2,573	S KK4 740018	IMG Activity: ISMSD_GPKUNDSCHEM	<u>IS-M</u>	<u>IS-M</u>
	<u>54</u>			
2,574	S_KK4_740018	IMG Activity: ISPSD_HIERARCHTYPGEO	<u>IS-M</u>	<u>IS-M</u>
	<u>55</u>			

IS-M - SAP Media

2,575 S. KK4 740018 IMG Activity: IS-M IS	#	T-Code	Description	Module	Component
2,576 S. KK4 740018 MG Activity: ISP_GP_BRANCHE IS-M IS	2,575	S KK4 740018	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
SZ					
2,577 S. KK4 740018 IMG Activity: ISPSD_LANDSPEZPOSTHI IS-M IS-M S8 S. KK4 740018 IMG Activity: ISPSD_KRGEMREGZUO IS-M IS-	2,576	S KK4 740018	IMG Activity: ISP_GP_BRANCHE	<u>IS-M</u>	<u>IS-M</u>
S8 S. KK4 740018 IMG Activity: ISPSD_KRGEMREGZUO IS-M I		<u>57</u>	-		
2,578 S.KK4 740018 IMG Activity: ISPSD_KRGEMREGZUO IS-M	2,577	S_KK4_740018	IMG Activity: ISPSD_LANDSPEZPOSTHI	IS-M	<u>IS-M</u>
2,599 S KK4 740018 IMG Activity: ISPSD_AUSNAHMELPLZSD IS-M IS-M IS-M IS-M IS-M IS-M IS-M IS-M IS-M IMG Activity: ISPSTRUKLESETIEFE IS-M IS-		<u>58</u>	-		
2,579 S	2,578	S_KK4_740018	IMG Activity: ISPSD_KRGEMREGZUO	IS-M	<u>IS-M</u>
SPSD_AUSNAHMELPLZSD S.KK4_740018 IMG Activity: ISP_STRUKLESETIEFE IS-M IS-M		<u>59</u>	-		
2,580 S_KK4_740018 IMG Activity: ISP_STRUKLESETIEFE IS-M IS-M	2,579	S KK4 740018	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
Column		<u>60</u>	ISPSD_AUSNAHMELPLZSD		
2,581 S. KK4 740018 IMG Activity: ISPAM_DIENTYP IS-M IS	2,580	S_KK4_740018	IMG Activity: ISP_STRUKLESETIEFE	IS-M	<u>IS-M</u>
2,582 S KK4 740018 IMG Activity: ISPAM_TJHSEKL IS-M IS-		<u>61</u>	-		
2,582 S KK4 740018 IMG Activity: ISPAM_TJHSEKL IS-M IS-	2,581	S_KK4_740018	IMG Activity: ISPAM_DIENTYP	IS-M	<u>IS-M</u>
2,583 S_KK4 740018 IMG Activity: ISPAM_TJHGEWKL IS-M IS		<u>62</u>	-		
2,583	2,582	S KK4 740018	IMG Activity: ISPAM_TJHSEKL	<u>IS-M</u>	<u>IS-M</u>
2,584 S_KK4 740018 IMG Activity: ISP_GP_AGENTART IS-M I		<u>63</u>	-		
2,584 S. KK4_740018 IMG Activity: ISP_GP_AGENTART IS-M	2,583	S_KK4_740018	IMG Activity: ISPAM_TJHGEWKL	<u>IS-M</u>	<u>IS-M</u>
2,585 S KK4 740018 IMG Activity: ISP_GP_BONITAET IS-M IS-M 66 2,586 S KK4 740018 IMG Activity: ISP_ANDERUNGSNR IS-M IS-M 67 2,587 S KK4 740018 IMG Activity: ISPAM_VTWOTAG IS-M IS-M 68 2,588 S KK4 740018 IMG Activity: ISPAM_IKOHIEVAR IS-M IS-M 69 2,589 S KK4 740018 IMG Activity: ISPAM_IKOHIEVERS IS-M IS-M 70 2,590 S KK4 740018 IMG Activity: ISPAM_NRBE IS-M IS-M 71 2,591 S KK4 740018 IMG Activity: ISPAM_NRBE IS-M IS-M 72 2,592 S KK4 740018 IMG Activity: ISPAM_PENR IS-M IS-M 73 2,593 S KK4 740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 74 2,594 S KK4 740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 75 2,595 S KK4 740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 15-M 75 2,595 S KK4 740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 15-M 15-M 15-M 15-M 15-M 15-M 15-M 15		<u>64</u>			
2,585 S KK4 740018 IMG Activity: ISP_GP_BONITAET IS-M IS-M	2,584	S_KK4_740018	IMG Activity: ISP_GP_AGENTART	<u>IS-M</u>	<u>IS-M</u>
2,586 S. KK4 740018 IMG Activity: ISP_ANDERUNGSNR IS-M		<u>65</u>			
2,586 S. KK4 740018 IMG Activity: ISP_ANDERUNGSNR IS-M	2,585	S KK4 740018	IMG Activity: ISP_GP_BONITAET	<u>IS-M</u>	<u>IS-M</u>
2,587 S_KK4_740018 IMG Activity: ISPAM_VTWOTAG IS-M IS-M IS-M 68		<u>66</u>			
2,587 S KK4 740018 IMG Activity: ISPAM_VTWOTAG IS-M IS-M IS-M 68	2,586	S_KK4_740018	IMG Activity: ISP_ANDERUNGSNR	IS-M	<u>IS-M</u>
Column		<u>67</u>			
2,588 S KK4 740018 IMG Activity: ISPAM_IKOHIEVAR IS-M IS-M 2,589 S KK4_740018 IMG Activity: ISPAM_IKOHIEVERS IS-M IS-M 2,590 S KK4_740018 IMG Activity: ISP-LEISTKAL IS-M IS-M 2,591 S KK4_740018 IMG Activity: ISPAM_NRBE IS-M IS-M 2,592 S KK4_740018 IMG Activity: ISPAM_PENR IS-M IS-M 2,593 S KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 2,594 S KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M	2,587	S_KK4_740018	IMG Activity: ISPAM_VTWOTAG	IS-M	<u>IS-M</u>
2,589 S_KK4_740018 IMG Activity: ISPAM_IKOHIEVERS IS-M IS-M 70 2,590 S_KK4_740018 IMG Activity: ISP-LEISTKAL IS-M IS-M 71 2,591 S_KK4_740018 IMG Activity: ISPAM_NRBE IS-M IS-M 72 2,592 S_KK4_740018 IMG Activity: ISPAM_PENR IS-M IS-M 73 2,593 S_KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 74 2,594 S_KK4_740018 IMG Activity: ISPAM_NRIKO IS-M 75 2,595 S_KK4_740018 IMG Activity: ISPAM_NRIKO IS-M 75 2,595 S_KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M		<u>68</u>			
2,589 \$\text{KK4} \cdot 740018 \text{ IMG Activity: ISPAM_IKOHIEVERS} \text{IS-M} IS-M	2,588	S KK4 740018	IMG Activity: ISPAM_IKOHIEVAR	<u>IS-M</u>	<u>IS-M</u>
70		<u>69</u>			
2,590 S_KK4_740018 IMG Activity: ISP-LEISTKAL IS-M IS-M 2,591 S_KK4_740018 IMG Activity: ISPAM_NRBE IS-M IS-M 2,592 S_KK4_740018 IMG Activity: ISPAM_PENR IS-M IS-M 2,593 S_KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 2,594 S_KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S_KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M	2,589	S_KK4_740018	IMG Activity: ISPAM_IKOHIEVERS	<u>IS-M</u>	<u>IS-M</u>
71 2,591 S KK4 740018 IMG Activity: ISPAM_NRBE IS-M IS-M 2,592 S KK4_740018 IMG Activity: ISPAM_PENR IS-M IS-M 2,593 S KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 2,594 S KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M		<u>70</u>			
2,591 S KK4 740018 IMG Activity: ISPAM_NRBE IS-M IS-M 2,592 S KK4_740018 IMG Activity: ISPAM_PENR IS-M IS-M 2,593 S KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 2,594 S KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M	2,590	S_KK4_740018	IMG Activity: ISP-LEISTKAL	<u>IS-M</u>	<u>IS-M</u>
72 2,592 \$\text{S_KK4_740018}\$ IMG Activity: ISPAM_PENR \$\text{IS-M}\$ \$\text{IS-M}\$ 2,593 \$\text{S_KK4_740018}\$ IMG Activity: ISPAM_BEGRPINH \$\text{IS-M}\$ \$\text{IS-M}\$ 2,594 \$\text{S_KK4_740018}\$ IMG Activity: ISPAM_NRIKO \$\text{IS-M}\$ \$\text{IS-M}\$ 2,595 \$\text{S_KK4_740018}\$ IMG Activity: ISPSD_GPVTNRKRSGPERS \$\text{IS-M}\$ \$\text{IS-M}\$		<u>71</u>			
2,592 S_KK4_740018 IMG Activity: ISPAM_PENR IS-M IS-M 2,593 S_KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 2,594 S_KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S_KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M	2,591	S KK4 740018	IMG Activity: ISPAM_NRBE	<u>IS-M</u>	<u>IS-M</u>
73 2,593 S_KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M 74 IS-M IS-M 2,594 S_KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S_KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M		<u>72</u>			
2,593 S_KK4_740018 IMG Activity: ISPAM_BEGRPINH IS-M IS-M 2,594 S_KK4_740018 IMG Activity: ISPAM_NRIKO IS-M IS-M 2,595 S_KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M	2,592	S KK4 740018	IMG Activity: ISPAM_PENR	<u>IS-M</u>	IS-M
74 2,594 S KK4 740018 IMG Activity: ISPAM_NRIKO IS-M 75 IS-M 2,595 S KK4 740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M		<u>73</u>			
2,594 S. KK4 740018 IMG Activity: ISPAM_NRIKO IS-M	2,593	S KK4 740018	IMG Activity: ISPAM_BEGRPINH	IS-M	IS-M
75 2,595 S_KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M		<u>74</u>			
2,595 S KK4_740018 IMG Activity: ISPSD_GPVTNRKRSGPERS IS-M IS-M	2,594	S KK4 740018	IMG Activity: ISPAM_NRIKO	<u>IS-M</u>	IS-M
		<u>75</u>			
	2,595	S KK4 740018	IMG Activity: ISPSD_GPVTNRKRSGPERS	IS-M	IS-M
<u> 76 </u>		<u>76</u>			

#	T-Code	Description	Module	Component
2,596	S KK4 740018 77	IMG Activity: ISP_VAVARIANTENTYP	<u>IS-M</u>	<u>IS-M</u>
2,597	S KK4 740018 78	IMG Activity: ISPSD_ZUSTELLERSETZ	<u>IS-M</u>	<u>IS-M</u>
2,598	<u>S_KK4_740018</u> 79	IMG Activity: ISP_NUMMERVA	<u>IS-M</u>	<u>IS-M</u>
2,599	S_KK4_740018 80	IMG Activity: ISPSD_ZUSTELLGRP	<u>IS-M</u>	IS-M
2,600		IMG Activity: ISPSD_ZUSTELLTYP	<u>IS-M</u>	<u>IS-M</u>
2,601		IMG Activity: ISPAM_SFSP	<u>IS-M</u>	IS-M
2,602		IMG Activity: ISPAM_TJJFACSFP	IS-M	IS-M
2,603		IMG Activity: ISPAM_VTSI	<u>IS-M</u>	<u>IS-M</u>
2,604		IMG Activity: ISPSD_MBRSYST	IS-M	IS-M
2,605		IMG Activity: ISPAM_VTPE	IS-M	IS-M
2,606		IMG Activity: ISPAM_VTANZ	<u>IS-M</u>	<u>IS-M</u>
2,607		IMG Activity: ISPAM_SF	IS-M	<u>IS-M</u>
2,608		IMG Activity: ISPAM_BEGRPNUM	IS-M	IS-M
2,609		IMG Activity: ISPAM_LOCWIN	IS-M	<u>IS-M</u>
2,610		IMG Activity: ISPAM_BEGRP_PR	IS-M	IS-M
2,611	S_KK4_740018 92	IMG Activity: ISPAM_TJJ39	<u>IS-M</u>	IS-M
2,612	S KK4 740018 93	IMG Activity: ISPSD_VERKSTELL	<u>IS-M</u>	<u>IS-M</u>
2,613	S_KK4_740018 94	IMG Activity: ISPSD_PABRPOMENSTAMM	IS-M	<u>IS-M</u>
2,614	S_KK4_740018 95	IMG Activity: ISPAM_AUFNACHRART	IS-M	IS-M
2,615	S KK4 740018 96	IMG Activity: ISPAM_AUFZUGRFOLG	<u>IS-M</u>	<u>IS-M</u>
2,616	S_KK4_740018 97	IMG Activity: ISPAM_AUFNACHRSCHE	IS-M	IS-M

2,617 S. KK4 740018 IMG Activity: ISPAM_AUFNACHR_PAR IS-M IS-M IS-M S. KK4 740018 IMG Activity: ISPMSD_VUEKORGBUKRS IS-M I	#	T-Code	Description	Module	Component
2,619 S. KK4 740019 IMG Activity: ISPAM_AUFKOND IS-M IS-M OL	2,617		IMG Activity: ISPAM_AUFNACHR_PAR	<u>IS-M</u>	<u>IS-M</u>
2,620 S. KK4 740019 IMG Activity: ISPAM_AUFKONDTAB IS-M	2,618		IMG Activity: ISPMSD_VUEKORGBUKRS	<u>IS-M</u>	<u>IS-M</u>
2,621 S. KK4 740019 IMG Activity: ISPSD_VUVTWEGVKORG IS-M IS-M	2,619		IMG Activity: ISPAM_AUFKOND	<u>IS-M</u>	IS-M
02	2,620		IMG Activity: ISPAM_AUFKONDTAB	<u>IS-M</u>	IS-M
03	2,621		IMG Activity: ISPSD_VUVTWEGVKORG	<u>IS-M</u>	<u>IS-M</u>
04	2,622		1	<u>IS-M</u>	IS-M
05	2,623		IMG Activity: ISPSD_NFKRITRECHDRU	IS-M	IS-M
SPAM_NACHRZUGRNACHS SKK4 740019 IMG Activity: ISPAM_AUFFELDKTLG IS-M IS-M IS-M OZ SKK4 740019 IMG Activity: ISPAM_ABSNACHR_PAR IS-M IS-M IS-M OZ SKK4 740019 IMG Activity: ISPAM_ABSNACHR_PAR IS-M IS-M IS-M OZ SKK4 740019 IMG Activity: ISPAM_FKTFELDKTLG IS-M	2,624		IMG Activity: ISPSD_VUBUKRSVKORG	<u>IS-M</u>	<u>IS-M</u>
07	2,625		•	IS-M	IS-M
Q8	2,626		IMG Activity: ISPAM_AUFFELDKTLG	IS-M	IS-M
2,629 S KK4_740019 IMG Activity: ISPAM_FKTFELDKTLG IS-M	2,627		IMG Activity: ISPAM_ABSNACHR_PAR	<u>IS-M</u>	<u>IS-M</u>
10	2,628		IMG Activity: ISPAM_ABSKOND	IS-M	IS-M
11	2,629		IMG Activity: ISPAM_FKTFELDKTLG	IS-M	IS-M
12	2,630		IMG Activity: ISPAM_FKTKONDTAB	<u>IS-M</u>	<u>IS-M</u>
13	2,631		IMG Activity: ISPAM_FKTNACHRART	IS-M	IS-M
14 2,634 \$\frac{S_KK4_740019}{15}\$ IMG Activity: ISPSD_VUWERKBUKRS \$\frac{IS-M}{15}\$ 2,635 \$\frac{S_KK4_740019}{16}\$ IMG Activity: ISPAM_ABSFELDKTLG \$\frac{IS-M}{16}\$ 2,636 \$\frac{S_KK4_740019}{17}\$ IMG Activity: ISPAM_ABSKONDTAB \$\frac{IS-M}{15}\$	2,632		IMG Activity: ISPAM_FKTZUGRFOLG	IS-M	IS-M
15	2,633		IMG Activity: ISPAM_ABSNACHRSCHE	<u>IS-M</u>	IS-M
16	2,634		IMG Activity: ISPSD_VUWERKBUKRS	IS-M	IS-M
17	2,635		IMG Activity: ISPAM_ABSFELDKTLG	IS-M	IS-M
2,637 S_KK4_740019 IMG Activity: ISM_BUKRS_KKBER_ASS IS-M IS-M	2,636		IMG Activity: ISPAM_ABSKONDTAB	<u>IS-M</u>	IS-M
18	2,637		IMG Activity: ISM_BUKRS_KKBER_ASS	IS-M	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,638	S KK4 740019 19	IMG Activity: ISPAM_ABSNACHRART	<u>IS-M</u>	<u>IS-M</u>
2,639	S KK4 740019 20	IMG Activity: ISPAM_ABSZUGRFOLG	<u>IS-M</u>	<u>IS-M</u>
2,640		IMG Activity: ISM_VBER_KKBER_ASS	<u>IS-M</u>	<u>IS-M</u>
2,641	S_KK4_740019 22	IMG Activity: ISPAM_ERLV_KSCHL_KOP	<u>IS-M</u>	IS-M
2,642	S KK4 740019 23		<u>IS-M</u>	<u>IS-M</u>
2,643	S_KK4_740019 24	IMG Activity: ISPAM_CONDIDX_ERLVT	<u>IS-M</u>	<u>IS-M</u>
2,644		IMG Activity: ISPAM_COND_COPY_EVT	<u>IS-M</u>	<u>IS-M</u>
1 '		IMG Activity: ISPAM_CND_IDX_OVERF3	<u>IS-M</u>	<u>IS-M</u>
		IMG Activity: ISPAM_REV_ACC_DET_4	<u>IS-M</u>	<u>IS-M</u>
2,647		IMG Activity: ISPSD_VUSPARTJEVKEIN	<u>IS-M</u>	IS-M
2,648		IMG Activity: ISPAM_REV_ACC_DET_1	<u>IS-M</u>	<u>IS-M</u>
2,649		IMG Activity: ISPAM_COPY_KA_KS	<u>IS-M</u>	IS-M
2,650		IMG Activity: ISPAM_REV_ACC_DET_2	IS-M	<u>IS-M</u>
2,651		IMG Activity: ISPAM_REV_ACC_DET_3	<u>IS-M</u>	<u>IS-M</u>
2,652	<u>S_KK4_740019</u> 33	IMG Activity: ISPSD_VUVTWEGJEVKORG	<u>IS-M</u>	<u>IS-M</u>
2,653	S_KK4_740019 34	IMG Activity: ISPSD_VUVKBUEROVTBER	<u>IS-M</u>	IS-M
2,654	S KK4 740019 35	IMG Activity: ISPSD_NACHRSCHEMAZUO	<u>IS-M</u>	<u>IS-M</u>
2,655	S_KK4_740019 36	IMG Activity: ISPSD_NACHRDYNMENKST	<u>IS-M</u>	IS-M
2,656	S_KK4_740019 37	IMG Activity: ISPSD_NACHRDRUPARAM	IS-M	<u>IS-M</u>
2,657	S KK4 740019 38	IMG Activity: ISPSD_VUVTBEREICHE	<u>IS-M</u>	<u>IS-M</u>
2,658		IMG Activity: ISPSD_VUSPARTVKORG	IS-M	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,659	S KK4 740019	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	40	ISPSD_NACHRZUGRNACHS		
2,660	S KK4 740019	IMG Activity: ISPAM_REV_ACC_DET_5	<u>IS-M</u>	<u>IS-M</u>
	<u>41</u>			
2,661	S KK4 740019	IMG Activity: ISPAM_REV_ACC_DET_6	IS-M	<u>IS-M</u>
	<u>42</u>			
2,662	S KK4 740019	IMG Activity: ISPAM_JJVTVBUR	IS-M	<u>IS-M</u>
	<u>43</u>			
2,663	S KK4 740019	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	44	ISPSD_VUVKGRPVKBUERO		
2,664	S KK4 740019	IMG Activity: ISPSD_EKORGVTBERZUO	IS-M	<u>IS-M</u>
	<u>45</u>	-		
2,665	S KK4 740019	IMG Activity:	IS-M	<u>IS-M</u>
	<u>46</u>	ISPSD_NACHRFKATKONDT		
2,666	S KK4 740019	IMG Activity: ISPAM_FRMTXT_VKORG	<u>IS-M</u>	<u>IS-M</u>
	<u>47</u>			
2,667	S KK4 740019	IMG Activity: ISPAM_FRMTXT_EKORG	IS-M	<u>IS-M</u>
	48	_		
2,668	S KK4 740019	IMG Activity: ISPAM_ADRESSFORMAT	IS-M	<u>IS-M</u>
	<u>49</u>	_		
2,669	S KK4 740019	IMG Activity: ISPAM_ADRFRMT_FORM	<u>IS-M</u>	<u>IS-M</u>
	<u>50</u>			
2,670	S KK4 740019	IMG Activity: ISPAM_PRINT_OPT_NACH	IS-M	<u>IS-M</u>
	<u>51</u>	_		
2,671	S KK4 740019	IMG Activity:	IS-M	<u>IS-M</u>
	<u>52</u>	ISPAM_NACHR_DYNKOND		
2,672	S KK4 740019	IMG Activity: ISPSD_VUWERKE	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>			
2,673	S_KK4_740019	IMG Activity: ISPSD_VUSPARTEN	IS-M	<u>IS-M</u>
	<u>54</u>			
2,674	S_KK4_740019	IMG Activity: ISPAM_PRGFRM_AUF	<u>IS-M</u>	<u>IS-M</u>
	<u>55</u>			
2,675	S KK4 740019	IMG Activity: ISPAM_PRGFRM_ABSCH	<u>IS-M</u>	<u>IS-M</u>
	<u>56</u>			
2,676	S_KK4_740019	IMG Activity: ISPAM_PRGFRM_FAKT	<u>IS-M</u>	IS-M
	<u>57</u>			
2,677	S_KK4_740019	IMG Activity: ISPAM_PRGFRM_STAMM	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>			
2,678	S KK4 740019	IMG Activity: ISPAM_FRM_DEF	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>			
2,679	S_KK4_740019	IMG Activity: ISPSD_AKONTZTABELLE	<u>IS-M</u>	<u>IS-M</u>
	<u>60</u>			
	•	•		

#	T-Code	Description	Module	Component
2,680	S KK4 740019	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>61</u>	ISPSD_AKONTZZUGRFOLG		
2,681	S KK4 740019	IMG Activity:	IS-M	IS-M
	62	ISPSD_AKONTZSCHEMATA		
2,682	S KK4 740019	IMG Activity: ISPSD_AKONTZSCHLUESS	IS-M	<u>IS-M</u>
,	63	_		
2,683	S KK4 740019	IMG Activity:	IS-M	IS-M
,	64	ISPSD_AKONTZSACHKTZU		
2,684		IMG Activity: ISPSD_AKONTTABELLE	IS-M	<u>IS-M</u>
_,,,,,	65			
2,685		IMG Activity: ISPSD_AKONTGRPVSG	IS-M	IS-M
2,003	66	into richting, ist sb_rintortroid vsc	10 111	15 111
2,686		IMG Activity: ISPSD_VUGESCHBEREICH	IS-M	IS-M
2,000	67	invo Activity. ISI SD_v CollectibleRelieff	<u>15-1/1</u>	15-141
2,687	S KK4 740019	IMG Activity:	IS-M	IS-M
2,007	68	ISPAM BEDINGUNGENNST	15-11	15-11
2,688		IMG Activity: ISPAM_TJHPRINT	IS-M	IS-M
2,000	69	ING Activity. ISPAM_IJHPRINI	<u>13-1VI</u>	<u>13-1/1</u>
2.690		IMC Astistica ICDCD VIIDIUDC	IC M	IC M
2,689		IMG Activity: ISPSD_VUBUKRS	<u>IS-M</u>	<u>IS-M</u>
2.600	70 S. W. 4. 740010	IMC Astistas ICDAM DADTNEDCCHEMA	IC M	IC M
2,690		IMG Activity: ISPAM_PARTNERSCHEMA	<u>15-M</u>	<u>IS-M</u>
2 (01	<u>71</u>	DAGA C C TOM WINDER MADIEARI	TO 14	IC M
2,691	S_KK4_740019	IMG Activity: ISM_KKBER_MAINTAIN	<u>IS-M</u>	<u>IS-M</u>
	72		70.75	
2,692	<u>S_KK4_740019</u>	1	<u>IS-M</u>	<u>IS-M</u>
	73	ISPAM_STAMMNACHRART		
2,693	S KK4 740019	1	<u>IS-M</u>	<u>IS-M</u>
	<u>74</u>	ISPAM_STAMMZUGRFOLG		
2,694	S_KK4_740019	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>75</u>	ISPAM_STAMMNACHRSCHE		
2,695	S_KK4_740019	IMG Activity: ISPSD_VUVERKGRP	<u>IS-M</u>	<u>IS-M</u>
	<u>76</u>			
2,696	S KK4 740019	IMG Activity: ISPSD_VUVERKBUERO	<u>IS-M</u>	<u>IS-M</u>
	<u>77</u>			
2,697	S_KK4_740019	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>78</u>	ISPAM_STAMMNACHR_PAR		
2,698	S_KK4_740019	IMG Activity: ISPSD_VULAGERORT	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			
2,699	S KK4 740019	IMG Activity: ISPAM_FKTNACHRSCHE	<u>IS-M</u>	<u>IS-M</u>
	80	_		
2,700	S KK4 740019	IMG Activity: ISPAM_FKTNACHR_PAR	IS-M	IS-M
	81			
		I .	I .	

#	T-Code	Description	Module	Component
2,701	S KK4 740019 82	IMG Activity: ISPAM_FKTKOND	<u>IS-M</u>	<u>IS-M</u>
2,702		IMG Activity: ISPSD_VUEKORG	<u>IS-M</u>	<u>IS-M</u>
2,703		IMG Activity: ISPAM_STAMMFELDKTLG	<u>IS-M</u>	IS-M
2,704	S_KK4_740019 85	IMG Activity: ISPAM_STAMMKONDTAB	<u>IS-M</u>	IS-M
2,705	S KK4 740019 86	IMG Activity: ISPAM_KONZUGRFOLG	<u>IS-M</u>	<u>IS-M</u>
2,706	S_KK4_740019 87	IMG Activity: ISPAM_KONNACHRSCHE	<u>IS-M</u>	IS-M
2,707		IMG Activity: ISPAM_KONNACHR_PAR	IS-M	<u>IS-M</u>
2,708		IMG Activity: ISPAM_KONKOND	<u>IS-M</u>	<u>IS-M</u>
2,709		IMG Activity: ISPAM_JJVTVKK	<u>IS-M</u>	<u>IS-M</u>
2,710		IMG Activity: ISPAM_NACHRADRESS	IS-M	IS-M
2,711		IMG Activity: ISPSD_VUVERKORG	<u>IS-M</u>	<u>IS-M</u>
2,712		IMG Activity: ISPAM_STAMMKOND	<u>IS-M</u>	IS-M
2,713		IMG Activity: ISPSD_VUVERTRIEBSWEG	IS-M	<u>IS-M</u>
2,714	S KK4 740019 95	IMG Activity: ISPAM_HIERAEND_DLI	<u>IS-M</u>	<u>IS-M</u>
2,715		IMG Activity: ISPAM_KONFELDKTLG	<u>IS-M</u>	IS-M
2,716	S_KK4_740019 97	IMG Activity: ISPAM_KONKONDTAB	<u>IS-M</u>	IS-M
2,717	S KK4 740019 98	IMG Activity: ISPAM_KONNACHRART	<u>IS-M</u>	<u>IS-M</u>
2,718	S_KK4_740019 99	IMG Activity: ISPAM_PROV_PRICE_2	<u>IS-M</u>	<u>IS-M</u>
2,719	S_KK4_740020 00	IMG Activity: ISMAM_COND_FORSALVOL	IS-M	IS-M
2,720			<u>IS-M</u>	<u>IS-M</u>
2,721		IMG Activity: ISPSD_DYNBILDSCHMOD	IS-M	IS-M

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,722	S KK4 740020	IMG Activity: ISPSD_VARIABLTVARV	<u>IS-M</u>	IS-M
	<u>03</u>	-		
2,723	S KK4 740020	IMG Activity:	IS-M	<u>IS-M</u>
	<u>04</u>	ISMAM_BEZCOND_KOAR_Z		
2,724	S_KK4_740020	IMG Activity:	IS-M	<u>IS-M</u>
	<u>05</u>	ISPAM_DYN_MENU_KONPF		
2,725	S_KK4_740020	IMG Activity: ISPAM_ORDER_PRICE_KL	IS-M	<u>IS-M</u>
	<u>06</u>	-		
2,726	S KK4 740020	IMG Activity: ISPAM_ORDER_BEZKO_3	<u>IS-M</u>	<u>IS-M</u>
	<u>07</u>	-		
2,727	S_KK4_740020	IMG Activity: ISPAM_ORDER_BEZKO_2	IS-M	<u>IS-M</u>
	<u>08</u>	-		
2,728	S_KK4_740020	IMG Activity: ISPAM_ORDER_BEZKO_4	IS-M	<u>IS-M</u>
	<u>09</u>			
2,729	S KK4 740020	IMG Activity: ISPAM_ORDER_BEZKO_5	IS-M	<u>IS-M</u>
	<u>10</u>	-		
2,730	S_KK4_740020	IMG Activity: ISPAM_ABS_COND14	IS-M	IS-M
	<u>11</u>			
2,731	S KK4 740020	IMG Activity: ISPAM_CONDIDX_JD	IS-M	<u>IS-M</u>
	<u>12</u>	-		
2,732	S KK4 740020	IMG Activity: ISPAM_COND_COPY_JD	<u>IS-M</u>	<u>IS-M</u>
	<u>13</u>			
2,733	S_KK4_740020	IMG Activity: ISPAM_ABSCHL_PRICE_2	IS-M	<u>IS-M</u>
	<u>14</u>			
2,734	S_KK4_740020	IMG Activity: ISPAM_ABS_COND13	IS-M	<u>IS-M</u>
	<u>15</u>	-		
2,735	S KK4 740020	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>16</u>	ISMAM_OUTBK_COND_EX		
2,736	S_KK4_740020	IMG Activity:	IS-M	<u>IS-M</u>
	<u>17</u>	ISPSD_GRUNDSYNPSDPAM		
2,737	S_KK4_740020	IMG Activity: ISM_GRUNDMNDPAEND	<u>IS-M</u>	IS-M
	<u>18</u>			
2,738	S KK4 740020	IMG Activity: ISPAM_ABS_COND11	<u>IS-M</u>	<u>IS-M</u>
	<u>19</u>			
2,739	S_KK4_740020	IMG Activity: ISPAM_ABS_COND12	<u>IS-M</u>	IS-M
	<u>20</u>			
2,740	S_KK4_740020	IMG Activity: ISP_GP_NRKRS_GP	<u>IS-M</u>	IS-M
	<u>21</u>			
2,741	S KK4 740020	IMG Activity: ISP_KTOGRP	<u>IS-M</u>	<u>IS-M</u>
	<u>22</u>			
2,742	S_KK4_740020	IMG Activity: ISPAM_ORDER_PRICE_1	<u>IS-M</u>	<u>IS-M</u>
	<u>23</u>			

IS-M - SAP Media

#	T-Code	Description	Module	Component
1 ' I		IMG Activity: ISPAM_ORDER_PRICE_2	<u>IS-M</u>	<u>IS-M</u>
2,744	24 S KK4 740020 25	IMG Activity: ISPAM_ORDER_PRICE_3	<u>IS-M</u>	<u>IS-M</u>
2,745	S KK4 740020 26	IMG Activity: ISP_GP_VORLFELD	IS-M	IS-M
	S_KK4_740020 27	IMG Activity: ISPSD_PABRPOLISTKOND	<u>IS-M</u>	<u>IS-M</u>
	S KK4 740020 28	IMG Activity: ISPSD_PABRBEDING	<u>IS-M</u>	<u>IS-M</u>
	S_KK4_740020 29	IMG Activity: ISPSD_PABRFORMELN	<u>IS-M</u>	IS-M
	S_KK4_740020 30	IMG Activity: ISP_SDGP_EINRICHT	<u>IS-M</u>	IS-M
	S KK4 740020 31	IMG Activity: ISP_DIFFUNIT	<u>IS-M</u>	<u>IS-M</u>
	S_KK4_740020 32	IMG Activity: ISPAM_COND_COPY_ORD	IS-M	<u>IS-M</u>
1 1	S_KK4_740020 33	IMG Activity: ISPAM_CND_IDX_OVERF1	<u>IS-M</u>	<u>IS-M</u>
1 1	S KK4 740020 34	IMG Activity: ISPAM_ORDER_PRICE_9	<u>IS-M</u>	<u>IS-M</u>
1 ' I	S_KK4_740020 35	IMG Activity: ISP_NRKRVERWEND	<u>IS-M</u>	IS-M
	S_KK4_740020 36	IMG Activity: ISPAM_ORDER_PRICE_4	IS-M	IS-M
1 1	S KK4 740020 37	IMG Activity: ISP_PARTNERROLLEN	<u>IS-M</u>	<u>IS-M</u>
1 1	S_KK4_740020 38	IMG Activity: ISPAM_ORDER_PRICE_5	<u>IS-M</u>	IS-M
1 1	S_KK4_740020 39	IMG Activity: ISPAM_ORDER_PRICE_11	<u>IS-M</u>	<u>IS-M</u>
1 1	S KK4 740020 40	IMG Activity: ISPAM_CONDIDX_ORDER	<u>IS-M</u>	<u>IS-M</u>
1 1	S_KK4_740020 41	IMG Activity: ISPAM_PROV_PRICE_1_2	<u>IS-M</u>	<u>IS-M</u>
1 1	S_KK4_740020 42	IMG Activity: ISPSD_VUKONSISTVERTR	IS-M	IS-M
2,762	S KK4 740020 43	IMG Activity: ISPAM_PROV_PRICE_1_1	<u>IS-M</u>	<u>IS-M</u>
2,763	S_KK4_740020 44	IMG Activity: ISM_AKTLANDVERSION	<u>IS-M</u>	<u>IS-M</u>

IS-M - SAP Media

#	T-Code	Description	Module	Component
2,764	S KK4 740020	IMG Activity: ISPSD_VUREGELNVTBER	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>	-		
2,765	S KK4 740020	IMG Activity: ISPSD_VUGBJEVTBER	<u>IS-M</u>	<u>IS-M</u>
	<u>46</u>	•		
2,766	S_KK4_740020	IMG Activity: ISPAM_CND_IDX_OVERF2	IS-M	<u>IS-M</u>
	47	•		
2,767	S_KK4_740020	IMG Activity: ISPSD_KONSISTEKORG	IS-M	<u>IS-M</u>
	<u>48</u>	-		
2,768	S KK4 740020	IMG Activity: ISPAM_CONDIDX_PROV	<u>IS-M</u>	<u>IS-M</u>
	<u>49</u>			
2,769	S_KK4_740020	IMG Activity: ISPAM_PROV_PRICE_1_3	IS-M	<u>IS-M</u>
	<u>50</u>			
2,770	S_KK4_740020	IMG Activity: ISPAM_PROV_PRICE_1_4	IS-M	<u>IS-M</u>
	<u>51</u>			
2,771	S KK4 740020	IMG Activity: ISPAM_PROV_PRICE_1_7	<u>IS-M</u>	<u>IS-M</u>
	<u>52</u>			
2,772	S_KK4_740020	IMG Activity:	IS-M	<u>IS-M</u>
	<u>53</u>	ISPAM_COND_COPY_PROV		
2,773	S_KK4_740020	IMG Activity: ISPAM_VABR_BEZKON2	<u>IS-M</u>	<u>IS-M</u>
	<u>54</u>			
2,774	S KK4 740020	IMG Activity: ISPAM_CONTRACT_DISC	<u>IS-M</u>	<u>IS-M</u>
	<u>55</u>			
2,775	<u>S_KK4_740020</u>	IMG Activity: ISP_ALLGSTEUPARAISP	<u>IS-M</u>	<u>IS-M</u>
	<u>56</u>			
2,776	S_KK4_740020	IMG Activity: ISPAM_VABR_BEZKON1	<u>IS-M</u>	<u>IS-M</u>
	<u>57</u>			
2,777	S KK4 740020	IMG Activity: ISPAM_PROV_PRICE_1_6	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>			
2,778		IMG Activity: ISPSD_VUGBWERKSPART	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>			
2,779	S_KK4_740020	IMG Activity: ISPAM_ORDER_PR_KL_P	IS-M	<u>IS-M</u>
	<u>60</u>			
2,780	S KK4 740020	IMG Activity: ISM_USEREXPROD	<u>IS-M</u>	<u>IS-M</u>
	<u>61</u>			
2,781	S_KK4_740020	IMG Activity: ISPSD_USEXGP	<u>IS-M</u>	<u>IS-M</u>
	<u>62</u>			
2,782	S_KK4_740020	IMG Activity: ISMAM_USEREXTECH	<u>IS-M</u>	<u>IS-M</u>
	<u>63</u>			
2,783	S KK4 740020	IMG Activity: ISMAM_USEREXABRECH	<u>IS-M</u>	<u>IS-M</u>
	64			
2,784	<u>S_KK4_740020</u>	1	<u>IS-M</u>	<u>IS-M</u>
	65	ISPSD_USEXABRECHNUNG		

#	T-Code	Description	Module	Component
2,785	S KK4 740020	IMG Activity: ISMAM_USEREXFAKT	IS-M	IS-M
	66	_		
2,786	S KK4 740020	IMG Activity: ISPSD_USEXFAKT	IS-M	IS-M
	<u>67</u>	_		
2,787	S KK4 740020	IMG Activity: ISM_WERKZUSEXVERS	IS-M	IS-M
	<u>68</u>	•		
2,788	S_KK4_740020	IMG Activity: ISMAM_USEREXVERK	<u>IS-M</u>	<u>IS-M</u>
	<u>69</u>	•		
2,789	S KK4 740020	IMG Activity: ISPSD_USEXAUFTRAG	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>	-		
2,790	S_KK4_740020	IMG Activity: ISPSD_USEXVERBREIT	<u>IS-M</u>	<u>IS-M</u>
	<u>71</u>			
2,791	S_KK4_740020	IMG Activity: ISPSD_FAKTUBERLGJVAR	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>			
2,792	S KK4 740020	IMG Activity: ISP_GRUNDMASSKAL	<u>IS-M</u>	<u>IS-M</u>
	<u>73</u>			
2,793	S_KK4_740020	IMG Activity: ISPAM_SELECTION_BLKS	<u>IS-M</u>	<u>IS-M</u>
	<u>74</u>			
2,794	S_KK4_740020	IMG Activity: ISP_IS_BSTA_EINST_LA	<u>IS-M</u>	<u>IS-M</u>
	<u>75</u>			
2,795	S KK4 740020	IMG Activity: ISP_IS_BSTA_EINST_DA	<u>IS-M</u>	<u>IS-M</u>
	<u>76</u>			
2,796	S_KK4_740020	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>77</u>	ISPAM_ERLV_KSCHL_UMS		
2,797	S_KK4_740020	IMG Activity: ISPSD_VERSPAPFONTS	<u>IS-M</u>	<u>IS-M</u>
	<u>78</u>			
2,798		IMG Activity: ISPSD_ABRUBERGJVAR	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			
2,799	S_KK4_740020	IMG Activity: ISM_USEXNACHRICHTEN	<u>IS-M</u>	<u>IS-M</u>
	80			
2,800	S_KK4_740020	IMG Activity: ISP_IS_LDWDB_FELDKTI	<u>IS-M</u>	<u>IS-M</u>
	81			
2,801	S KK4 740020	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>82</u>	ISPSD_WERKZADRSYNCHR		
2,802	S_KK4_740020	IMG Activity: ISP_IS_LDWDB_WERKZ2	<u>IS-M</u>	<u>IS-M</u>
	83			
2,803	S_KK4_740020	IMG Activity: ISPSD_BESCHSTEUERKZ	<u>IS-M</u>	<u>IS-M</u>
	84			
2,804	S KK4 740020	IMG Activity: ISP_IS_LDWDB_WERKZ31	<u>IS-M</u>	<u>IS-M</u>
	<u>85</u>			
2,805		IMG Activity: ISP_KLASSENSYSTEM	<u>IS-M</u>	<u>IS-M</u>
	<u>86</u>			

#	T-Code	Description	Module	Component
2,806	S KK4 740026 30	IMG Activity: _ISMCAIN_ISMCA05	<u>IS-M</u>	<u>IS-M</u>
2,807		IMG Activity: _ISMCAIN_ISMCA06	<u>IS-M</u>	<u>IS-M</u>
2,808		IMG Activity: _ISMCAIN_ISMCA07	<u>IS-M</u>	IS-M
2,809	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
2,810	01 S KK4 820000	(empty)	<u>IS-M</u>	IS-M
2,811	02 S_KK4_820000	(empty)	IS-M	IS-M
2,812	03 S_KK4_820000	(empty)	IS-M	IS-M
2,813	04 S KK4 820000	(empty)	IS-M	IS-M
2,814	05 S_KK4_820000	(empty)	IS-M	IS-M
2,815	07 S KK4 820000	(empty)	IS-M	IS-M
	13 S KK4 820000		IS-M	IS-M
2,817	17 S KK4 820000		IS-M	IS-M
	28			
2,818	S_KK4_820000 29		IS-M	<u>IS-M</u>
2,819	S KK4 820000 30		<u>IS-M</u>	<u>IS-M</u>
2,820	S_KK4_820000 31	(empty)	<u>IS-M</u>	IS-M
2,821	S_KK4_820000 32	(empty)	IS-M	<u>IS-M</u>
2,822	S KK4 820000 33	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,823	S_KK4_820000 34	(empty)	IS-M	IS-M
2,824	S_KK4_820000 35	(empty)	IS-M	<u>IS-M</u>
2,825	S KK4 820000 36	(empty)	<u>IS-M</u>	IS-M
2,826	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
	37			

#	T-Code	Description	Module	Component
2,827	S KK4 820000	1	IS-M	IS-M
2,027	38	(Cimpty)	15 111	ID IVI
2,828	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
2,020	39	(Cimpty)		10 111
2,829	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
_,=,==	40	(compage)		
2,830	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
_,=,===	48	(
2,831	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	50			
2,832	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
	<u>51</u>			
2,833	S KK4 820000	(empty)	IS-M	IS-M
	<u>52</u>	2 2		
2,834	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>			
2,835	S_KK4_820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>54</u>			
2,836	S_KK4_820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>56</u>			
2,837	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>57</u>			
2,838	S_KK4_820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>			
2,839	S_KK4_820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.040	<u>62</u>		TG 3.6	TG 3.6
2,840	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.041	63		IC M	IC M
2,841	S_KK4_820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.942	64 S. VV.4. 920000	(amata)	IC M	IC M
2,842	S_KK4_820000 65	(empty)	<u>IS-M</u>	IS-M
2,843	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,043	86	(Cimpley)	1D-141	1D-1VI
2,844	S KK4 820000	(empty)	IS-M	IS-M
2,077	87	(Simpley)	10111	171
2,845	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
	88	(F -3 /		
2,846	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
	89	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
2,847	S KK4 820000	(empty)	<u>IS-M</u>	IS-M
	90			
			•	

#	T-Code	Description	Module	Component
2,848	S KK4 820000	1	IS-M	IS-M
_,0.0	91	(compage)	<u> </u>	<u> </u>
2,849	S KK4 820000	(empty)	IS-M	IS-M
_,0.5	92	(compage)	<u> </u>	<u> </u>
2,850	S KK4 820000	(empty)	IS-M	IS-M
,	94			
2,851	S KK4 820000	(empty)	IS-M	IS-M
,	95			
2,852	S KK4 820000	(empty)	<u>IS-M</u>	<u>IS-M</u>
,	96			
2,853	S KK4 820000	(empty)	IS-M	<u>IS-M</u>
	<u>97</u>			
2,854	S KK4 820001	(empty)	IS-M	IS-M
	<u>19</u>			
2,855	S KK4 820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>20</u>			
2,856	S KK4 820001	(empty)	IS-M	IS-M
	<u>51</u>			
2,857	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>52</u>			
2,858	S KK4 820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>			
2,859	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>54</u>			
2,860	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>55</u>			
2,861	S KK4 820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>75</u>			
2,862	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	84			
2,863	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>92</u>			
2,864	S KK4 820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	93			
2,865	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>96</u>			
2,866	S_KK4_820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	97			
2,867	S KK4 820001	(empty)	<u>IS-M</u>	<u>IS-M</u>
	98			
2,868	S KK4 820002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	11			

#	T-Code	Description	Module	Component
2,869	S KK4 820002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>12</u>			
2,870	S KK4 820002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>15</u>			
2,871	S_KK4_820002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>19</u>			
2,872	S_KK4_820002	(empty)	IS-M	IS-M
	<u>25</u>			
2,873	S KK4 820002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
2,874	S_KK4_820002	(empty)	IS-M	IS-M
	<u>62</u>			
2,875	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>06</u>			
2,876	S KK4 820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>08</u>			
2,877	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>12</u>			
2,878	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>13</u>			
2,879	S KK4 820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>16</u>			
2,880	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>25</u>			
2,881	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>38</u>			
2,882		IS-M/AM: Order Update Worklist	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>			
2,883	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	61			
2,884	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	63			
2,885	S KK4 820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
2 22 5	66		10.16	10.16
2,886	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.005	67		10.14	10.14
2,887	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.000	68 G WW4 920002		IC M	IC M
2,888	S KK4 820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.000	69 S. W. 4. 920002	(IC M	IC M
2,889	S_KK4_820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>			

	AP Media T-Code	Description	Module	Component
2,890	S KK4 820003	Description (county)	IS-M	Component IS-M
2,890	<u>5 KK4 820005</u> <u>71</u>	(empty)	<u>13-1/1</u>	<u>15-1/1</u>
2,891	S KK4 820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.002	<u>72</u>		TO M	IC M
2,892	S_KK4_820003 73	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,893	S_KK4_820003 74	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,894	S KK4 820003 75	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,895	S_KK4_820003 76	(empty)	IS-M	IS-M
2,896	S_KK4_820003 77	(empty)	IS-M	IS-M
2,897	S KK4 820003 78	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,898	S_KK4_820003 79	(empty)	IS-M	IS-M
2,899	S_KK4_820003 80	(empty)	IS-M	<u>IS-M</u>
2,900	S KK4 820003 81	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,901	S_KK4_820003 82	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,902	S_KK4_820003 83	(empty)	IS-M	<u>IS-M</u>
2,903	S KK4 820003 84	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,904	S_KK4_820003 85	(empty)	IS-M	<u>IS-M</u>
2,905	S_KK4_820003 86	(empty)	<u>IS-M</u>	IS-M
2,906	S KK4 820003 88	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,907	S_KK4_820003 89	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,908	S_KK4_820003 90	(empty)	IS-M	IS-M
2,909	S KK4 820003 91	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,910	S_KK4_820003 96	(empty)	IS-M	IS-M

13-1/1 - 3/		D	N. 1. 1	C ,
#	T-Code	Description	Module	Component
2,911	S KK4 820003	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>99</u>			
2,912	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>00</u>			
2,913	S KK4 820004	(empty)	IS-M	IS-M
	04			
2,914	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,511	11	(empty)	15 111	10 111
2,915	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,913		(empty)	<u>13-1/1</u>	13-1/1
2.016	<u>12</u>		TO 3.6	TG 3.4
2,916	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	21			
2,917	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
2,918	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>38</u>			
2,919	S KK4 820004	(empty)	IS-M	<u>IS-M</u>
	39	1 3/		
2,920	S_KK4_820004	(empty)	IS-M	<u>IS-M</u>
2,720	40	(empty)	15 111	10 111
2,921	S KK4 820004	(empty)	IS-M	<u>IS-M</u>
2,921	41	(empty)	15-11	<u>19-1/1</u>
2.022			TC M	10.14
2,922	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	45			
2,923	S_KK4_820004	(empty)	IS-M	<u>IS-M</u>
	<u>46</u>			
2,924	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>47</u>			
2,925	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>48</u>			
2,926	S KK4 820004	(empty)	IS-M	IS-M
	50	1.37		_
2,927	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,721	51 KR4 820004		10 111	10 111
2.029	S KK4 820004	(ampty)	IC M	IC M
2,928		(empty)	<u>IS-M</u>	<u>IS-M</u>
2.026	<u>52</u>		TG 3.6	TG 3.6
2,929	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>			
2,930	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>60</u>			
2,931	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>61</u>			
		•	•	

#	T-Code	Description	Module	Component
2,932	S KK4 820004	*	IS-M	IS-M
2,732	64	(Chipty)	<u>15-1v1</u>	<u>15-W1</u>
2,933	S KK4 820004	(empty)	<u>IS-M</u>	IS-M
_,,,,,,	65	(Carpa)	1.1	<u> </u>
2,934	S KK4 820004	(empty)	<u>IS-M</u>	IS-M
	<u>66</u>			
2,935	S_KK4_820004	(empty)	IS-M	<u>IS-M</u>
	<u>69</u>			
2,936	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>			
2,937	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.020	<u>71</u>		10.14	TC M
2,938	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,939	<u>72</u> <u>S KK4 820004</u>	(empty)	IS-M	<u>IS-M</u>
2,939	73	(empty)	<u>19-M</u>	15-1/1
2,940		M/AM: Quantity Unit for Height	<u>IS-M</u>	IS-M
2,5 .0	74	and the same of the same	171	10 1/1
2,941	S KK4 820004	(empty)	IS-M	IS-M
	<u>78</u>			
2,942	S KK4 820004	IS-M/SD Maint.View for Packing Chars	<u>IS-M</u>	<u>IS-M</u>
	<u>85</u>			
2,943	S_KK4_820004	(empty)	IS-M	<u>IS-M</u>
	86			
2,944	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,945	87 S VV4 920004	(ometry)	IC M	IC M
2,943	S KK4 820004 88	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,946	S KK4 820004	(empty)	IS-M	<u>IS-M</u>
2,> 10	89	(Cimpty)	10 111	15 111
2,947	S KK4 820004	(empty)	<u>IS-M</u>	IS-M
	90			
2,948	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>91</u>			
2,949	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
• • • • • • • • • • • • • • • • • • • •	92		TO 7.5	10.15
2,950	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.051	93 S VV4 920004	(ompty)	IC M	IC M
2,951	S KK4 820004 94	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,952	<u>S_KK4_820004</u>	(empty)	IS-M	<u>IS-M</u>
2,732	95	(empty)	10-141	10-141
				

13-W - 37		Description	Modulo	Component
**	T-Code	Description	Module	Component
2,953	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	96			
2,954	S KK4 820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>			
2,955	S_KK4_820004	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>98</u>			
2,956	S_KK4_820005	(empty)	IS-M	<u>IS-M</u>
,	14			
2,957	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,507	17	(empty)	10 111	10 111
2,958	S KK4 820005	(empty)	IS-M	IS-M
2,936	18	(empty)	<u>15-1/1</u>	<u>13-1/1</u>
2.050			TC M	TC 3.4
2,959	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>26</u>			
2,960	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>28</u>			
2,961	S_KK4_820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>29</u>			
2,962	S_KK4_820005	(empty)	IS-M	IS-M
	31			
2,963	S KK4 820005	(empty)	IS-M	<u>IS-M</u>
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	32	(r 3)		
2,964	S KK4 820005	(empty)	IS-M	<u>IS-M</u>
2,501	33	(empty)	15 111	15 111
2,965	S KK4 820005	(empty)	IS-M	IS-M
2,903	57 KR4_820005	(empty)	15-11	13-W
2.066		(compty)	IC M	IC M
2,966	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
2067	58		70.76	TG 3.6
2,967	S_KK4_820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>			
2,968	S_KK4_820005	(empty)	IS-M	<u>IS-M</u>
	<u>60</u>			
2,969	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>61</u>			
2,970	S KK4 820005	(empty)	IS-M	<u>IS-M</u>
	63			
2,971	S KK4 820005	(empty)	IS-M	<u>IS-M</u>
	64	r 37		
2,972	S KK4 820005	(empty)	IS-M	<u>IS-M</u>
2,772	65		10 111	10 111
2.072		(compty)	IC M	IC M
2,973	S_KK4_820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>66</u>			

19-101 - 97		5	36 11	
#	T-Code	Description	Module	Component
2,974	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>67</u>			
2,975	S KK4 820005	(empty)	IS-M	IS-M
	68			
2,976	S KK4 820005	(empty)	IS-M	IS-M
2,770		(Chipty)	15-11	15-141
2.077	69		TC M	10.14
2,977	S_KK4_820005	(empty)	IS-M	<u>IS-M</u>
	<u>70</u>			
2,978	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>71</u>			
2,979	S_KK4_820005	(empty)	IS-M	IS-M
	84			
2,980	S KK4 820005	(empty)	IS-M	IS-M
2,700	85	(empty)	ID IVI	10 11
2.001		(IC M	IC M
2,981	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>86</u>			
2,982	S_KK4_820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>87</u>			
2,983	S_KK4_820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	88			
2,984	S KK4 820005	(empty)	<u>IS-M</u>	IS-M
	89	(
2,985	S KK4 820005	(empty)	IS-M	IS-M
2,763	90	(Chipty)	<u>15-1/1</u>	15-1/1
2.006			TC 3.6	TG 3.6
2,986	S_KK4_820005	(empty)	IS-M	<u>IS-M</u>
	91			
2,987	S KK4 820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>			
2,988	S_KK4_820005	(empty)	<u>IS-M</u>	<u>IS-M</u>
	98			
2,989	S KK4 820006	(empty)	IS-M	IS-M
_,,,,,,	04	(
2,990	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,330	05	(Cnipty)	19-1/1	10-111
2.001		MANA CI A CO II A	TG 3.4	TO 3.6
2,991		M/AM: Characteristic Assgmt (Online)	<u>IS-M</u>	<u>IS-M</u>
	<u>06</u>			
2,992	S_KK4_820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>07</u>			
2,993	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
	08		_	
2,994	S KK4 820006	(empty)	IS-M	IS-M
	<u>09</u>	(company)	10 111	10 111
	<u>v</u> 2			

#	T-Code	Description	Module	Component
2,995	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>10</u>			
2,996	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>11</u>			
2,997	S_KK4_820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>12</u>			
2,998	S_KK4_820006	(empty)	IS-M	<u>IS-M</u>
	14			
2,999	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
2 000	<u>15</u>			70.34
3,000	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.001	31		10.14	10.14
3,001	S_KK4_820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,002	32 S VV4 920006	(compty)	IC M	IC M
3,002	S KK4 820006 44	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,003	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,003	70	(empty)	15-W	10-11
3,004	S KK4 820006	(empty)	IS-M	<u>IS-M</u>
3,004	72	(Cimpty)	IS IVI	15 141
3,005	S KK4 820006	(empty)	IS-M	<u>IS-M</u>
,,,,,,	73	(
3,006	S KK4 820006	(empty)	IS-M	IS-M
	<u>74</u>			
3,007	S KK4 820006	(empty)	IS-M	IS-M
	<u>75</u>			
3,008	S KK4 820006	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>82</u>			
3,009	S_KK4_820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>25</u>			
3,010	S_KK4_820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
	27			
3,011	S KK4 820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
2 2 1 5	28		TG 3.5	70.74
3,012	S_KK4_820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.012	41 S. KK4 920007		TO M	IC M
3,013	S_KK4_820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
2 014	<u>42</u> <u>S KK4 820007</u>	(ompty)	IC M	IC M
3,014	5 KK4 820007 46	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,015	S KK4 820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,013	<u>5_KK4_820007</u> <u>50</u>	(empty)	19-1/1	19-1/1
	<u> </u>			

IS-M - SAP Media

S. KK4 S. S. KK4 S.	#	T-Code	Description	Module	Component
S. KK4 820007 Cempty	3,016	S KK4 820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
S2					
S. KK4 820007 S. KK4 820008 S. KK4 S	3,017	S KK4 820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
S3 S. KK4 820007 IS-M/SD: Quantity Planning Versions IS-M					
3,019 S. KK4 820007 IS-M/SD: Quantity Planning Versions IS-M	3,018		(empty)	IS-M	<u>IS-M</u>
S4 S. KK4 820007 IS-M/SD Field Attribs - Maint. View IS-M					
3,020 S. KK4 820007 IS-M/SD Field Attribs - Maint. View IS-M I	3,019		IS-M/SD: Quantity Planning Versions	IS-M	<u>IS-M</u>
3,021 S_KK4_820007 IS-M/SD Quantity Change - FMods IS-M	3,020	S KK4 820007	IS-M/SD Field Attribs - Maint. View	<u>IS-M</u>	<u>IS-M</u>
Section Sect		<u>55</u>			
3,022 S. KK4 820007 (empty) 64 3,023 S. KK4 820007 (empty) 67 3,024 S. KK4 820007 IMG Activity: ISMSD_SCS_REMERF 71 3,025 S. KK4 820007 (empty) 75 3,026 S. KK4 820007 (empty) 79 3,027 S. KK4 820007 (empty) 80 3,028 S. KK4 820007 (empty) 81 3,029 S. KK4 820007 (empty) 81 3,030 S. KK4 820007 (empty) 82 3,031 S. KK4 820007 (empty) 83 3,031 S. KK4 820007 (empty) 84 3,032 S. KK4 820007 (empty) 85 3,033 S. KK4 820007 (empty) 89 3,034 S. KK4 820007 (empty) 89 3,035 S. KK4 820008 (empty) 89 3,036 S. KK4 820008 (empty) 89 3,037 S. KK4 820008 (empty) 89 3,038 S. KK4 820008 (empty) 89 3,039 S. KK4 820008 (empty) 89 3,030 S. KK4 820008 (empty) 95 3,031 S. KK4 820008 (empty) 95 3,033 S. KK4 820008 (empty) 95 3,034 S. KK4 820008 (empty) 95 3,035 S. KK4 820008 (empty) 96 3,036 S. KK4 820008 (empty) 97 3,037 3,038 S. KK4 820008 (empty) 98 3,038 S. KK4 820008 (empty) 99 3,039 S. KK4 820008 (empty) 99 3,030 S. KK4 820008 (empty) 90 3,031 S. KK4 820008 (empty) 90 3,032 S. KK4 820008 (empty) 90 3,033 S. KK4 820008 (empty) 90 3,034 S. KK4 820008 (empty) 90 3,035 S. KK4 820008 (empty) 90 3,036 S. KK4 820008 (empty) 90 3,037 S. KK4 820008 (empty) 90 3,038 S. KK4 820008 (empty) 90 3,039 S. KK4 820008 (empty) 90 3,030 S. KK4 820008 (empty) 90 3,031 S. KK4 820008 (empty) 90 3,032 S. KK4 820008 (empty) 90 3,033 S. KK4 820008 (empty) 90 3,034 S. KK4 820008 (empty) 90 3,035 S. KK4 820008 (empty) 90 3,036 S. KK4 820008 (empty) 91 3,037 S. KK4 820008 (empty) 93 3,038 S. KK4 820008 (empty) 93 3,039 S. KK4 820008 (empty) 93 3,030 S. KK4 820008 (empty) 93 3,031 S. KK4 820008 (empty) 94 3,032 S. KK4 820008 (empty) 95 3,033 S. KK4 820008 (empty) 95 3,034 S. KK4 820008 (empty) 95 3,035 S. KK4 820008 (empty) 95 3,036 S. KK4 820008 (empty) 95 3,037 S. KK4 820008 (empty) 95 3,038 S. KK4 820008 (empty) 95 3,039 S. KK4 820008 (empty) 95 3,030 S. KK4 820008 (empty) 95 3,030 S. KK4 820008 (empty)	3,021	S_KK4_820007	IS-M/SD Quantity Change - FMods	<u>IS-M</u>	<u>IS-M</u>
SKK4 820007 SKK4 820008		<u>56</u>			
3,023 S KK4 820007 (empty) 67 3,024 S KK4 820007 IMG Activity: ISMSD_SCS_REMERF 71 3,025 S KK4 820007 (empty) 75 3,026 S KK4 820007 (empty) 79 3,027 S KK4 820007 (empty) 80 3,028 S KK4 820007 (empty) 81 3,029 S KK4 820007 (empty) 81 3,030 S KK4 820007 (empty) 82 3,031 S KK4 820007 (empty) 83 3,031 S KK4 820007 (empty) 84 3,032 S KK4 820007 (empty) 85 3,033 S KK4 820007 (empty) 86 3,034 S KK4 820007 (empty) 94 3,035 S KK4 820008 (empty) 95 3,036 S KK4 820008 (empty) 95 3,037 S KK4 820008 (empty) 96 3,038 S KK4 820008 (empty) 97 3,039 S KK4 820008 (empty) 98 3,030 S KK4 820008 (empty) 99 3,031 S KK4 820008 (empty) 90 3,033 S KK4 820008 (empty) 91 3,034 S KK4 820008 (empty) 92 3,035 S KK4 820008 (empty) 93 3,036 S KK4 820008 (empty) 94 3,036 S KK4 820008 (empty) 95 3,037 S KK4 820008 (empty) 96 3,038 S KK4 820008 (empty) 97 3,039 S KK4 820008 (empty) 98 3,030 S KK4 820008 (empty) 99 3,030 S KK4 820008 (empty) 15-M IS-M	3,022	S_KK4_820007	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,024 S_KK4 820007 IMG Activity: ISMSD_SCS_REMERF IS-M					
3,024 S. KK4_820007 IMG Activity: ISMSD_SCS_REMERF IS-M IS-	3,023		(empty)	<u>IS-M</u>	<u>IS-M</u>
71					
3,025 S. KK4_820007 (empty) 75 3,026 S. KK4_820007 (empty) 79 3,027 S. KK4_820007 (empty) 80 3,028 S. KK4_820007 (empty) 81 3,029 S. KK4_820007 (empty) 83 3,030 S. KK4_820007 (empty) 89 3,031 S. KK4_820007 (empty) 94 3,032 S. KK4_820007 (empty) 94 3,033 S. KK4_820007 (empty) 95 3,034 S. KK4_820008 (empty) 95 3,035 S. KK4_820008 (empty) 96 3,036 S. KK4_820008 (empty) 97 3,037 S. KK4_820008 (empty) 98 3,038 S. KK4_820008 (empty) 99 3,039 S. KK4_820008 (empty) 1 S. M. IS. M. I	3,024		IMG Activity: ISMSD_SCS_REMERF	<u>IS-M</u>	IS-M
75					
3,026 S KK4 820007 (empty) 3,027 S KK4 820007 (empty) 80 3,028 S KK4 820007 (empty) 81 3,029 S KK4 820007 (empty) 82 3,030 S KK4 820007 (empty) 89 3,031 S KK4 820007 (empty) 94 3,032 S KK4 820007 (empty) 1S-M IS-M 1S-M	3,025		(empty)	IS-M	IS-M
79	2.026			TG 3.6	10.16
3,027 S KK4 820007 (empty) 80 3,028 S KK4 820007 (empty) 81 3,029 S KK4 820007 (empty) 82 3,030 S KK4 820007 (empty) 89 3,031 S KK4 820007 (empty) 94 3,032 S KK4 820007 (empty) 95 3,033 S KK4 820008 (empty) 95 3,034 S KK4 820008 (empty) 95 3,035 S KK4 820008 (empty) 97 3,036 S KK4 820008 (empty) 1S-M IS-M 1S-M 1S-M 1S-M 1S-M 1S-M 1S-M 1S-M 1	3,026		(empty)	<u>IS-M</u>	<u>1S-M</u>
SO S KK4 820007 (empty) IS-M I	2.027		(IC M	IC M
3,028 S KK4 820007 (empty) 3,029 S KK4 820007 (empty) 3,030 S KK4 820007 (empty) 3,031 S KK4 820007 (empty) 3,032 S KK4 820007 (empty) 1S-M IS-M	3,027		(empty)	<u>15-IVI</u>	<u>18-M</u>
81 3,029 S KK4 820007 (empty) IS-M IS-M 3,030 S KK4 820007 (empty) IS-M IS-M 3,031 S KK4 820007 (empty) IS-M IS-M 3,032 S KK4 820007 (empty) IS-M IS-M 3,033 S KK4 820008 (empty) IS-M IS-M 3,034 S KK4 820008 (empty) IS-M IS-M 3,035 S KK4 820008 (empty) IS-M IS-M 3,036 S KK4 820008 (empty) IS-M IS-M IS-M IS-M IS-M	2.029		(amenter)	IC M	IC M
3,029 S KK4 820007 (empty) 3,030 S KK4 820007 (empty) 3,031 S KK4 820007 (empty) 3,032 S KK4 820007 (empty) 3,032 S KK4 820007 (empty) 3,033 S KK4 820008 (empty) 3,034 S KK4 820008 (empty) 3,035 S KK4 820008 (empty) 3,035 S KK4 820008 (empty) 3,036 S KK4 820008 (empty) IS-M	3,028		(empty)	<u>13-W</u>	<u>15-W</u>
88 IS-M IS-M IS-M 3,031 S_KK4_820007 (empty) IS-M IS-M 3,032 S_KK4_820007 (empty) IS-M IS-M 3,033 S_KK4_820008 (empty) IS-M IS-M 3,034 S_KK4_820008 (empty) IS-M IS-M 3,035 S_KK4_820008 (empty) IS-M IS-M 3,036 S_KK4_820008 (empty) IS-M IS-M IS-M IS-M IS-M	3 020		(ampty)	IS M	IS M
3,030 \$\sum{KK4} \text{ 820007} \\ 89\$ (empty) IS-M IS-M 3,031 \$\sum{KK4} \text{ 820007} \\ 94\$ (empty) IS-M IS-M 3,032 \$\sum{KK4} \text{ 820007} \\ 95\$ (empty) IS-M IS-M 3,033 \$\sum{KK4} \text{ 820008} \\ 08\$ (empty) IS-M IS-M 3,034 \$\sum{KK4} \text{ 820008} \\ 09\$ (empty) IS-M IS-M 3,035 \$\sum{KK4} \text{ 820008} \\ 09\$ (empty) IS-M IS-M 3,036 \$\sum{KK4} \text{ 820008} \\ 00008\$ (empty) IS-M IS-M	3,029		(empty)	<u>13-W1</u>	<u>15-171</u>
89 IS-M IS-M IS-M 3,031 S_KK4_820007 (empty) IS-M IS-M 3,032 S_KK4_820007 (empty) IS-M IS-M 3,033 S_KK4_820008 (empty) IS-M IS-M 3,034 S_KK4_820008 (empty) IS-M IS-M 3,035 S_KK4_820008 (empty) IS-M IS-M 3,036 S_KK4_820008 (empty) IS-M IS-M	3 030		(empty)	IS-M	IS-M
3,031 S KK4 820007 (empty) 3,032 S KK4 820007 (empty) 95 3,033 S KK4 820008 (empty) 08 3,034 S KK4 820008 (empty) 09 3,035 S KK4 820008 (empty) 1S-M IS-M	3,030		(Ciripty)	<u>15-171</u>	<u>15-141</u>
3,032 S KK4 820007 (empty) 95 3,033 S KK4 820008 (empty) 08 3,034 S KK4 820008 (empty) 09 3,035 S KK4 820008 (empty) 1S-M IS-M	3.031		(empty)	IS-M	IS-M
3,032 S KK4 820007 (empty) 3,033 S KK4 820008 (empty) 3,034 S KK4 820008 (empty) 3,035 S KK4 820008 (empty) 3,035 S KK4 820008 (empty) 1S-M	2,021		(<u>F</u> -J /		-~
95	3,032		(empty)	IS-M	IS-M
3,033 S_KK4_820008 (empty) 3,034 S_KK4_820008 (empty) 3,035 S_KK4_820008 (empty) 1S-M					
08 IS-M 3,034 S_KK4_820008 (empty) 09 IS-M 3,035 S_KK4_820008 (empty) 13 IS-M 3,036 S_KK4_820008 (empty) IS-M IS-M	3,033		(empty)	IS-M	IS-M
09 IS-M 3,035 S KK4 820008 (empty) IS-M 13 IS-M 3,036 S KK4 820008 (empty) IS-M IS-M IS-M					
09 IS-M 3,035 S KK4 820008 (empty) IS-M 13 IS-M 3,036 S KK4 820008 (empty) IS-M IS-M IS-M	3,034	S_KK4_820008	(empty)	<u>IS-M</u>	<u>IS-M</u>
13					
13	3,035	S KK4 820008	(empty)	<u>IS-M</u>	<u>IS-M</u>
14	3,036	S_KK4_820008	(empty)	<u>IS-M</u>	IS-M
		14			

#	T-Code	Description	Module	Component
3,037	S KK4 820008		IS-M	IS-M
2,527	15	(Carpe))	10 111	<u> </u>
3,038	S KK4 820008	(empty)	IS-M	IS-M
2,020	23	(Carpe))	10 111	320 171
3,039	S KK4 820008	(empty)	IS-M	IS-M
	24			
3,040	S KK4 820008	(empty)	<u>IS-M</u>	IS-M
	28			
3,041	S KK4 820008	(empty)	IS-M	IS-M
	51			
3,042	S KK4 820008	IMG Activity: ISM_AM_COAEXT_BAPI	<u>IS-M</u>	IS-M
	<u>66</u>	, – – –		
3,043	S KK4 820008	IMG Activity: ISM_AM_COA_BAPI	<u>IS-M</u>	IS-M
	<u>67</u>			
3,044	S KK4 820008	IMG Activity: ISM_AM_ORDER_BAPI	<u>IS-M</u>	<u>IS-M</u>
	<u>68</u>	-		
3,045	S_KK4_820008	IMG Activity:	<u>IS-M</u>	<u>IS-M</u>
	<u>69</u>	ISM_AM_ORDEREXT_BAPI		
3,046	S_KK4_820008	IMG Activity: ISM_BP_BAPI	<u>IS-M</u>	<u>IS-M</u>
	<u>70</u>			
3,047	S KK4 820008	IMG Activity: ISM_BPEXT_BAPI	<u>IS-M</u>	<u>IS-M</u>
	<u>71</u>			
3,048	S_KK4_820008	IMG Activity: ISU_CIC_ENV	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>			
3,049	S_KK4_820008	IMG Activity: ISM_CIC_BP_SEARCH	<u>IS-M</u>	<u>IS-M</u>
	<u>73</u>			
3,050		IMG Activity: ISM_BP_TELNR_SPLITT	<u>IS-M</u>	<u>IS-M</u>
	<u>74</u>			
3,051	S_KK4_820008	IMG Activity: ISM_PURCHASENR	<u>IS-M</u>	<u>IS-M</u>
	77			
3,052	S_KK4_820008	IMG Activity: ISM_ORDER	<u>IS-M</u>	<u>IS-M</u>
	<u>78</u>			
3,053	S KK4 820008	IMG Activity: ISM_PRIORITY	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			
3,054	S_KK4_820008	IMG Activity: ISM_PARTNER	<u>IS-M</u>	<u>IS-M</u>
	80			
3,055	S_KK4_820008	IMG Activity: ISM_SELLPRODUCTWWW	<u>IS-M</u>	<u>IS-M</u>
2075	81	DIO A C. C. TOLI INICOLD	TO 3.5	10.24
3,056	S KK4 820008	IMG Activity: ISM_UNSOLD	<u>IS-M</u>	<u>IS-M</u>
2.055	82	DAG A C C TON IDIGOL BOWEN	TO M	10.14
3,057		IMG Activity: ISM_UNSOLDQUANTITY	<u>IS-M</u>	<u>IS-M</u>
	83			

#	T-Code	Description	Module	Component
3,058		IMG Activity: ISM_INVOICE	IS-M	IS-M
3,030	84	INTO ACTIVITY. ISWI_ITV VOICE	15 141	15 141
3,059		IMG Activity: ISM_CONTRACT_NAVI	IS-M	IS-M
3,039	86	INTO ACTIVITY. ISM_CONTRACT_NAVI	<u>13-W1</u>	<u>15-W1</u>
3,060		IMG Activity: ISM_CHECK_REQUEST	IS-M	<u>IS-M</u>
3,000	87	ING Activity. ISM_CHECK_REQUEST	<u>13-1/1</u>	<u>15-W</u>
2.061		IMC Activity, ISM MEDIA MIV	IC M	IC M
3,061	88	IMG Activity: ISM_MEDIA_MIX	<u>IS-M</u>	<u>IS-M</u>
2.062		IMC Activity	IC M	IC M
3,062	S KK4 820008		<u>IS-M</u>	<u>IS-M</u>
2.062	89 S. W. 4. 920009	ISM_BADI_PROD_MASTER	TC M	IC M
3,063	S_KK4_820008	IMG Activity: ISMSD_MV_COLLNM	<u>IS-M</u>	<u>IS-M</u>
2.064	<u>91</u>	DAG A STATE AND DILL DOG DADI	TG 3.6	TG 3.6
3,064	S KK4 820009	IMG Activity: ISM_AM_BILLDOC_BAPI	<u>IS-M</u>	<u>IS-M</u>
2055	10	7.6	70.75	10.16
3,065	S KK4 820009		<u>IS-M</u>	<u>IS-M</u>
2011	<u>25</u>	ISMSD_SCS_REASONCODE		
3,066	S_KK4_820009	IMG Activity: _ISMFICAJSDCA_001	<u>IS-M</u>	<u>IS-M</u>
	48			
3,067		IMG Activity: ISM_AM_REVOBJ	<u>IS-M</u>	<u>IS-M</u>
	<u>55</u>			
3,068		IMG Activity: ISM_PLM_JPC1	<u>IS-M</u>	<u>IS-M</u>
	<u>56</u>			
3,069		IMG Activity: ISM_PLM_JPC4	<u>IS-M</u>	<u>IS-M</u>
	<u>57</u>			
3,070		IMG Activity: _ISMCAIN_ISMCA08	<u>IS-M</u>	<u>IS-M</u>
	<u>58</u>			
3,071		IMG Activity: ISM_AM_VOUCHER	<u>IS-M</u>	<u>IS-M</u>
	<u>59</u>			
3,072	S_KK4_820009	IMG Activity: ISMSD_TRANSFER_RESTE	<u>IS-M</u>	<u>IS-M</u>
	<u>60</u>			
3,073	S_KK4_820009	IMG Activity: ISMAM_FAKT_INDEX	<u>IS-M</u>	<u>IS-M</u>
	<u>68</u>			
3,074	S KK4 820009	IMG Activity: ISM_MP_VERTR_STATUS	<u>IS-M</u>	<u>IS-M</u>
	<u>72</u>			
3,075	S_KK4_820009	IMG Activity: ISM_ANNAHMESCHLUSS	<u>IS-M</u>	<u>IS-M</u>
	<u>73</u>			
3,076	S_KK4_820009	IMG Activity: ISM_COA_REQ_DYN	<u>IS-M</u>	<u>IS-M</u>
	<u>74</u>			
3,077	S KK4 820009	IMG Activity: ISPAM_COND_MFGR	<u>IS-M</u>	<u>IS-M</u>
	<u>78</u>			
3,078	S_KK4_820009	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			

#	T-Code	Description	Module	Component
3,079	S KK4 820009	(empty)	IS-M	IS-M
3,077	80	(Chipty)	15-W	<u>15-171</u>
3,080	S KK4 820009	(empty)	IS-M	<u>IS-M</u>
3,000	82	(empty)	<u>15-W1</u>	<u>10-1/1</u>
3,081	S KK4 820009	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,001	83	(empty)	15-W	10-11
3,082	S_KK4_820009	(empty)	IS-M	<u>IS-M</u>
3,002	84	(Cimpty)	IS IVI	ID IVI
3,083	S KK4 820009	(empty)	<u>IS-M</u>	<u>IS-M</u>
2,002	85	(Cimpty)	10 111	10 111
3,084	S KK4 820009	(empty)	IS-M	IS-M
	86			
3,085	S KK4 820009	(empty)	IS-M	<u>IS-M</u>
	<u>87</u>			
3,086	S KK4 820009	(empty)	IS-M	<u>IS-M</u>
	88			
3,087	S_KK4_820009	(empty)	IS-M	<u>IS-M</u>
	<u>89</u>			
3,088	S_KK4_820009	(empty)	IS-M	<u>IS-M</u>
	<u>90</u>			
3,089	S KK4 820009	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>91</u>			
3,090	S_KK4_820009	(empty)	IS-M	<u>IS-M</u>
	<u>92</u>			
3,091	S_KK4_820009	(empty)	IS-M	<u>IS-M</u>
	94			
3,092	S KK4 820009	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.002	99		70.76	70.74
3,093	S_KK4_820010	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.004	34 S VV4 920010	(compty)	IC M	IC M
3,094	S_KK4_820010 43	(empty)	<u>IS-M</u>	IS-M
3,095	S KK4 820010	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,093	44	(Chipty)	1D-141	1D-1VI
3,096	S KK4 820010	(empty)	<u>IS-M</u>	IS-M
3,070	45	(
3,097	S KK4 820010	(empty)	IS-M	<u>IS-M</u>
- , - ,	50			
3,098	S KK4 820010	(empty)	IS-M	<u>IS-M</u>
,	<u>70</u>			
3,099	S_KK4_820010	(empty)	IS-M	<u>IS-M</u>
	<u>73</u>			

#	T-Code	Description	Module	Component
3,100	S KK4 820010 74	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,101	S KK4 820010 75	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,102	S KK4 820010	(empty)	IS-M	IS-M
3,103		IMG Activity: ISM_TLM_BDC_UNDO	IS-M	IS-M
3,104	78 S KK4 820010	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,105	79 S_KK4_820010	(empty)	IS-M	IS-M
3,106	84 S_KK4_820010	(empty)	IS-M	IS-M
3,107	85 S KK4 820010		IS-M	IS-M
	<u>87</u>			
3,108	S_KK4_820010 89		IS-M	IS-M
3,109	S_KK4_820010 90	(empty)	<u>IS-M</u>	IS-M
3,110	S KK4 820010 91	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,111	S_KK4_820010 93	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,112	S_KK4_820010 94	(empty)	IS-M	<u>IS-M</u>
3,113	S KK4 820010 95	(empty)	IS-M	<u>IS-M</u>
3,114	S KK4 820010 99	(empty)	IS-M	IS-M
3,115	S_KK4_820011	(empty)	IS-M	<u>IS-M</u>
3,116	00 S KK4 820011	(empty)	<u>IS-M</u>	IS-M
3,117	01 S_KK4_820011	(empty)	IS-M	<u>IS-M</u>
3,118	02 S_KK4_820011	(empty)	IS-M	IS-M
3,119	04 S KK4 820011	(empty)	IS-M	<u>IS-M</u>
3,120	05 S KK4 820011		IS-M	IS-M
3,120	06	(Chipty)	10-141	10-141

#	T-Code	Description	Module	Component
3,121	S KK4 820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>07</u>			
3,122	S KK4 820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>10</u>			
3,123	S KK4 820011	(empty)	IS-M	<u>IS-M</u>
	<u>11</u>			
3,124	S_KK4_820011	(empty)	IS-M	<u>IS-M</u>
	<u>17</u>			
3,125	S KK4 820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>20</u>			
3,126	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>33</u>			
3,127	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>34</u>			
3,128	S KK4 820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>35</u>			
3,129	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>36</u>			
3,130	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>37</u>			
3,131	S KK4 820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>38</u>			
3,132	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>45</u>			
3,133	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>52</u>			
3,134	S KK4 820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>53</u>			
3,135	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>54</u>			
3,136	S_KK4_820011	(empty)	IS-M	<u>IS-M</u>
	<u>56</u>			
3,137	S KK4 820011	IMG Activity: ISM_AM_INHK_KLEV1	<u>IS-M</u>	<u>IS-M</u>
	<u>79</u>			
3,138	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	80			
3,139	S_KK4_820011	(empty)	<u>IS-M</u>	<u>IS-M</u>
	92			
3,140	S KK4 820012	(empty)	<u>IS-M</u>	<u>IS-M</u>
	04			
3,141	S_KK4_820012	(empty)	<u>IS-M</u>	<u>IS-M</u>
	07			

#	T-Code	Description	Module	Component
3,142	S KK4 820012 23	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,143	S KK4 820012 32	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,144		(empty)	<u>IS-M</u>	IS-M
3,145	S_KK4_820012 45	(empty)	<u>IS-M</u>	IS-M
3,146	S KK4 820012 50	(empty)	<u>IS-M</u>	<u>IS-M</u>
1 '	S_KK4_820012 54	(empty)	IS-M	IS-M
	S_KK4_820012 61	(empty)	IS-M	IS-M
3,149	S KK4 820012 62	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,150	S_KK4_820012 63	(empty)	IS-M	IS-M
3,151		(empty)	IS-M	IS-M
3,152	S KK4 820012 72	(empty)	IS-M	<u>IS-M</u>
3,153	S_KK4_820012 74	(empty)	IS-M	IS-M
3,154	S_KK4_820012 75	(empty)	IS-M	IS-M
3,155	S KK4 820012 82	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,156	S_KK4_820012 83	(empty)	<u>IS-M</u>	IS-M
3,157	S_KK4_820012 84	(empty)	<u>IS-M</u>	IS-M
3,158	S KK4 820012 85	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,159	S_KK4_820013 07	(empty)	<u>IS-M</u>	IS-M
3,160	S_KK4_820013 21	(empty)	IS-M	IS-M
3,161		IMG Activity: ISM_ADDR_SYNC	<u>IS-M</u>	<u>IS-M</u>
3,162		IMG Activity: ISMAM_TJHGR_REL_STAT	IS-M	IS-M

The Book Grilling Gr

#	T-Code	Description	Module	Component
3,163	S KK4 820013 59	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,164	S KK4 820013 60	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,165	S_KK4_820013 61	(empty)	IS-M	IS-M
3,166	S KK4 820013 62	(empty)	IS-M	IS-M
3,167		IMG Activity: ISMSD_VKRENADDPAYM	<u>IS-M</u>	<u>IS-M</u>
3,168	S KK4 820013	(empty)	IS-M	IS-M
3,169	74 S_KK4_820013	(empty)	IS-M	IS-M
3,170		(empty)	IS-M	<u>IS-M</u>
3,171	79 S_KK4_820013	(empty)	IS-M	IS-M
3,172	80 S_KK4_820013	(empty)	IS-M	IS-M
3,173	83 S KK4 820013	(empty)	IS-M	IS-M
3,174	86 S_KK4_820013 88	(empty)	<u>IS-M</u>	IS-M
3,175	S_KK4_820013 89	(empty)	IS-M	IS-M
3,176	S KK4 820013 91	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,177	S_KK4_820013 92	(empty)	IS-M	IS-M
3,178	S_KK4_820013 93	(empty)	IS-M	IS-M
3,179	S KK4 820013 94	(empty)	IS-M	<u>IS-M</u>
3,180	S_KK4_820013 95	(empty)	IS-M	IS-M
3,181	S KK4 820013 96	(empty)	<u>IS-M</u>	IS-M
3,182	S KK4 820013 97	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,183	<u>S_KK4_820013</u> <u>98</u>	(empty)	IS-M	<u>IS-M</u>
	<u> 70</u>			

#	T-Code	Description	Module	Component
		Description	2 2 2 2	Component
3,184	S KK4 820013 99	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,185	S KK4 820014	(empty)	IS-M	IS-M
	<u>10</u>	C P W		
3,186	S_KK4_820014 11	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,187	S_KK4_820014 12	(empty)	IS-M	IS-M
3,188	S KK4 820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,189	<u>21</u> <u>S_KK4_820014</u>	(empty)	IS-M	IS-M
3,190	33 S_KK4_820014	(empty)	IS-M	<u>IS-M</u>
3,191	34 S KK4 820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,192	44 S_KK4_820014	(empty)	IS-M	<u>IS-M</u>
3,193	58 S_KK4_820014	(empty)	IS-M	IS-M
	<u>63</u>			
3,194	S KK4 820014 68	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,195	S_KK4_820014 69	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,196	S_KK4_820014 70	(empty)	IS-M	IS-M
3,197	S KK4 820014 71	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,198	S_KK4_820014 72	(empty)	IS-M	IS-M
3,199	S_KK4_820014 73	(empty)	<u>IS-M</u>	IS-M
3,200	S KK4 820014 74	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,201	S_KK4_820014 75	(empty)	IS-M	IS-M
3,202	S_KK4_820014 76	(empty)	IS-M	<u>IS-M</u>
3,203	S KK4 820014 78	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,204	S_KK4_820014 79	(empty)	IS-M	IS-M
	l 		I	

#	T-Code	Description	Module	Commonant
• • •		Description		Component
3,205	S KK4 820014 80	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,206	S KK4 820014	(empty)	IS-M	<u>IS-M</u>
	<u>81</u>	C P 37		
3,207	S_KK4_820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
	84			
3,208	S_KK4_820014 90	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,209	S KK4 820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>91</u>			
3,210	S_KK4_820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>92</u>			
3,211	S_KK4_820014 93	(empty)	<u>IS-M</u>	IS-M
3,212	S KK4 820014	(empty)	IS-M	IS-M
3,212	94	(empty)	19-1/1	15-1/1
3,213	S KK4 820014	(empty)	IS-M	IS-M
	95			
3,214	S_KK4_820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>96</u>			
3,215	S KK4 820014	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>97</u>			
3,216	S_KK4_820014 98	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,217	S KK4 820014	(empty)	IS-M	<u>IS-M</u>
3,217	99	(Cimpty)	ID IVI	15 111
3,218	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>00</u>			
3,219	S_KK4_820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	01			
3,220	S_KK4_820015 02	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,221	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,221	03	(empty)	19-11	15-1/1
3,222	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	04			
3,223	S_KK4_820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>05</u>			
3,224	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.225	06		TG 3.5	70.74
3,225	S_KK4_820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	08			

#	T-Code	Description	Module	Component
3,226	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>09</u>			
3,227	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>10</u>			
3,228	S KK4 820015	IMG Activity: JHVMSTZ_EOB	IS-M	<u>IS-M</u>
	<u>27</u>	-		
3,229	S_KK4_820015	(empty)	IS-M	<u>IS-M</u>
	<u>33</u>			
3,230	S KK4 820015	(empty)	IS-M	<u>IS-M</u>
	<u>34</u>			
3,231	S_KK4_820015	(empty)	IS-M	<u>IS-M</u>
	<u>35</u>			
3,232	S_KK4_820015	(empty)	IS-M	<u>IS-M</u>
	<u>36</u>			
3,233	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>39</u>			
3,234	S_KK4_820015	(empty)	IS-M	<u>IS-M</u>
	<u>40</u>			
3,235	S_KK4_820015	(empty)	IS-M	<u>IS-M</u>
	<u>41</u>			
3,236	S KK4 820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>44</u>			
3,237	S_KK4_820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>46</u>			
3,238	S_KK4_820015	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>47</u>			
3,239	S P7I 6800022	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>5</u>			
3,240	S_P7I_6800022	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>6</u>			
3,241	S_P7I_6800022	(empty)	IS-M	<u>IS-M</u>
	7			
3,242	S P7I 6800023	(empty)	<u>IS-M</u>	<u>IS-M</u>
	1			
3,243	S_P7I_6800023	(empty)	<u>IS-M</u>	<u>IS-M</u>
	2			
3,244	S_P7I_6800023	(empty)	<u>IS-M</u>	<u>IS-M</u>
_	<u>3</u>			
3,245	S P7I 6800023	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>4</u>			
3,246	<u>S_P7I_6800023</u>	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>5</u>			

#	T-Code	Description	Module	Component
3,247	S P7I 6800023	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>6</u>			
3,248	S PNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>02</u>			
3,249	<u>S_PNI_680002</u>	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>03</u>			
3,250	S_PNI_680002 04	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,251	S PNI 680002 05	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,252	S_PNI_680002	(empty)	IS-M	<u>IS-M</u>
3,232	06	(Cimpty)	IS IVI	IS W
3,253	S PNI 680002	(empty)	IS-M	IS-M
	07			
3,254	S PNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>08</u>			
3,255	S_PNI_680002	(empty)	<u>IS-M</u>	IS-M
	<u>09</u>			
3,256	S_PNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	10			
3,257	S PNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.250	11		70.74	70.74
3,258	S_PNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.250	12 S SW4 520000	(()	IC M	IC M
3,259	S_SK4_530000 02	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,260	S SK4 530000	(empty)	IS-M	<u>IS-M</u>
3,200	<u>03</u>	(empty)	<u>15-W</u>	15-11
3,261	S_SK4_530000	IMG Activity:	IS-M	<u>IS-M</u>
3,201	04	ISMAM_TJHGRSALESAREA	15 111	10 111
3,262	S_SK4_530000	(empty)	IS-M	IS-M
	05			
3,263	S SK4 530000	(empty)	IS-M	<u>IS-M</u>
	<u>07</u>			
3,264	S_SK4_530000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>08</u>			
3,265	S_SK4_530000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>09</u>			
3,266	S SK4 530000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	10			
3,267	S_SK4_670000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	02			

	Ar Media	F:	37. 1.1	
#	T-Code	Description	Module	Component
3,268	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>01</u>			
3,269	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>02</u>			
3,270	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
,	03			
3,271	S SK4 830000	(empty)	IS-M	IS-M
3,2,1	04	(empty)	111	AD IVA
3,272	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
3,272		(Chipty)	15-W1	<u>15-1/1</u>
2.072	<u>05</u>		TC 3.4	TC M
3,273	S_SK4_830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>06</u>			
3,274	S_SK4_830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>07</u>			
3,275	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>08</u>			
3,276	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>09</u>			
3,277	S_SK4_830000	(empty)	IS-M	IS-M
	10			
3,278	S SK4 830000	(empty)	IS-M	IS-M
3,270	11	(empty)	IS IVI	15 11
3,279	S SK4 830000	(empty)	IS-M	<u>IS-M</u>
3,219	12	(empty)	<u>13-W</u>	<u>13-1/1</u>
2.200			TC M	TC M
3,280	S_SK4_830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.201	13		TG 3.5	TO 3.5
3,281	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>14</u>			
3,282	S_SK4_830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>15</u>			
3,283	S_SK4_830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>16</u>			
3,284	S SK4 830000	(empty)	<u>IS-M</u>	<u>IS-M</u>
	17	1 3/		
3,285	S SK4 830000	(empty)	<u>IS-M</u>	IS-M
2,203	18	(F-3)		
3,286	S SK4 830000	IMG Activity ISM_BP_PLM	<u>IS-M</u>	<u>IS-M</u>
3,200	20	INVIO ACTIVITY IDIVI_DI _I LIVI	10-1/1	10-141
2 207		(ampty)	IC M	IC M
3,287	S XNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
0.000	13		10.16	10.16
3,288	S_XNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	14			

#	T-Code	Description	Module	Component
3,289	S XNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>15</u>			
3,290	S XNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>16</u>			
3,291	S_XNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>17</u>			
3,292	S_XNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
	18			
3,293	S XNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.20.4	19			70.75
3,294	S_XNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
2.205	<u>20</u>		TG 3.6	TG 3.6
3,295	S_XNI_680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
2 206	21 S VNI 690002	(ampty)	IC M	IC M
3,296	S XNI 680002	(empty)	<u>IS-M</u>	<u>IS-M</u>
2 207	22 S VNI 690002	(compty)	IC M	IC M
3,297	<u>S_XNI_680002</u>	(empty)	<u>IS-M</u>	<u>IS-M</u>
	<u>23</u>			

SAP TCodes in Module

IS-M-IS

Information System

IS-M-IS - Information System

#	T-Code	Description	Module	Component
1	S KK4 820001	(empty)	<u>IS-M-IS</u>	<u>IS-M</u>
	<u>78</u>			
2	S KK4 820002	(empty)	<u>IS-M-IS</u>	<u>IS-M</u>
	<u>16</u>			
3	S_KK4_820003	(empty)	IS-M-IS	<u>IS-M</u>
	<u>62</u>			

SAP TCodes in Module

IS-M-MD

Master Data

IS-M-MD - Master Data

#	T-Code	Description	Module	Component
1	S ANI 680002	(empty)	<u>IS-M-MD</u>	<u>IS-M</u>
	<u>00</u>			
2	S ANI 680002	(empty)	<u>IS-M-MD</u>	<u>IS-M</u>
	<u>01</u>			
3	S_P7I_6800022	(empty)	<u>IS-M-MD</u>	<u>IS-M</u>
	4			
4	S_P7I_6800022	(empty)	IS-M-MD	<u>IS-M</u>
	8			
5	S P7I 6800022	(empty)	IS-M-MD	<u>IS-M</u>
	9			
6	S_P7I_6800023	(empty)	<u>IS-M-MD</u>	<u>IS-M</u>
	<u>0</u>			