



COMPUTER VISION

...

2018

Introduction and Basic Operations




Some Fun Facts

- ◇ 40% of all nerve fibers connected to the brain are linked to the retina.
- ◇ More of our neurons are dedicated to vision than the other four senses *combined*.
- ◇ 2/3rds of the brain is used for processing visual data

So What is CV?

Teaching computers how to make
sense of images






There is **SOMETHING** for **ALL** !!


Where is CV used?

- ◇ In Robotics
- ◇ Autonomous Cars
- ◇ In cameras
- ◇ In face recognition
- ◇ Image search
- ◇ Gesture Recognition,etc
- ◇ Cam Scanner









Signa 1.5T SYS#crmr_oc0
Ex: 30675
Se: 8
Im: 9
OCor P50.5

SA


ET:16

R

1
0
4

FSE-XL/90
TR:7100
TE:99.6/Ef
EC:1/1 20.8kHz

HEAD
FOV:20x20
3.0thk/1.0sp
34/03:26
320x224/2 NEX
St:I/VB/TRF



L

IP

W = 1018 L = 547



TGT DIST

N 41°19'20"

W 34°25'34"

RNG 269 M

ELV 76 M

WEAP

RS 60 %

MI 49

CR 39 %

Santa Monica Ferriswheel


If beach observances weren't enough to make this one of the most popular spots in Southern California, Santa Monica also has a reputation as a shopping mecca for people, young and young, who are not interested in the beach. As you'll find, the Ferris wheel is a great way to see the beach from a different perspective. The Santa Monica Ferriswheel and Santa Monica Museum of Art help make this a completely enhanced city. Other things to do include:

- Four unique and historic buildings and visit the museum
- Shop in three outdoor markets
- Surf, skate, skateboard, roller skate and bike at the beach
- Enjoy fresh independent live music and theater in the park
- Santa Monica Film Festival
- Visit the Santa Monica 10 miles up the hill

Santa Monica - Where Every Day Begins (Visit Web on Sat)

By Ben Sander - Special in The Southern Science World





autoCaption

The "perfect" caption. Every time.



She became a lifeguard at the beach and kept the buoys in line.




Try another image!

Vision based biometrics




“How the Afghan Girl was Identified by Her Iris Patterns” Read the [story](#)
[wikipedia](#)



Login without a password...




Fingerprint scanners on many new laptops, other devices



Face recognition systems now beginning to appear more widely
<http://www.sensiblevision.com/>

Composition of an Image

- Images are a matrix of pixels, and pixels are numbers
- Black and white images contain pixels, which hold only one value, while RGB images have pixels that contain values for Red, Green and Blue composition.
- 1080p is actually 1920x1080 pixels (Full HD) (aspect ratio = 16:9, widescreen))



GrayScale

- Each pixel is a 8 bit number
- It can take values from 0-255
- Each value corresponds to a shade between black and white(0 -black,255-white)
- Number of channels for a grayscale image is 1
- Depth of a grayscale image is 8(bits)




RGB

- Each pixel stores three values:
 - 1.R : 0-255
 - 2.G : 0-255
 - 3.B : 0-255
- Each number between 0-255 corresponds to a shade of corresponding color
- Depth of a RGB image is 8(bits)
- Number of channels for a RGB image is 3




◇ HSV (Hue, Saturation and value)

◇ CMYK (Cyan Yellow Magenta Key) is a subtractive model (printing)




CMYK Colorspace



Cyan, Magenta, and Yellow transparent inks

◇ RGB (Red, Green and Blue), is an additive color model.








THRESHOLDING




Simple Thresholding

Binary Threshold






Simple Thresholding

Truncate




Simple Thresholding

Truncate to zero or invert



Non Uniform Illumination

Global Thresholding for non uniformly illuminated image



Give me My Image back!! :-(



ADAPTIVE THRESHOLDING


Why Adaptive Thresholding??

There was a single threshold for all pixels of the image in the previous case.

In this, the algorithm calculate the threshold for a small regions of the image.

In this way we get threshold for a neighbourhood.

Global Thresholding for the rounded part gives almost a clear 7.





Adaptive
Mean



Adaptive
Gaussian

In Adaptive mean thresholding, arithmetic mean of the neighbourhood is taken as the threshold for that neighbourhood.

$\frac{1}{9}$	$\frac{1}{9}$	$\frac{1}{9}$
$\frac{1}{9}$	$\frac{1}{9}$	$\frac{1}{9}$
$\frac{1}{9}$	$\frac{1}{9}$	$\frac{1}{9}$

$\frac{1}{273}$	1	4	7	4	1
	4	16	26	16	4
	7	26	41	26	7
	4	16	26	16	4
	1	4	7	4	1

In Gaussian Thresholding, the mean of the neighbourhood is taken with Gaussian matrix as weight.

GEOMETRIC TRANSFORMATIONS




Image Scaling

How are images resized??




Image Translation





Image Rotation





Image Warping

Pure warping means that points are mapped to points without changing the colors.

Example



TRY

How can you match the two images?





CONVOLUTION

Making your own linear filters!

- Effects like the ones you might find in Photoshop or Gimp
- Ex: blurring, sharpening, outlining or embossing



Convolution: Trick of Image Filtering

- Convolution: general purpose filter effect for images.
- A mathematical operation between every part of an image and an operator (kernel)
- The output is a new modified filtered image



Original



Emboss

The process of image convolution

- Done by adding the weighted values of all its neighbors together
- Kernel:
 - Small matrix of numbers, say a 3x3, or 5x5 matrix (Why small?, Why odd size?)
 - The 2D filter matrix used to apply effects like blurring, sharpening, outlining
 - Example of a kernel:

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & -4 & 1 \\ 0 & 1 & 0 \end{bmatrix}$$

Let's Convolve with this Kernel

2	3	-2
4	5	-4
-4	-4	2

$$g(i, j) = \sum_{k, l} f(i + k, j + l) h(k, l)$$

Let's Convolve the Kernel with this

5	4	25	35	20
60	45	40	30	10
11	60	80	15	5
80	22	20	10	1
200	140	50	0	8



Let's Convolve the Kernel with this

2 5	3 4	-2 25	35	20
4 60	5 45	-4 40	30	10
-4 11	-4 60	2 80	15	5
80	22	20	10	1
200	140	50	0	8

45 is replaced with $2*5 + 3*4 + (-2)*25 + 4*60 + 5*45 + (-4)*40 + (-4)*11 + (-5)*60 + 2*80$

Ensuring Values are within range

What if values exceed 255 or drop below 0?

Truncation: Output more than 255 is taken as 255, and output with negative value is taken as 0 or as its absolute value

Normalization:

Dividing each element in the kernel by the sum of all elements

Normalized kernel gives output image with same brightness as input image

What to do with edge pixels?

- Use “zeros” as the neighbour pixels that aren't there, i.e. pad with zeros
- Wrap around the image to the other side
- Extend the nearest border pixels as far as necessary
- Crop, i.e. don't consider edge pixels. Output image is slightly smaller

Try it Out!

What happens on convolving with this kernel?

0	0	0
1	0	0
0	0	0

Try it Out!

What happens on convolving with this kernel?

0	0	0
1	0	0
0	0	0

Displaces the image

Try it Out!

What happens on convolving with this kernel?

0	-1	0
-1	5	-1
0	-1	0

Try it Out!

What happens on convolving with this kernel?

0	-1	0
-1	5	-1
0	-1	0

Creates a sharpened image. (Convince yourself)

Try it Out!

What happens on convolving with this kernel?

$$\frac{1}{9}$$

1	1	1
1	1	1
1	1	1

Try it Out!

What happens on convolving with this kernel?

$\frac{1}{9}$

1	1	1
1	1	1
1	1	1



This causes Blurring.

The above kernel is normalized Box Filter

Blurring

- Also called *Smoothing*
- Important in image processing
- The different kinds of filters for blurring:
 - Simple Blur (Normalized box filter) : Mean of kernel neighbors
 - Gaussian Blur: Uses Gaussian kernel
 - Median Blur: Median of neighbor pixels in kernel
 - Bilateral Filter : Gaussian function of space and intensity (preserves edges)

Identity

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$



Sharpen

$$\begin{bmatrix} 0 & -1 & 0 \\ -1 & 5 & -1 \\ 0 & -1 & 0 \end{bmatrix}$$



Box blur
(normalized)

$$\frac{1}{9} \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$



Gaussian blur
(approximation)

$$\frac{1}{16} \begin{bmatrix} 1 & 2 & 1 \\ 2 & 4 & 2 \\ 1 & 2 & 1 \end{bmatrix}$$



Edge detection

$$\begin{bmatrix} 1 & 0 & -1 \\ 0 & 0 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$



$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & -4 & 1 \\ 0 & 1 & 0 \end{bmatrix}$$



$$\begin{bmatrix} -1 & -1 & -1 \\ -1 & 8 & -1 \\ -1 & -1 & -1 \end{bmatrix}$$

