	Logo
ANA031	STUDENT REPORT  ARADA 3T 38R2 ARADA 3T 3RR2 ARADA 3T
ARIAN	38EV 335 JARIA STORELLY KEISOKI ARIA 38EV ASST
	ALADSI SERVAR START AND START
D	ETAILS  Name 1 Man 2 3 2 3 2 2 2 4 1
33	Name 14 1 38 2 1 140 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	RISHI U
BRZARIA	Roll Number 2 1 34 2 1 35 1 AAL 34 34 1 35 1
BRY	3BR24AI403T
E)	SPERIMENT 1037 3822 ARA 1037
~	tle 24 A 1 38 P 1 140 3 T 38 P 1 140
XX	PEAK ELEMENT FINDER 35F2 37 AFT 38F2 38F2 38F2 38F2 38F2 38F2 38F2 38F2
38R21	ARM 3882 LOSTS STARTED TO SEE LOST STARTED TO SEE LADST
31 381	PEAK ELEMENT FINDER  ART SEPARATOR STAR SEPARATOR STAR SEPARATOR S
) ,	Description: You are given an N- dimensional array arr[]. A peak element in the array is defined as an element whose value is greater
3R2AAIAC	than or equal to its neighboring elements (if they exist). Your task is to find the index of any peak element in the given array
382A,	Note: use 0-based indexing  Input:
	Input
ALAO313	An integer representing the number of elements in the array. N space-separated integers, denoting the elements of the array.
PAR	An integer representing the number of elements in the array. N space-separated integers, denoting the elements of the array.  N space-separated integers ,denoting the elements of the array arr[]
	Sample Input:
38820	
3	1 3 20 4 1 AAAAO 31
, o	Sample Output:
SR2AAIAO	
b`	Source Code:  \$\frac{1}{2}\text{3}\text{8}\text{1}\text{2}\text{3}\text{8}\text{1}\text{2}\text{3}\text{8}\text{2}\text{2}\text{4}\text{1}\text{4}\text{7}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{1}\text{2}\text{3}\text{8}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{3}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{2}\text{2}\text{4}\text{4}\text{4}\text{2}\text{2}\text{2}\text{4}\tex
3	Source Code: 37 22AEIA 337 282AEIA 337 282AEIA 337 282AEIA 37 382EIA 37 382E
MAOS.	SESTAR SET 38 METERS SESTAR OS 38 ESTAR 103 58 ESTAR 103
	LEGST'S RAPIRE 38ER LEGST'S REPRESENTED TO SEE LEGATION OF SERVICE SER
8R2A	E STAR BELLE STAR STAR STAR STAR STAR STAR STAR STAR
3	24 ALAO 34 38 RZA AO 34 36 RZA AO 34 3
	382 REPUBLICATION OF THE REPUB
	3BESTAL STATE OFFICE STATES
	2 Mark 23 Ber Landst Bank St. 3 Ber Landst St. 3 Ber Land
	Source Code:  Spanner
	38E2 LO37 22AFLA T3EE2 LBATTST LAMPS T3BEET LEE
	They are started to the started of t
	Source Code:  So

```
n=int(input())
   l=list(map(int,input().split()))
   mx=0
   for i in range(0,n):
       if i==0:
           if l[i]>l[i+1]:
              mx=i
               break
       elif i==(len(l))-1:
           if l[i]>=l[i-1]:
               mx=i
               break
       else:
           if l[i]>=l[i+1] and l[i]>=l[i-1]:
                                                                                                        . O3T 3BRZARIA 3HRZAT
               break
   print(mx)
RESULT
 5 / 5 Test Cases Passed | 100 %
```