

CODE :

```
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
public class CRUD_Test {

    public static void main(String[] args) {
        CRUD_Test objTest=new CRUD_Test();
        //insert data
        objTest.create_data(HTML CSS pages - tag values);
        objTest.create_data("201", "Arun", "arun@gmail.com");
        //read data
        //    objTest.read_data("201");
        //    //update data
        //    objTest.update_data("2", "22", "jawad2", "jawad2@gmail");
        //    //delete data
        //    objTest.delete_data("1");
    }

    public void create_data(String sl_no,String name,String email){
        DB_Connection obj_DB_Connection=new DB_Connection();
        Connection connection=obj_DB_Connection.get_connection();
        PreparedStatement ps=null;
        try {
            ps=connection.prepareStatement("insert into user(sl_no,name,email) values
            (?, ?, ?)");
            ps.setString(1, sl_no);
            ps.setString(2, name);
            ps.setString(3, email);
```

```

        System.out.println(ps);
        ps.executeUpdate();
    } catch (Exception e) {
        System.out.println(e);
    }
}

public void read_data(String sl_no){
    DB_Connection obj_DB_Connection=new DB_Connection();
    Connection connection=obj_DB_Connection.get_connection();
    PreparedStatement ps=null;
    ResultSet rs=null;
    try {
        String query="select * from user where sl_no=?";
        ps=connection.prepareStatement(query);
        //ps.setString(1, sl_no);
        System.out.println(ps);
        rs=ps.executeQuery();
        while(rs.next()){
            System.out.println("Sl no -"+rs.getString("sl_no"));
            System.out.println("name -"+rs.getString("name"));
            System.out.println("email -"+rs.getString("email"));
            System.out.println("-----");
        }
    } catch (Exception e) {
        System.out.println(e);
    }
}
}

```

SCREENSHOT:

```
1 import java.sql.Connection;
2 import java.sql.PreparedStatement;
3 import java.sql.ResultSet;
4 import com.mongodb.client.MongoClient;
5 import com.mongodb.client.MongoClients;
6 import com.mongodb.client.MongoDatabase;
7 import com.mongodb.client.MongoCollection;
8 import org.bson.Document;
9
10 public class CRUD_Test {
11
12     public static void main(String[] args) {
13         // MongoDB Connection
14         String connectionString = "mongodb://localhost:27017";
15         MongoClient mongoClient = MongoClients.create(connectionString);
16         MongoDatabase database = mongoClient.getDatabase("testdb");
17         System.out.println("Connected successfully to MongoDB!");
18
19         // Get collection
20         MongoCollection<Document> collection = database.getCollection("users");
21
22         CRUD_Test objTest = new CRUD_Test();
23         // Insert data
24         objTest.create_data(collection, "200", "Jasad", "jasad@gmail.com");
25         objTest.create_data(collection, "201", "Arun", "arun@gmail.com");
26         // Read data
27         objTest.read_data(collection, "201");
28         mongoClient.close();
29     }
30
31     public void create_data(MongoCollection<Document> col, String sl_no, String name, String email) {
32         try {
33             Document doc = new Document("sl_no", sl_no)
34                 .append("name", name)
35                 .append("email", email);
36             col.insertOne(doc);
37         } catch (Exception e) { System.out.println(e); }
38     }
39
40     public void read_data(MongoCollection<Document> col, String sl_no) {
41         try {
42             Document query = new Document("sl_no", sl_no);
43             Document result = col.find(query).first();
44             if (result != null) {
45                 System.out.println("sl no - " + result.getString("sl_no"));
46                 System.out.println("name - " + result.getString("name"));
47                 System.out.println("email - " + result.getString("email"));
48             }
49         } catch (Exception e) { System.out.println(e); }
50     }
51 }
```

```
25 objTest.create_data(collection, "200", "Jasad", "jasad@gmail.com");
26 objTest.create_data(collection, "201", "Arun", "arun@gmail.com");
27 // Read data
28 objTest.read_data(collection, "201");
29 mongoClient.close();
30 }
31
32 public void create_data(MongoCollection<Document> col, String sl_no, String name, String email) {
33     try {
34         Document doc = new Document("sl_no", sl_no)
35             .append("name", name)
36             .append("email", email);
37         col.insertOne(doc);
38         System.out.println("Inserted: Insert into users(sl_no,name,email) values ('" + sl_no + "', '" + name + "', '" + email + "')");
39     } catch (Exception e) { System.out.println(e); }
40 }
41
42 public void read_data(MongoCollection<Document> col, String sl_no) {
43     try {
44         Document query = new Document("sl_no", sl_no);
45         Document result = col.find(query).first();
46         if (result != null) {
47             System.out.println("sl no - " + result.getString("sl_no"));
48             System.out.println("name - " + result.getString("name"));
49             System.out.println("email - " + result.getString("email"));
50         }
51     } catch (Exception e) { System.out.println(e); }
52 }
```

Console Output:

```
pr 28, 2025 10:14:32 AM com.mongodb.driver.cluster INFO: Monitor thread successfully connected to server with description...
Connected successfully to MongoDB!
Inserted: Insert into users(sl_no,name,email) values ('200','Jasad','jasad@gmail.com')
Inserted: Insert into users(sl_no,name,email) values ('201','Arun','arun@gmail.com')
sl no - 201
name - Arun
email - arun@gmail.com
```