PharmaTrace Technical Specification

QR-Based Dual-Factor Drug Authentication & Supply-Chain Traceability System

Solidity 0.8.20 | Ethereum & Hardhat | Python Flask API | Flutter & Dart 3 | TensorFlow CV | Tesseract OCR | IPFS P

1. 1. EXECUTIVE OVERVIEW & SYSTEM PURPOSE

PharmaTrace is an enterprise-grade, decentralized pharmaceutical traceability and anti-counterfeiting platform designed to eliminate counterfeit medications from the global drug supply chain. By integrating blockchain-backed cryptographic immutability, decentralized IPFS packaging storage, multi-variant computer vision packaging comparison, and intelligent optical character recognition (OCR), PharmaTrace delivers unprecedented end-to-end provenance verification from factory floor to end-user patients.

Core Engineering Problem Addressed

High-Risk Counterfeiting

The Counterfeit Crisis: According to the World Health Organization (WHO), over 10% of medications in developing nations and thousands of shipments worldwide are fake, diluted, or tampered with, causing over 1 million preventable deaths annually.

Why Barcodes & Standard QRs Fail: Traditional barcodes and even static QR codes can be easily cloned, photocopied, and stuck onto counterfeit blister packs. Without physical packaging verification and immutable state locking, QR codes alone offer zero anti-clone security.

The PharmaTrace Innovation: PharmaTrace introduces a dual-factor verification paradigm: Factor 1 verifies on-chain ownership, batch validity, and recall status via Ethereum smart contracts; Factor 2 inspects physical packaging aesthetics and OCR printed batch/expiry consensus against the IPFS cryptographic reference.

2. 2. ARCHITECTURAL REPOSITORY LAYOUT

The PharmaTrace codebase is organized into modular tiers separating decentralized consensus, backend AI/vision microservices, and cross-platform native client interfaces:

Subsystem / Folder	Core Files & Modules	Operational Responsibility
blockchain/	Pharmatrace.sol, deploy.mjs, hardhat.config.ts	Immutable role gating, batch ledger, custody transfers & instant recall flag
backend/	app.py, requirements.txt, .env	RESTful API gateway, session management, multi-factor decision logic
backend/services/	blockchain.py, vision.py, ocr.py, ipfs.py, auth.py	Web3 bridge, Siamese CNN visual comparator, multi-variant OCR consen
app/	lib/main.dart, pubspec.yaml, screens/, services/	Flutter cross-platform client (Android, iOS, Web, Windows) with camera Q
ml/ & model/	pharmatrace_model.keras, dataset/	Deep convolutional neural network for packaging similarity feature extract
scripts/	register_test_medicine.mjs, deploy-local.mjs	Automated test suite, demo data seeding, and multi-role simulation

3. 3. TECHNOLOGY STACK BREAKDOWN & STRATEGIC JUSTIFICATION

Every architectural layer in PharmaTrace was selected to meet stringent criteria of cryptographic security, real-time edge performance, cross-platform mobility, and cost-efficient scalability:

Blockchain & Consensus Layer: Ethereum, Solidity 0.8.20 & Web3.py

Decentralized Trust

Technology: Solidity ^0.8.20, Hardhat local/testnet node, Ethers.js v6, Web3.py client library.

Why It Was Chosen: Pharmaceutical supply chains suffer from trust fragmentation between competing manufacturers, global shipping freight forwarders, regional distributors, and retail pharmacies. Traditional centralized SQL databases allow rogue insiders or hacked cloud accounts to alter batch records, overwrite timestamps, or delete recall notices. Ethereum provides a zero-trust, cryptographically immutable append-only ledger where no entity can backdate or forge history.

Cost Optimization: Smart contract storage is optimized by storing lightweight cryptographic metadata (CIDs, hashes, epoch timestamps, custody addresses) on-chain, avoiding expensive raw image storage.

Decentralized Storage: IPFS & Pinata Gateway

Content Addressable

Technology: InterPlanetary File System (IPFS) pinned via Pinata Cloud API with local SHA-256 disk fallback.

Why It Was Chosen: Storing 4MB high-resolution packaging reference images on an Ethereum blockchain would cost thousands of dollars in gas per medicine registered. Centralized AWS S3 or Google Cloud buckets introduce single-point-of-failure vulnerabilities and URL spoofing. IPFS uses cryptographic Content Identifiers (CIDs) derived from the exact bits of the image. The CID is anchored in the smart contract, making packaging images completely tamper-proof.

Backend & AI Microservices: Python Flask, TensorFlow & PyTesseract

High-Performance AI

Technology: Python 3.10+, Flask, Flask-CORS, TensorFlow/Keras, OpenCV/PIL, PyTesseract, NumPy.

Why It Was Chosen: Python is the preeminent ecosystem for machine learning, computer vision, and scientific data manipulation. Flask provides an ultra-low-latency asynchronous REST API. By co-locating the Web3 smart contract client with deep learning visual inference and multi-variant OCR engines, the system achieves sub-second verification turnaround for mobile consumers.

Frontend & Mobile: Flutter (Dart 3.x), Mobile Scanner & QR Flutter

Cross-Platform Native

Technology: Flutter SDK ^3.13.5, Dart, mobile_scanner, qr_flutter, http, image_picker.

Why It Was Chosen: Flutter compiles to native ARM64 machine code across Android, iOS, Windows, and Web from a single codebase. It provides 60fps hardware-accelerated camera feeds for instant QR barcode scanning and real-time guidance overlays. Supply-chain workers can run the same app on enterprise barcode terminals, warehouse tablets, or personal smartphones.

4. 4. END-TO-END SYSTEM ARCHITECTURE & WORKING FLOW

PharmaTrace enforces a multi-tier lifecycle spanning production, physical custody transfers, emergency intervention, and patient-side dual-factor authentication:

Step 1: Role-Gated Registration & Multi-Party Approvals

Participants in the supply chain (Manufacturers, Distributors, Pharmacies) must register on-chain via the register() function. An account remains in "Pending" status until verified and activated by the regulatory Admin. Distributors must be linked to verified Manufacturers, and Pharmacies must be linked to authorized Distributors, establishing an authenticated trust graph.

Step 2: Drug Batch Minting & Packaging Fingerprinting

The authorized Manufacturer registers a new drug batch via the smart contract: registerMedicine(id, name, batch, expiry, imageHash, quantity). A high-resolution photo of the official packaging is uploaded to IPFS, generating a cryptographic CID (imageHash). A unique, high-density secure QR code containing the medicine ID, batch number, manufacturer address, and verification URL is generated and printed on the blister packs and carton boxes.

Step 3: Multi-Hop Custody Transitions (Mfr -> Dist -> Pharm)

As physical shipments travel along the logistics chain, custody handshakes occur in real time: * Stage 1 (Manufactured): Batch owned and secured at the production facility. * Stage 2 (Distributor Received): The distributor scans the shipment QR code, triggering receiveAsDistributor() on-chain. Timestamp, distributor wallet address, and storage/cold-chain telemetry details are permanently appended to the smart contract TransferRecord. * Stage 3 (Pharmacy Received): The retail pharmacy scans the package upon arrival via receiveAsPharmacy(). Ownership updates, validating that the medicine arrived through an unbroken, authorized chain.

Step 4: Real-Time Recall Broadcast

If a defect or contamination is discovered post-distribution, the Manufacturer or Admin immediately executes recallMedicine(id, reason). The smart contract sets recalled = true, stores the recallReason, and broadcasts an immutable on-chain event. Any subsequent scan anywhere in the world instantly alerts the handler or patient.

Step 5: Consumer Dual-Factor Verification & Explainable AI Engine

When a patient or hospital nurse scans the medicine packaging, the system performs simultaneous on-chain and off-chain analysis: 1. On-Chain Verification: Verifies contract existence, manufacturer authenticity, stage validity, expiry timestamp vs block timestamp, and recall status. 2. Visual Packaging Comparison: MobileNet/Siamese CNN analyzes live camera photos against the IPFS master reference image, computing a packaging similarity index (threshold: 80%). 3. Multi-Variant Consensus OCR: Tesseract runs multiple preprocessing filters (contrast, sharpening, binarization) to extract the physical printed batch number and expiry month, cross-checking them against the digital payload.

Decision Verdict	On-Chain Condition	Off-Chain CV / OCR Condition	User Action
VERIFIED	Valid, Registered, Active	Similarity >= 80% & OCR Match	Safe to dispense & consume
SUSPICIOUS	Valid On-Chain Record	Visual Mismatch or OCR discrepancy	Quarantine package; report to authority
RECALLED	Recalled Flag = TRUE	Irrelevant	DO NOT CONSUME; return to distributor
EXPIRED	Expiry Timestamp < Now	Irrelevant	Expired; safely dispose of medication
UNVERIFIED	No On-Chain Record Found	Irrelevant	Counterfeit suspected; reject immediately

5. 5. FUTURE ROADMAP: REQUIRED FUTURE IMPLEMENTATIONS

While PharmaTrace delivers a state-of-the-art dual-factor prototype, scaling the platform for nationwide and global multinational deployment requires the following critical architectural implementations:

1. IoT Smart Sensor & Real-Time Cold-Chain Telemetry Integration

High Priority

Rationale: Biologics, vaccines, and insulin lose potency and become toxic if exposed to temperature excursions outside 2C-8C.

Technical Implementation: Integrate BLE (Bluetooth Low Energy) and cellular LoRaWAN data loggers inside transport containers. Implement automated smart contract oracle hooks (via Chainlink or custom edge relayers) that log temperature, relative humidity, and transit shock directly into StageRecord. If temperature exceeds thresholds, the smart contract automatically flags the batch as "Thermolabile Damaged".

2. Layer-2 Rollups & Zero-Knowledge Privacy (zk-SNARKs)

Scalability & Privacy

Rationale: Ethereum mainnet transaction fees (gas) and throughput limitations make recording millions of individual unit transactions cost-prohibitive. Furthermore, enterprise pharmaceutical companies demand strict confidentiality regarding batch sizes, commercial pricing, and distributor volumes.

Technical Implementation: Deploy PharmaTrace on an Ethereum Layer-2 Rollup (e.g. Polygon zkEVM, Arbitrum, or Base) to reduce transaction costs to <$0.001 per verification. Implement zk-SNARKs (Zero-Knowledge Succinct Non-Interactive Arguments of Knowledge) allowing manufacturers to mathematically prove medicine authenticity and regulatory compliance without exposing proprietary commercial supply volumes to public block explorers.

3. Dynamic Anti-Clone NFC Chips & Cryptographic Hardware Enclaves

Physical Anti-Tamper

Rationale: High-resolution photocopy scanners can still clone static QR labels and paste them onto fake boxes containing identical dimensions.

Technical Implementation: Upgrade secondary packaging with dynamic cryptographic NFC (Near Field Communication) tags (e.g., NXP NTAG 424 DNA). Each tap of a patient smartphone triggers a dynamic AES-128 cryptographic SUN (Secure Unique NFC) token that changes on every interaction. A cloned tag cannot generate valid subsequent cryptographic signatures.

4. AI-Driven Anomaly Detection & Illicit Market Diversion Analytics

Predictive Security

Rationale: Stolen or diverted legitimate medicines are often illicitly transported across borders and sold in unauthorized regional markets.

Technical Implementation: Build an unsupervised graph neural network (GNN) and anomaly detection pipeline on top of scan metadata. The system will detect abnormal geographic clustering (e.g., a batch registered for Nairobi suddenly scanned simultaneously in Paris and Mumbai within 10 minutes), immediately locking the compromised batch and notifying law enforcement.

5. Global Regulatory Gateway: GS1 Digital Link, DSCSA & EU FMD Compliance

Regulatory Standards

Rationale: Commercial enterprise adoption requires compliance with national track-and-trace mandates like the US Drug Supply Chain Security Act (DSCSA) and EU Falsified Medicines Directive (EU FMD).

Technical Implementation: Standardize QR encoding to the GS1 Digital Link standard URI scheme (gtin/lot/ser/exp). Construct automated REST gateways mapping internal state events to EPCIS (Electronic Product Code Information Services) standard XML/JSON event repositories.

6. 6. SECURITY ARCHITECTURE & THREAT VECTOR ANALYSIS

The PharmaTrace security model defends against both digital network breaches and physical supply-chain exploits:

- **Private Key Isolation & Role Gating:** All state-modifying contract operations (minting, custody transfer, recalls) enforce strict onlyActive(Role) modifiers. Only verified manufacturer wallets can register batches; only verified pharmacies can mark final retail custody.
- **PBKDF2-SHA256 Password Hashing:** Backend credentials utilize salted cryptographic key stretching via Werkzeug with HMAC-SHA256 bearer session tokens, eliminating plain-text credential vulnerabilities.
- **Reentrancy & Overflow Defense:** Solidity 0.8.20 includes built-in arithmetic overflow/underflow checks. The contract design maintains checks-effects-interactions integrity.
- **Explainable Multi-Tier Fallback:** The API cleanly bifurcates on-chain immutable ledger facts from probabilistic off-chain visual/OCR inference, providing medical staff with clear, transparent reasons for suspicious ratings.

7. 7. CONCLUSION & PRODUCTION READINESS ASSESSMENT

PharmaTrace represents a proven, end-to-end realization of decentralized pharmaceutical supply-chain integrity. By combining the cryptographic immutability of Ethereum smart contracts with the content-addressed storage of IPFS, the rapid accessibility of Flutter mobile clients, and the dual-factor protection of computer vision and consensus OCR, the system establishes a new paradigm in counterfeit prevention.

With the planned roadmap implementations namely IoT cold-chain sensor integration, Layer-2 zk-Rollup cost reductions, dynamic cryptographic NFC tags, and GS1 Digital Link alignment PharmaTrace is primed to transition from an advanced prototype into an international standard for global drug provenance.

DOCUMENT SPECIFICATION & APPROVAL

Project Name: PharmaTrace Drug Authentication System
Engineering Lead: Core Architecture & Blockchain Team
Document Status: APPROVED FOR IMPLEMENTATION & REVIEW

Version: 1.0.0 (Production Blueprint)
Date of Publication: October 2026
Classification: Technical Architecture Dossier