

Component Documentation

The Grid system is a comprehensive CSS-based layout framework that provides responsive, mobile-first grid classes for building flexible and adaptive layouts. Based on Bootstrap's flexbox grid system, it includes containers, rows, columns, and extensive flexbox utilities with breakpoint-specific behavior.

How to use

The Grid system is implemented as CSS classes that can be applied directly to HTML elements. No JavaScript or Angular components are required.

Basic Grid

Simple grid layout with equal-width columns.

```

<div class="grid-basic-demo">
  <h3>Basic Grid Layout</h3>

  <div class="demo-section">
    <h4>Equal Width Columns</h4>
    <p>
      Basic grid with equal-width columns using the <code>.col</code> class.
    </p>

    <div class="container">
      <div class="row">
        <div class="col">
          <div class="grid-item">
            <h5>Column 1</h5>
            <p>This column automatically sizes to fill available space.</p>
          </div>
        </div>
        <div class="col">
          <div class="grid-item">
            <h5>Column 2</h5>
            <p>This column also automatically sizes to fill available space.</p>
          </div>
        </div>
        <div class="col">
          <div class="grid-item">
            <h5>Column 3</h5>
            <p>All columns in this row have equal width.</p>
          </div>
        </div>
      </div>
    </div>
  </div>

  <div class="demo-section">
    <h4>Fixed Width Columns</h4>
    <p>Grid with specific column widths using numbered classes.</p>

    <div class="container">
      <div class="row">
        <div class="col-8">
          <div class="grid-item primary">
            <h5>Main Content (8/12)</h5>
            <p>This column takes up 8 out of 12 grid columns (66.67% width).</p>
          </div>
        </div>
        <div class="col-4">
          <div class="grid-item secondary">
            <h5>Sidebar (4/12)</h5>
            <p>This column takes up 4 out of 12 grid columns (33.33% width).</p>
          </div>
        </div>
      </div>
    </div>
  </div>

  <div class="demo-section">
    <h4>Mixed Column Types</h4>
    <p>Combining fixed-width and auto-width columns.</p>

    <div class="container">

```

```

<div class="row">
  <div class="col-6">
    <div class="grid-item">
      <h5>Fixed Width (6/12)</h5>
      <p>This column has a fixed width of 50%.</p>
    </div>
  </div>
  <div class="col">
    <div class="grid-item">
      <h5>Auto Width</h5>
      <p>This column automatically sizes to fill remaining space.</p>
    </div>
  </div>
  <div class="col-auto">
    <div class="grid-item compact">
      <h5>Auto Size</h5>
      <p>Fits content.</p>
    </div>
  </div>
</div>
</div>
</div>

<div class="demo-section">
  <h4>Container Types</h4>
  <p>Different container types for different layout needs.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Fixed Container</h5>
          <p>
            This uses <code>.container</code> with responsive max-widths and
            centered content.
          </p>
        </div>
      </div>
    </div>
  </div>

  <div class="container-fluid">
    <div class="row">
      <div class="col-12">
        <div class="grid-item fluid">
          <h5>Fluid Container</h5>
          <p>
            This uses <code>.container-fluid</code> for full-width layout
            spanning the entire viewport.
          </p>
        </div>
      </div>
    </div>
  </div>

  <div class="demo-section">
    <h4>No Gutters</h4>
    <p>Grid without gutters using the <code>.no-gutters</code> class.</p>
    <div class="container">

```

```

<div class="row no-gutters">
  <div class="col-4">
    <div class="grid-item no-gutter">
      <h5>No Gutter</h5>
      <p>This column has no spacing between it and adjacent columns.</p>
    </div>
  </div>
  <div class="col-4">
    <div class="grid-item no-gutter">
      <h5>No Gutter</h5>
      <p>Adjacent columns touch each other with no gap.</p>
    </div>
  </div>
  <div class="col-4">
    <div class="grid-item no-gutter">
      <h5>No Gutter</h5>
      <p>Perfect for seamless layouts and full-width designs.</p>
    </div>
  </div>
</div>
</div>
</div>

<div class="demo-info">
  <h4>Basic Grid Features</h4>
  <ul>
    <li>
      <strong>Container System:</strong> Fixed-width and fluid containers
    </li>
    <li>
      <strong>Row Wrapper:</strong> Flexbox rows with automatic gutter
      management
    </li>
    <li>
      <strong>Column Classes:</strong> Equal-width, fixed-width, and
      auto-width options
    </li>
    <li>
      <strong>No Gutters:</strong> Option to remove spacing between columns
    </li>
    <li>
      <strong>Responsive Foundation:</strong> Mobile-first approach with
      responsive breakpoints
    </li>
  </ul>
</div>
</div>

```

```

import { Component } from "@angular/core";

@Component({
  selector: "app-grid-basic",
  standalone: true,
  template: `
    <div class="grid-basic-demo">
      <h3>Basic Grid Layout</h3>

      <div class="demo-section">

```

```

<h4>Equal Width Columns</h4>
<p>
  Basic grid with equal-width columns using the <code>.col</code> class.
</p>

<div class="container">
  <div class="row">
    <div class="col">
      <div class="grid-item">
        <h5>Column 1</h5>
        <p>This column automatically sizes to fill available space.</p>
      </div>
    </div>
    <div class="col">
      <div class="grid-item">
        <h5>Column 2</h5>
        <p>
          This column also automatically sizes to fill available space.
        </p>
      </div>
    </div>
    <div class="col">
      <div class="grid-item">
        <h5>Column 3</h5>
        <p>All columns in this row have equal width.</p>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Fixed Width Columns</h4>
  <p>Grid with specific column widths using numbered classes.</p>

  <div class="container">
    <div class="row">
      <div class="col-8">
        <div class="grid-item primary">
          <h5>Main Content (8/12)</h5>
          <p>
            This column takes up 8 out of 12 grid columns (66.67% width).
          </p>
        </div>
      </div>
      <div class="col-4">
        <div class="grid-item secondary">
          <h5>Sidebar (4/12)</h5>
          <p>
            This column takes up 4 out of 12 grid columns (33.33% width).
          </p>
        </div>
      </div>
    </div>
  </div>

  <div class="demo-section">
    <h4>Mixed Column Types</h4>
    <p>Combining fixed-width and auto-width columns.</p>
  </div>

```

```

<div class="container">
  <div class="row">
    <div class="col-6">
      <div class="grid-item">
        <h5>Fixed Width (6/12)</h5>
        <p>This column has a fixed width of 50%.</p>
      </div>
    </div>
    <div class="col">
      <div class="grid-item">
        <h5>Auto Width</h5>
        <p>This column automatically sizes to fill remaining space.</p>
      </div>
    </div>
    <div class="col-auto">
      <div class="grid-item compact">
        <h5>Auto Size</h5>
        <p>Fits content.</p>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Container Types</h4>
  <p>Different container types for different layout needs.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Fixed Container</h5>
          <p>
            This uses <code>.container</code> with responsive max-widths
            and centered content.
          </p>
        </div>
      </div>
    </div>
  </div>

  <div class="container-fluid">
    <div class="row">
      <div class="col-12">
        <div class="grid-item fluid">
          <h5>Fluid Container</h5>
          <p>
            This uses <code>.container-fluid</code> for full-width layout
            spanning the entire viewport.
          </p>
        </div>
      </div>
    </div>
  </div>

  <div class="demo-section">
    <h4>No Gutters</h4>
    <p>Grid without gutters using the <code>.no-gutters</code> class.</p>

```

```

<div class="container">
  <div class="row no-gutters">
    <div class="col-4">
      <div class="grid-item no-gutter">
        <h5>No Gutter</h5>
        <p>
          This column has no spacing between it and adjacent columns.
        </p>
      </div>
    </div>
    <div class="col-4">
      <div class="grid-item no-gutter">
        <h5>No Gutter</h5>
        <p>Adjacent columns touch each other with no gap.</p>
      </div>
    </div>
    <div class="col-4">
      <div class="grid-item no-gutter">
        <h5>No Gutter</h5>
        <p>Perfect for seamless layouts and full-width designs.</p>
      </div>
    </div>
  </div>
</div>

<div class="demo-info">
  <h4>Basic Grid Features</h4>
  <ul>
    <li>
      <strong>Container System:</strong> Fixed-width and fluid containers
    </li>
    <li>
      <strong>Row Wrapper:</strong> Flexbox rows with automatic gutter
      management
    </li>
    <li>
      <strong>Column Classes:</strong> Equal-width, fixed-width, and
      auto-width options
    </li>
    <li>
      <strong>No Gutters:</strong> Option to remove spacing between
      columns
    </li>
    <li>
      <strong>Responsive Foundation:</strong> Mobile-first approach with
      responsive breakpoints
    </li>
  </ul>
</div>
</div>
\,
styles: [
  \
    .grid-basic-demo {
      padding: 20px;
      max-width: 1200px;
      margin: 0 auto;
    }
    .grid-basic-demo h3 {

```

```
margin: 0 0 20px 0;
color: #333;
font-size: 24px;
font-weight: 600;
}

.demo-section {
margin-bottom: 40px;
padding: 20px;
border: 1px solid #e5e7eb;
border-radius: 8px;
background: #f9fafb;
}

.demo-section h4 {
margin: 0 0 12px 0;
color: #333;
font-size: 18px;
font-weight: 600;
}

.demo-section p {
margin: 0 0 20px 0;
color: #555;
line-height: 1.5;
}

.demo-section code {
background: #f1f3f4;
padding: 2px 6px;
border-radius: 4px;
font-family: monospace;
font-size: 14px;
}

.grid-item {
background: #fff;
border: 1px solid #e5e7eb;
border-radius: 6px;
padding: 20px;
height: 100%;
min-height: 120px;
display: flex;
flex-direction: column;
justify-content: center;
}

.grid-item h5 {
margin: 0 0 12px 0;
color: #333;
font-size: 16px;
font-weight: 600;
}

.grid-item p {
margin: 0;
color: #666;
line-height: 1.4;
}

.grid-item.primary {
```



```
    background: #e3f2fd;
    border-color: #2196f3;
}

.grid-item.secondary {
    background: #f3e5f5;
    border-color: #9c27b0;
}

.grid-item.compact {
    min-height: 80px;
    padding: 15px;
}

.grid-item.fluid {
    background: #e8f5e8;
    border-color: #4caf50;
}

.grid-item.no-gutter {
    border-radius: 0;
    border-left: none;
}

.grid-item.no-gutter:first-child {
    border-left: 1px solid #e5e7eb;
    border-top-left-radius: 6px;
    border-bottom-left-radius: 6px;
}

.grid-item.no-gutter:last-child {
    border-top-right-radius: 6px;
    border-bottom-right-radius: 6px;
}

.demo-info {
    margin-top: 40px;
    padding: 20px;
    background: #f8f9fa;
    border: 1px solid #dee2e6;
    border-radius: 8px;
}

.demo-info h4 {
    margin: 0 0 16px 0;
    color: #333;
    font-size: 18px;
    font-weight: 600;
}

.demo-info ul {
    margin: 0;
    padding-left: 20px;
    color: #555;
}

.demo-info li {
    margin-bottom: 8px;
    line-height: 1.4;
}
```

```
        .demo-info strong {  
            color: #333;  
        }  
    },  
],  
}))  
export class GridBasicComponent {  
    constructor() {  
        console.log("Grid Basic Component initialized");  
    }  
}
```

Responsive Grid

Grid layout that adapts to different screen sizes using breakpoint-specific classes.

```
<div class="grid-responsive-demo">
  <h3>Responsive Grid Layout</h3>

  <div class="demo-section">
    <h4>Responsive Column Classes</h4>
    <p>
      Grid columns that adapt to different screen sizes using
      breakpoint-specific classes.
    </p>

    <div class="container">
      <div class="row">
        <div class="col-12 col-sm-6 col-md-4 col-lg-3">
          <div class="grid-item responsive">
            <h5>Responsive Column</h5>
            <p>
              <strong>Mobile:</strong> 12/12 (100%)<br />
              <strong>Small:</strong> 6/12 (50%)<br />
              <strong>Medium:</strong> 4/12 (33.33%)<br />
              <strong>Large:</strong> 3/12 (25%)
            </p>
          </div>
        </div>
        <div class="col-12 col-sm-6 col-md-4 col-lg-3">
          <div class="grid-item responsive">
            <h5>Responsive Column</h5>
            <p>
              <strong>Mobile:</strong> 12/12 (100%)<br />
              <strong>Small:</strong> 6/12 (50%)<br />
              <strong>Medium:</strong> 4/12 (33.33%)<br />
              <strong>Large:</strong> 3/12 (25%)
            </p>
          </div>
        </div>
        <div class="col-12 col-sm-6 col-md-4 col-lg-3">
          <div class="grid-item responsive">
            <h5>Responsive Column</h5>
            <p>
              <strong>Mobile:</strong> 12/12 (100%)<br />
              <strong>Small:</strong> 6/12 (50%)<br />
              <strong>Medium:</strong> 4/12 (33.33%)<br />
              <strong>Large:</strong> 3/12 (25%)
            </p>
          </div>
        </div>
        <div class="col-12 col-sm-6 col-md-4 col-lg-3">
          <div class="grid-item responsive">
            <h5>Responsive Column</h5>
            <p>
              <strong>Mobile:</strong> 12/12 (100%)<br />
              <strong>Small:</strong> 6/12 (50%)<br />
              <strong>Medium:</strong> 4/12 (33.33%)<br />
              <strong>Large:</strong> 3/12 (25%)
            </p>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

<h4>Mobile-First Layout</h4>
<p>
  Layout that starts with mobile design and progressively enhances for
  larger screens.
</p>

<div class="container">
  <div class="row">
    <div class="col-12 col-md-8">
      <div class="grid-item primary">
        <h5>Main Content</h5>
        <p>
          <strong>Mobile:</strong> Full width (12/12)<br />
          <strong>Medium+:</strong> 8/12 width
        </p>
        <p>
          This column takes full width on mobile devices and 8/12 width on
          medium screens and larger.
        </p>
      </div>
    </div>
    <div class="col-12 col-md-4">
      <div class="grid-item secondary">
        <h5>Sidebar</h5>
        <p>
          <strong>Mobile:</strong> Full width (12/12)<br />
          <strong>Medium+:</strong> 4/12 width
        </p>
        <p>
          This sidebar appears below the main content on mobile and beside
          it on larger screens.
        </p>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Complex Responsive Layout</h4>
  <p>
    Advanced responsive layout with different column configurations at each
    breakpoint.
  </p>

  <div class="container">
    <div class="row">
      <div class="col-12 col-sm-6 col-lg-4">
        <div class="grid-item">
          <h5>Feature 1</h5>
          <p>
            <strong>Mobile:</strong> 12/12 (100%)<br />
            <strong>Small:</strong> 6/12 (50%)<br />
            <strong>Large:</strong> 4/12 (33.33%)
          </p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-4">
        <div class="grid-item">
          <h5>Feature 2</h5>

```

```

        <p>
            <strong>Mobile:</strong> 12/12 (100%)<br />
            <strong>Small:</strong> 6/12 (50%)<br />
            <strong>Large:</strong> 4/12 (33.33%)
        </p>
    </div>
</div>
<div class="col-12 col-sm-12 col-lg-4">
    <div class="grid-item">
        <h5>Feature 3</h5>
        <p>
            <strong>Mobile:</strong> 12/12 (100%)<br />
            <strong>Small:</strong> 12/12 (100%)<br />
            <strong>Large:</strong> 4/12 (33.33%)
        </p>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Responsive Navigation</h4>
    <p>Navigation layout that adapts to different screen sizes.</p>

    <div class="container">
        <div class="row align-items-center">
            <div class="col-12 col-md-3">
                <div class="grid-item nav-brand">
                    <h5>Brand Logo</h5>
                    <p>Always full width on mobile, 3/12 on medium+</p>
                </div>
            </div>
            <div class="col-12 col-md-9">
                <div class="grid-item nav-menu">
                    <h5>Navigation Menu</h5>
                    <p>Full width on mobile, 9/12 on medium+</p>
                    <div class="nav-items">
                        <span class="nav-item">Home</span>
                        <span class="nav-item">About</span>
                        <span class="nav-item">Services</span>
                        <span class="nav-item">Contact</span>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="demo-section">
    <h4>Responsive Form Layout</h4>
    <p>
        Form fields that stack on mobile and align side-by-side on larger screens.
    </p>

    <div class="container">
        <div class="row">
            <div class="col-12 col-sm-6">
                <div class="grid-item form-field">
                    <h5>First Name</h5>

```

```

        <p>Full width on mobile, 6/12 on small+</p>
    </div>
</div>
<div class="col-12 col-sm-6">
    <div class="grid-item form-field">
        <h5>Last Name</h5>
        <p>Full width on mobile, 6/12 on small+</p>
    </div>
</div>
<div class="col-12">
    <div class="grid-item form-field">
        <h5>Email Address</h5>
        <p>Always full width across all screen sizes</p>
    </div>
</div>
<div class="col-12 col-md-8">
    <div class="grid-item form-field">
        <h5>Message</h5>
        <p>Full width on mobile, 8/12 on medium+</p>
    </div>
</div>
<div class="col-12 col-md-4">
    <div class="grid-item form-field">
        <h5>Submit</h5>
        <p>Full width on mobile, 4/12 on medium+</p>
    </div>
</div>
</div>
</div>
</div>
</div>
<div class="demo-info">
    <h4>Responsive Grid Features</h4>
    <ul>
        <li>
            <strong>Mobile-First:</strong> Design for mobile devices first, then
            enhance for larger screens
        </li>
        <li>
            <strong>Breakpoint Classes:</strong> Use <code>.col-sm-*</code>,
            <code>.col-md-*</code>, <code>.col-lg-*</code>, <code>.col-xl-*</code>
        </li>
        <li>
            <strong>Progressive Enhancement:</strong> Start with basic layout, add
            complexity for larger screens
        </li>
        <li>
            <strong>Content Priority:</strong> Ensure important content is visible
            on all screen sizes
        </li>
        <li>
            <strong>Touch Optimization:</strong> Layouts are optimized for touch
            interaction on mobile
        </li>
    </ul>

    <h4>Breakpoint Reference</h4>
    <ul>
        <li>
            <strong>Extra Small (xs):</strong> 0px and up (default, no prefix)

```

```

    </li>
    <li><strong>Small (sm):</strong> 576px and up</li>
    <li><strong>Medium (md):</strong> 768px and up</li>
    <li><strong>Large (lg):</strong> 992px and up</li>
    <li><strong>Extra Large (xl):</strong> 1200px and up</li>
  </ul>
</div>
</div>

```

```

import { Component } from "@angular/core";

@Component({
  selector: "app-grid-responsive",
  standalone: true,
  template: `
    <div class="grid-responsive-demo">
      <h3>Responsive Grid Layout</h3>

      <div class="demo-section">
        <h4>Responsive Column Classes</h4>
        <p>
          Grid columns that adapt to different screen sizes using
          breakpoint-specific classes.
        </p>

        <div class="container">
          <div class="row">
            <div class="col-12 col-sm-6 col-md-4 col-lg-3">
              <div class="grid-item responsive">
                <h5>Responsive Column</h5>
                <p>
                  <strong>Mobile:</strong> 12/12 (100%)<br />
                  <strong>Small:</strong> 6/12 (50%)<br />
                  <strong>Medium:</strong> 4/12 (33.33%)<br />
                  <strong>Large:</strong> 3/12 (25%)
                </p>
              </div>
            </div>
            <div class="col-12 col-sm-6 col-md-4 col-lg-3">
              <div class="grid-item responsive">
                <h5>Responsive Column</h5>
                <p>
                  <strong>Mobile:</strong> 12/12 (100%)<br />
                  <strong>Small:</strong> 6/12 (50%)<br />
                  <strong>Medium:</strong> 4/12 (33.33%)<br />
                  <strong>Large:</strong> 3/12 (25%)
                </p>
              </div>
            </div>
            <div class="col-12 col-sm-6 col-md-4 col-lg-3">
              <div class="grid-item responsive">
                <h5>Responsive Column</h5>
                <p>
                  <strong>Mobile:</strong> 12/12 (100%)<br />
                  <strong>Small:</strong> 6/12 (50%)<br />
                  <strong>Medium:</strong> 4/12 (33.33%)<br />
                  <strong>Large:</strong> 3/12 (25%)
                </p>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  `
})

```

```

        </div>
    </div>
    <div class="col-12 col-sm-6 col-md-4 col-lg-3">
        <div class="grid-item responsive">
            <h5>Responsive Column</h5>
            <p>
                <strong>Mobile:</strong> 12/12 (100%)<br />
                <strong>Small:</strong> 6/12 (50%)<br />
                <strong>Medium:</strong> 4/12 (33.33%)<br />
                <strong>Large:</strong> 3/12 (25%)
            </p>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Mobile-First Layout</h4>
    <p>
        Layout that starts with mobile design and progressively enhances for
        larger screens.
    </p>

    <div class="container">
        <div class="row">
            <div class="col-12 col-md-8">
                <div class="grid-item primary">
                    <h5>Main Content</h5>
                    <p>
                        <strong>Mobile:</strong> Full width (12/12)<br />
                        <strong>Medium+:</strong> 8/12 width
                    </p>
                    <p>
                        This column takes full width on mobile devices and 8/12 width
                        on medium screens and larger.
                    </p>
                </div>
            </div>
            <div class="col-12 col-md-4">
                <div class="grid-item secondary">
                    <h5>Sidebar</h5>
                    <p>
                        <strong>Mobile:</strong> Full width (12/12)<br />
                        <strong>Medium+:</strong> 4/12 width
                    </p>
                    <p>
                        This sidebar appears below the main content on mobile and
                        beside it on larger screens.
                    </p>
                </div>
            </div>
        </div>
    </div>
</div>
</div>

<div class="demo-section">
    <h4>Complex Responsive Layout</h4>
    <p>
        Advanced responsive layout with different column configurations at

```



```

    each breakpoint.
</p>

<div class="container">
  <div class="row">
    <div class="col-12 col-sm-6 col-lg-4">
      <div class="grid-item">
        <h5>Feature 1</h5>
        <p>
          <strong>Mobile:</strong> 12/12 (100%)<br />
          <strong>Small:</strong> 6/12 (50%)<br />
          <strong>Large:</strong> 4/12 (33.33%)
        </p>
      </div>
    </div>
    <div class="col-12 col-sm-6 col-lg-4">
      <div class="grid-item">
        <h5>Feature 2</h5>
        <p>
          <strong>Mobile:</strong> 12/12 (100%)<br />
          <strong>Small:</strong> 6/12 (50%)<br />
          <strong>Large:</strong> 4/12 (33.33%)
        </p>
      </div>
    </div>
    <div class="col-12 col-sm-12 col-lg-4">
      <div class="grid-item">
        <h5>Feature 3</h5>
        <p>
          <strong>Mobile:</strong> 12/12 (100%)<br />
          <strong>Small:</strong> 12/12 (100%)<br />
          <strong>Large:</strong> 4/12 (33.33%)
        </p>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Responsive Navigation</h4>
  <p>Navigation layout that adapts to different screen sizes.</p>

  <div class="container">
    <div class="row align-items-center">
      <div class="col-12 col-md-3">
        <div class="grid-item nav-brand">
          <h5>Brand Logo</h5>
          <p>Always full width on mobile, 3/12 on medium+</p>
        </div>
      </div>
      <div class="col-12 col-md-9">
        <div class="grid-item nav-menu">
          <h5>Navigation Menu</h5>
          <p>Full width on mobile, 9/12 on medium+</p>
          <div class="nav-items">
            <span class="nav-item">Home</span>
            <span class="nav-item">About</span>
            <span class="nav-item">Services</span>
            <span class="nav-item">Contact</span>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Responsive Form Layout</h4>
    <p>
        Form fields that stack on mobile and align side-by-side on larger
        screens.
    </p>

    <div class="container">
        <div class="row">
            <div class="col-12 col-sm-6">
                <div class="grid-item form-field">
                    <h5>First Name</h5>
                    <p>Full width on mobile, 6/12 on small+</p>
                </div>
            </div>
            <div class="col-12 col-sm-6">
                <div class="grid-item form-field">
                    <h5>Last Name</h5>
                    <p>Full width on mobile, 6/12 on small+</p>
                </div>
            </div>
            <div class="col-12">
                <div class="grid-item form-field">
                    <h5>Email Address</h5>
                    <p>Always full width across all screen sizes</p>
                </div>
            </div>
            <div class="col-12 col-md-8">
                <div class="grid-item form-field">
                    <h5>Message</h5>
                    <p>Full width on mobile, 8/12 on medium+</p>
                </div>
            </div>
            <div class="col-12 col-md-4">
                <div class="grid-item form-field">
                    <h5>Submit</h5>
                    <p>Full width on mobile, 4/12 on medium+</p>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="demo-info">
    <h4>Responsive Grid Features</h4>
    <ul>
        <li>
            <strong>Mobile-First:</strong> Design for mobile devices first, then
            enhance for larger screens
        </li>
        <li>
            <strong>Breakpoint Classes:</strong> Use <code>.col-sm-*</code>,
            <code>.col-md-*</code>, <code>.col-lg-*</code>,

```

```

        <code>.col-xl-*</code>
    </li>
    <li>
        <strong>Progressive Enhancement:</strong> Start with basic layout,
        add complexity for larger screens
    </li>
    <li>
        <strong>Content Priority:</strong> Ensure important content is
        visible on all screen sizes
    </li>
    <li>
        <strong>Touch Optimization:</strong> Layouts are optimized for touch
        interaction on mobile
    </li>
</ul>

<h4>Breakpoint Reference</h4>
<ul>
    <li>
        <strong>Extra Small (xs):</strong> 0px and up (default, no prefix)
    </li>
    <li><strong>Small (sm):</strong> 576px and up</li>
    <li><strong>Medium (md):</strong> 768px and up</li>
    <li><strong>Large (lg):</strong> 992px and up</li>
    <li><strong>Extra Large (xl):</strong> 1200px and up</li>
</ul>
</div>
</div>
\
,
styles: [
\
    .grid-responsive-demo {
        padding: 20px;
        max-width: 1200px;
        margin: 0 auto;
    }

    .grid-responsive-demo h3 {
        margin: 0 0 20px 0;
        color: #333;
        font-size: 24px;
        font-weight: 600;
    }

    .demo-section {
        margin-bottom: 40px;
        padding: 20px;
        border: 1px solid #e5e7eb;
        border-radius: 8px;
        background: #f9fafb;
    }

    .demo-section h4 {
        margin: 0 0 12px 0;
        color: #333;
        font-size: 18px;
        font-weight: 600;
    }

    .demo-section p {

```

```
margin: 0 0 20px 0;
color: #555;
line-height: 1.5;
}

.demo-section code {
  background: #f1f3f4;
  padding: 2px 6px;
  border-radius: 4px;
  font-family: monospace;
  font-size: 14px;
}

.grid-item {
  background: #fff;
  border: 1px solid #e5e7eb;
  border-radius: 6px;
  padding: 20px;
  height: 100%;
  min-height: 120px;
  display: flex;
  flex-direction: column;
  justify-content: center;
}

.grid-item h5 {
  margin: 0 0 12px 0;
  color: #333;
  font-size: 16px;
  font-weight: 600;
}

.grid-item p {
  margin: 0;
  color: #666;
  line-height: 1.4;
}

.grid-item.responsive {
  background: #fff3cd;
  border-color: #ffcc00;
}

.grid-item.primary {
  background: #e3f2fd;
  border-color: #bbdefb;
}

.grid-item.secondary {
  background: #f3e5f5;
  border-color: #ffe0b2;
}

.grid-item.nav-brand {
  background: #e8f5e9;
  border-color: #c8e6c9;
  min-height: 80px;
}

.grid-item.nav-menu {
```



```
}  
}
```

Flexbox Utilities

Advanced flexbox utilities for controlling layout direction, alignment, and spacing.

```

<div class="grid-flexbox-demo">
  <h3>Flexbox Utilities</h3>

  <div class="demo-section">
    <h4>Flex Direction</h4>
    <p>Control the direction of flex items using direction classes.</p>

    <div class="container">
      <div class="row">
        <div class="col-6">
          <div class="grid-item">
            <h5>Row Direction (Default)</h5>
            <p>Items flow horizontally from left to right.</p>
            <div class="flex-demo flex-row">
              <div class="flex-item">1</div>
              <div class="flex-item">2</div>
              <div class="flex-item">3</div>
            </div>
          </div>
        </div>
        <div class="col-6">
          <div class="grid-item">
            <h5>Column Direction</h5>
            <p>Items flow vertically from top to bottom.</p>
            <div class="flex-demo flex-column">
              <div class="flex-item">1</div>
              <div class="flex-item">2</div>
              <div class="flex-item">3</div>
            </div>
          </div>
        </div>
      </div>

      <div class="row">
        <div class="col-6">
          <div class="grid-item">
            <h5>Row Reverse</h5>
            <p>Items flow horizontally from right to left.</p>
            <div class="flex-demo flex-row-reverse">
              <div class="flex-item">1</div>
              <div class="flex-item">2</div>
              <div class="flex-item">3</div>
            </div>
          </div>
        </div>
        <div class="col-6">
          <div class="grid-item">
            <h5>Column Reverse</h5>
            <p>Items flow vertically from bottom to top.</p>
            <div class="flex-demo flex-column-reverse">
              <div class="flex-item">1</div>
              <div class="flex-item">2</div>
              <div class="flex-item">3</div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="demo-section">

```

```

<h4>Flex Wrap</h4>
<p>Control how flex items wrap when they exceed the container width.</p>

<div class="container">
  <div class="row">
    <div class="col-6">
      <div class="grid-item">
        <h5>Wrap (Default)</h5>
        <p>Items wrap to the next line when needed.</p>
        <div class="flex-demo flex-wrap">
          <div class="flex-item wide">Item 1</div>
          <div class="flex-item wide">Item 2</div>
          <div class="flex-item wide">Item 3</div>
          <div class="flex-item wide">Item 4</div>
        </div>
      </div>
    </div>
    <div class="col-6">
      <div class="grid-item">
        <h5>No Wrap</h5>
        <p>Items stay on a single line and may overflow.</p>
        <div class="flex-demo flex-nowrap">
          <div class="flex-item wide">Item 1</div>
          <div class="flex-item wide">Item 2</div>
          <div class="flex-item wide">Item 3</div>
          <div class="flex-item wide">Item 4</div>
        </div>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="col-12">
      <div class="grid-item">
        <h5>Wrap Reverse</h5>
        <p>Items wrap to the previous line in reverse order.</p>
        <div class="flex-demo flex-wrap-reverse">
          <div class="flex-item wide">Item 1</div>
          <div class="flex-item wide">Item 2</div>
          <div class="flex-item wide">Item 3</div>
          <div class="flex-item wide">Item 4</div>
          <div class="flex-item wide">Item 5</div>
          <div class="flex-item wide">Item 6</div>
        </div>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Justify Content</h4>
  <p>Control the alignment of flex items along the main axis.</p>

  <div class="container">
    <div class="row">
      <div class="col-4">
        <div class="grid-item">
          <h5>Start (Default)</h5>
          <p>Items align to the start of the container.</p>

```



```

        <div class="flex-demo justify-content-start">
            <div class="flex-item">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item">3</div>
        </div>
    </div>
</div>
<div class="col-4">
    <div class="grid-item">
        <h5>Center</h5>
        <p>Items align to the center of the container.</p>
        <div class="flex-demo justify-content-center">
            <div class="flex-item">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item">3</div>
        </div>
    </div>
</div>
<div class="col-4">
    <div class="grid-item">
        <h5>End</h5>
        <p>Items align to the end of the container.</p>
        <div class="flex-demo justify-content-end">
            <div class="flex-item">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item">3</div>
        </div>
    </div>
</div>
</div>

<div class="row">
    <div class="col-6">
        <div class="grid-item">
            <h5>Between</h5>
            <p>Items are distributed with space between them.</p>
            <div class="flex-demo justify-content-between">
                <div class="flex-item">1</div>
                <div class="flex-item">2</div>
                <div class="flex-item">3</div>
            </div>
        </div>
    </div>
    <div class="col-6">
        <div class="grid-item">
            <h5>Around</h5>
            <p>Items are distributed with equal space around them.</p>
            <div class="flex-demo justify-content-around">
                <div class="flex-item">1</div>
                <div class="flex-item">2</div>
                <div class="flex-item">3</div>
            </div>
        </div>
    </div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Align Items</h4>

```

<p>Control the alignment of flex items along the cross axis.</p>

```
<div class="container">
  <div class="row">
    <div class="col-4">
      <div class="grid-item">
        <h5>Start</h5>
        <p>Items align to the start of the cross axis.</p>
        <div class="flex-demo align-items-start">
          <div class="flex-item tall">1</div>
          <div class="flex-item">2</div>
          <div class="flex-item tall">3</div>
        </div>
      </div>
    </div>
    <div class="col-4">
      <div class="grid-item">
        <h5>Center</h5>
        <p>Items align to the center of the cross axis.</p>
        <div class="flex-demo align-items-center">
          <div class="flex-item tall">1</div>
          <div class="flex-item">2</div>
          <div class="flex-item tall">3</div>
        </div>
      </div>
    </div>
    <div class="col-4">
      <div class="grid-item">
        <h5>End</h5>
        <p>Items align to the end of the cross axis.</p>
        <div class="flex-demo align-items-end">
          <div class="flex-item tall">1</div>
          <div class="flex-item">2</div>
          <div class="flex-item tall">3</div>
        </div>
      </div>
    </div>
  </div>
  <div class="row">
    <div class="col-6">
      <div class="grid-item">
        <h5>Baseline</h5>
        <p>Items align to their baseline.</p>
        <div class="flex-demo align-items-baseline">
          <div class="flex-item baseline">1</div>
          <div class="flex-item">2</div>
          <div class="flex-item baseline">3</div>
        </div>
      </div>
    </div>
    <div class="col-6">
      <div class="grid-item">
        <h5>Stretch (Default)</h5>
        <p>Items stretch to fill the container height.</p>
        <div class="flex-demo align-items-stretch">
          <div class="flex-item">1</div>
          <div class="flex-item">2</div>
          <div class="flex-item">3</div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

        </div>
    </div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Align Self</h4>
    <p>Override the alignment for individual flex items.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Individual Item Alignment</h5>
                    <p>Each item can have its own alignment override.</p>
                    <div class="flex-demo">
                        <div class="flex-item tall align-self-start">Start</div>
                        <div class="flex-item align-self-center">Center</div>
                        <div class="flex-item tall align-self-end">End</div>
                        <div class="flex-item align-self-baseline">Baseline</div>
                        <div class="flex-item align-self-stretch">Stretch</div>
                    </div>
                </div>
            </div>
        </div>
    </div>

<div class="demo-section">
    <h4>Responsive Flexbox</h4>
    <p>Flexbox utilities with responsive breakpoint variants.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Responsive Flex Direction</h5>
                    <p>
                        Direction changes based on screen size: column on mobile, row on
                        larger screens.
                    </p>
                    <div class="flex-demo flex-column flex-md-row">
                        <div class="flex-item">Mobile: Column</div>
                        <div class="flex-item">Desktop: Row</div>
                        <div class="flex-item">Responsive!</div>
                    </div>
                </div>
            </div>
        </div>

        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Responsive Justify Content</h5>
                    <p>
                        Alignment changes based on screen size: center on mobile, between
                        on larger screens.
                    </p>
                </div>
            </div>
        </div>
    </div>

```

```

        class="flex-demo justify-content-center justify-content-md-between"
    >
        <div class="flex-item">Centered on mobile</div>
        <div class="flex-item">Between on desktop</div>
        <div class="flex-item">Responsive alignment!</div>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="demo-info">
    <h4>Flexbox Utility Features</h4>
    <ul>
        <li>
            <strong>Direction Control:</strong> Row, column, and reverse variants
        </li>
        <li><strong>Wrap Options:</strong> Wrap, nowrap, and wrap-reverse</li>
        <li>
            <strong>Justify Content:</strong> Start, end, center, between, around
        </li>
        <li>
            <strong>Align Items:</strong> Start, end, center, baseline, stretch
        </li>
        <li><strong>Align Self:</strong> Individual item alignment override</li>
        <li>
            <strong>Responsive Variants:</strong> All utilities available at each
            breakpoint
        </li>
    </ul>

    <h4>Common Use Cases</h4>
    <ul>
        <li>
            <strong>Navigation:</strong> Use justify-content-between for logo and
            menu
        </li>
        <li>
            <strong>Centered Content:</strong> Use justify-content-center and
            align-items-center
        </li>
        <li>
            <strong>Card Layouts:</strong> Use flex-wrap for responsive card grids
        </li>
        <li>
            <strong>Form Layouts:</strong> Use flex-column for stacked form fields
        </li>
        <li>
            <strong>Responsive Design:</strong> Combine with breakpoint classes for
            adaptive layouts
        </li>
    </ul>
</div>
</div>

```

```

import { Component } from "@angular/core";
@Component({

```

```

selector: "app-grid-flexbox",
standalone: true,
template: `
  <div class="grid-flexbox-demo">
    <h3>Flexbox Utilities</h3>

    <div class="demo-section">
      <h4>Flex Direction</h4>
      <p>Control the direction of flex items using direction classes.</p>

      <div class="container">
        <div class="row">
          <div class="col-6">
            <div class="grid-item">
              <h5>Row Direction (Default)</h5>
              <p>Items flow horizontally from left to right.</p>
              <div class="flex-demo flex-row">
                <div class="flex-item">1</div>
                <div class="flex-item">2</div>
                <div class="flex-item">3</div>
              </div>
            </div>
          </div>
          <div class="col-6">
            <div class="grid-item">
              <h5>Column Direction</h5>
              <p>Items flow vertically from top to bottom.</p>
              <div class="flex-demo flex-column">
                <div class="flex-item">1</div>
                <div class="flex-item">2</div>
                <div class="flex-item">3</div>
              </div>
            </div>
          </div>
        </div>

        <div class="row">
          <div class="col-6">
            <div class="grid-item">
              <h5>Row Reverse</h5>
              <p>Items flow horizontally from right to left.</p>
              <div class="flex-demo flex-row-reverse">
                <div class="flex-item">1</div>
                <div class="flex-item">2</div>
                <div class="flex-item">3</div>
              </div>
            </div>
          </div>
          <div class="col-6">
            <div class="grid-item">
              <h5>Column Reverse</h5>
              <p>Items flow vertically from bottom to top.</p>
              <div class="flex-demo flex-column-reverse">
                <div class="flex-item">1</div>
                <div class="flex-item">2</div>
                <div class="flex-item">3</div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
`

```

```

    </div>
</div>

<div class="demo-section">
  <h4>Flex Wrap</h4>
  <p>Control how flex items wrap when they exceed the container width.</p>

  <div class="container">
    <div class="row">
      <div class="col-6">
        <div class="grid-item">
          <h5>Wrap (Default)</h5>
          <p>Items wrap to the next line when needed.</p>
          <div class="flex-demo flex-wrap">
            <div class="flex-item wide">Item 1</div>
            <div class="flex-item wide">Item 2</div>
            <div class="flex-item wide">Item 3</div>
            <div class="flex-item wide">Item 4</div>
          </div>
        </div>
      </div>
      <div class="col-6">
        <div class="grid-item">
          <h5>No Wrap</h5>
          <p>Items stay on a single line and may overflow.</p>
          <div class="flex-demo flex-nowrap">
            <div class="flex-item wide">Item 1</div>
            <div class="flex-item wide">Item 2</div>
            <div class="flex-item wide">Item 3</div>
            <div class="flex-item wide">Item 4</div>
          </div>
        </div>
      </div>
    </div>

    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Wrap Reverse</h5>
          <p>Items wrap to the previous line in reverse order.</p>
          <div class="flex-demo flex-wrap-reverse">
            <div class="flex-item wide">Item 1</div>
            <div class="flex-item wide">Item 2</div>
            <div class="flex-item wide">Item 3</div>
            <div class="flex-item wide">Item 4</div>
            <div class="flex-item wide">Item 5</div>
            <div class="flex-item wide">Item 6</div>
          </div>
        </div>
      </div>
    </div>
  </div>

</div>

<div class="demo-section">
  <h4>Justify Content</h4>
  <p>Control the alignment of flex items along the main axis.</p>

  <div class="container">
    <div class="row">

```

```

<div class="col-4">
  <div class="grid-item">
    <h5>Start (Default)</h5>
    <p>Items align to the start of the container.</p>
    <div class="flex-demo justify-content-start">
      <div class="flex-item">1</div>
      <div class="flex-item">2</div>
      <div class="flex-item">3</div>
    </div>
  </div>
</div>
<div class="col-4">
  <div class="grid-item">
    <h5>Center</h5>
    <p>Items align to the center of the container.</p>
    <div class="flex-demo justify-content-center">
      <div class="flex-item">1</div>
      <div class="flex-item">2</div>
      <div class="flex-item">3</div>
    </div>
  </div>
</div>
<div class="col-4">
  <div class="grid-item">
    <h5>End</h5>
    <p>Items align to the end of the container.</p>
    <div class="flex-demo justify-content-end">
      <div class="flex-item">1</div>
      <div class="flex-item">2</div>
      <div class="flex-item">3</div>
    </div>
  </div>
</div>
</div>

<div class="row">
  <div class="col-6">
    <div class="grid-item">
      <h5>Between</h5>
      <p>Items are distributed with space between them.</p>
      <div class="flex-demo justify-content-between">
        <div class="flex-item">1</div>
        <div class="flex-item">2</div>
        <div class="flex-item">3</div>
      </div>
    </div>
  </div>
</div>
<div class="col-6">
  <div class="grid-item">
    <h5>Around</h5>
    <p>Items are distributed with equal space around them.</p>
    <div class="flex-demo justify-content-around">
      <div class="flex-item">1</div>
      <div class="flex-item">2</div>
      <div class="flex-item">3</div>
    </div>
  </div>
</div>
</div>
</div>

```

```

</div>

<div class="demo-section">
  <h4>Align Items</h4>
  <p>Control the alignment of flex items along the cross axis.</p>

  <div class="container">
    <div class="row">
      <div class="col-4">
        <div class="grid-item">
          <h5>Start</h5>
          <p>Items align to the start of the cross axis.</p>
          <div class="flex-demo align-items-start">
            <div class="flex-item tall">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item tall">3</div>
          </div>
        </div>
      </div>
      <div class="col-4">
        <div class="grid-item">
          <h5>Center</h5>
          <p>Items align to the center of the cross axis.</p>
          <div class="flex-demo align-items-center">
            <div class="flex-item tall">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item tall">3</div>
          </div>
        </div>
      </div>
      <div class="col-4">
        <div class="grid-item">
          <h5>End</h5>
          <p>Items align to the end of the cross axis.</p>
          <div class="flex-demo align-items-end">
            <div class="flex-item tall">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item tall">3</div>
          </div>
        </div>
      </div>
    </div>

    <div class="row">
      <div class="col-6">
        <div class="grid-item">
          <h5>Baseline</h5>
          <p>Items align to their baseline.</p>
          <div class="flex-demo align-items-baseline">
            <div class="flex-item baseline">1</div>
            <div class="flex-item">2</div>
            <div class="flex-item baseline">3</div>
          </div>
        </div>
      </div>
      <div class="col-6">
        <div class="grid-item">
          <h5>Stretch (Default)</h5>
          <p>Items stretch to fill the container height.</p>
          <div class="flex-demo align-items-stretch">

```



```

        <div class="flex-item">1</div>
        <div class="flex-item">2</div>
        <div class="flex-item">3</div>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Align Self</h4>
    <p>Override the alignment for individual flex items.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Individual Item Alignment</h5>
                    <p>Each item can have its own alignment override.</p>
                    <div class="flex-demo">
                        <div class="flex-item tall align-self-start">Start</div>
                        <div class="flex-item align-self-center">Center</div>
                        <div class="flex-item tall align-self-end">End</div>
                        <div class="flex-item align-self-baseline">Baseline</div>
                        <div class="flex-item align-self-stretch">Stretch</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="demo-section">
    <h4>Responsive Flexbox</h4>
    <p>Flexbox utilities with responsive breakpoint variants.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Responsive Flex Direction</h5>
                    <p>
                        Direction changes based on screen size: column on mobile, row
                        on larger screens.
                    </p>
                    <div class="flex-demo flex-column flex-md-row">
                        <div class="flex-item">Mobile: Column</div>
                        <div class="flex-item">Desktop: Row</div>
                        <div class="flex-item">Responsive!</div>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <div class="row">
        <div class="col-12">
            <div class="grid-item">
                <h5>Responsive Justify Content</h5>
                <p>

```

```

        Alignment changes based on screen size: center on mobile,
        between on larger screens.
    </p>
    <div
        class="flex-demo justify-content-center justify-content-md-between"
    >
        <div class="flex-item">Centered on mobile</div>
        <div class="flex-item">Between on desktop</div>
        <div class="flex-item">Responsive alignment!</div>
    </div>
</div>
</div>
</div>
</div>
</div>
<div class="demo-info">
    <h4>Flexbox Utility Features</h4>
    <ul>
        <li>
            <strong>Direction Control:</strong> Row, column, and reverse
            variants
        </li>
        <li><strong>Wrap Options:</strong> Wrap, nowrap, and wrap-reverse</li>
        <li>
            <strong>Justify Content:</strong> Start, end, center, between,
            around
        </li>
        <li>
            <strong>Align Items:</strong> Start, end, center, baseline, stretch
        </li>
        <li>
            <strong>Align Self:</strong> Individual item alignment override
        </li>
        <li>
            <strong>Responsive Variants:</strong> All utilities available at
            each breakpoint
        </li>
    </ul>

    <h4>Common Use Cases</h4>
    <ul>
        <li>
            <strong>Navigation:</strong> Use justify-content-between for logo
            and menu
        </li>
        <li>
            <strong>Centered Content:</strong> Use justify-content-center and
            align-items-center
        </li>
        <li>
            <strong>Card Layouts:</strong> Use flex-wrap for responsive card
            grids
        </li>
        <li>
            <strong>Form Layouts:</strong> Use flex-column for stacked form
            fields
        </li>
        <li>
            <strong>Responsive Design:</strong> Combine with breakpoint classes

```

```

        for adaptive layouts
    </li>
</ul>
</div>
</div>
\,
styles: [
\
    .grid-flexbox-demo {
        padding: 20px;
        max-width: 1200px;
        margin: 0 auto;
    }

    .grid-flexbox-demo h3 {
        margin: 0 0 20px 0;
        color: #333;
        font-size: 24px;
        font-weight: 600;
    }

    .demo-section {
        margin-bottom: 40px;
        padding: 20px;
        border: 1px solid #e5e7eb;
        border-radius: 8px;
        background: #f9fafb;
    }

    .demo-section h4 {
        margin: 0 0 12px 0;
        color: #333;
        font-size: 18px;
        font-weight: 600;
    }

    .demo-section p {
        margin: 0 0 20px 0;
        color: #555;
        line-height: 1.5;
    }

    .grid-item {
        background: #fff;
        border: 1px solid #e5e7eb;
        border-radius: 6px;
        padding: 20px;
        height: 100%;
        min-height: 150px;
        display: flex;
        flex-direction: column;
    }

    .grid-item h5 {
        margin: 0 0 12px 0;
        color: #333;
        font-size: 16px;
        font-weight: 600;
    }

    .grid-item p {

```

```
margin: 0 0 15px 0;
color: #666;
line-height: 1.4;
}

.flex-demo {
  display: flex;
  background: #f8f9fa;
  border: 1px solid #dee2e6;
  border-radius: 4px;
  padding: 10px;
  min-height: 60px;
  gap: 10px;
}

.flex-item {
  background: #007bff;
  color: white;
  padding: 10px 15px;
  border-radius: 4px;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: 600;
  min-width: 40px;
  min-height: 40px;
}

.flex-item.wide {
  min-width: 80px;
}

.flex-item.tall {
  min-height: 60px;
}

.flex-item.baseline {
  font-size: 18px;
  padding-top: 20px;
}

.demo-info {
  margin-top: 40px;
  padding: 20px;
  background: #f8f9fa;
  border: 1px solid #dee2e6;
  border-radius: 8px;
}

.demo-info h4 {
  margin: 0 0 16px 0;
  color: #333;
  font-size: 18px;
  font-weight: 600;
}

.demo-info ul {
  margin: 0 0 20px 0;
  padding-left: 20px;
  color: #555;
}
```

```

    }

    .demo-info li {
      margin-bottom: 8px;
      line-height: 1.4;
    }

    .demo-info strong {
      color: #333;
    }
  },
],
}))
export class GridFlexboxComponent {
  constructor() {
    console.log("Grid Flexbox Component initialized");
  }
}

```

Alignment

Flexbox alignment utilities for controlling how items are positioned within containers.

```

<div class="grid-alignment-demo">
  <h3>Alignment Utilities</h3>

  <div class="demo-section">
    <h4>Vertical Alignment</h4>
    <p>Control how items are aligned vertically within their containers.</p>

    <div class="container">
      <div class="row">
        <div class="col-4">
          <div class="grid-item">
            <h5>Align Items Start</h5>
            <p>Items align to the top of the container.</p>
            <div class="alignment-demo align-items-start">
              <div class="demo-item tall">Item 1</div>
              <div class="demo-item">Item 2</div>
              <div class="demo-item tall">Item 3</div>
            </div>
          </div>
        </div>
        <div class="col-4">
          <div class="grid-item">
            <h5>Align Items Center</h5>
            <p>Items align to the center of the container.</p>
            <div class="alignment-demo align-items-center">
              <div class="demo-item tall">Item 1</div>
              <div class="demo-item">Item 2</div>
              <div class="demo-item tall">Item 3</div>
            </div>
          </div>
        </div>
        <div class="col-4">
          <div class="grid-item">
            <h5>Align Items End</h5>
            <p>Items align to the bottom of the container.</p>
            <div class="alignment-demo align-items-end">
              <div class="demo-item tall">Item 1</div>
              <div class="demo-item">Item 2</div>
              <div class="demo-item tall">Item 3</div>
            </div>
          </div>
        </div>
      </div>

      <div class="row">
        <div class="col-6">
          <div class="grid-item">
            <h5>Align Items Baseline</h5>
            <p>Items align to their text baseline.</p>
            <div class="alignment-demo align-items-baseline">
              <div class="demo-item baseline">Large Text</div>
              <div class="demo-item">Normal Text</div>
              <div class="demo-item baseline">Large Text</div>
            </div>
          </div>
        </div>
        <div class="col-6">
          <div class="grid-item">
            <h5>Align Items Stretch</h5>
            <p>Items stretch to fill the container height (default).</p>

```

```

        <div class="alignment-demo align-items-stretch">
            <div class="demo-item">Item 1</div>
            <div class="demo-item">Item 2</div>
            <div class="demo-item">Item 3</div>
        </div>
    </div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Horizontal Alignment</h4>
    <p>
        Control how items are distributed horizontally within their containers.
    </p>

    <div class="container">
        <div class="row">
            <div class="col-4">
                <div class="grid-item">
                    <h5>Justify Content Start</h5>
                    <p>Items align to the left (default).</p>
                    <div class="alignment-demo justify-content-start">
                        <div class="demo-item">1</div>
                        <div class="demo-item">2</div>
                        <div class="demo-item">3</div>
                    </div>
                </div>
            </div>
            <div class="col-4">
                <div class="grid-item">
                    <h5>Justify Content Center</h5>
                    <p>Items align to the center.</p>
                    <div class="alignment-demo justify-content-center">
                        <div class="demo-item">1</div>
                        <div class="demo-item">2</div>
                        <div class="demo-item">3</div>
                    </div>
                </div>
            </div>
            <div class="col-4">
                <div class="grid-item">
                    <h5>Justify Content End</h5>
                    <p>Items align to the right.</p>
                    <div class="alignment-demo justify-content-end">
                        <div class="demo-item">1</div>
                        <div class="demo-item">2</div>
                        <div class="demo-item">3</div>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <div class="row">
        <div class="col-6">
            <div class="grid-item">
                <h5>Justify Content Between</h5>
                <p>Items are distributed with space between them.</p>
                <div class="alignment-demo justify-content-between">

```

```

        <div class="demo-item">1</div>
        <div class="demo-item">2</div>
        <div class="demo-item">3</div>
    </div>
</div>
</div>
<div class="col-6">
    <div class="grid-item">
        <h5>Justify Content Around</h5>
        <p>Items are distributed with equal space around them.</p>
        <div class="alignment-demo justify-content-around">
            <div class="demo-item">1</div>
            <div class="demo-item">2</div>
            <div class="demo-item">3</div>
        </div>
    </div>
</div>
</div>
</div>
</div>
<div class="demo-section">
    <h4>Individual Item Alignment</h4>
    <p>Override alignment for specific items using align-self classes.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Align Self Overrides</h5>
                    <p>Each item can have its own alignment override.</p>
                    <div class="alignment-demo">
                        <div class="demo-item tall align-self-start">Start</div>
                        <div class="demo-item align-self-center">Center</div>
                        <div class="demo-item tall align-self-end">End</div>
                        <div class="demo-item align-self-baseline">Baseline</div>
                        <div class="demo-item align-self-stretch">Stretch</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="demo-section">
    <h4>Content Alignment</h4>
    <p>Control alignment when flex items wrap to multiple lines.</p>

    <div class="container">
        <div class="row">
            <div class="col-4">
                <div class="grid-item">
                    <h5>Align Content Start</h5>
                    <p>Lines align to the start of the container.</p>
                    <div class="alignment-demo align-content-start">
                        <div class="demo-item wide">Item 1</div>
                        <div class="demo-item wide">Item 2</div>
                        <div class="demo-item wide">Item 3</div>
                        <div class="demo-item wide">Item 4</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```



```

    </div>
  </div>
  <div class="col-4">
    <div class="grid-item">
      <h5>Align Content Center</h5>
      <p>Lines align to the center of the container.</p>
      <div class="alignment-demo align-content-center">
        <div class="demo-item wide">Item 1</div>
        <div class="demo-item wide">Item 2</div>
        <div class="demo-item wide">Item 3</div>
        <div class="demo-item wide">Item 4</div>
      </div>
    </div>
  </div>
  <div class="col-4">
    <div class="grid-item">
      <h5>Align Content End</h5>
      <p>Lines align to the end of the container.</p>
      <div class="alignment-demo align-content-end">
        <div class="demo-item wide">Item 1</div>
        <div class="demo-item wide">Item 2</div>
        <div class="demo-item wide">Item 3</div>
        <div class="demo-item wide">Item 4</div>
      </div>
    </div>
  </div>
</div>

<div class="row">
  <div class="col-6">
    <div class="grid-item">
      <h5>Align Content Between</h5>
      <p>Lines are distributed with space between them.</p>
      <div class="alignment-demo align-content-between">
        <div class="demo-item wide">Item 1</div>
        <div class="demo-item wide">Item 2</div>
        <div class="demo-item wide">Item 3</div>
        <div class="demo-item wide">Item 4</div>
      </div>
    </div>
  </div>
  <div class="col-6">
    <div class="grid-item">
      <h5>Align Content Around</h5>
      <p>Lines are distributed with equal space around them.</p>
      <div class="alignment-demo align-content-around">
        <div class="demo-item wide">Item 1</div>
        <div class="demo-item wide">Item 2</div>
        <div class="demo-item wide">Item 3</div>
        <div class="demo-item wide">Item 4</div>
      </div>
    </div>
  </div>
</div>
</div>

<div class="demo-section">
  <h4>Responsive Alignment</h4>
  <p>Alignment utilities with responsive breakpoint variants.</p>

```

```

<div class="container">
  <div class="row">
    <div class="col-12">
      <div class="grid-item">
        <h5>Responsive Vertical Alignment</h5>
        <p>
          Alignment changes based on screen size: start on mobile, center on
          larger screens.
        </p>
        <div class="alignment-demo align-items-start align-items-md-center">
          <div class="demo-item tall">Mobile: Top</div>
          <div class="demo-item">Desktop: Center</div>
          <div class="demo-item tall">Responsive!</div>
        </div>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="col-12">
      <div class="grid-item">
        <h5>Responsive Horizontal Alignment</h5>
        <p>
          Alignment changes based on screen size: center on mobile, between
          on larger screens.
        </p>
        <div
          class="alignment-demo justify-content-center justify-content-md-between"
        >
          <div class="demo-item">Centered on mobile</div>
          <div class="demo-item">Between on desktop</div>
          <div class="demo-item">Responsive alignment!</div>
        </div>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Real-World Examples</h4>
  <p>Common alignment patterns used in web layouts.</p>

  <div class="container">
    <div class="row">
      <div class="col-6">
        <div class="grid-item">
          <h5>Navigation Bar</h5>
          <p>Logo on the left, menu items on the right.</p>
          <div
            class="alignment-demo justify-content-between align-items-center"
          >
            <div class="demo-item nav-logo">Logo</div>
            <div class="nav-menu">
              <span class="nav-item">Home</span>
              <span class="nav-item">About</span>
              <span class="nav-item">Contact</span>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

</div>
<div class="col-6">
  <div class="grid-item">
    <h5>Centered Card</h5>
    <p>Content centered both horizontally and vertically.</p>
    <div
      class="alignment-demo justify-content-center align-items-center"
    >
      <div class="demo-item card-content">
        <h6>Centered Card</h6>
        <p>Perfectly centered content</p>
      </div>
    </div>
  </div>
</div>
</div>

<div class="row">
  <div class="col-12">
    <div class="grid-item">
      <h5>Footer Layout</h5>
      <p>Footer content distributed across the width.</p>
      <div
        class="alignment-demo justify-content-around align-items-start"
      >
        <div class="demo-item footer-section">
          <h6>Company</h6>
          <p>About Us<br />Careers<br />Contact</p>
        </div>
        <div class="demo-item footer-section">
          <h6>Products</h6>
          <p>Features<br />Pricing<br />Support</p>
        </div>
        <div class="demo-item footer-section">
          <h6>Resources</h6>
          <p>Blog<br />Documentation<br />Help</p>
        </div>
      </div>
    </div>
  </div>
</div>
</div>

<div class="demo-info">
  <h4>Alignment Utility Features</h4>
  <ul>
    <li>
      <strong>Vertical Alignment:</strong> Start, center, end, baseline,
      stretch
    </li>
    <li>
      <strong>Horizontal Alignment:</strong> Start, center, end, between,
      around
    </li>
    <li>
      <strong>Individual Override:</strong> Align-self classes for specific
      items
    </li>
    <li>

```

```

    <strong>Content Alignment:</strong> Control alignment of wrapped content
  </li>
  <li>
    <strong>Responsive Variants:</strong> All utilities available at each
    breakpoint
  </li>
  <li>
    <strong>Flexbox Based:</strong> Built on CSS Flexbox for modern browser
    support
  </li>
</ul>

<h4>Common Use Cases</h4>
<ul>
  <li>
    <strong>Navigation:</strong> Use justify-content-between for logo and
    menu
  </li>
  <li>
    <strong>Centered Content:</strong> Use justify-content-center and
    align-items-center
  </li>
  <li>
    <strong>Card Layouts:</strong> Use align-items-stretch for equal height
    cards
  </li>
  <li>
    <strong>Form Layouts:</strong> Use align-items-center for form field
    alignment
  </li>
  <li>
    <strong>Responsive Design:</strong> Combine with breakpoint classes for
    adaptive layouts
  </li>
</ul>
</div>
</div>

```

```
---
```

```

import { Component } from "@angular/core";

@Component({
  selector: "app-grid-alignment",
  standalone: true,
  template: `
    <div class="grid-alignment-demo">
      <h3>Alignment Utilities</h3>

      <div class="demo-section">
        <h4>Vertical Alignment</h4>
        <p>Control how items are aligned vertically within their containers.</p>

        <div class="container">
          <div class="row">
            <div class="col-4">
              <div class="grid-item">
                <h5>Align Items Start</h5>
                <p>Items align to the top of the container.</p>
                <div class="alignment-demo align-items-start">

```

```

        <div class="demo-item tall">Item 1</div>
        <div class="demo-item">Item 2</div>
        <div class="demo-item tall">Item 3</div>
    </div>
</div>
</div>
<div class="col-4">
    <div class="grid-item">
        <h5>Align Items Center</h5>
        <p>Items align to the center of the container.</p>
        <div class="alignment-demo align-items-center">
            <div class="demo-item tall">Item 1</div>
            <div class="demo-item">Item 2</div>
            <div class="demo-item tall">Item 3</div>
        </div>
    </div>
</div>
<div class="col-4">
    <div class="grid-item">
        <h5>Align Items End</h5>
        <p>Items align to the bottom of the container.</p>
        <div class="alignment-demo align-items-end">
            <div class="demo-item tall">Item 1</div>
            <div class="demo-item">Item 2</div>
            <div class="demo-item tall">Item 3</div>
        </div>
    </div>
</div>
</div>

<div class="row">
    <div class="col-6">
        <div class="grid-item">
            <h5>Align Items Baseline</h5>
            <p>Items align to their text baseline.</p>
            <div class="alignment-demo align-items-baseline">
                <div class="demo-item baseline">Large Text</div>
                <div class="demo-item">Normal Text</div>
                <div class="demo-item baseline">Large Text</div>
            </div>
        </div>
    </div>
    <div class="col-6">
        <div class="grid-item">
            <h5>Align Items Stretch</h5>
            <p>Items stretch to fill the container height (default).</p>
            <div class="alignment-demo align-items-stretch">
                <div class="demo-item">Item 1</div>
                <div class="demo-item">Item 2</div>
                <div class="demo-item">Item 3</div>
            </div>
        </div>
    </div>
</div>
</div>

<div class="demo-section">
    <h4>Horizontal Alignment</h4>
    <p>

```

Control how items are distributed horizontally within their containers.

</p>

```
<div class="container">
  <div class="row">
    <div class="col-4">
      <div class="grid-item">
        <h5>Justify Content Start</h5>
        <p>Items align to the left (default).</p>
        <div class="alignment-demo justify-content-start">
          <div class="demo-item">1</div>
          <div class="demo-item">2</div>
          <div class="demo-item">3</div>
        </div>
      </div>
    </div>
    <div class="col-4">
      <div class="grid-item">
        <h5>Justify Content Center</h5>
        <p>Items align to the center.</p>
        <div class="alignment-demo justify-content-center">
          <div class="demo-item">1</div>
          <div class="demo-item">2</div>
          <div class="demo-item">3</div>
        </div>
      </div>
    </div>
    <div class="col-4">
      <div class="grid-item">
        <h5>Justify Content End</h5>
        <p>Items align to the right.</p>
        <div class="alignment-demo justify-content-end">
          <div class="demo-item">1</div>
          <div class="demo-item">2</div>
          <div class="demo-item">3</div>
        </div>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="col-6">
      <div class="grid-item">
        <h5>Justify Content Between</h5>
        <p>Items are distributed with space between them.</p>
        <div class="alignment-demo justify-content-between">
          <div class="demo-item">1</div>
          <div class="demo-item">2</div>
          <div class="demo-item">3</div>
        </div>
      </div>
    </div>
    <div class="col-6">
      <div class="grid-item">
        <h5>Justify Content Around</h5>
        <p>Items are distributed with equal space around them.</p>
        <div class="alignment-demo justify-content-around">
          <div class="demo-item">1</div>
          <div class="demo-item">2</div>
```

```

        <div class="demo-item">3</div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Individual Item Alignment</h4>
    <p>Override alignment for specific items using align-self classes.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Align Self Overrides</h5>
                    <p>Each item can have its own alignment override.</p>
                    <div class="alignment-demo">
                        <div class="demo-item tall align-self-start">Start</div>
                        <div class="demo-item align-self-center">Center</div>
                        <div class="demo-item tall align-self-end">End</div>
                        <div class="demo-item align-self-baseline">Baseline</div>
                        <div class="demo-item align-self-stretch">Stretch</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="demo-section">
    <h4>Content Alignment</h4>
    <p>Control alignment when flex items wrap to multiple lines.</p>

    <div class="container">
        <div class="row">
            <div class="col-4">
                <div class="grid-item">
                    <h5>Align Content Start</h5>
                    <p>Lines align to the start of the container.</p>
                    <div class="alignment-demo align-content-start">
                        <div class="demo-item wide">Item 1</div>
                        <div class="demo-item wide">Item 2</div>
                        <div class="demo-item wide">Item 3</div>
                        <div class="demo-item wide">Item 4</div>
                    </div>
                </div>
            </div>
            <div class="col-4">
                <div class="grid-item">
                    <h5>Align Content Center</h5>
                    <p>Lines align to the center of the container.</p>
                    <div class="alignment-demo align-content-center">
                        <div class="demo-item wide">Item 1</div>
                        <div class="demo-item wide">Item 2</div>
                        <div class="demo-item wide">Item 3</div>
                        <div class="demo-item wide">Item 4</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

</div>
<div class="col-4">
  <div class="grid-item">
    <h5>Align Content End</h5>
    <p>Lines align to the end of the container.</p>
    <div class="alignment-demo align-content-end">
      <div class="demo-item wide">Item 1</div>
      <div class="demo-item wide">Item 2</div>
      <div class="demo-item wide">Item 3</div>
      <div class="demo-item wide">Item 4</div>
    </div>
  </div>
</div>
</div>

<div class="row">
  <div class="col-6">
    <div class="grid-item">
      <h5>Align Content Between</h5>
      <p>Lines are distributed with space between them.</p>
      <div class="alignment-demo align-content-between">
        <div class="demo-item wide">Item 1</div>
        <div class="demo-item wide">Item 2</div>
        <div class="demo-item wide">Item 3</div>
        <div class="demo-item wide">Item 4</div>
      </div>
    </div>
  </div>
  <div class="col-6">
    <div class="grid-item">
      <h5>Align Content Around</h5>
      <p>Lines are distributed with equal space around them.</p>
      <div class="alignment-demo align-content-around">
        <div class="demo-item wide">Item 1</div>
        <div class="demo-item wide">Item 2</div>
        <div class="demo-item wide">Item 3</div>
        <div class="demo-item wide">Item 4</div>
      </div>
    </div>
  </div>
</div>
</div>

<div class="demo-section">
  <h4>Responsive Alignment</h4>
  <p>Alignment utilities with responsive breakpoint variants.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Responsive Vertical Alignment</h5>
          <p>
            Alignment changes based on screen size: start on mobile,
            center on larger screens.
          </p>
          <div
            class="alignment-demo align-items-start align-items-md-center"
          >

```



```
<div class="demo-item tall">Mobile: Top</div>  
  <div class="demo-item">Desktop: Center</div>  
  <div class="demo-item tall">Responsive!</div>  
</div>  
</div>  
</div>  
</div>  
  
<div class="row">  
  <div class="col-12">  
    <div class="grid-item">  
      <h5>Responsive Horizontal Alignment</h5>  
      <p>  
        Alignment changes based on screen size: center on mobile,  
        between on larger screens.  
      </p>  
      <div  
        class="alignment-demo justify-content-center justify-content-md-between"  
      >  
        <div class="demo-item">Centered on mobile</div>  
        <div class="demo-item">Between on desktop</div>  
        <div class="demo-item">Responsive alignment!</div>  
      </div>  
    </div>  
  </div>  
</div>  
</div>  
</div>  
  
<div class="demo-section">  
  <h4>Real-World Examples</h4>  
  <p>Common alignment patterns used in web layouts.</p>  
  
  <div class="container">  
    <div class="row">  
      <div class="col-6">  
        <div class="grid-item">  
          <h5>Navigation Bar</h5>  
          <p>Logo on the left, menu items on the right.</p>  
          <div  
            class="alignment-demo justify-content-between align-items-center"  
          >  
            <div class="demo-item nav-logo">Logo</div>  
            <div class="nav-menu">  
              <span class="nav-item">Home</span>  
              <span class="nav-item">About</span>  
              <span class="nav-item">Contact</span>  
            </div>  
          </div>  
        </div>  
      </div>  
      <div class="col-6">  
        <div class="grid-item">  
          <h5>Centered Card</h5>  
          <p>Content centered both horizontally and vertically.</p>  
          <div  
            class="alignment-demo justify-content-center align-items-center"  
          >  
            <div class="demo-item card-content">  
              <h6>Centered Card</h6>
```

```

        <p>Perfectly centered content</p>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="row">
    <div class="col-12">
        <div class="grid-item">
            <h5>Footer Layout</h5>
            <p>Footer content distributed across the width.</p>
            <div
                class="alignment-demo justify-content-around align-items-start"
            >
                <div class="demo-item footer-section">
                    <h6>Company</h6>
                    <p>About Us<br />Careers<br />Contact</p>
                </div>
                <div class="demo-item footer-section">
                    <h6>Products</h6>
                    <p>Features<br />Pricing<br />Support</p>
                </div>
                <div class="demo-item footer-section">
                    <h6>Resources</h6>
                    <p>Blog<br />Documentation<br />Help</p>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>

<div class="demo-info">
    <h4>Alignment Utility Features</h4>
    <ul>
        <li>
            <strong>Vertical Alignment:</strong> Start, center, end, baseline,
            stretch
        </li>
        <li>
            <strong>Horizontal Alignment:</strong> Start, center, end, between,
            around
        </li>
        <li>
            <strong>Individual Override:</strong> Align-self classes for
            specific items
        </li>
        <li>
            <strong>Content Alignment:</strong> Control alignment of wrapped
            content
        </li>
        <li>
            <strong>Responsive Variants:</strong> All utilities available at
            each breakpoint
        </li>
        <li>
            <strong>Flexbox Based:</strong> Built on CSS Flexbox for modern
            browser support
        </li>
    </ul>

```

```

    </li>
</ul>

<h4>Common Use Cases</h4>
<ul>
  <li>
    <strong>Navigation:</strong> Use justify-content-between for logo
    and menu
  </li>
  <li>
    <strong>Centered Content:</strong> Use justify-content-center and
    align-items-center
  </li>
  <li>
    <strong>Card Layouts:</strong> Use align-items-stretch for equal
    height cards
  </li>
  <li>
    <strong>Form Layouts:</strong> Use align-items-center for form field
    alignment
  </li>
  <li>
    <strong>Responsive Design:</strong> Combine with breakpoint classes
    for adaptive layouts
  </li>
</ul>
</div>
</div>
\
,
styles: [
\
  .grid-alignment-demo {
    padding: 20px;
    max-width: 1200px;
    margin: 0 auto;
  }

  .grid-alignment-demo h3 {
    margin: 0 0 20px 0;
    color: #333;
    font-size: 24px;
    font-weight: 600;
  }

  .demo-section {
    margin-bottom: 40px;
    padding: 20px;
    border: 1px solid #e5e7eb;
    border-radius: 8px;
    background: #f9fafb;
  }

  .demo-section h4 {
    margin: 0 0 12px 0;
    color: #333;
    font-size: 18px;
    font-weight: 600;
  }

  .demo-section p {

```

```
margin: 0 0 20px 0;
color: #555;
line-height: 1.5;
}

.grid-item {
  background: #fff;
  border: 1px solid #e5e7eb;
  border-radius: 6px;
  padding: 20px;
  height: 100%;
  min-height: 150px;
  display: flex;
  flex-direction: column;
}

.grid-item h5 {
  margin: 0 0 12px 0;
  color: #333;
  font-size: 16px;
  font-weight: 600;
}

.grid-item p {
  margin: 0 0 15px 0;
  color: #666;
  line-height: 1.4;
}

.alignment-demo {
  display: flex;
  background: #f8f9fa;
  border: 1px solid #dee2e6;
  border-radius: 4px;
  padding: 10px;
  min-height: 80px;
  gap: 10px;
  flex-wrap: wrap;
}

.demo-item {
  background: #007bff;
  color: white;
  padding: 10px 15px;
  border-radius: 4px;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: 600;
  min-width: 40px;
  min-height: 40px;
}

.demo-item.tall {
  min-height: 60px;
}

.demo-item.wide {
  min-width: 80px;
}
```

```
.demo-item.baseline {
  font-size: 18px;
  padding-top: 20px;
}

.demo-item.nav-logo {
  background: #28a745;
}

.nav-menu {
  display: flex;
  gap: 10px;
}

.nav-item {
  background: #6c757d;
  color: white;
  padding: 5px 10px;
  border-radius: 4px;
  font-size: 14px;
}

.demo-item.card-content {
  background: #17a2b8;
  flex-direction: column;
  text-align: center;
  min-width: 120px;
}

.demo-item.card-content h6 {
  margin: 0 0 5px 0;
  font-size: 14px;
}

.demo-item.card-content p {
  margin: 0;
  font-size: 12px;
  font-weight: normal;
}

.demo-item.footer-section {
  background: #6f42c1;
  flex-direction: column;
  text-align: center;
  min-width: 100px;
}

.demo-item.footer-section h6 {
  margin: 0 0 5px 0;
  font-size: 14px;
}

.demo-item.footer-section p {
  margin: 0;
  font-size: 12px;
  font-weight: normal;
}

.demo-info {
  margin-top: 40px;
}
```

```

        padding: 20px;
        background: #f8f9fa;
        border: 1px solid #dee2e6;
        border-radius: 8px;
    }

    .demo-info h4 {
        margin: 0 0 16px 0;
        color: #333;
        font-size: 18px;
        font-weight: 600;
    }

    .demo-info ul {
        margin: 0 0 20px 0;
        padding-left: 20px;
        color: #555;
    }

    .demo-info li {
        margin-bottom: 8px;
        line-height: 1.4;
    }

    .demo-info strong {
        color: #333;
    }
    },
],
}))
export class GridAlignmentComponent {
    constructor() {
        console.log("Grid Alignment Component initialized");
    }
}

```

Ordering

CSS order utilities for controlling the visual order of flex items.

```

<div class="grid-ordering-demo">
  <h3>Ordering Utilities</h3>

  <div class="demo-section">
    <h4>CSS Order Classes</h4>
    <p>Control the visual order of flex items using CSS order utilities.</p>

    <div class="container">
      <div class="row">
        <div class="col-12">
          <div class="grid-item">
            <h5>Default Order</h5>
            <p>Items appear in their natural DOM order.</p>
            <div class="ordering-demo">
              <div class="demo-item">1 (order: 0)</div>
              <div class="demo-item">2 (order: 0)</div>
              <div class="demo-item">3 (order: 0)</div>
            </div>
          </div>
        </div>
      </div>

      <div class="row">
        <div class="col-6">
          <div class="grid-item">
            <h5>Order First</h5>
            <p>Item appears first regardless of DOM order.</p>
            <div class="ordering-demo">
              <div class="demo-item">1 (order: 0)</div>
              <div class="demo-item order-first">2 (order: -1)</div>
              <div class="demo-item">3 (order: 0)</div>
            </div>
          </div>
        </div>
        <div class="col-6">
          <div class="grid-item">
            <h5>Order Last</h5>
            <p>Item appears last regardless of DOM order.</p>
            <div class="ordering-demo">
              <div class="demo-item">1 (order: 0)</div>
              <div class="demo-item">2 (order: 0)</div>
              <div class="demo-item order-last">3 (order: 13)</div>
            </div>
          </div>
        </div>
      </div>

      <div class="row">
        <div class="col-12">
          <div class="grid-item">
            <h5>Custom Order Values</h5>
            <p>Items with specific order values.</p>
            <div class="ordering-demo">
              <div class="demo-item order-3">1 (order: 3)</div>
              <div class="demo-item order-1">2 (order: 1)</div>
              <div class="demo-item order-2">3 (order: 2)</div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

    </div>
</div>

<div class="demo-section">
  <h4>Responsive Ordering</h4>
  <p>Order utilities with responsive breakpoint variants.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Responsive Order Changes</h5>
          <p>
            Order changes based on screen size: different order on mobile vs
            desktop.
          </p>
          <div class="ordering-demo">
            <div class="demo-item order-1 order-md-3">
              Mobile: 1st, Desktop: 3rd
            </div>
            <div class="demo-item order-2 order-md-1">
              Mobile: 2nd, Desktop: 1st
            </div>
            <div class="demo-item order-3 order-md-2">
              Mobile: 3rd, Desktop: 2nd
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="col-12">
      <div class="grid-item">
        <h5>Mobile-First Ordering</h5>
        <p>Content reorders for different screen sizes.</p>
        <div class="ordering-demo">
          <div class="demo-item order-2 order-sm-1 order-md-3">
            Adaptive Item
          </div>
          <div class="demo-item order-1 order-sm-2 order-md-1">
            Responsive Order
          </div>
          <div class="demo-item order-3 order-sm-3 order-md-2">
            Flexible Layout
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Real-World Examples</h4>
  <p>Common ordering patterns used in web layouts.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">

```



```

<div class="grid-item">
  <h5>Content Priority Layout</h5>
  <p>
    Important content appears first on mobile, but sidebar appears
    first on desktop.
  </p>
  <div class="ordering-demo layout-example">
    <div class="demo-item main-content order-1 order-md-2">
      <h6>Main Content</h6>
      <p>Primary content area</p>
    </div>
    <div class="demo-item sidebar order-2 order-md-1">
      <h6>Sidebar</h6>
      <p>Navigation & widgets</p>
    </div>
  </div>
</div>
</div>
</div>

<div class="row">
  <div class="col-12">
    <div class="grid-item">
      <h5>Feature Grid Reordering</h5>
      <p>
        Feature order changes based on screen size for optimal user
        experience.
      </p>
      <div class="ordering-demo layout-example">
        <div class="demo-item feature order-1 order-lg-3">
          <h6>Feature 1</h6>
          <p>Mobile priority</p>
        </div>
        <div class="demo-item feature order-2 order-lg-1">
          <h6>Feature 2</h6>
          <p>Desktop priority</p>
        </div>
        <div class="demo-item feature order-3 order-lg-2">
          <h6>Feature 3</h6>
          <p>Balanced priority</p>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>

<div class="demo-section">
  <h4>Navigation Reordering</h4>
  <p>Navigation elements that reorder based on screen size.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Responsive Navigation</h5>
          <p>Logo, menu, and actions reorder for different screen sizes.</p>
          <div class="ordering-demo nav-example">
            <div class="demo-item nav-logo order-1 order-md-1">

```

```
<h6>Logo</h6>  
    <p>Brand identity</p>  
  </div>  
  <div class="demo-item nav-menu order-3 order-md-2">  
    <h6>Menu</h6>  
    <p>Navigation links</p>  
  </div>  
  <div class="demo-item nav-actions order-2 order-md-3">  
    <h6>Actions</h6>  
    <p>Buttons & search</p>  
  </div>  
</div>  
</div>  
</div>  
</div>  
</div>  
  
<div class="demo-section">  
  <h4>Form Layout Reordering</h4>  
  <p>Form elements that reorder for better mobile experience.</p>  
  
  <div class="container">  
    <div class="row">  
      <div class="col-12">  
        <div class="grid-item">  
          <h5>Responsive Form</h5>  
          <p>Form fields reorder based on importance and screen size.</p>  
          <div class="ordering-demo form-example">  
            <div class="demo-item form-field order-1 order-md-2">  
              <h6>Email</h6>  
              <p>Primary field</p>  
            </div>  
            <div class="demo-item form-field order-2 order-md-1">  
              <h6>Name</h6>  
              <p>Secondary field</p>  
            </div>  
            <div class="demo-item form-field order-3 order-md-3">  
              <h6>Message</h6>  
              <p>Text area</p>  
            </div>  
          </div>  
        </div>  
      </div>  
    </div>  
  </div>  
  
<div class="demo-info">  
  <h4>Ordering Utility Features</h4>  
  <ul>  
    <li>  
      <strong>CSS Order:</strong> Control visual order independent of DOM  
      structure  
    </li>  
    <li>  
      <strong>Order Classes:</strong> order-first, order-last, order-1,  
      order-2, order-3  
    </li>  
    <li>
```

- Responsive Variants:** All order utilities available at each breakpoint
- Mobile-First:** Design for mobile, then enhance for larger screens
- Content Priority:** Reorder content based on screen size and importance
- Accessibility:** Maintain logical tab order regardless of visual order

Common Use Cases

- Content Priority:** Show most important content first on mobile
- Navigation:** Reorder logo, menu, and actions for different screen sizes
- Form Layouts:** Prioritize form fields based on screen size
- Feature Grids:** Reorder features for optimal user experience
- Sidebar Layouts:** Move sidebar to top on mobile, side on desktop

Best Practices

- Logical Flow:** Ensure content flows logically regardless of visual order
- Tab Order:** Maintain logical tab order for keyboard navigation
- Screen Readers:** Content should make sense when read in DOM order
- Progressive Enhancement:** Start with basic order, enhance for larger screens

```

        <strong>Testing:</strong> Test ordering on various screen sizes and
        devices
    </li>
</ul>
</div>
</div>
---

import { Component } from "@angular/core";

@Component({
  selector: "app-grid-ordering",
  standalone: true,
  template: `
    <div class="grid-ordering-demo">
      <h3>Ordering Utilities</h3>

      <div class="demo-section">
        <h4>CSS Order Classes</h4>
        <p>Control the visual order of flex items using CSS order utilities.</p>

        <div class="container">
          <div class="row">
            <div class="col-12">
              <div class="grid-item">
                <h5>Default Order</h5>
                <p>Items appear in their natural DOM order.</p>
                <div class="ordering-demo">
                  <div class="demo-item">1 (order: 0)</div>
                  <div class="demo-item">2 (order: 0)</div>
                  <div class="demo-item">3 (order: 0)</div>
                </div>
              </div>
            </div>
          </div>

          <div class="row">
            <div class="col-6">
              <div class="grid-item">
                <h5>Order First</h5>
                <p>Item appears first regardless of DOM order.</p>
                <div class="ordering-demo">
                  <div class="demo-item">1 (order: 0)</div>
                  <div class="demo-item order-first">2 (order: -1)</div>
                  <div class="demo-item">3 (order: 0)</div>
                </div>
              </div>
            </div>
            <div class="col-6">
              <div class="grid-item">
                <h5>Order Last</h5>
                <p>Item appears last regardless of DOM order.</p>
                <div class="ordering-demo">
                  <div class="demo-item">1 (order: 0)</div>
                  <div class="demo-item">2 (order: 0)</div>
                  <div class="demo-item order-last">3 (order: 13)</div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  `
})

```

```

</div>

<div class="row">
  <div class="col-12">
    <div class="grid-item">
      <h5>Custom Order Values</h5>
      <p>Items with specific order values.</p>
      <div class="ordering-demo">
        <div class="demo-item order-3">1 (order: 3)</div>
        <div class="demo-item order-1">2 (order: 1)</div>
        <div class="demo-item order-2">3 (order: 2)</div>
      </div>
    </div>
  </div>
</div>
</div>
</div>

<div class="demo-section">
  <h4>Responsive Ordering</h4>
  <p>Order utilities with responsive breakpoint variants.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Responsive Order Changes</h5>
          <p>
            Order changes based on screen size: different order on mobile
            vs desktop.
          </p>
          <div class="ordering-demo">
            <div class="demo-item order-1 order-md-3">
              Mobile: 1st, Desktop: 3rd
            </div>
            <div class="demo-item order-2 order-md-1">
              Mobile: 2nd, Desktop: 1st
            </div>
            <div class="demo-item order-3 order-md-2">
              Mobile: 3rd, Desktop: 2nd
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="col-12">
      <div class="grid-item">
        <h5>Mobile-First Ordering</h5>
        <p>Content reorders for different screen sizes.</p>
        <div class="ordering-demo">
          <div class="demo-item order-2 order-sm-1 order-md-3">
            Adaptive Item
          </div>
          <div class="demo-item order-1 order-sm-2 order-md-1">
            Responsive Order
          </div>
          <div class="demo-item order-3 order-sm-3 order-md-2">
            Flexible Layout
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="demo-section">
    <h4>Real-World Examples</h4>
    <p>Common ordering patterns used in web layouts.</p>

    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Content Priority Layout</h5>
                    <p>
                        Important content appears first on mobile, but sidebar appears
                        first on desktop.
                    </p>
                    <div class="ordering-demo layout-example">
                        <div class="demo-item main-content order-1 order-md-2">
                            <h6>Main Content</h6>
                            <p>Primary content area</p>
                        </div>
                        <div class="demo-item sidebar order-2 order-md-1">
                            <h6>Sidebar</h6>
                            <p>Navigation & widgets</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>

        <div class="row">
            <div class="col-12">
                <div class="grid-item">
                    <h5>Feature Grid Reordering</h5>
                    <p>
                        Feature order changes based on screen size for optimal user
                        experience.
                    </p>
                    <div class="ordering-demo layout-example">
                        <div class="demo-item feature order-1 order-lg-3">
                            <h6>Feature 1</h6>
                            <p>Mobile priority</p>
                        </div>
                        <div class="demo-item feature order-2 order-lg-1">
                            <h6>Feature 2</h6>
                            <p>Desktop priority</p>
                        </div>
                        <div class="demo-item feature order-3 order-lg-2">
                            <h6>Feature 3</h6>
                            <p>Balanced priority</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

    </div>
</div>

<div class="demo-section">
  <h4>Navigation Reordering</h4>
  <p>Navigation elements that reorder based on screen size.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Responsive Navigation</h5>
          <p>
            Logo, menu, and actions reorder for different screen sizes.
          </p>
          <div class="ordering-demo nav-example">
            <div class="demo-item nav-logo order-1 order-md-1">
              <h6>Logo</h6>
              <p>Brand identity</p>
            </div>
            <div class="demo-item nav-menu order-3 order-md-2">
              <h6>Menu</h6>
              <p>Navigation links</p>
            </div>
            <div class="demo-item nav-actions order-2 order-md-3">
              <h6>Actions</h6>
              <p>Buttons & search</p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

<div class="demo-section">
  <h4>Form Layout Reordering</h4>
  <p>Form elements that reorder for better mobile experience.</p>

  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="grid-item">
          <h5>Responsive Form</h5>
          <p>Form fields reorder based on importance and screen size.</p>
          <div class="ordering-demo form-example">
            <div class="demo-item form-field order-1 order-md-2">
              <h6>Email</h6>
              <p>Primary field</p>
            </div>
            <div class="demo-item form-field order-2 order-md-1">
              <h6>Name</h6>
              <p>Secondary field</p>
            </div>
            <div class="demo-item form-field order-3 order-md-3">
              <h6>Message</h6>
              <p>Text area</p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

        </div>
    </div>
</div>
</div>

<div class="demo-info">
    <h4>Ordering Utility Features</h4>
    <ul>
        <li>
            <strong>CSS Order:</strong> Control visual order independent of DOM
            structure
        </li>
        <li>
            <strong>Order Classes:</strong> order-first, order-last, order-1,
            order-2, order-3
        </li>
        <li>
            <strong>Responsive Variants:</strong> All order utilities available
            at each breakpoint
        </li>
        <li>
            <strong>Mobile-First:</strong> Design for mobile, then enhance for
            larger screens
        </li>
        <li>
            <strong>Content Priority:</strong> Reorder content based on screen
            size and importance
        </li>
        <li>
            <strong>Accessibility:</strong> Maintain logical tab order
            regardless of visual order
        </li>
    </ul>

    <h4>Common Use Cases</h4>
    <ul>
        <li>
            <strong>Content Priority:</strong> Show most important content first
            on mobile
        </li>
        <li>
            <strong>Navigation:</strong> Reorder logo, menu, and actions for
            different screen sizes
        </li>
        <li>
            <strong>Form Layouts:</strong> Prioritize form fields based on
            screen size
        </li>
        <li>
            <strong>Feature Grids:</strong> Reorder features for optimal user
            experience
        </li>
        <li>
            <strong>Sidebar Layouts:</strong> Move sidebar to top on mobile,
            side on desktop
        </li>
    </ul>

    <h4>Best Practices</h4>
    <ul>

```



```

    <li>
      <strong>Logical Flow:</strong> Ensure content flows logically
      regardless of visual order
    </li>
    <li>
      <strong>Tab Order:</strong> Maintain logical tab order for keyboard
      navigation
    </li>
    <li>
      <strong>Screen Readers:</strong> Content should make sense when read
      in DOM order
    </li>
    <li>
      <strong>Progressive Enhancement:</strong> Start with basic order,
      enhance for larger screens
    </li>
    <li>
      <strong>Testing:</strong> Test ordering on various screen sizes and
      devices
    </li>
  </ul>
</div>
</div>
\,
styles: [
  \
    .grid-ordering-demo {
      padding: 20px;
      max-width: 1200px;
      margin: 0 auto;
    }

    .grid-ordering-demo h3 {
      margin: 0 0 20px 0;
      color: #333;
      font-size: 24px;
      font-weight: 600;
    }

    .demo-section {
      margin-bottom: 40px;
      padding: 20px;
      border: 1px solid #e5e7eb;
      border-radius: 8px;
      background: #f9fafb;
    }

    .demo-section h4 {
      margin: 0 0 12px 0;
      color: #333;
      font-size: 18px;
      font-weight: 600;
    }

    .demo-section p {
      margin: 0 0 20px 0;
      color: #555;
      line-height: 1.5;
    }

    .grid-item {

```

```
background: #fff;
border: 1px solid #e5e7eb;
border-radius: 6px;
padding: 20px;
height: 100%;
min-height: 150px;
display: flex;
flex-direction: column;
}

.grid-item h5 {
margin: 0 0 12px 0;
color: #333;
font-size: 16px;
font-weight: 600;
}

.grid-item p {
margin: 0 0 15px 0;
color: #666;
line-height: 1.4;
}

.ordering-demo {
display: flex;
background: #f8f9fa;
border: 1px solid #dee2e6;
border-radius: 4px;
padding: 10px;
min-height: 80px;
gap: 10px;
flex-wrap: wrap;
}

.demo-item {
background: #007bff;
color: white;
padding: 10px 15px;
border-radius: 4px;
display: flex;
align-items: center;
justify-content: center;
font-weight: 600;
min-width: 80px;
min-height: 40px;
text-align: center;
font-size: 14px;
}

.demo-item h6 {
margin: 0 0 5px 0;
font-size: 14px;
font-weight: 600;
}

.demo-item p {
margin: 0;
font-size: 12px;
font-weight: normal;
line-height: 1.2;
}
```

```
}

.demo-item.main-content {
  background: #28a745;
  flex-direction: column;
  min-width: 120px;
}

.demo-item.sidebar {
  background: #6c757d;
  flex-direction: column;
  min-width: 100px;
}

.demo-item.feature {
  background: #17a2b8;
  flex-direction: column;
  min-width: 100px;
}

.demo-item.nav-logo {
  background: #fd7e14;
  flex-direction: column;
  min-width: 80px;
}

.demo-item.nav-menu {
  background: #6f42c1;
  flex-direction: column;
  min-width: 100px;
}

.demo-item.nav-actions {
  background: #e83e8c;
  flex-direction: column;
  min-width: 100px;
}

.demo-item.form-field {
  background: #20c997;
  flex-direction: column;
  min-width: 100px;
}

.demo-info {
  margin-top: 40px;
  padding: 20px;
  background: #f8f9fa;
  border: 1px solid #dee2e6;
  border-radius: 8px;
}

.demo-info h4 {
  margin: 0 0 16px 0;
  color: #333;
  font-size: 18px;
  font-weight: 600;
}

.demo-info ul {
```

```

        margin: 0 0 20px 0;
        padding-left: 20px;
        color: #555;
    }

    .demo-info li {
        margin-bottom: 8px;
        line-height: 1.4;
    }

    .demo-info strong {
        color: #333;
    }
},
],
}))
export class GridOrderingComponent {
    constructor() {
        console.log("Grid Ordering Component initialized");
    }
}

```

Features

Container System

- Fixed Container : `.container` with responsive max-widths
- Fluid Container : `.container-fluid` for full-width layouts
- Responsive Breakpoints : Automatic width adjustments at different screen sizes
- Consistent Padding : 15px horizontal padding on all containers

Row System

- Flexbox Rows : `.row` creates flex containers with wrap enabled
- Negative Margins : Automatic gutter compensation with -15px margins
- No Gutters : `.no-gutters` class removes spacing between columns
- Responsive Behavior : Consistent behavior across all breakpoints

Column System

- 12-Column Grid : Standard 12-column layout system
- Responsive Classes : Breakpoint-specific column classes (sm, md, lg, xl)
- Auto Columns : `.col` and `.col-auto` for flexible sizing
- Fixed Widths : Classes from `.col-1` to `.col-12` for precise control

Breakpoint System

- Extra Small (xs) : Default, no prefix (0px and up)
- Small (sm) : 576px and up
- Medium (md) : 768px and up
- Large (lg) : 992px and up
- Extra Large (xl) : 1200px and up

Flexbox Utilities

- Direction : Row, column, and reverse variants
- Wrap : Wrap, nowrap, and wrap-reverse options
- Justify Content : Start, end, center, between, around
- Align Items : Start, end, center, baseline, stretch
- Align Content : Start, end, center, between, around, stretch
- Align Self : Auto, start, end, center, baseline, stretch

Positioning Utilities

- Offsets : .offset-* classes for column positioning
- Push/Pull : .push-* and .pull-* for reordering
- Order : .order-* classes for flex item ordering
- Responsive Variants : All utilities available at each breakpoint

CSS Classes

Container Classes

Class	Description
.container	Fixed-width container with responsive max-widths
.container-fluid	Full-width container spanning the entire viewport

Row Classes

Class	Description
.row	Flexbox row container with wrap enabled
.no-gutters	Removes gutters from row and its columns

Column Classes

Basic Columns

Class	Width	Description
.col	Auto	Equal-width column that grows to fill space
.col-auto	Auto	Column sized to content
.col-1	8.333%	1/12 width column
.col-2	16.667%	2/12 width column
.col-3	25%	3/12 width column

Class	Width	Description
.col-4	33.333%	4/12 width column
.col-5	41.667%	5/12 width column
.col-6	50%	6/12 width column
.col-7	58.333%	7/12 width column
.col-8	66.667%	8/12 width column
.col-9	75%	9/12 width column
.col-10	83.333%	10/12 width column
.col-11	91.667%	11/12 width column
.col-12	100%	Full-width column

Responsive Columns

Class	Breakpoint	Description
.col-sm-*	≥576px	Small screen columns
.col-md-*	≥768px	Medium screen columns
.col-lg-*	≥992px	Large screen columns
.col-xl-*	≥1200px	Extra large screen columns

Flexbox Direction Classes

Class	Description
.flex-row	Horizontal direction (default)
.flex-column	Vertical direction
.flex-row-reverse	Horizontal direction, reversed
.flex-column-reverse	Vertical direction, reversed

Flexbox Wrap Classes

Class	Description
.flex-wrap	Allow items to wrap to next line
.flex-nowrap	Prevent wrapping (default)
.flex-wrap-reverse	Wrap items in reverse order

Justify Content Classes

Class	Description
.justify-content-start	Align items to start
.justify-content-end	Align items to end
.justify-content-center	Center items
.justify-content-between	Space items evenly
.justify-content-around	Space items with equal margins

Align Items Classes

Class	Description
.align-items-start	Align items to start
.align-items-end	Align items to end
.align-items-center	Center items
.align-items-baseline	Align items to baseline
.align-items-stretch	Stretch items (default)

Align Content Classes

Class	Description
.align-content-start	Align content to start
.align-content-end	Align content to end
.align-content-center	Center content
.align-content-between	Space content evenly
.align-content-around	Space content with equal margins
.align-content-stretch	Stretch content (default)

Align Self Classes

Class	Description
.align-self-auto	Auto alignment (default)
.align-self-start	Align self to start
.align-self-end	Align self to end
.align-self-center	Center self
.align-self-baseline	Align self to baseline
.align-self-stretch	Stretch self

Order Classes

Class	Description
.order-first	Order: -1
.order-last	Order: 13
.order-1	Order: 1
.order-2	Order: 2
.order-3	Order: 3

Offset Classes

Class	Margin Left	Description
.offset-1	8.333%	Offset by 1 column
.offset-2	16.667%	Offset by 2 columns
.offset-3	25%	Offset by 3 columns
.offset-4	33.333%	Offset by 4 columns
.offset-5	41.667%	Offset by 5 columns
.offset-6	50%	Offset by 6 columns
.offset-7	58.333%	Offset by 7 columns
.offset-8	66.667%	Offset by 8 columns
.offset-9	75%	Offset by 9 columns
.offset-10	83.333%	Offset by 10 columns
.offset-11	91.667%	Offset by 11 columns

Push/Pull Classes

Class	Description
.push-*	Push columns to the right
.pull-*	Pull columns to the left

CSS Custom Properties

The Grid system uses standard CSS properties and doesn't rely on CSS custom properties. However, it's designed to work seamlessly with CSS custom properties for theming:

Property	Description	Default
--grid-gutter-width	Width of grid gutters	30px
--grid-columns	Number of grid columns	12
--container-max-widths	Container max-widths	540px, 720px, 960px, 1140px
--grid-breakpoints	Breakpoint values	576px, 768px, 992px, 1200px

Best Practices

Layout Structure

- Container First : Always start with a container (.container or .container-fluid)
- Row Wrapper : Wrap columns in a .row element
- Column Classes : Use appropriate column classes for desired widths
- Responsive Design : Use breakpoint-specific classes for mobile-first design

Responsive Design

- Mobile First : Design for mobile devices first, then enhance for larger screens
- Breakpoint Strategy : Use consistent breakpoints across your application
- Progressive Enhancement : Start with basic layout, add complexity for larger screens
- Content Priority : Ensure important content is visible on all screen sizes

Performance

- CSS Efficiency : Grid classes are optimized for performance
- Minimal Nesting : Avoid deeply nested grid structures when possible
- Semantic HTML : Use semantic HTML elements with grid classes
- Browser Support : Grid system works in all modern browsers

Accessibility

- Logical Order : Ensure content flows logically regardless of visual order
- Screen Readers : Grid layout doesn't affect screen reader navigation
- Keyboard Navigation : Maintain logical tab order
- Focus Management : Ensure focus indicators are visible

Content Organization

- Consistent Spacing : Use consistent gutters and spacing
- Content Hierarchy : Use grid to establish clear visual hierarchy
- Flexible Content : Design content to work across different column widths
- Responsive Images : Ensure images scale appropriately within grid columns

Accessibility Guidelines

Semantic Structure

- HTML Semantics : Use semantic HTML elements with grid classes
- Document Outline : Ensure proper heading hierarchy within grid layouts
- Landmark Roles : Use appropriate ARIA landmarks for major layout sections
- Content Flow : Maintain logical content flow regardless of visual layout

Screen Reader Support

- Logical Order : Content should flow logically for screen readers
- Descriptive Labels : Use descriptive labels for interactive elements
- Skip Links : Provide skip links for navigation-heavy layouts
- Focus Indicators : Ensure focus indicators are visible and logical

Keyboard Navigation

- Tab Order : Maintain logical tab order through grid layouts
- Focus Management : Ensure focus moves logically through content
- Keyboard Shortcuts : Provide keyboard shortcuts for complex layouts
- Escape Mechanisms : Allow users to escape from complex layouts

Visual Design

- High Contrast : Ensure sufficient contrast ratios in grid layouts
- Color Independence : Don't rely solely on color for information
- Text Scaling : Support for text scaling and zoom
- Motion Sensitivity : Provide alternatives for users sensitive to motion

Responsive Behavior

Mobile Adaptations

The Grid system automatically adapts to mobile screens:

- Stacked Layout : Columns stack vertically on small screens
- Full Width : Single columns take full width on mobile
- Touch Optimization : Layouts are optimized for touch interaction
- Performance : Optimized performance for mobile devices

Breakpoint Behavior

- Extra Small (0px+) : Single column layout, stacked content
- Small (576px+) : Multi-column layouts begin to appear
- Medium (768px+) : Tablet-optimized layouts
- Large (992px+) : Desktop layouts with full feature set
- Extra Large (1200px+) : Large desktop and wide screen layouts

Content Considerations

- Flexible Images : Images scale appropriately within grid columns
- Text Readability : Text remains readable at all column widths
- Touch Targets : Interactive elements maintain appropriate touch target sizes

- Loading Performance : Layouts load efficiently on all devices