

# Prompt-Bar

**Prompt Bar** The Prompt Bar component is a sophisticated input system designed for modern chat interfaces, AI prompt systems, and messaging applications. It combines a multi-line textarea with customizable action icons, device selection dropdowns, and file attachment capabilities to create a comprehensive input experience. The `<aava-prompt-bar>` component provides an intuitive interface for users to compose messages, select target devices, attach files, and interact with various input actions through a clean, organized layout.

**How to use** ■ **import** { AavaPromptBarComponent , PromptIcons , DropdownOption , uploadedImages , } from `"@aava/play-core"` ; **Interactive Examples** ■ Explore different prompt bar configurations and features with interactive demos. **Basic Usage** ■ The Prompt Bar provides a unified interface for user text input, actions, and attachments.

It supports typing, sending messages, and triggering actions via icons.

Use the basic setup to render the default prompt bar with message input and optional send behavior.

**Angular Preview Code**

```
<aava-prompt-bar placeholder = " Type your message here... " [icons] = " allIcons " > /  
aava-prompt-bar > onMessageSent ( message : string ) { console . log ( 'Message sent:' , message ) ; } allIcons  
: PromptIcons [ ] = [ { name : 'paperclip' , slot : 'icon-start' , color : 'green' , visible : true , click : ( ) => this .  
onAttachFile ( ) } , { name : 'send' , slot : 'icon-end' , color : 'var(--color-text-primary)' , visible : true , click : ( ) =>  
this . onAddImage ( ) } ] ; onAttachFile ( ) { console . log ( 'Attach file clicked' ) ; } onAddImage ( ) { console . log  
( 'Add image clicked' ) ; } Sizes ■ Angular Preview Code
```

```
<aava-prompt-bar size = " sm " placeholder = " Small  
prompt bar (2 rows) " [icons] = " allIcons " > / aava-prompt-bar > <aava-prompt-bar size = " md " placeholder  
= " Medium prompt bar (3 rows) " [icons] = " allIcons " > / aava-prompt-bar > <aava-prompt-bar size = " lg "  
placeholder = " Large prompt bar (4 rows) " [icons] = " allIcons " > / aava-prompt-bar > allIcons : PromptIcons [  
] = [ { name : 'paperclip' , slot : 'icon-start' , color : 'var(--color-text-primary)' , visible : true , click : ( ) => this .  
onAttachFile ( ) } , { name : 'send' , slot : 'icon-end' , color : 'var(--color-text-primary)' , visible : true , click : ( ) =>  
this . onSend ( ) } ] ; Available Sizes ■ The Prompt Bar comes in three size variants — sm, md, and lg —  
allowing flexible adaptation to different layouts.
```

The size affects the overall height, icon dimensions, textarea rows, and tag scaling.

Use smaller sizes for compact UIs and larger ones for more prominent input sections.

**sm (Small)** – Slightly larger input for standard compact forms

**md (Medium)** – Default size for most use cases (balanced proportions)

**lg (Large)** – Larger input for prominent forms or accessibility-focused layouts

**Icons & Actions** ■ **Angular Preview Code**

```
<div > <h1 > Start Icons Only </ h1 > <aava-prompt-bar placeholder = " Prompt bar with start  
icons " [icons] = " startIcons " > / aava-prompt-bar > </ div > <div > <h1 > End Icons Only </ h1 > <  
aava-prompt-bar placeholder = " Prompt bar with end icons " [icons] = " endIcons " > / aava-prompt-bar > </  
div > <div > <h1 > Both Start and End Icons </ h1 > <aava-prompt-bar placeholder = " Prompt bar with both  
start and end icons " [icons] = " allIcons " > / aava-prompt-bar > </ div > <div > <h1 > With Select Component  
</ h1 > <aava-prompt-bar placeholder = " Prompt bar with select component " [icons] = " allIcons "  
[showSelection] = " true " [deviceOptions] = " deviceOptions " [selectWidth] = " ' 200px' " selectPlaceholder = "  
Choose device " > / aava-prompt-bar > </ div > <div > <h1 > ng-content with Icons </ h1 > <aava-prompt-bar  
placeholder = " Prompt bar with icons and custom content " [icons] = " allIcons " > <div class = "  
custom-content-with-icons " > <button class = " action-button " (click) = " onCustomAction() " > Custom Action  
</ button > <span class = " status-text " > Ready </ span > </ div > </ aava-prompt-bar > </ div > <div > <h1 >  
ng-content Only (No Icons) </ h1 > <aava-prompt-bar placeholder = " Prompt bar with only custom content " >  
<div class = " custom-content-only " > <button class = " primary-button " (click) = " onSaveDraft() " > Save  
Draft </ button > <button class = " secondary-button " (click) = " onClear() " > Clear </ button > <button class = "  
" primary-button " (click) = " onSendMessage() " > Send Message </ button > </ div > </ aava-prompt-bar > </  
div > <div > <h1 > Custom Third Row Content (ng-content) </ h1 > <aava-prompt-bar placeholder = " Prompt  
bar with custom third row content " > <div class = " custom-third-row " > <div class = " custom-left " > <button
```

```

class = " custom-button " > Custom Action </ button > </ div > < div class = " custom-center " > < span class = "
custom-text " > Custom Content </ span > </ div > < div class = " custom-right " > < button class = "
custom-button " > Send </ button > </ div > </ div > </ aava-prompt-bar > </ div > startIcons : PromptIcons [ ] =
[ { name : 'paperclip', slot : 'icon-start', color : 'var(--color-text-primary)', visible : true , click : ( ) => this .
onAttachFile ( ) } , { name : 'image', slot : 'icon-start', color : 'var(--color-text-primary)', visible : true , click : ( )
=> this . onAddImage ( ) } ] ; endIcons : PromptIcons [ ] = [ { name : 'mic', slot : 'icon-end', color :
'var(--color-text-primary)', visible : true , click : ( ) => this . onVoiceRecord ( ) } , { name : 'send', slot : 'icon-end'
, color : 'var(--color-text-primary)', visible : true , click : ( ) => this . onSend ( ) } ] ; allIcons : PromptIcons [ ] = [ ...
this . startIcons , ... this . endIcons ] ; deviceOptions : PromptBarOption [ ] = [ { label : 'Desktop', value :
'desktop', icon : 'monitor' } , { label : 'Tablet', value : 'tablet', icon : 'tablet' } , { label : 'Mobile', value : 'mobile',
icon : 'smartphone' } ] ; onMessageSent ( message : string ) { console . log ( 'Message sent:' , message ) ; }
onIconClick ( event : any ) { console . log ( 'Icon clicked:' , event ) ; } onAttachFile ( ) { console . log ( 'Attach file
clicked' ) ; } onAddImage ( ) { console . log ( 'Add image clicked' ) ; } onVoiceRecord ( ) { console . log ( 'Voice
record clicked' ) ; } onSend ( ) { console . log ( 'Send clicked' ) ; } onCustomAction ( ) { console . log ( 'Custom
action clicked' ) ; } onSaveDraft ( ) { console . log ( 'Save draft clicked' ) ; } onClear ( ) { console . log ( 'Clear
clicked' ) ; } onSendMessage ( ) { console . log ( 'Send message clicked' ) ; } Prompt Bars can include action
icons on both sides of the input field.

```

Each icon can be interactive — triggering specific actions like attachments, voice input, or emoji selectors. Icons are customizable with colors, visibility, and click handlers, making it easy to extend the bar's functionality.

**File Upload** ■ Angular Preview Code

```

< div > < h1 > File Upload Integration (Tags as Thumbnails) </ h1 > <
aava-prompt-bar placeholder = " Type your message with attached files... " selectPlaceholder = " Choose your
device " [icons] = " icons " [tags] = " tags " [deviceOptions] = " deviceOptions " [showSelection] = " true "
[showImage] = " false " (tagRemoved) = " onTagRemoved($event) " > </ aava-prompt-bar > </ div > < div > <
h1 > File Upload with Image Preview (Images as Previews) </ h1 > < aava-prompt-bar placeholder = " Upload
images to see preview... " selectPlaceholder = " Choose your device " [icons] = " imageIcons " [tags] = "
tagsWithImages " [deviceOptions] = " deviceOptions " [showSelection] = " true " [showImage] = " true "
(tagRemoved) = " onTagRemovedWithImages($event) " > </ aava-prompt-bar > </ div > You can attach files or
images to the prompt bar as tags or image previews.

```

When showImage is enabled, supported image formats (jpg, png, webp, etc.) appear as visual thumbnails, while other files display as tags.

This is ideal for chat interfaces or upload workflows. **States & Configuration** ■ Angular Preview Code The Prompt Bar supports various states such as disabled, and offers configurable options for width, height, placeholder text, and icon layout.

You can also control auto-resizing, selection dropdowns, and behavior for multi-line input.

These settings help integrate the component seamlessly into different UI contexts. **Prompt Bar Features** ■

- Multi-line Input** : Configurable textarea with adjustable rows
- Customizable Icons** : Action icons positioned at start and end slots
- Device Selection** : Dropdown for selecting target devices or platforms
- File Attachments** : Visual badges for uploaded images with removal
- Size Variants** : Four size options (xs, sm, md, lg) for different layouts
- Keyboard Shortcuts** : Enter to send, Shift+Enter for new lines
- Responsive Design** : Mobile-optimized layout with touch-friendly controls
- Auto-scroll** : Automatic scrolling to bottom for new content

**Features** ■

- Multi-line Text Input** ■ The core of the prompt bar is a flexible textarea:
  - Configurable Rows** : Set the number of visible rows (default: 3)
  - Auto-resize** : Textarea adjusts to content while maintaining layout
  - Placeholder Text** : Customizable placeholder for user guidance
  - Input Validation** : Built-in validation and error handling
- Accessibility** : Full keyboard navigation and screen reader support
- Icon System** ■ Flexible icon positioning and interaction:
  - Slot-based Layout** : Icons can be placed in icon-start or icon-end slots
  - Customizable Appearance** : Size, color, and visibility controls
  - Click Handlers** : Custom click functions for each icon
  - Conditional Display** : Show/hide icons based on context
  - Responsive Sizing** : Automatic size adjustments based on component size
- Device Selection** ■ Integrated dropdown for target device selection:
  - Custom Options** : Define device types with labels

and icons Visual Indicators : Icons for each device type Responsive Layout : Adapts to available space Integration Ready : Seamlessly integrates with existing selection systems Accessibility : Full keyboard and screen reader support File Management ■ Visual file attachment system: Image Badges : Display uploaded images as removable tags File Information : Show file size, type, and preview Removal Controls : Easy file removal with click interaction Responsive Layout : Adapts to different screen sizes Visual Feedback : Clear indication of attached files Size Variants ■ Four predefined size configurations: xs (Extra Small) : Compact layout for tight spaces sm (Small) : Standard small layout with balanced proportions md (Medium) : Default size with optimal spacing lg (Large) : Spacious layout for prominent displays API Reference ■ Input Properties ■

Property	Type	Default	Description
messages	Array of previous messages for context		
placeholder	string	'Type a message'	Placeholder text for the input field
disabled	boolean	false	Disable the prompt bar
inputIcons	Array of icons to display	rows number 3	Number of visible rows in the textarea
deviceOptions	DropdownOption[]		Options for device selection dropdown
showSelection	boolean	false	Show the device selection dropdown
fileOption	string	"	File upload option configuration
size	'lg'   'md'   'sm'   'xs'	'md'	Size variant for the prompt bar
uploadedImages	Array of uploaded image attachments		
width	number	0	Custom width for the prompt bar
height	number	0	Custom height for the prompt bar
textAreaMaxHeight	number	0	Maximum height for the textarea
textAreaAutoResize	boolean	false	Auto-resize textarea based on content

Output Events ■ Event Type Description

Event	Type	Description
messageSent	EventEmitter<string>	Emitted when a message is sent
iconClicked	EventEmitter<{ icon: PromptIcons; currentMessage: string }>	Emitted when an icon is clicked

Interfaces ■ PromptIcons ■ interface PromptIcons {

```

name : string ; // Icon name/identifier
click ? : ( ) => void ; // Optional click handler function
size ? : string ; // Icon size (e.g., '20px')
color ? : string ; // Icon color (hex, rgb, etc.)
slot : "icon-start" | "icon-end" ; // Position slot
visible ? : boolean ; // Whether icon is visible
}

```

DropdownOption ■ interface DropdownOption {

```

label : string ; // Display text for the option
value : string ; // Value associated with the option
icon : string ; // Icon name for the option
}

```

uploadedImages ■ interface uploadedImages {

```

id : number ; // Unique identifier for the image
label : string ; // Display label for the image
image : string ; // Image URL or data
icon : string ; // Icon to display with the image
size : string ; // File size information
}

```

Methods ■ Public Methods ■

```

// Trigger message send programmatically
triggerSend ( ) : void
// Get current message content
getCurrentMessage ( ) : string
// Get icon size based on component size
getIconSize ( ) : number
// Get icons filtered by slot position
getIconsBySlot ( slot : 'icon-start' | 'icon-end' ) : PromptIcons [ ]
// Get size class for styling
getPromptBarSizeClass ( ) : string

```

Event Handlers ■

```

// Handle message sending
sendMessage ( ) : void
// Handle keyboard input
onKeyPress ( event : KeyboardEvent ) : void
// Handle input changes
onInput ( event : Event ) : void
// Handle icon clicks
onIconClick ( icon : PromptIcons ) : void
// Handle file badge removal
removeBadge ( id : number ) : void
// Handle device selection changes
onSelectionChange ( data : any ) : void

```

CSS Custom Properties ■ The prompt bar component uses CSS custom properties for theming:

Property	Default Value	Description
--textbox-background	#ffffff	Background color of the prompt bar
--promptbar-border	1px solid #e2e8f0	Border style of the prompt bar
--promptbar-border-radius	8px	Border radius of the prompt bar
--textbox-textarea-container-padding	16px	Padding for the textarea container
--textbox-gap	12px	Gap between elements

Textarea Properties ■

Property	Default Value	Description
--textbox-textarea-container-padding	16px	Padding for the textarea
--textbox-gap	12px	Gap between textarea elements

Badge Properties ■

Property	Default Value	Description
--badge-default-background	#f3f4f6	Background color for badges
--promptbar-text-color	#6b7280	Text color for badges

Responsive Breakpoints ■

Breakpoint	Description
max-width: 576px	Mobile layout adjustments
max-width: 360px	Small mobile optimizations

Best Practices ■

- Icon Configuration**
  - Logical Grouping** : Group related icons in the same slot
  - Consistent Sizing** : Use consistent icon sizes within the same component
  - Meaningful Colors** : Use colors that convey meaning (e.g., green for success)
  - Accessibility** : Ensure icons have proper alt text and descriptions
  - Touch Targets** : Maintain adequate touch target sizes for mobile
- Device Selection**
  - Clear Labels** : Use descriptive labels for device options
  - Relevant Icons** : Choose icons that clearly represent each device type
  - Logical Ordering** : Arrange options in logical order (e.g., Desktop, Tablet, Mobile)
  - Default Selection** : Provide

sensible default device selection Validation : Validate device selection before processing File Management ■  
File Types : Support common image formats (JPG, PNG, GIF) Size Limits : Implement reasonable file size restrictions Preview Quality : Provide clear image previews in badges Removal Confirmation : Consider confirmation for file removal Error Handling : Gracefully handle file upload failures User Experience ■ Keyboard Shortcuts : Provide intuitive keyboard navigation Visual Feedback : Clear indication of input states and actions Responsive Design : Ensure usability across all device sizes Loading States : Show loading indicators for async operations Error Messages : Provide helpful error messages and recovery options Performance ■ Icon Optimization : Use optimized icon assets Lazy Loading : Load non-critical features on demand Event Handling : Efficient event listener management Memory Management : Proper cleanup of file references Change Detection : Use OnPush strategy for optimal performance

```
<aava-prompt-bar placeholder="Type your message here..." [icons]="allIcons">
</aava-prompt-bar>
```

---

```
onMessageSent(message: string) {
  console.log('Message sent:', message);
}
allIcons: PromptIcons[] = [
  {
    name: 'paperclip',
    slot: 'icon-start',
    color: 'green',
    visible: true,
    click: () => this.onAttachFile()
  },
  {
    name: 'send',
    slot: 'icon-end',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onAddImage()
  }
];
onAttachFile() {
  console.log('Attach file clicked');
}

onAddImage() {
  console.log('Add image clicked');
}
```

```

<aava-prompt-bar
  size="sm"
  placeholder="Small prompt bar (2 rows)"
  [icons]="allIcons"
>
</aava-prompt-bar>

<aava-prompt-bar
  size="md"
  placeholder="Medium prompt bar (3 rows)"
  [icons]="allIcons"
>
</aava-prompt-bar>

<aava-prompt-bar
  size="lg"
  placeholder="Large prompt bar (4 rows)"
  [icons]="allIcons"
>
</aava-prompt-bar>

```

```
---
```

```

allIcons: PromptIcons[] = [
  {
    name: 'paperclip',
    slot: 'icon-start',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onAttachFile()
  },
  {
    name: 'send',
    slot: 'icon-end',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onSend()
  }
];

```

```

<div>
  <h1>Start Icons Only</h1>
  <aava-prompt-bar
    placeholder="Prompt bar with start icons"
    [icons]="startIcons"
  >
</aava-prompt-bar>
</div>

<div>
  <h1>End Icons Only</h1>
  <aava-prompt-bar placeholder="Prompt bar with end icons" [icons]="endIcons">
</aava-prompt-bar>
</div>

<div>
  <h1>Both Start and End Icons</h1>
  <aava-prompt-bar
    placeholder="Prompt bar with both start and end icons"
    [icons]="allIcons"
  >
</aava-prompt-bar>
</div>

<div>
  <h1>With Select Component</h1>
  <aava-prompt-bar
    placeholder="Prompt bar with select component"
    [icons]="allIcons"
    [showSelection]="true"
    [deviceOptions]="deviceOptions"
    [selectWidth]="'200px'"
    selectPlaceholder="Choose device"
  >
</aava-prompt-bar>
</div>

<div>
  <h1>ng-content with Icons</h1>
  <aava-prompt-bar
    placeholder="Prompt bar with icons and custom content"
    [icons]="allIcons"
  >
    <div class="custom-content-with-icons">
      <button class="action-button" (click)="onCustomAction()">
        Custom Action
      </button>
      <span class="status-text">Ready</span>
    </div>
  </aava-prompt-bar>
</div>

<div>
  <h1>ng-content Only (No Icons)</h1>
  <aava-prompt-bar placeholder="Prompt bar with only custom content">
    <div class="custom-content-only">
      <button class="primary-button" (click)="onSaveDraft()">Save Draft</button>
      <button class="secondary-button" (click)="onClear()">Clear</button>
      <button class="primary-button" (click)="onSendMessage()">
        Send Message
      </button>
    </div>
  </aava-prompt-bar>
</div>

<div>
  <h1>Custom Third Row Content (ng-content)</h1>
  <aava-prompt-bar placeholder="Prompt bar with custom third row content">
    <div class="custom-third-row">
      <div class="custom-left">
        <button class="custom-button">Custom Action</button>
      </div>
      <div class="custom-center">
        <span class="custom-text">Custom Content</span>
      </div>
      <div class="custom-right">
        <button class="custom-button">Send</button>
      </div>
    </div>
  </aava-prompt-bar>
</div>

```

---

```
startIcons: PromptIcons[] = [
  {
    name: 'paperclip',
    slot: 'icon-start',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onAttachFile()
  },
  {
    name: 'image',
    slot: 'icon-start',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onAddImage()
  }
];

endIcons: PromptIcons[] = [
  {
    name: 'mic',
    slot: 'icon-end',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onVoiceRecord()
  },
  {
    name: 'send',
    slot: 'icon-end',
    color: 'var(--color-text-primary)',
    visible: true,
    click: () => this.onSend()
  }
];

allIcons: PromptIcons[] = [
  ...this.startIcons,
  ...this.endIcons
];

deviceOptions: PromptBarOption[] = [
  { label: 'Desktop', value: 'desktop', icon: 'monitor' },
  { label: 'Tablet', value: 'tablet', icon: 'tablet' },
  { label: 'Mobile', value: 'mobile', icon: 'smartphone' }
];

onMessageSent(message: string) {
  console.log('Message sent:', message);
}

onIconClick(event: any) {
  console.log('Icon clicked:', event);
}

onAttachFile() {
  console.log('Attach file clicked');
}

onAddImage() {
  console.log('Add image clicked');
}

onVoiceRecord() {
  console.log('Voice record clicked');
}

onSend() {
  console.log('Send clicked');
}

onCustomAction() {
  console.log('Custom action clicked');
}

onSaveDraft() {
  console.log('Save draft clicked');
}

onClear() {
  console.log('Clear clicked');
```

```

    }

    onSendMessage() {
        console.log('Send message clicked');
    }
}

<div>
    <h1>File Upload Integration (Tags as Thumbnails)</h1>
    <aava-prompt-bar
        placeholder="Type your message with attached files..."
        selectPlaceholder="Choose your device"
        [icons]="icons"
        [tags]="tags"
        [deviceOptions]="deviceOptions"
        [showSelection]="true"
        [showImage]="false"
        (tagRemoved)="onTagRemoved($event)"
    >
    </aava-prompt-bar>
</div>

<div>
    <h1>File Upload with Image Preview (Images as Previews)</h1>
    <aava-prompt-bar
        placeholder="Upload images to see preview..."
        selectPlaceholder="Choose your device"
        [icons]="imageIcons"
        [tags]="tagsWithImages"
        [deviceOptions]="deviceOptions"
        [showSelection]="true"
        [showImage]="true"
        (tagRemoved)="onTagRemovedWithImages($event)"
    >
    </aava-prompt-bar>
</div>

```

■ No code found