SYNTHETIC DEMONSTRATION REPORT - NOT FOR CLINICAL USE

PATIENT AND SPECIMEN INFORMATION

Patient Name :	Demo Review Patient	**Patient ID :**	PXDEMO002
Age / Sex :	49 Years/Female	**Phone :**	+919900000002
Specimen Type :	Synthetic EDTA whole blood	**Sample ID :**	DEMO-CBC-002
Referred By :	Dr. Demo Mehta	**Collected :**	14 Aug 2026 09:30
Report Type :	Synthetic CBC demonstration	**Reported :**	14 Aug 2026 12:10

COMPLETE BLOOD COUNT (CBC)

Scenario: Plausibility Review

MANUAL REVIEW REQUIRED

1 synthetic range flag(s)

Test	Result	Units	Reference interval
RED CELL INDICES			
Hemoglobin	12.9	g/dL	[12 - 16]
Total RBC Count	4.7	mill/cmm	[4 - 5.5]
P.C.V	40	%	[36 - 46]
M.C.V	85	fL	[76 - 96]
M.C.H	28	pg	[27 - 32]
M.C.H.C	33	g/dL	[31.5 - 34.5]
R.D.W	13.5	%	[11.6 - 14]
WHITE CELL COUNT			
Total WBC Count	6800	/cmm	[4000 - 11000]
DIFFERENTIAL COUNT			
Neutrophils	58	%	[40 - 75]
Lymphocytes	32	%	[20 - 45]
Eosinophils	4	%	[1 - 6]
Monocytes	5	%	[2 - 10]
Basophils	1	%	[0 - 1]
PLATELETS			
Platelet Count	15	/cmm	[150000 - 400000]

WORKFLOW STATUS

MANUAL REVIEW REQUIRED

AUTHORIZED SYNTHETIC DEMO QA

Fictional workflow sign-off; not a clinical signature

Red result accent = outside the synthetic reference interval; operator review remains required.

No clinical or accreditation authority

SYNTHETIC DEMONSTRATION REPORT - NOT FOR CLINICAL USE

REVIEWER APPENDIX | CORRECTION EVIDENCE ONLY

Sample ID: DEMO-CBC-002 | Scenario: plausibility-review

Observed source value for the platelet analyte: 15 /cmm

Synthetic analyzer rerun evidence: 250000 /cmm

REVIEW INSTRUCTION

Review the existing observation and apply a documented correction only after operator verification.

This appendix is training evidence, not another test result and not a patient-care instruction.

The source row remains unchanged until the review workflow records its correction.

AUTHORIZED SYNTHETIC DEMO QA

Fictional workflow sign-off; no clinical or accreditation authority

REVIEW ONLY

Appendix content is limited to synthetic correction evidence for reviewer training.