SYNTHETIC DEMONSTRATION REPORT - NOT FOR CLINICAL USE

PATIENT AND SPECIMEN INFORMATION

Patient Name :	Demo Kabir Shah	**Patient ID :**	PXDEMO005
Age / Sex :	56 Years/Male	**Phone :**	+919900000005
Specimen Type :	Synthetic EDTA whole blood	**Sample ID :**	DEMO-CBC-005-CORRECTED
Referred By :	Dr. Demo Mehta	**Collected :**	14 Aug 2026 09:30
Report Type :	Synthetic CBC demonstration	**Reported :**	14 Aug 2026 12:10

COMPLETE BLOOD COUNT (CBC)

Scenario: High Low Plausible Corrected

DEMO WORKFLOW READY

0 synthetic range flag(s)

Test	Result	Units	Reference interval
RED CELL INDICES			
Hemoglobin	15.5	g/dL	[13 - 18]
Total RBC Count	5.5	mill/cmm	[4.5 - 6.5]
P.C.V	47	%	[42 - 52]
M.C.V	86	fL	[76 - 96]
M.C.H	29.5	pg	[27 - 32]
M.C.H.C	33	g/dL	[31.5 - 34.5]
R.D.W	12.8	%	[11.6 - 14]
WHITE CELL COUNT			
Total WBC Count	7500	/cmm	[4000 - 11000]
DIFFERENTIAL COUNT			
Neutrophils	57.5	%	[40 - 75]
Lymphocytes	32.5	%	[20 - 45]
Eosinophils	3.5	%	[1 - 6]
Monocytes	6	%	[2 - 10]
Basophils	0.5	%	[0 - 1]
PLATELETS			
Platelet Count	275000	/cmm	[150000 - 400000]

WORKFLOW STATUS

DEMO WORKFLOW READY

AUTHORIZED SYNTHETIC DEMO QA

Fictional workflow sign-off; not a clinical signature

Red result accent = outside the synthetic reference interval; operator review remains required.

No clinical or accreditation authority