



**LOVELY
PROFESSIONAL
UNIVERSITY**

PROJECT REPORT

TITLE : TRAVEL WITH US

COURSE CODE : CSE326

GROUP MEMBERS :

Sai Sasank Lakimsetti(12209302)

Rishith Sai Chowdary Chundru(12212330)

Tekulapalli Srihari(12212857)

GRADUATION: Bachelor of Technology

SCHOOL : Computer Science and
Engineering

SECTION : K22RP

BATCH : 2022

ROLL NUMBERS : 02,34,42

Submitted to
Dr.Goutam Majumder

Summary:

- * This website '**TRAVEL WITH US**' helps the user to travel all over India by means of transport 'Trains,Buses,Flights' and they can book 'Hotels' and 'Meals during Train Journey'.
- * The entire website was designed using HTML,CSS.
- * In Train services, the user will be able to see submenu as Book Ticket and Cancel Ticket. By clicking Book Ticket, the user will be able to do train reservation and by clicking Cancel Ticket, the user will able to cancel the reserved train ticket.
- * In Bus services, the user will be able to see submenu as Book Ticket and Cancel Ticket. By clicking on the Book Ticket, the user can book bus tickets and by clicking Cancel Ticket, the user will be able to cancel the booked bus ticket.
- * In Flight services, the user will be able to see submenu as Book Ticket and Cancel Ticket. By clicking Book Ticket, the user will be able to book flight tickets and by clicking Cancel Ticket, the user will be able to cancel the booking.

- * In Hotels services, the user will be able to see submenu as Book Accommodation, by clicking on the submenu, the user will be able to book accommodation with our partnered hotels.
- * In Meals services, the user will be able to see submenu as Book Meals, by clicking on the submenu, the passenger will be able to order food during their train journey by entering PNR Number with our partnered restaurants.
- * The other option which we can able to see was Home. On placing the cursor on Home menu, the user will be able to see submenu as Login and Register. On clicking on Login button, the user will be able to login to his/her account and by clicking on Register, he/she can create a new account.

HOW WE DESIGNED OUR WEBSITE :

HOME PAGE:

HTML SOURCE:

```
C: > Project HTML > TRAVEL WITH US > <> homepage.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta http-equiv="X-UA-Compatible" content="IE=edge">
6    <meta name="viewport" content="width=device-width, initial-scale=1.0">
7    <title>TRAVEL WITH US</title>
8    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
9    <link rel="stylesheet" href="homepage.css">
10  </head>
11  <body>
12    <marquee behavior="scroll" direction="left" scrollamount=15>
13      <p style="font-family:optima;font-size:80px;background-color: #000080,color: #ffffff;margin-top:30px;">TRAVEL WITH US</p>
14    </marquee>
15    <div class="menu-bar">
16      <ul>
17        <li><a href="#"></a> TRAINS
18          <div class="submenu-1">
19            <ul>
20              <li><a href="Train Booking.html">Book ticket</a></li>
21              <li><a href="Train Cancellation.html">Cancel Ticket</a></li>
22            </ul>
23          </div>
24        </li>
25        <li><a href="#"></a> BUSES
26          <div class="submenu-2">
27            <ul>
28              <li><a href="Bus Booking.html">Book ticket</a></li>
29              <li><a href="Bus Cancellation.html">Cancel Ticket</a></li>
30            </ul>
31          </div>
32        </li>
33        <li><a href="#"></a> FLIGHTS
34          <div class="submenu-3">
35            <ul>
36              <li><a href="Flight Booking.html">Book ticket</a></li>
37              <li><a href="Flight Cancellation.html">Cancel Ticket</a></li>
38            </ul>
39          </div>
40        </li>
41        <li><a href="#"></a> HOTELS
42          <div class="submenu-4">
43            <ul>
```

```
44      <li><a href="Hotel Booking.html">Book Accommodation</a></li>
45    </ul>
46  </div>
47  </li>
48  <li><a href="#"></a> MEALS
49    <div class="submenu-5">
50      <ul>
51        <li><a href="Meals Page.html">Order Meals</a></li>
52      </ul>
53    </div>
54  </li>
55  <li><a href="#"></a> SUPPORT
56    <div class="submenu-6">
57      <ul>
58        <li><a href="helpdesk Train.html">Rail Services</a></li>
59        <li><a href="helpdesk flights.html">Air Services</a></li>
60        <li><a href="bus helpdesk.html">Bus Services</a></li>
61      </ul>
62    </div>
63  </li>
64  <li><a href="#"></a> HOME
65    <div class="submenu-7">
66      <ul>
67        <li><a href="login portal.html">Login</a></li>
68        <li><a href="Registration Page.html">Register</a></li>
69      </ul>
70    </div>
71  </li>
72  </ul>
73  </div>
74  <p style="margin-top: 50px;margin-bottom:50px;text-align:center;font-size:60px;font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;font-weight:500;margin-left: 150px;">
75    A dedicated e-portal designed for the Convenience of User to use Services provided by us through our Travel Management. <br>
76  </p>
77  <p style="font-family:'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif;font-size:60px;margin-left:40px;">Wanna Travell <br>
78  <p style="font-family: Arial, Helvetica, sans-serif;font-weight:700;margin-left:100px;font-size:85px;color: #000080;">TRAVEL WITH US</p>
79  <p style="font-family:'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;margin-left:50px;font-size:40px;">Wherever you want.... <br>
80  <div class="slide">
81    <marquee style="padding: 15px;" height="1080px/15%" behaviour="scroll" scrollamount="25" direction="up">
82      <p>RAIL SERVICES</p>
83      
84      <p>BUS SERVICES</p>
85      
86      <p>AIR SERVICES</p>
87      
88      <p>HOTEL BOOKING</p>
89      
90      <p>MEALS DURING TRAIN JOURNEY</p>
91      
92      <p style="font-family: cursive;font-size:60px;margin-left:350px;margin-top:50px;">Making everyone travel at affordable prices.
93    </marquee>
```

CSS SOURCE:

```
296     margin-bottom: 10px;
297     padding: 10px;
298 }
299 img{
300     max-width: 50%;
301 }
302 .slid{
303     margin-left: 50px;
304 }
305
```

BUS BOOKING:

HTML SOURCE:

CSS SOURCE:

[illegible]

BUS TICKET CANCELLATION:

HTML SOURCE:

```

<body>
<h1>
| BUS SERVICES
</h1>
<form action="">
| <div class="main">
| | <div class="main1">
| | | <p>
| | | | <p>CANCEL TICKET</p>
| | | | <label for="bid">Enter booking id:/label> <br>
| | | | <input type="text" id="bid" placeholder="Your booking id"><br>
| | | | <label for="num">Enter bus number:/label> <br>
| | | | <input type="text" id="num" placeholder="Bus Number"><br>
| | | </div>
| | | <div class="main2">
| | | | <input type="checkbox" id="ter">
| | | | <label for="ter">I refer to <a href="Terms and Condition bus.html">terms and conditions</a> and accept to them accordingly.</label> <br>
| | | | <input type="submit" value="Cancel Ticket" onclick="alert('Are you sure?')">
| | | </div>
| | </div>
| </form>
</body>
</html>

```

```
<style>
  h1{
    font-size: 88px;
    text-align: center;
    margin-left: 38px;
    margin-right: 28px;
    margin-top: 48px;
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
    background-color: # gray;
  }

  .main{
    border: 2px solid # black;
    padding: 28px;
    margin: 18px;
  }

  .main1 p{
    text-align: center;
    font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
    font-size: 58px;
    margin-top: -5px;
    margin-bottom: 28px;
  }

  .main1 label{
    font-size: 28px;
    margin-left: 558px;
  }

  input[type=txt]{
    margin: 15px;
    margin-left: 558px;
    padding: 18px;
    width: 388px;
  }

  input[type=checkbox]{
    margin-left: 558px;
  }

  .main2 label{
    font-size: 28px;
  }

  input[type=submit]{
    padding: 18px;
    margin-left: 558px;
    margin-top: 28px;
    cursor: pointer;
  }

  .main2 a{
    color: # rgb(8, 188, 8);
    text-decoration: none;
  }
</style>
```

HTML SOURCE:

[illegible]

TRAIN TICKET CANCELLATION

HTML SOURCE:

```
body:
<h1>
RAIL SERVICE
</h1>
<form action="">
<div class="main-div">
<p>CANCEL TICKET</p>
<div>
<label for="bid">Enter Booking Id</label>
<input type="text" id="bid">
<label for="pn">Enter PNR Number</label>
<input type="text" id="pn">
<input type="checkbox" id="acc">
<label for="acc">I have gone through <a href="cancellation procedure train.html">cancellation procedure</a> and accept to the terms and conditions <a href="cancellation policy train.html">cancellation policy</a></label>
<input type="submit" value="Cancel Ticket" onclick="alert('Are you sure?')">
</div>
</div>
</form>
</body>
</html>
```

CSS SOURCE:

```
<!DOCTYPE html>
<style>
h1{
text-align: center;
font-size: 80px;
font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
background-color: rgb(0,180,0);
color: white;
}
.main-div{
border: 2px solid black;
padding: 10px;
margin-left: 480px;
margin-right: 480px;
background-color: white;
margin-bottom: 100px;
padding-left: 80px;
padding-right: 80px;
}
.main-div a{
text-decoration: none;
}
input[type="text"]{
padding: 5px;
width: 320px;
margin-top: 10px;
margin-bottom: 10px;
}
input[type="submit"]{
margin-top: 10px;
margin-bottom: 10px;
padding: 10px;
margin-left: 130px;
cursor: pointer;
background-color: rgb(0,180,0);
color: white;
border: none;
border-radius: 3px;
}
.main-div p{
text-align: center;
font-size: 30px;
border: 1px;
background-color: lightgray;
}
</style>
</head>
</html>
```


FLIGHT BOOKING

HTML SOURCE:

```
<!--/head-->
<body background="flight back.jpg">
  <h1 style="color: white;">
    | AIR SERVICES
  </h1>

  <form action="">
    <div class="main-div1">
      <div>
        <p>BOOK TICKET</p>
        <label for="ori">Departure : </label>
        <input type="text" id="ori" placeholder="Origin"> <br>
        <label for="des">Destination : </label>
        <input type="text" id="des" placeholder="Reaching Point"> <br>
        <input type="radio" name="trip" id="ow" value="One-way">
        <label for="ow">One-way Trip</label>
        <input type="radio" name="trip" id="rou" value="Round">
        <label for="rou">Round-Trip</label> <br>
        <input type="checkbox" id="gov">
        <label for="gov">Govt Employee</label> <br>
        <input type="checkbox" id="stu">
        <label for="stu">Student</label> <br>
        <input type="checkbox" id="def">
        <label for="def">Defence</label> <br>
        <label for="dep">Date of Departure:</label>
        <input type="date" id="dep" value="Date of Departure"> <br>
        <label for="ret">Date of Return:</label>
        <input type="date" id="ret" value="Date of Return">
        <label for="retu" style="font-size: 15px;">(If Round-Trip)</label> <br>
        <label for="tra">No. of Travellers:</label> <br>
        <input type="number" max="6" id="tra"> <br>
        <label for="class">Class:</label> <br>
        <input list="class">
        <datalist id="class">
          <option value="Economy"></option>
          <option value="Business"></option>
          <option value="Premium"></option>
        </datalist> <br>
        <input style="margin-top: 28px;" type="checkbox" id="ter">
        <label for="ter">I accept to the <a href="flight terms and conditions.html">Terms and conditions</a></label> <br>
        <input type="submit" value="Search flights">
      </div>
    </div>
  </form>
</body>
</html>
```

CSS SOURCE:

```
body {
  background-repeat: no-repeat;
  background-size: cover;
}

main {
  border: 5px;
  border-radius: 15px;
  background-color: #orange;
  margin-left: 80px;
  margin-right: 80px;
  font-family: 'Will Sans', 'Will Sans MI', Calibri, 'Trebuchet MS', sans-serif;
  font-size: 18px;
  text-align: center;
  margin-top: 40px;
}

main-div1 {
  background-color: #white;
  margin: 40px 40px 0px 120px;
  padding: 10px;
  width: 580px;
  border-radius: 5px;
}

main-div1 p {
  font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif;
  font-size: 40px;
  font-weight: 600;
  color: #white;
  border: 5px;
  background-color: #orange;
  margin-left: -80px;
  margin-top: -10px;
  text-align: center;
  margin-right: -30px;
}

input[type="text"] {
  width: 280px;
  padding: 10px;
  margin-bottom: 20px;
}

label {
  font-size: 20px;
  box-sizing: border-box;
}

input[type="radio"] {
  margin-bottom: 20px;
}

input[type="date"] {
  width: 280px;
  padding: 10px;
  margin-bottom: 20px;
}

input[type="number"] {
  width: 150px;
  padding: 10px;
  margin-bottom: 20px;
}

input[list="class"] {
  width: 250px;
  padding: 10px;
}

input[type="checkbox"] {
  margin-bottom: 20px;
}

input[type="submit"] {
  padding: 20px;
  border-radius: 10px;
  margin-top: 30px;
  margin-left: 140px;
  cursor: pointer;
  color: #white;
  border: none;
  background-color: #orange;
}

style {
  font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif;
  font-size: 40px;
  font-weight: 600;
  color: #white;
  border: 5px;
  background-color: #orange;
  margin-left: -80px;
  margin-top: -10px;
  text-align: center;
  margin-right: -30px;
}
```

FLIGHT TICKET CANCELLATION

HTML SOURCE:

```
</head>
<body>
  <h1>
    | AIR SERVICES
  </h1>

  <form action="">
    <div class="main-div1">
      <p>CANCEL BOOKING:</p>
      <label for="bid">Enter Booking Reference Number</label> <br>
      <input type="text" name="bid" id="bid" placeholder="Reference number"> <br>
      <label for="ema">Enter email</label> <br>
      <input type="text" name="ema" id="ema" placeholder="email id"> <br>
      <label for="pay">Choose Payment Option</label> <br>
      <input type="radio" name="paym" id="ema">
      <label for="ema">TBC e-wallet</label>
      <input type="radio" name="paym" id="gate">
      <label for="gate">Payment Gateway</label> <br>
      <input type="checkbox" id="acce">
      <label for="acce">I accept to the <a href="cancellation_policy_flight.html">cancellation policy</a></label>
      <input type="submit" onclick="alert('Are you sure?')" value="Cancel Booking">
    </div>
  </form>
</body>
```

CSS SOURCE:

```
h1{
  font-size: 80px;
  font-family: 'Bill Sans', 'Bill Sans RI', Calibri, 'Frebuchet MS', sans-serif;
  text-align: center;
  padding: 20px;
  background-color: #orange;
}

.main-div1{
  border: 2px solid black;
  padding: 20px;
  border-radius: 5px;
  margin-top: 20px;
  margin-bottom: 10px;
  margin-left: 40px;
  margin-right: 40px;
}

input[type="text"]{
  padding: 10px;
  width: 300px;
  box-sizing: border-box;
  margin-top: 10px;
  margin-left: 20px;
  margin-bottom: 10px;
}

.main-div1 p{
  text-align: center;
  margin-top: 0px;
  background-color: #orange;
  margin-left: -10px;
  margin-right: -10px;
  margin-bottom: 25px;
  font-size: 60px;
  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
}

label{
  font-size: 20px;
  padding: 5px;
  margin-left: 20px;
}

input[type="radio"]{
  padding: 10px;
  margin-top: 10px;
  margin-left: 20px;
  margin-bottom: 10px;
}

input[type="submit"]{
  margin-top: 25px;
  margin-left: 70px;
  width: 200px;
  padding: 10px;
  font-size: 20px;
  cursor: pointer;
  background-color: #orange;
  border: none;
  border-radius: 5px;
}

input[type="checkbox"]{
  padding: 20px;
  margin-left: 22px;
}
```

HOTEL BOOKING

HTML SOURCE:

```
</head>
<body background="hotel back.jpg">
  <h1>
    | HOTEL SERVICES
  </h1>
  <form action="">
    <div class="main-div">
      <p>BOOK ACCOMMODATION</p>
      <label for="city">Enter City or Hotel Name</label> <br>
      <input type="text" placeholder="City or Hotel Name" id="check-in"> <br>
      <label for="check-in">Date of Check-in</label> <br>
      <input type="date" placeholder="Date of Check-in" id="check-out"> <br>
      <label for="check-out">Date of Check-out</label> <br>
      <input type="date" placeholder="Date of check-out"> <br>
      <label for="per">No. of Persons</label> <br>
      <input type="number" id="per" placeholder="guest"> <br>
      <label for="rooms">No. of rooms</label> <br>
      <input type="number" placeholder="rooms" id="rooms"> <br>
      <input type="checkbox" id="tandc">
      <label for="tandc">I accept to the Terms and conditions</label>
      <input type="submit" value="Search Hotels">
    </div>
  </form>
</body>
</html>
```

CSS SOURCE:

```
<style>
  .main-div {
    text-align: center;
    margin-top: 10px;
    background-color: #lightgray;
    font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
    font-size: 35px;
  }
  body {
    background-repeat: no-repeat;
    background-size: cover;
  }
  h1 {
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
    font-size: 80px;
    text-align: center;
    padding: 20px;
    color: #whitesmoke;
    border: 3px solid #black;
    background-color: #rgb(123,118,141);
    border: none;
    border-radius: 8px;
  }
  .main-div {
    margin: 70px 500px 100px 550px;
    border: 2px solid #black;
    padding: 30px;
    background-color: #white;
  }
  input[type="text"] {
    padding: 5px;
    margin: 10px;
    width: 200px;
  }
  label {
    margin: 10px;
    padding-bottom: 10px;
    padding-top: 50px;
    font-size: 18px;
  }
  input[type="date"] {
    padding: 2px;
    margin: 10px;
  }
  input[type="number"] {
    padding: 5px;
    margin: 10px;
  }
  input[type="submit"] {
    padding: 10px;
    margin-top: 30px;
    margin-bottom: 10px;
    margin-left: 70px;
  }
</style>
```

MEAL BOOKING DURING TRAIN JOURNEY

HTML SOURCE:

```
</head>
<body background="meal back.jpg">
  <h1>
    ORDER YOUR MEALS
  </h1>
  <form action="" method="">
    <div class="main-div" style="border: 3px solid ■ white; border-radius: 8px; border-width: 2px;">
      PNR NUMBER <br> <input type="text" placeholder="Enter PNR Number"><br>
      TRAIN NUMBER <br> <input type="text" placeholder="Enter Train Number"><br>
      STATION <br> <input list="station" form="station" placeholder="Select Station"><br>
      <datalist id="station">
        <option value="Station 1"></option>
        <option value="Station 2"></option>
        <option value="Station 3"></option>
        <option value="Station 4"></option>
        <option value="Station 5"></option>
        <option value="Station 6"></option>
        <option value="Station 7"></option>
        <option value="Station 8"></option>
        <option value="Station 9"></option>
        <option value="Station 10"></option>
      </datalist>
      <label for="restaurant">RESTAURANTS</label><br>
      <input list="restaurant" placeholder="Select Restaurants"><br>
      <datalist id="restaurant">
        <option value="Restaurant 1"></option>
        <option value="Restaurant 2"></option>
        <option value="Restaurant 3"></option>
        <option value="Restaurant 4"></option>
        <option value="Restaurant 5"></option>
        <option value="Restaurant 6"></option>
        <option value="Restaurant 7"></option>
        <option value="Restaurant 8"></option>
        <option value="Restaurant 9"></option>
        <option value="Restaurant 10"></option>
      </datalist>
      <label for="menu">MENU</label><br>
      <input list="menu" placeholder="Select Food"><br>
      <input type="submit" value="Book Meals">
    </div>
  </form>
</body>
```

CSS SOURCE:

```
h1{
  text-align: center;
  font-size: 65px;
  border: 1px solid ■ black;
  background-color: ■ palegreen;
}
body{
  background-repeat: no-repeat;
  background-size: cover;
}
input[type="text"]{
  margin-bottom: 20px;
  margin-left: 1px;
  width: 165px;
  padding: 5px;
  margin-top: 20px;
}
.main-div{
  border: 1px solid ■ yellow;
  margin-left: 80px;
  margin-right: 80px;
  font-size: 18px;
  margin-top: 10px;
  padding: 50px;
  background-color: ■ palegreen;
  color: ■ black;
}
label{
  margin-bottom: 15px;
  margin-left: 1px;
  font-size: 18px;
  color: ■ black;
}
input[list="station"]{
  margin-bottom: 15px;
  margin-top: 15px;
  padding: 5px;
  margin-left: 1px;
}
input[list="restaurant"]{
  margin-bottom: 15px;
  padding: 5px;
  margin-left: 1px;
  margin-top: 15px;
}
input[list="menu"]{
  margin-bottom: 15px;
  padding: 5px;
  margin-left: 1px;
  margin-top: 15px;
}
input[type="submit"]{
  border-radius: 5px;
  text-align: center;
  width: 150px;
  margin: 30px 50px 0px 20px;
  background-color: ■ rgb(0,100,0);
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  font-size: 25px;
  padding: 5px;
  cursor: pointer;
}
```

LOGIN PORTAL

HTML SOURCE:

```
<html>
<head>
</head>
<body background="login back.jpg">
  <h1 style="color: ■ white; font-weight:800;">
    | LOGIN TO YOUR ACCOUNT
  </h1>
  <form action="" method="">
    <div class="main-div">
      <div>
        <label for="id">Enter your id</label> <br>
        <input type="text" id="id" ><br>
      </div>
      <div>
        <label for="password">Enter Password</label> <br>
        <input type="password" id="password"> <br>
      </div>
      <input type="submit" value="Sign-in">
    </div>
  </form>
</body>
</html>
```

CSS SOURCE:

```
<style>
body{
  background-repeat: no-repeat;
  background-size: cover;
}
div.main-div {
  margin: 10px 200px 20px 550px;
  padding: 10px;
  color: ■ white;
}
input[type-text] {
  width: 60%;
  padding: 12px 20px;
  margin: 8px 0px;
  box-sizing: border-box;
}
input[type=password]{
  width: 60%;
  padding: 12px 20px;
  margin: 8px 0px;
  box-sizing: border-box;
}
div.main-div div{
  margin-bottom: 10px;
  font-size: 50px;
}
label{
  color: □ black;
  font-family: sans-serif;
}
h1{
  text-align: center;
  font-size: 80px;
  padding: 30px;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif ;
  border-radius: 10px;
  color: ■ white;
  background-color: ■ rgb(80, 224, 280);
  margin-top: 15px;
  margin-left: 70px;
  margin-right: 50px;
}
input[type=submit] {
  display: block;
  width: 25%;
  border: none;
  color: □ black;
  background-color: ■ white;
  padding: 14px 20px;
  font-weight: 700;
  margin-left: 100px;
  margin-top: 50px;
  font-size: 20px;
  cursor: pointer;
  text-align: center;
  border-radius: 5px;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}
</style>
```


REGISTRATION PORTAL

HTML SOURCE:

```
</body>
<body background="register back.jpg">
  <h1>
    CREATE AN ACCOUNT
  </h1>
  <hr>
  <h2>
    PERSONAL DETAILS
  </h2>
  <form action="" method="">
    <div class="main-div1">
      <div>
        <label for="fname">First Name</label><br>
        <input type="text" placeholder="First Name"><br>
        <label for="lname">Last Name</label><br>
        <input type="text" placeholder="Last Name"><br>
        <label for="gender">Select Gender</label> <br>
        <input list="gender" placeholder="Gender"><br>
        <datalist id="gender">
          <option value="Male"></option>
          <option value="Female"></option>
        </datalist>
        <label for="con">Country</label><br>
        <input list="con" placeholder="Country"><br>
        <datalist id="con">
          <option value="Australia"></option>
          <option value="Bangladesh"></option>
          <option value="Canada"></option>
          <option value="Denmark"></option>
          <option value="Egypt"></option>
          <option value="France"></option>
          <option value="Germany"></option>
          <option value="Hong Kong"></option>
          <option value="Ireland"></option>
          <option value="India"></option>
          <option value="Japan"></option>
          <option value="Kenya"></option>
          <option value="Libya"></option>
          <option value="Malaysia"></option>
          <option value="Maldives"></option>
          <option value="New Zealand"></option>
          <option value="Oman"></option>
          <option value="Pakistan"></option>
          <option value="Qatar"></option>
          <option value="Republic Of Korea"></option>
          <option value="Singapore"></option>
          <option value="Turkey"></option>
          <option value="United States Of America"></option>
          <option value="United Kingdom"></option>
          <option value="Vietnam"></option>
          <option value="Western Sahara"></option>
          <option value="Yemen"></option>
          <option value="Zimbabwe"></option>
        </datalist>
      </div>
      <div>
        <label for="occ">Occupation</label><br>
        <input list="occ" placeholder="Occupation"><br>
        <datalist id="occ">
          <option value="Government"></option>
          <option value="Public"></option>
          <option value="Private"></option>
          <option value="Self Employed"></option>
          <option value="Student"></option>
          <option value="Other"></option>
        </datalist>
        <label for="dob">Date Of Birth</label><br>
        <input type="date" id="dob" placeholder="Date Of Birth"><br>
        <label for="email">Email</label><br>
        <input type="text" placeholder="Email"><br>
        <label for="mob">Mobile</label><br>
        <input type="text" maxlength="10" placeholder="Mobile"><br>
      </div>
    </div>
    <div>
      BASIC DETAILS
    </div>
    <form action="" method="">
      <div class="main-div2">
        <div>
          <label for="uname">User Name</label><br>
          <input type="text" id="user" maxlength="8" placeholder="Username"><br>
          <label for="pass">Password</label><br>
          <input type="password" id="pass" minlength="8" placeholder="Password"><br>
          <label for="cpass">Confirm Password</label><br>
          <input type="password" id="cpass" minlength="8" placeholder="Confirm Password"><br>
          <label for="lan">Preferred Language</label><br>
          <input list="lan" placeholder="Preferred Language"><br>
          <datalist id="lan">
            <option value="English"></option><br>
            <option value="Hindi"></option><br>
            <option value="devb"></option><br>
          </datalist>
          <label for="secc">Security Question</label><br>
          <input list="secc" placeholder="Security Question"><br>
          <datalist id="secc">
            <option value="What is your Pet Name?"></option>
            <option value="What is Name Of Your First School?"></option>
            <option value="What is Your Favourite Sport?"></option>
          </datalist>
          <label for="seca">Security Answer</label><br>
          <input type="text" placeholder="Security Answer"><br>
        </div>
      </div>
    </form>
  </div>
  <div>
    ADDRESS
  </div>
  <form action="" method="">
    <div class="main-div3">
      <div>
        <label for="f1/dr/bl">Flat/Door/Block No.</label><br>
        <input type="text" placeholder="Flat/Door/Block No."><br>
        <label for="str/st">Street/Lane</label><br>
        <input type="text" placeholder="Street/Lane"><br>
        <label for="area">Area</label><br>
        <input type="text" placeholder="Area"><br>
        <label for="pin">Pin Code</label><br>
        <input type="text" placeholder="Pin Code"><br>
        <label for="city">City</label><br>
        <input list="city" placeholder="City"><br>
        <datalist id="city">
          <option value="Ahmedabad"></option>
          <option value="Amritsar"></option>
          <option value="Apatala"></option>
          <option value="Agra"></option>
          <option value="Bengaluru"></option>
          <option value="Bilaspur"></option>
          <option value="Bhopal"></option>
          <option value="Cuttack"></option>
          <option value="Chennai"></option>
          <option value="Chandigarh"></option>
          <option value="Gangtok"></option>
          <option value="Gurgaon"></option>
          <option value="Haridwar"></option>
          <option value="Itanagar"></option>
          <option value="Indore"></option>
          <option value="Jammu"></option>
          <option value="Jalandhar"></option>
          <option value="Jaipur"></option>
          <option value="Kolkata"></option>
          <option value="Karnnagar"></option>
          <option value="Lucknow"></option>
          <option value="Ludhiana"></option>
          <option value="Mumbai"></option>
          <option value="Mandi"></option>
          <option value="Mysore"></option>
          <option value="Nagarsol"></option>
          <option value="New Delhi"></option>
          <option value="Pargola"></option>
          <option value="Patna"></option>
          <option value="Phagwara"></option>
          <option value="Ranchi"></option>
          <option value="Raipur"></option>
          <option value="Rengnuta"></option>
          <option value="Surat"></option>
          <option value="Srikakulam"></option>
          <option value="Thiruvananthapuram"></option>
          <option value="Tirupati"></option>
        </datalist>
        <label for="state">State</label><br>
        <input list="state" placeholder="State"><br>
        <datalist id="state">
          <option value="Andhra Pradesh"></option>
          <option value="Arunachal Pradesh"></option>
          <option value="Assam"></option>
          <option value="Bihar"></option>
          <option value="Chattisgarh"></option>
          <option value="Goa"></option>
          <option value="Gujarat"></option>
          <option value="Haryana"></option>
          <option value="Himachal Pradesh"></option>
          <option value="Jharkhand"></option>
          <option value="Karnataka"></option>
          <option value="Kerala"></option>
          <option value="Madhya Pradesh"></option>
          <option value="Maharashtra"></option>
          <option value="Manipur"></option>
          <option value="Meghalaya"></option>
          <option value="Mizoram"></option>
          <option value="Nagaland"></option>
          <option value="Odisha"></option>
          <option value="Punjab"></option>
          <option value="Rajasthan"></option>
          <option value="Sikkim"></option>
          <option value="Tamilnadu"></option>
          <option value="Telangana"></option>
          <option value="Tripura"></option>
          <option value="Uttarakhand"></option>
          <option value="Uttar Pradesh"></option>
          <option value="West Bengal"></option>
        </datalist>
      </div>
    </div>
    <div class="main-div4">
      <form action="" method="">
        <input type="submit" value="Register">
      </form>
    </div>
  </div>
</body>
```

CSS SOURCE:

```
body {
  background-repeat: no-repeat;
  background-size: cover;
}

h1 {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #lightgray;
  color: #black;
  padding: 10px;
  font-size: 70px;
  text-align: center;
  margin-left: 50px;
  margin-right: 50px;
  border-radius: 10px;
  margin-bottom: 20px;
}

h2 {
  color: #black;
  font-size: 40px;
  font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
  text-align: center;
  margin-top: 40px;
  margin-left: 50px;
  margin-right: 50px;
  margin-bottom: 10px;
  background-color: #lightgray;
  border-radius: 10px;
}

main-div {
  padding: 20px;
  margin: 10px 20px 20px 20px;
  color: #white;
  size: 80px;
}

main-div label {
  margin-left: 50px;
}

input[type=text] {
  width: 70px;
  box-sizing: border-box;
  padding: 20px;
  border: 1px solid #black;
}

input[type=password] {
  width: 70px;
  box-sizing: border-box;
  padding: 20px;
  border: 1px solid #black;
}

input[type=date] {
  width: 60px;
  padding: 20px;
  margin-right: 10px;
}

h3 {
  font-size: 60px;
  color: #black;
}

main-div {
  margin-left: 11px;
}

input[list] {
  width: 700px;
  box-sizing: border-box;
  padding: 20px;
}

input[type=radio] {
  padding: 45px;
  width: 100px;
  text-size-adjust: flex;
  border: 55px;
  margin: 15px 550px 15px 200px;
}


input[type=submit] {
  border: 10px;
  padding: 10px;
  border-radius: 10px;
  text-align: center;
  width: 500px;
  margin: 50px 35px 50px 60px;
  background-color: #orange;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  font-size: 25px;
  margin-left: 85px;
  cursor: pointer;
  color: #black;
  font-weight: 700;
}

label {
  font-family: sans-serif;
  margin-left: 50px;
  color: #black;
}

hr {
  margin-left: 40px;
  margin-right: 40px;
  margin-bottom: 40px;
}
```

RESULT

HOME PAGE



BUS BOOKING



TRAIN BOOKING

RAIL SERVICES

BOOK TICKET

DEPARTURE
From

DESTINATION
To

Select Journey Date

Reservation Type

Class

☐ Person With Disability
☐ Flexible With Date
☐ Train With Available Berth
☐ Train Pass Concession



FLIGHT BOOKING

AIR SERVICES

BOOK TICKET

Departure :

Destination :

☐ One-way Trip ☐ Round-Trip

☐ Govt Employee
☐ Student
☐ Defence


Date of Departure:

Date of Return: (If Round-Trip)

No. of Travellers

Class

☐ I accept to the [Terms and conditions](#)



FLIGHT TICKET CANCELLATION

AIR SERVICES

CANCEL BOOKING

Enter Booking Reference Number

Enter email

Choose Payment Option

☐ TBC e-wallet ☐ Payment Gateway

☐ I accept to the [cancellation policy](#)

Cancel Booking

BUS TICKET CANCELLATION

BUS SERVICES

CANCEL TICKET

Enter booking id

Enter bus number

☐ I refer to terms and conditions and accept to them accordingly.

Cancel Ticket

TRAIN TICKET CANCELLATION

RAIL SERVICES

CANCEL TICKET

Enter Booking id

Enter PNR Number

☐ I have gone through cancellation procedure and accept to the terms and conditions cancellation policy.

Cancel Ticket

HOTEL BOOKING

HOTEL SERVICES

BOOK ACCOMODATION

Enter City or Hotel Name

Date of Check-in

Date of Check-out

No.of Persons

No.of rooms

☐ I accept to the Terms and conditions

Search Hotels

MEALS BOOKING DURING TRAIN JOURNEY



ORDER YOUR MEALS

PNR NUMBER

TRAIN NUMBER


STATION

RESTAURANTS

MENU

Book Meals

LOGIN PORTAL



LOGIN TO YOUR ACCOUNT

Enter your id

Enter Password

Sign-in

REGISTRATION PORTAL

CREATE AN ACCOUNT

PERSONAL DETAILS

First Name	<input type="text"/>
Last Name	<input type="text"/>
Select Gender	<input type="text"/>
Gender	<input type="text"/>
Country	<input type="text"/>
Occupation	<input type="text"/>
Date Of Birth	<input type="text" value="dd-mm-yyyy"/>
Email	<input type="text"/>
Mobile	<input type="text"/>

BASIC DETAILS

User Name	<input type="text"/>
Password	<input type="password"/>
Confirm Password	<input type="password"/>
Preferred Language	<input type="text"/>
Security Question	<input type="text"/>
Security Answer	<input type="text"/>

ADDRESS

Flat/Door/Block No.	<input type="text"/>
Street/Lane	<input type="text"/>
Area	<input type="text"/>
Pin Code	<input type="text"/>
City	<input type="text"/>
State	<input type="text"/>

Register