Autonomous Security Assessment Report

Assessment OFFLINE-REPORT-QA · Scope SYNTHETIC-LAYOUT-ONLY
Generated 2026-10-31T19:27:21.006298+00:00

DATA INTEGRITY WARNING — this report contains SYNTHETIC/FIXTURE data from: **httpx**. These tool(s) were unavailable during this run; their findings are documented placeholders, not real scan results, and must not be acted on as such.

Executive Summary

*** DATA INTEGRITY WARNING *** This report contains SYNTHETIC/FIXTURE findings, not exclusively real scan results. The following tool(s) were unavailable during this run and their output was substituted with documented placeholder data for continuity: httpx. Findings attributable to these tools must NOT be treated as real assessment results. See "data_integrity" in the JSON report and each finding's evidence/tool_executions for which tool produced it. Re-run this assessment with the real tool(s) installed and reachable before relying on this report.

This report presents the results of an authorised security assessment (assessment ID OFFLINE-REPORT-QA, scope SYNTHETIC-LAYOUT-ONLY) conducted against 3 network asset(s).

Agent results were coordinated by the Orchestrator. Required-surface coverage is incomplete; discovery completeness is incomplete. See Coverage and Completion for the status of each surface. 6 finding(s) were confirmed and 0 remain suspected pending further verification.

Severity breakdown: 6 low.

The following assessment activities did not complete and are reflected as limitations in this report: Required surfaces incomplete: network, web, binary, Discovery completeness is incomplete, External Network Vulnerability Agent: no results ingested for this run.

Assessment Scope

Permission	Enabled
allow_network_discovery	No
allow_network_service_assessment	No
allow_ftp_anonymous_check	No
allow_web_crawling	No
allow_passive_web_analysis	No
allow_active_web_verification	No
allow_binary_analysis	No
allow_content_discovery	No
allow_single_credential_verification	No
dry_run	Yes

Methodology

PTES mapping classifies recorded activities and findings. A phase with no activity is not evidence that its actions occurred. Failed attempts, skipped actions, inferred legacy operation names and unresolved mappings are reported separately.

The recorded policy did not enable web crawling and did not enable active web verification. Permission settings describe allowed work; execution records and supporting artifacts establish what actually happened. Tool-specific limitations and fixture use are listed in this report.

Inventory, weakness observations and access transitions have different meanings. Discovery convergence reflects the available evidence and completed observation methods; it does not measure recall against every device in the environment. No organiser manifest is required to run discovery. Independent ground truth can optionally measure recall after a run.

Coverage and Completion

Execution: completed. Discovery: incomplete. Overall coverage: **incomplete**.
network: not_observed; required: yes.
web: synthetic; required: yes.
binary: not_observed; required: yes.
Execution completion does not establish complete discovery. Unknown coverage requires further evidence.

Device and Service Inventory

Inventory source: offline-layout-fixture

HOST-LAYOUT-001

Address: 10.20.30.1. Hostname: offline-layout-only.example. Classification: SYNTHETIC_LAYOUT_OBSERVATION. Held: no.

Service ID	Port / transport	Service	Product / version
HOST-LAYOUT-001:80/tcp	80 / tcp	http	Synthetic layout product / fixture
HOST-LAYOUT-001:443/tcp	443 / tcp	https	Synthetic layout product / fixture
HOST-LAYOUT-001:8080/tcp	8080 / tcp	http-alt	Synthetic layout product / fixture

HOST-LAYOUT-002

Address: 10.20.30.2. Hostname: offline-layout-only.example. Classification: SYNTHETIC_LAYOUT_OBSERVATION. Held: no.

Service ID	Port / transport	Service	Product / version
HOST-LAYOUT-002:80/tcp	80 / tcp	http	Synthetic layout product / fixture
HOST-LAYOUT-002:443/tcp	443 / tcp	https	Synthetic layout product / fixture
HOST-LAYOUT-002:8080/tcp	8080 / tcp	http-alt	Synthetic layout product / fixture

HOST-LAYOUT-003

Address: 10.20.30.3. Hostname: offline-layout-only.example. Classification: SYNTHETIC_LAYOUT_OBSERVATION. Held: yes.

Service ID	Port / transport	Service	Product / version
HOST-LAYOUT-003:80/tcp	80 / tcp	http	Synthetic layout product / fixture
HOST-LAYOUT-003:443/tcp	443 / tcp	https	Synthetic layout product / fixture
HOST-LAYOUT-003:8080/tcp	8080 / tcp	http-alt	Synthetic layout product / fixture

Findings Summary

Total findings: 6

Status	Count
confirmed	6

Severity	Count
low	6

Network Findings: no findings recorded.
Binary Analysis Findings: no findings recorded.

Web Security Findings

Missing security headers: content-security-policy, strict-transport-security, x-content-type-options, x-frame-options <literal markup> & visible evidence [LOW / CONFIRMED]

Agent: web_security_agent · Detection: httpx_header_analysis
The response did not include the following recommended security headers: content-security-policy, strict-transport-security, x-content-type-options, x-frame-options. [Verification note] auto-confirmed: deterministic header/cookie check
Remediation: Configure the web server/application to emit the missing headers.
PTES phase: vulnerability_analysis · Evidence: EVIDENCE-8d9ac07ca1

Insecure cookie attributes on 'sample-session' [LOW / CONFIRMED]

Agent: web_security_agent · Detection: httpx_cookie_analysis
Cookie 'sample-session' is missing Secure flag. [Verification note] auto-confirmed: deterministic header/cookie check
Remediation: Set Secure and HttpOnly on session/auth cookies.
PTES phase: vulnerability_analysis · Evidence: EVIDENCE-70cd75a9bc

Missing security headers: content-security-policy, strict-transport-security, x-content-type-options, x-frame-options [LOW / CONFIRMED]

Agent: web_security_agent · Detection: httpx_header_analysis
The response did not include the following recommended security headers: content-security-policy, strict-transport-security, x-content-type-options, x-frame-options. [Verification note] auto-confirmed: deterministic header/cookie check
Remediation: Configure the web server/application to emit the missing headers.
PTES phase: vulnerability_analysis · Evidence: EVIDENCE-0cc16f570f

Insecure cookie attributes on 'sample-session' [LOW / CONFIRMED]

Agent: web_security_agent · Detection: httpx_cookie_analysis
Cookie 'sample-session' is missing Secure flag. [Verification note] auto-confirmed: deterministic header/cookie check
Remediation: Set Secure and HttpOnly on session/auth cookies.
PTES phase: vulnerability_analysis · Evidence: EVIDENCE-3e995f3825

Missing security headers: content-security-policy, strict-transport-security, x-content-type-options, x-frame-options [LOW / CONFIRMED]

Agent: web_security_agent · Detection: httpx_header_analysis
The response did not include the following recommended security headers: content-security-policy, strict-transport-security, x-content-type-options, x-frame-options. [Verification note] auto-confirmed: deterministic header/cookie check
Remediation: Configure the web server/application to emit the missing headers.
PTES phase: vulnerability_analysis · Evidence: EVIDENCE-32d7a50265

Insecure cookie attributes on 'sample-session' [LOW / CONFIRMED]

Agent: web_security_agent · Detection: httpx_cookie_analysis
Cookie 'sample-session' is missing Secure flag. [Verification note] auto-confirmed: deterministic header/cookie check
Remediation: Set Secure and HttpOnly on session/auth cookies.
PTES phase: vulnerability_analysis · Evidence: EVIDENCE-54ae74aa45

Attack Paths and Observed Relationships

Connectivity and potential relationships do not prove access. A confirmed weakness describes a weakness; it does not establish an access transition. Only separately validated transition evidence can support that claim.

1. Structural / potential relationship

Source: HOST-LAYOUT-001
Target: HOST-LAYOUT-001:80/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

2. Structural / potential relationship

Source: HOST-LAYOUT-001:80/tcp
Target: HOST-LAYOUT-001
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

3. Structural / potential relationship

Source: HOST-LAYOUT-001
Target: HOST-LAYOUT-001:443/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

4. Structural / potential relationship

Source: HOST-LAYOUT-001:443/tcp
Target: HOST-LAYOUT-001
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

5. Structural / potential relationship

Source: HOST-LAYOUT-001
Target: HOST-LAYOUT-001:8080/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

6. Structural / potential relationship

Source: HOST-LAYOUT-001:8080/tcp
Target: HOST-LAYOUT-001
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

7. Structural / potential relationship

Source: HOST-LAYOUT-002
Target: HOST-LAYOUT-002:80/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

8. Structural / potential relationship

Source: HOST-LAYOUT-002:80/tcp
Target: HOST-LAYOUT-002
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

9. Structural / potential relationship

Source: HOST-LAYOUT-002
Target: HOST-LAYOUT-002:443/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

10. Structural / potential relationship

Source: HOST-LAYOUT-002:443/tcp
Target: HOST-LAYOUT-002
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

11. Structural / potential relationship

Source: HOST-LAYOUT-002
Target: HOST-LAYOUT-002:8080/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

12. Structural / potential relationship

Source: HOST-LAYOUT-002:8080/tcp
Target: HOST-LAYOUT-002
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

13. Structural / potential relationship

Source: HOST-LAYOUT-003
Target: HOST-LAYOUT-003:80/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

14. Structural / potential relationship

Source: HOST-LAYOUT-003:80/tcp
Target: HOST-LAYOUT-003
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

15. Structural / potential relationship

Source: HOST-LAYOUT-003
Target: HOST-LAYOUT-003:443/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

16. Structural / potential relationship

Source: HOST-LAYOUT-003:443/tcp
Target: HOST-LAYOUT-003
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

17. Structural / potential relationship

Source: HOST-LAYOUT-003
Target: HOST-LAYOUT-003:8080/tcp
Relation: HOSTS. Finding: none. Evidence-backed indicator: False.

18. Structural / potential relationship

Source: HOST-LAYOUT-003:8080/tcp
Target: HOST-LAYOUT-003
Relation: EXPOSES. Finding: none. Evidence-backed indicator: False.

19. Structural / potential relationship

Source: HOST-LAYOUT-001
Target: HOST-LAYOUT-002
Relation: CONNECTS_TO. Finding: none. Evidence-backed indicator: False.

20. Confirmed weakness relationship

Source: HOST-LAYOUT-001
Target: finding:WEB-873d5073bb
Relation: AFFECTED_BY. Finding: WEB-873d5073bb. Evidence-backed indicator: True.

21. Confirmed weakness relationship

Source: HOST-LAYOUT-001
Target: finding:WEB-0cf4364252
Relation: AFFECTED_BY. Finding: WEB-0cf4364252. Evidence-backed indicator: True.

22. Confirmed weakness relationship

Source: HOST-LAYOUT-002
Target: finding:WEB-0d903e8976
Relation: AFFECTED_BY. Finding: WEB-0d903e8976. Evidence-backed indicator: True.

23. Confirmed weakness relationship

Source: HOST-LAYOUT-002
Target: finding:WEB-1abba936ee
Relation: AFFECTED_BY. Finding: WEB-1abba936ee. Evidence-backed indicator: True.

24. Confirmed weakness relationship

Source: HOST-LAYOUT-003
Target: finding:WEB-dfd405e5dc
Relation: AFFECTED_BY. Finding: WEB-dfd405e5dc. Evidence-backed indicator: True.

25. Confirmed weakness relationship

Source: HOST-LAYOUT-003
Target: finding:WEB-4fee9460e2
Relation: AFFECTED_BY. Finding: WEB-4fee9460e2. Evidence-backed indicator: True.

Evidence Index

This index links observations to findings. The JSON report retains structured excerpts and artifact references. An evidence reference alone does not establish that its contents prove the claim.

EVIDENCE-8d9ac07ca1

Finding: WEB-873d5073bb. Type: http_response. Tool: httpx.
Response headers observed for http://layout.example/

EVIDENCE-70cd75a9bc

Finding: WEB-0cf4364252. Type: http_response. Tool: httpx.
Cookie 'sample-session' observed on http://layout.example/

EVIDENCE-0cc16f570f

Finding: WEB-0d903e8976. Type: http_response. Tool: httpx.
Response headers observed for http://layout.example/

EVIDENCE-3e995f3825

Finding: WEB-1abba936ee. Type: http_response. Tool: httpx.
Cookie 'sample-session' observed on http://layout.example/

EVIDENCE-32d7a50265

Finding: WEB-dfd405e5dc. Type: http_response. Tool: httpx.
Response headers observed for http://layout.example/

EVIDENCE-54ae74aa45

Finding: WEB-4fee9460e2. Type: http_response. Tool: httpx.
Cookie 'sample-session' observed on http://layout.example/

PTES Mapping

Phase	Activities	Findings	Failed attempts
intelligence_gathering	1	0	0
vulnerability_analysis	0	6	0
reporting	1	0	0

Legacy operations inferred: ('httpx', 'fingerprint')

Incomplete Tasks and Limitations

- Required surfaces incomplete: network, web, binary
- Discovery completeness is incomplete
- External Network Vulnerability Agent: no results ingested for this run