


BACKEND STRUCTURE



The **backend** of the **HouseHunt** application is developed using **Node.js**, **Express.js**, and **MongoDB**, following a **modular architecture** to ensure scalability, maintainability, and efficient code organization. The backend is responsible for handling **user authentication**, **property management**, **booking operations**, **wishlist management**, **review management**, and **administrative functionalities** through secure **RESTful APIs**.

The **config** folder contains the database configuration files, where **connect.js** establishes the connection between the application and the **MongoDB** database using **Mongoose**. The **controllers** folder implements the core business logic for different modules such as

authentication, users, landlords, properties, bookings, reviews, wishlist, and administration.

The **middlewares** folder contains reusable middleware components, including **JWT authentication** for securing protected routes and **Multer configuration** for handling property image uploads. The **models** folder defines the **Mongoose schemas** for the application's collections, including **User**, **Property**, **Booking**, **Review**, and **Wishlist**, ensuring structured data storage within MongoDB.

The **routes** folder defines all **REST API endpoints**, mapping client requests to their corresponding controller functions for **Users**, **Landlords**, and **Administrators**. The **uploads** folder stores property images uploaded by landlords. The **server.js** file serves as the **main entry point** of the backend, initializing the **Express server**, connecting to the database, registering middleware, configuring API routes, and starting the application on the specified port.

This modular backend architecture provides a **secure, efficient, and scalable** foundation for the HouseHunt application while supporting **role-based access control, JWT authentication**, and seamless communication between the frontend and the MongoDB database.

