Food and Agriculture Organization of the United Nations



Building Capacity for Climate Risk Analysis: Methods, Tools, and Applications for Yemen's Agriculture and Related Sectors

Aden (Yemen), 2 Dec - 4 Dec., 2025

Session V: Exploiting CAVA climate data - Group exercise

Jane Mugo: jane.mugo@fao.org

Climate Risk Specialist

Office of Climate Change, Biodiversity and environment (OCB, FAO)

Group exercise

During this session, we will divide into **four groups** to further explore the daily climate data from CAVA.

Key steps to remember when downloading climate data:

- **Step 1**: Open the CAVA platform.

(https://cavaplatform.com/map)

- **Step 2**: Enter the information about the region of interest.

- **Step 3**: Fill in the additional information (file name, climate variables, CORDEX-CORE domain, period of interest, etc.).

- **Step 4**: Open the downloaded Excel file.

If you have any questions, feel free to open the slides from session V.

Step 1



Step 2



Step 3

Step 4



	A	B	C	D	E	F	G
1	date	tasmax (deg	tasmin (deg(	pr (mm)	sfcWind (m/	hurs (%)	rsds (W/m^2)
2	01/01/1980	32.87	20.083	0	0.949	66.91	223.471
3	02/01/1980	33.861	20.964	0	0.975	61.759	233.738
4	03/01/1980	33.999	21.396	0	1.076	55.51	243.712
5	04/01/1980	34	20.89	0	1.172	64.016	225.518
6	05/01/1980	33.17	22.09	0	1.327	72.958	194.691
7	06/01/1980	32.077	22.754	6.789	1.065	76.971	175.78
8	07/01/1980	33.675	22.197	0	1.282	71.956	191.687
9	08/01/1980	32.597	22.595	0	1.066	75.471	195.454
10	09/01/1980	32.37	22.906	0	1.03	74.587	183.414
11	10/01/1980	33.879	21.498	0	1.102	75.316	195.885
12	11/01/1980	33.735	22.386	0	1.226	72.139	209.683
13	12/01/1980	33.259	21.886	0	1.351	75.394	200.454
14	13/01/1980	33.441	21.921	0	1.468	76.898	192.659
15	14/01/1980	32.953	23.166	0	1.315	75.671	186.833
16	15/01/1980	33.632	22.591	0	1.212	75.059	177.422
17	16/01/1980	31.494	22.609	0	1.212	79.214	156.827
18	17/01/1980	34.283	22.407	0	1.336	73.04	190.704
19	18/01/1980	32.906	22.322	0	1.385	73.474	196.034
20	19/01/1980	32.924	23.167	0	1.214	75.026	203.786
21	20/01/1980	34.675	22.978	0	1.489	71.413	192.171
22	21/01/1980	33.298	22.565	0	1.29	73.635	212.642
23	22/01/1980	33.912	23.018	0	1.535	72.668	217.526
24	23/01/1980	35.08	23.552	0	1.326	71.695	206.329
25	24/01/1980	34.669	22.729	0	1.397	68.788	213.487
26	25/01/1980	35.212	21.962	0	1.277	68.298	223.526
27	26/01/1980	33.736	22.672	0	1.315	64.447	241.628
28	27/01/1980	33.954	22.937	0	1.239	64.419	245.04
29	28/01/1980	34.333	22.622	0	1.15	64.207	229.861
30	29/01/1980	35.562	22.063	0	1.441	64.51	241.997
31	30/01/1980	33.898	22.723	0	1.24	68.117	227.412
32	31/01/1980	36.611	23.023	0	1.272	61.608	246.648
33	01/02/1980	35.881	22.937	0	1.446	65.375	251.717
34	02/02/1980	35.571	22.869	0	1.4	62.639	249.544
35	03/02/1980	34.694	23.374	0	1.104	57.806	265.04
36	04/02/1980	34.981	20.97	0	1.124	60.447	245.963
37	05/02/1980	34.094	22.944	0	1.312	63.78	252.913
38	06/02/1980	34.402	23.254	0	1.244	62.904	241.867
39	07/02/1980	33.446	23.413	0	1.25	64.173	230.514

Group exercise

Group 1: West Africa	Group 2: Northern Africa	Group 3: Eastern Africa	Group 4: Southern Africa
• Download the daily climate data for Houet Province (Burkina Faso). • Create a graph in Excel, including linear regression, for maximum temperatures from 1980 to 2005. • If you have time, do the same for minimum temperatures from 1980 to 2005.	• Download the daily climate data for the province of Marrakech (Morocco). • Create a graph in Excel, including linear regression, for the total annual rainfall for the period 1980-2005. • If you have time, do the same for the total annual rainfall for the future (Model 1 RCP 8.5).	• Download the daily climate data for North Gondar Province (Ethiopia). • Create a graph in Excel showing the number of days with rainfall exceeding 20 mm/day for the period 1980-2005. • If you have time, do the same for rainfall less than 1 mm/day for the same period.	• Download the daily climate data for the Kalahari Province (Namibia). • Create a graph in Excel showing the number of days with Tmax exceeding 35 °C for the period 1980-2005. • If you have time, create all six models for RCP 2.6 and 8.5 and the period 1980-2099.