




Food and Agriculture
Organization of the
United Nations



Building Capacity for Climate Risk Analysis: Methods, Tools, and Applications for Yemen's Agriculture and Related Sectors

Aden (Yemen), 2 Dec - 4 Dec., 2025

Session VI: CRTB Climate Risk Toolbox



Andrea Setti: andrea.setti@fao.org

Climate Risk Specialist

Office of Climate Change, Biodiversity and Environment
(OCB, FAO)


Table of contents: Session VI

1. Introduction to climate risk and CRTB
2. Exploring the tool

Definition of Climate Risk

Climate Risk: IPCC definition

Results from the interaction of hydrometeorological hazards, with the exposure of natural and human systems, and socio-economic conditions determining the level of vulnerability. The latter risk components are modulated by the existing adaptive capacity




Source: IPCC, 2014

Climate risk assessments for project design

Objective: Ensure that all FAO-GEF projects fully identify and address climate risks and comply with the requirements of the FAO Environmental and Social Management Guidelines (FESM) and Safeguards Policy

Structure:

- Hazard, exposure, and vulnerability assessments
- Assessment of adaptive capacity
- Tailored recommendations
- Climate risk checklist
- Risk modulation matrix
- Overall risk calculation



Climate Risk Toolbox (CRTB)


- The FAO [Climate Risk Toolbox \(CRTB\)](#) is an online tool developed by the FAO Risk Team (OCB), together with CSI, to support climate-resilient project design
- The CRTB is an open-access resource, hosted in FAO's Hand-in-Hand Geospatial Platform, and is applicable worldwide to perform climate risk screening of agricultural investment projects
- It allows users to access up-to-date geospatial data, unified in an intuitive platform that simplifies visualization, including layer comparisons, and climate risk analysis without requiring advanced GIS knowledge or specialized software

Climate Risk: IPCC definition

Results from the interaction of hydrometeorological hazards, with the exposure of natural and human systems, and socio-economic conditions determining the level of vulnerability. The latter risk components are modulated by the existing adaptive capacity



[CRTB Guiding Material](#)



Climate Risk Toolbox (CRTB)

Practical applications/objectives

- I. To detect ‘on-the-fly’ climate risk hotspots across the globe and to prioritize higher-risk countries/areas
- II. To guide the design of resilient agricultural investment projects
- III. To identify the most suitable adaptation solutions based on observed/projected hazards


Type of tool: adaptation (CRTB does not produce GHG accounting)

Intended users: project formulators in multilateral development banks and UN agencies

Thematic areas: crops, livestock, forestry, fisheries and biodiversity projects


Outputs (semi-automatic reports):

- I. Automatically fills in the checklist for all risk elements
- II. Climate risks maps for different climate change scenarios
- III. A list of pre-defined adaptation solutions based on observed/projected hazards and targeted agricultural system




Climate Risk Toolbox (CRTB)

$$\text{Hazard} + \text{Exposure} + \text{Vulnerability} - \text{Adaptive capacity}$$




Climate Risk Toolbox (CRTB)

SSP1-2.6





Near term
(2021-2040)


SSP5-8.5



Mid term
(2041-2060)




CRTB: Input Layers




HAZARDS

→ **33 layers:** Tmax>35°C; Tmin<0°C; RX1day; SPI; SST>25°C; ocean pH; rainfall-triggered landslides; wildfire frequency; floods 100-year return period. Source: **IPCC; GFDRR et al.** Resolution: **0.5 to 100 km**



EXPOSURE

→ **11 layers:** crop, grass, & forest cover; fish biomass; mangroves; low-lying areas; terrestrial & marine protected areas; inland & marine biodiversity; human pressure on natural resources; livestock & population density). Source: **satellite-imagery.** Resolution: **0.1 to 55 km**




VULNERABILITY 9 layers (HDI; MPI; GII; food insecurity; armed conflict; natural hazard and health related migration; agricultural workforce; Indigenous groups). Source: **INFORM; UN et al.** Resolution: **sub-national**



ADAPTIVE CAPACITY

7 layers (access to credits, internet, electricity, roads & markets; economic means; irrigated areas; weather observations). Source: **UN;** Resolution: **sub-national**



CRTB: Input Layers




HAZARDS

→ **33 layers:** $T_{max} > 35^{\circ}\text{C}$; $T_{min} < 0^{\circ}\text{C}$; $RX1\text{day}$; SPI; $SST > 25^{\circ}\text{C}$; ocean pH; rainfall-triggered landslides; wildfire frequency; floods 100-year return period. Source: IPCC; GFDRL et al. Resolution: 0.5 to 100 km

Extreme precipitation baseline




Landslide frequency



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)


CRTB: Input Layers





HAZARDS

→ **33 layers:** $T_{max} > 35^{\circ}\text{C}$; $T_{min} < 0^{\circ}\text{C}$; $RX1\text{day}$; SPI; $SST > 25^{\circ}\text{C}$; ocean pH; rainfall-triggered landslides; wildfire frequency; floods 100-year return period. Source: IPCC; GFDRL et al. Resolution: 0.5 to 100 km

Extreme precipitation **Near term (2021-2040) SSP1-2.6**




Extreme high temperatures **Mid term (2041-2060) SSP1-2.6**



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)



CRTB: Input Layers




EXPOSURE

→ 11 layers: crop, grass, & forest cover; fish biomass; mangroves; low-lying areas; terrestrial & marine protected areas; inland & marine biodiversity; human pressure on natural resources; livestock & population density). Source: **satellite-imagery**. Resolution: **0.1 to 55 km**

Livestock density




Cropland change



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)


CRTB: Input Layers




EXPOSURE

→ **11 layers:** crop, grass, & forest cover; fish biomass; mangroves; low-lying areas; terrestrial & marine protected areas; inland & marine biodiversity; human pressure on natural resources; livestock & population density). Source: **satellite-imagery**. Resolution: **0.1 to 55 km**

Marine biodiversity




Population density



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)


CRTB: Input Layers




VULNERABILITY

9 layers (HDI; MPI; GII; food insecurity; armed conflict; natural hazard and health related migration; agricultural workforce; Indigenous groups). Source: **INFORM; UN et al.** Resolution: **sub-national**

Poverty levels




Agricultural workforce



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)



CRTB: Input Layers




VULNERABILITY

9 layers (HDI; MPI; GII; food insecurity; armed conflict; natural hazard and health related migration; agricultural workforce; Indigenous groups). Source: **INFORM**; **UN et al.** Resolution: **sub-national**

Epidemics



Internally displaced people



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)


CRTB: Input Layers




ADAPTIVE CAPACITY

7 layers (access to credits, internet, electricity, roads & markets; economic means; irrigated areas; weather observations). Source: **UN**; Resolution: **sub-national**

Weather observations



Economic means



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)


CRTB: Input Layers




ADAPTIVE CAPACITY

7 layers (access to credits, internet, electricity, roads & markets; economic means; irrigated areas; weather observations). Source: **UN**; Resolution: **sub-national**

Access to roads and markets




Irrigated areas



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)

Aggregation of the layers



Why Local Geospatial Data Matters for Climate Risk Analysis

- Reflects the country’s diverse landscapes
- Shows who and what is at risk: Spatial data on population, agriculture, water systems, and IDP settlements reveal real exposure patterns.
- Captures vulnerability on the ground: District-level information on water scarcity, poverty, food insecurity, and conflict reflects the country’s complex fragility.
- Identifies where adaptive capacity is low: Local data on water infrastructure, terraces, institutions, and services highlight areas least able to cope with climate change.
- Enables targeted interventions: More accurate, context-specific risk maps guide investments in water management, agriculture, early warning, and resilience.

Data resources

Government Ministries and Authorities	Local Governments & Municipalities	UN agencies and NGOs
National Surveys & Statistical Products	Academic and Research Institutions	


Session VI

2. Exploring the tool

CRTB: Exploring the tool


The image displays the FAO Geospatial Platform interface. On the left, a dark sidebar contains the FAO logo, the text "Food and Agriculture Organization of the United Nations", a search bar labeled "Search for locations", and buttons for "Explore Data" and "Upload". Below these is a "Map" section with a dropdown menu currently showing "UN Country Boundaries of the World". The main area features a world map centered on the Atlantic Ocean. In the top right corner of the map area, a navigation bar includes links for "Analysis", "Story", "Map", "Share / Print", "About", and "Login". The "About" and "Login" links are highlighted with a red rectangular box. A large, curved blue arrow originates from this box and points towards a login overlay. This overlay is a white rectangle with a blue border, set against a solid blue background. It features the title "FAO Geospatial Platform", the FAO logo, and two login options: "Sign in with Google" (with the Google logo) and "Sign in with email" (with an email icon). At the bottom right of the map area, there is a "Give Feedback" button.

CRTB: Visualizing the geospatial layers




HAZARDS

→ **33 layers:** Tmax>35°C; Tmin<0°C; RX1day; SPI; SST>25°C; ocean pH; rainfall-triggered landslides; wildfire frequency; floods 100-year return period. Source: IPCC; GFDRR et al. Resolution: 0.5 to 100 km



Interpretation of the data/thresholds from p.42 of the CRTB guiding material: [link](#)

CRTB: Visualizing the geospatial layers




HAZARDS

→ **33 layers:** Tmax>35°C; Tmin<0°C; RX1day; SPI; SST>25°C; ocean pH; rainfall-triggered landslides; wildfire frequency; floods 100-year return period. Source: IPCC; GFDRR et al. Resolution: 0.5 to 100 km


The screenshot displays the FAO CRTB (Climate Risk Transfer Bank) interface. The main dashboard features a sidebar with 'Explore Data' and 'Upload Data' buttons, and a central panel with sections for 'My Data', 'Hazards', 'Exposure', 'Vulnerability', 'Adaptive Capacity', 'Risk Cumulatives', and 'Boundaries and Backgrounds'. The 'Hazards' section is highlighted with a red box. A blue arrow points from the 'Hazards' section to a detailed view of the 'Hazards risk component (Global - Baseline) - CRTB' on the right. This detailed view shows two risk components: 'Hazards risk component (Global - Baseline) - CRTB' and 'Hazards risk component (Global - Near and mid term) - CRTB', each with an '+ Add' button.

CRTB: Visualizing the geospatial layers



HAZARDS


→ **33 layers:** Tmax>35°C; Tmin<0°C; RX1day; SPI; SST>25°C; ocean pH; rainfall-triggered landslides; wildfire frequency; floods 100-year return period. Source: IPCC; GFDRR et al. Resolution: 0.5 to 100 km



Group work using CRTB

How to perform a climate risk screening analysis: **Delineate the area of interest**


Note: The user can select Global Administrative Unit Layers to perform the climate risk screening at province or district levels by clicking "Explore Data" and subsequently "Boundaries and Backgrounds" (Figure 3).



How to perform a climate risk screening analysis


How to perform a climate risk screening analysis: Delineate the area of interest

Note: The user can select Global Administrative Unit Layers to perform the climate risk screening at province or district levels by clicking "Explore Data" and subsequently "Boundaries and Backgrounds" (Figure 3).



Group work using CRTB

How to perform a climate risk screening analysis: **Delineate the area of interest**



Boundaries and Backgrounds

search in FAO CRTB

Major Cities + Add

UN Country Boundaries of the World - Remove

Unofficial Administrative Boundaries GROUP ⓘ

Boundaries and Backgrounds

Description


This section includes major cities layer, UN country boundaries, and unofficial administrative areas.

Metadata Link: <https://data.apps.fao.org/catalog/dataset/crtb-master-config>

revised: 2025-05-09T09:07:08.138215

Remote Config Group URL

<https://data.apps.fao.org/catalog/terriajs/item/0f93bf3c-b17e-4b35-9be4-f90d12dc57d8.json>



Boundaries and Backgrounds Unofficial Administrative

search in FAO CRTB

Global Administrative Unit Layers (GAUL 2024) GROUP ⓘ

Unofficial Administrative Boundaries


Description

Metadata Link: <https://data.apps.fao.org/catalog/dataset/unofficial-administrative-boundaries>

revised: 2025-04-29T07:43:25.224207

Remote Config Group URL

<https://data.apps.fao.org/catalog/terriajs/item/a0b18221-789c-4868-bc3f-c93bf1c599a2.json>



Boundaries and Backgrounds

search in FAO CRTB


Administrative boundaries (level 1) - GAUL 2024 + Add

Administrative boundaries (level 2) - GAUL 2024 + Add

Group work using CRTB

How to perform a climate risk screening analysis: **Delineate the area of interest**

If available, the user can drag and drop a file containing the project location data i Upload to view it on the map (Figure 4).



Group work using CRTB


How to perform a climate risk screening analysis: **Delineate the area of interest**

1. Use the draw tool (Figure 2) to delineate the area of interest.



Group work using CRTB


How to perform a climate risk screening analysis: **Delineate the area of interest**




Group work using CRTB

How to perform a climate risk screening analysis: **Delineate the area of interest**

Click on the polygon



Click on the “Climate Risk Toolbox” button on the feature information pop-up (Figure 6).




Group work using CRTB

4. Under "Parameters", the user must select the area of interest (Figure 7) as well as the agricultural systems relevant to the project in question (Figure 8).

Note: it is possible to select more than one agricultural system.

Afterwards, the user must analyze each risk component by clicking "Next" and/or directly by clicking the subsequent risk component (in the example, "Hazard").



The screenshot displays the 'Climate Risk Toolbox' application window. The 'Parameters' tab is active, showing two main selection fields: 'Area Of Interest*' and 'Agricultural Systems*'. The 'Area Of Interest*' dropdown menu is set to 'Area 3'. The 'Agricultural Systems*' dropdown menu is set to 'Select agricultural systems (select one or more)'. Below the dropdowns, a list of agricultural systems is displayed: Crops, Livestock, Fisheries, Biodiversity, and Forestry. The interface is dark-themed with white text and a light blue sidebar on the right.

Group work using CRTB

Hazard

5. Under the "Hazard" component, the user can select the time horizons and Shared Socio-economic Pathways (SSPs) of interest (Figure 9).

The screenshot shows the 'Climate Risk Toolbox' application window. The 'Hazard' tab is selected, showing options for Time horizon and Shared Socio-Economic Pathway (RCP). The 'Time horizon' section has three checked options: Baseline (1981-2010), Near-term (2021-2040), and Mid-term (2041-2060). The 'Shared Socio-Economic Pathway (RCP)' section has two checked options: Low Emission Scenario (SSP1-2.6) and High Emission Scenario (SSP5-8.5). Below these, there is a list of 'Available Data' options, with 'Available Data (Mid-term - SSP5-8.5)' highlighted in blue. At the bottom, there is a table of hazard types and their risk levels:


Extreme high temperatures	VERY HIGH
Extreme low temperatures	LOW
Extreme precipitation	VERY HIGH
Climatological drought	LOW
Sea surface temperatures	HIGH
Ocean acidification	MODERATE

A 'Next' button is visible at the bottom right of the interface.

Group work using CRTB

Exposure

6.. Under "Exposure", all the checklist questions are automatically responded (Figure 10).



The screenshot displays the Climate Risk Toolbox (CRTB) interface, specifically the 'Exposure' tab. The interface is divided into several sections:

- Time horizon:** A dropdown menu with 'Baseline' selected.
- Available Data (Baseline):** A list of exposure factors with corresponding risk levels.
- Next button:** A blue button at the bottom right, highlighted with a red border.

Exposure Factor	Risk Level
Cropland changes	HIGH
Pastureland changes	HIGH
Forest cover changes	HIGH
Livestock density	MODERATE
Mangroves presence	VERY HIGH
Terrestrial/Marine protected areas	VERY HIGH
Inland biodiversity	VERY HIGH

Group work using CRTB

Vulnerability


The screenshot displays the 'Climate Risk Toolbox' interface, specifically the 'Vulnerability' tab. The interface includes a top navigation bar with tabs for 'Parameters', 'Hazard', 'Exposure', 'Vulnerability', and 'Adaptive Capacity'. Below the navigation bar, the 'Time horizon' section shows 'Baseline' selected. The 'Available Data (Baseline)' section lists seven indicators with their corresponding risk levels:

Indicator	Risk Level
Human Development Index	VERY HIGH
Poverty levels	HIGH
Food insecurity	VERY HIGH
Armed conflict	MODERATE
Internally Displaced People	VERY HIGH
Agricultural workforce	VERY HIGH
Gender Development Index	VERY HIGH

At the bottom of the interface, a 'Next' button is highlighted with a red border.

Group work using CRTB

Adaptive capacity




The screenshot displays the Climate Risk Toolbox (CRTB) interface, which is overlaid on a map. The interface has a dark theme and includes a top navigation bar with five tabs: Parameters, Hazard, Exposure, Vulnerability, and Adaptive Capacity. The Adaptive Capacity tab is currently selected. Below the tabs, there is a 'Time horizon' section with a 'Baseline' checkbox checked. A section titled 'Available Data (Baseline)' contains a list of seven indicators, each with a corresponding risk level displayed in a colored box. At the bottom of the interface, a blue bar contains a 'Run' button, which is highlighted with a red rectangular border.

Indicator	Risk Level
Economic means	LOW
Access electricity	VERY HIGH
Access internet	MODERATE
Access roads/markets	MODERATE
Access credits/agricultural insurance	LOW
Irrigated areas	MODERATE
Weather observations	HIGH

Group work using CRTB

Automatic report



Group work using CRTB

The image shows a Google Docs interface for a document titled "Climate Risk.docx". The document content includes the FAO logo and the text "Climate Risk Screening", followed by a world map and two circular climate-related graphics. A "File" menu is open, showing options like "New", "Open", "Make a copy", "Save as Google Docs", "Share", "Email", "Download", "Rename", "Move", "Add shortcut to Drive", "Move to trash", "Version history", "Make available offline", "Details", "Security limitations", and "Print". The "Download" option is highlighted, and a sub-menu is open showing file formats: "Microsoft Word (.docx)", "PDF Document (.pdf)", "OpenDocument Format (.odt)", "Plain Text (.txt)", "Rich Text Format (.rtf)", "Web Page (.html, zipped)", "EPUB Publication (.epub)", and "Markdown (.md)". The "Microsoft Word (.docx)" and "PDF Document (.pdf)" options are highlighted with red boxes.

Climate Risk.docx

File Edit View Tools Help

New

Open %O

Make a copy

Save as Google Docs

Share

Email

Download

Rename

Move

Add shortcut to Drive

Move to trash

Version history

Make available offline

Details

Security limitations

Print %P

Microsoft Word (.docx)

PDF Document (.pdf)

OpenDocument Format (.odt)

Plain Text (.txt)

Rich Text Format (.rtf)

Web Page (.html, zipped)

EPUB Publication (.epub)

Markdown (.md)

Group work using CRTB

9. The automatic report summarizing the climate risk screening analysis is opened automatically in a new window in the form of a Google Document (please refer to Chapter 3 - Automatic Report for details on its structure and key sections). Note: users must enable pop-ups to be able to open the automatic report.

Results of the climate risk screening for each selected scenario and climate risk component are shown by clicking "Charts" section and "About This Data" on the left side within the drawn area layer (Figure 14). From the same "Charts" and "About This Data" section, the user can retrieve:

- The automatic report by clicking "Open: Area x - Climate Risk Report".
- A .csv file which contains the results of the different climate risk components as shown in the Spider web diagram by clicking "Download the currently selected data in CSV format".

In addition, the user can share the link of the climate risk screening results with external users by clicking "Share/Print" on the top left and copying the URL.

Group work using CRTB

The screenshot displays the FAO CRTB (Climate Risk and Trends Browser) interface. The top navigation bar includes the FAO logo, a search bar, and buttons for 'Analysis', 'Story', 'Map', 'Share / Print', 'About', and 'Log'. Below this, a sidebar on the left contains 'Explore Data' and 'Upload' buttons, along with a 'Map' tab and a 'Chart' tab. The main content area shows a map of the world with a red box highlighting the 'Area 1 - Climate Risk Analysis' section. This section includes a 'Show reports' button and a 'Note: Data added in this way is not saved or made visible to others.' Below the note are buttons for 'Add Local Data' and 'Add Web Data'. A list of data sources is shown, including 'Area 1' (GEOJSON) and 'Area 1 - Climate Risk Analysis' (CSV). A table titled 'Area 1 - Climate Risk Analysis' is displayed, showing various risk indicators and their values. The table is highlighted with a red box. Below the table is a button labeled 'Open: Area 1 - Climate Risk Report'.

Food and Agriculture Organization of the United Nations

Search for locations

Explore Data Upload

Map Chart Table

Area 1 - Climate Risk Analysis

Show reports About This Data

search in FAO CRTB

Note: Data added in this way is not saved or made visible to others.

Add Local Data Add Web Data

Area 1 Remove

GEOJSON

Area 1 - Climate Risk Analysis Remove

CSV

Drag and drop a file here to view it locally on the map
(it won't be saved or uploaded to the internet)

Area 1 - Climate Risk Analysis

This file does not contain geospatial data.

Area 1 - Climate Risk Analysis Area 1 -

Description	Area 1 - Baseline	Area 1 - Near-term - SSP1-2.6	Area 1 - Near-term - SSP5-8.5	Area 1 - Mid-term - SSP1-2.6	Area 1 - Mid-term - SSP5-8.5
Name	2.78	2.00	2.00	2.33	2.50
Hazard	3.18	3.18	3.18	3.18	3.18
Exposure	3.38	3.38	3.38	3.38	3.38
Vulnerability	2.14	2.14	2.14	2.14	2.14
Adaptive Capacity	2.13	3.12	3.02	2.89	2.93
Climate Risk					

Open: Area 1 - Climate Risk Report

Data URL

Group work using CRTB

Interpretation of the results:

The values for hazard, exposure, and vulnerability components are summed to obtain the average baseline and future climate risks within the project area. The interactions between hazards, exposure, and vulnerability are also modulated by the adaptive capacity component within the project area, which therefore reduces the overall climate risk results.

Hazard, exposure, vulnerability, and adaptive capacity values are classified on a scale of Low (values between 0.0 and 0.30), Moderate (values between 0.30 and 0.60), High (values between 0.60 and 0.80), and Very High (values between 0.80 and >1).

Once the aggregated risk for each component is computed, the overall climate risk has the following thresholds:




Risk Category	Threshold
Low	< 1.0
Moderate	1.0 – 2.0
High	2.0 – 3.0
Very high	> 3.0

Additional information on the equations used for the calculation of the climate risk is provided under Chapter 5.

Reference documents



Mainstreaming
climate risk management
into FAO programming



Link to CRTB: <https://data.apps.fao.org/crtb/>
Link to CAVA Platform: <https://fao-cava.predictia.es/>