



Rowgate

The contract they signed is not in your diff.

Cites the broken cell · writes the failing test · built with IBM Bob

rowgate.vercel.app

github.com/Ritapossible/Rowgate

Ritapossible · IBM Bob 2.0 Hackathon 2026

Review reads the diff. The partner signed a *spreadsheet*.

WHAT THE REVIEWER SEES

5 files changed

+21 **-9** lines · existing tests green

Looks mergeable.

WHAT THE PARTNER SIGNED

41 rules across 6 sheets

0 of them in the diff

Status codes, required fields, error bodies — never in code review.

- Partner integrations in banking, telco and insurance are signed as spreadsheets and never become OpenAPI.
- The cost lands after release: failed checkouts, rejected invoices, support tickets.

WHAT IT RETURNS · ORIGINALITY

A cell. A failing test. A *decision*.

Orders!C14

ORD-011

BREAK

CONTRACT SAYS

POST /orders returns 201 Created


BRANCH DOES

returns 202 Accepted

TEST test_orders_C14_create_returns_201.py x failed → ✓ passed

- Every finding cites one cell — not a paragraph of opinion.
- The test is named after the cell and **must fail on the branch**. A wrong citation shows up as a test that doesn't fail.
- The human chooses: fix the code, or record a breaking change **in the workbook itself**.

Bob does the judgment. Scripts do the *mechanics*.



■ IBM Bob ■ human gate ■ script, no tokens

- Contract Gate **custom mode** + Rowgate **Skill** + /rowgate — not a workflow.
- Document understanding: merged cells, inherited rules, a shared Errors sheet, PLANNED rows it must ignore.

PROOF · MEASURED, NOT CLAIMED

Four broken cells. *Zero* false alarms.

	READING THE DIFF	ROWGATE
Broken cells found	2 of 4	4 of 4
Proven by a failing test	none	4/4 red
False alarms	—	0 · 2 lookalikes skipped
Effort	12 min, knowing the answers	one Bob run · 6.1 coins

The 12 minutes are the author's own, already knowing where the breaks were — and still half were missed. Four cells, three edits: the auth change moved both the status code and the error envelope.

AFTER THE RUN · BUSINESS VALUE

The model reads the sheet once. The *tests stay*.

COST OF THE RUN

6.1

Bobcoins, once. The contract tests then run in CI on every later pull request — plain pytest, no model, no tokens.

THE GATE, TODAY

1 X

The pull request is red on test_billing_E9, the row a human recorded as a breaking change. A signed cell is holding the release.

EVERY NUMBER

measured

Code from the diff, pass and fail from pytest, workbook edits compared against git. Nothing on this slide is asserted by a model.



The signed contract, as a *release gate*.

rowgate.vercel.app

github.com/Ritapossible/Rowgate · MIT

[bob_sessions/](#)

Next: any spreadsheet contract — API mappings, data contracts, SLA tables —
becomes tests.