

从“一团浆糊”到实验工厂

DeepResearch V3 统一实验变现 Registry

把 106 个研究方向统一成“假设 - 信号 - 动作 - 场所 - 基准 - 成本 - PnL - 数据缺口”的可审计操作系统。



106

全部实验

80

动作型目标

0

当前实盘合格

答案先说：目录完成，策略尚未完成

80 张卡已经写出动作与费用后 PnL 合约，但没有一张通过当前全部证据门。

106

全部实验

8 个家族完整覆盖

80

动作型目标

目标类别，不等于已验证策略

0

当前合格策略


未知 PnL 绝不当成 0

105 + 1

当前分类

105 BLOCKED / 1 研究问题

目标类别 vs 当前事实



BLOCKED 105

研究问题 1

管理者必须记住的三句话

- 01 106 项实验 $\neq$ 106 个策略。
- 02 BLOCKED $\neq$ 假设失败，也 $\neq$ PnL 为 0。
- 03 没有动作、场所、基准和费用后 PnL，就不算策略。

下一步不是继续堆想法，而是先关闭共享执行门，再让少数卡进入 Shadow。

运营方式发生了什么改变

从“解释市场”改成“用现金闭环证伪动作”；任一硬门失败都回退或关闭。

以前

- 看到盘口形态，讲一个可能的故事
- 用 markout、mid return 或毛利代替现金收益
- 模型、RFQ、体育状态与执行权限混在一起
- 缺数据时用价格或时间代理补全
- 失败标准、基准和成本经常后补

现在

- 先写可证伪假设和点时可得信号
- 明确看到信号后在哪、以什么价格和数量行动
- 冻结可执行基准与逐路径费用后增量 PnL
- 每个未知数据和成本直接变成 BLOCKER
- Registry 不授予 AWS、下单或资金权限



STOP 规则：缺任何一格，computed_class 只能是 BLOCKED、SIGNAL 或 RESEARCH_QUESTION。

一张合格实验卡长什么样

A01 已经有清楚动作与 PnL 定义，但描述性 markout 仍不能证明盈利。

A01

BLOCKED

NO PNL CLAIM

NO TRADING AUTHORITY

假设

在合格双边盘口中，被动赚取点差在严格成交、逆向选择、强制退出和精确费用后仍为正。

信号

可执行点差超过预先冻结的费用、markout、退出和安全缓冲。

动作

在允许的两边各挂 1 张 post-only；信号消失、盘口断档或数据过期时立即撤单并对账。

场所

Kalshi CLOB。Registry 本身不授予下单权限。

基准

相同机会集保持空仓，现金流记 0；所有零触发和零成交机会保留。

PnL

策略逐路径现金 PnL - 相同机会不交易基准；扣除费用、滑点、延迟、库存和资本成本。

失败

untouched 样本的费用后增量 $\text{NetPnL} \leq 0$ ，或容量/尾部风险未通过冻结门。

当前真实观测

1s 0.038

5s 0.046

30s 0.056

仅表示 pooled half-spread 与 signed markout 的描述关系；尚未扣费用、模拟成交、延迟和退出。

为什么还不能下单

- 精确费用
- 严格成交模型
- 独立干净日期
- 实测延迟
- 风险门
- 结算与异常状态


广度已经铺开：8 个实验家族

覆盖面是研究目录的广度，不是价值排名，也不是 106 次独立下注。

家族规模



动作型目标 / 非策略条目



动作型目标 80

信号/研究 26

“想做什么”与“现在能做什么”必须分开

target_class 记录目标；computed_class 只认当前已闭合证据。

目标类别

● 动作型实验

80

● 信号实验


14

● 研究问题

12

证据门重新计算

当前类别



BLOCKED 105

研究问题 1

当前信号可计算性

40

信号可描述

44

仅部分输入/机制

22

当前不可计算

即使 signal_event=YES，也不代表严格成交、费用后 shadow PnL 或 realized PnL 可算。

当前数据到底能支持什么

L1/成交有 8 个 exact release ; L2 估计只能用 7/12、7/15、7/17。

2026-07-10 至 2026-07-17 数据带

7/10	7/11	7/12	7/13	7/14	7/15	7/16	7/17
L1 / trades	L1 / trades	L1 / trades	L1 / trades	L1 / trades	L1 / trades	L1 / trades	L1 / trades
L2 缺失	L2 缺失	L2 CLEAN	L2 排除	L2 排除	L2 CLEAN	V1 排除*	L2 CLEAN

* 7/16 后续根因审计判定为“维护窗条件可救”；待逐日质量门、窗口剔除、新收据与 Registry 新 revision 后才能纳入。

现有数据可以做

- L1/成交信号发生率与条件 markout
- 3 个干净 L2 日的深度、回补、撤退机制
- 目录、市场图谱与生命周期覆盖检查
- 保留全部零触发、零成交机会

现有数据不能证明

- 自己的队列位置、真实成交与撤单竞态
- 精确手续费、实测延迟与费用后现金 PnL
- 完整结算、作废、延期和残余库存现金流
- 外部比分、局/盘、阵容、伤病或真实 in-play
- untouched confirmation cohort 上的可复制收益

最大问题不是 80 个策略各自坏了

前五个共享执行门同时阻断约 80 张卡；先修公共能力，复用价值最高。

卡片-阻断关系次数



Wave 0 : 共享执行核心

- 费用 exact fee / rounding / rebate
- 成交 strict fill / queue / cancel race
- 延迟 place / cancel-effective / exit
- 结算 0/1/void/retire/postpone
- 风险 capital / inventory / tail / stop

怎么读这张图

- 次数不是独立故障数，不能相加。
- 关闭公共门只让 PnL 可测，不保证为正。
- 每张卡仍需自己的信号、动作与基准验证。
- 先修共同门，比逐卡写新代码更快接近现金验证。

真正的 PnL 是现金瀑布，不是漂亮的 markout

唯一主指标：相对可执行基准的逐路径费用后增量现金 PnL。

$$\text{DeltaPnL} = \text{NetPnL}(\text{strategy}) - \text{NetPnL}(\text{executable baseline})$$

所有 eligible no-trigger、no-fill、no-accept 机会都保留为 0；容量不得超过测试过的可执行深度。



P10 商业 ROC 额外扣除

- 数据源 / 许可 / API / 历史回填
- 云计算 / 存储 / 请求 / 出网
- 运营人工 / 值班 / 事故损失与修复
- 完整资本与抵押时间成本

只允许做诊断，不是现金 PnL

mid return

markout

microprice

spread opportunity

成本未知时必须 BLOCK，
不得填 0。

RFQ：公开信息能做风险控制，不能猜方向

公开 create/delete 是 unsigned；方向与直接报价 PnL 只能来自私有 accepted_side 和真实成交链。

PUBLIC - UNSIGNED

- create / delete / size / lifetime / requester hash
- 只测到达率、规模、寿命、绝对波动/毒性
- 允许动作：撤单、放宽、缩量，同时保护两边
- D02 / D03 / D05 / D07 -> RFQ_GUARD

PRIVATE - SIGNED

- accepted_side / quote / confirmation / executed
- fills / fees / hedge / inventory / settlement
- D06 仅做私有方向信号分析，无动作
- D08 才能定义 RFQ quote + hedge 的现金 PnL

combo leg side

≠ requester 买卖方向



当前 RFQ_PUBLIC_DATA_UNRELEASED 和 RFQ_PRIVATE_EVENTS_MISSING 仍在阻断；
D08 不能宣称可交易。

MVE：独立执行产品，不是 RFQ 的别名

D10 使用专用 MVE 私有数据契约；RFQ 事件不能跨线替代 package 执行。



D10 已经定义的动作

动作	MVE 直接执行
场所	Kalshi MVE private execution
基准	相同机会不做 MVE package
PnL	package + hedge 现金 - 全腿费用 - 孤腿成本 + joint terminal
状态	BLOCKED / NO AUTHORITY

仍然缺失

- MVE private package lifecycle
- exact leg/orientation/payout mapping
- multi-leg atomic/orphan-safe engine
- fees, latency, risk and settlement

外部体育数据：没有就明确写没有

当前没有直接体育数据 adapter；缺失必须 BLOCK_NO_IMPUTE，候选 API 不等于已接入。

比分 MISSING

局/盘/节 MISSING

阵容 MISSING

伤病 MISSING

真实开赛状态 MISSING

外部赔率 MISSING

候选来源 - 全部待验证

Kalshi Live Data

direct labels / live state

The Odds API

external odds

OpticOdds

odds / results / lineup

Sportradar

play-by-play / roster

NOAA / NCEI

weather control

1

授权/许可

➔

2

字段语义

➔

3

source + receive clocks

➔

4

append-only capture

➔

5

event/market mapping

➔

6

point-in-time 验证

禁止：从盘口价格推断比分/伤病；把当前 snapshot 伪装成历史 point-in-time；把 scheduled-start proxy 改名为真实 in-play。

优先队列：先解公共门，再测最接近现金的卡

这是“离可审计 PnL 有多远”的运营排序，不是预期收益排名或交易推荐。

#	实验	现有接近度	第一新增门
01	A01 - SPREAD - CAPTURE	已有 gross 描述	strict fill + fee
02	A11 - ONE - SIDED - PROVISION	已有窄 pre-start 描述	fail-fast 严格成交
03	A12 - GENERIC - PASSIVE - SCALPING	L1 信号可构造	被动成交与退出
04	B09 - LISTING - TO - START - DRIFT	只需内部时钟	方向成交与权限
05	B14 - VOL - HARVEST	past-only vol	maker 费用后 replay
06	F03 - NEW - MARKET - COLD - START	内部 age/uptime	何时报价的 shadow
07	F11 - GOLF - THIN - LONG - LIFECYCLE	外部数据仅 optional	资本与终局尾部
08	A03 - DEPLETION - REFILL	3 个 clean L2 日	own-order 校准
09	A04 - QUEUE - LAMBDA - DISTANCE	L1 信号可构造	queue/fill 校准
10	B01 - MOMENTUM - CONTINUATION	L1 方向信号	venue authority

Wave 0 先做

- 1 exact fee facts
- 2 shadow order ledger
- 3 strict fill + latency
- 4 settlement + risk gates

继续保持红色阻断

- D08 RFQ direct quote
- D10 MVE direct trading
- C05 / F12 / F13 external
- G/P 依赖已确认 child

A11 当前广义 one-sided fade 被反驳；进入队列是为了低成本证伪窄 cell，不是看多。

下一轮如何真正走到实盘

每张卡按收据逐级升级：Registry -> Signal -> Shadow -> Micro-live -> Live；任何一级不得自动越级。



下一轮三件实物交付

- 01 共享执行账本 fee / order / fill / latency / settlement / risk
- 02 Top-3 Shadow 报告 路径级 DeltaPnL + 全部零机会 + 容量
- 03 Go / No-Go 表 失败也出版，不自动进入 micro-live

质量与权限收口

- 独立审计 PASS / P0=0 / P1=0
- Registry tests 21 / 21 PASS
- 完整 make check PASS
- AWS / 下单写入 NONE
- 唯一 P2 B08/E04 深度卡冻结退出规则

证据锚：这份报告从哪里来

Registry、来源文件与版本提交均给出不可变指纹；会话独立审计没有伪装成仓库内持久收据。

Registry commit	ea6246a44f4d4f6a57f36931fc445810f740b899
Canonical registry SHA	6253beeb1934c1310611cb470a560b0c3dee8487922b1fa7f8d4718493ceea16
Registry JSON file SHA	af2836e851d96892ebbaf14eab7a00cb77295d2d9ec1b10ed48738237be3e704

5 个本地来源绑定

角色	本地路径	SHA-256
ATOMIC_DIRECTION_AUTHORITY	Deepresearch V3/registry/sources/DEEP03_ATOMIC_DIRECTION_AUTHORITY_V1.json	85db70587525ab34af7b5e1cba8bb70929581ea2ff64eb075eabaf5f98ea337e
CURRENT_RESULT_EVIDENCE	Deepresearch V3/run_2026-07-22_D3-W2A/RESULTS.json	e2265284704a828ec9dd0c700c66f16bdf11c9729530b583e9578561e27782f6
CURRENT_ESTIMABILITY_EVIDENCE	Deepresearch V3/run_2026-07-22_D3-W2A/ESTIMABILITY_PREFLIGHT.json	50a63f633db2edccfc315d482684d5d6ea488fdbd5526106e9a2c60b5831c7de
CURRENT_L2_SIGNAL_EVIDENCE	Deepresearch V3/run_2026-07-22_D3-W2A/FULLSCOPE_L2_REPORT_TABLES.json	e97fe0376cf4700829ed5afccc6eeaa10f4c368b417d335b0e1af7df490d0f52
CURRENT_EXCLUSION_EVIDENCE	Deepresearch V3/run_2026-07-22_D3-W2A/EXCLUSION_WATERFALL.json	3e8136820158d320bbc1df52edb7239af9d29c281308c7c97dad3297d0deef4a

校验事实与诚实边界

独立会话审计：PASS / P0=0 / P1=0 / P2=1；Registry tests 21/21，make check PASS。目前没有仓库内独立审计收据，因此本页不以 PDF 自身作循环证明。

7/16 的版本化口径

Registry V1 按旧审计排除；后续根因审计判定“维护窗条件可救”。只有逐日质量门、窗口剔除、新收据和新 Registry revision 全部落地后才可纳入。

实验卡 ID: A01-SPREAD-CAPTURE

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A01-SPREAD-CAPTURE
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A01-SPREAD-CAPTURE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | d0a426775e71969141ec96db9fac7a5d38e53fb4d294d1d6027dd37bfc4cb9d4
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | In eligible two-sided states, passive spread capture remains positive after strict fills, adverse selection, forced exit, and exact fees.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [executable spread exceeds frozen fee, markout, exit, and safety buffers], the registered MAKER_SPREAD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | pessimistic root-event fee-after PnL is non-positive on any required clean date

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | two-sided passive quote; no directional forecast
- 信号证伪 | pessimistic root-event fee-after PnL is non-positive on any required clean date

信号与当前证据（续）

- 预测/持有区间 | fill path through 100ms, 1s, 5s, and frozen exit deadline
- 触发信号 | executable spread exceeds frozen fee, markout, exit, and safety buffers
- 当前证据 claim_tier | DESCRIPTIVE_ONLY_NO_PNL
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | PARTIAL_EVIDENCE
- 当前证据 status | DESCRIPTIVE_GROSS_SIGNAL_ONLY
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | DESCRIPTIVE_GROSS_SIGNAL_ONLY
- observed_signal.values | interpretation=Pooled half-spread exceeded signed markout in most large-sport cells, before fees, fills, latency and executable exit.; pooled_signed_markout_logodds=1s=0.038; 30s=0.056; 5s=0.046
- observed_signal.source | RESULTS.json::base_methods[D3-B01-MARKOUT] | role=CURRENT_RESULT_EVIDENCE | sha256=e2265284704a828ec9dd0c700c66f16bdf11c9729530b583e9578561e27782f6

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | cancel sibling, reconcile, then bounded reduce-only IO C
- 交易哪一边 | TWO_SIDED_YES_NORMALIZED
- 停止条件 | gap | stale_book | unknown_fee | position_mismatch
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick-valid bid/ask offsets from executable book
- 动作 profile | MAKER_SPREAD
- 数量规则 | one contract per active side until capacity is proven
- 登记的 signal -> action | IF [executable spread exceeds frozen fee, markout, exit, and safety buffers] THEN apply [MAKER_SPREAD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When the registered eligibility and net-edge trigger is true, place one post-only quote on each permitted side; cancel both when the trigger becomes false, the book gaps, or data is stale.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | decision clock plus measured placement/cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based

实验卡续页: A01-SPREAD-CAPTURE

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | fill path through 100ms, 1s, 5s, and frozen exit deadline
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTU

检验设计（续）

- NITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A02-TOXICITY-MARKOUT

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A02-TOXICITY-MARKOUT
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A02-TOXICITY-MARKOUT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 2b2e4b7155ebb43637658bf483894de4bec1b9ceb7f0196ae4f1bb3b8252ca85
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A past-only toxicity score identifies resting quotes whose cancellation avoids more adverse-selection loss than the spread opportunity forfeited.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [signed flow and quote-state toxicity crosses the frozen vulnerable-side threshold], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | signal-gated maker does not beat the identical unfiltered maker after costs

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel the quote exposed to the predicted adverse move; never open risk
- 信号证伪 | signal-gated maker does not beat the identical unfiltered maker after costs

信号与当前证据（续）

- d maker after costs
- 预测/持有区间 | cancel-effective time, 100ms, 1s, and 5s
- 触发信号 | signed flow and quote-state toxicity crosses the frozen vulnerable-side threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [signed flow and quote-state toxicity crosses the frozen vulnerable-side threshold] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE

实验卡续页: A02-TOXICITY-MARKOUT

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- RENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | cancel-effective time, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A03-DEPLETION-REFILL

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_REFILL

data L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A03-DEPLETION-REFILL
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A03-DEPLETION-REFILL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 176a0b48e8b1f80beb43b81babe9e3eab76c51d416a06ad102dfa5aeb1d6a393
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Persistent refill after a level depletion creates a safer passive re-entry window than immediate replacement or permanent abstention.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [registered level depletes and refill hazard plus persistence gates both pass], the registered MAKER_REFILL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | refill-conditioned strict-fill PnL is non-positive or no better than immediate re-entry

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | post only on the enumerated depleted side after refill confirmation
- 信号证伪 | refill-conditioned strict-fill PnL is non-positive or no better than immediate re-entry

信号与当前证据（续）

- rather than immediate re-entry
- 预测/持有区间 | 10ms through 1s refill window plus frozen inventory exit
- 触发信号 | registered level depletes and refill hazard plus persistence gates both pass
- 当前证据 claim_tier | DESCRIPTIVE_ONLY_NO_PNL
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | PARTIAL_EVIDENCE
- 当前证据 status | DESCRIPTIVE_CLEAN_L2_DATES_ONLY
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | DESCRIPTIVE_CLEAN_L2_DATES_ONLY
- observed_signal.values | cumulative_refill_probability_1s=0.572 | 0.505 | 0.52; dates=2026-07-12 | 2026-07-15 | 2026-07-17; interpretation=Displayed depth often refilled quickly; this is not own-order queue survival, fill probability or PnL.; refill_hazard_0_100ms=0.245 | 0.293 | 0.308
- observed_signal.source | FULLSCOPE_L2_REPORT_TABLES.json::refill_hazard | role=CURRENT_L2_SIGNAL_EVIDENCE | sha256=e97fe0376cf4700829ed5afccc6eeaa10f4c368b417d335b0e1af7df490d0f52

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | cancel sibling and reduce-only unwind after any fill
- 交易哪一边 | DEPLETED_SIDE_ENUMERATED_IN_YES_NORMALIZED_BOOK
- 停止条件 | no_refill_by_deadline | gap | queue_unknown | stale_book
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | same tick or registered adjacent tick after depletion
- 动作 profile | MAKER_REFILL
- 数量规则 | one contract; no refill-size extrapolation
- 登记的 signal -> action | IF [registered level depletes and refill hazard plus persistence gates both pass] THEN apply [MAKER_REFILL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | After registered depletion, quote or requote only when refill state and price-band gates pass; cancel at the frozen refill deadline if recovery is absent.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | frozen refill window plus measured cancel-effective latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | IMMEDIATE_SAME_PRICE_REENTRY
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, price, size, latency, fill and fee assumptions
- 基准策略 | replace immediately at the same tick after depletion without waiting for the tested refill/persistence gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and

成本逐项（续）

- capacity reported separately

当前可算、数据与日期

- data profile | L2
- 输入 inputs | SEQUENCE_VALID_KALSHI_L2 | KALSHI_L1 | PUBLIC_TRADES
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | Depth/refill/retreat signals are descriptive on clean dates 2026-07-12, 2026-07-15 and 2026-07-17 only.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own queue position and order acknowledgements | strategy-specific strict-fill and cancel-race replay | exact fees, latency and at least 20 independent clean days
- 采集/建设路径 acquisition_paths | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API

实验卡续页: A03-DEPLETION-REFILL

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_REFILL

data L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | replace immediately at the same tick after depletion without waiting for the tested refill/persistence gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 10ms through 1s refill window plus frozen inventory exit

检验设计（续）

- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- 外部来源目录解析 | NONE

实验卡 ID: A04-QUEUE-LAMBDA-DISTANCE

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A04-QUEUE-LAMBDA-DISTANCE
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A04-QUEUE-LAMBDA-DISTANCE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 76066b8352487774d3d37db04e2f8e11db071ebdc2eadd9cb98978d8a814660
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Quote distance and age provide an own-or-der-calibrated fill-intensity surface that improves the join, improve, or abstain decision.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [calibrated benign-fill intensity at a registered distance exceeds its adverse-fill hazard], the registered PASSIVE_FADE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | public queue proxy fails to predict private own-or-der fills or fee-after PnL

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | place one passive quote on the side and distance explicitly enumerated by the owner card
- 信号证伪 | public queue proxy fails to predict private own-order fills

信号与当前证据（续）

- or fee-after PnL
- 预测/持有区间 | quote lifetime through fill, cancel acknowledgment, or timeout
- 触发信号 | calibrated benign-fill intensity at a registered distance exceeds its adverse-fill hazard
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL
- 当前执行权限 | NONE
- 退出/结算 | time exit or state-recovery exit at executable price
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_YES_NO_MAPPING
- 停止条件 | continuation | timeout | gap | external_state_missing
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick at or behind the restored side
- 动作 profile | PASSIVE_FADE
- 数量规则 | one contract until real-fill calibration passes
- 登记的 signal -> action | IF [calibrated benign-fill intensity at a registered distance exceeds its adverse-fill hazard] THEN apply [PASSIVE_FADE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Place a post-only quote on the registered missing/cheap side only inside the eligible state; cancel on timeout or continuation.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | frozen fade horizon and measured cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE

执行场所与基准策略（续）

- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL

当前可算、数据与日期（续）

- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: A04-QUEUE-LAMBDA-DISTANCE

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote lifetime through fill, cancel acknowledgement, or timeout
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the

检验设计（续）

- observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A05-SNBD-LIQUIDITY-REGIMES

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A05-SNBD-LIQUIDITY-REGIMES
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A05-SNBD-LIQUIDITY-REGIMES
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 3315cdef887752190e63d306e87756ae14326d1975e2d89f5d698751c100a123
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Past-only single-name book states select maker regimes with higher fee-after PnL than quoting throughout every valid state.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [registered SNBD state enters a state-action cell with positive frozen training edge], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | state filtering has no incremental root-event PnL over the always-valid-state maker

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | two-sided or enumerated one-sided passive action owned by the selected state cell
- 信号证伪 | state filtering has no incremental root-event PnL over the

信号与当前证据（续）

- e always-valid-state maker
- 预测/持有区间 | state dwell, transition, fill path, and frozen exit deadline
- 触发信号 | registered SNBD state enters a state-action cell with positive frozen training edge
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [registered SNBD state enters a state-action cell with positive frozen training edge] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L2
- 输入 inputs | SEQUENCE_VALID_KALSHI_L2 | KALSHI_L1 | PUBLIC_TRADES

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | Depth/refill/retreat signals are descriptive on clean dates 2026-07-12, 2026-07-15 and 2026-07-17 only.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own queue position and order acknowledgements | strategy-specific strict-fill and cancel-race replay | exact fees, latency and at least 20 independent clean days
- 采集/建设路径 acquisition_paths | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API

实验卡续页: A05-SNBD-LIQUIDITY-REGIMES

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | state dwell, transition, fill path, and frozen exit deadline

检验设计（续）

- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- 外部来源目录解析 | NONE

实验卡 ID: A06-QUOTE-LIFETIME-BURST

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A06-QUOTE-LIFETIME-BURST
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A06-QUOTE-LIFETIME-BURST
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 9f2cbb24c519b737d14f8f1617f33f2ffd018c4616150d69790237a4bc9dee5d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Very short quote lifetimes and update bursts lead toxic moves early enough for cancellation to improve a maker's PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [quote-lifetime lower-tail event coincides with a frozen update-rate burst], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | the burst does not lead adverse executable movement or false pauses erase avoided loss

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel or widen the affected side; an unsigned burst cancels both sides
- 信号证伪 | the burst does not lead adverse executable movement

信号与当前证据（续）

- or false pauses erase avoided loss
- 预测/持有区间 | cancel-effective latency, 100ms, 1s, and 5s
- 触发信号 | quote-lifetime lower-tail event coincides with a frozen update-rate burst
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [quote-lifetime lower-tail event coincides with a frozen update-rate burst] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE

实验卡续页: A06-QUOTE-LIFETIME-BURST

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionMAKER_FILTER

dataL1

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- RENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | cancel-effective latency, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A07A-OCCUPANCY-FINGERPRINT

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data L1_L2

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A07A-OCCUPANCY-FINGERPRINT
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A07A-OCCUPANCY-FINGERPRINT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 3f72faa05760d37b68db8a4067a60ba6e944982880745119bae37bded1b4bdb9
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | An occupancy fingerprint adds fee-after market-selection value beyond volume, spread, and activity without asserting participant identity.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [past-only occupancy score admits a market after simple-selector controls], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | nested out-of-fold child PnL does not improve over the simple selector

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | route only an already registered child action; occupancy supplies no side
- 信号证伪 | nested out-of-fold child PnL does not improve over the

信号与当前证据（续）

- simple selector
- 预测/持有区间 | selected child root-event path and UTC-day portfolio result
- 触发信号 | past-only occupancy score admits a market after simple-selector controls
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [past-only occupancy score admits a market after simple-selector controls] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | L1_L2

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own

实验卡续页: A07A-OCCUPANCY-FINGERPRINT

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionROUTER

dataL1_L2

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITY_NONE

完整缺口与补数路径（续）

- n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | selected child root-event path and UTC-day portfolio re

检验设计（续）

- sult
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: A07B-COORDINATED-RETREAT

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A07B-COORDINATED-RETREAT
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A07B-COORDINATED-RETREAT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 95ce95bc3c21881297dae3ef1225530823b642287b0e01996d8b6a3990690373
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Coordinated multi-level retreat leads adverse movement by more than cancel-effective latency, so a retreat kill reduces losses.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [frozen multi-level depth-retreat score crosses its kill threshold], the registered MAKER_FILTER policy must improve its primary estimate against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | retreat has no safety lead or avoided loss is smaller than false-kill opportunity cost

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel the side losing depth; cancel both if retreat direction is ambiguous
- 信号证伪 | retreat has no safety lead or avoided loss is smaller than

信号与当前证据（续）

- n false-kill opportunity cost
- 预测/持有区间 | retreat onset to cancel-effective time, 100ms, 1s, and 5s
- 触发信号 | frozen multi-level depth-retreat score crosses its kill threshold
- 当前证据 claim_tier | NOT_ESTIMABLE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | PARTIAL_EVIDENCE
- 当前证据 status | OUTCOME_NOT_ESTIMABLE_FROM_DELIVERED_TABLES
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | OUTCOME_NOT_ESTIMABLE_FROM_DELIVERED_TABLES
- observed_signal.values | depth_smd=-0.32 | -0.31 | -0.4; interpretation=Event extraction exists, but delivered tables lack the required event-minus-control price outcome and depth matching is imbalanced.; matched_control_rates=0.019 | 0.019 | 0.016; retreat_episode_rows=853294
- observed_signal.source | FULLSCOPE_L2_REPORT_TABLES.json::match_coverage | role=CURRENT_L2_SIGNAL_EVIDENCE | sha256=e97fe0376cf4700829ed5afccc6eeaa10f4c368b417d335b0e1af7df490d0f52

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [frozen multi-level depth-retreat score crosses its kill threshold] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L2
 - 输入 inputs | SEQUENCE_VALID_KALSHI_L2 | KALSHI_L1 | PUBLIC_TRADES
 - 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
 - 目前可计算 | Depth/refill/retreat signals are descriptive on clean dates 2026-07-12, 2026-07-15 and 2026-07-17 only.
 - data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
 - 缺失数据 missing | own queue position and order acknowledgements | strategy-specific strict-fill and cancel-race replay | exact fees, latency and at least 20 independent clean days
 - 采集/建设路径 acquisition_paths | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
 - study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
 - study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
 - study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
 - study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
 - study_dates.potential_dates_after_remaining_signal_gates_close | NONE
 - study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
 - study_dates.signal_event_status | YES
- ## 完整缺口与补数路径
- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
 - 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: A07B-COORDINATED-RETREAT

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionMAKER_FILTER

dataL2

venueKALSHI_CLOB

AUTHORITY_NONE

完整缺口与补数路径（续）

- 缺口 03 | blocker= `FILL_MODEL_MISSING`; stage= `EXECUTION`; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates= `NONE`; unknown policy= `BLOCK_NOT_ZERO`
- 缺口 04 | blocker= `INSUFFICIENT_QUALITY_DATES`; stage= `INFERENCE`; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates= `NONE`; unknown policy= `BLOCK_NOT_ZERO`
- 缺口 05 | blocker= `LATENCY_UNMEASURED`; stage= `EXECUTION`; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates= `NONE`; unknown policy= `BLOCK_NOT_ZERO`
- 缺口 06 | blocker= `OWN_ORDER_CALIBRATION_MISSING`; stage= `EXECUTION`; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates= `NONE`; unknown policy= `BLOCK_NOT_ZERO`
- 缺口 07 | blocker= `RISK_GATES_MISSING`; stage= `RISK`; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates= `NONE`; unknown policy= `BLOCK_NOT_ZERO`
- 缺口 08 | blocker= `SETTLEMENT_MISSING`; stage= `PNL`; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates= `NONE`; unknown policy= `BLOCK_NOT_ZERO`

外部体育数据契约

- 已批准来源 | `NOT_APPLICABLE` / 不是策略
- 时钟状态 | `NOT_APPLICABLE`
- 可用状态 | `NOT_APPLICABLE`
- 外部数据 blockers | `NONE`
- 外部体育依赖 | `NOT_REQUIRED`
- 历史点时状态 | `NOT_APPLICABLE`
- 许可状态 | `NOT_APPLICABLE`
- 缺失策略 | `NOT_APPLICABLE`
- 候选 provider | `NONE`
- 代理禁区 | `PRICE_IS_NOT_SPORT_STATE`
- 所需直接变量 | `NONE`
- 候选来源目录状态 | `NONE`

检验设计

- 时间规则 | `LOCAL_RECEIVE_CLOCK_PAST_ONLY`
- 比较方法 | identical maker without the tested signal gate

检验设计（续）

- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | retreat onset to cancel-effective time, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | `DEEP03-A-BREADTH`
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | `NOT_FROZEN_FOR_THIS_CARD`
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | `ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY`

下一步证据

- 外部来源 ID | `NONE`
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- 外部来源目录解析 | `NONE`

实验卡 ID: A07C-ADVERSE-SELECTION-TRANSFER

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A07C-ADVERSE-SELECTION-TRANSFER
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A07C-ADVERSE-SELECTION-TRANSFER
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | e0ac26a3924f89ca2a447efb599a42d9090f6b41ba71b6dcab323c15aa7f58db
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Toxic flow or retreat in one canonically linked market transfers adverse selection to a sibling book before that book reprices.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [age-aligned source toxicity event occurs while the target quote remains unchanged], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | target adverse markout is absent after age, root, liquidity, and placebo controls

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel the target side exposed by the canonical outcome mapping; abstain if mapping is unknown
- 信号证伪 | target adverse markout is absent after age, root, liquidity

信号与当前证据（续）

- y, and placebo controls
- 预测/持有区间 | source event through target cancel-effective time and 5s
- 触发信号 | age-aligned source toxicity event occurs while the target quote remains unchanged
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_MAPPING
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [age-aligned source toxicity event occurs while the target quote remains unchanged] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
 - 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
 - data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
 - 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
 - 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
 - study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
 - study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
 - study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
 - study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
 - study_dates.potential_dates_after_remaining_signal_gates_close | NONE
 - study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
 - study_dates.signal_event_status | YES
- ## 完整缺口与补数路径
- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
 - 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: A07C-ADVERSE-SELECTION-TRANSFER

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage= SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate

检验设计（续）

- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | source event through target cancel-effective time and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: A07D-ANCHOR-MANIPULABILITY

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A07D-ANCHOR-MANIPULABILITY
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A07D-ANCHOR-MANIPULABILITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 65a0937dd5701f0778a8ddadc575076a70362d6def872ae7730dfefa0344a49d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Rejecting a fair-value anchor when its visible cost-to-move is small prevents more downstream strategy loss than it sacrifices.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [anchor depth and cost-to-move fall below frozen robustness thresholds], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | fragility gating does not improve the identical child policy or an independent anchor is unaffected

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel affected child quotes and forbid new risk; the anchor never creates a directional trade
- 信号证伪 | fragility gating does not improve the identical child policy

信号与当前证据（续）

- y or an independent anchor is unaffected
- 预测/持有区间 | anchor fragility episode through child recovery and exit
- 触发信号 | anchor depth and cost-to-move fall below frozen robustness thresholds
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [anchor depth and cost-to-move fall below frozen robustness thresholds] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=PARTIAL
- 目前可计算 | The base feed may exist, but this experiment's named signal input is absent; current signal incidence and effect are not calculable.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | MISSING_SIGNAL_INPUT | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: A07D-ANCHOR-MANIPULABILITY

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=MISSING_SIGNAL_INPUT; stage=SIGNAL; missing=No independently sourced fair anchor and visible cost-to-move series is bound.; 补数/建设=Define an actually independent anchor, prove it excludes circular Kalshi inputs, and capture its as-of path.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate

检验设计（续）

- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | anchor fragility episode through child recovery and exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: A08-PRICE-GRID-ROUND-NUMBER

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A08-PRICE-GRID-ROUND-NUMBER
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A08-PRICE-GRID-ROUND-NUMBER
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 6b38028ba699832f3f6537cec8e49aa813b6c9effb66e29a8248f8f4e1c1dea4
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Round-number price levels have a reproducible fill-minus-markout difference large enough to justify a one-tick quote adjustment.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [quote enters a frozen grid-distance cell with positive incremental training economics], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | grid-conditioned fee-after PnL is no better than the same quote without grid adjustment

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel and replace at the enumerated safer or higher-value tick; no side is inferred from roundness
- 信号证伪 | grid-conditioned fee-after PnL is no better than the same quote without grid adjustment

信号与当前证据（续）

- e quote without grid adjustment
- 预测/持有区间 | quote lifetime, fill path, 1s markout, and exit
- 触发信号 | quote enters a frozen grid-distance cell with positive incremental training economics
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [quote enters a frozen grid-distance cell with positive incremental training economics] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES
- 完整缺口与补数路径
- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE

实验卡续页: A08-PRICE-GRID-ROUND-NUMBER

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- RENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote lifetime, fill path, 1s markout, and exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-A-BREADTH
 - 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
 - 外部来源目录解析 | NONE

实验卡 ID: A09-LIQUIDITY-SEASONALITY

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data L1

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A09-LIQUIDITY-SEASONALITY
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A09-LIQUIDITY-SEASONALITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 0408d5ec309c8b605c4ff43e757c0259690addc4acfdea04c6623800cb07586e
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A frozen time or phase schedule can abstain from loss-making maker windows while retaining positive window s.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [past-only time-phase cell is on the frozen allowlist and data quality is valid], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | scheduled routing fails to beat the same child active throughout all valid windows

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | time selects an authorized child but supplies no market side
- 信号证伪 | scheduled routing fails to beat the same child active thr

信号与当前证据（续）

- oughout all valid windows
- 预测/持有区间 | active window, child fill path, and UTC-day PnL
- 触发信号 | past-only time-phase cell is on the frozen allowlist and data quality is valid
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [past-only time-phase cell is on the frozen allowlist and data quality is valid] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
 - 可比性 | same roots, capital, risk caps and execution engine
 - 基准策略 | best fixed child chosen without holdout information
 - 次级基准 | NO_TRADE_SAME_OPPORTUNITIES
- ### 现金 PnL 合约
- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
 - PnL 口径 | PATHWISE_AFTER_COST
 - 容量规则 | no linear extrapolation beyond executable depth and tested size
 - 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
 - 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
 - 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
 - markout 边界 | mid/markout is diagnostic and never cash PnL
 - PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
 - 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | L1

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API

实验卡续页: A09-LIQUIDITY-SEASONALITY

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionROUTER

dataL1

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITYNONE

完整缺口与补数路径（续）

- candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | active window, child fill path, and UTC-day PnL
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.

检验设计（续）

- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A10-CROSS-MARKET-QUOTE-SPILOVER

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data FAMILY

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A10-CROSS-MARKET-QUOTE-SPILOVER
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A10-CROSS-MARKET-QUOTE-SPILOVER
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 0c3f93106f71bd7f06098b712cbbc4c21ffa4ba4adfa75571a76b9925d9765a1
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A canonically linked leader quote change reaches a follower slowly enough for defensive cancellation or repricing to reduce loss.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [age-aligned leader moves while follower executable quote is stale], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | time reversal, unrelated-root, or stale-age controls match the observed follower response

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | map leader outcome to follower side through audited identity; unknown mapping means abstain
- 信号证伪 | time reversal, unrelated-root, or stale-age controls match

信号与当前证据（续）

- h the observed follower response
- 预测/持有区间 | 10ms through 5s plus follower cancel-effective time
- 触发信号 | age-aligned leader moves while follower executable quote is stale
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_MAPPING
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [age-aligned leader moves while follower executable quote is stale] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=

实验卡续页: A10-CROSS-MARKET-QUOTE-SPILLOVER

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionMAKER_FILTER
- dataFAMILY
- venueKALSHI_CLOB
- AUTHORITY_NONE

完整缺口与补数路径（续）

- SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate

检验设计（续）

- 冻结区间 | 10ms through 5s plus follower cancel-effective time
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: A11-ONE-SIDED-PROVISION

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A11-ONE-SIDED-PROVISION
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A11-ONE-SIDED-PROVISION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 4258bbe91636b0e1798a733e9c58d958bf51ae5548156b5813d47f374ebf6d2c
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Supplying the missing side of a persistent one-sided book earns positive fee-after PnL after inventory exit risk.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [valid bid-only or ask-only state persists past the frozen dwell gate], the registered PASSIVE_FADE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | missing-side strict fills are absent or their adverse/exit loss exceeds captured spread

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | post only the explicitly missing YES-normalized side
- 信号证伪 | missing-side strict fills are absent or their adverse/exit loss exceeds captured spread
- 预测/持有区间 | one-sided dwell through fill, topology recovery, or f

信号与当前证据（续）

- orced exit
- 触发信号 | valid bid-only or ask-only state persists past the frozen dwell gate
- 当前证据 claim_tier | DESCRIPTIVE_ONLY_NO_PNL
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | DESCRIPTIVE_NARROW_PRESTART_SIGNAL_ONLY
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | DESCRIPTIVE_NARROW_PRESTART_SIGNAL_ONLY
- observed_signal.values | basketball_prestart_p50_seconds=5.001; interpretation=Only a narrow pre-scheduled-start cell looked transient; the broad one-sided fade was contradicted and no fill/PnL was measured.; tennis_prestart_duration_seconds=p50=1.001; p95=30.999
- observed_signal.source | RESULTS.json::base_methods[D3-B02-ONESIDE] | role=CURRENT_RESULT_EVIDENCE | sha256=e2265284704a828ec9dd0c700c66f16bdf11c9729530b583e9578561e27782f6

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL
- 当前执行权限 | NONE
- 退出/结算 | time exit or state-recovery exit at executable price
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_YES_NO_MAPPING
- 停止条件 | continuation | timeout | gap | external_state_missing
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick at or behind the restored side
- 动作 profile | PASSIVE_FADE
- 数量规则 | one contract until real-fill calibration passes
- 登记的 signal -> action | IF [valid bid-only or ask-only state persists past the frozen dwell gate] THEN apply [PASSIVE_FADE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Place a post-only quote on the registered missing/cheap side only inside the eligible state; cancel on timeout or continuation.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | frozen fade horizon and measured cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based

实验卡续页: A11-ONE-SIDED-PROVISION

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionPASSIVE_FADE

dataL1

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | one-sided dwell through fill, topology recovery, or forced exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A12-GENERIC-PASSIVE-SCALPING

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A12-GENERIC-PASSIVE-SCALPING
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A12-GENERIC-PASSIVE-SCALPING
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 73c0f62a9d11ee910f2551a16ae49a132cdad4458a5c8c61868d75328efc2eff
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A passive entry and passive exit inside a stable range survives strict two-leg fills, fees, and breakout loss.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [frozen range, spread, volatility, and depth gates admit a round-trip opportunity], the registered PASSIVE_FADE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | strict round trips vanish or breakout and forced-exit losses make root-event PnL non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | enter on the enumerated cheap side and exit the same inventory; never count unmatched legs as profit
- 信号证伪 | strict round trips vanish or breakout and forced-exit losses make root-event PnL non-positive

信号与当前证据（续）

- 预测/持有区间 | entry timeout through second fill or forced-exit deadline
- 触发信号 | frozen range, spread, volatility, and depth gates admit a round-trip opportunity
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL
- 当前执行权限 | NONE
- 退出/结算 | time exit or state-recovery exit at executable price
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_YES_NO_MAPPING
- 停止条件 | continuation | timeout | gap | external_state_missing
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick at or behind the restored side
- 动作 profile | PASSIVE_FADE
- 数量规则 | one contract until real-fill calibration passes
- 登记的 signal -> action | IF [frozen range, spread, volatility, and depth gates admit a round-trip opportunity] THEN apply [PASSIVE_FADE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Place a post-only quote on the registered missing/cheap side only inside the eligible state; cancel on timeout or continuation.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | frozen fade horizon and measured cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions

执行场所与基准策略（续）

- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE
- 现金 PnL 合约
- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incident

当前可算、数据与日期（续）

- ce and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: A12-GENERIC-PASSIVE-SCALPING

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | entry timeout through second fill or forced-exit deadline
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-l

下一步证据（续）

- ive | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A13-T90-RANGE

target EXECUTABLE_STRATEGY

current BLOCKED

action T90_RANGE

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A13-T90-RANGE
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A13-T90-RANGE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 3424dea645963660ade83c7aa20bbc77854e2b2bb04cec12f3d217d496a141e6
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Past-only Tennis leader episodes in the 88–93 cent range provide a repeatable passive range-making edge after retreat and terminal risks.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [authoritative Tennis mapping, prior two-way tug, 88–93 leader state, and depth gates all pass], the registered T90_RANGE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | eligible episodes are too rare or pessimistic fee-after PnL is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | quote the registered high/low outcome mapping; leader flips cancel the episode
- 信号证伪 | eligible episodes are too rare or pessimistic fee-after Pn

信号与当前证据（续）

- L is non-positive
- 预测/持有区间 | T90 episode through retreat, timeout, forced exit, or settlement
- 触发信号 | authoritative Tennis mapping, prior two-way tug, 88–93 leader state, and depth gates all pass
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REDUCE_ONLY_EXIT
- 当前执行权限 | NONE
- 退出/结算 | band exit, leader change, hard flip, timeout or safety kill at effective executable depth
- 交易哪一边 | FROZEN_LEADER_NORMALIZED_TWO_SIDED_PAIR
- 停止条件 | retreat | gap | stale | pause | terminal | leader_change
- 订单类型 | NON_ATOMIC_POST_ONLY_PAIR_WITH_WORST_SEQUENCE_RESERVE
- 价格规则 | touch or one legal tick behind, frozen before YES/NO mapping
- 动作 profile | T90_RANGE
- 数量规则 | one contract per side; absolute root inventory <= 1
- 登记的 signal -> action | IF [authoritative Tennis mapping, prior two-way tug, 88–93 leader state, and depth gates all pass] THEN apply [T90_RANGE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | After the frozen Tennis 88-93 leader band, causal two-way tug, flat inventory and no-retreat gates pass, post one contract at each touch (or the one preregistered behind1 variant). On any fill cancel the sibling, reconcile, and reduce only.
- 动作状态 | DEFINED_BUT_SCOPE_AND_EXECUTION_BLOCKED
- 时序与撤单 | cancel-before-replace; 250ms normal reprice minimum

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, band, tug, clock, capital and data exclusions
- 基准策略 | remain flat for every eligible T90 episode
- 次级基准 | SAME_T90_RANGE_WITHOUT_RETREAT_KILL

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic seal

实验卡续页: A13-T90-RANGE

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionT90_RANGE

dataL1_L2

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- ed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | remain flat for every eligible T90 episode
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | T90 episode through retreat, timeout, forced exit, or sett

检验设计（续）

- lement
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: A14-T90-REBUILD

target EXECUTABLE_STRATEGY

current BLOCKED

action T90_REBUILD

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A14-T90-REBUILD
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A14-T90-REBUILD
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 0d4125762f464a2a0f1fdede400355016e829853bfdc5949c1ee9a41f4fd56c4
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | After a completed T90 retreat kill and zero-resting reconciliation, one rebuild re-entry adds positive PnL over never re-entering.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [parent retreat completed, zero resting confirmed, and frozen rebuilt-depth gate passes], the registered T90_REBUILD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is ≤ 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | rebuild window closes before fill or paired incremental PnL over the parent is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | one passive re-entry in the parent orientation; no second cycle
- 信号证伪 | rebuild window closes before fill or paired incremental P

信号与当前证据（续）

- nL over the parent is non-positive
- 预测/持有区间 | rebuild window through one fill cycle, renewed retreat, or exit
- 触发信号 | parent retreat completed, zero resting confirmed, and frozen rebuilt-depth gate passes
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REDUCE_ONLY_EXIT
- 当前执行权限 | NONE
- 退出/结算 | exit at spread $\leq 1.10\times$ pre-kill baseline or immediately on a new burst, renewed retreat, gap, stale or root stop
- 交易哪一边 | FROZEN_T90_LEADER_NORMALIZED_TWO_SIDE_D_PAIR
- 停止条件 | renewed_retreat | new_burst | gap | stale | root_stop | second_cycle
- 订单类型 | ONE_CYCLE_NON_ATOMIC_POST_ONLY_PAIR
- 价格规则 | touch only, bound to the frozen pre-kill baseline
- 动作 profile | T90_REBUILD
- 数量规则 | one contract per side; one rebuild cycle per root
- 登记的 signal -> action | IF [parent retreat completed, zero resting confirmed, and frozen rebuilt-depth gate passes] THEN apply [T90_REBUILD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Only after the parent retreat kill is complete and zero-resting is proven: require a latched burst, 3s without retreat, top-3 depth recovery $\geq 80\%$ of pre-kill, spread $\geq 1.25\times$ baseline, ≤ 1 tick movement and the 88-93 band; then quote touch one contract per side for at most one rebuild cycle.
- 动作状态 | DEFINED_BUT_SCOPE_AND_EXECUTION_BLOCKED
- 时序与撤单 | zero-resting precedes entry; maximum episode 30s

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略

执行场所与基准策略（续）

- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | T90_PARENT_NEVER_REENTER
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same parent roots, fills, kill, fees, capital and terminal path
- 基准策略 | same-root T90 parent transitions OFF_FOR_ROOT after the first valid retreat kill and never re-enters
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | $\text{NetPnL} = \text{parent_and_rebuild_executed_cash_in} - \text{executed_cash_out} - \text{exact_fees} - \text{forced_exit_cost} + \text{terminal_value}(\text{residual_inventory})$
- 相对基准增量 PnL | $\text{DeltaPnL} = \text{NetPnL_T90_with_one_rebuild} - \text{NetPnL_same_root_T90_never_reenter}$
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION;

实验卡续页: A14-T90-REBUILD

target EXECUTABLE_STRATEGY

current BLOCKED

action T90_REBUILD

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | same-root T90 parent transitions OFF_FOR_ROOT after the first valid retreat kill and never re-enters
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | rebuild window through one fill cycle, renewed retreat, or exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: A15-FAIR-MICROPRICE-PAST-FLOW

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A15-FAIR-MICROPRICE-PAST-FLOW
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A15-FAIR-MICROPRICE-PAST-FLOW
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 18b25a8b1036779f6aed83cafb57d095f42465c2a3737ddfa71379173d824b37
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A past-flow microprice estimates near-term executable fair value better than midpoint and improves maker repricing PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [microprice displacement exceeds the frozen reprice threshold and costs], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | microprice forecast or fee-after maker increment does not beat midpoint

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel and replace quotes around the signed microprice; no aggressive opening
- 信号证伪 | microprice forecast or fee-after maker increment does not beat midpoint

信号与当前证据（续）

- ot beat midpoint
- 预测/持有区间 | 10ms, 100ms, 1s, and maker exit
- 触发信号 | microprice displacement exceeds the frozen reprice threshold and costs
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [microprice displacement exceeds the frozen reprice threshold and costs] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERRENCE; missing=Independent clean dates/roots are below the frozen

实验卡续页: A15-FAIR-MICROPRICE-PAST-FLOW

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 10ms, 100ms, 1s, and maker exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the

检验设计（续）

- observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
 - 外部来源目录解析 | NONE

实验卡 ID: A16-INVENTORY-RESERVATION-SKEW

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data L1_PRIVATE

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A16-INVENTORY-RESERVATION-SKEW
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A16-INVENTORY-RESERVATION-SKEW
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 1eca5f93b56a2c734663f8b1b5cc596439cf26b75fb2cc22e7b0162d8a6872b6
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Position-aware reservation-price skew reduces inventory tail loss without erasing spread capture.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [authoritative position and frozen fair/volatility inputs imply a non-zero reservation skew], the registered SIZE_RISK policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | skewed policy does not beat the same symmetric maker on PnL and tail risk

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | widen the inventory-increasing side and improve only the reducing side
- 信号证伪 | skewed policy does not beat the same symmetric maker on PnL and tail risk

信号与当前证据（续）

- 预测/持有区间 | position path through flat, risk timeout, or terminal
- 触发信号 | authoritative position and frozen fair/volatility inputs imply a non-zero reservation skew
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_POSITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknown
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGENCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [authoritative position and frozen fair/volatility inputs imply a non-zero reservation skew] THEN apply [SIZE_RISK] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal into a bounded size or no-new-risk decision; reconcile before any size increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCKED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk caps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_same_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_PRIVATE
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG | FROZ

当前可算、数据与日期（续）

- EN_PAST_ONLY_FAIR_AND_VOLATILITY | PRIVATE_ACCOUNT_ORDERS_POSITIONS_FILLS
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Public L1/trades can produce candidate fair and volatility features, but the reservation-skew signal is not observable without authoritative point-in-time own inventory and orders.
- data blockers | PRIVATE_ACCOUNT_STATE_MISSING | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | authoritative point-in-time position and resting-order exposure | immutable child maker definition and fair/volatility specification | own order acknowledgements, fills, fees and reconciliation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade/catalog pipeline | read-only private positions/open-orders/fills snapshots | system-owned shadow order ledger with frozen fair/volatility model
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | PRIVATE_ACCOUNT_STATE_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=N

实验卡续页: A16-INVENTORY-RESERVATION-SKEW

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionSIZE_RISK

dataL1_PRIVATE

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITY_NONE

完整缺口与补数路径（续）

- ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FULL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=PRIVATE_ACCOUNT_STATE_MISSING; stage=RISK; missing=The strategy cannot observe reconciled own inventory and resting-order exposure.; 补数/建设=Add read-only positions/open-orders/fills snapshots and a system-owned order reconciliation ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE

外部体育数据契约（续）

- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | position path through flat, risk timeout, or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade/catalog pipeline | read-only private positions/open-orders/fills snapshots | system-owned shadow order ledger with frozen fair/volatility model
- 外部来源目录解析 | NONE

实验卡 ID: A17-DYNAMIC-QUOTE-RADIUS

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A17-DYNAMIC-QUOTE-RADIUS
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A17-DYNAMIC-QUOTE-RADIUS
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 86069d685415772295bb134e22baad229c0b54b266bde08a2c23dd915c731fdc
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A radius driven by past-only volatility and to xicity outperforms one fixed quote radius after fill and fee costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [frozen volatility-toxicity cell maps to a radius different from the fixe d baseline], the registered MAKER_FILTER policy must improve it s primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPn L versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at t he first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after eve ry registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | dynamic radius has no paired fee-after PnL impr ovement over fixed radius

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | symmetrically widen or narrow unless a separately regi stered side signal exists
- 信号证伪 | dynamic radius has no paired fee-after PnL improveme nt over fixed radius

信号与当前证据（续）

- 预测/持有区间 | quote lifetime, 1s adverse markout, and forced exit
- 触发信号 | frozen volatility-toxicity cell maps to a radius different fr om the fixed baseline
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPL ACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUM ERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety bu ffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [frozen volatility-toxicity cell maps to a r adius different from the fixed baseline] THEN apply [MAKER_FILT ER] exactly as specified below; ELSE preserve the registered bas eline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the regist ered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr y grants none
- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER

执行场所与基准策略（续）

- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES
- 现金 PnL 合约
- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and te sted size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per _day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - Net PnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contri bute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role =CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned ser ies/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rou nding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_ MODELED; role=EXECUTION_MODEL_INPUT; rule=use executa ble ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for request ed quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSI NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unle ss actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; r ole=OPERATING_EXPENSE; rule=peak collateral, capital-time an d capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e vent=YES; strict_fill=PARTIAL

当前可算、数据与日期（续）

- 目前可计算 | 8 exact V3 dates can describe L1/trade signal inciden ce and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versio ned exact fee/rounding at each simulated fill | measured placemen t/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade p ipeline | shadow engine actual decision and order-state ledgers | K alshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSIN G | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_ QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_M ISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common -root ledger.; API candidates=NONE; unknown policy=BLOCK_NO T_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and recon cile simulated fees to private account charges.; API candidates=N ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE RENCE; missing=Independent clean dates/roots are below the fro zen evidence requirement.; 补数/建设=Continue the automatic seal

实验卡续页: A17-DYNAMIC-QUOTE-RADIUS

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- ed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote lifetime, 1s adverse markout, and forced exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A18-TIME-SHRINKING-CAP

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data TERMINAL

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A18-TIME-SHRINKING-CAP
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A18-TIME-SHRINKING-CAP
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | ab69757790b7b9da6e7d07cdddafe7a0aa4aabc46795502dd301fd195c39b
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Reducing inventory caps as scheduled start or terminal approaches improves tail-adjusted PnL and capital use versus a constant cap.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [time-to-start or time-to-terminal crosses a frozen cap step], the registered SIZE_RISK policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | shrinking caps do not improve worst-tail loss or commercial return on capital

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | reduce or forbid risk-increasing orders; exits remain allowed
- 信号证伪 | shrinking caps do not improve worst-tail loss or commercial return on capital

信号与当前证据（续）

- capital return on capital
- 预测/持有区间 | cap step through start, settlement, or complete unwind
- 触发信号 | time-to-start or time-to-terminal crosses a frozen cap step
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_POSITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknown
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGENCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [time-to-start or time-to-terminal crosses a frozen cap step] THEN apply [SIZE_RISK] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal into a bounded size or no-new-risk decision; reconcile before any size increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCKED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; register

执行场所与基准策略（续）

- y grants none
- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk caps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_same_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | PRIVATE_ACCOUNT_STATE_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow over

实验卡续页: A18-TIME-SHRINKING-CAP

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionSIZE_RISK

dataTERMINAL

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITY_NONE

完整缺口与补数路径（续）

- n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=PRIVATE_ACCOUNT_STATE_MISSING; stage=RISK; missing=Authoritative positions, open orders, fills or ownership state are absent.; 补数/建设=Capture least-privilege read-only account snapshots and reconcile system-owned order/position ledgers.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | cap step through start, settlement, or complete unwind
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shar

检验设计（续）

- ed roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: A19-NO-TRADE-QUOTE-JUMP

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A19-NO-TRADE-QUOTE-JUMP
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A19-NO-TRADE-QUOTE-JUMP
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | c253678266a16e9acfee3c83cf0f75a9d71e3b387a4026f0ca4dce54f30a0109
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A quote jump with no intervening public trade reveals information risk that a trade-only kill misses.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [executable quote moves by the frozen threshold with zero intervening trades], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | no-trade jumps do not lead adverse fills or are explained by gaps and reconnects

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel the side made stale by the quote jump; ambiguous gaps cancel both
- 信号证伪 | no-trade jumps do not lead adverse fills or are explained by gaps and reconnects

信号与当前证据（续）

- 预测/持有区间 | jump through cancel-effective time, 100ms, 1s, and 5s
- 触发信号 | executable quote moves by the frozen threshold with zero intervening trades
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [executable quote moves by the frozen threshold with zero intervening trades] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE

实验卡续页: A19-NO-TRADE-QUOTE-JUMP

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- RENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | jump through cancel-effective time, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-A-BREADTH
 - 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
 - 外部来源目录解析 | NONE

实验卡 ID: A20-SYSTEM-LOAD-QUEUE-GROWTH

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | A20-SYSTEM-LOAD-QUEUE-GROWTH
- 家族 | A
- 家族名称 | MICROSTRUCTURE_AND_MAKER
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | A20-SYSTEM-LOAD-QUEUE-GROWTH
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 11aea56638d5cb4aacc2916707591d3f1528465511a4c72e6ebfa446c91239ba
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Local decision and send-queue growth predicts cancel-safety failure, so a load kill prevents losses.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [decision age, send queue, or acknowledgement latency exceeds a frozen load threshold], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | load telemetry has no relation to cancel misses or the kill loses more than it avoids

信号与当前证据

- 决策时钟 | LOCAL_MONOTONIC_SYSTEM_AND_VENUE_RECEIVE_CLOCKS
- 方向语义 | cancel all resting risk and forbid new risk until telemetry recovers
- 信号证伪 | load telemetry has no relation to cancel misses or the kill loses more than it avoids

信号与当前证据（续）

- It loses more than it avoids
- 预测/持有区间 | load breach through cancel acknowledgement and reconciliation
- 触发信号 | decision age, send queue, or acknowledgement latency exceeds a frozen load threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [decision age, send queue, or acknowledgement latency exceeds a frozen load threshold] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after

当前可算、数据与日期（续）

- _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=PARTIAL
 - 目前可计算 | The base feed may exist, but this experiment's name and signal input is absent; current signal incidence and effect are not calculable.
 - data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
 - 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
 - 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
 - study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
 - study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
 - study_dates.eligible_for_current_signal_description | NONE
 - study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
 - study_dates.potential_dates_after_remaining_signal_gates_close | NONE
 - study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
 - study_dates.signal_event_status | NO
- ## 完整缺口与补数路径
- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | MISSING_SIGNAL_INPUT | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
 - 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE

实验卡续页: A20-SYSTEM-LOAD-QUEUE-GROWTH

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- RENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=MISSING_SIGNAL_INPUT; stage=SIGNAL; missing=Decision-queue age, event-loop lag, send backlog and cancel-effective system telemetry are absent.; 补数/建设=Instrument the production/shadow engine with monotonic queue/load/send/ack timestamps and seal daily telemetry.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_MONOTONIC_SYSTEM_AND_VENUE_RECEIVE_CLOCKS

检验设计（续）

- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | load breach through cancel acknowledgement and reconciliation
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-A-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B01-MOMENTUM-CONTINUATION

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B01-MOMENTUM-CONTINUATION
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B01-MOMENTUM-CONTINUATION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | e6a921e2dbe3013650f27488567ad42c5d49b02ee104cd4e3444d4878c4c12d3
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Signed flow, quote velocity, and depletion identify continuation large enough to survive aggressive entry, exit, fees, and latency.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [frozen signed-flow continuation score exceeds all-in executable cost plus safety buffer], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | executable continuation after latency is non-positive or fee-after root PnL is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | positive score buys YES and negative score buys NO through an exhaustive orientation map
- 信号证伪 | executable continuation after latency is non-positive or f

信号与当前证据（续）

- ee-after root PnL is non-positive
- 预测/持有区间 | 100ms, 1s, 5s, and frozen time or reversal exit
- 触发信号 | frozen signed-flow continuation score exceeds all-in executable cost plus safety buffer
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | DESCRIPTIVE_ONLY
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [frozen signed-flow continuation score exceeds all-in executable cost plus safety buffer] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=REFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: B01-MOMENTUM-CONTINUATION

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 100ms, 1s, 5s, and frozen time or reversal exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD

检验设计（续）

- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B02-MEAN-REVERSION

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B02-MEAN-REVERSION
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B02-MEAN-REVERSION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | ffd1acf89a836f7c62dce8a17b4e93a77eb017de6132580fa975205689506eeb
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A shock followed by deceleration and opposing refill creates a passive fade whose reversal gain exceeds continuation loss and costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [shock, deceleration, opposing refill, and stable-anchor gates all pass], the registered PASSIVE_FADE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | continuation-adjusted fee-after fade PnL is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | post one passive contract opposite the enumerated shock direction
- 信号证伪 | continuation-adjusted fee-after fade PnL is non-positive

信号与当前证据（续）

- 预测/持有区间 | 100ms through 30s or frozen continuation stop
- 触发信号 | shock, deceleration, opposing refill, and stable-anchor gates all pass
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL
- 当前执行权限 | NONE
- 退出/结算 | time exit or state-recovery exit at executable price
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_YES_NO_MAPPING
- 停止条件 | continuation | timeout | gap | external_state_missing
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick at or behind the restored side
- 动作 profile | PASSIVE_FADE
- 数量规则 | one contract until real-fill calibration passes
- 登记的 signal -> action | IF [shock, deceleration, opposing refill, and stable-anchor gates all pass] THEN apply [PASSIVE_FADE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Place a post-only quote on the registered missing/cheap side only inside the eligible state; cancel on timeout or continuation.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | frozen fade horizon and measured cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow

执行场所与基准策略（续）

- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=RISK_DIAGNOSTIC; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurement

当前可算、数据与日期（续）

- ents; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: B02-MEAN-REVERSION

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionPASSIVE_FADE

dataL1_L2

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 100ms through 30s or frozen continuation stop
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: B03-POST-JUMP-CONTINUATION-VS-REVERSAL

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B03-POST-JUMP-CONTINUATION-VS-REVERSAL
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B03-POST-JUMP-CONTINUATION-VS-REVERSAL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | e28ee935ac46cc2c5ad4b50103e6f9351e3c340967735b94112fb6c536fa8560
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Past-only post-jump state distinguishes follow from fade well enough to outperform either unconditional action .
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [jump classifier assigns follow or reverse with confidence above the frozen abstention threshold], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | chronological paired PnL fails to beat both always-follow and always-fade baselines

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | follow maps to jump sign, reverse maps against it, and uncertain state takes no order
- 信号证伪 | chronological paired PnL fails to beat both always-follo

信号与当前证据（续）

- w and always-fade baselines
- 预测/持有区间 | 100ms, 1s, 5s, and registered stop
- 触发信号 | jump classifier assigns follow or reverse with confidence above the frozen abstention threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | DESCRIPTIVE_ONLY
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [jump classifier assigns follow or reverse with confidence above the frozen abstention threshold] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=REFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: B03-POST-JUMP-CONTINUATION-VS-REVERSAL

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 100ms, 1s, 5s, and registered stop
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD

检验设计（续）

- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B04-LARGE-FLOW-CONTINUATION-VS-REVERSAL

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B04-LARGE-FLOW-CONTINUATION-VS-REVERSAL
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B04-LARGE-FLOW-CONTINUATION-VS-REVERSAL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | ec6bb55def1f8f4f52f4a76d31efa718924ac3eb8dc70af986fbb436b055183d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Large public trades have a conditional continuation or reversal response that remains tradable after impact and costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [trade size percentile and frozen post-trade book response select follow or fade], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | large-flow conditional executable return is non-positive after fees and impact

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | use audited aggressor orientation; unknown trade side means abstain

信号与当前证据（续）

- 信号证伪 | large-flow conditional executable return is non-positive after fees and impact
- 预测/持有区间 | 10ms through 30s and frozen exit
- 触发信号 | trade size percentile and frozen post-trade book response select follow or fade
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | DESCRIPTIVE_ONLY
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [trade size percentile and frozen post-trade book response select follow or fade] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; register

执行场所与基准策略（续）

- y grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=REFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT

实验卡续页: B04-LARGE-FLOW-CONTINUATION-VS-REVERSAL

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionTAKER_DIRECTIONAL

dataL1

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- _ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 10ms through 30s and frozen exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.

检验设计（续）

- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B05-OFI-PREDICTIVITY

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B05-OFI-PREDICTIVITY
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B05-OFI-PREDICTIVITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 92d180897f2941b2d7da5222601ce0eee03572a5b1f5a3bb14529526a8c43c39
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Sequence-valid order-flow imbalance adds signed executable-return information beyond public trade flow.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [past-only OFI crosses a frozen side-specific threshold after simple-flow controls], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | OFI has no chronological incremental return or fees consume the predicted move

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | positive normalized OFI buys YES and negative normalized OFI buys NO
- 信号证伪 | OFI has no chronological incremental return or fees consume the predicted move

信号与当前证据（续）

- 预测/持有区间 | 100ms, 1s, 5s, and 30s
- 触发信号 | past-only OFI crosses a frozen side-specific threshold after simple-flow controls
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [past-only OFI crosses a frozen side-specific threshold after simple-flow controls] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_ODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTIO

实验卡续页: B05-OFI-PREDICTIVITY

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 100ms, 1s, 5s, and 30s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH

检验设计（续）

- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: B06-BOOK-IMBALANCE-PREDICTIVITY

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B06-BOOK-IMBALANCE-PREDICTIVITY
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B06-BOOK-IMBALANCE-PREDICTIVITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 74314c934d7434e0581ef345b43f36069e590ae7ac9e3cf1794437d3a3bbc06a
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Top-k depth imbalance predicts signed executable returns after spread, liquidity, and price controls.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [sequence-valid top-k imbalance exceeds the frozen directional threshold], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | shuffle, matched-state, or chronological tests remove the directional increment

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy the outcome whose normalized same-side pressure is positive; unknown depth abstains
- 信号证伪 | shuffle, matched-state, or chronological tests remove the directional increment

信号与当前证据（续）

- 预测/持有区间 | 100ms, 1s, 5s, and 30s
- 触发信号 | sequence-valid top-k imbalance exceeds the frozen directional threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [sequence-valid top-k imbalance exceeds the frozen directional threshold] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L2
- 输入 inputs | SEQUENCE_VALID_KALSHI_L2 | KALSHI_L1 | PUBLIC_TRADES

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | Depth/refill/retreat signals are descriptive on clean dates 2026-07-12, 2026-07-15 and 2026-07-17 only.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own queue position and order acknowledgements | strategy-specific strict-fill and cancel-race replay | exact fees, latency and at least 20 independent clean days
- 采集/建设路径 acquisition_paths | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=REFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: B06-BOOK-IMBALANCE-PREDICTIVITY

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionTAKER_DIRECTIONAL

dataL2

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 100ms, 1s, 5s, and 30s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | continue sequence-valid L2 capture and daily quality receipts | own-order shadow/micro-live calibration | private order/fill/cancel acknowledgement ledger
- 外部来源目录解析 | NONE

实验卡 ID: B07-MICROPRICE-PREDICTIVITY

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B07-MICROPRICE-PREDICTIVITY
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B07-MICROPRICE-PREDICTIVITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | a00063d7d13a8fbd872322af9a688545de7f0887b177e712dd6c9eaaaf9410b35
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Microprice displacement predicts a large enough bid/ask move to cover crossing costs and latency.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [microprice minus midpoint exceeds the frozen executable-cost threshold], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | future executable return fails to exceed midpoint baseline and all-in cost

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | positive displacement buys YES and negative displacement buys NO
- 信号证伪 | future executable return fails to exceed midpoint baseline and all-in cost

信号与当前证据（续）

- 预测/持有区间 | 10ms, 100ms, 1s, and 5s
- 触发信号 | microprice minus midpoint exceeds the frozen executable-cost threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [microprice minus midpoint exceeds the frozen executable-cost threshold] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION

实验卡续页: B07-MICROPRICE-PREDICTIVITY

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 10ms, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH

检验设计（续）

- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
 - 外部来源目录解析 | NONE

实验卡 ID: B08-CONTINUOUS-PRICE-CALIBRATION

target EXECUTABLE_STRATEGY

current BLOCKED

action TERMINAL_ENTRY

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B08-CONTINUOUS-PRICE-CALIBRATION
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B08-CONTINUOUS-PRICE-CALIBRATION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 39f77fecc3018b9b099138ec476de31ca5f5a6cdb3973282f2fcfe0b1bddab8f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Outside the registered E04 near-terminal window, a continuously point-in-time calibrated probability differs from executable price enough to support a bounded hold-to-terminal action.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [outside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW, chronological calibrated probability minus executable price exceeds fee and tail buffers], the registered TERMINAL_ENTRY policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | calibration vanishes out of sample or settlement PnL is non-positive

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy YES when calibrated probability is higher and buy NO when its complement is higher

信号与当前证据（续）

- 信号证伪 | calibration vanishes out of sample or settlement PnL is non-positive
- 预测/持有区间 | non-E04 lifecycle entry through frozen exit or actual terminal settlement
- 触发信号 | outside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW, chronological calibrated probability minus executable price exceeds fee and tail buffers
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_TERMINAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | CANCEL | HOLD
- 当前执行权限 | NONE
- 退出/结算 | frozen executable exit or authoritative 0/1/void settlement
- 交易哪一边 | EXPLICIT_BUY_YES_OR_BUY_NO_FROM_FLAT
- 停止条件 | terminal_state_unknown | void_rule_unknown | edge_below_cost | depth_shortfall
- 订单类型 | ONE_CONTRACT_MARKETABLE_LIMIT
- 价格规则 | executable ask no higher than terminal value minus all costs
- 动作 profile | TERMINAL_ENTRY
- 数量规则 | one contract from flat; no pyramiding or naked short
- 登记的 signal -> action | IF [outside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW, chronological calibrated probability minus executable price exceeds fee and tail buffers] THEN apply [TERMINAL_ENTRY] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | From flat, buy exactly the registered underpriced YES or NO outcome with a marketable limit only when the terminal-value gap exceeds all fees, exit and legal-state buffers.
- 动作状态 | DEFINED_BUT_SETTLEMENT_BLOCKED
- 时序与撤单 | decision-effective depth plus measured entry/exit latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略

执行场所与基准策略（续）

- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | remain flat and record zero cash flow for every eligible opportunity
- 次级基准 | SIMPLE_UNCALIBRATED_EXECUTABLE_PRICE_RULE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = terminal_or_exit_cash_in - entry_cash_out - exact_entry_and_exit_fees - realized_variable_costs
- 相对基准增量 PnL | DeltaPnL = NetPnL_terminal_entry - 0_for_flat_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: B08-CONTINUOUS-PRICE-CALIBRATION

target EXECUTABLE_STRATEGY

current BLOCKED

action TERMINAL_ENTRY

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | remain flat and record zero cash flow for every eligible opportunity
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | non-E04 lifecycle entry through frozen exit or actual terminal settlement
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | B08 owns only lifecycle opportunities outside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW; it abstains inside E04's window.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the

检验设计（续）

- observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B09-LISTING-TO-START-DRIFT

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B09-LISTING-TO-START-DRIFT
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B09-LISTING-TO-START-DRIFT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | d2c4c9765c141713bf1d10d1147dc7edd8a35cd2a70a587a7620223081c28023
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A frozen listing-to-scheduled-start phase has a repeatable signed drift that remains after executable costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [time-since-listing and time-to-scheduled-start enter an admitted drift cell], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | leave-day-out drift changes sign or executable fee-after PnL is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | direction is the cell's training-frozen sign; no actual game state is inferred
- 信号证伪 | leave-day-out drift changes sign or executable fee-after PnL is non-positive

信号与当前证据（续）

- 预测/持有区间 | next phase boundary or frozen pre-start exit
- 触发信号 | time-since-listing and time-to-scheduled-start enter an admitted drift cell
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [time-since-listing and time-to-schedule-start enter an admitted drift cell] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after

当前可算、数据与日期（续）

- _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency

实验卡续页: B09-LISTING-TO-START-DRIFT

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | next phase boundary or frozen pre-start exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B10-INPLAY-PROXY-PRICE-EROSION

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B10-INPLAY-PROXY-PRICE-EROSION
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B10-INPLAY-PROXY-PRICE-EROSION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 53eba016ea9c97335461ebe155f7c50ff5720c121c3c42621078de571f3ba820
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | The explicitly labeled scheduled-start proxy has a repeatable signed price-erosion pattern that survives executable costs; it is not a claim about actual live-game state.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [scheduled-start proxy boundary and a training-frozen signed erosion cell are both active], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | signed post-proxy drift is unstable or non-positive after executable costs and start-time mismatch stress

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | trade only the cell's frozen observed price sign; never call it score, serve, period, inning, or true in-play state
- 信号证伪 | signed post-proxy drift is unstable or non-positive after

信号与当前证据（续）

- executable costs and start-time mismatch stress
- 预测/持有区间 | scheduled-start proxy through the frozen post-proxy exit
- 触发信号 | scheduled-start proxy boundary and a training-frozen signed erosion cell are both active
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [scheduled-start proxy boundary and a training-frozen signed erosion cell are both active] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; register

执行场所与基准策略（续）

- y grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT

实验卡续页: B10-INPLAY-PROXY-PRICE-EROSION

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionTAKER_DIRECTIONAL

dataL1

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- _ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING_OPTIONAL_REFINEMENT
- 外部数据 blockers | NONE
- 外部体育依赖 | OPTIONAL_REFINEMENT
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED
- 缺失策略 | DO_NOT_IMPUTE_CORE_MAY_RUN_WITHOUT_FIELD
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | OPTICODDS | SPORTRADAR
- 代理禁区 | The core experiment keeps its internal proxy label and never renames it as actual sports state.
- 所需直接变量 | official game live/pre/post status | period or set/inning/round | score and authoritative game clock
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SSE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | scheduled-start proxy through the frozen post-proxy exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | KALSHI_MILESTONES_LIVE_DATA | OPTICODDS | SPORTRADAR
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SSE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡 ID: B11-REALIZED-VOL-BY-TIME

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B11-REALIZED-VOL-BY-TIME
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B11-REALIZED-VOL-BY-TIME
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 2efa3872e46cf7cb8a4cd7065635853f708ed5e6d799f6f109bb2e8a9720a089
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Past-only time and phase volatility forecasts improve maker quote radius relative to one fixed radius.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [time-phase conditional volatility maps to a different frozen safety radius], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | conditional volatility has no out-of-sample forecast or maker-PnL increment

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | volatility is unsigned and changes width only
- 信号证伪 | conditional volatility has no out-of-sample forecast or maker-PnL increment
- 预测/持有区间 | next 1s, 30s, 5m, and child quote lifetime

信号与当前证据（续）

- 触发信号 | time-phase conditional volatility maps to a different frozen safety radius
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [time-phase conditional volatility maps to a different frozen safety radius] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions

执行场所与基准策略（续）

- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.

当前可算、数据与日期（续）

- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: B11-REALIZED-VOL-BY-TIME

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | next 1s, 30s, 5m, and child quote lifetime
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B12-JUMP-HAZARD

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B12-JUMP-HAZARD
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B12-JUMP-HAZARD
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | c2e2c5debf46e7aa8e99a41a6df1869f31754557c549767344ec22d0d9dc04d1
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A past-only jump hazard rises early enough for cancellation to reduce a maker's adverse tail.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [frozen jump-hazard estimate exceeds its cancel threshold], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | hazard lacks cancel headroom or false-pause cost exceeds avoided jump loss

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | unsigned hazard cancels both sides; a separately audited side signal may cancel one
- 信号证伪 | hazard lacks cancel headroom or false-pause cost exceeds avoided jump loss

信号与当前证据（续）

- 预测/持有区间 | cancel-effective time, 100ms, 1s, and 5s
- 触发信号 | frozen jump-hazard estimate exceeds its cancel threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [frozen jump-hazard estimate exceeds its cancel threshold] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest ore only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER

执行场所与基准策略（续）

- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL

当前可算、数据与日期（续）

- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the fro

实验卡续页: B12-JUMP-HAZARD

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | cancel-effective time, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH

检验设计（续）

- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engineer actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B13-CALM-TO-BURST

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B13-CALM-TO-BURST
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B13-CALM-TO-BURST
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 7ad9164642c733ae3ca0ac451dfe44ca2b08874f2b0af89c5afc8d31db601c26
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Activity acceleration during a calm state predicts a burst early enough for a temporary risk-off action to add PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [calm dwell plus quote/trade acceleration crosses the frozen burst threshold], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | burst precision after latency is low or false pauses erase avoided loss

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | burst probability is unsigned and cancels or widens both sides
- 信号证伪 | burst precision after latency is low or false pauses erases avoided loss

信号与当前证据（续）

- e avoided loss
- 预测/持有区间 | burst onset through frozen recovery dwell
- 触发信号 | calm dwell plus quote/trade acceleration crosses the frozen burst threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [calm dwell plus quote/trade acceleration crosses the frozen burst threshold] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERRENCE; missing=Independent clean dates/roots are below the frozen

实验卡续页: B13-CALM-TO-BURST

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | burst onset through frozen recovery dwell
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the

检验设计（续）

- observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B14-VOL-HARVEST

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B14-VOL-HARVEST
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B14-VOL-HARVEST
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 18384c9e14a8aa1cd216e213758b3e195f988bf9a67daff326e94505916e571f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | When executable spread is wide relative to past-only volatility and jump risk, selective passive quoting has positive fee-after PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [spread exceeds predicted adverse move, exact fees, exit cost, and tail buffer], the registered MAKER_SPREAD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | adverse-jump expected shortfall or strict-fill loss exceeds captured spread

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | two-sided passive quote; no volatility-derived direction
- 信号证伪 | adverse-jump expected shortfall or strict-fill loss exceeds captured spread

信号与当前证据（续）

- 预测/持有区间 | quote lifetime through jump kill, fill, and forced exit
- 触发信号 | spread exceeds predicted adverse move, exact fees, exit cost, and tail buffer
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | cancel sibling, reconcile, then bounded reduce-only IO C
- 交易哪一边 | TWO_SIDED_YES_NORMALIZED
- 停止条件 | gap | stale_book | unknown_fee | position_mismatch
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick-valid bid/ask offsets from executable book
- 动作 profile | MAKER_SPREAD
- 数量规则 | one contract per active side until capacity is proven
- 登记的 signal -> action | IF [spread exceeds predicted adverse move, exact fees, exit cost, and tail buffer] THEN apply [MAKER_SPREAD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When the registered eligibility and net-edge trigger is true, place one post-only quote on each permitted side; cancel both when the trigger becomes false, the book gaps, or data is stale.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | decision clock plus measured placement/cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after

当前可算、数据与日期（续）

- _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency

实验卡续页: B14-VOL-HARVEST

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote lifetime through jump kill, fill, and forced exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B15-VOL-BREAKOUT

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B15-VOL-BREAKOUT
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B15-VOL-BREAKOUT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | f4c57d034f5c9109ef02df70f7d3b0d2db536979ad43c198ad7554648054fec7
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A calm-to-burst transition with independent directional confirmation continues far enough to support an aggressive breakout trade.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [burst detector and signed flow or quote-velocity confirmation agree], the registered TAKER_DIRECTIONAL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | false breakouts or latency consume the continuation edge

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | trade only the confirmed sign; unsigned bursts abstain
- 信号证伪 | false breakouts or latency consume the continuation edge

信号与当前证据（续）

- 预测/持有区间 | 100ms, 1s, 5s, or frozen reversal stop
- 触发信号 | burst detector and signed flow or quote-velocity confirmation agree
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | DESCRIPTIVE_ONLY
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit; no silent upgrade to settlement hold
- 交易哪一边 | DERIVED_BY_SIGNAL_EXHAUSTIVE_YES_NO_MAP
- 停止条件 | unsigned_signal | edge_below_cost | depth_shortfall | gap
- 订单类型 | MARKETABLE_LIMIT
- 价格规则 | walk current exact L2 up to frozen slippage cap
- 动作 profile | TAKER_DIRECTIONAL
- 数量规则 | largest quantity whose pessimistic marginal edge remains positive
- 登记的 signal -> action | IF [burst detector and signed flow or quote-velocity confirmation agree] THEN apply [TAKER_DIRECTIONAL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Map the registered signed signal to BUY_YES or BUY_NO, enter with a marketable limit after measured latency, and exit at the registered horizon or reversal using executable depth.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | entry and exit latency measured separately

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after

当前可算、数据与日期（续）

- _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTIO

实验卡续页: B15-VOL-BREAKOUT

target EXECUTABLE_STRATEGY

current BLOCKED

action TAKER_DIRECTIONAL

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | 100ms, 1s, 5s, or frozen reversal stop
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the

检验设计（续）

- observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B16-CS-ASK

target EXECUTABLE_STRATEGY

current BLOCKED

action CS_ASK

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B16-CS-ASK
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B16-CS-ASK
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 4bf4a94002d61068456d981d722426dc3039ccf894c121238f79c7767f65a541
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | At verified 97 or 98 cent high-side states, e conomically selling high by buying the low-side outcome earns pos itive exact settlement PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [registered high-side ask persists at 97c or 98c with complete termi nal and fee facts], the registered CS_ASK policy must improve its primary estimand against the registered baseline; otherwise the hy pothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPn L versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at t he first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after eve ry registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | conditional upset rate plus exact fee exceeds bre ak-even or settlement-PnL lower bound is non-positive

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | from flat buy the low-side outcome at 1-q; never assum e a naked high-side sale
- 信号证伪 | conditional upset rate plus exact fee exceeds break-eve

信号与当前证据（续）

- n or settlement-PnL lower bound is non-positive
- 预测/持有区间 | actual settlement including void, retirement, and p ostponement paths
- 触发信号 | registered high-side ask persists at 97c or 98c with com plete terminal and fee facts
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | HOLD_TO_SE TTLEMENT
- 当前执行权限 | NONE
- 退出/结算 | actual authoritative settlement only for binding PnL
- 交易哪一边 | FROM_FLAT_BUY_LOW_OUTCOME_AT_ONE_MIN US_Q
- 停止条件 | price_cell_exit | high_side_bid_retreat_one_tick | better_ask | leader_flip | stale | gap | pause | terminal | fee_or_tick_unkno wn
- 订单类型 | POST_ONLY_LIMIT_ONE_FILL_MAX
- 价格规则 | q is the intended high-side ask; low-side buy price is ex actly 1-q
- 动作 profile | CS_ASK
- 数量规则 | one contract, one fill maximum per root, no replenish
- 登记的 signal -> action | IF [registered high-side ask persists at 97 c or 98c with complete terminal and fee facts] THEN apply [CS_AS K] exactly as specified below; ELSE preserve the registered baseli ne/no-trade branch.
- 具体信号到动作映射 | Freeze the high outcome and q in {0.97,0.98 }; after the exact book-regime and 30s persistence gate, economic ally sell high from flat by posting to buy the low outcome at 1-q. All ow one contract and one fill per root with no replenish.
- 动作状态 | DEFINED_BUT_SCOPE_SETTLEMENT_AND_EXECU TION_BLOCKED
- 时序与撤单 | intended quote state persists 30s; quote age 30s

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略

执行场所与基准策略（续）

- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr y grants none
- 基准 ID | NO_TRADE_SAME_CS_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, q cells, persistence, fees and settlement cove rage
- 基准策略 | remain flat for every eligible 97/98 price/regime/phase c ell
- 次级基准 | CS_94_TO_96_PLACEBO | CS_BID_PAYOFF_CONTR OL_ON_EXACT_ASK_FILL_IDS

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and te sted size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per _day | per_peak_capital
- 现金 PnL 公式 | NetPnL_per_strict_fill = q - Y_high_outcome_termi nal - exact_net_fee_for_low_side_buy
- 相对基准增量 PnL | DeltaPnL = sum(NetPnL_on_exact_CS_ASK_fi lls) - 0_for_same_opportunity_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contri bute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role =CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned ser ies/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rou nding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_ MODELED; role=EXECUTION_MODEL_INPUT; rule=use executab le ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for request ed quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSI NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unle ss actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; r ole=OPERATING_EXPENSE; rule=peak collateral, capital-time an

成本逐项（续）

- d capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFE CYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; sig nal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverag e is not yet exact-release-bound and exhaustive for every legal sta te.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSIN G | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal st ate coverage | exact fill selection and fees | capital-hours and resid ual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlemen t-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | L ATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEME NT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and recon cile simulated fees to private account charges.; API candidates=N ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: B16-CS-ASK

target EXECUTABLE_STRATEGY

current BLOCKED

action CS_ASK

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=SETTLEMENT_MISSING; stage=PnL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | remain flat for every eligible 97/98 price/regime/phase cell
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | actual settlement including void, retirement, and postponement paths
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.

检验设计（续）

- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: B17-CS-BID-CONTROL

target RESEARCH_QUESTION

current BLOCKED

action CONTROL_ONLY

data TERMINAL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | B17-CS-BID-CONTROL
- 家族 | B
- 家族名称 | DIRECTIONAL_AND_VOLATILITY
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | B17-CS-BID-CONTROL
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 5f3cf1c64d19a93283002b551be0f9e865e7b881fc4c3874e216a2c53fc510fc
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | On exactly the B16 ASK fill IDs, the counterfactual BID payoff does not explain the proposed ASK edge.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [a B16 strict ASK fill has exact q, terminal Y, and counterfactual fee facts] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; not PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | paired ASK-minus-BID payoff contrast is absent or reverses

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | payoff transform only; it submits no BID and has no fill or capacity claim
- 信号证伪 | paired ASK-minus-BID payoff contrast is absent or reverses
- 预测/持有区间 | same terminal outcome as the paired B16 fill

信号与当前证据（续）

- 触发信号 | a B16 strict ASK fill has exact q, terminal Y, and counterfactual fee facts
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | CONTROL_ONLY
- 当前证据 registry_design_status | CONTROL_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | CONTROL_ONLY
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_CONTROL_ONLY
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=N

完整缺口与补数路径（续）

- ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | same terminal outcome as the paired B16 fill
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-B-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and P

实验卡续页: B17-CS-BID-CONTROL

target RESEARCH_QUESTION

current BLOCKED

action CONTROL_ONLY

data TERMINAL

venue NONE

AUTHORITY NONE

下一步证据（续） nL first 补齐信号 Kalshi settlements and lifecycle APIs captured append-only versioned market rules and settlement-source mapping private fills for realized reconciliation 外部来源目录解析 NONE			
---	--	--	--

实验卡 ID: C01-THREEWAY-OVERROUND

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C01-THREEWAY-OVERROUND
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C01-THREEWAY-OVERROUND
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 19ce20330b72b2a9a3c1df963819256b12e884520016d953ecec90dea2dcd9cb
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | An exhaustive three-way outcome family occasionally has an all-leg executable basket residual larger than fees and orphan risk.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [sum of synchronized executable leg costs violates the exact exhaustive payout bound], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | no residual survives quote age, all-leg depth, exact fees, and worst-sequence execution

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy or hedge the complete payout vector specified by the audited residual; never trade one leg alone
- 信号证伪 | no residual survives quote age, all-leg depth, exact fees

信号与当前证据（续）

- , and worst-sequence execution
- 预测/持有区间 | all-leg execution through hedge completion or joint terminal settlement
- 触发信号 | sum of synchronized executable leg costs violates the exact exhaustive payout bound
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [sum of synchronized executable leg costs violates the exact exhaustive payout bound] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_

当前可算、数据与日期（续）

- after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk l

实验卡续页: C01-THREEWAY-OVERROUND

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- edger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing= Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing= Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | all-leg execution through hedge completion or joint terminal settlement
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C02-BRACKET-MONOTONICITY

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C02-BRACKET-MONOTONICITY
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C02-BRACKET-MONOTONICITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 8ee9112baded993f0f8da14f125925c888573d7b22ba2166a4adc267de2da621
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Ordered bracket contracts contain a statewise monotonicity violation that can be hedged for positive all-leg PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [audited adjacent-bracket or cumulative probability constraint is violated after costs], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is ≤ 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | monotonicity residual disappears under payout mapping, executable depth, or orphan stress

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy the underpriced payout vector and hedge the dominated vector using exact bracket states
- 信号证伪 | monotonicity residual disappears under payout mapping

信号与当前证据（续）

- g, executable depth, or orphan stress
- 预测/持有区间 | multi-leg completion, unwind, or joint terminal
- 触发信号 | audited adjacent-bracket or cumulative probability constraint is violated after costs
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [audited adjacent-bracket or cumulative probability constraint is violated after costs] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE

执行场所与基准策略（续）

- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | $\text{NetPnL} = \text{sum}(\text{executed_leg_cashflows}) - \text{sum}(\text{exact_leg_fees}) - \text{hedge_and_partial_leg_cost} + \text{joint_terminal_value}$
- 相对基准增量 PnL | $\text{DeltaPnL} = \text{NetPnL_full_leg_policy} - 0_{\text{for_no_trade_baseline}}$
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO

当前可算、数据与日期（续）

- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: C02-BRACKET-MONOTONICITY

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | multi-leg completion, unwind, or joint terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD

检验设计（续）

- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C03-THRESHOLD-MONOTONICITY

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C03-THRESHOLD-MONOTONICITY
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C03-THRESHOLD-MONOTONICITY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 5ce7c7d172cabb7c02f82716a2b3efc8ae57acca3c983eee81591c8bf8e644b9
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Nested threshold contracts sometimes violate statewise probability ordering by more than joint execution costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [a higher threshold is priced above a lower threshold after synchronized executable-cost adjustment], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | no violation survives exact threshold semantics, fees, depth, and serial-leg risk

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | trade the exact lower/higher threshold hedge implied by the statewise dominance proof
- 信号证伪 | no violation survives exact threshold semantics, fees, d

信号与当前证据（续）

- epth, and serial-leg risk
- 预测/持有区间 | all-leg completion, forced unwind, or joint terminal
- 触发信号 | a higher threshold is priced above a lower threshold after synchronized executable-cost adjustment
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [a higher threshold is priced above a lower threshold after synchronized executable-cost adjustment] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE

执行场所与基准策略（续）

- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO

当前可算、数据与日期（续）

- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: C03-THRESHOLD-MONOTONICITY

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | all-leg completion, forced unwind, or joint terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD

检验设计（续）

- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C04-SAME-EVENT-FAMILY-COHERENCE

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C04-SAME-EVENT-FAMILY-COHERENCE
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C04-SAME-EVENT-FAMILY-COHERENCE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 56d9c5647da1420328a42ff2dd2b0358df9cc185268856c9b0d5c9720cb39a8d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Canonically linked same-event contracts have a payout-constrained incoherence that remains after age, fees, and all-leg execution.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [family residual exceeds its frozen cost and mapping-confidence threshold], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | residual is explained by quote age, incomplete payout states, or infeasible fills

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | execute only the full statewide-verified family hedge; unknown orientation abstains
- 信号证伪 | residual is explained by quote age, incomplete payouts

信号与当前证据（续）

- tates, or infeasible fills
- 预测/持有区间 | joint execution through unwind or terminal
- 触发信号 | family residual exceeds its frozen cost and mapping-confidence threshold
- 当前证据 claim_tier | NOT_ESTIMABLE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_ESTIMABLE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_ESTIMABLE
- observed_signal.values | candidate_families=28080; fee_and_fill_feasible_survivors=0; payout_exhaustive_survivors=0
- observed_signal.source | EXCLUSION_WATERFALL.json::D3-B03-XMKT | role=CURRENT_EXCLUSION_EVIDENCE | sha256=3e8136820158d320bbc1df52edb7239af9d29c281308c7c97dad3297d0deef4a

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [family residual exceeds its frozen cost and mapping-confidence threshold] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine

实验卡续页: C04-SAME-EVENT-FAMILY-COHERENCE

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- e with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | joint execution through unwind or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C05-SOCCER-POISSON

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data EXTERNAL

venue KALSHI_MULTI_MARKET_CLOB

authority NONE

身份、状态与权限

- 实验卡 ID | C05-SOCCER-POISSON
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C05-SOCCER-POISSON
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 9b22795bf266ce54e3b6c245c2c9f0c987bae6ad4145853b41deb781d0ed2b7b
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A real Soccer Poisson estimate built from a uthoritative point-in-time sport data can expose a payout-verified r elative-value discrepancy; internal implied-rate consistency alone i s not a trading strategy.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [external-as-of fitted score-rate distribution and mapped contracts produce an all-leg residual above costs], the registered RELATIVE _VALUE policy must improve its primary estimand against the regi stered baseline; otherwise the hypothesis fails or remains non-stra tegic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPn L versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at t he first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after eve ry registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | external model is uncalibrated, one common rate fits within uncertainty, or execution removes the residual

信号与当前证据

- 决策时钟 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | trade only the full payout-mapped vector; never infer sc

信号与当前证据（续）

- ore, lineup, or match state from prices
- 信号证伪 | external model is uncalibrated, one common rate fits wit hin uncertainty, or execution removes the residual
- 预测/持有区间 | external observation through multi-leg completion, pre-start unwind, or terminal
- 触发信号 | external-as-of fitted score-rate distribution and mapped contracts produce an all-leg residual above costs
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_EXTERNAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_un known
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [external-as-of fitted score-rate distribut ion and mapped contracts produce an all-leg residual above costs] THEN apply [RELATIVE_VALUE] exactly as specified below; ELS E preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable resid ual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr y grants none

执行场所与基准策略（续）

- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and te sted size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per _day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(ex act_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no _trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contri bute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role =CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned ser ies/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rou nding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE _MODELED; role=EXECUTION_MODEL_INPUT; rule=use executa ble ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for request ed quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSI NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unle ss actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; r ole=OPERATING_EXPENSE; rule=peak collateral, capital-time an d capacity reported separately
- 成本 08 | type=DATA_API; status=MISSING; role=OPERATING_E XPENSE; rule=provider subscription, redistribution and historical b ackfill cost

当前可算、数据与日期

- data profile | EXTERNAL
- 输入 inputs | EXTERNAL_SPORTS_ASOF | KALSHI_L1 | KALSHI _L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_ev ent=NO; strict_fill=NO
- 目前可计算 | No score, serve, injury, lineup or external-odds feed i s present in the exact DeepResearch data. Price proxies are forbid den.
- data blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERN AL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺失数据 missing | licensed direct sports/odds source | source eve nt timestamp and local receive clocks | versioned event/market ma pping and point-in-time snapshots
- 采集/建设路径 acquisition_paths | append-only Kalshi Milestones/L ive Data capture for direct labels | licensed provider historical back fill where point-in-time semantics exist | forward commercial real-ti me feed with raw bytes and dual receive clocks
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | EXTERNAL_API_UNVERIFIED | EXTERNAL _SPORTS_DATA_MISSING | FEE_UNKNOWN | FILL_MODEL_MI SSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNM EASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAU STIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT _MISSING | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺口 01 | blocker=EXTERNAL_API_UNVERIFIED; stage=SIGNAL; missing=API fields, coverage, point-in-time behavior, license or co st are unverified.; 补数/建设=Run a read-only provider canary and schema/clock/license/spend audit before admitting a release.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_A PI | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT _ZERO
- 缺口 02 | blocker=EXTERNAL_SPORTS_DATA_MISSING; stage=SIGNAL; missing=The named direct sports-state or odds variables are absent.; 补数/建设=Capture an approved official/licensed sourc e forward, or buy a point-in-time historical product after license revi

实验卡续页: C05-SOCCER-POISSON

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data EXTERNAL

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- ew.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage= SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=RISK_GATES_MISSING; stage=RISK; missing= Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 10 | blocker=SETTLEMENT_MISSING; stage=PNL; missing= Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 11 | blocker=TIMESTAMP_SEMANTICS_UNKNOWN; stage= SIGNAL; missing=Publication/event/as-of and local receive clocks are not proven causal.; 补数/建设=Retain raw payloads plus source, wall and monotonic receive clocks; audit revisions and future-as-of sentinels.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED

外部体育数据契约（续）

- 可用状态 | MISSING
- 外部数据 blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 外部体育依赖 | REQUIRED
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED
- 缺失策略 | BLOCK_NO_IMPUTE
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 代理禁区 | Do not infer score, serve, inning, pitch, injury, lineup, round, cut, or external odds from Kalshi price/order flow.
- 所需直接变量 | fixture identity and kickoff | goals and match state | team/lineup inputs if used by the frozen Poisson specification | provider event/publication timestamp | local receive wall clock and monotonic clock | versioned provider-event-to-Kalshi root/market/outcome mapping
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

检验设计

- 时间规则 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | external observation through multi-leg completion, pre-start unwind, or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

检验设计（续）

- NITY

下一步证据

- 外部来源 ID | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- 外部来源目录解析 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡 ID: C06-WITHIN-EVENT-LEADLAG

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data FAMILY

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C06-WITHIN-EVENT-LEADLAG
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C06-WITHIN-EVENT-LEADLAG
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 94f93b2aef8b4951f0c193f66751e51624d78ff27db57ed03ad173b18a46ad2f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A frozen same-event leader reprices before a mapped follower often enough for a defensive follower cancel to improve PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [age-aligned leader move occurs while the canonical follower quote remains stale], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | time-reversal or unrelated-root placebo matches the lag, or cancel headroom is absent

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel the follower side exposed by audited payout orientation; this seed does not authorize a directional opener
- 信号证伪 | time-reversal or unrelated-root placebo matches the lag

信号与当前证据（续）

- , or cancel headroom is absent
- 预测/持有区间 | 10ms through 5s and follower cancel-effective time
- 触发信号 | age-aligned leader move occurs while the canonical follower quote remains stale
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_MAPPING
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [age-aligned leader move occurs while the canonical follower quote remains stale] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=

实验卡续页: C06-WITHIN-EVENT-LEADLAG

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data FAMILY

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage=SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate

检验设计（续）

- 冻结区间 | 10ms through 5s and follower cancel-effective time
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C07-STALE-LEG

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C07-STALE-LEG
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C07-STALE-LEG
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | b542b1ea6d78c38b046d5379326ea93e07fe129d9f9e8c5742b95a40729d6efd
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | After a mapped leader reprices, a stale sibling leg can be traded and hedged for positive joint PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [leader shock plus follower quote-age gap creates a payout-verified residual above all costs], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | joint fill, latency, fee, or orphan accounting makes residual non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | take the stale leg and execute the exact registered hedge vector
- 信号证伪 | joint fill, latency, fee, or orphan accounting makes residual non-positive

信号与当前证据（续）

- 预测/持有区间 | stale-leg entry through hedge completion, unwind, or terminal
- 触发信号 | leader shock plus follower quote-age gap creates a payout-verified residual above all costs
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [leader shock plus follower quote-age gap creates a payout-verified residual above all costs] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE

执行场所与基准策略（续）

- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO

当前可算、数据与日期（续）

- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: C07-STALE-LEG

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 05 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing= Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing= Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | stale-leg entry through hedge completion, unwind, or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C08-COMBO-VS-LEG-COST

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C08-COMBO-VS-LEG-COST
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C08-COMBO-VS-LEG-COST
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 0027137da593213b5b263be97b7bf3a9f845730bf0ca5d21fe995b07860b7025
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A verified MVE or combo package and its complete leg replication differ by more than all execution, fee, and orphan costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [package-versus-legs executable residual exceeds the registered joint safety buffer], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | no residual survives exact package semantics, synchronized depth, and partial-leg stress

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy the cheaper complete payout and hedge with the more expensive complete replication
- 信号证伪 | no residual survives exact package semantics, synchro

信号与当前证据（续）

- nized depth, and partial-leg stress
- 预测/持有区间 | package and leg completion through unwind or terminal
- 触发信号 | package-versus-legs executable residual exceeds the registered joint safety buffer
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [package-versus-legs executable residual exceeds the registered joint safety buffer] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_

当前可算、数据与日期（续）

- after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk l

实验卡续页: C08-COMBO-VS-LEG-COST

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- edger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing= Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing= Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | package and leg completion through unwind or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.

检验设计（续）

- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C09-PAYOUT-STATE-DOMINANCE

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C09-PAYOUT-STATE-DOMINANCE
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C09-PAYOUT-STATE-DOMINANCE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 615986eb4a3161aa5b4af9d20f7b688722535a7e06b037dfd15b72d6a6e942ee
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | One verified contract portfolio statewide dominates another while costing less by more than joint execution costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [machine-audited payout matrix proves dominance and executable price difference exceeds costs], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | any legal payout state breaks dominance or joint PnL is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy the dominating portfolio and hedge or sell only through a legally supported complete vector
- 信号证伪 | any legal payout state breaks dominance or joint PnL is

信号与当前证据（续）

- non-positive
- 预测/持有区间 | joint execution, residual unwind, or all legal terminal states
- 触发信号 | machine-audited payout matrix proves dominance and executable price difference exceeds costs
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [machine-audited payout matrix proves dominance and executable price difference exceeds costs] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_

当前可算、数据与日期（续）

- after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: C09-PAYOUT-STATE-DOMINANCE

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | joint execution, residual unwind, or all legal terminal states
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shar

检验设计（续）

- ed roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: C10-MULTIDAY-SERIES

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | C10-MULTIDAY-SERIES
- 家族 | C
- 家族名称 | RELATIVE_VALUE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | C10-MULTIDAY-SERIES
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | bcc9936c9e5774af8c7af52a41e35bb25d1f6fec65259d51f83810433c839e7
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Matched contracts across dates have a term-structure residual that can be hedged without assuming unlike economic exposure is equivalent.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [audited exposure-equivalent dates show an executable residual above fees and capital cost], the registered RELATIVE_VALUE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | exposure mapping, carry, capital, or serial-leg risk removes the residual

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy the cheap maturity and hedge the exact mapped exposure in the rich maturity
- 信号证伪 | exposure mapping, carry, capital, or serial-leg risk removal

信号与当前证据（续）

- ves the residual
- 预测/持有区间 | two-leg completion through roll, unwind, or both terminals
- 触发信号 | audited exposure-equivalent dates show an executable residual above fees and capital cost
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MULTI_LEG_ATOMIC | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | complete hedge or joint worst-state terminal valuation
- 交易哪一边 | EXACT_LEG_VECTOR_WITH_PAYOUT_STATES
- 停止条件 | payout_incomplete | partial_leg | mapping_drift | fee_unknown
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_LEG
- 价格规则 | all-leg executable L2, never mids
- 动作 profile | RELATIVE_VALUE
- 数量规则 | minimum fillable quantity across every required leg
- 登记的 signal -> action | IF [audited exposure-equivalent dates show an executable residual above fees and capital cost] THEN apply [RELATIVE_VALUE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When a payout-exhaustive executable residual exceeds all-leg cost plus buffer, execute the full registered leg set or abstain.
- 动作状态 | DEFINED_BUT_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial fills explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES

执行场所与基准策略（续）

- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(executed_leg_cashflows) - sum(exact_leg_fees) - hedge_and_partial_leg_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_full_leg_policy - 0_for_no_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_

当前可算、数据与日期（续）

- after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: C10-MULTIDAY-SERIES

target EXECUTABLE_STRATEGY

current BLOCKED

action RELATIVE_VALUE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | two-leg completion through roll, unwind, or both terminals
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-C-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shar

检验设计（续）

- ed roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: D01-RFQ-FLOW-CENSUS

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data RFQ_PUBLIC

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D01-RFQ-FLOW-CENSUS
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D01-RFQ-FLOW-CENSUS
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | d5cef039c72265b4f48f5e77ed62c7896e9616a2f418af7336a1faa0f079229c
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | RFQ arrival intensity varies enough by market and time to define capacity and risk strata, but arrival alone supplies no trading side.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [fresh exact-version rfq_created or rfq_deleted event enters a registered stratum] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | eligible fresh RFQ coverage is absent or intensity has no stable strata

信号与当前证据

- 决策时钟 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | unsigned census only; no order
- 信号证伪 | eligible fresh RFQ coverage is absent or intensity has no stable strata
- 预测/持有区间 | same RFQ lifecycle and UTC-day count

信号与当前证据（续）

- 触发信号 | fresh exact-version rfq_created or rfq_deleted event enters a registered stratum
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | RFQ_PUBLIC
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Code for D01-D07 exists, but the unified durable release chain has not produced a locally available eligible RFQ result.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | FILL_MODEL_MISSING | LATENCY_UNMEASURED
- 缺失数据 missing | eligible fresh exact-version RFQ releases | same-date exact CLOB joins | own CLOB order counterfactual for risk-off PnL
- 采集/建设路径 acquisition_paths | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | RFQ_PUBLIC_DATA_UNRELEASED
- 缺口 01 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | same RFQ lifecycle and UTC-day count
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- 外部来源目录解析 | NONE

实验卡 ID: D02-RFQ-SIZE-INTENT

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionRFQ_GUARD

dataRFQ_PUBLIC

venueKALSHI_CLOB

AUTHORITYNONE

身份、状态与权限

- 实验卡 ID | D02-RFQ-SIZE-INTENT
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D02-RFQ-SIZE-INTENT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | c9ab1732695ee5a155d6b567f3d92e1e25e80efe929bcab4256f4be7f847b231
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | RFQ contracts or target-cost size predicts unsigned CLOB toxicity strongly enough for a size-conditioned quote guard.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [public RFQ size bucket exceeds the frozen absolute-risk threshold], the registered RFQ_GUARD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | size does not predict absolute move, spread, or depth loss, or guard PnL fails

信号与当前证据

- 决策时钟 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | size is not buy or sell intent; cancel or widen both related CLOB sides
- 信号证伪 | size does not predict absolute move, spread, or depth l

信号与当前证据（续）

- oss, or guard PnL fails
- 预测/持有区间 | RFQ creation through 100ms, 1s, 5s, and deletion
- 触发信号 | public RFQ size bucket exceeds the frozen absolute-risk threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE
- 当前执行权限 | NONE
- 退出/结算 | reconcile any cancel-race fill
- 交易哪一边 | BOTH_RELATED_CLOB_SIDES_PUBLIC_UNSIGNED
- 停止条件 | rfq_gap | mapping_ambiguous | direction_inferred_publicly
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | unfiltered maker price plus RFQ risk buffer
- 动作 profile | RFQ_GUARD
- 数量规则 | at most baseline resting quantity
- 登记的 signal -> action | IF [public RFQ size bucket exceeds the frozen absolute-risk threshold] THEN apply [RFQ_GUARD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Treat a public RFQ as unsigned toxicity/volatility information: cancel, widen, or shrink related CLOB quotes. Never infer a direction from public create/delete or combo composition.
- 动作状态 | DEFINED_BUT_DATA_BLOCKED
- 时序与撤单 | RFQ receive clock to cancel-effective clock

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | RFQ_PUBLIC
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_

当前可算、数据与日期（续）

- shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Code for D01-D07 exists, but the unified durable release chain has not produced a locally available eligible RFQ result.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | FILL_MODEL_MISSING | LATENCY_UNMEASURED
- 缺失数据 missing | eligible fresh exact-version RFQ releases | same-date exact CLOB joins | own CLOB order counterfactual for risk-off PnL
- 采集/建设路径 acquisition_paths | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RFQ_PUBLIC_DATA_UNRELEASED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: D02-RFQ-SIZE-INTENT

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionRFQ_GUARD

dataRFQ_PUBLIC

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | RFQ creation through 100ms, 1s, 5s, and deletion
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- 外部来源目录解析 | NONE

实验卡 ID: D03-RFQ-LIFECYCLE-SURVIVAL

target EXECUTABLE_STRATEGY

current BLOCKED

action RFQ_GUARD

data RFQ_PUBLIC

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D03-RFQ-LIFECYCLE-SURVIVAL
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D03-RFQ-LIFECYCLE-SURVIVAL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | c64fd05978bb35576cd07b39319e8f911e9e836a7dafd151aa672fb842b85b4f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | RFQ lifetime and deletion survival identify how long a CLOB maker should remain in an unsigned risk-off state .
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [RFQ survival state enters a frozen high-risk lifetime bucket], the registered RFQ_GUARD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | lifetime does not condition CLOB risk or a fixed guard window performs as well

信号与当前证据

- 决策时钟 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | lifecycle is unsigned; guard both related CLOB sides
- 信号证伪 | lifetime does not condition CLOB risk or a fixed guard window performs as well

信号与当前证据（续）

- 预测/持有区间 | creation through deletion plus frozen recovery dwell
- 触发信号 | RFQ survival state enters a frozen high-risk lifetime bucket
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE
- 当前执行权限 | NONE
- 退出/结算 | reconcile any cancel-race fill
- 交易哪一边 | BOTH_RELATED_CLOB_SIDES_PUBLIC_UNSIGNED
- 停止条件 | rfq_gap | mapping_ambiguous | direction_inferred_publicly
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | unfiltered maker price plus RFQ risk buffer
- 动作 profile | RFQ_GUARD
- 数量规则 | at most baseline resting quantity
- 登记的 signal -> action | IF [RFQ survival state enters a frozen high-risk lifetime bucket] THEN apply [RFQ_GUARD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch .
- 具体信号到动作映射 | Treat a public RFQ as unsigned toxicity/volatility information: cancel, widen, or shrink related CLOB quotes. Never infer a direction from public create/delete or combo composition.
- 动作状态 | DEFINED_BUT_DATA_BLOCKED
- 时序与撤单 | RFQ receive clock to cancel-effective clock

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNFILTERED_SAME_MAKER

执行场所与基准策略（续）

- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | RFQ_PUBLIC
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_

当前可算、数据与日期（续）

- shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Code for D01-D07 exists, but the unified durable release chain has not produced a locally available eligible RFQ result.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | FILL_MODEL_MISSING | LATENCY_UNMEASURED
- 缺失数据 missing | eligible fresh exact-version RFQ releases | same-date exact CLOB joins | own CLOB order counterfactual for risk-off PnL
- 采集/建设路径 acquisition_paths | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RFQ_PUBLIC_DATA_UNRELEASED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: D03-RFQ-LIFECYCLE-SURVIVAL

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionRFQ_GUARD
- dataRFQ_PUBLIC
- venueKALSHI_CLOB
- AUTHORITYNONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | creation through deletion plus frozen recovery dwell
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- 外部来源目录解析 | NONE

实验卡 ID: D04-RFQ-COMBO-DEMAND-LEG-PRESSURE

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data RFQ_PUBLIC

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D04-RFQ-COMBO-DEMAND-LEG-PRESSURE
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D04-RFQ-COMBO-DEMAND-LEG-PRESSURE
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | e941b115b1c4f7c450ab990a6346d61568500396ccde55b221adcd3942ee801f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A combo RFQ may predict absolute pressure in its listed legs, but its combo side never reveals the requester's transaction direction.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [public combo RFQ with an auditable leg map is received] changes the registered signal/outcome contrast versus its state d control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | listed legs show no absolute pressure beyond matched non-combo RFQs

信号与当前证据

- 决策时钟 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | UNSIGNED_ONLY; combo side describes contract composition, not RFQ buy or sell direction
- 信号证伪 | listed legs show no absolute pressure beyond matched non-combo RFQs

信号与当前证据（续）

- 预测/持有区间 | RFQ creation through each leg's 100ms, 1s, and 5s absolute response
- 触发信号 | public combo RFQ with an auditable leg map is received
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | RFQ_PUBLIC
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Code for D01-D07 exists, but the unified durable release chain has not produced a locally available eligible RFQ result.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | FILL_MODEL_MISSING | LATENCY_UNMEASURED
- 缺失数据 missing | eligible fresh exact-version RFQ releases | same-date exact CLOB joins | own CLOB order counterfactual for risk-off PnL
- 采集/建设路径 acquisition_paths | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | INSTRUMENT_MAPPING_UNKNOWN | RFQ_PUBLIC_DATA_UNRELEASED
- 缺口 01 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage= SIGNAL; missing=Outcome, root, leg or external-event mapping is

完整缺口与补数路径（续）

- not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage= SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | RFQ creation through each leg's 100ms, 1s, and 5s absolute response
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first

实验卡续页: D04-RFQ-COMBO-DEMAND-LEG-PRESSURE

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data RFQ_PUBLIC

venue NONE

AUTHORITY NONE

下一步证据（续） - 补齐信号 finish RFQ unified seal/verify/release chain run D01-D07 against same-date L1/L2 capture own shadow maker order state - 外部来源目录解析 NONE			
--	--	--	--

实验卡 ID: D05-RFQ-REQUESTER-HASH

target EXECUTABLE_STRATEGY

current BLOCKED

action RFQ_GUARD

data RFQ_PUBLIC

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D05-RFQ-REQUESTER-HASH
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D05-RFQ-REQUESTER-HASH
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 2129c9ea63ea12d87f3f91be190e50e0bdb66eb7a57ba8f15124567e9a833336
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A stable non-identifying requester hash can segment subsequent unsigned toxicity enough to improve an RFQ CLOB guard.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [requester hash has sufficient past support and exceeds its frozen absolute-impact risk score], the registered RFQ_GUARD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | out-of-fold requester strata are unstable or add no guard PnL

信号与当前证据

- 决策时钟 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | requester strata never infer identity or side; high risk guards both sides
- 信号证伪 | out-of-fold requester strata are unstable or add no guard

信号与当前证据（续）

- d PnL
- 预测/持有区间 | creation through deletion and 5s post-RFQ response
- 触发信号 | requester hash has sufficient past support and exceeds its frozen absolute-impact risk score
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE
- 当前执行权限 | NONE
- 退出/结算 | reconcile any cancel-race fill
- 交易哪一边 | BOTH_RELATED_CLOB_SIDES_PUBLIC_UNSIGNE D
- 停止条件 | rfq_gap | mapping_ambiguous | direction_inferred_publicly
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | unfiltered maker price plus RFQ risk buffer
- 动作 profile | RFQ_GUARD
- 数量规则 | at most baseline resting quantity
- 登记的 signal -> action | IF [requester hash has sufficient past support and exceeds its frozen absolute-impact risk score] THEN apply [RFQ_GUARD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Treat a public RFQ as unsigned toxicity/volatility information: cancel, widen, or shrink related CLOB quotes. Never infer a direction from public create/delete or combo composition.
- 动作状态 | DEFINED_BUT_DATA_BLOCKED
- 时序与撤单 | RFQ receive clock to cancel-effective clock

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | RFQ_PUBLIC
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | KALSHI_L1 | KALSHI_L2

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Code for D01-D07 exists, but the unified durable release chain has not produced a locally available eligible RFQ result.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | FILL_MODEL_MISSING | LATENCY_UNMEASURED
- 缺失数据 missing | eligible fresh exact-version RFQ releases | same-date exact CLOB joins | own CLOB order counterfactual for risk-off PnL
- 采集/建设路径 acquisition_paths | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RFQ_PUBLIC_DATA_UNRELEASED | RISK_GATES_MISSING | SAMPLE_TOO_SMALL | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency

实验卡续页: D05-RFQ-REQUESTER-HASH

target EXECUTABLE_STRATEGY

current BLOCKED

action RFQ_GUARD

data RFQ_PUBLIC

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SAMPLE_TOO_SMALL; stage=INFERENCE; missing=Eligible independent roots/events are too sparse for the frozen estimand.; 补数/建设=Accrue to the preregistered end or close as not estimable; do not pool away the niche.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | creation through deletion and 5s post-RFQ response
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shar

检验设计（续）

- ed roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- 外部来源目录解析 | NONE

实验卡 ID: D06-RFQ-DIRECTION-VOL-SIGNAL

target SIGNAL

current BLOCKED

action NO_ACTION

data RFQ_PRIVATE

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D06-RFQ-DIRECTION-VOL-SIGNAL
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D06-RFQ-DIRECTION-VOL-SIGNAL
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 6b70178759c2d8a713084e9b64016af72d21e537a5250daace9e10a4d006902a
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Only a private accepted RFQ side can support a signed RFQ-to-CLOB return test; public create/delete and combo composition cannot.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [private quote_accepted event with exact accepted_side and correlated RFQ is received] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | accepted-side signed return is absent after latency or cannot cover hedge costs

信号与当前证据

- 决策时钟 | PRIVATE_RFQ_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | PUBLIC_UNSIGNED; PRIVATE accepted_side is authoritative for signed analysis; combo side and public RFQ fields are forbidden substitutes

信号与当前证据（续）

- 信号证伪 | accepted-side signed return is absent after latency or cannot cover hedge costs
- 预测/持有区间 | acceptance through confirmation, hedge, 100ms, 1s, and 5s
- 触发信号 | private quote_accepted event with exact accepted_side and correlated RFQ is received
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA_AND_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | RFQ_PRIVATE
 - 输入 inputs | FRESH_RFQ_CREATED_DELETED | PRIVATE_QUOTE_ACCEPT_CONFIRM_EXECUTE | PRIVATE_FILLS_FEES | KALSHI_L2
 - 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
 - 目前可计算 | Public RFQ create/delete cannot establish direction, acceptance, fill, fee, inventory, hedge or realized PnL.
 - data blockers | RFQ_PUBLIC_DATA_UNRELEASED | RFQ_PRIVATE_EVENTS_MISSING | VENUE_PERMISSION_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED
 - 缺失数据 missing | separate RFQ quote-write authority | private accepted_side/confirm/executed lifecycle | quote-to-fill correlation, exact fees and hedge depth
 - 采集/建设路径 acquisition_paths | separately authorized RFQ shadow/micro-live participant | communications private events | Kalshi portfolio fills and position/settlement reconciliation
 - study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
 - study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
 - study_dates.eligible_for_current_signal_description | NONE
 - study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
 - study_dates.potential_dates_after_remaining_signal_gates_close | NONE
 - study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
 - study_dates.signal_event_status | NO
- ## 完整缺口与补数路径
- 完整卡级 blockers | RFQ_PRIVATE_EVENTS_MISSING | RFQ_PUBLIC_DATA_UNRELEASED | VENUE_PERMISSION_MISSING

完整缺口与补数路径（续）

- 缺口 01 | blocker=RFQ_PRIVATE_EVENTS_MISSING; stage=EXECUTION; missing=Accepted side, quote, confirmation, execution, fill or fee events are absent.; 补数/建设=Use a separately authorized RFQ participant to capture private lifecycle receipts and correlate them to fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | PRIVATE_RFQ_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | acceptance through confirmation, hedge, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

实验卡续页: D06-RFQ-DIRECTION-VOL-SIGNAL

target SIGNAL

current BLOCKED

action NO_ACTION

data RFQ_PRIVATE

venue NONE

AUTHORITY NONE

检验设计（续） • 检验单元 ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY 下一步证据 • 外部来源 ID NONE • 补齐 PnL define a deterministic action, executable baseline and PnL first • 补齐信号 separately authorized RFQ shadow/micro-live participant communications private events Kalshi portfolio fills and position/settlement reconciliation • 外部来源目录解析 NONE			
---	--	--	--

实验卡 ID: D07-RFQ-TO-CLOB-IMPACT

target EXECUTABLE_STRATEGY

current BLOCKED

action RFQ_GUARD

data RFQ_PUBLIC

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D07-RFQ-TO-CLOB-IMPACT
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D07-RFQ-TO-CLOB-IMPACT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 9ba3421664de029363df68b21ce8fbac57614ce4018f9c56d308add7b9475fd5
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A public RFQ creation event predicts unsigned short-horizon CLOB toxicity early enough for cancellation or widening to reduce maker loss.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [fresh mapped RFQ arrives while a related CLOB maker quote is resting], the registered RFQ_GUARD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | RFQ impact lacks cancel headroom or the identical unguarded maker has equal or higher PnL

信号与当前证据

- 决策时钟 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | guard both sides unless a separate private-direction card is authorized
- 信号证伪 | RFQ impact lacks cancel headroom or the identical ung

信号与当前证据（续）

- uarded maker has equal or higher PnL
- 预测/持有区间 | RFQ receive through cancel-effective time, 100ms, 1s, and 5s
- 触发信号 | fresh mapped RFQ arrives while a related CLOB maker quote is resting
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE
- 当前执行权限 | NONE
- 退出/结算 | reconcile any cancel-race fill
- 交易哪一边 | BOTH_RELATED_CLOB_SIDES_PUBLIC_UNSIGNE D
- 停止条件 | rfq_gap | mapping_ambiguous | direction_inferred_publicly
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | unfiltered maker price plus RFQ risk buffer
- 动作 profile | RFQ_GUARD
- 数量规则 | at most baseline resting quantity
- 登记的 signal -> action | IF [fresh mapped RFQ arrives while a related CLOB maker quote is resting] THEN apply [RFQ_GUARD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Treat a public RFQ as unsigned toxicity/volatility information: cancel, widen, or shrink related CLOB quotes. Never infer a direction from public create/delete or combo composition.
- 动作状态 | DEFINED_BUT_DATA_BLOCKED
- 时序与撤单 | RFQ receive clock to cancel-effective clock

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | RFQ_PUBLIC
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | KALSHI_L1 | KALSHI_L2

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Code for D01-D07 exists, but the unified durable release chain has not produced a locally available eligible RFQ result.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | FILL_MODEL_MISSING | LATENCY_UNMEASURED
- 缺失数据 missing | eligible fresh exact-version RFQ releases | same-date exact CLOB joins | own CLOB order counterfactual for risk-off PnL
- 采集/建设路径 acquisition_paths | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RFQ_PUBLIC_DATA_UNRELEASED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency

实验卡续页: D07-RFQ-TO-CLOB-IMPACT

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionRFQ_GUARD

dataRFQ_PUBLIC

venueKALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | RFQ_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | RFQ receive through cancel-effective time, 100ms, 1s, and 5s
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD

检验设计（续）

- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | finish RFQ unified seal/verify/release chain | run D01-D07 against same-date L1/L2 | capture own shadow maker order state
- 外部来源目录解析 | NONE

实验卡 ID: D08-RFQ-DIRECT-QUOTE-PNL

target EXECUTABLE_STRATEGY

current BLOCKED

action RFQ_MAKER

data RFQ_PRIVATE

venue KALSHI_CLOB_AND_RFQ

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D08-RFQ-DIRECT-QUOTE-PNL
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D08-RFQ-DIRECT-QUOTE-PNL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 60223596cdcb42b4f7e8e67f8053960d49774a249a2d7e3215c3a90f1694c8a1
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A fully collateralized two-sided RFQ quote can earn positive PnL after selection, confirmation, CLOB hedge, fees, and residual inventory.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [full RFQ size is hedgeable and both bounded yes_bid and no_bid satisfy frozen net-edge limits], the registered RFQ_MAKER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | acceptance-weighted RFQ plus hedge PnL is non-positive or tail inventory breaches limits

信号与当前证据

- 决策时钟 | PRIVATE_RFQ_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | quote both sides, then use only private accepted_side to confirm and hedge

信号与当前证据（续）

- 信号证伪 | acceptance-weighted RFQ plus hedge PnL is non-positive or tail inventory breaches limits
- 预测/持有区间 | quote submission through acceptance, confirmation, fills, hedge, and terminal residual
- 触发信号 | full RFQ size is hedgeable and both bounded yes_bid and no_bid satisfy frozen net-edge limits
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA_AND_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RFQ_SUBMIT_QUOTE | RFQ_CONFIRM | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | CLOB hedge, executable unwind, or bound settlement
- 交易哪一边 | TWO_SIDED_RFQ_BID_THEN_PRIVATE_ACCEPTED_SIDE
- 停止条件 | private_event_missing | hedge_depth_shortfall | permission_missing
- 订单类型 | RFQ_QUOTE_PLUS_CLOB_MARKETABLE_LIMIT
- 价格规则 | bid no higher than fair value minus all hedge and tail costs
- 动作 profile | RFQ_MAKER
- 数量规则 | entire RFQ size only when full size is collateralized and hedgeable
- 登记的 signal -> action | IF [full RFQ size is hedgeable and both bounded yes_bid and no_bid satisfy frozen net-edge limits] THEN apply [RFQ_MAKER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | For a full-size hedgeable RFQ, submit bounded yes_bid/no_bid; after a private accepted_side event confirm, correlate executed orders to fills, hedge, and reconcile residual inventory.
- 动作状态 | DEFINED_BUT_PERMISSION_AND_DATA_BLOCKED
- 时序与撤单 | standard/HVM confirmation and execution clocks measured

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB_AND_RFQ
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = RFQ_and_hedge_cash_in - RFQ_and_hedge_cash_out - exact_RFQ_and_CLOB_fees + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_RFQ_quote_policy - 0_for_no_quote_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

成本逐项（续）

- 成本 08 | type=RFQ_SELECTION_AND_CONFIRMATION; status=MISSING; role=RISK_DIAGNOSTIC; rule=requester side selection, confirmation, execution and no-accept loss

当前可算、数据与日期

- data profile | RFQ_PRIVATE
- 输入 inputs | FRESH_RFQ_CREATED_DELETED | PRIVATE_QUOTE_ACCEPT_CONFIRM_EXECUTE | PRIVATE_FILLS_FEES | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Public RFQ create/delete cannot establish direction, acceptance, fill, fee, inventory, hedge or realized PnL.
- data blockers | RFQ_PUBLIC_DATA_UNRELEASED | RFQ_PRIVATE_EVENTS_MISSING | VENUE_PERMISSION_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED
- 缺失数据 missing | separate RFQ quote-write authority | private accepted_side/confirm/executed lifecycle | quote-to-fill correlation, exact fees and hedge depth
- 采集/建设路径 acquisition_paths | separately authorized RFQ shadow/micro-live participant | communications private events | Kalshi portfolio fills and position/settlement reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RFQ_PRIVATE_EVENTS_MISSING | RFQ_PUBLIC_DATA_UNRELEASED | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is

实验卡续页: D08-RFQ-DIRECT-QUOTE-PNL

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionRFQ_MAKER

dataRFQ_PRIVATE

venueKALSHI_CLOB_AND_RFQ

AUTHORITY_NONE

完整缺口与补数路径（续）

- not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=RFQ_PRIVATE_EVENTS_MISSING; stage=EXECUTION; missing=Accepted side, quote, confirmation, execution, fill or fee events are absent.; 补数/建设=Use a separately authorized RFQ participant to capture private lifecycle receipts and correlate them to fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RFQ_PUBLIC_DATA_UNRELEASED; stage=SIGNAL; missing=No eligible fresh exact-version RFQ release is bound to the experiment.; 补数/建设=Complete the fresh RFQ seal/quality/manifest chain and same-date CLOB join; never repair the old damaged set.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | PRIVATE_RFQ_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote submission through acceptance, confirmation, fills, hedge, and terminal residual
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | separately authorized RFQ shadow/micro-live participant | communications private events | Kalshi portfolio fills and position/settlement reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: D09-MVE-CATALOG-SCHEMA

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data CATALOG

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D09-MVE-CATALOG-SCHEMA
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D09-MVE-CATALOG-SCHEMA
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 20ce3e5c228293429333a815ee3318510416eb786237b500b41dbcb668e5f455
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | MVE catalog records can reconstruct every leg, orientation, and payout state without heuristic inference.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [an admitted MVE catalog object is available under exact version] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | any leg, orientation, version, or payout state remains ambiguous

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | schema and coverage only; no order
- 信号证伪 | any leg, orientation, version, or payout state remains ambiguous
- 预测/持有区间 | catalog-version validity interval

信号与当前证据（续）

- 触发信号 | an admitted MVE catalog object is available under exact version
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_MAPPING
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | CATALOG
- 输入 inputs | KALSHI_CATALOG_AND_MARKET_RULES
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Schema/coverage only; no action or cash PnL.
- data blockers | NONE
- 缺失数据 missing | versioned semantics for any unsupported instrument
- 采集/建设路径 acquisition_paths | Kalshi public catalog/rules captured by exact version
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | INSTRUMENT_MAPPING_UNKNOWN
- 缺口 01 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage= SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE

外部体育数据契约（续）

- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | catalog-version validity interval
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | Kalshi public catalog/rules captured by exact version
- 外部来源目录解析 | NONE

实验卡 ID: D10-MVE-DIRECT-TRADING

target EXECUTABLE_STRATEGY

current BLOCKED

action MVE_DIRECT

data MVE_PRIVATE

venue KALSHI_MVE_PRIVATE_EXECUTION

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | D10-MVE-DIRECT-TRADING
- 家族 | D
- 家族名称 | RFQ_AND_MVE
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | D10-MVE-DIRECT-TRADING
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | dad5e9f9f22e6f154556e9df6ce15d72cbcc1fbc7e70a5f58cc7de8ebfd0ab14
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | An MVE package can be directly traded and hedged at positive joint PnL after private fills, fees, and partial-package risk.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [payout-verified package residual exceeds all package, leg, hedge, and tail costs], the registered MVE_DIRECT policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | private execution, fees, or partial-package stress makes joint PnL non-positive

信号与当前证据

- 决策时钟 | PRIVATE_MVE_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | execute the exact package orientation and complete registered hedge vector

信号与当前证据（续）

- 信号证伪 | private execution, fees, or partial-package stress makes joint PnL non-positive
- 预测/持有区间 | package entry through hedge completion, unwind, or joint terminal
- 触发信号 | payout-verified package residual exceeds all package, leg, hedge, and tail costs
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA_AND_AUTHORITY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | MVE_SUBMIT_PACKAGE_ORDER | CANCEL | HEDGE_LEGS | RECONCILE | UNWIND
- 当前执行权限 | NONE
- 退出/结算 | complete the audited hedge, execute the frozen orphan unwind, or use the joint legal terminal payout matrix
- 交易哪一边 | EXACT_MVE_PACKAGE_ORIENTATION_AND_AUDITED_HEDGE_VECTOR
- 停止条件 | mve_catalog_or_orientation_unknown | private_package_event_missing | partial_package_or_leg | hedge_depth_shortfall | fee_or_terminal_state_unknown
- 订单类型 | PRIVATE_MVE_PACKAGE_ORDER_PLUS_BOUNDED_LEG_LIMITS
- 价格规则 | exact executable package price plus synchronized all-leg L2, fees, orphan-unwind and tail buffer; never use mids
- 动作 profile | MVE_DIRECT
- 数量规则 | one complete package at the minimum fully hedgeable size
- 登记的 signal -> action | IF [payout-verified package residual exceeds all package, leg, hedge, and tail costs] THEN apply [MVE_DIRECT] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Only for an exact-version MVE package with an audited leg, orientation and payout-state map: submit one fully collateralized package order when package price plus synchronized executable hedge cost leaves positive worst-state PnL; otherwise abstain.
- 动作状态 | DEFINED_BUT_PRIVATE_MVE_AND_ENGINE_BLOCKED

触发后的具体动作（续）

- KED
- 时序与撤单 | retain package submit/ack/cancel/fill clocks and bound serial-leg hedge latency and partial-package races

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MVE_PRIVATE_EXECUTION
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_MVE_PACKAGE_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same package catalog, clocks, collateral and mapping exclusions
- 基准策略 | submit no MVE package or hedge legs and record zero cash flow
- 次级基准 | LEG_REPLICATION_ONLY_IF_SEPARATELY_REGISTERED

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = MVE_package_and_hedge_cash_in - MVE_package_and_hedge_cash_out - exact_package_and_leg_fees - partial_package_orphan_unwind_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_MVE_direct_policy - 0_for_same_opportunity_no_MVE_trade_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING

成本逐项（续）

- NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=MVE_PACKAGE_EXECUTION_AND_PARTIAL; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=private package quote/order/fill fees plus worst-sequence partial-package and orphan-leg unwind cost

当前可算、数据与日期

- data profile | MVE_PRIVATE
- 输入 inputs | EXACT_VERSION_MVE_CATALOG_AND_RULES | AUDITED_MVE_LEG_ORIENTATION_AND_PAYOUT_MATRIX | PRIVATE_MVE_PACKAGE_ORDER_ACK_FILL_FEE | PRIVATE_LEG_FILLS_POSITIONS_AND_SETTLEMENT | SEQUENCE_VALID_L2_KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No admitted private MVE package lifecycle, exact leg/payout mapping, or package-to-position reconciliation is bound. RFQ public/private events are not an MVE substitute.
- data blockers | MVE_PRIVATE_EVENTS_MISSING | INSTRUMENT_MAPPING_UNKNOWN | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | VENUE_PERMISSION_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED
- 缺失数据 missing | exact-version MVE catalog, leg orientation and payout matrix | private MVE package submit/ack/cancel/fill/fee lifecycle | synchronized hedge-leg L2, fills, positions and settlement
- 采集/建设路径 acquisition_paths | capture the admitted MVE catalog and rules append-only | separately authorized private MVE execution/shadow receipts | join package and leg events to positions, fees and settlements
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.

实验卡续页: D10-MVE-DIRECT-TRADING

target EXECUTABLE_STRATEGY

current BLOCKED

action MVE_DIRECT

data MVE_PRIVATE

venue KALSHI_MVE_PRIVATE_EXECUTION

AUTHORITY NONE

当前可算、数据与日期（续）

- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | MVE_PRIVATE_EVENTS_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING | VENUE_PERMISSION_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=MVE_PRIVATE_EVENTS_MISSING; stage=EXECUTION; missing=MVE package/leg order, acknowledgement, fill and fee lifecycle is absent.; 补数/建设=Capture the admitted MVE private execution interface and reconcile package/leg events to positions and settlement.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage=SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.;

完整缺口与补数路径（续）

- API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 10 | blocker=VENUE_PERMISSION_MISSING; stage=EXECUTION; missing=The experiment has no shadow, RFQ-write or live-order authority.; 补数/建设=Request a separate least-privilege execution authority only after the research card is frozen.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | PRIVATE_MVE_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | submit no MVE package or hedge legs and record zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | package entry through hedge completion, unwind, or joint terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-D-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accountin

下一步证据（续）

- g
- 补齐信号 | capture the admitted MVE catalog and rules append-only | separately authorized private MVE execution/shadow receipts | join package and leg events to positions, fees and settlements
- 外部来源目录解析 | NONE

实验卡 ID: E01-SETTLEMENT-CONVERGENCE

target SIGNAL

current BLOCKED

action CONTROL_ONLY

data TERMINAL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | E01-SETTLEMENT-CONVERGENCE
- 家族 | E
- 家族名称 | TERMINAL_AND_SETTLEMENT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | E01-SETTLEMENT-CONVERGENCE
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 0be2adf842125911bd562dc2f59e94ba9094f5abb4c6c999abc1f73320b62fc5
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Executable prices converge toward later actual settlement value as point-in-time venue lifecycle states approach terminal resolution.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [point-in-time venue lifecycle snapshots can be joined to a later exact settlement label without exposing that label at the snapshot clock] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | price error does not shrink with lifecycle proximity or legal-state mapping is incomplete

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | retrospective convergence control only; the later settlement label never triggers an order
- 信号证伪 | price error does not shrink with lifecycle proximity or legal-state mapping is incomplete

信号与当前证据（续）

- al-state mapping is incomplete
- 预测/持有区间 | actual settlement, void, retirement, cancellation, or postponement resolution
- 触发信号 | point-in-time venue lifecycle snapshots can be joined to a later exact settlement label without exposing that label at the snapshot clock
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_TERMINAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | CONTROL_ONLY
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_CONTROL_ONLY
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | SETTLEMENT_MISSING
- 缺口 01 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=

完整缺口与补数路径（续）

- Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | actual settlement, void, retirement, cancellation, or postponement resolution
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-E-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: E02-EXPIRY-LIQUIDITY-MIGRATION

target EXECUTABLE_STRATEGY

current BLOCKED

action EXPIRY_ROLL

data TERMINAL

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | E02-EXPIRY-LIQUIDITY-MIGRATION
- 家族 | E
- 家族名称 | TERMINAL_AND_SETTLEMENT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | E02-EXPIRY-LIQUIDITY-MIGRATION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 6ccf03af549b34c02cc96e1f82c7ab0c38a04344cf12e4c727acb3252ae820cb
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Rolling an exposure from a deteriorating expiry into an audited equivalent contract reduces execution and capital cost.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [old-contract liquidity deteriorates while an exposure-equivalent mapped contract passes the roll-cost gate], the registered EXPIRY_ROLL policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | mapping, two-leg fees, orphan risk, or carry makes the roll worse than holding

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | close the exact old exposure and open only the audited equivalent new exposure
- 信号证伪 | mapping, two-leg fees, orphan risk, or carry makes the r

信号与当前证据（续）

- oll worse than holding
- 预测/持有区间 | two-leg roll through reconciliation or both terminal states
- 触发信号 | old-contract liquidity deteriorates while an exposure-equivalent mapped contract passes the roll-cost gate
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | REDUCE_OLD_EXPOSURE | OPEN_EQUIVALENT_NEW_EXPOSURE | RECONCILE
- 当前执行权限 | NONE
- 退出/结算 | complete, unwind, or retain the frozen original exposure baseline
- 交易哪一边 | EXACT_EXISTING_EXPOSURE_TO_AUDITED_EQUIVALENT_VECTOR
- 停止条件 | mapping_unknown | partial_leg | roll_cost_above_hold | position_mismatch
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_ROLL_LEG
- 价格规则 | synchronized executable depth including orphan unwind
- 动作 profile | EXPIRY_ROLL
- 数量规则 | no more than the reconciled old exposure and new-leg depth
- 登记的 signal -> action | IF [old-contract liquidity deteriorates while an exposure-equivalent mapped contract passes the roll-cost gate] THEN apply [EXPIRY_ROLL] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | For an authoritative existing position, close the old expiry and open only the audited exposure-equivalent new contract when the complete two-leg roll cost is below holding cost.
- 动作状态 | DEFINED_BUT_MAPPING_AND_ENGINE_BLOCKED
- 时序与撤单 | serial-leg risk and partial roll are explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | HOLD_ORIGINAL_EXPOSURE
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same starting position, roots, capital clock and legal terminal states
- 基准策略 | do not roll; retain the exact original exposure under its frozen exit/terminal rule
- 次级基准 | IMMEDIATE_EXIT_ORIGINAL_EXPOSURE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = old_close_cashflow + new_exposure_cashflow - all_leg_fees - orphan_and_carry_cost + terminal_value(new_residual)
- 相对基准增量 PnL | DeltaPnL = NetPnL_roll_policy - NetPnL_hold_original_exposure
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is

实验卡续页: E02-EXPIRY-LIQUIDITY-MIGRATION

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionEXPIRY_ROLL

dataTERMINAL

venueKALSHI_MULTI_MARKET_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | do not roll; retain the exact original exposure under its frozen exit/terminal rule
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | two-leg roll through reconciliation or both terminal states
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-E-BREADTH
 - 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
 - 外部来源目录解析 | NONE

实验卡 ID: E03-FREEZE-WINDOW

target EXECUTABLE_STRATEGY

current BLOCKED

action EARLY_EXIT

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | E03-FREEZE-WINDOW
- 家族 | E
- 家族名称 | TERMINAL_AND_SETTLEMENT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | E03-FREEZE-WINDOW
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 8dafb4cb28166af09dbef2ef6bc7e235ed829aa4868cc0292bcee9179a6f7d7c
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Observable pre-freeze liquidity deterioration permits an earlier reduce-only exit that avoids more loss than it costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [time-to-freeze and update/depth precursor enter the frozen exit-risk cell], the registered EARLY_EXIT policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | precursor does not lead freeze or early exit under performs waiting under identical inventory

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | cancel all risk-adding orders and reduce only the authoritative position
- 信号证伪 | precursor does not lead freeze or early exit underperforms

信号与当前证据（续）

- ms waiting under identical inventory
- 预测/持有区间 | precursor through freeze, executable exit, or terminal
- 触发信号 | time-to-freeze and update/depth precursor enter the frozen exit-risk cell
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_TERMINAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REDUCE_ONLY_EXIT
- 当前执行权限 | NONE
- 退出/结算 | early executable exit before freeze
- 交易哪一边 | EXACT_EXISTING_POSITION_REDUCE_ONLY
- 停止条件 | position_unknown | precursor_stale | depth_shortfall | terminal_state_unknown
- 订单类型 | CANCEL_THEN_REDUCE_ONLY_MARKETABLE_LIMIT
- 价格规则 | decision-effective executable depth with slippage cap
- 动作 profile | EARLY_EXIT
- 数量规则 | no more than reconciled absolute position
- 登记的 signal -> action | IF [time-to-freeze and update/depth precursor enter the frozen exit-risk cell] THEN apply [EARLY_EXIT] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When the frozen pre-freeze deterioration signal fires, cancel risk-adding orders and unwind only the reconciled existing position at bounded executable depth.
- 动作状态 | DEFINED_BUT_PRIVATE_AND_TERMINAL_DATA_BLOCKED
- 时序与撤单 | cancel-effective and exit latency are distinct

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | WAIT_UNTIL_FREEZE_OR_TERMINAL
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same position, roots, clocks, fees and terminal paths
- 基准策略 | retain the same reconciled position through the precursor or and follow the frozen later exit/terminal rule
- 次级基准 | IMMEDIATE_EXIT_BEFORE_PRECURSOR

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executable_exit_cash - original_position_cost - exact_fees - realized_exit_cost
- 相对基准增量 PnL | DeltaPnL = NetPnL_early_reduce_only_exit - NetPnL_same_position_wait_until_freeze_or_terminal
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFE

当前可算、数据与日期（续）

- CYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | PRIVATE_ACCOUNT_STATE_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: E03-FREEZE-WINDOW

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionEARLY_EXIT
- dataTERMINAL
- venueKALSHI_CLOB
- AUTHORITYNONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=PRIVATE_ACCOUNT_STATE_MISSING; stage=RISK; missing=The early-exit policy lacks an authoritative position to reduce.; 补数/建设=Bind read-only position/open-order snapshots at every freeze decision and reconcile the reduce-only quantity.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | retain the same reconciled position through the precursor and follow the frozen later exit/terminal rule
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | precursor through freeze, executable exit, or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-E-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: E04-SETTLEMENT-CALIBRATION

target EXECUTABLE_STRATEGY

current BLOCKED

action TERMINAL_ENTRY

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | E04-SETTLEMENT-CALIBRATION
- 家族 | E
- 家族名称 | TERMINAL_AND_SETTLEMENT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | E04-SETTLEMENT-CALIBRATION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | dfe580f5dc1cdcf680d29c9d0d7d64c43786cb1f50695d6ec8590674b3cb2447
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Inside a preregistered pre-freeze near-terminal lifecycle window, exception-aware settlement frequency has a stable executable calibration bias relative to market price.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [inside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW, out-of-fold lifecycle- and exception-aware terminal probability differs from executable price by more than exact cost and uncertainty], the registered TERMINAL_ENTRY policy must improve its primary estimate against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is ≤ 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | bias vanishes on untouched dates or fill-conditioned terminal PnL is non-positive

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy YES or NO according to the signed calibrated probability gap

信号与当前证据（续）

- 信号证伪 | bias vanishes on untouched dates or fill-conditioned terminal PnL is non-positive
- 预测/持有区间 | actual terminal settlement
- 触发信号 | inside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW, out-of-fold lifecycle- and exception-aware terminal probability differs from executable price by more than exact cost and uncertainty
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_TERMINAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | TAKE_LIQUIDITY | CANCEL | HOLD
- 当前执行权限 | NONE
- 退出/结算 | frozen executable exit or authoritative 0/1/void settlement
- 交易哪一边 | EXPLICIT_BUY_YES_OR_BUY_NO_FROM_FLAT
- 停止条件 | terminal_state_unknown | void_rule_unknown | edge_below_cost | depth_shortfall
- 订单类型 | ONE_CONTRACT_MARKETABLE_LIMIT
- 价格规则 | executable ask no higher than terminal value minus all costs
- 动作 profile | TERMINAL_ENTRY
- 数量规则 | one contract from flat; no pyramiding or naked short
- 登记的 signal -> action | IF [inside E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW, out-of-fold lifecycle- and exception-aware terminal probability differs from executable price by more than exact cost and uncertainty] THEN apply [TERMINAL_ENTRY] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | From flat, buy exactly the registered underpriced YES or NO outcome with a marketable limit only when the terminal-value gap exceeds all fees, exit and legal-state buffers.
- 动作状态 | DEFINED_BUT_SETTLEMENT_BLOCKED
- 时序与撤单 | decision-effective depth plus measured entry/exit latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | remain flat and record zero cash flow for every eligible opportunity
- 次级基准 | SIMPLE_UNCALIBRATED_EXECUTABLE_PRICE_RULE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | $\text{NetPnL} = \text{terminal_or_exit_cash_in} - \text{entry_cash_out} - \text{exact_entry_and_exit_fees} - \text{realized_variable_costs}$
- 相对基准增量 PnL | $\text{DeltaPnL} = \text{NetPnL_terminal_entry} - 0_for_flat_no_trade_baseline$
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and

成本逐项（续）

- d capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: E04-SETTLEMENT-CALIBRATION

- target EXECUTABLE_STRATEGY
- current BLOCKED
- action TERMINAL_ENTRY
- data TERMINAL
- venue KALSHI_CLOB
- AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | remain flat and record zero cash flow for every eligible opportunity
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | actual terminal settlement
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-E-BREADTH
- 重叠与优先级 | E04 exclusively owns E04_PRE_FREEZE_NEAR_TERMINAL_WINDOW; B08 is ineligible there, and common-root capital/PnL is counted once.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: E05-TERMINAL-EXCEPTION-STATES

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data TERMINAL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | E05-TERMINAL-EXCEPTION-STATES
- 家族 | E
- 家族名称 | TERMINAL_AND_SETTLEMENT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | E05-TERMINAL-EXCEPTION-STATES
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 858aa0d64226c35c6826f12dfaee649057865b6b07e2154b84f1d54e99463117
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Void, retirement, postponement, cancellation, and other exception states materially change candidate-strategy tail economics.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [a versioned lifecycle path enters a non-standard legal terminal state] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | exception frequency and cash-flow effect are immaterial under every owner policy

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | diagnostic enumeration only; this base experiment submits no order
- 信号证伪 | exception frequency and cash-flow effect are immaterial under every owner policy

信号与当前证据（续）

- 预测/持有区间 | exception declaration through final cash-flow reconciliation
- 触发信号 | a versioned lifecycle path enters a non-standard legal terminal state
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_TERMINAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL
- 完整缺口与补数路径
- 完整卡级 blockers | SETTLEMENT_MISSING
- 缺口 01 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=

完整缺口与补数路径（续）

- Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | exception declaration through final cash-flow reconciliation
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-E-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: E06-HOLD-TO-TERMINAL-TAIL

target EXECUTABLE_STRATEGY

current BLOCKED

action TERMINAL_POLICY

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | E06-HOLD-TO-TERMINAL-TAIL
- 家族 | E
- 家族名称 | TERMINAL_AND_SETTLEMENT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | E06-HOLD-TO-TERMINAL-TAIL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 979e82988425ab817d700f867df299e65fc81e11c56ab780b32c27f832bd275d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | For a specified strict fill, holding to terminal has better paired PnL than the frozen early exit without unacceptable tail loss.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [existing reconciled position enters a terminal-authorized hold cell with complete lifecycle facts], the registered TERMINAL_POLICY policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | paired hold increment is non-positive or terminal expected shortfall breaches the frozen limit

信号与当前证据

- 决策时钟 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | hold only the existing position; never convert this decision into a new opening trade
- 信号证伪 | paired hold increment is non-positive or terminal expect

信号与当前证据（续）

- ed shortfall breaches the frozen limit
- 预测/持有区间 | actual terminal versus paired frozen executable exit
- 触发信号 | existing reconciled position enters a terminal-authorized hold cell with complete lifecycle facts
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_TERMINAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | HOLD | TAKE_LIQUIDITY | CANCEL
- 当前执行权限 | NONE
- 退出/结算 | frozen exit rule or actual 0/1/void settlement
- 交易哪一边 | EXACT_EXISTING_POSITION
- 停止条件 | terminal_state_unknown | void_rule_unknown | position_mismatch
- 订单类型 | CANCEL_THEN_REDUCE_ONLY_MARKETABLE_LIMIT_OR_HOLD
- 价格规则 | executable unwind depth or authoritative terminal value
- 动作 profile | TERMINAL_POLICY
- 数量规则 | no more than reconciled absolute position
- 登记的 signal -> action | IF [existing reconciled position enters a terminal-authorized hold cell with complete lifecycle facts] THEN apply [TERMINAL_POLICY] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | At the registered terminal-state signal, choose the frozen hold or executable exit branch; cancel all risk-adding orders first.
- 动作状态 | DEFINED_BUT_SETTLEMENT_BLOCKED
- 时序与撤单 | freeze/settlement clock with separate exit latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | FIXED_IMMEDIATE_EXECUTABLE_EXIT

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same inventory, roots, costs and terminal states
- 基准策略 | cancel then unwind at the first eligible terminal decision
- 次级基准 | NO_TRADE_OR_HOLD_AS_CARD_SPECIFIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | TERMINAL
- 输入 inputs | KALSHI_L1 | CATALOG | SETTLEMENT_AND_LIFECYCLE

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=PARTIAL; signal_event=PARTIAL; strict_fill=PARTIAL
- 目前可计算 | Price/lifecycle paths are observable; terminal coverage is not yet exact-release-bound and exhaustive for every legal state.
- data blockers | SETTLEMENT_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN
- 缺失数据 missing | 100% resolved/void/retire/postpone terminal state coverage | exact fill selection and fees | capital-hours and residual inventory reconciliation
- 采集/建设路径 acquisition_paths | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | PRIVATE_ACCOUNT_STATE_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=PRIVATE_ACCOUNT_STATE_MISSING; stage=RISK; missing=The hold-versus-exit comparison lacks exact own

实验卡续页: E06-HOLD-TO-TERMINAL-TAIL

target EXECUTABLE_STRATEGY

current BLOCKED

action TERMINAL_POLICY

data TERMINAL

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- ed fill and residual position identity.; 补数/建设=Bind the original private fill, subsequent position ledger and paired executable exit opportunity.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | VENUE_LIFECYCLE_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | cancel then unwind at the first eligible terminal decision
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | actual terminal versus paired frozen executable exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-E-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi settlements and lifecycle APIs captured append-only | versioned market rules and settlement-source mapping | private fills for realized reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: F01-PARTICIPANT-MIX-PROXY

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_FILTER

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F01-PARTICIPANT-MIX-PROXY
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F01-PARTICIPANT-MIX-PROXY
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 8e39cfb401a22520cca846e4da62e29a50079b55532f1ec9419770d93ddb7c40
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Non-identifying flow and occupancy proxies improve a maker risk filter without claiming to identify participant types.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [past-only proxy score enters a frozen high-toxicity or benign-flow cell], the registered MAKER_FILTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | proxy adds no out-of-fold child PnL beyond volume, spread, and activity

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | proxy can cancel or admit an owner quote but never infers trader identity or side by itself
- 信号证伪 | proxy adds no out-of-fold child PnL beyond volume, spread, and activity

信号与当前证据（续）

- ead, and activity
- 预测/持有区间 | proxy event through child fill, cancel, and 5s markout
- 触发信号 | past-only proxy score enters a frozen high-toxicity or benign-flow cell
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MECHANISM_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | RESIZE | CANCEL_AND_REPLACE
- 当前执行权限 | NONE
- 退出/结算 | reconcile residual fills, then reduce-only exit
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_BOTH_SIDES_ENUMERATED
- 停止条件 | direction_unknown | cancel_race | gap | stale_book
- 订单类型 | POST_ONLY_LIMIT_AND_CANCEL
- 价格规则 | registered maker price plus signal-conditioned safety buffer
- 动作 profile | MAKER_FILTER
- 数量规则 | never exceed the unfiltered baseline inventory cap
- 登记的 signal -> action | IF [past-only proxy score enters a frozen high-toxicity or benign-flow cell] THEN apply [MAKER_FILTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Apply the signal as a risk switch to the registered maker: cancel the vulnerable side, widen, or reduce size; rest only after the signal clears and state is reconciled.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | cancel-effective latency is part of treatment

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | UNFILTERED_SAME_MAKER
- 基准类型 | UNFILTERED_QUOTER
- 可比性 | same roots, capital, latency, fill and fee assumptions
- 基准策略 | identical maker without the tested signal gate
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL_policy = cash_in - cash_out - exact_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_signal_gated_maker - NetPnL_unfiltered_same_maker
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after

当前可算、数据与日期（续）

- _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES
- 完整缺口与补数路径
- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE

实验卡续页: F01-PARTICIPANT-MIX-PROXY

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionMAKER_FILTER

dataL1

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- RENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | identical maker without the tested signal gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | proxy event through child fill, cancel, and 5s markout
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD

检验设计（续）

- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
 - 外部来源目录解析 | NONE

实验卡 ID: F02-FEE-STRUCTURE-EFFECT

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data L1

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F02-FEE-STRUCTURE-EFFECT
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F02-FEE-STRUCTURE-EFFECT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 82c83dc34777aaf80a20359ca738d29948051dd9d4f30543e6877edd5c5b7b4d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Exact series, date, role, and account fee facts change whether a child should make, take, or abstain.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [versioned exact fee lookup changes the frozen child's marginal net edge sign], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | fee-aware routing has no incremental PnL or fee facts cannot reconcile to account charges

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | fee chooses action eligibility and order role, not a market direction
- 信号证伪 | fee-aware routing has no incremental PnL or fee facts cannot reconcile to account charges

信号与当前证据（续）

- 预测/持有区间 | each intended fill through order-level fee accumulation and exit
- 触发信号 | versioned exact fee lookup changes the frozen child's marginal net edge sign
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [versioned exact fee lookup changes the frozen child's marginal net edge sign] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY
- 基准类型 | CUSTOM_EXECUTABLE

执行场所与基准策略（续）

- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: F02-FEE-STRUCTURE-EFFECT

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionROUTER
- dataL1
- venuePOLICY_ROUTER_OVER_KALSHI
- AUTHORITYNONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFRERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | each intended fill through order-level fee accumulation and exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.

检验设计（续）

- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: F03-NEW-MARKET-COLD-START

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F03-NEW-MARKET-COLD-START
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F03-NEW-MARKET-COLD-START
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 40455025c068bad11166b4212c47e9630775e36c4f67ed9c71f0136e7a01c356
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Waiting for a new market to pass topology, depth, and activity readiness gates improves maker PnL over quoting immediately after listing.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [market age plus two-sided uptime, depth, and activity pass the frozen readiness gate], the registered MAKER_SPREAD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | delayed start does not beat immediate quoting or eliminates nearly all capacity

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | start the same two-sided maker only after readiness; listing age supplies no side
- 信号证伪 | delayed start does not beat immediate quoting or elimin

信号与当前证据（续）

- ates nearly all capacity
- 预测/持有区间 | listing through readiness, fills, and UTC-day close
- 触发信号 | market age plus two-sided uptime, depth, and activity pass the frozen readiness gate
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | cancel sibling, reconcile, then bounded reduce-only IO C
- 交易哪一边 | TWO_SIDED_YES_NORMALIZED
- 停止条件 | gap | stale_book | unknown_fee | position_mismatch
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick-valid bid/ask offsets from executable book
- 动作 profile | MAKER_SPREAD
- 数量规则 | one contract per active side until capacity is proven
- 登记的 signal -> action | IF [market age plus two-sided uptime, depth, and activity pass the frozen readiness gate] THEN apply [MAKER_SPREAD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When the registered eligibility and net-edge trigger is true, place one post-only quote on each permitted side; cancel both when the trigger becomes false, the book gaps, or data is stale.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | decision clock plus measured placement/cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTIO

实验卡续页: F03-NEW-MARKET-COLD-START

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | listing through readiness, fills, and UTC-day close
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: F04-CROSS-SECTIONAL-RANK

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data L1

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F04-CROSS-SECTIONAL-RANK
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F04-CROSS-SECTIONAL-RANK
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 9b521df58d87f1d585728f797e046c28c5a89dbe2b88882789c9794d3e924c22
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Ranking comparable markets by past-only expected net edge allocates a fixed child action better than equal-weight or all-eligible routing.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [market enters the frozen top rank after root, liquidity, and phase matching], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | ranked child PnL does not beat equal-weight and best simple selector out of sample

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | rank selects a confirmed child and inherits its side unchanged
- 信号证伪 | ranked child PnL does not beat equal-weight and best s

信号与当前证据（续）

- imple selector out of sample
- 预测/持有区间 | ranking rebalance through child root-event and UTC-day PnL
- 触发信号 | market enters the frozen top rank after root, liquidity, and phase matching
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [market enters the frozen top rank after root, liquidity, and phase matching] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
 - 可比性 | same roots, capital, risk caps and execution engine
 - 基准策略 | best fixed child chosen without holdout information
 - 次级基准 | NO_TRADE_SAME_OPPORTUNITIES
- ### 现金 PnL 合约
- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
 - PnL 口径 | PATHWISE_AFTER_COST
 - 容量规则 | no linear extrapolation beyond executable depth and tested size
 - 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
 - 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
 - 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
 - markout 边界 | mid/markout is diagnostic and never cash PnL
 - PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
 - 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | L1

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API

实验卡续页: F04-CROSS-SECTIONAL-RANK

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionROUTER
- dataL1
- venuePOLICY_ROUTER_OVER_KALSHI
- AUTHORITYNONE

完整缺口与补数路径（续）

- candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | ranking rebalance through child root-event and UTC-day PnL
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio

检验设计（续）

- evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | NONE

实验卡 ID: F05-SCANNER-SPREAD-FLOW-DEPTH

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data L1_L2

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F05-SCANNER-SPREAD-FLOW-DEPTH
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F05-SCANNER-SPREAD-FLOW-DEPTH
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 06195eb0011f41c96f3b0d1a8e0614637551d5f142069e6acd3cfd50673796f1
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A spread, flow, and depth scanner selects child opportunities with higher fee-after PnL than any one scanner input alone.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [frozen composite scanner score passes the opportunity and data-quality gates], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | composite selector fails to beat spread-only, flow-only, and depth-only baselines

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | scanner selects only; the registered child supplies side and order semantics
- 信号证伪 | composite selector fails to beat spread-only, flow-only,

信号与当前证据（续）

- and depth-only baselines
- 预测/持有区间 | trigger through child fill, exit, and day result
- 触发信号 | frozen composite scanner score passes the opportunity and data-quality gates
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [frozen composite scanner score passes the opportunity and data-quality gates] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES
- 现金 PnL 合约
- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | L1_L2

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own

实验卡续页: F05-SCANNER-SPREAD-FLOW-DEPTH

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionROUTER
- dataL1_L2
- venuePOLICY_ROUTER_OVER_KALSHI
- AUTHORITYNONE

完整缺口与补数路径（续）

- n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | trigger through child fill, exit, and day result

检验设计（续）

- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: F06-NICHE-COMPOSITE

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data L1_L2

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F06-NICHE-COMPOSITE
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F06-NICHE-COMPOSITE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 94430fe256fc327da13793ba76cea0db904f97429732a60cdee7eaa8e2f882fb
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A narrow sport, structure, phase, and liquidity niche retains incremental child PnL after matched controls and concentration tests.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [all frozen niche dimensions match and the selected child is authorized], the registered ROUTER policy must improve its primary estimate against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | delete-best event, league, or day removes the increment or support is insufficient

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | niche selects the child but does not alter its side
- 信号证伪 | delete-best event, league, or day removes the increment or support is insufficient

信号与当前证据（续）

- 预测/持有区间 | niche episode through child exit and day-level concentration
- 触发信号 | all frozen niche dimensions match and the selected child is authorized
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [all frozen niche dimensions match and the selected child is authorized] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY
- 基准类型 | CUSTOM_EXECUTABLE

执行场所与基准策略（续）

- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurements; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SAMPLE_TOO_SMALL | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: F06-NICHE-COMPOSITE

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionROUTER
- dataL1_L2
- venuePOLICY_ROUTER_OVER_KALSHI
- AUTHORITY_NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SAMPLE_TOO_SMALL; stage=INFERENCE; missing=Eligible independent roots/events are too sparse for the frozen estimand.; 补数/建设=Accrue to the preregistered end or close as not estimable; do not pool away the niche.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information

检验设计（续）

- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | niche episode through child exit and day-level concentration
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: F07-LOW-OCC-INDEPENDENT-FAIR

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F07-LOW-OCC-INDEPENDENT-FAIR
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F07-LOW-OCC-INDEPENDENT-FAIR
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | c67f89ae2351a984bcc134cdc8c2064b2b16acd1ae6a6a82e86f26031e8df062
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A low-occupancy market with a genuinely independent stable fair value supports a one-contract maker after a dverse-selection costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [occupancy is below threshold and an audited independent fair plus spread gate passes], the registered MAKER_SPREAD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | empty books produce no fills, informed fills dominate, or the fair is not independent

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | quote around the independent fair; missing or circular fair means no order
- 信号证伪 | empty books produce no fills, informed fills dominate, or

信号与当前证据（续）

- the fair is not independent
- 预测/持有区间 | quote lifetime through fill, cancel, and bounded exit
- 触发信号 | occupancy is below threshold and an audited independent fair plus spread gate passes
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | cancel sibling, reconcile, then bounded reduce-only IO C
- 交易哪一边 | TWO_SIDED_YES_NORMALIZED
- 停止条件 | gap | stale_book | unknown_fee | position_mismatch
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick-valid bid/ask offsets from executable book
- 动作 profile | MAKER_SPREAD
- 数量规则 | one contract per active side until capacity is proven
- 登记的 signal -> action | IF [occupancy is below threshold and an audited independent fair plus spread gate passes] THEN apply [MAKER_SPREAD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When the registered eligibility and net-edge trigger is true, place one post-only quote on each permitted side; cancel both when the trigger becomes false, the book gaps, or data is stale.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | decision clock plus measured placement/cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr

执行场所与基准策略（续）

- y grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1_L2

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=PARTIAL
- 目前可计算 | The base feed may exist, but this experiment's named signal input is absent; current signal incidence and effect are not calculable.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_MODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fee and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | MISSING_SIGNAL_INPUT | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT

实验卡续页: F07-LOW-OCC-INDEPENDENT-FAIR

- targetEXECUTABLE_STRATEGY
- currentBLOCKED
- actionMAKER_SPREAD
- dataL1_L2
- venueKALSHI_CLOB
- AUTHORITYNONE

完整缺口与补数路径（续）

- _ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=MISSING_SIGNAL_INPUT; stage=SIGNAL; missing=No independent fair-value source or model with non-circular inputs is available.; 补数/建设=Register the fair model/source, its inputs and as-of clock; prove no contemporaneous target-book leakage.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote lifetime through fill, cancel, and bounded exit

检验设计（续）

- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: F08-SPORT-FACTORY

target RESEARCH_QUESTION

current RESEARCH_QUESTION

action NO_ACTION

data CATALOG

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F08-SPORT-FACTORY
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F08-SPORT-FACTORY
- 卡片版本 | 1
- 阻断自 | NOT_APPLICABLE / 不是策略
- 当前类别 | RESEARCH_QUESTION
- 生命周期 | REGISTERED_RESEARCH_ONLY
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 738596f219f961bfda7892ce48fa15f103af83687a69a80db3bc1fc09f7be34e
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Mechanism effects differ across captured s ports, so each sport must retain its own support and falsifier instead of being pooled away.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [a captured sport and atomic owner pair emits a support or zero-support row] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | sport interaction is unsupported and the pooled mechanism is stable under leave-one-sport tests

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | factory only; no order and no side
- 信号证伪 | sport interaction is unsupported and the pooled mechanism is stable under leave-one-sport tests
- 预测/持有区间 | owner-defined horizon with sport-stratified reporting

信号与当前证据（续）

- g
- 触发信号 | a captured sport and atomic owner pair emits a support or zero-support row
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | DESCRIPTIVE_ONLY
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE

现金 PnL 合约（续）

- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | CATALOG
- 输入 inputs | KALSHI_CATALOG_AND_MARKET_RULES
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Schema/coverage only; no action or cash PnL.
- data blockers | NONE
- 缺失数据 missing | versioned semantics for any unsupported instrument
- 采集/建设路径 acquisition_paths | Kalshi public catalog/rules captured by exact version
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | NONE
- critical_gaps | NONE

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE

外部体育数据契约（续）

- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner-defined horizon with sport-stratified reporting
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | Kalshi public catalog/rules captured by exact version
- 外部来源目录解析 | NONE

实验卡 ID: F09-TENNIS-BO3-BO5

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data EXTERNAL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F09-TENNIS-BO3-BO5
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F09-TENNIS-BO3-BO5
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 766a50947853f54ea2ff8bdd2388f1e27669e13ced5361a21cf4641405561e03
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Authoritative best-of-three versus best-of-five format changes Tennis state transitions or a bound child policy's PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [point-in-time authoritative match-format label joins a Tennis market before decision] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | matched BO3 and BO5 effects are equal or form at support is too small

信号与当前证据

- 决策时钟 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | format selects a child stratum only; it never supplies side
- 信号证伪 | matched BO3 and BO5 effects are equal or format supp

信号与当前证据（续）

- ort is too small
- 预测/持有区间 | match-format stratum through owner-defined exit or terminal
- 触发信号 | point-in-time authoritative match-format label joins a Tennis market before decision
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_EXTERNAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | EXTERNAL
- 输入 inputs | EXTERNAL_SPORTS_ASOF | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No score, serve, injury, lineup or external-odds feed is present in the exact DeepResearch data. Price proxies are forbidden.
- data blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺失数据 missing | licensed direct sports/odds source | source event timestamp and local receive clocks | versioned event/market mapping and point-in-time snapshots
- 采集/建设路径 acquisition_paths | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | EXTERNAL_API_UNVERIFIED | EXTERNAL_SPORTS_DATA_MISSING | TIMESTAMP_SEMANTICS_UNKNOWN

完整缺口与补数路径（续）

- WN
- 缺口 01 | blocker=EXTERNAL_API_UNVERIFIED; stage=SIGNAL; missing=API fields, coverage, point-in-time behavior, license or cost are unverified.; 补数/建设=Run a read-only provider canary and schema/clock/license/spend audit before admitting a release.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=EXTERNAL_SPORTS_DATA_MISSING; stage=SIGNAL; missing=The named direct sports-state or odds variables are absent.; 补数/建设=Capture an approved official/licensed source forward, or buy a point-in-time historical product after license review.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=TIMESTAMP_SEMANTICS_UNKNOWN; stage=SIGNAL; missing=Publication/event/as-of and local receive clocks are not proven causal.; 补数/建设=Retain raw payloads plus source, wall and monotonic receive clocks; audit revisions and future-as-of sentinels.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING
- 外部数据 blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 外部体育依赖 | REQUIRED
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED
- 缺失策略 | BLOCK_NO_IMPUTE
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 代理禁区 | Do not infer score, serve, inning, pitch, injury, lineup, round, cut, or external odds from Kalshi price/order flow.
- 所需直接变量 | authoritative best-of-three or best-of-five format | set/game/point score and server if used | provider event/publication timestamp | local receive wall clock and monotonic clock | versioned provider-event-to-Kalshi root/market/outcome mapping
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR

实验卡续页: F09-TENNIS-BO3-BO5

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data EXTERNAL

venue NONE

AUTHORITY NONE

外部体育数据契约（续） • <code>_CAPTURED</code>; <code>live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT</code>; <code>historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT</code> 检验设计 • 时间规则 <code>EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY</code> • 比较方法 <code>signal/control contrast only</code>; <code>no executable comparison</code> • 入样资格 <code>past-only</code>, <code>gap-free</code>, <code>exact-release-bound card-specific gate</code> • 冻结区间 <code>match-format stratum through owner-defined exit or terminal</code> • 最低证据 <code>independent days and roots</code>, <code>zeros retained</code>, <code>root/day clustered uncertainty</code>, <code>untouched validation and confirmation</code> • 多重检验族 <code>DEEP03-F-BREADTH</code> • 重叠与优先级 <code>No card-specific overlap exception registered</code>; <code>shared roots</code>, <code>orders</code>, <code>capital</code> and <code>PnL</code> must be <code>deduplicated</code> at portfolio evaluation. • 切分状态 <code>NOT_FROZEN_FOR_THIS_CARD</code> • 停止规则 <code>Fail or remain blocked</code>; <code>never extend data because the observed result is unprofitable or insignificant</code>. • 检验单元 <code>ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY</code> 下一步证据 • 外部来源 ID <code>KALSHI_MILESTONES_LIVE_DATA</code> <code>THE_ODDS_API</code> <code>OPTICODDS</code> <code>SPORTRADAR</code> • 补齐 PnL <code>define a deterministic action</code>, <code>executable baseline</code> and <code>PnL first</code> • 补齐信号 <code>append-only Kalshi Milestones/Live Data capture for direct labels</code> <code>licensed provider historical backfill where point-in-time semantics exist</code> <code>forward commercial real-time feed with raw bytes and dual receive clocks</code> • 外部来源目录解析 <code>KALSHI_MILESTONES_LIVE_DATA</code>: <code>status=AVAILABLE_API_NOT_CAPTURED</code>; <code>live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT</code>; <code>historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME</code> <code>THE_ODDS_API</code>: <code>status=CANDIDATE_NOT_LICENSED_OR_CAPTURED</code>; <code>live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION</code>; <code>historical=PREGAME_SNAPSHOT_CANDIDATE</code> <code>OPTICODDS</code>: <code>status=CANDIDATE_NOT_LICENSED_OR_CAPTURED</code>; <code>live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT</code>; <code>historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT</code> <code>SPORTRADAR</code>: <code>status=CANDIDATE_NOT_LICENSED_OR_CAPTURED</code>; <code>live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT</code>; <code>historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT</code>			
--	--	--	--

实验卡 ID: F10-BASEBALL-ONE-SIDE

target EXECUTABLE_STRATEGY

current BLOCKED

action PASSIVE_FADE

data L1_L2

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F10-BASEBALL-ONE-SIDE
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F10-BASEBALL-ONE-SIDE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | ff41e9e0ac84c9e837b5e7434a9561fdae3e216055607cd4062f1f1d305b9bb3
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Baseball one-sided-book episodes admit a missing-side passive quote with positive fee-after PnL without infer ring inning or pitch state.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [authoritative Baseball identity plus persistent bid-only or ask-only state passes gates], the registered PASSIVE_FADE policy must i mprove its primary estimand against the registered baseline; other wise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPn L versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at t he first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after eve ry registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | strict missing-side fills are absent or their advers e loss exceeds spread capture

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | post the explicitly missing book side; no inning, pitch, or score is inferred
- 信号证伪 | strict missing-side fills are absent or their adverse loss

信号与当前证据（续）

- exceeds spread capture
- 预测/持有区间 | one-sided dwell through fill, recovery, or forced exi t
- 触发信号 | authoritative Baseball identity plus persistent bid-only or ask-only state passes gates
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | PNL_NOT_ESTIMATED
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL
- 当前执行权限 | NONE
- 退出/结算 | time exit or state-recovery exit at executable price
- 交易哪一边 | DERIVED_BY_SIGNAL_WITH_YES_NO_MAPPING
- 停止条件 | continuation | timeout | gap | external_state_missing
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick at or behind the restored side
- 动作 profile | PASSIVE_FADE
- 数量规则 | one contract until real-fill calibration passes
- 登记的 signal -> action | IF [authoritative Baseball identity plus per sistent bid-only or ask-only state passes gates] THEN apply [PAS SIVE_FADE] exactly as specified below; ELSE preserve the regist ered baseline/no-trade branch.
- 具体信号到动作映射 | Place a post-only quote on the registered mi ssing/cheap side only inside the eligible state; cancel on timeout or continuation.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | frozen fade horizon and measured cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr y grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE

执行场所与基准策略（续）

- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and te sted size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per _day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(resi dual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_register ed_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contri bute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role =CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned ser ies/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rou nding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_ MODELED; role=EXECUTION_MODEL_INPUT; rule=use executa ble ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for request ed quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSI NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unle ss actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; r ole=OPERATING_EXPENSE; rule=peak collateral, capital-time an d capacity reported separately

当前可算、数据与日期

- data profile | L1_L2
- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALI D_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after _shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_e

当前可算、数据与日期（续）

- vent=YES; strict_fill=PARTIAL
- 目前可计算 | L1 signal and 3-clean-day L2 mechanism measurem ents; no own-order, fee-after or realized PnL.
- data blockers | OWN_ORDER_CALIBRATION_MISSING | FILL_M ODEL_MISSING | FEE_UNKNOWN | LATENCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | own fills/queue/cancel-effective state | exact fe e and latency path | additional clean L2 dates
- 采集/建设路径 acquisition_paths | existing L1/L2 collectors | statefu l shadow order ledger | private fills and acknowledgements after se parate authority
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | I NSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSIN G | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and recon cile simulated fees to private account charges.; API candidates=N ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE RENCE; missing=Independent clean dates/roots are below the fro zen evidence requirement.; 补数/建设=Continue the automatic seal ed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT _ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTIO N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at

实验卡续页: F10-BASEBALL-ONE-SIDE

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionPASSIVE_FADE

dataL1_L2

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | one-sided dwell through fill, recovery, or forced exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing L1/L2 collectors | stateful shadow order ledger | private fills and acknowledgements after separate authority
- 外部来源目录解析 | NONE

实验卡 ID: F11-GOLF-THIN-LONG-LIFECYCLE

target EXECUTABLE_STRATEGY

current BLOCKED

action MAKER_SPREAD

data L1

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F11-GOLF-THIN-LONG-LIFECYCLE
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F11-GOLF-THIN-LONG-LIFECYCLE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 436b0e8cde8f5dcca79e49863ddb87036334240fb5f6736fb94f488ce502d36b
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Observable Golf market thinness and long lifecycle identify an internal one-contract passive window that survives fill, capital, and terminal risk.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [authoritative Golf identity plus catalog age and a frozen thin-book spread/liquidity gate], the registered MAKER_SPREAD policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | capital duration, no-fill rate, or terminal tail erases spread economics

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | quote the registered two-sided book without inferring round, cut, score, or field state
- 信号证伪 | capital duration, no-fill rate, or terminal tail erases spread economics

信号与当前证据（续）

- d economics
- 预测/持有区间 | quote lifetime through executable exit or tournament terminal
- 触发信号 | authoritative Golf identity plus catalog age and a frozen thin-book spread/liquidity gate
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | DESCRIPTIVE_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | PLACE_PASSIVE_QUOTE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | cancel sibling, reconcile, then bounded reduce-only IO
- 交易哪一边 | TWO_SIDED_YES_NORMALIZED
- 停止条件 | gap | stale_book | unknown_fee | position_mismatch
- 订单类型 | POST_ONLY_LIMIT
- 价格规则 | registered tick-valid bid/ask offsets from executable book
- 动作 profile | MAKER_SPREAD
- 数量规则 | one contract per active side until capacity is proven
- 登记的 signal -> action | IF [authoritative Golf identity plus catalog age and a frozen thin-book spread/liquidity gate] THEN apply [MAKER_SPREAD] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | When the registered eligibility and net-edge trigger is true, place one post-only quote on each permitted side; cancel both when the trigger becomes false, the book gaps, or data is stale.
- 动作状态 | DEFINED_FOR_BACKTEST_DESIGN
- 时序与撤单 | decision clock plus measured placement/cancel latency

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; register

执行场所与基准策略（续）

- y grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | L1

当前可算、数据与日期（续）

- 输入 inputs | KALSHI_L1 | PUBLIC_TRADES | CATALOG
- 当前能算 can_compute_now | conditional_markout=YES; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=YES; strict_fill=PARTIAL
- 目前可计算 | 8 exact V3 dates can describe L1/trade signal incidence and conditional markout; this is not executable PnL.
- data blockers | FILL_MODEL_MISSING | FEE_UNKNOWN | LATE_NCY_UNMEASURED | INSUFFICIENT_QUALITY_DATES
- 缺失数据 missing | strategy-specific stateful strict-fill replay | versioned exact fee/rounding at each simulated fill | measured placement/cancel/exit latency | untouched quality dates for validation
- 采集/建设路径 acquisition_paths | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | YES

完整缺口与补数路径

- 完整卡级 blockers | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: F11-GOLF-THIN-LONG-LIFECYCLE

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionMAKER_SPREAD

dataL1

venueKALSHI_CLOB

AUTHORITYNONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING_OPTIONAL_REFINEMENT
- 外部数据 blockers | NONE
- 外部体育依赖 | OPTIONAL_REFINEMENT
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED
- 缺失策略 | DO_NOT_IMPUTE_CORE_MAY_RUN_WITHOUT_FIELD
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | OPTICODDS | SPORTRADAR
- 代理禁区 | The core experiment keeps its internal proxy label and never renames it as actual sports state.
- 所需直接变量 | tournament round, cut status and field status
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SSE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | quote lifetime through executable exit or tournament terminal

检验设计（续）

- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | KALSHI_MILESTONES_LIVE_DATA | OPTICODDS | SPORTRADAR
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | existing sealed Kalshi L1/trade pipeline | shadow engine actual decision and order-state ledgers | Kalshi private fills for later micro-live reconciliation
- 外部来源目录解析 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SSE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡 ID: F12-EXTERNAL-ODDS-LEADLAG

target EXECUTABLE_STRATEGY

current BLOCKED

action EXTERNAL_ACTION

data EXTERNAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F12-EXTERNAL-ODDS-LEADLAG
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F12-EXTERNAL-ODDS-LEADLAG
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | f53f488f1950034fa4d012a525ec5ac884fb56ad8556182f120112d8e74ee95a
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A licensed external-odds update leads the mapped Kalshi executable price by more than provider latency and total trading cost.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [verified external fair-value update creates a mapped executable discrepancy above cost], the registered EXTERNAL_ACTION policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | lead disappears under publication/receive clocks or net PnL is non-positive

信号与当前证据

- 决策时钟 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | buy the Kalshi outcome underpriced relative to the audited external mapping

信号与当前证据（续）

- 信号证伪 | lead disappears under publication/receive clocks or net PnL is non-positive
- 预测/持有区间 | provider publication through Kalshi repricing or frozen exit
- 触发信号 | verified external fair-value update creates a mapped executable discrepancy above cost
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_EXTERNAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | TAKE_LIQUIDITY
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit or explicitly bound settlement
- 交易哪一边 | DERIVED_FROM_VERIFIED_EXTERNAL_TO_KALSHI_MAPPING
- 停止条件 | external_stale | mapping_unverified | license_unknown | clock_unknown
- 订单类型 | CANCEL_OR_MARKETABLE_LIMIT
- 价格规则 | verified external fair value versus executable Kalshi L2
- 动作 profile | EXTERNAL_ACTION
- 数量规则 | depth- and latency-bounded one-contract pilot
- 登记的 signal -> action | IF [verified external fair-value update creates a mapped executable discrepancy above cost] THEN apply [EXTERNAL_ACTION] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | After a verified external event/odds update with trustworthy event time, cancel stale quotes or trade only the registered venue-price discrepancy; no proxy or imputation is allowed.
- 动作状态 | DEFINED_BUT_EXTERNAL_DATA_BLOCKED
- 时序与撤单 | external event time, ingest time, and venue send time all retained

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=DATA_API; status=MISSING; role=OPERATING_EXPENSE; rule=provider subscription, redistribution and historical b

成本逐项（续）

- ackfill cost

当前可算、数据与日期

- data profile | EXTERNAL
- 输入 inputs | EXTERNAL_SPORTS_ASOF | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No score, serve, injury, lineup or external-odds feeds present in the exact DeepResearch data. Price proxies are forbidden.
- data blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺失数据 missing | licensed direct sports/odds source | source event timestamp and local receive clocks | versioned event/market mapping and point-in-time snapshots
- 采集/建设路径 acquisition_paths | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | EXTERNAL_API_UNVERIFIED | EXTERNAL_SPORTS_DATA_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺口 01 | blocker=EXTERNAL_API_UNVERIFIED; stage=SIGNAL; missing=API fields, coverage, point-in-time behavior, license or cost are unverified.; 补数/建设=Run a read-only provider canary and schema/clock/license/spend audit before admitting a release.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=EXTERNAL_SPORTS_DATA_MISSING; stage=

实验卡续页: F12-EXTERNAL-ODDS-LEADLAG

target EXECUTABLE_STRATEGY

current BLOCKED

action EXTERNAL_ACTION

data EXTERNAL

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- SIGNAL; missing=The named direct sports-state or odds variables are absent.; 补数/建设=Capture an approved official/licensed source forward, or buy a point-in-time historical product after license review.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=TIMESTAMP_SEMANTICS_UNKNOWN; stage=SIGNAL; missing=Publication/event/as-of and local receive clocks are not proven causal.; 补数/建设=Retain raw payloads plus source, wall and monotonic receive clocks; audit revisions and future-as-of sentinels.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING
- 外部数据 blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 外部体育依赖 | REQUIRED
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED

外部体育数据契约（续）

- 缺失策略 | BLOCK_NO_IMPUTE
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 代理禁区 | Do not infer score, serve, inning, pitch, injury, lineup, round, cut, or external odds from Kalshi price/order flow.
- 所需直接变量 | bookmaker, market, selection and decimal price | provider price-change event time and suspension state | provider event/publication timestamp | local receive wall clock and monotonic clock | versioned provider-event-to-Kalshi root/market/outcome mapping
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

检验设计

- 时间规则 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | provider publication through Kalshi repricing or frozen exit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accountin

下一步证据（续）

- g
- 补齐信号 | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- 外部来源目录解析 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡 ID: F13-EXTERNAL-SPORT-STATE

target EXECUTABLE_STRATEGY

current BLOCKED

action EXTERNAL_ACTION

data EXTERNAL

venue KALSHI_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F13-EXTERNAL-SPORT-STATE
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F13-EXTERNAL-SPORT-STATE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | f084732ec9f893293b23bfc81213b3f055d03a600da354ab42a3adb114fe113d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A licensed score, serve, injury, lineup, or official state change leads a mapped Kalshi repricing enough for cancellation or trade.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [verified point-in-time sport-state event changes the audited contract fair value above cost], the registered EXTERNAL_ACTION policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | state event has no latency-adjusted executable effect or data timing is unverifiable

信号与当前证据

- 决策时钟 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | derive side from the explicit state-to-payout mapping; missing fields never impute direction

信号与当前证据（续）

- 信号证伪 | state event has no latency-adjusted executable effect or data timing is unverifiable
- 预测/持有区间 | source publication through venue reaction, stop, or terminal
- 触发信号 | verified point-in-time sport-state event changes the audited contract fair value above cost
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_EXTERNAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CANCEL | REPRICE | TAKE_LIQUIDITY
- 当前执行权限 | NONE
- 退出/结算 | time/reversal exit or explicitly bound settlement
- 交易哪一边 | DERIVED_FROM_VERIFIED_EXTERNAL_TO_KALSHI_MAPPING
- 停止条件 | external_stale | mapping_unverified | license_unknown | clock_unknown
- 订单类型 | CANCEL_OR_MARKETABLE_LIMIT
- 价格规则 | verified external fair value versus executable Kalshi L2
- 动作 profile | EXTERNAL_ACTION
- 数量规则 | depth- and latency-bounded one-contract pilot
- 登记的 signal -> action | IF [verified point-in-time sport-state event changes the audited contract fair value above cost] THEN apply [EXTERNAL_ACTION] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | After a verified external event/odds update with trustworthy event time, cancel stale quotes or trade only the registered venue-price discrepancy; no proxy or imputation is allowed.
- 动作状态 | DEFINED_BUT_EXTERNAL_DATA_BLOCKED
- 时序与撤单 | external event time, ingest time, and venue send time all retained

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_CLOB

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | NO_TRADE_SAME_OPPORTUNITIES
- 基准类型 | NO_TRADE
- 可比性 | same roots, clock, capital availability and data exclusions
- 基准策略 | record every eligible opportunity with zero cash flow
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = executed_cash_in - executed_cash_out - exact_venue_fees - realized_variable_costs + terminal_value(residual_inventory)
- 相对基准增量 PnL | DeltaPnL = NetPnL_strategy - NetPnL_registered_baseline
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=DATA_API; status=MISSING; role=OPERATING_EXPENSE; rule=provider subscription, redistribution and historical b

成本逐项（续）

- ackfill cost

当前可算、数据与日期

- data profile | EXTERNAL
- 输入 inputs | EXTERNAL_SPORTS_ASOF | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No score, serve, injury, lineup or external-odds feeds present in the exact DeepResearch data. Price proxies are forbidden.
- data blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺失数据 missing | licensed direct sports/odds source | source event timestamp and local receive clocks | versioned event/market mapping and point-in-time snapshots
- 采集/建设路径 acquisition_paths | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | EXTERNAL_API_UNVERIFIED | EXTERNAL_SPORTS_DATA_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSTRUMENT_MAPPING_UNKNOWN | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺口 01 | blocker=EXTERNAL_API_UNVERIFIED; stage=SIGNAL; missing=API fields, coverage, point-in-time behavior, license or cost are unverified.; 补数/建设=Run a read-only provider canary and schema/clock/license/spend audit before admitting a release.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=EXTERNAL_SPORTS_DATA_MISSING; stage=

实验卡续页: F13-EXTERNAL-SPORT-STATE

target EXECUTABLE_STRATEGY

current BLOCKED

action EXTERNAL_ACTION

data EXTERNAL

venue KALSHI_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- SIGNAL; missing=The named direct sports-state or odds variables are absent.; 补数/建设=Capture an approved official/licensed source forward, or buy a point-in-time historical product after license review.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=INSTRUMENT_MAPPING_UNKNOWN; stage=SIGNAL; missing=Outcome, root, leg or external-event mapping is not authoritative.; 补数/建设=Build a versioned catalog/rules mapping with manual exception review and exact hash receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 09 | blocker=TIMESTAMP_SEMANTICS_UNKNOWN; stage=SIGNAL; missing=Publication/event/as-of and local receive clocks are not proven causal.; 补数/建设=Retain raw payloads plus source, wall and monotonic receive clocks; audit revisions and future-as-of sentinels.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING
- 外部数据 blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 外部体育依赖 | REQUIRED
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED

外部体育数据契约（续）

- 缺失策略 | BLOCK_NO_IMPUTE
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 代理禁区 | Do not infer score, serve, inning, pitch, injury, lineup, round, cut, or external odds from Kalshi price/order flow.
- 所需直接变量 | sport-specific score, period/set/inning/round and game clock | serve, possession, outs/bases, lineup or injury only when named by the card | provider event/publication timestamp | local receive wall clock and monotonic clock | versioned provider-event-to-Kalshi root/market/outcome mapping
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SSSE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

检验设计

- 时间规则 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | record every eligible opportunity with zero cash flow
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | source publication through venue reaction, stop, or terminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accountin

下一步证据（续）

- g
- 补齐信号 | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- 外部来源目录解析 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SSSE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡 ID: F14-PROVIDER-PRICE-LATENCY-TIER

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data EXTERNAL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F14-PROVIDER-PRICE-LATENCY-TIER
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F14-PROVIDER-PRICE-LATENCY-TIER
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 8dbb8d67b1bf4515a78aad59e5d541001e2611186a876685b953694ee1462af
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Provider usefulness depends on effective point-in-time coverage, latency, reliability, license, and cost rather than nominal feed speed.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [two or more verified provider streams expose comparable publication and receive timestamps] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; not PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | no provider has positive value after latency, missingness, and commercial cost

信号与当前证据

- 决策时钟 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | provider-selection diagnostic only; it submits no order
- 信号证伪 | no provider has positive value after latency, missingness, and commercial cost

信号与当前证据（续）

- 预测/持有区间 | publication-to-receive latency distribution and daily coverage
- 触发信号 | two or more verified provider streams expose comparable publication and receive timestamps
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_EXTERNAL
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | EXTERNAL
- 输入 inputs | EXTERNAL_SPORTS_ASOF | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No score, serve, injury, lineup or external-odds feed is present in the exact DeepResearch data. Price proxies are forbidden.
- data blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺失数据 missing | licensed direct sports/odds source | source event timestamp and local receive clocks | versioned event/market mapping and point-in-time snapshots
- 采集/建设路径 acquisition_paths | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | EXTERNAL_API_UNVERIFIED | EXTERNAL_SPORTS_DATA_MISSING | TIMESTAMP_SEMANTICS_UNKNOWN

完整缺口与补数路径（续）

- WN
- 缺口 01 | blocker=EXTERNAL_API_UNVERIFIED; stage=SIGNAL; missing=API fields, coverage, point-in-time behavior, license or cost are unverified.; 补数/建设=Run a read-only provider canary and schema/clock/license/spend audit before admitting a release.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=EXTERNAL_SPORTS_DATA_MISSING; stage=SIGNAL; missing=The named direct sports-state or odds variables are absent.; 补数/建设=Capture an approved official/licensed source forward, or buy a point-in-time historical product after license review.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=TIMESTAMP_SEMANTICS_UNKNOWN; stage=SIGNAL; missing=Publication/event/as-of and local receive clocks are not proven causal.; 补数/建设=Retain raw payloads plus source, wall and monotonic receive clocks; audit revisions and future-as-of sentinels.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING
- 外部数据 blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 外部体育依赖 | REQUIRED
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED
- 缺失策略 | BLOCK_NO_IMPUTE
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 代理禁区 | Do not infer score, serve, inning, pitch, injury, lineup, round, cut, or external odds from Kalshi price/order flow.
- 所需直接变量 | same odds update from each named provider | provider event time, provider publication time and local receive time | provider event/publication timestamp | local receive wall clock and monotonic clock | versioned provider-event-to-Kalshi root/market/outcome mapping
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_L

实验卡续页: F14-PROVIDER-PRICE-LATENCY-TIER

targetRESEARCH_QUESTION

currentBLOCKED

actionNO_ACTION

dataEXTERNAL

venueNONE

AUTHORITYNONE

外部体育数据契约（续）

- IMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

检验设计

- 时间规则 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | publication-to-receive latency distribution and daily coverage
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | append-only Kalshi Milestones/Live Data capture for direct labels | licensed provider historical backfill where point-in-time semantics exist | forward commercial real-time feed with raw bytes and dual receive clocks
- 外部来源目录解析 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡 ID: F15-BLINDNESS-EVPI

target RESEARCH_QUESTION

current BLOCKED

action CONTROL_ONLY

data OWNER_EVPI

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F15-BLINDNESS-EVPI
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F15-BLINDNESS-EVPI
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | eaf9dd6d25ac461a9d5c684b47b3efc69e19402f188b518c5852f8a0aea3879b
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A non-causal future-information oracle on the same internal L1/L2 paths bounds how much loss an ideal external signal could avoid.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [an internal blind owner decision and its later same-path L1/L2 outcome can be paired with the frozen oracle rule] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | oracle-minus-blind upper bound is below any plausible provider and implementation cost

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | future-information upper-bound control only; the oracle is never a live signal or order action
- 信号证伪 | oracle-minus-blind upper bound is below any plausible

信号与当前证据（续）

- provider and implementation cost
- 预测/持有区间 | owner decision through its internal future-path outcome and avoided-loss ceiling
- 触发信号 | an internal blind owner decision and its later same-path L1/L2 outcome can be paired with the frozen oracle rule
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | CONTROL_ONLY
- 当前证据 registry_design_status | CONTROL_ONLY
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | CONTROL_ONLY
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_CONTROL_ONLY
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | OWNER_EVPI
- 输入 inputs | IMMUTABLE_OWNER_CARD_ID_REVISION_DEFINITION_SHA | OWNER_DECISION_AND_OPPORTUNITY_LEDGER | FROZEN_OWNER_LOSS_FUNCTIONAL | FROZEN_NON_CAUSAL_FUTURE_ORACLE_RULE | KALSHI_L1 | PUBLIC_TRADES | SEQUENCE_VALID_KALSHI_L2 | CATALOG
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | The future L1/L2 path exists, but EVPI is undefined until an immutable eligible owner card, its actual decision/opportunity ledger, loss functional and oracle rule are frozen.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | confirmed immutable owner card ID, revision and definition SHA | owner decision/opportunity ledger including abstentions and zeros | frozen loss functional and non-causal future-oracle rule
- 采集/建设路径 acquisition_paths | confirm an eligible owner experiment first | seal the owner's shadow decision/opportunity ledger by exact release | preregister loss and oracle functions before future-path evaluation
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=No immutable eligible owner card, decision/opportunity ledger, loss functional, or future-oracle rule is bound.; 补数/建设=Confirm and fingerprint one owner revision, seal its decision ledger, then freeze the loss functional and non-causal oracle rule before outcome reads.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner decision through its internal future-path outcome and avoided-loss ceiling
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first

实验卡续页: F15-BLINDNESS-EVPI

target RESEARCH_QUESTION

current BLOCKED

action CONTROL_ONLY

data OWNER_EVPI

venue NONE

AUTHORITY NONE

下一步证据（续） • 补齐信号 confirm an eligible owner experiment first seal the owner's shadow decision/opportunity ledger by exact release preregister loss and oracle functions before future-path evaluation • 外部来源目录解析 NONE			
--	--	--	--

实验卡 ID: F16-COURTSIDE-SPEED-OUT-OF-SCOPE

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data OUT_OF_SCOPE

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F16-COURTSIDE-SPEED-OUT-OF-SCOPE
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F16-COURTSIDE-SPEED-OUT-OF-SCOPE
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 250de0fc1afb552191f4877a92a75230f51ae860dff52a9f9fe4300dd7554b5f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Courtside-speed information would require separate legal, licensing, network, and action authority and is excluded from this program.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [none in the current program] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | not evaluated unless a new durable program explicitly admits the source and action

信号与当前证据

- 决策时钟 | EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | no order
- 信号证伪 | not evaluated unless a new durable program explicitly admits the source and action

信号与当前证据（续）

- 预测/持有区间 | not applicable
- 触发信号 | none in the current program
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | OUT_OF_SCOPE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE

现金 PnL 合约（续）

- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | OUT_OF_SCOPE
- 输入 inputs | NONE
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No computation in the current Sports program.
- data blockers | OUT_OF_SCOPE_CURRENT_PROGRAM
- 缺失数据 missing | separate program authority and registry lineage
- 采集/建设路径 acquisition_paths | new operator-approved program, if ever desired
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | EXTERNAL_API_UNVERIFIED | EXTERNAL_SPORTS_DATA_MISSING | OUT_OF_SCOPE_CURRENT_PROGRAM | TIMESTAMP_SEMANTICS_UNKNOWN
- 缺口 01 | blocker=EXTERNAL_API_UNVERIFIED; stage=SIGNAL; missing=API fields, coverage, point-in-time behavior, license or cost are unverified.; 补数/建设=Run a read-only provider canary and schema/clock/license/spend audit before admitting a release.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=EXTERNAL_SPORTS_DATA_MISSING; stage=SIGNAL; missing=The named direct sports-state or odds variables

完整缺口与补数路径（续）

- are absent.; 补数/建设=Capture an approved official/licensed source forward, or buy a point-in-time historical product after license review.; API candidates=KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=OUT_OF_SCOPE_CURRENT_PROGRAM; stage=PROGRAM; missing=The direction is excluded from the current Sports program.; 补数/建设=Keep it closed unless a new operator-approved program and lineage explicitly admit it.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=TIMESTAMP_SEMANTICS_UNKNOWN; stage=SIGNAL; missing=Publication/event/as-of and local receive clocks are not proven causal.; 补数/建设=Retain raw payloads plus source, wall and monotonic receive clocks; audit revisions and future-as-of sentinels.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | UNVERIFIED
- 可用状态 | MISSING
- 外部数据 blockers | EXTERNAL_SPORTS_DATA_MISSING | EXTERNAL_API_UNVERIFIED | TIMESTAMP_SEMANTICS_UNKNOWN
- 外部体育依赖 | REQUIRED
- 历史点时状态 | UNVERIFIED_POINT_IN_TIME
- 许可状态 | UNVERIFIED
- 缺失策略 | BLOCK_NO_IMPUTE
- 候选 provider | KALSHI_MILESTONES_LIVE_DATA | THE_ODDS_API | OPTICODDS | SPORTRADAR
- 代理禁区 | Do not infer score, serve, inning, pitch, injury, lineup, round, cut, or external odds from Kalshi price/order flow.
- 所需直接变量 | authoritative venue event time and courtside receive time | provider event/publication timestamp | local receive wall clock and monotonic clock | versioned provider-event-to-Kalshi root/market/outcome mapping
- 候选来源目录状态 | KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME | THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE | OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT | SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT

实验卡续页: F16-COURTSIDE-SPEED-OUT-OF-SCOPE

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data OUT_OF_SCOPE

venue NONE

AUTHORITY NONE

检验设计 - 时间规则 EXTERNAL_PUBLICATION_AND_LOCAL_RECEIVE_CLOCK_PAST_ONLY - 比较方法 signal/control contrast only; no executable comparison - 入样资格 past-only, gap-free, exact-release-bound card-specific gate - 冻结区间 not applicable - 最低证据 independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation - 多重检验族 DEEP03-F-BREADTH - 重叠与优先级 No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation. - 切分状态 NOT_FROZEN_FOR_THIS_CARD - 停止规则 Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant. - 检验单元 ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY 下一步证据 - 外部来源 ID KALSHI_MILESTONES_LIVE_DATA THE_ODDS_API OPTICODDS SPORTRADAR - 补齐 PnL define a deterministic action, executable baseline and PnL first - 补齐信号 new operator-approved program, if ever desired - 外部来源目录解析 KALSHI_MILESTONES_LIVE_DATA: status=AVAILABLE_API_NOT_CAPTURED; live_use=POSSIBLE_AFTER_APPEND_ONLY_CAPTURE_AND_CLOCK_AUDIT; historical=SNAPSHOT_ONLY_NOT_POINT_IN_TIME THE_ODDS_API: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=LATENCY_TOO_COARSE_FOR_UNAUDITED_FAST_ACTION; historical=PREGAME_SNAPSHOT_CANDIDATE OPTICODDS: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=SE_CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=PREGAME_ODDS_CANDIDATE_WITH_RETENTION_LIMIT SPORTRADAR: status=CANDIDATE_NOT_LICENSED_OR_CAPTURED; live_use=CANDIDATE_AFTER_COMMERCIAL_AND_CLOCK_AUDIT; historical=SPORT_AND_PRODUCT_SPECIFIC_UNKNOWN_UNTIL_CONTRACT			
---	--	--	--

实验卡 ID: F17-CRYPTO-SPOT-ANCHOR-OUT-OF-SCOPE

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data OUT_OF_SCOPE

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | F17-CRYPTO-SPOT-ANCHOR-OUT-OF-SCOPE
- 家族 | F
- 家族名称 | ECOLOGY_EXTERNAL_AND_SPORT
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | F17-CRYPTO-SPOT-ANCHOR-OUT-OF-SCOPE
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | 0ce3467bab5a6f46e3bb4010eaf33177681f9b250b1dc00156f733ce79b8d1f2
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Crypto spot anchoring has no admitted mechanism inside the Sports program and belongs to a separate registry.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [none in the Sports program] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | a separately authorized non-Sports program establishes an explicit mapped instrument

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | no order
- 信号证伪 | a separately authorized non-Sports program establishes an explicit mapped instrument
- 预测/持有区间 | not applicable

信号与当前证据（续）

- 触发信号 | none in the Sports program
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | OUT_OF_SCOPE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | OUT_OF_SCOPE
- 输入 inputs | NONE
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | No computation in the current Sports program.
- data blockers | OUT_OF_SCOPE_CURRENT_PROGRAM
- 缺失数据 missing | separate program authority and registry lineage
- 采集/建设路径 acquisition_paths | new operator-approved program, if ever desired
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | OUT_OF_SCOPE_CURRENT_PROGRAM
- 缺口 01 | blocker=OUT_OF_SCOPE_CURRENT_PROGRAM; stage=PROGRAM; missing=The direction is excluded from the current Sports program.; 补数/建设=Keep it closed unless a new operator-approved program and lineage explicitly admit it.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE

外部体育数据契约（续）

- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | not applicable
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-F-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | new operator-approved program, if ever desired
- 外部来源目录解析 | NONE

实验卡 ID: G01-CHANGEPOINT-REGIME

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G01-CHANGEPOINT-REGIME
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G01-CHANGEPOINT-REGIME
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 38d8d4ff27bc84775b1acaa70d44d989597f9b372f6c0bf2a3a3bada3d0a591a
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A past-only change-point detector improves an owner's regime forecast over a fixed rolling window.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [online change probability crosses the owner-frozen regime boundary] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | chronological owner loss and eventual fee-after PnL do not beat the fixed-window baseline

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | chronological owner loss and eventual fee-after PnL do not beat the fixed-window baseline
- 预测/持有区间 | owner horizon from detected break through next stable segment

信号与当前证据（续）

- able segment
- 触发信号 | online change probability crosses the owner-frozen regime boundary
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE

现金 PnL 合约（续）

- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

完整缺口与补数路径（续）

- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INREFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 外部体育数据契约
- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner horizon from detected break through next stable segment
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision

实验卡续页: G01-CHANGEPOINT-REGIME

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

下一步证据（续）

外部来源目录解析 | NONE

实验卡 ID: G02-HMM-HSMM-STATE

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G02-HMM-HSMM-STATE
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G02-HMM-HSMM-STATE
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 1c128a41fc1fb3a9261f04c0dfcc6fc69345191014db4f6cf58c47b4d431287e
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Filtered HMM or HSMM state and dwell improve an owner outcome over deterministic SNBD state.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [filtered, never smoothed, state posterior crosses the owner-frozen threshold] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | latent states are unstable or add no calibrated owner increment out of sample

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | latent states are unstable or add no calibrated owner increment out of sample
- 预测/持有区间 | owner horizon plus latent-state dwell

信号与当前证据（续）

- 触发信号 | filtered, never smoothed, state posterior crosses the owner-frozen threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner horizon plus latent-state dwell
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G03-POINT-PROCESS-HAWKES

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G03-POINT-PROCESS-HAWKES
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G03-POINT-PROCESS-HAWKES
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 05b3abebef9b9c617fd7cd125e2868e6ac892d8c4cf981309e22579a7a7a37dd
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | History-only point-process intensity improves an owner's fill, jump, or flow hazard forecast.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [causal self- or cross-excitation intensity exceeds the owner-frozen hazard threshold] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | Poisson or empirical hazard matches the model chronologically or owner economics do not improve

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | Poisson or empirical hazard matches the model chronologically or owner economics do not improve
- 预测/持有区间 | next event time and owner hazard horizon

信号与当前证据（续）

- 触发信号 | causal self- or cross-excitation intensity exceeds the owner-frozen hazard threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | next event time and owner hazard horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G04-GARCH-STOCHASTIC-VOL

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G04-GARCH-STOCHASTIC-VOL
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G04-GARCH-STOCHASTIC-VOL
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 5e68d2fe82ec2ffb461d39e0fb89c78d2bd72698cd8e1cd4fb56028875f6c5ff
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Conditional GARCH or stochastic-volatility forecasts improve an owner's risk or radius decision.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [one-step conditional volatility enters a different owner-frozen action cell] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | rolling realized volatility forecasts as well as the owner action gains no PnL

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | rolling realized volatility forecasts as well as the owner action gains no PnL
- 预测/持有区间 | next 1s, 30s, 5m, or owner-defined quote horizon

信号与当前证据（续）

- 触发信号 | one-step conditional volatility enters a different owner-frozen action cell
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFRINGEMENT; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | next 1s, 30s, 5m, or owner-defined quote horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G05-STATE-SPACE-KALMAN

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G05-STATE-SPACE-KALMAN
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G05-STATE-SPACE-KALMAN
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 1863fc00b3540c9ded4899d530be302e7f05862368f45e0225b64dc9101eab5b
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A filtered state-space fair value and uncertainty improve an owner action over midpoint or EWMA.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [filtered fair displacement and posterior uncertainty passes the owner gate] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | midpoint, microprice, or EWMA matches forecast and owner PnL

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | midpoint, microprice, or EWMA matches forecast and owner PnL
- 预测/持有区间 | owner fair-value and exit horizon

信号与当前证据（续）

- 触发信号 | filtered fair displacement and posterior uncertainty pass the owner gate
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner fair-value and exit horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G06-PCA-FACTOR-CLUSTER

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G06-PCA-FACTOR-CLUSTER
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G06-PCA-FACTOR-CLUSTER
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | db1aaca0dec7e14f23bf09e35991e1d66f345a338b69082414d6d9ffce522086
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Past-fit common factors expose owner residuals that survive matched cross-market controls.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [factor-neutral residual exceeds the owner-frozen threshold in a mapped comparable panel] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | residual vanishes under rolling fit, leave-root-out tests, or joint execution costs

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | residual vanishes under rolling fit, leave-root-out tests, or joint execution costs
- 预测/持有区间 | owner convergence or risk horizon

信号与当前证据（续）

- 触发信号 | factor-neutral residual exceeds the owner-frozen threshold in a mapped comparable panel
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the fro

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner convergence or risk horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G07-COINTEGRATION-VECM

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G07-COINTEGRATION-VECM
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G07-COINTEGRATION-VECM
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 168dc95a13d5ae2843edfc97ef93842a4daebcc1a7894083dc439c67e3e2ef35
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A past-fit long-run relation produces a stable error-correction signal for an owner relative-value card.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [causal error-correction residual exceeds the owner-frozen entry boundary] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | relation breaks chronologically or executable joint PnL is non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | relation breaks chronologically or executable joint PnL is non-positive
- 预测/持有区间 | owner convergence, stop, or joint terminal horizon

信号与当前证据（续）

- 触发信号 | causal error-correction residual exceeds the owner-frozen entry boundary
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner convergence, stop, or joint terminal horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G08-REGULARIZED-GLM-SURVIVAL

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G08-REGULARIZED-GLM-SURVIVAL
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G08-REGULARIZED-GLM-SURVIVAL
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | c88f48b3b1c258d369fbfb859711e8c2eb857e38eadbde7cbbc88a8a428ff62d
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A regularized GLM or survival model adds calibrated owner prediction beyond a univariate hazard.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [out-of-fold probability or hazard crosses the owner-frozen decision threshold] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | simple empirical or univariate baseline matches calibration and owner economics

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | simple empirical or univariate baseline matches calibration and owner economics
- 预测/持有区间 | owner binary, return, fill, or survival horizon

信号与当前证据（续）

- 触发信号 | out-of-fold probability or hazard crosses the owner-frozen decision threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner binary, return, fill, or survival horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G09-TREE-BOOSTING

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G09-TREE-BOOSTING
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G09-TREE-BOOSTING
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 63f6337e2822eff6cc98ccf869b1b66240b3c2f8eff2876c146a5454e1dccd22
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Tree boosting captures stable nonlinear owner interactions beyond a regularized GLM.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [chronological out-of-fold tree score crosses the owner-frozen threshold] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | nested out-of-fold increment, calibration, or eventual owner PnL is absent

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | nested out-of-fold increment, calibration, or eventual owner PnL is absent
- 预测/持有区间 | owner outcome horizon

信号与当前证据（续）

- 触发信号 | chronological out-of-fold tree score crosses the owner-frozen threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=REFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 外部体育数据契约
- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner outcome horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G10-NEURAL-SEQUENCE

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G10-NEURAL-SEQUENCE
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G10-NEURAL-SEQUENCE
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | f4023ea635dfadad9ad6ba44bac1301f381c25a7d7201d534b8e76b6229d5a39
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A causal neural sequence model adds own er value beyond tree and GLM baselines after latency and drift cos ts.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, te st whether [causal sequence score crosses the owner-frozen thres hold within its latency budget] changes the registered signal/outco me contrast versus its stated control. Failure of that contrast reject s the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; n o PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_P NL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_ PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL ar e not testable.
- 失败条件 signal | simpler models match performance or inference, drift, and execution costs erase the increment

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the mode l method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | simpler models match performance or inference, drift, a nd execution costs erase the increment

信号与当前证据（续）

- 预测/持有区间 | owner sequence outcome horizon
- 触发信号 | causal sequence score crosses the owner-frozen thres hold within its latency budget
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE

现金 PnL 合约（续）

- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_ after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; sign al_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a st rategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and o utcome label | nested chronological split and simple-model baselin e | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x o wner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QU ALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missin g=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not pr omote the research direction itself.; API candidates=NONE; unkno wn policy=BLOCK_NOT_ZERO

完整缺口与补数路径（续）

- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFE RENCE; missing=Independent clean dates/roots are below the fro zen evidence requirement.; 补数/建设=Continue the automatic seal ed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT _ZERO
- 外部体育数据契约
- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owne r or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific g ate
- 冻结区间 | owner sequence outcome horizon
- 最低证据 | independent days and roots, zeros retained, root/day cl ustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shar ed roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTU NITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and P nL first
- 补齐信号 | create a separate G-method x owner experiment revisio n
- 外部来源目录解析 | NONE

实验卡 ID: G11-ENSEMBLE-STACKING

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G11-ENSEMBLE-STACKING
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G11-ENSEMBLE-STACKING
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 6be32c941c92e33fb8af24e79e133b854ea2de18aaf6b37074b91c1a230a2090
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | An out-of-fold-only stack improves owner calibration and PnL over the best frozen single model.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [meta-score built only from out-of-fold base predictions crosses the owner gate] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | the best single model matches the stack or switching and compute costs erase the increment

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | the best single model matches the stack or switching and compute costs erase the increment
- 预测/持有区间 | owner outcome and action horizon

信号与当前证据（续）

- 触发信号 | meta-score built only from out-of-fold base predictions crosses the owner gate
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=REFERENCE; missing=Independent clean dates/roots are below the frozen

完整缺口与补数路径（续）

- zen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 外部体育数据契约
- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | owner outcome and action horizon
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision
- 外部来源目录解析 | NONE

实验卡 ID: G12-DRIFT-CALIBRATION-RETRAINING

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | G12-DRIFT-CALIBRATION-RETRAINING
- 家族 | G
- 家族名称 | MODEL_METHODS
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | G12-DRIFT-CALIBRATION-RETRAINING
- 卡片版本 | 1
- 阻断自 | SIGNAL
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | SIGNAL
- definition_sha256 | 21cfc247f1fb8a9cd772a5382cbb9f3827d4f1a12a9c9cef15e45c03f23f100c
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A frozen drift detector and retraining cadence improve live-like owner calibration and PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [calibration or feature drift crosses the frozen retrain or abstention boundary] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | never-retrain or fixed-cadence baseline matches performance after retraining costs

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | inherits the exact owner label and orientation; the model method cannot invent a side, fill, action, or missing sports state
- 信号证伪 | never-retrain or fixed-cadence baseline matches performance after retraining costs
- 预测/持有区间 | walk-forward owner horizon through the next retrain

信号与当前证据（续）

- ning checkpoint
- 触发信号 | calibration or feature drift crosses the frozen retrain or abstention boundary
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | MODEL_COMPONENT_ONLY
- 当前证据 registry_design_status | BLOCKED_OWNER
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | MODEL_COMPONENT
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_STANDALONE_ACTION_MODEL_COMPONENT
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE

现金 PnL 合约（续）

- 容量规则 | NOT_APPLICABLE / 不是策略
- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | MODEL
- 输入 inputs | OWNER_EXPERIMENT_FEATURES_AND_LABEL
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Chronological forecast comparisons are possible only after a specific owner, label and split are bound; a model is not a strategy.
- data blockers | ACTION_INCOMPLETE
- 缺失数据 missing | one owner experiment with frozen action and outcome label | nested chronological split and simple-model baseline | owner execution PnL
- 采集/建设路径 acquisition_paths | create a separate G-method x owner experiment revision
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | INSUFFICIENT_QUALITY_DATES
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

完整缺口与补数路径（续）

- 缺口 02 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INREFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 外部体育数据契约
- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_OWNER
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | walk-forward owner horizon through the next retraining checkpoint
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-G-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | create a separate G-method x owner experiment revision

实验卡续页: G12-DRIFT-CALIBRATION-RETRAINING

target SIGNAL

current BLOCKED

action MODEL_COMPONENT

data MODEL

venue NONE

AUTHORITY NONE

下一步证据（续） 外部来源目录解析 NONE			
---	--	--	--

实验卡 ID: P01-STRATEGY-OVERLAP-PRECEDENCE

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P01-STRATEGY-OVERLAP-PRECEDENCE
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P01-STRATEGY-OVERLAP-PRECEDENCE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 637eaeeffbf5ad500e0018f2f20bbebf2e47ebddae0a5d27d0888de7ebeae0a5
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Frozen precedence among overlapping confirmed strategies prevents duplicate or contradictory root risk and improves joint PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [two confirmed child intents overlap on the same root, market, or outcome exposure], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | joint precedence PnL does not beat independently running children under shared risk

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | select one precedence winner, cancel conflicts, reach zero resting, then route its unchanged side
- 信号证伪 | joint precedence PnL does not beat independently running children under shared risk

信号与当前证据（续）

- ng children under shared risk
- 预测/持有区间 | conflict through cancellation, reconciliation, child exit, and day PnL
- 触发信号 | two confirmed child intents overlap on the same root, market, or outcome exposure
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [two confirmed child intents overlap on the same root, market, or outcome exposure] THEN apply [ROUTE R] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | META

当前可算、数据与日期（续）

- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | COMMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a router or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies as applicable | joint root-deduped execution and capital ledger | switch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION

实验卡续页: P01-STRATEGY-OVERLAP-PRECEDENCE

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

完整缺口与补数路径（续）

- N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | conflict through cancellation, reconciliation, child exit, and day PnL
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
- 外部来源目录解析 | NONE

实验卡 ID: P02-ROUTER-ABSTENTION-SWITCH

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P02-ROUTER-ABSTENTION-SWITCH
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P02-ROUTER-ABSTENTION-SWITCH
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | dc5c914566c7055ffc90fb496d36043d758850e5c2425292e70558c28dd9dc7f
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A frozen router with abstention and hysteresis outperforms the best fixed confirmed child after switch costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [past-only regime score selects a different child beyond the frozen hysteresis boundary], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | router fails to beat the best fixed training-selected child on untouched evidence

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | no new risk, cancel, zero resting, reconcile, then inherit the selected child's side
- 信号证伪 | router fails to beat the best fixed training-selected child on untouched evidence

信号与当前证据（续）

- 预测/持有区间 | router state through switch completion and child root-event outcome
- 触发信号 | past-only regime score selects a different child beyond the frozen hysteresis boundary
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [past-only regime score selects a different child beyond the frozen hysteresis boundary] THEN apply [ROUTER] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY
- 基准类型 | CUSTOM_EXECUTABLE

执行场所与基准策略（续）

- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | META
- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | COMMON_ROOT_LEDGER

当前可算、数据与日期（续）

- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a router or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies as applicable | joint root-deduped execution and capital ledger | switch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or derivative maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API

实验卡续页: P02-ROUTER-ABSTENTION-SWITCH

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionROUTER

dataMETA

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITYNONE

完整缺口与补数路径（续）

- candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | router state through switch completion and child root-event outcome
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
- 外部来源目录解析 | NONE

实验卡 ID: P03-COMMON-ROOT-COVARIANCE-COTAIL

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P03-COMMON-ROOT-COVARIANCE-COTAIL
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P03-COMMON-ROOT-COVARIANCE-COTAIL
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | f83b7bd52384b54a9542dc0584517855eb4223ed2573679eb09426a5529978e3
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Aggregating exposure by canonical root and enforcing a co-tail cap reduces portfolio tail loss without destroying expected PnL.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [root exposure, covariance, or co-tail stress exceeds a frozen joint risk limit], the registered SIZE_RISK policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | joint cap does not reduce expected shortfall or sacrifices more PnL than the frozen tolerance

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | deny new risk and preserve reduce-only actions across every affected child
- 信号证伪 | joint cap does not reduce expected shortfall or sacrifice

信号与当前证据（续）

- s more PnL than the frozen tolerance
- 预测/持有区间 | risk breach through joint unwind, terminal, and daily tail result
- 触发信号 | root exposure, covariance, or co-tail stress exceeds a frozen joint risk limit
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_POSITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknown
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGENCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [root exposure, covariance, or co-tail stress exceeds a frozen joint risk limit] THEN apply [SIZE_RISK] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal into a bounded size or no-new-risk decision; reconcile before any size increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCKED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk caps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_same_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | META
- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | COMMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a router or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies as applicable | joint root-deduped execution and capital ledger | switch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: P03-COMMON-ROOT-COVARIANCE-COTAIL

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | risk breach through joint unwind, terminal, and daily tail result
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
- 外部来源目录解析 | NONE

实验卡 ID: P04-MULTIMARKET-ALLOCATION

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P04-MULTIMARKET-ALLOCATION
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P04-MULTIMARKET-ALLOCATION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | e1a65886b87708d8aa43c1f7f2918f2bcb7dcf3af8eb61b98068b25b1213972c
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Allocating fixed risk units by marginal net edge, covariance, capital, and token use beats equal allocation.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [confirmed-child scores and joint risk ledger produce a frozen non-equal allocation], the registered SIZE_RISK policy must improve it s primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at t he first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after eve ry registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | allocation fails to beat equal weight and best sing le child after turnover and costs

信号与当前证据

- 决策时钟 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATURES
- 方向语义 | allocation changes size only and inherits every child's si de unchanged
- 信号证伪 | allocation fails to beat equal weight and best single chil

信号与当前证据（续）

- d after turnover and costs
- 预测/持有区间 | allocation interval through root-deduped day PnL a nd capital peak
- 触发信号 | confirmed-child scores and joint risk ledger produce a fr ozen non-equal allocation
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_PO SITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknow n
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGE NCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [confirmed-child scores and joint risk le dger produce a frozen non-equal allocation] THEN apply [SIZE_RI SK] exactly as specified below; ELSE preserve the registered base line/no-trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal i nto a bounded size or no-new-risk decision; reconcile before any si ze increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCK ED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr y grants none
- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk c aps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and te sted size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per _day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_sa me_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contri bute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role =CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned ser ies/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rou nding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_ MODELED; role=EXECUTION_MODEL_INPUT; rule=use executa ble ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for request ed quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSI NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unle ss actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; r ole=OPERATING_EXPENSE; rule=peak collateral, capital-time an d capacity reported separately

当前可算、数据与日期

- data profile | META
- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | CO MMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_ shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_ev ent=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a route r or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies a s applicable | joint root-deduped execution and capital ledger | swit ch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSIN G | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNM EASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common -root ledger.; API candidates=NONE; unknown policy=BLOCK_NO T_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and recon cile simulated fees to private account charges.; API candidates=N ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: P04-MULTIMARKET-ALLOCATION

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionSIZE_RISK

dataMETA

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITY_NONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATURES
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | allocation interval through root-deduped day PnL and capital peak
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验设计（续）

- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
 - 外部来源目录解析 | NONE

实验卡 ID: P05-BRACKET-HEDGE

target EXECUTABLE_STRATEGY

current BLOCKED

action CHILD_HEDGE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P05-BRACKET-HEDGE
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P05-BRACKET-HEDGE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 8c9247a4f6d84fd990e7701ad5dfe4de8eb6b6db488f1332b40f3a2e9bbc03b2
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A payout-verified bracket hedge reduces a confirmed child's tail or capital use by more than all-leg execution cost.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [authoritative child position plus bracket hedge residual passes the frozen benefit threshold], the registered CHILD_HEDGE policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | joint fill costs or any legal payout state makes the hedge increment non-positive

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | execute the exact statewise hedge vector; never use a name-only bracket match
- 信号证伪 | joint fill costs or any legal payout state makes the hedg

信号与当前证据（续）

- e increment non-positive
- 预测/持有区间 | hedge entry through child exit, orphan unwind, or joint terminal
- 触发信号 | authoritative child position plus bracket hedge residual passes the frozen benefit threshold
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_ENGINE
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | OPEN_HEDGE_VECTOR | RECONCILE | UNWIND_HEDGE
- 当前执行权限 | NONE
- 退出/结算 | joint child-plus-hedge unwind or legal joint terminal value
- 交易哪一边 | EXACT_CONFIRMED_CHILD_EXPOSURE_AND_HEDGE_VECTOR
- 停止条件 | child_unconfirmed | payout_incomplete | partial_leg | tail_benefit_below_cost
- 订单类型 | BOUNDED_MARKETABLE_LIMIT_PER_HEDGE_LEG
- 价格规则 | synchronized executable all-leg depth, never mids
- 动作 profile | CHILD_HEDGE
- 数量规则 | hedge no more than the reconciled child exposure
- 登记的 signal -> action | IF [authoritative child position plus bracket hedge residual passes the frozen benefit threshold] THEN apply [CHILD_HEDGE] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Given an authoritative confirmed child exposure, execute the exact payout-verified hedge vector only when its reduction in tail/capital cost exceeds all-leg execution cost.
- 动作状态 | DEFINED_BUT_CHILD_MAPPING_AND_ENGINE_BLOCKED
- 时序与撤单 | partial hedge and child-exit races are explicitly bounded

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | KALSHI_MULTI_MARKET_CLOB

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNHEDGED_CONFIRMED_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same child fills, roots, capital clock, exits and terminal states
- 基准策略 | run the identical confirmed child without the proposed hedge
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_cashflows + hedge_cashflows - all_leg_fees - partial_hedge_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_child_plus_hedge - NetPnL_unhedged_same_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | FAMILY
- 输入 inputs | CATALOG | FAMILY_MAP | KALSHI_L1 | KALSHI_L2
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Market-graph price residuals are monitors only; the prior B03 run found zero payout-exhaustive, fill-feasible candidates.
- data blockers | PAYOUT_EXHAUSTIVENESS_MISSING | MULTI_LEG_ENGINE_MISSING | FEE_UNKNOWN
- 缺失数据 missing | authoritative exhaustive payout-state mapping | all-leg exact fees and synchronized executable depth | partial-leg/orphan unwind engine
- 采集/建设路径 acquisition_paths | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | MULTI_LEG_ENGINE_MISSING | PAYOUT_EXHAUSTIVENESS_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The hedge has no confirmed primary child exposure to offset.; 补数/建设=Confirm and fingerprint the primary child first, then bind the exact bracket hedge legs.; API candidate s=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow

实验卡续页: P05-BRACKET-HEDGE

target EXECUTABLE_STRATEGY

current BLOCKED

action CHILD_HEDGE

data FAMILY

venue KALSHI_MULTI_MARKET_CLOB

AUTHORITY NONE

完整缺口与补数路径（续）

- n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=MULTI_LEG_ENGINE_MISSING; stage=EXECUTION; missing=Atomic/orphan-safe multi-leg execution and reconciliation do not exist.; 补数/建设=Build a joint replay/shadow engine with worst-sequence reserve, partial-leg unwind and shared risk ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=PAYOUT_EXHAUSTIVENESS_MISSING; stage= SIGNAL; missing=The proposed leg set is not proven exhaustive across all legal payout states.; 补数/建设=Create an audited state-by-leg payout matrix from market rules and settlement metadata.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 08 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | run the identical confirmed child without the proposed hedge
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | hedge entry through child exit, orphan unwind, or joint t

检验设计（续）

- erminal
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | Kalshi catalog/market rules and settlement metadata | manual-plus-machine audited payout mapping | stateful multi-leg shadow engine and private fills
- 外部来源目录解析 | NONE

实验卡 ID: P06-DYNAMIC-DAILY-SELECTION

target EXECUTABLE_STRATEGY

current BLOCKED

action ROUTER

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P06-DYNAMIC-DAILY-SELECTION
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P06-DYNAMIC-DAILY-SELECTION
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 8143ddc2e4463993b5335214a7e07193caf618056b5dd12b274059c9325bf2f4
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Selecting only past-predicted positive confirmed children each day outperforms static daily activation after turn over.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [prior-day-only quality, capacity, and edge score places a child on the daily allowlist], the registered ROUTER policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | daily selector fails to beat always-on and best fixed child on untouched days

信号与当前证据

- 决策时钟 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATURES
- 方向语义 | daily selector inherits child actions and sides; excluded children submit nothing

信号与当前证据（续）

- 信号证伪 | daily selector fails to beat always-on and best fixed child on untouched days
- 预测/持有区间 | next UTC day with no intraday refit
- 触发信号 | prior-day-only quality, capacity, and edge score places a child on the daily allowlist
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | REPRICE
- 当前执行权限 | NONE
- 退出/结算 | unchanged child exit plus portfolio reconciliation
- 交易哪一边 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 停止条件 | child_unconfirmed | overlap_unresolved | capital_breach
- 订单类型 | INHERITED_FROM_SELECTED_CONFIRMED_CHILD
- 价格规则 | unchanged child price rule
- 动作 profile | ROUTER
- 数量规则 | shared root/event/capital cap across children
- 登记的 signal -> action | IF [prior-day-only quality, capacity, and edge score places a child on the daily allowlist] THEN apply [ROUTE R] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Select, size, or abstain among already confirmed child policies using only past state; route no action to an unconfirmed child.
- 动作状态 | DEFINED_BUT_CHILDREN_BLOCKED
- 时序与撤单 | router decision and switch latency included

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | BEST_FIXED_CONFIRMED_CHILD_TRAIN_ONLY

执行场所与基准策略（续）

- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, capital, risk caps and execution engine
- 基准策略 | best fixed child chosen without holdout information
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = sum(root_deduped_child_cashflows) - exact_fees - switch_cost + joint_terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_router - NetPnL_best_fixed_train_only_child
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=POLICY_SWITCH_AND_OVERLAP; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=switch latency plus common-root capital and co-tail use

当前可算、数据与日期

- data profile | META

当前可算、数据与日期（续）

- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | COMMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a router or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies as applicable | joint root-deduped execution and capital ledger | switch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | INSUFFICIENT_QUALITY_DATES | LATENCY_UNMEASURED | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

实验卡续页: P06-DYNAMIC-DAILY-SELECTION

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionROUTER

dataMETA

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITYNONE

完整缺口与补数路径（续）

- 缺口 04 | blocker=INSUFFICIENT_QUALITY_DATES; stage=INFERENCE; missing=Independent clean dates/roots are below the frozen evidence requirement.; 补数/建设=Continue the automatic sealed daily pipeline to a preregistered fixed end; never extend based on results.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATURES
- 比较方法 | best fixed child chosen without holdout information
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | next UTC day with no intraday refit
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio

检验设计（续）

- evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
 - 外部来源目录解析 | NONE

实验卡 ID: P07-CAPACITY-FILL-DECAY-IMPACT

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P07-CAPACITY-FILL-DECAY-IMPACT
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P07-CAPACITY-FILL-DECAY-IMPACT
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | a5c201aa11c95e2cdbe0379cc914589a85a97484069f4aba4923746b30f6523c
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Fill probability decays and impact grows with size, producing a finite PnL-maximizing capacity rather than linear scale.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [marginal tested size has positive pessimistic PnL after fill decay and impact], the registered SIZE_RISK policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | no size above one has positive marginal PnL or capacity estimates fail micro-live calibration

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | change quantity only and inherit the child side
- 信号证伪 | no size above one has positive marginal PnL or capacity estimates fail micro-live calibration

信号与当前证据（续）

- 预测/持有区间 | order lifetime through fills, impact, unwind, and daily capacity
- 触发信号 | marginal tested size has positive pessimistic PnL after fill decay and impact
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_POSITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknown
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGENCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [marginal tested size has positive pessimistic PnL after fill decay and impact] THEN apply [SIZE_RISK] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal into a bounded size or no-new-risk decision; reconcile before any size increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCKED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none

执行场所与基准策略（续）

- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk caps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_same_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | META
- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | CO

当前可算、数据与日期（续）

- MMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a router or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies as applicable | joint root-deduped execution and capital ledger | switch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTIO

实验卡续页: P07-CAPACITY-FILL-DECAY-IMPACT

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionSIZE_RISK

dataMETA

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITY_NONE

完整缺口与补数路径（续）

- N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | order lifetime through fills, impact, unwind, and daily capacity
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio

检验设计（续）

- evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
 - 外部来源目录解析 | NONE

实验卡 ID: P08-PROGRESSIVE-SCALING

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P08-PROGRESSIVE-SCALING
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P08-PROGRESSIVE-SCALING
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 30c511635239ee76679cc84c4332e68ba58be0cc526661283f2408e18a2a7a7b
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A maximum two-times size ladder increase s dollar PnL only while every tier retains positive marginal economics and tail safety.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [previous tier passes frozen PnL, drawdown, impact, and reconcili ation gates], the registered SIZE_RISK policy must improve its pri mary estimand against the registered baseline; otherwise the hypo thesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPn L versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at t he first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after eve ry registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | a tier has non-positive marginal PnL, excess tail, or unmodeled impact

信号与当前证据

- 决策时钟 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATUR ES
- 方向语义 | raise or lower size only; inherit child side and immediate ly allow reduce-only exit

信号与当前证据（续）

- 信号证伪 | a tier has non-positive marginal PnL, excess tail, or un modeled impact
- 预测/持有区间 | one complete tier evaluation window before any n ext step
- 触发信号 | previous tier passes frozen PnL, drawdown, impact, an d reconciliation gates
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillabil ity, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELE ASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_PO SITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknow n
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGE NCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [previous tier passes frozen PnL, drawd own, impact, and reconciliation gates] THEN apply [SIZE_RISK] ex actly as specified below; ELSE preserve the registered baseline/no -trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal i nto a bounded size or no-new-risk decision; reconcile before any si ze increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCK ED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registr y grants none
- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk c aps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and te sted size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per _day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_sa me_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contri bute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role =CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned ser ies/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rou nding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_ MODELED; role=EXECUTION_MODEL_INPUT; rule=use executa ble ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for request ed quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSI NG; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unle ss actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; r ole=OPERATING_EXPENSE; rule=peak collateral, capital-time an d capacity reported separately

当前可算、数据与日期

- data profile | META
- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | CO MMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_ shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_ev ent=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a route r or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies a s applicable | joint root-deduped execution and capital ledger | swit ch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07 -11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-0 7-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMA TION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/1 7. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledg er only; 2026-07-10/11 are L2-missing. Every experiment re-runs it s own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSIN G | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNM EASURED | OWN_ORDER_CALIBRATION_MISSING | RISK_GA TES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common -root ledger.; API candidates=NONE; unknown policy=BLOCK_NO T_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PnL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and recon cile simulated fees to private account charges.; API candidates=N ONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow n orders and reconcile to separately authorized micro-live fills.; API

实验卡续页: P08-PROGRESSIVE-SCALING

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionSIZE_RISK

dataMETA

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITYNONE

完整缺口与补数路径（续）

- candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=OWN_ORDER_CALIBRATION_MISSING; stage=EXECUTION; missing=Public book data does not reveal own queue position or order lifecycle.; 补数/建设=Capture client order IDs, acknowledgements, queue proxies, cancels and fills in shadow/micro-live.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATURES
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | one complete tier evaluation window before any next step
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation

检验设计（续）

- 多重检验族 | DEEP03-P-BREADTH
 - 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
 - 切分状态 | NOT_FROZEN_FOR_THIS_CARD
 - 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
 - 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
 - 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
 - 补齐信号 | complete child confirmation first | joint shadow replay with shared order/risk ledger
 - 外部来源目录解析 | NONE

实验卡 ID: P09-MANUAL-SYSTEM-COEXISTENCE

target EXECUTABLE_STRATEGY

current BLOCKED

action SIZE_RISK

data PRIVATE

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P09-MANUAL-SYSTEM-COEXISTENCE
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P09-MANUAL-SYSTEM-COEXISTENCE
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 7881c84505f15a97321c138848ec32915669920a4a7cf87d405182d2ad059038
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Authoritative ownership, self-trade prevention, and precedence allow manual and system orders to coexist without conflict loss.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [private account state reports overlapping manual and system exposure or orders], the registered SIZE_RISK policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | ownership cannot be proven or coexistence produces duplicate fills, self-trades, or unexplained exposure

信号与当前证据

- 决策时钟 | PRIVATE_ACCOUNT_EVENT_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | forbid system new risk, cancel only system-owned conflicts, and reconcile before resuming

信号与当前证据（续）

- 信号证伪 | ownership cannot be proven or coexistence produces duplicate fills, self-trades, or unexplained exposure
- 预测/持有区间 | conflict detection through cancel, reconciliation, and position normalization
- 触发信号 | private account state reports overlapping manual and system exposure or orders
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_DATA
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | RESIZE | CANCEL | HEDGE
- 当前执行权限 | NONE
- 退出/结算 | reduce-only exit derived from authoritative position
- 交易哪一边 | INHERITED_FROM_REGISTERED_CHILD_OR_POSITION
- 停止条件 | capacity_curve_negative | tail_breach | position_unknown
- 订单类型 | INHERITED_CHILD_WITH_REDUCE_ONLY_EMERGENCY_EXIT
- 价格规则 | unchanged registered child price rule
- 动作 profile | SIZE_RISK
- 数量规则 | frozen size ladder bounded by depth, collateral and root cap
- 登记的 signal -> action | IF [private account state reports overlapping manual and system exposure or orders] THEN apply [SIZE_RISK] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | Translate the registered capacity/risk signal into a bounded size or no-new-risk decision; reconcile before any size increase.
- 动作状态 | DEFINED_BUT_PRIVATE_OR_CHILD_DATA_BLOCKED
- 时序与撤单 | size change only after prior orders reconcile

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | POLICY_ROUTER_OVER_KALSHI

执行场所与基准策略（续）

- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | FIXED_ONE_CONTRACT_SAME_CHILD
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same roots, prices, timing, fill and fee assumptions
- 基准策略 | same child policy at one contract and unchanged risk caps
- 次级基准 | NO_TRADE_SAME_OPPORTUNITIES

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | NetPnL = child_executed_cashflows - exact_fees - impact - tail_and_unwind_cost + terminal_value
- 相对基准增量 PnL | DeltaPnL = NetPnL_sized_policy - NetPnL_same_child_at_one_contract
- markout 边界 | mid/markout is diagnostic and never cash PnL
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately

当前可算、数据与日期

- data profile | PRIVATE
- 输入 inputs | PRIVATE_ACCOUNT_ORDERS_POSITIONS_FILLS
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=NO; strict_fill=NO
- 目前可计算 | Public research data cannot establish account ownership conflicts.
- data blockers | PRIVATE_ACCOUNT_STATE_MISSING
- 缺失数据 missing | private open-order/position/fill ownership state | manual/system precedence and STP receipts
- 采集/建设路径 acquisition_paths | read-only private account snapshots | system-owned order registry and reconciliation ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | NONE
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | NO

完整缺口与补数路径

- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSING | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNMEASURED | PRIVATE_ACCOUNT_STATE_MISSING | RISK_GATES_MISSING | SETTLEMENT_MISSING
- 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children independently, then bind immutable child fingerprints and a common-root ledger.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact order-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and reconcile simulated fees to private account charges.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow own orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTION; missing=Decision, place, cancel-effective, hedge or exit latency

实验卡续页: P09-MANUAL-SYSTEM-COEXISTENCE

targetEXECUTABLE_STRATEGY

currentBLOCKED

actionSIZE_RISK

dataPRIVATE

venuePOLICY_ROUTER_OVER_KALSHI

AUTHORITYNONE

完整缺口与补数路径（续）

- is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 05 | blocker=PRIVATE_ACCOUNT_STATE_MISSING; stage=RISK; missing=Manual and automated order ownership, precedence and self-trade state are not observable.; 补数/建设=Add system ownership tags, read-only account reconciliation and explicit manual/system precedence receipts.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing=Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collateral, tail limits, emergency tokens and reduce-only exits.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing=Terminal payout and every legal void/cancel/retire/postpone path are incomplete.; 补数/建设=Capture settlements and lifecycle changes append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | NOT_APPLICABLE
- 可用状态 | NOT_APPLICABLE
- 外部数据 blockers | NONE
- 外部体育依赖 | NOT_REQUIRED
- 历史点时状态 | NOT_APPLICABLE
- 许可状态 | NOT_APPLICABLE
- 缺失策略 | NOT_APPLICABLE
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | NONE
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | PRIVATE_ACCOUNT_EVENT_RECEIVE_CLOCK_PAID_ONLY
- 比较方法 | same child policy at one contract and unchanged risk caps
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | conflict detection through cancel, reconciliation, and position normalization
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.

检验设计（续）

- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY
- 下一步证据
- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome reads | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-live | untouched chronological confirmation with root/day accounting
- 补齐信号 | read-only private account snapshots | system-owned order registry and reconciliation ledger
- 外部来源目录解析 | NONE

实验卡 ID: P10-COMMERCIAL-ROC-COST

target EXECUTABLE_STRATEGY

current BLOCKED

action COMMERCIAL_ROC

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P10-COMMERCIAL-ROC-COST
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P10-COMMERCIAL-ROC-COST
- 卡片版本 | 1
- 阻断自 | EXECUTABLE_STRATEGY
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | EXECUTABLE_STRATEGY
- definition_sha256 | 7c6068340438cd20c46ba064736dea3d14c4544ba1a997253922e271943dcb76
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | A confirmed strategy remains commercially worthwhile after exchange, data, cloud, capital, labor, and incident costs.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, if [rolling commercial net PnL and return on committed capital pass frozen continue or stop gates], the registered COMMERCIAL_ROC policy must improve its primary estimand against the registered baseline; otherwise the hypothesis fails or remains non-strategic.
- 主估计量 primary_estimand | fee-after pathwise incremental NetPnL versus registered baseline
- 失败条件 capacity | Positive one-contract economics disappear at the first tested size step or peak-capital return is below threshold.
- 失败条件 economics | Out-of-sample incremental NetPnL after every registered cost is <= 0 or its lower confidence bound misses the frozen commercial threshold.
- 失败条件 execution | No pessimistically valid fills/acceptances after latency, queue, depth and reconciliation rules.
- 失败条件 signal | commercial net PnL or risk-adjusted return on cost is non-positive

信号与当前证据

- 决策时钟 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATURES
- 方向语义 | deploy, continue, scale down, or stop a confirmed child; no independent market side

信号与当前证据（续）

- 信号证伪 | commercial net PnL or risk-adjusted return on cost is non-positive
- 预测/持有区间 | daily, monthly, and capital-payback windows
- 触发信号 | rolling commercial net PnL and return on committed capital pass frozen continue or stop gates
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | BLOCKED_CHILDREN
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | CONTINUE_CONFIRMED_CHILD | SCALE_DOWN | STOP_NEW_RISK
- 当前执行权限 | NONE
- 退出/结算 | stopped children add no new risk and retain their registered reduce-only exit and reconciliation path
- 交易哪一边 | INHERITED_UNCHANGED_FROM_IMMUTABLE_CONFIRMED_CHILD
- 停止条件 | child_fingerprint_missing | invoice_or_usage_unallocated | capital_ledger_incomplete | incident_cost_unknown
- 订单类型 | INHERITED_CHILD_OR_STOP_NEW_RISK
- 价格规则 | unchanged immutable child price rule
- 动作 profile | COMMERCIAL_ROC
- 数量规则 | frozen full, reduced or zero-new-risk ladder only
- 登记的 signal -> action | IF [rolling commercial net PnL and return on committed capital pass frozen continue or stop gates] THEN apply [COMMERCIAL_ROC] exactly as specified below; ELSE preserve the registered baseline/no-trade branch.
- 具体信号到动作映射 | At the frozen UTC decision boundary, continue the immutable confirmed child only when fully allocated trailing commercial NetPnL and ROC clear their preregistered gates; scale down at the warning gate and stop new risk at the failure gate.
- 动作状态 | DEFINED_BUT_CHILDREN_AND_FULL_COST_LEDGER_BLOCKED
- 时序与撤单 | UTC boundary decision using past-only closed accounting periods

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略

执行场所与基准策略（续）

- 执行场所 | POLICY_ROUTER_OVER_KALSHI
- 所需权限 | SEPARATE_SHADOW_OR_LIVE_AUTHORITY; registry grants none
- 基准 ID | UNCHANGED_CONFIRMED_CHILD_WITHOUT_COMMERCIAL_GATE
- 基准类型 | CUSTOM_EXECUTABLE
- 可比性 | same child fingerprint, roots, fills, capital clock, risk limits and fully allocated operating-cost ledger
- 基准策略 | run the same immutable confirmed child at its frozen size and risk limits without the tested commercial continue/scale/stop gate
- 次级基准 | NO_TRADE_SAME_ACCOUNTING_PERIODS

现金 PnL 合约

- 聚合单元 | ROOT_EVENT_AND_UTC_DAY
- PnL 口径 | PATHWISE_AFTER_COST
- 容量规则 | no linear extrapolation beyond executable depth and tested size
- 成本分摊规则 | Fully allocated provider, cloud, labor/on-call and incident costs use each sealed UTC accounting period, then measured card/root usage; shared fixed costs use a frozen driver and never disappear from the denominator.
- 报告分母 | per_opportunity | per_trigger | per_fill | per_contract | per_day | per_peak_capital
- 现金 PnL 公式 | CommercialNetPnL = child_realized_and_terminal_NetPnL - exchange_fees - data_provider_license_API_cost - cloud_compute_storage_egress_cost - operations_labor_oncall_cost - incident_loss_and_remediation_cost - capital_and_collateral_cost
- 相对基准增量 PnL | DeltaCommercialPnL = CommercialNetPnL_ROC_gate - CommercialNetPnL_same_child_without_commercial_gate
- markout 边界 | mid/markout is diagnostic and never cash PnL
- 商业 ROC 定义 | CommercialROC = CommercialNetPnL / max(peak_committed_capital, fully_allocated_cash_operating_cost); report both denominators separately
- PnL 状态 | DEFINED_NOT_YET_ESTIMABLE
- 零触发/零成交处理 | eligible no-trigger/no-fill/no-accept rows contribute zero

成本逐项

- 成本 01 | type=EXCHANGE_MAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact per-fill fee_cost or versioned series/date fee formula
- 成本 02 | type=EXCHANGE_TAKER_FEE; status=MISSING; role=CASH_DEDUCTION; rule=exact entry/exit/hedge fee including rounding and rebates
- 成本 03 | type=SPREAD_CROSSING; status=CONSERVATIVE_MODELED; role=EXECUTION_MODEL_INPUT; rule=use executable ask on buys and executable bid on sells
- 成本 04 | type=SLIPPAGE_MARKET_IMPACT; status=MISSING; r

成本逐项（续）

- ole=EXECUTION_MODEL_INPUT; rule=walk exact L2 for requested quantity at decision-effective time
- 成本 05 | type=PLACE_CANCEL_EXIT_LATENCY; status=MISSING; role=EXECUTION_MODEL_INPUT; rule=separate measured placement, cancel-effective, hedge and exit paths
- 成本 06 | type=INVENTORY_TERMINAL_VOID; status=MISSING; role=RISK_DIAGNOSTIC; rule=joint worst legal terminal state unless actual settlement is bound
- 成本 07 | type=COLLATERAL_AND_CAPITAL; status=MISSING; role=OPERATING_EXPENSE; rule=peak collateral, capital-time and capacity reported separately
- 成本 08 | type=DATA_PROVIDER_LICENSE_API; status=MISSING; role=OPERATING_EXPENSE; rule=invoice-backed provider, license, API and historical-data allocation
- 成本 09 | type=CLOUD_COMPUTE_STORAGE_EGRESS; status=MISSING; role=OPERATING_EXPENSE; rule=metered compute, storage, request and egress allocation by UTC period and card
- 成本 10 | type=OPS_LABOR_AND_INCIDENT; status=MISSING; role=OPERATING_EXPENSE; rule=labor, on-call, incident loss and remediation under a frozen allocation rule

当前可算、数据与日期

- data profile | META
- 输入 inputs | CONFIRMED_CHILD_STRATEGY_OUTPUTS | COMMON_ROOT_LEDGER
- 当前能算 can_compute_now | conditional_markout=NO; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Overlap/covariance descriptions are possible; a router or portfolio PnL is not estimable without confirmed children.
- data blockers | CONFIRMED_CHILD_STRATEGIES_MISSING
- 缺失数据 missing | at least one or two confirmed child strategies are applicable | joint root-deduped execution and capital ledger | switch/overlap/correlation costs
- 采集/建设路径 acquisition_paths | complete child confirmation first | joint shadow replay with shared order/risk ledger
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs it

实验卡续页: P10-COMMERCIAL-ROC-COST

target EXECUTABLE_STRATEGY

current BLOCKED

action COMMERCIAL_ROC

data META

venue POLICY_ROUTER_OVER_KALSHI

AUTHORITY NONE

当前可算、数据与日期（续）

- s own input gate.
 - study_dates.signal_event_status | PARTIAL
- 完整缺口与补数路径
- 完整卡级 blockers | CONFIRMED_CHILD_STRATEGIES_MISSIN G | FEE_UNKNOWN | FILL_MODEL_MISSING | LATENCY_UNM EASURED | OPERATING_COST_UNKNOWN | RISK_GATES_MI SSING | SETTLEMENT_MISSING
 - 缺口 01 | blocker=CONFIRMED_CHILD_STRATEGIES_MISSING; stage=DESIGN; missing=The router, portfolio or increment has no confirmed executable child policies.; 补数/建设=Confirm children in dependently, then bind immutable child fingerprints and a common -root ledger.; API candidates=NONE; unknown policy=BLOCK_NO T_ZERO
 - 缺口 02 | blocker=FEE_UNKNOWN; stage=PNL; missing=Exact or der-level maker/taker fee, rounding, rebate or override is absent.; 补数/建设=Version fee facts by series/date/role/account and recon cile simulated fees to private account charges.; API candidates=N ONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 03 | blocker=FILL_MODEL_MISSING; stage=EXECUTION; missing=Strict stateful fill, partial fill, depth, cancel race or impact is not calibrated.; 补数/建设=Run pessimistic replay, then shadow ow n orders and reconcile to separately authorized micro-live fills.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 04 | blocker=LATENCY_UNMEASURED; stage=EXECUTIO N; missing=Decision, place, cancel-effective, hedge or exit latency is not measured.; 补数/建设=Instrument monotonic timestamps at decision/send/ack/effective/fill and replay p50/p95/p99 paths.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 05 | blocker=OPERATING_COST_UNKNOWN; stage=PNL; missing=Provider, compute/storage/egress, labor/on-call or inciden t cost is not measured.; 补数/建设=Bind invoices and metered usa ge to UTC day/card/root allocation rules; unknown operating cost b locks commercial ROC.; API candidates=NONE; unknown policy= BLOCK_NOT_ZERO
 - 缺口 06 | blocker=RISK_GATES_MISSING; stage=RISK; missing= Capital, inventory, tail, concentration, stop or emergency-exit limits are not complete.; 补数/建设=Freeze root/event/day caps, collatera l, tail limits, emergency tokens and reduce-only exits.; API candida tes=NONE; unknown policy=BLOCK_NOT_ZERO
 - 缺口 07 | blocker=SETTLEMENT_MISSING; stage=PNL; missing= Terminal payout and every legal void/cancel/retire/postpone path a re incomplete.; 补数/建设=Capture settlements and lifecycle chang es append-only and bind versioned market rules to each contract.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN

外部体育数据契约（续）

- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owne r or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | UTC_DAY_BOUNDARY_WITH_PAST_ONLY_FEATUR ES
- 比较方法 | run the same immutable confirmed child at its frozen siz e and risk limits without the tested commercial continue/scale/stop gate
- 入样资格 | past-only, gap-free, exact-release-bound card-specific g ate
- 冻结区间 | daily, monthly, and capital-payback windows
- 最低证据 | independent days and roots, zeros retained, root/day cl ustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shar ed roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.

检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTU NITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | freeze this exact card and baseline before outcome rea ds | stateful pessimistic shadow replay with exact fees and clocks | own-order shadow then separately authorized one-contract micro-l ive | untouched chronological confirmation with root/day accountin g
- 补齐信号 | complete child confirmation first | joint shadow replay wi th shared order/risk ledger
- 外部来源目录解析 | NONE

实验卡 ID: P11-UNCLASSIFIED-BACKLOG

target RESEARCH_QUESTION

current BLOCKED

action NO_ACTION

data INTERNAL_CONTROL

venue NONE

AUTHORITY NONE

身份、状态与权限

- 实验卡 ID | P11-UNCLASSIFIED-BACKLOG
- 家族 | P
- 家族名称 | PORTFOLIO_AND_META
- 血缘状态 | BREADTH_ATOMIC_DIRECTION
- Registry ID | DEEP03-ALL-ANGLES-MONETIZATION-V1
- 原子来源 ID | P11-UNCLASSIFIED-BACKLOG
- 卡片版本 | 1
- 阻断自 | RESEARCH_QUESTION
- 当前类别 | BLOCKED
- 生命周期 | REGISTERED_BLOCKED
- 升级规则 | Only a new immutable revision with all critical blockers closed, an untouched confirmation cohort, and a fee-after pathwise PnL receipt may become a deployment candidate.
- 当前策略合格 | FALSE
- 目标类别 | RESEARCH_QUESTION
- definition_sha256 | f7349038954f372af77136b139cbb73938f10eba7323c539bfbcccdb8f25adeb
- Registry action authority | NONE
- Registry order authority | NONE
- Registry deployment authority | NONE

假设与失败条件

- 经济机制 mechanism | Valid observations with no falsifiable action and PnL contract should remain unclassified rather than be promoted by narrative.
- 可证伪陈述 falsifiable_statement | Under preregistered eligibility, test whether [valid evidence matches no atomic experiment with a complete target and action] changes the registered signal/outcome contrast versus its stated control. Failure of that contrast rejects the signal; no action or PnL claim follows from this card.
- 主估计量 primary_estimand | registered signal/outcome contrast; no PnL claim
- 失败条件 capacity | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 economics | NOT_APPLICABLE_UNTIL_ACTION_AND_PNL_EXIST
- 失败条件 execution | No action is defined, so execution and PnL are not testable.
- 失败条件 signal | an independently audited taxonomy proposal supplies a unique action, baseline, and PnL contract

信号与当前证据

- 决策时钟 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 方向语义 | no order
- 信号证伪 | an independently audited taxonomy proposal supplies a unique action, baseline, and PnL contract
- 预测/持有区间 | not applicable until a new audited lineage exists

信号与当前证据（续）

- 触发信号 | valid evidence matches no atomic experiment with a complete target and action
- 当前证据 claim_tier | NONE
- 当前证据 live_pnl_claim | NONE
- 当前证据 note | A descriptive signal result does not establish fillability, fee-after PnL, capacity, or live profitability.
- 当前证据 registered_claim_ceiling | NO_CLAIM
- 当前证据 registry_design_status | UNCLASSIFIED_BACKLOG
- 当前证据 status | NOT_MEASURED_IN_CURRENT_RELEASE
- 当前证据 strategy_pnl_claim | NONE
- observed_signal.status | NOT_MEASURED_IN_CURRENT_RELEASE
- observed_signal.values | NOT_MEASURED
- observed_signal.source | NOT_MEASURED

触发后的具体动作

- 动作类型 | NONE
- 当前执行权限 | NONE
- 退出/结算 | NOT_APPLICABLE / 不是策略
- 交易哪一边 | NOT_APPLICABLE / 不是策略
- 停止条件 | NONE
- 订单类型 | NOT_APPLICABLE / 不是策略
- 价格规则 | NOT_APPLICABLE / 不是策略
- 动作 profile | NO_ACTION
- 数量规则 | NOT_APPLICABLE / 不是策略
- 登记的 signal -> action | NOT_APPLICABLE / 不是策略
- 具体信号到动作映射 | NOT_APPLICABLE / 不是策略
- 动作状态 | NO_ACTION_DEFINED
- 时序与撤单 | NOT_APPLICABLE / 不是策略

执行场所与基准策略

- 场所可用收据 | NOT_APPLICABLE / 不是策略
- 执行场所 | NONE
- 所需权限 | NONE
- 基准 ID | NOT_APPLICABLE / 不是策略
- 基准类型 | NOT_APPLICABLE
- 可比性 | NOT_APPLICABLE / 不是策略
- 基准策略 | NOT_APPLICABLE / 不是策略
- 次级基准 | NONE

现金 PnL 合约

- 聚合单元 | NOT_APPLICABLE / 不是策略
- PnL 口径 | NONE
- 容量规则 | NOT_APPLICABLE / 不是策略

现金 PnL 合约（续）

- 现金 PnL 公式 | NOT_APPLICABLE / 不是策略
- 相对基准增量 PnL | NOT_APPLICABLE / 不是策略
- PnL 状态 | NOT_DEFINED_NOT_A_STRATEGY
- 零触发/零成交处理 | NOT_APPLICABLE / 不是策略

成本逐项

- 成本 | NOT_APPLICABLE / 不是策略；未知 PnL 不显示为 0

当前可算、数据与日期

- data profile | INTERNAL_CONTROL
- 输入 inputs | INTERNAL_SEALED_RESEARCH_DATA
- 当前能算 can_compute_now | conditional_markout=PARTIAL; fee_after_shadow_pnl=NO; realized_pnl=NO; settlement_pnl=NO; signal_event=PARTIAL; strict_fill=NO
- 目前可计算 | Diagnostic/control statistic only; no trading action.
- data blockers | NONE
- 缺失数据 missing | NONE
- 采集/建设路径 acquisition_paths | existing sealed research releases
- study_dates.available_exact_release_dates | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.confirmation_status | NO_UNTOUCHED_CONFIRMATION_COHORT_ALLOCATED
- study_dates.eligible_for_current_signal_description | NONE
- study_dates.l2_estimator_clean_dates | 2026-07-12 | 2026-07-15 | 2026-07-17
- study_dates.potential_dates_after_remaining_signal_gates_close | 2026-07-10 | 2026-07-11 | 2026-07-12 | 2026-07-13 | 2026-07-14 | 2026-07-15 | 2026-07-16 | 2026-07-17
- study_dates.quality_rule | L2 estimands use only 2026-07-12/15/17. Damaged L2 dates 2026-07-13/14/16 stay in the coverage ledger only; 2026-07-10/11 are L2-missing. Every experiment re-runs its own input gate.
- study_dates.signal_event_status | PARTIAL

完整缺口与补数路径

- 完整卡级 blockers | ACTION_INCOMPLETE | BASELINE_INCOMPLETE
- 缺口 01 | blocker=ACTION_INCOMPLETE; stage=ACTION; missing=No deterministic side/price/quantity/timing/exit action is bound.; 补数/建设=Create a new immutable action-card revision; do not promote the research direction itself.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO
- 缺口 02 | blocker=BASELINE_INCOMPLETE; stage=DESIGN; missing=No comparable executable control policy is frozen.; 补数/建设=Define a same-opportunity no-trade or executable policy baseline before reading outcomes.; API candidates=NONE; unknown policy=BLOCK_NOT_ZERO

外部体育数据契约

- 已批准来源 | NOT_APPLICABLE / 不是策略
- 时钟状态 | INHERITED
- 可用状态 | UNRESOLVED_UNTIL_BINDING
- 外部数据 blockers | NONE
- 外部体育依赖 | INHERIT_CHILDREN
- 历史点时状态 | INHERITED
- 许可状态 | INHERITED
- 缺失策略 | BLOCK_IF_BOUND_CARD_REQUIRES_IT
- 候选 provider | NONE
- 代理禁区 | PRICE_IS_NOT_SPORT_STATE
- 所需直接变量 | the exact external-data contract of the bound owner or child card
- 候选来源目录状态 | NONE

检验设计

- 时间规则 | LOCAL_RECEIVE_CLOCK_PAST_ONLY
- 比较方法 | signal/control contrast only; no executable comparison
- 入样资格 | past-only, gap-free, exact-release-bound card-specific gate
- 冻结区间 | not applicable until a new audited lineage exists
- 最低证据 | independent days and roots, zeros retained, root/day clustered uncertainty, untouched validation and confirmation
- 多重检验族 | DEEP03-P-BREADTH
- 重叠与优先级 | No card-specific overlap exception registered; shared roots, orders, capital and PnL must be deduplicated at portfolio evaluation.
- 切分状态 | NOT_FROZEN_FOR_THIS_CARD
- 停止规则 | Fail or remain blocked; never extend data because the observed result is unprofitable or insignificant.
- 检验单元 | ROOT_EVENT_X_MARKET_X_DECISION_OPPORTUNITY

下一步证据

- 外部来源 ID | NONE
- 补齐 PnL | define a deterministic action, executable baseline and PnL first
- 补齐信号 | existing sealed research releases
- 外部来源目录解析 | NONE