

Slip 1

Q1 Create a class Employee with attributes empId, name, and salary.

- Store details of 5 employees using ArrayList.
- Sort the employees in ascending order of salary.
- Display the sorted list.

Q2 Write a Java program to demonstrate the use of **Lambda Expression** to print x raised to y (x^y).

Slip 2

Q1 Create a class Student with attributes rollNo, name, and marks.

- Store student objects in a HashMap with rollNo as key.
- Display the details of students who have scored more than 70 marks.

Q2 Demonstrate **method overriding** using classes Person and Student, where the display() method is overridden.

Slip 3

Q1 Write a Java program to store names of customers in a HashSet.

- Attempt to insert duplicate names.
- Display the contents and explain the observed behavior.

Q2 Create an **abstract class** Person with an abstract method showDetails().

- Implement this class in a subclass Employee.

Slip 4

Q1 Write a Java program to accept 5 employee salaries and store them in an ArrayList.

- Find and display the **second highest salary**.

Q2 Define an **interface** Shape with method area().

- Implement this interface in classes Circle and Rectangle.

Slip 5

Q1 Create a Java program to implement multithreading using the Runnable interface.

- Create a thread that prints numbers from 1 to 10 with proper naming of thread.

Q2 Explain the **Servlet Life Cycle** methods (init(), service(), destroy()) with a suitable example.

Slip 6

Q1 Write a Java program that accepts a number from the user as a string.

- Convert it to an integer and handle possible exceptions such as invalid input using appropriate exception handling.

Q2 Explain **JSP implicit objects** such as request, response, and session with examples.

Slip 7

Q1 Develop a **Servlet** that accepts employee name from an HTML form.

- Display a personalized message “Welcome <Employee Name>” in the browser.

Q2 Create a thread and assign custom name.

- Display thread name during execution.

Slip 8

Q1 Develop a **JSP page** that accepts two numbers from the user.

- Perform multiplication and display the result using JSP expression tag.

Q2 Write a Java program to demonstrate **runtime polymorphism** using method overriding with Employee and Manager classes.

Slip 9

Q1 Write a JSP program using **JDBC** to connect to a database and retrieve all records from a Student table.

Q2 Differentiate between **interface and abstract class** with suitable code example.

Slip 10

Q1 Create a class Employee demonstrating **encapsulation**.

- Declare variables as private.
- Provide getter and setter methods.
- Display employee details using these methods.

Q2 Explain the **Servlet Life Cycle** methods (init(), service(), destroy()) with a suitable example.

Slip 11

Q1 Create a class Manager with attributes managerId, name, and department.

- Store 5 manager objects in an ArrayList.
- Display only those managers who belong to a specific department entered by the user.

Q2 Write a Java program to demonstrate **runtime polymorphism** using method overriding with Employee and Manager classes.

Slip 12

Q1 Create a class Customer with attributes custId, name, and city.

- Store customer details in a TreeMap.
- Display all customers sorted by their custId.

Q2 Explain and demonstrate the use of **final keyword** with variables, methods, and classes.

Slip 13

Q1 Write a Java program to accept names of 5 students and store them in an ArrayList.

- Convert all names to uppercase and display the updated list.

Q2 Differentiate between **interface and abstract class** with suitable code example.

Slip 14

Q1 Create a class Employee and store employee objects in a LinkedList.

- Remove an employee whose ID is entered by the user.
- Display remaining employees.

Q2 Write a program to demonstrate **constructor overloading** in a Person class.

Slip 15

Q1 Write a Java program to accept 5 integers and store them in an array.

- Copy all elements into another array in reverse order and display it.

Q2 Explain **types of inheritance** in Java with suitable examples.

Slip 16

Q1 Create a class Student with marks of 3 subjects.

- Calculate total and percentage for each student and display the result.

Q2 Explain the concept of **method overloading** with example.

Slip 17

Q1 Write a Java program to store employee names in a Vector.

- Search for a specific name entered by the user and display appropriate message.

Q2 Write programs for **checked and unchecked exceptions each**.

Slip 18

Q1 Develop a **Servlet** that displays current system date and time on the browser.

Q2 Write a java program to overload the add method in Calculator class.

Slip 19

Q1 Create a **JSP page** to accept customer name and city.

- Display the entered details using JSP expression tags.

Q2 Write a program to demonstrate the concept of **thread priority** by creating multiple threads with different priorities.

Slip 20

Q1 Write a JSP program using **JDBC** to insert multiple employee records into a database table.

Q2 Write a java program to reverse the entire sentence given by user and display it.

Slip 21

Q1 Create a class Person and demonstrate use of **static variables and static methods**.

- Show how static members are shared among objects.

Q2 Explain **JSP scripting elements** (scriptlet, expression, declaration) with examples.(one example each)

Slip 22

Q1 Write a Java program to accept 5 customer names and store them in an array.

- Count how many names start with a vowel.

Q2 Explain the concept of **abstraction** using class Vehicle and Car.

Slip 23

Q1 Create a class Employee and store 5 objects in an ArrayList.

- Display employees whose salary lies within a given range.

Q2 Create a **user-defined exception** InvalidSalaryException that is thrown when salary is less than 10,000 in an Employee class.

Slip 24

Q1 Write a Java program to create two threads

- One thread prints numbers from 1 to 5
- Another thread prints numbers from 6 to 10

Q2 Create a class Manager with attributes managerId, name, and department.

- Initialize the object using a parameterized constructor and display the details.

Slip 25

Q1 Write a Java program to demonstrate handling of **multiple exceptions** using multiple catch blocks.

Q2 Explain how **cookies** are used in Servlets with example.

Slip 26

Q1 Develop a **Servlet** that reads two numbers from request parameters and displays their sum.

Q2 Demonstrate the use of **throw and throws keywords** with example.

Slip 27

Q1 Create a **JSP page** that displays all details of an Employee using JSP implicit objects.

Q2 Explain **JSP directives** (page, include, taglib).

Slip 28

Q1 Write a JSP program using **JDBC** to delete a record from Student table based on roll number.

Q2 Create an interface Shape. Implement it in Circle and Rectangle. Display calculated areas.

Slip 29

Q1 Create a class Manager that extends Employee.

- Add additional attribute bonus.
- Display complete details of manager.

Q2 Develop a Servlet that stores username in cookie.

- Retrieve and display in next request.

Slip 30

Q1 Write a Java program to accept employee names and store them in an array.

- Sort the names in alphabetical order and display them.

Q2 Create a JSP page to accept two numbers.

- Display addition using expression tag.

Slip 31

Q1 Create a class Employee with attributes empId, name, and department.

- Store details of 5 employees in an array.
- Display only those employees who belong to the "IT" department.

Q2 Create a JSP page to display current date and time.

Slip 32

Q1 Create a class Student with attributes rollNo, name, and marks.

- Accept details of 5 students.
- Find and display the student who has secured the highest marks.

Q2 Create a JSP page to accept employee salary.

- Display annual salary.

Slip 33

Q1 Create a class Customer with attributes custId, name, and city.

- Store customer objects in an ArrayList.
- Display customers who belong to a city entered by the user.

Q2 Create a JSP page to accept student marks.

- Display total and percentage.

Slip 34

Q1 Create a class Employee with required attributes.

- Store employee objects in a HashMap with employee ID as key.
- Display all employee details using entrySet().

Q2 Create a JSP page to accept employee details.

- Store data in database using JDBC.
- Display inserted records.

Slip 35

Q1 Write a Java program to create a thread by extending the Thread class.

- The thread should display the multiplication table of a number entered by the user.

Q2 Create a JSP page to insert student records using JDBC.

- Retrieve and display all records.

Slip 36

Q1 Write a Java program that demonstrates handling of **NullPointerException**.

- Display an appropriate message when the exception occurs.

Q2 Create a JSP page to update employee salary using JDBC.

- Display updated data.

Slip 37

Q1 Develop a **Servlet** that accepts employee details through request parameters.

- Display the received details in a formatted manner on the browser.

Q2 Create a thread and assign custom name.

- Display thread name during execution.

Slip 38

Q1 Create a **JSP page** that accepts a number from the user.

- Calculate and display its factorial using JSP scripting elements.

Q2 Demonstrate different **types of constructors** in Java with examples.

Slip 39

Q1 Write a JSP program using **JDBC** to search for a student record based on roll number.

- Display the details if found, otherwise display an appropriate message.

Q2 Write a java program to accept salary from user.

- Handle invalid input using exception handling.

Slip 40

Q1 Create a class Manager with attributes managerId, name, and department.

- Initialize the object using a parameterized constructor and display the details.

Q2 Create a JSP page to delete student record using JDBC.

- Display remaining records.

Slip 41

Q1 Create a class Employee and store 5 employee objects in an ArrayList.

- Count and display the number of employees having salary greater than 30,000.

Q2 Demonstrate the use of join and yield methods in multithreading program.

Slip 42

Q1 Create a class Student and store objects in a HashSet.

- Display the total number of unique student records stored.

Q2 Explain this() for constructor overloading and super() for superclass's constructor calling with example.

Slip 43

Q1 Write a Java program to accept names of 5 customers.

- Reverse each name and display the result.

Q2 Write a program to accept senior citizens name and age from command prompt. If age is below 60, throw "InvalidAgeException" exception

Slip 44

Q1 Write a Java program to accept two arrays of integers.

- Merge both arrays into a single array and display the result.

Q2 Write JSP code to accept registration details for placement portal from candidate and insert the details in database (assume suitable table structure).

Slip 45

Q1 Write a Java program to create two threads.

- One thread should print even numbers between 1 and 20.
- Another thread should print odd numbers between 1 and 20.

Q2 Create class Person and extend it in Employee.

Demonstrate use of super() to initialize base class attributes

Slip 46

Q1 Write a Java program that demonstrates handling of multiple exceptions.

- Handle ArithmeticException and ArrayIndexOutOfBoundsException using separate catch blocks.

Q2 Define Employee class (name, designation, salary). Define a default and parameterized constructor. Keep a count of objects created. display the object count after each object is created. (Use static member and method). Also display the contents of each object.

Slip 47

Q1 Develop a **Servlet** that generates and displays the multiplication table of a number entered by the user.

Q2 Write a thread program to display even numbers from 1 to 50 after every 5 seconds.

Slip 48

Q1 Create a **JSP page** to display the result of a student including total and percentage.

Q2 Demonstrate the use of the **this keyword** in Java with suitable examples.

Slip 49

Q1 Write a JSP program using **JDBC** to count the total number of records in a given table.

Q2 Write a program to demonstrate the LinkedList, ArrayList class

Slip 50

Q1 Create a class Person with appropriate attributes.

- Initialize object using constructor and display the details.

Q2 Demonstrate the concept of **thread synchronization** in Java using example.

Slip 51

Q1 Create a class Employee with attributes empId, name, and salary.

- Store 5 employee objects in a TreeSet.
- Sort the employees based on salary using a suitable approach and display the details.

Q2 Define a class Student (name, roll_no, class and marks of 6 subjects). Create an array of 5 Student objects. Calculate the percentage of each student using a method per().

Slip 52

Q1 Create a class Student with attributes rollNo, name, and marks.

- Store student objects in an ArrayList.
- Remove all students who have failed (marks less than 40) and display remaining students.

Q2 Write JSP program to register students for convocation in MCA (Use PreparedStatement. (use suitable table structure).

Slip 53

Q1 Write a Java program to accept a string from the user.

- Count and display the number of vowels present in the string.

Q2. Write JSP program to accept patient details and display them. Use PreparedStatement. (use suitable table structure).

Slip 54

Q1 Write a Java program to check whether a given number is a **palindrome** or not.

- Display appropriate message.

Q2 Demonstrate Servlet Life Cycle with example.

Slip 55

Q1 Write a Java program to create a thread that prints numbers in reverse order from 10 to 1.

Q2 Write JSP program to accept student details and display them. Use PreparedStatement. (use suitable table structure).

Slip 56

Q1 Create a class Person with aadhar, name, address as properties. Create at least 3 constructors. Demonstrate this() constructor and keyword.

Q2 Write Servlet program to welcome user if username is scott and password is tiger, else display “Sorry wrong details”.

Slip 57

Q1 Develop a **Servlet** that accepts two numbers as input from the user.

- Perform addition and display the result on the browser.

Q2 Write a program to accept name and age from command prompt. If age is below 18, throw “NotEligibleException” exception.

Slip 58

Q1 Create a **JSP page** to design a simple login form with fields for username and password.

- Display the entered values on submission.

Q2 Write an application to define a user defined exception “Insufficient Fund Exception”. Read the amount from console and if amount is available in your account, then draw the amount. If amount is not available, throw “Insufficient Fund Exception” and display amount available for withdrawal.

Slip 59

Q1 Write a JSP program using **JDBC** to update marks of a student based on roll number.

Q2 Create a class Person with aadhar, name, address as properties. Create display method and display the person details.

Slip 60

Q1 Create a class Employee and store employee details in an array.

- Display all employee details using a suitable loop.

Q2 Create a class Person with aadhar, name, address as properties. Create at least 3 constructors. Demonstrate this() constructor and keyword.

Slip 61

Q1 Create a class Customer with attributes custId, name, and email.

- Accept details of 5 customers.
- Display customers whose name length is greater than 5 characters.

Q2 Create a JSP page to display employees with salary > 30000 using JDBC.

Slip 62

Q1 Create a class Employee and store employee objects in an array.

- Find and display the employee having the minimum salary.

Q2 Explain the use of the **static keyword** in Java with example.

Slip 63

Q1 Write a Java program to accept a string.

- Count the number of uppercase characters present in the string.

Q2 Create a JSP page to count total records of student table in database. (assume suitable table structure)

Slip 64

Q1 Write a Java program to accept an array of integers.

- Sort the array in descending order and display the result.

Q2 Create a class Person with attributes name and age.

Use instance variables and a static variable to count total number of objects created.

Display the count along with person details.

Slip 65

Q1 Write a Java program to create a thread that prints squares of numbers from 1 to 10.

Q2

Slip 66

Q1 Create a class Employee.

- Throw a user-defined exception if age of employee is less than 18 while accepting input.

Q2

Slip 67

Q1 Develop a **Servlet** that displays a welcome message along with the current date and time.

Q2.

Slip 68

Q1 Create a **JSP page** that displays current system date and time.

Q2

Slip 69

Q1 Write a JSP program using **JDBC** to insert multiple records into a database table.

Q2 Create a class Customer with attributes name, mobile and address.

Use instance variables and a static variable to count total number of objects created.

Display the count along with customer details.

Slip 70

Q1 Create a class Manager that extends Employee.

- Display manager details including bonus.

Q2

Slip 71

Q1 Create a class Employee with department attribute.

- Store multiple employees and count number of employees in each department.

Q2

Slip 72

Q1 Write a Java program to accept elements in an array.

- Identify and display duplicate elements.

Q2

Slip 73

Q1 Write a Java program to accept a string.

- Convert the string into a character array and display each character.

Q2

Slip 74

Q1 Write a Java program to create a thread that prints Fibonacci series up to 10 terms.

Q2 Explain the use of **join() method** in threads.

Slip 75

Q1 Write a Java program to accept a number as string.

- Handle invalid input using exception handling.

Q2

Slip 76

Q1 Develop a **Servlet** to accept student details from a form.

- Display the details on the browser.

Q2 Create a class Customer with attributes name, mobile and address.

Use instance variables and a static variable to count total number of objects created.

Display the count along with customer details

Slip 77

Q1 Create a **JSP page** to perform arithmetic operations (addition, subtraction, multiplication).

Q2

Slip 78

Q1 Write a JSP program using **JDBC** to fetch records from a table and display them in sorted order.

Q2

Slip 79

Q1 Create a class Employee and calculate bonus based on salary.

- Display updated salary.

Q2

Slip 80

Q1 Write a Java program to accept a sentence.

- Reverse each word in the sentence.

Q2

Slip 81

Q1 Create a class Student with attributes rollNo, name, and marks of three subjects.

Store details of 5 students in an ArrayList.

Calculate total and percentage for each student.

Display students who have secured distinction (percentage ≥ 75).

Q2

Slip 82

Q1 Create a class Employee with attributes empId, name, and salary.

Store employee objects in a HashSet.

Attempt to insert duplicate employee records and display the final contents.

Q2

Slip 83

Q1 Write a Java program to accept a list of integers from the user.

Store them in an ArrayList.

Remove all duplicate elements and display the updated list.

Q2 Create a class Employee with two constructors (default and parameterized).

Initialize objects using both constructors and display the details.

Slip 84

Q1 Write a Java program to create a thread that prints prime numbers between 1 and 50.

Q2 Create another thread in the same program that prints squares of numbers from 1 to 10.

Execute both threads and display their outputs.

Slip 85

Q1 Write a Java program to perform division of two numbers entered by the user.

Handle invalid input and divide-by-zero conditions using appropriate exception handling.

Q2 Create a class Employee where salary must be greater than 10,000.

Throw a user-defined exception if the condition is not satisfied.

Slip 86

Q1 Develop a Servlet that accepts student name and marks from an HTML form.

Display the entered details along with pass/fail result.

Q2 Create a class Customer with attributes name, mobile and address.

Use instance variables and a static variable to count total number of objects created.

Display the count along with customer details

Slip 87

Q1 Create a JSP page that accepts employee name and salary.

Display the details along with annual salary calculation.

Q2 Write a java program to handle multiple exceptions using multiple catch blocks.

Slip 88

Q1 Write a JSP program using JDBC to create a table Student and insert at least 3 records.

Q2 Write a java program to handle multiple exceptions using multiple catch blocks.

Slip 89

Q1 Create a class Employee with attributes empId, name, and salary.

Demonstrate constructor chaining using this() keyword.

Q2 Create a thread that prints factorial of a number and another which prints even numbers from 1 to 10. Execute both threads.

.

Slip 90

Q1 Write a Java program to accept an array of integers.

Sort the array using built-in methods and display the sorted array.

Q2 Write a java program to handle multiple exceptions using multiple catch blocks.

Slip 91

Q1 Create a class Customer with attributes custId, name, and city.

Store objects in an ArrayList.

Display customers whose city starts with a given character.

Q2 Write a program to demonstrate use of StringBuilder by modifying a string (append, insert, delete operations).

Slip 92

Q1 Write a Java program to accept 5 employee names.

Store them in an array and sort them alphabetically.

Q2 Modify the program to search for a specific employee name and display whether it exists or not.

Slip 93

Q1 Create a class Student and store student objects in a HashMap with roll number as key.

Display all student details.

Q2 Modify the program to search for a student using roll number and display the details.

Slip 94

Q1 Write a Java program to create a thread that prints multiplication table of a number.

Q2

Slip 95

Q1 Write a Java program to read a number as a string.

Convert it to integer and handle invalid input using exception handling.

Q2 Create a custom exception class and use it in a program to validate age of a person.

Slip 96

Q1 Develop a Servlet that accepts two numbers from a form.

Perform addition and display the result.

Q2 Modify the servlet to display multiplication and division results also.

Slip 97

Q1 Create a JSP page that accepts student details.

Display total and percentage using JSP expression tags.

Q2 Extend the JSP page to display grade based on percentage.

Slip 98

Q1 Write a Java program using JDBC to update salary of an employee based on ID.

Q2 Modify the program to display all employee records after update.

Slip 99

Q1 Create a class Person and demonstrate encapsulation using private variables and getter/setter methods.

Q2 Create another class Employee that uses Person class and displays complete details.

Slip 100

Q1 Write a Java program to accept a sentence.

Count number of words and characters.

Q2 Write a Java program to accept a list of integers.

- Sort the list using collection methods and display the result.
- remove duplicate elements and display unique values

Slip 101

Q1 Create a class Employee with attributes empId, name, and salary.

- Store details of 5 employees in an array.
- Count and display the number of employees having even employee IDs.

Q2 Create a class Person with attributes name and age.

- Demonstrate use of local, instance, and static variables within the class.
- Display how their values differ for multiple objects.

Slip 102

Q1 Create a class Manager with attributes managerId, name, and bonus.

- Store multiple manager objects in an ArrayList.
- Display managers whose bonus is greater than a value entered by the user.

Q2 Create a class hierarchy with Employee as base class and Manager as derived class.

- Add additional attributes in derived class.
- Demonstrate inheritance by accessing base class properties and displaying complete details.

Slip 103

Q1 Write a Java program to accept a sentence from the user.

- Replace a specific word with another word entered by the user.
- Display the modified sentence.

Q2 Create a class Customer with attributes custId, name, and city.

- Demonstrate use of different string operations (length, substring, replace) on customer name.

Slip 104

Q1 Write a Java program to create a thread that prints numbers from 1 to 5 with a delay of 1 second between each number.

Q2 Create another thread in the same program.

- Assign names to both threads and display their names along with execution output.

Slip 105

Q1 Write a Java program to accept employee details using Scanner.

- Validate input such that salary should be numeric.
- Handle invalid input using exception handling.

Q2 Create a class Employee with overloaded constructors.

- Initialize objects using different constructors and display details.

Slip 106

Q1 Develop a **Servlet** that accepts username from a form.

- Display a greeting message “Welcome <name>” on the browser.

Q2 Modify the same servlet to display additional details such as current date and time along with the greeting message.

Slip 107

Q1 Create a **JSP page** that accepts two numbers from the user.

- Perform addition and display result using JSP expression tag.

Q2 Create a class Employee demonstrating constructor chaining using this() keyword.

- Initialize objects using multiple constructors.

Slip 108

Q1 Write a JSP program using **JDBC** to create a table Employee.

- Insert at least 3 records into the table.

Q2. Write a Java program to accept an array of integers and display the array in reverse order after sorting.

Slip 109

Q1 Write JSP program to retrieve and display all records of employee table in tabular format

Q2 Create a class Manager extending Employee.

- Demonstrate use of super() to initialize base class attributes.

Slip 110

Q1 Write a Java program to accept an array of integers.

- Sort the array in ascending order using built-in methods.

Q2 Write a JSP page to perform subtraction and multiplication based on user choice.

Slip 111

Q1 Create a class Employee with attributes empId, name, and salary.

- Store details of 7 employees in an array.
- Sort the array based on salary and display the sorted list.
- Find and display the median salary.

Q2 Write a Java program to accept a number from the user.

- Display the sum of digits using appropriate looping construct.

Slip 112

Q1 Create a class Customer with attributes custId, name, and city.

- Store customer details in an ArrayList.
- Filter and display customers belonging to a city entered by the user.

Q2 Write JSP program to retrieve and display only those students whose marks are above a given value.

Create a class Person with private attributes.

- Use getter and setter methods to access and modify data.
- Demonstrate encapsulation by displaying updated values.

Slip 113

Q1 Write a Java program to accept a string.

- Count the total number of characters, digits, and spaces present in the string.

Q2 Create a class Employee with attributes name and salary.

- Demonstrate method overloading by creating multiple methods to calculate bonus based on different parameters.

Slip 114

Q1 Write a Java program to create a thread.

- Assign a custom name to the thread and display numbers from 1 to 10 along with thread name.

Q2 Create a JSP page to accept employee details. Store data in database using JDBC.

Display inserted records.

Slip 115

Q1 Write a Java program to demonstrate handling of NullPointerException.

- Generate the exception and handle it using try-catch block.

Q2 Create a class Person with attribute age.

- Throw a user-defined exception if age is less than 18 while accepting input.

Slip 116

Q1 Develop a **Servlet** that accepts two numbers from a form.

- Perform addition and subtraction and display the results.

Q2 Modify the servlet to handle invalid input using exception handling and display appropriate message.

Slip 117

Q1 Create a **JSP page** that accepts employee details (name, salary).

- Calculate and display annual salary.

Q2 Extend the JSP page to display category of employee based on salary (e.g., High/Medium/Low).

Slip 118

Q1 Write a JSP program using **JDBC** to insert multiple student records into a database table.

Q2 Create a class Customer with attribute name.

Perform string operations such as converting to uppercase, extracting substring, and displaying length of the name.

Slip 119

Q1 Create a class Employee and demonstrate multilevel inheritance using classes Person → Employee → Developer.

- Display complete details of a developer.

Q2 Modify the program to override a method in derived class and display customized output.

Slip 120

Q1 Write a Java program to accept a number.

- Reverse the digits and check whether the number is palindrome or not.

Q2 Modify the program to count number of even and odd digits separately.

Slip 121

Q1 Create a class Employee with attributes empId, name, and salary.

- Store objects in an ArrayList.
- Filter and display employees whose salary is within a specified range.

Q2 Write a Java program to demonstrate use of StringBuffer by performing append, insert, and delete operations.

Slip 122

Q1 Create a class Student with attributes rollNo, name, and marks.

- Store records in a HashMap.
- Display all students and search for a student using roll number.

Q2 Write a Java program to accept a string.

- Count number of vowels and consonants.

Slip 123

Q1 Write a Java program to accept a string.

- Count and display number of special characters using pattern matching.

Q2 Create a class Employee and store objects in a List.

- Sort employees based on name using a suitable approach.

Slip 124

Q1 Write a Java program to create two threads.

- One thread should increment a counter.
- Another thread should display the counter value.
- Execute both threads.

Q2

Slip 125

Q1 Write a Java program to perform division of two numbers.

- Handle `ArithmeticException` using try-catch block.

Q2 Write a servlet program to demonstrate servlet life cycle.

Slip 126

Q1 Develop a **Servlet** that accepts employee details from a form.

- Display the details in tabular format.

Q2 Demonstrate the use of **final** using class, method and instance member.

Slip 127

Q1 Create a **JSP page** to accept student details.

- Display the details using JSP expression and scriptlet.

Q2 Explain `this()` for constructor overloading and `super()` for superclass's constructor calling with example

Slip 128

Q1 Write a JSP program using **JDBC** to fetch employee records from a table.

Q2 Write a Java program to accept a list of integers and remove duplicate elements and display unique values.

Slip 129

Q1 Create a class `Person` and demonstrate runtime polymorphism using method overriding.

- Create subclass `Employee` and override display method.

Q2 Create a JSP page which will display records of a student table. (assume proper structure)

Slip 130

Q1 Write a Java program to accept a list of integers.

- Sort the list using collection methods and display the result.

Q2 Write a JSP program to display records of employees in sorted order based on salary.