


☁ AWS Elastic Block Store (EBS) → Snapshots

🚀 Steps:

1. Launch Instance In N. Virginia Region:



The screenshot displays the AWS Management Console interface for the 'us-east-1' region. The left sidebar shows the navigation menu with categories like EC2, Images, and Elastic Block Store. The main content area shows the 'Instances' page with a table of running instances. One instance, 'EBS-server', is highlighted, and its details are shown below the table. The instance is in a 'Running' state and is associated with an EBS volume.

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
EBS-server	i-0781d7027a2fccd29	Running	t3.micro	Initializing	View alarms +	us-east-1c	ec2-98-88-7

i-0781d7027a2fccd29 (EBS-server)


Instance summary

Instance ID	Public IPv4 address	Private IPv4 addresses
i-0781d7027a2fccd29	98.88.250.163 open address	172.31.19.196

2. Connect EC2 Using SSH:



[illegible]

Make A Folder And Files Inside Project Folder:



```
ec2-user@EBSsaver:~  
[ec2-user@EBSsaver ~]$ mkdir Project  
[ec2-user@EBSsaver ~]$ ls  
Project  
[ec2-user@EBSsaver ~]$ cd project  
-bash: cd: project: No such file or directory  
[ec2-user@EBSsaver ~]$ touch tcs{1..100}.txt  
[ec2-user@EBSsaver ~]$
```

3. Create & Attach Volume EBS:



aws management console - Go x aws management console - Go x Volumes | EC2 | us-east-1 x Instances | EC2 | us-east-1 x Ask Gemini

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volumes:

Search [Alt+S]

United States (N. Virginia) ritesh kanse (798329740596)

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Successfully created volume vol-06267b3a4fe240449.

Volumes (1/2) Info

Saved filter sets Choose filter set Search

Volume ID Name Type Size IOPS Throughput

vol-0b9e39024d2eacbbe	gp3	8 GiB	3000	125
vol-06267b3a4fe240449	gp3	3 GiB	3000	125

Volume ID: vol-06267b3a4fe240449

Details Status checks Monitoring Tags

Volume ID vol-06267b3a4fe240449

Size 3 GiB

Type gp3

AWS Compute Optimizer finding Opt-in to AWS Compute Optimizer for recommendations. Learn more

Volume state Available

IOPS 3000

Throughput 125

Fast snapshot restored No

Availability Zone use1-az4 (us-east-1c)

Created Wed May 13 2026 13:15:56

Multi-Attach enabled No

Recycle Bin Actions Create volume

Modify volume

Create snapshot

Create snapshot lifecycle policy

Delete volume

Attach volume

Detach volume

Force detach volume

Manage auto-enabled I/O

Copy volume - new

Manage tags

Resilience testing Previously fault injection

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search

ENG IN 01:16 PM 13-05-2026

aws management console - Go x aws management console - Go x Attach volume | EC2 | us-east-1 x Instances | EC2 | us-east-1 x Ask Gemini

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#AttachVolume:volumeId=vol-06267b3a4fe240449

Search [Alt+S]

United States (N. Virginia) ritesh kanse (798329740596)

EC2 > Volumes > vol-06267b3a4fe240449 > Attach volume

Basic details

Volume ID vol-06267b3a4fe240449

Availability Zone use1-az4 (us-east-1c)

Instance Info i-0781d7027a2fccd29 (EBS-server) (running)

Only instances in the same Availability Zone as the selected volume are displayed.

Device name Info /dev/sdb

Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.

Newer Linux kernels may rename your devices to /dev/xvdf through /dev/xvdp internally, even when the device name entered here (and shown in the details) is /dev/sdf through /dev/sdp.

Cancel Attach volume

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search

ENG IN 01:16 PM 13-05-2026

3.1 See The List All Block Storage Devices:

lsblk

```
ec2-user@EBSserver:~$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
nvme0n1      259:0    0   8G  0 disk
├─nvme0n1p1  259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part
├─nvme0n1p128 259:3    0  10M  0 part /boot/efi
└─nvme1n1     259:4    0   3G  0 disk

[ec2-user@EBSserver ~]$
```

3.2 Make Disk Partitions:

```
ec2-user@EBSserver:~$ sudo fdisk /dev/nvme1n1
Welcome to fdisk (util-linux 2.37.4).
Changes will remain in memory only, until you decide to write them.
Be careful before using the write command.

Device does not contain a recognized partition table.
Created a new DOS disklabel with disk identifier 0xd4c68fd2.

Command (m for help): n
Partition type
  p   primary (0 primary, 0 extended, 4 free)
  e   extended (container for logical partitions)
Select (default p):

Using default response p.
Partition number (1-4, default 1):
First sector (2048-6291455, default 2048):
Last sector, +/-sectors or +/-size{K,M,G,T,P} (2048-6291455, default 6291455): +1G

Created a new partition 1 of type 'Linux' and of size 1 GiB.

Command (m for help): w
The partition table has been altered.
Calling ioctl() to re-read partition table.
Syncing disks.

[ec2-user@EBSserver ~]$
```

3.3 Check List All Block Storage Devices:

lsblk

```
ec2-user@EBSserver:~$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
nvme0n1      259:0    0   8G  0 disk 
├─nvme0n1p1  259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part 
├─nvme0n1p128 259:3    0  10M  0 part /boot/efi
└─nvme1n1    259:4    0   3G  0 disk 
   └─nvme1n1p1 259:6    0   1G  0 part
```

3.4 Created A Filesystem (XFS) On Your Partition Disk Is Ready ToStore Data:

```
sudo mkfs.xfs /dev/nvme1n1p1
```

```
ec2-user@EBSserver:~$ mkfs.xfs /dev/nvme1n1p1
illegal sector size 0
Usage: mkfs.xfs
/* blocksizes */          [-b size=num]
/* config file */         [-c options=xxx]
/* metadata */            [-m crc=0|1,finobt=0|1,uuid=xxx,rmapbt=0|1,reflink=0|1,
                           inobtcount=0|1,bigtime=0|1,autofsck=xxx]
/* data subvol */         [-d agcount=n,agsize=n,file,name=xxx,size=num,
                           (sunit=value,swidth=value|su=num,sw=num|noalign),
                           sectsize=num,concurrency=num]
/* force overwrite */     [-f]
/* inode size */          [-i perblock=n|size=num,maxpct=n,attr=0|1|2,
                           projid32bit=0|1,sparse=0|1,nnext64=0|1,
                           exchange=0|1]
/* no discard */          [-k]
/* log subvol */          [-l agnum=n,internal.size=num,logdev=xxx,version=n,
                           sunit=value|su=num,sectsize=num,lazy-count=0|1,
                           concurrency=num]
/* label */               [-L label (maximum 12 characters)]
/* naming */              [-n size=num,version=2|ci,ftype=0|1,parent=0|1]]
/* no-op info only */     [-N]
/* prototype file */      [-p fname]
/* quiet */               [-q]
/* realtime subvol */     [-r extsize=num,size=num,rtdev=xxx]
/* sectorsize */          [-s size=num]
/* version */             [-V]
                           devicename
<devicename> is required unless -d name=xxx is given.
<num> is xxx (bytes), xxxs (sectors), xxxb (fs blocks), xxxk (xxx KiB),
        xxxm (xxx MiB), xxxg (xxx GiB), xxxt (xxx TiB) or xxxp (xxx PiB).
<value> is xxx (512 byte blocks).
ec2-user@EBSserver:~$
```

3.5 Edit The System's Filesystem Table:


```
sudo vim /etc/fstab
```

```
ec2-user@EBSserver:~  
#  
UUID=d0446408-7bbd-4991-a80c-ae7c5a8fabdc / xfs defaults,noatime 1 1  
UUID=1419-FFEF /boot/efi vfat defaults,noatime,uid=0,gid=0,umask=0077,shortname=winnt,x-systemd.automount 0 2  
/dev/nvme1n1p1 /home/ec2-user/Project xfs defaults 0 0  
  
"/etc/fstab" 4L, 284B
```


3.6 Now Mount EBS And Create A Folder:

```
ec2-user@EBSserver:~  
[ec2-user@EBSserver ~]$ sudo mount /home/ec2-user/Project  
[ec2-user@EBSserver ~]$ ls  
Project  
[ec2-user@EBSserver ~]$
```


4.Launch New Instance In Mumbai Region:



The screenshot displays the AWS Management Console for the Mumbai region. The left sidebar shows the navigation menu with categories like EC2, Images, and Elastic Block Store. The main content area shows the 'Instances (1/1)' page. A table lists the instance 'EBS-server-mumbai' with ID 'i-0e9903fb38fd0784d', state 'Running', type 't3.micro', and status 'Initializing'. Below the table, the 'Instance summary' for 'i-0e9903fb38fd0784d (EBS-server-mumbai)' is shown, including its public IPv4 address (13.206.186.251), private IPv4 address (172.31.37.97), and public DNS (ec2-13-206-186-251.ap-south-1.compute.amazonaws.com).




The screenshot shows the 'Connect to instance' page in the AWS Management Console for the instance 'i-0e9903fb38fd0784d'. The page provides instructions for connecting via SSH client. The instructions include: 1. Open an SSH client. 2. Locate your private key file. 3. Run the command 'chmod 400 "rk-mumbai.pem"'. 4. Connect to your instance using its Public DNS: 'ec2-13-206-186-251.ap-south-1.compute.amazonaws.com'. The command 'ssh -i "rk-mumbai.pem" ec2-user@ec2-13-206-186-251.ap-south-1.compute.amazonaws.com' is shown, and a note states: 'Note: In most cases, the guessed username is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.'



5. Go To Volume And Create Snapshot:

5.1 Action → Create Snapshot:



5.2 Go To Snapshots:

The screenshot shows the AWS Management Console for the us-east-1 region. The 'Snapshots' page is active, displaying a table with one snapshot. The snapshot is named 'snap-0c1b12b41df2e5746', has a size of 3 GiB, and is in a 'Pending' status. The left sidebar shows navigation options like Savings Plans, Reserved Instances, and Elastic Block Store. The top navigation bar includes the AWS logo, search bar, and user profile.

Name	Snapshot ID	Full snapshot size	Volume size	Description	Storage tier	Snapshot status
✓	snap-0c1b12b41df2e5746	-	3 GiB	tcs project	Standard	Pending

5.3 Now Copy This Snapshot To Mumbai Region:

The screenshot shows the AWS Management Console for the ap-south-1 region. The 'Snapshots' page is active, displaying a table with one snapshot. The snapshot is named 'snap-0dd038a06dbe1ccc8', has a size of 3 GiB, and is in a 'Pending' status. The left sidebar shows navigation options like Dashboard, AWS Global View, and Instances. The top navigation bar includes the AWS logo, search bar, and user profile.

Name	Snapshot ID	Full snapshot size	Volume size	Description	Storage tier	Snapshot status
✓	snap-0dd038a06dbe1ccc8	-	3 GiB	[Copied snap-0c1b12b41df2e5746 from us-east-1]	Standard	Pending

5.4 Check snapshot in mumbai region:

The screenshot shows the AWS Management Console for the Mumbai region. The left sidebar contains navigation links for Dashboard, AWS Global View, Events, Instances, Elastic Block Store, and Network & Security. The main content area displays the 'Snapshots' page for the 'ap-south-1' region. A table lists snapshots, with one snapshot selected: 'snap-0dd038a06dbe1ccc8'. Below the table, the details for this snapshot are shown, including its ID, owner, description, full snapshot size, volume size, progress, and status (Pending).

Name	Snapshot ID	Full snapshot size	Volume size	Description	Storage tier	Snapshot status
[icon]	snap-0dd038a06dbe1ccc8	-	3 GiB	[Copied snap-0c1b12b41df...	Standard	Pending

Snapshot ID: snap-0dd038a06dbe1ccc8

Details	Snapshot settings	Storage tier	Tags
Snapshot ID [icon] snap-0dd038a06dbe1ccc8	Full snapshot size -	Progress 0%	Snapshot status Pending
Owner [icon] 798329740596	Started Wed May 13 2026 14:00:00 GMT+0530 (India Standard Time)	Product codes -	Fast snapshot restore -
Description [icon] [Copied snap-0c1b12b41df2e5746 from			

5.5 Create Volume From Snapshot. Action → Create Volume FromSnapshot:



The screenshot shows the AWS Management Console for the Mumbai region, similar to the previous one. The 'Snapshots' page is displayed, and the 'Actions' menu is open, showing the option 'Create volume from snapshot'. The snapshot details are also visible, showing the snapshot is now 'Completed'.

Name	Snapshot ID	Full snapshot size	Volume size	Description	Storage tier	Snapshot status
[icon]	snap-0dd038a06dbe1ccc8	69 MiB	3 GiB	[Copied snap-0c1b12b41df...	Standard	Completed

Snapshot ID: snap-0dd038a06dbe1ccc8

Details	Snapshot settings	Storage tier	Tags
Snapshot ID [icon] snap-0dd038a06dbe1ccc8	Full snapshot size 69 MiB	Progress 100%	Snapshot status Completed
Owner [icon] 798329740596	Started Wed May 13 2026 14:00:00 GMT+0530 (India Standard Time)	Product codes -	Fast snapshot restore -
Description [icon] [Copied snap-0c1b12b41df2e5746 from			

5.5 Check In Volumes & Attach:



5.6Check List Block Storage:

lsblk

```
ec2-user@EBSmumbai:~$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
nvme0n1      259:0    0   8G  0 disk 
├─nvme0n1p1  259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part 
├─nvme0n1p128 259:3    0  10M  0 part /boot/efi
nvme1n1      259:4    0   3G  0 disk 
└─nvme1n1p1  259:5    0   1G  0 part
```


5.7 Edit The System’s Filesystem Table:

```
ec2-user@EBSmumbai:~$ cat /etc/fstab
#
UUID=d0446408-7bbd-4991-a80c-ae7c5a8fabdc / xfs defaults,noatime 1 1
UUID=1419-FFEF /boot/efi vfat defaults,noatime,uid=0,gid=0,umask=0077,shortname=winnt,x-systemd.automount 0 2
/dev/nvme1n1p1 /home/ec2-user/Project xfs defaults 0 0

"/etc/fstab" 4L, 273B
```

5.8 Make Project Folder:


```
ec2-user@EBSmumbai:~$ mkdir Project
ec2-user@EBSmumbai:~$
```

A terminal window with a dark background. The prompt is 'ec2-user@EBSmumbai:~\$'. The user enters 'mkdir Project' and the prompt returns. The window has a title bar with standard OS controls and a taskbar at the bottom with various application icons and system status indicators.

5.9 Mount EBS Volume:

```
sudo mount /home/ec2-user/project
```

```
ec2-user@EBSmumbai:~$ sudo mount /home/ec2-user/Project
ec2-user@EBSmumbai:~$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
nvme0n1      259:0    0   8G  0 disk 
├─nvme0n1p1  259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part 
├─nvme0n1p128 259:3    0  10M  0 part /boot/efi
└─nvme1n1     259:4    0   3G  0 disk 
   └─nvme1n1p1 259:5    0   1G  0 part /home/ec2-user/Project
ec2-user@EBSmumbai:~$
```

A terminal window showing the execution of 'sudo mount /home/ec2-user/Project' and 'lsblk'. The 'lsblk' command output shows a list of storage devices and partitions, with the newly mounted volume appearing as 'nvme1n1p1' at '/home/ec2-user/Project'. The window includes a title bar and a taskbar at the bottom.

6.Check The Files:

```
ec2-user@EBSmumbai:~/Project
[ec2-user@EBSmumbai ~]$ ls
Project
[ec2-user@EBSmumbai ~]$ cd Project
[ec2-user@EBSmumbai Project]$ ls
tcs1.txt    tcs16.txt  tcs23.txt  tcs30.txt  tcs38.txt  tcs45.txt  tcs52.txt  tcs6.txt   tcs67.txt  tcs74.txt  tcs81.txt  tcs89.txt  tcs96.txt
tcs10.txt   tcs17.txt  tcs24.txt  tcs31.txt  tcs39.txt  tcs46.txt  tcs53.txt  tcs60.txt  tcs68.txt  tcs75.txt  tcs82.txt  tcs9.txt   tcs97.txt
tcs100.txt  tcs18.txt  tcs25.txt  tcs32.txt  tcs4.txt   tcs47.txt  tcs54.txt  tcs61.txt  tcs69.txt  tcs76.txt  tcs83.txt  tcs90.txt  tcs98.txt
tcs11.txt   tcs19.txt  tcs26.txt  tcs33.txt  tcs40.txt  tcs48.txt  tcs55.txt  tcs62.txt  tcs7.txt   tcs77.txt  tcs84.txt  tcs91.txt  tcs99.txt
tcs12.txt   tcs2.txt   tcs27.txt  tcs34.txt  tcs41.txt  tcs49.txt  tcs56.txt  tcs63.txt  tcs70.txt  tcs78.txt  tcs85.txt  tcs92.txt
tcs13.txt   tcs20.txt  tcs28.txt  tcs35.txt  tcs42.txt  tcs5.txt   tcs57.txt  tcs64.txt  tcs71.txt  tcs79.txt  tcs86.txt  tcs93.txt
tcs14.txt   tcs21.txt  tcs29.txt  tcs36.txt  tcs43.txt  tcs50.txt  tcs58.txt  tcs65.txt  tcs72.txt  tcs8.txt   tcs87.txt  tcs94.txt
tcs15.txt   tcs22.txt  tcs3.txt   tcs37.txt  tcs44.txt  tcs51.txt  tcs59.txt  tcs66.txt  tcs73.txt  tcs80.txt  tcs88.txt  tcs95.txt
[ec2-user@EBSmumbai Project]$
```

