



FAITH SERVICES PVT. LTD.

AN ISO 9001 - 2015 COMPANY

SCAFFOLDING & FORMWORKS

**MANUFACTURING
RENTAL
SERVICES
USED BUY/SELL**



THE SCAFFOLDING COMPANY

FAITH SERVICES PVT. LTD.

www.faithservices.co.in | fspl@faithservices.co.in





ABOUT US

We “**FAITH SCAFFOLDING SERVICES PVT. LTD.**” had started our journey early in 2005. Since then we are involved in world class manufacturing and exporting of scaffolding & shuttering products. The products we offer are precision engineered by the experienced professionals, who possess an immense knowledge and experience in their respective fields. Due to robust construction, reliable performance, durability and dimensional accuracy with high quality of raw material our products are appreciated in both domestic as well as international markets.

To cater a different need of market, we are not only involved in manufacturing; we provide services of scaffolding products on rental also. Furthermore, we provide scaffolding fitting and dismantling service including material, erection, transportation and supervision. Additionally we help our customer to buy/sell their used scaffold products.

We have an experienced team of experts, which supports us in becoming a noteworthy organization in the field of providing a flawless range of our products. We have dedicated team of professionals that's why we have been able to offer these products in varied specification as per client's requirement. With the help of our team network, we have been able to provide these products to our clients based across the global markets.

Our top management has played a key role in our growth and helped us maintain a stranglehold position in the marketplace. They always guide us in all our business operation and hence, we have been able to achieve the set organizational goal. Owing to their visionary guidance and extensive industry experience, we have been able to gain clients across the world. We have 2 more companies named **FAITHAIM SALES & SERVICES PVT. LTD & FAITH SCAFFOLDING SERVICES PVT. LTD.** which are expanding our reach in global markets as well.

OUR MISSION is to Provide Solution from Steel to Structure and build long term relationships with our customers and provide exceptional customer service by Pursuing business through innovation and advance technology.

CORE VALUES, We believe in treating our customers with Respect and Faith. We grow through creativity, Invention and innovation. We integrate Honesty, Integrity and Business Ethics into all aspect of our business functioning.

OUR VISION is to enhance prosperity of Society & Inspire next generation towards Growth.

OUR PRODUCTS



MANUFACTURING

Manufacturing | Designing

- CUPLOCK SYSTEM
- H-FRAME SCAFFOLD
- ADJUSTABLE PROP
- GI SHUTTERING RUNNER
- WALKWAY PLANKS
- SHUTTERING & ACRO PLATES
- BASE JACK / U JACK / TIE ROD
- SCAFFOLDING ACCESSORIES & MANY MORE

RENTAL & ERECTION SERVICES

On Rent Basis | Supply Erection & Comission

- SCAFFOLDING SERVICES WITH MATERIAL
- TURNKEY PROJECTS
- SCAFFOLDING ON RENT
- FORMWORK MATERIAL ON RENT



USED BUY / SELL

Bulk Buyer | Seller

- Buyer & Seller
 - ↳ USED SCAFFOLDING MATERIAL
 - ↳ USED SHUTTERING MATERIAL





FAITH SCAFFOLDING SERVICES PVT. LTD. is a leading manufacturer and Exporter of Cuplock system. We provide Scaffolding services including Material, Installation, Supervision, Dismantling and transportation. Scaffolding System available on Rental also.

INTERNATIONAL STANDARDS

- **BS 1139** : Metal Scaffolding
- **BS 1139: Part 1**: Tube
- **BS 1139 : Part 1: Section 1.1** : Specification for Steel Tube
- **BS 1139: Part 2** : Scaffolding Couplers
- **BS 1139 : Part 1: Section 2.1**: Specification for Steel Couplers, Loose Spigots, and Base Plates for use in working Scaffolding made of Steel Tubes
- **BS 3571**: MIG Welding
- **BL 4360**: Specification for weld able Structural steels
- **BS 6681** : Specification for Malleable Cast Iron

CUPLOCK SYSTEM

CUPLOCK STANDARD / VERTICAL

The Cuplock Standard / Vertical are manufactured from 48 mm OD MS Round Pipe, provided in various sizes with Cup Joints welded at 500 mm Intervals. The top cups are made from Malleable casting & forged to endure rough site handling, and welded bottom cups are Pressed from High Quality Steel.

CUPLOCK LEDGER / HORIZONTAL


The Cuplock Ledger is used to make rigid bond to endure uneven site handling. This Cuplock ledger is comprised of forged blade at the both end which fits between Top cup and Bottom cup of vertical. Ms round pipes is used of 48.00 mm OD and 3 mm Thickness. Minimum projection of blades avoids damages in handling and uniform dimension makes the cup joints rigid.

SIZES OF VERTICAL

SIZE IN METER	~ WEIGHT
1.00 Mtr : 2 Cup	04.50 kg
1.50 Mtr : 3 Cup	06.80 kg
2.00 Mtr : 4 Cup	09.00 kg
2.50 Mtr : 5 Cup	11.50 kg
3.00 Mtr. : 6 Cup	13.40 kg

SIZES OF LEDGER

SIZE IN METER	~ WEIGHT
Ledger 0.5 Mtr.	2.00 kg
Ledger 1.0 Mtr.	3.75 kg
Ledger 1.5 Mtr.	5.46 kg
Ledger 2.0 Mtr.	7.15 kg
Ledger 2.5 Mtr.	8.50 kg





SCAFFOLDING & FORMWORK

ANTISKID PLANKS AUTO LOCK HOOK



ANTISKID PLANKS WITHOUT HOOK




WALKWAY PLANKS

FAITH SCAFFOLDING SERVICES PVT.LTD. is a leading manufacturer, supplier and exporter of different types of Scaffolding Walkway Planks & solar walkway planks.

We are Providing Walkway Planks with Auto Lock Hook, with fix hooks, Planks without hooks & solar walkway planks.

We can customize Walkway Planks as per the customer requirements.

MS BOX PIPE PLANKS / JALI / KHAPEDA



TOE BOARD/GUARD



GI SHUTTREING RUNNER

we are leading manufacturer & exporter of GI shuttering Runner that is widely used in slab as support. Available in different standard sizes like 50x50,75x50. We can customize as per client's requirement.



ADJUSTABLE PROP / MS PROP

Faith Scaffolding Services Manufacture's World Class Quality Of telescopic prop it is used for safely supporting slab and beam loads. it offers very economic solutions for providing support to various salbs, wall, columns, formworks, etc.Props are available in Stirrup head, Flat head, Beam head and L support



STANDARD SIZES OF PROP

Outer x Inner (I)	Weight
1.50 x 1.50 Mtr	15.00kg
2.00 x 2.00 Mtr	18.20kg
2.00 x 2.50 Mtr	20.50kg
2.00 x 3.00 Mtr	22.15kg
2.50 x 2.50 Mtr	22.80kg
2.50 x 3.00 Mtr	24.50kg

ACRO PLATE WALL FORM

Acro plates are mainly manufactured by the heavy raw material such as sheet above 2.5 mm thick and angles size of 45x45x5 mm. FSPL Provides Acro plate in Standard as well as in Customised Sizes as per Clients' Requirements.




Acro Plate Wall Form

Size in MM	Weight
1250 x 200	14.30 kg
1250 x 230	15.25 kg
1250 x 300	19.00 kg
1250 x 350	22.00 kg
1250 x 400	24.00 kg
1250 x 450	25.25 kg
1250 x 500	27.00 kg
1250 x 600	34.00 kg
1250 x 750	40.00 kg

SHUTTERING PLATES

We are Manufacture and supplier of Shuttering Plates. These Products are one of the core elements which are used for supporting building construction slabs, canopies, beams, lintels for RCC construction work. These plates provide a much needed alternative for wooden plates, as they are manufactured using non corrosive and durable materials.




WELDED SHUTTERING PLATE		RIVETTED SHUTTERING	
SIZE IN FT.	~WEIGHT	SIZE IN FT.	~WEIGHT
3.0 x 0.9	08.00 kg	3.0 x 0.9	06.00 kg
3.0 x 1.0	10.00 kg	3.0 x 1.0	07.00 kg
3.0 x 1.3	11.00 kg	3.0 x 1.3	08.00 kg
3.0 x 1.6	12.00 kg	3.0 x 1.6	10.00 kg
3.0 x 2.0	16.00 kg	3.0 x 2.0	12.50 kg

TELESCOPIC ACRO SPAN

Adjustable Telescopic Spans are used for slab supporting. It is ideal to be used as self-supporting runner in shuttering systems. Adjustable beam spans are installed under shuttering plates or floor from panels.

MINIMUM SIZE	MAXIMUM SIZE
2400 mm	3450 mm
2450 mm	4150 mm
3150 mm	5500 mm



H - FRAME SCAFFOLDING SYSTEM

FAITH SERVICES PVT. LTD. Provides Most Popular scaffolding “H Frame”. This type of Scaffolding system is used whenever the situation arises where large Heights are to be scaled. This frames are manufactured from the highest quality MS Pipes.

H-Frames consist of welded frames with Outer Diameter 48 mm Vertical Pipes, which are braced together with braces. The H-Frames are essentially parts of a larger system, which is bound together by components known as Modules. One module within this system consists of two H-Frame and two diagonals. An Entire H Frames system consist of one horizontal connection and four cross bracings.

STANDARD SIZES OF H - FRAME

SIZE (H x W)	WEIGHT
1.50 x 1.00 Mtr.	18.50 kg / No.
1.50 x 1.25 Mtr.	20.00 kg / No.
2.00 x 1.00 Mtr.	21.50 kg / No.
2.00 x 1.25 Mtr.	23.00 kg / No.

* We can Customise the Sizes as per client's Requirement.



BASE JACK / U HEAD JACK

U Jack and Base jack are specially designed for levelling scaffolding, fast and accurate. Onsite installation is provided by a combination of coarse and fine adjustment up to maximum of 550 mm and can be customized.

STANDARD SIZES OF JACK

HOLLOW PIPE JACK	
LENGTH	WEIGHT
230mm	2.00 kg
350mm	2.30 kg
450mm	2.60 kg
600mm	3.20 kg

MS SOLID JACK	
LENGTH	WEIGHT
300 mm	2.90 kg
350 mm	3.20 kg
450mm	3.75 kg
600 mm	4.50 kg



Base Jack



U Head Jack

TIE ROD

Tie Rod are part of Form-work accessories that find application in scaffolding applications at construction sites. In the area of scaffolding, these tie rod assemblies find application in bracing steel columns/heavy timber beams and for supporting canopies/awnings.



BEAM CLAMP

- Used to secure fixtures, wires, threaded rods, and other hardware.
- It provides a simple and portable means of attaching a hoist to a runway or lifting beam



BRC CLAMP

- Board retaining clamp is used to retaining the scaffolding planks.
- Thus it is also called scaffolding plank coupler or simply named BRC.
- Board retaining coupler is conformed to EN 74 and BS1139 standards.



WALLER PLATE

- Waller plates are appreciated for their exceptional strength, long lasting quality and low maintenance design
- Unique tensile strength, simple installation method, corrosion proof design, vibration resistant attribute, compatibility with different accessories, precise dimension and long lasting quality.



T BOLT / I BOLT

- T Bolts / I bolts are used to tighten Swivel couplers and Fixed Couplers. T Bolts / I bolts are used to replace worn or lost T Bolts / I bolts on scaffolding couplers. Our T Bolts / I bolts are supplied with a washer and nut.



WATER STOPPER

- Tie rod water Stopper which is very well threaded compatible with 16mm tie rod and available with cap adapter.
- Water stopper is with inner screw threads.
- These stoppers are used for prevention of water seepage.



PROP SLEEVE

- Prop Sleeve use to adjust nut up and down and lock tubes at required length.
- Prop Sleeve made of 60 mm Diameter



SOLID JACK NUT

- Solid adjustable jack nut that is available in different grades, sizes and dimensions as per their requirement of clients.
- These jacks are durable in quality and ensure longer servelife.
- We fabricate this jack nuts are made from with ms steel casted jack nut.



HOLLOW JACK NUT

- We are instrumental in offering an alluring range of superb quality jack nut to our clients.
- We provide highly efficient jack nut in standard as well as customized configurations, as per client's req.
- Hollow jack nut is made for 38 dia jack pipe



GOGO NUT

- It is made with body cast + steel bolt nut
- The gogo nuts we make available features long functional life, corrosion resistance and reliable performance.



LADDER CLAMP BOX TYPE

- Ladder clamp is used to connect a ladder to scaffolding tubes. This clamp allows safe and secure installation of the ladder to the tubes for smooth passage to higher levels.



ACCESSORIES FOR SHUTTERING



C Clamp



Shikanja



Prop Nut Standard



Prop Nut L & T

ACCESSORIES

FIX COUPLER

- Connects two scaffold tubes at right angles. These are important load bearing components, and the drop forged fittings provide the maximum strength.



Forged

- Pressed Fix Coupler connect two scaffold tubes at right angles. These Components are load bearing to resist both slip & distortion . Available in 40X40 mm nominal bore (NB) pipes.



Sheet Metal

SWIVEL COUPLER

- Swivel couplers enables two scaffold tubes to be connected together at any angle, they are mainly used for diagonal bracing.
- Make EN-74



Forged

- Pressed Swivel Couplers connect two scaffold tubes at any angle to provide a ledger brace, facade or similar bracing. Sizes :- 40X40 mm , 40X50 mm, 50X50mm nominal bore (NB) pipes.



Sheet Metal

SLEEVE COUPLER

- Joins 48 O.D. scaffold tubes end to end externally.



PUTLOG COUPLER

- Putlog Couplers are for the support of scaffold boards. The one piece body has been carefully designed and press formed to provide the maximum resistance to movement and a long working life.



EXPANDING JOINT PIN

- Joins 48 O.D. scaffold tube yp standards end to end internally. Fits inside scaffold tubes.
- Expands to fit internal diameter of scaffold tube when bolt tightened.



ANCHOR NUT

- Anchor Nuts are designed using the best quality cast iron in different sizes from 90mm to 100mm. It is used with Tie Rod To Hold Shuttering.



SPIGOT PIN / JOINT PIN

- The Spigot Pin is used in Cuplock system. It is made out of 250/300 mm long round pipe of Outer Dia. 38 mm. Spigot is connecting internally and to allow ease of joining.



CASTOR WHEEL

- We provide a castor wheel as per clients requirements. With and without Brakes.



ACCESSORIES FOR CUPLOCK SYSTEM



Ms & Gi Pipe



Ledger Blade



Top Cup



Bottom Cup



USED SCAFFOLD BUY / SELL



& many more.....



FAITH SERVICES PVT. LTD.
AN ISO 9001 - 2015 COMPANY

SCAFFOLDING & FORMWORK

**MANUFACTURING
RENTAL
SERVICES
USED BUY/SELL**

FAITH SERVICES PVT. LTD.

H.O. & UNIT I

L/1216/1, Road "G", Lane No. 7,
Phase-IV, Naroda GIDC, Naroda,
Ahmedabad - 382330, Gujarat, INDIA

UNIT II

E-497, Hirapur Industrial Estate,
Nr. Bol Village, Sanand - II GIDC,
Sanand,
Ahmedabad - 382110, Gujarat, INDIA

Mo. : +91 9227773372/3/7

Email : fsp!@faithservices.co.in

Web : www.faithservices.co.in



THE SCAFFOLDING COMPANY