FAITH SERVICES PVT. LTD.

ISO 9001: 2015 COMPANY

SOLUTION FROM STEEL TO STRUCTURE

SCAFFOLDING & FORMWORKS
PRE ENGINEERED BUILDING
PORTABLE CABIN

FAITH SERVICES PVT. LTD.

www.faithservices.co.in | fspl@faithservices.co.ii













ABOUT US

We "FAITH SERVICES PRIVATE LIMITED" had started our journey early in 2005. Since then we are involved in Manufacturing and Exporting of SCAFFOLDING PRODUCTS, PRE-ENGINEERED BUILDINGS (PEB) and PORTABLE CABINS. The Products we offer are precision engineered by the experienced professionals, who possess an immense knowledge and experience in their respective fields. Due to robust construction, reliable performance, durability and dimensional accuracy with High Quality of Raw material our products are appreciated in both domestic as well as international markets.

To cater a different need of market, FSPL is not only involved in manufacturing; we provide services of Scaffolding Products on Rental also. Furthermore, we Provide Scaffolding Fitting and Dismantling Service including Material, Erection, Transportation and Supervision.

We have an experienced team of Experts, which supports us in becoming a noteworthy organization in the field of providing a flawless range of our products. We have dedicated team of professionals that's why we have been able to offer these products in varied specification as per client's Requirement. With the Help of our team network, we have been able to provide these products to our clients based across the markets of Global.

Mr. Surendraprasad Maurya, our Director and Mentor, has played a key role in our growth and helped us maintain a stranglehold position in the marketplace. He always guide us in all our business operation and hence, we have been able to achieve the set organizational goal. Owing to his visionary guidance and extensive industry experience, we have been able to gain clients across the world.

OUR MISSION is to Provide Solution from Steel to Structure and build long term relationships with our customers and provide exceptional customer service by Pursuing business through innovation and advance technology.

CORE VALUES, We believe in treating our customers with Respect and Faith. We grow through creativity, Invention and innovation. We integrate Honesty, Integrity and Business Ethics into all aspect of our business functioning.

OUR VISION is to enhance prosperity of Society & Inspire next generation towards Growth.



Our Products

Page No. 4 to 8



SCAFFOLDING & FORMWORKS

Manufacturing | Rental | Fitting & Dismantling Services

CUPLOCK SYSTEM

- H-FRAME SCAFFOLD
- ADJUSTABLE PROP
- ADJOSTABLE I NOT
- TELESCOPIC ACRO SPAN
- WALKWAY PLANKS
- SHUTTERING & ACRO PLATES
- BASE JACK / U JACK / TIE ROD
- SCAFFOLDING ACCESSORIES

PRE ENGINEERED BUILDINGS

Design | Manufacturing | Supply Erection & Commission

Page No. 9 to 13

- PRIMARY STRUCTURAL MEMBERS
- SECONDARY STRUCTURAL MEMBERS
- CLADDING / GALVANIUM SHEET
- FOUNDATION / ANCHOR BOLTS
- PEB ACCESSORIES





PORTABLE CABIN

Page No. 14

- NEW PORTABLE CABIN
- OLD CONTAINER MODIFICATION
- CABIN INTERIOR DESIGN
- CABIN FURNITURE
- CABIN ASSEMBLIES & ACCESSORIES
- RENTAL SERVICE

Page No. 14





FAITH SERVICES PVT. LTD. is a leading manufacturer and Exporter of Cuplock system. We provide Scaffolding services including Material, Installation, Supervision, Dismantling and transportation. Scaffolding System available on Rental also.

INTERNATIONAL STANDARDS

- BS 1139: Metal Scaffolding
- BS 1139 : Part 1 : Tube
- **BS 1139 : Part 1 : Section 1.1 :** Specification for Steel Tube
- BS 1139 : Part 2 : Scaffolding Couplers
- BS 1139: Part 1: Section 2.1: Specification for Steel Couplers, Loose Spigots, and Base Plates for use in working Scaffolding made of Steel Tubes
- BS 3571: MIG Welding
- **BL 4360**: Specification for weld able Structural steels
- BS 6681: Specification for Malleable Cast Iron

CUPLOCK SYSTEM

CUPLOCK STANDARD / VERTICAL

The Cuplock Standard / Vertical are manufactured from 48 mm OD MS Round Pipe, provided in various sizes with Cup Joints welded at 500 mm Intervals. The top cups are made from Malleable casting to endure rough site handling, and welded bottom cups are Pressed from High Quality Steel.

CUPLOCK LEDGER / HORIZONTAL

The Cuplock Ledger is used to make rigid bond to endure uneven site handling. This Cuplock ledger is comprised of forged blade at the both end which fits between Top cup and Bottom cup of vertical. Ms round pipes is used of 48.00 mm OD and 3 mm Thickness. Minimum projection of blades avoids damages in handling and uniform dimension makes the cup joints rigid.

SIZES OF VERTICAL

Size in Metre	~ Weight
1.00 Mtr : 2 Cup	04.70 kg
1.50 Mtr : 3 Cup	06.80 kg
2.00 Mtr : 4 Cup	09.00 kg
2.50 Mtr : 5 Cup	11.50 kg
3.00 Mtr. : 6 Cup	13.65 kg

SIZES OF LEDGER

Size in Metre	~ Weight
Ledger 0.5 Mtr.	2.00 kg
Ledger 1.0 Mtr.	3.75 kg
Ledger 1.5 Mtr.	5.46 kg
Ledger 2.0 Mtr.	7.15 kg
Ledger 2.5 Mtr.	8.50 kg





H FRAME SCAFFOLDING SYSTEM

FAITH SERVICES PVT. LTD. Provides Most Popular scaffolding "H Frame". This type of Scaffolding system is used whenever the situation arises where large Heights are to be scaled. This frames are manufactured from the highest quality MS Pipes.

H-Frames consist of welded frames with Outer Diameter 48 mm Vertical Pipes, which are braced together with braces. The H-Frames are essentially parts of a larger system, which is bound together by components known as Modules. One module within this system consists of two H-Frame and two diagonals. An Entire H-Frames system consist of one horizontal connection and four cross bracings.

STANDARD SIZES OF H-FRAME

SIZE (H x W)	~ WEIGHT
1.50 x 1.00 Mtr.	20.00 kg / No.
1.50 x 1.25 Mtr.	21.50 kg / No.
2.00 x 1.00 Mtr.	24.00 kg / No.
2.00 x 1.25 Mtr.	25.00 kg / No.

^{*} We can Customise the Sizes as your clients' Requirements





ADJUSTABLE PROP / MS PROP

Props can be used for the purpose of all types of construction projects. Props provide ideal and economical solutions for supporting all kinds of Formworks, Slabs, Beams, Walls and Columns. These are also known as Adjustable Props, Scaffolding Jacks, Shoring Props, Post Shore Props, Formwork Props, and Pipe Support. **FSPL** Provides Heavy duty, light Duty and Normal Duty Props as per Clients' Requirement. Outer Members are made of 60 mm OD Round Pipe and Inner Members are made of 48 mm OD Round Pipe.

STANDARD SIZES OF PROP

OUTER X INNER (L)	~ WEIGHT
1.50 x 1.50 Mtr.	14.20 kg
2.00 x 2.00 Mtr.	18.20 kg
2.00 x 2.50 Mtr.	19.60 kg
2.00 x 3.00 Mtr.	21.25 kg
2.50 x 2.50 Mtr.	21.80 kg
2.50 x 3.00 Mtr.	23.40 kg



TELESCOPIC ACRO SPAN

Adjustable Telescopic Spans are used for slab supporting. It is ideal to be used as self-supporting runner in shuttering systems. Adjustable beam spans are installed under shuttering plats or floor from panels.



PLANKS WITH AUTO LOCK HOOK



PLANKS WITHOUT HOOK



MS SQR. PIPE PLANKS / JALI / KHAPEDA



WALKWAY PLANKS

FAITH SERVICES PVT. LTD. is a manufacturer, supplier and exporter of different types of Scaffolding Walkway Planks.

We are Providing Walkway Planks with Auto Lock Hook, with fix hook, Planks without hook, MS Sqr. Pipe Planks / Jali. We can customize Walkway Planks as per the customer requirements.

MOC: 1) MS 2) Pre-Galvanized sheet

SHUTTERING PLATES

We are a Manufacture and supplier of Shuttering Plates. These Products are one of the core elements which are used for supporting building construction slabs, canopies, beams, lintels for RCC construction work. These plates provide a much needed alternative for wooden plates, as they are manufactured using non corrosive and durable materials.

WELDED SHUTTERING PLATE	
SIZE IN FT.	WEIGHT
3.0 x 0.9	08.00 kg
3.0 x 1.0	10.00 kg
3.0 x 1.3	11.00 kg
3.0 x 1.6	12.00 kg
3.0 x 2.0	16.00 kg

RIVETTED SHUTTERING PLATE	
SIZE IN FT.	WEIGHT
3.0 x 0.9	06.00 kg
3.0 x 1.0	07.00 kg
3.0 x 1.3	08.00 kg
3.0 x 1.6	10.00 kg
3.0 x 2.0	12.50 kg





ACRO PLATE WALL FORM

Acro plates are mainly manufactured by the heavy raw material such as sheet above 2.5 mm thick and angles size of 45x45x5 mm. FSPL Provides Acro plate in Standard as well as in Customised Sizes as per Clients' Requirements.



ACRO PLATE WALL FORM	
SIZE IN MM.	WEIGHT
1250 x 200	14.30 kg
1250 x 230	15.25 kg
1250 x 300	19.00 kg
1250 x 350	22.00 kg
1250 x 400	24.00 kg
1250 x 450	25.25 kg
1250 x 500	27.00 kg
1250 x 600	34.00 kg
1250 x 750	40.00 kg

BASE JACK / U HEAD JACK

U Jack and Base jack are specially designed for levelling scaffolding, fast and accurate. Onsite installation is provided by a combination of coarse and fine adjustment up to maximum of 550 mm and can be customized.

STANDARD SIZES OF JACK

HOLLOW PIPE JACK	
LENGTH	~ WEIGHT
230 mm	1.850 kg
350 mm	2.300 kg
450 mm	2.600 kg
600 mm	3.200 kg

MS SOLID JACK	
LENGTH	~ WEIGHT
300 mm	2.650 kg
350 mm	2.850 kg
450 mm	3.500 kg
600 mm	4.350 kg




BASE JACK

U HEAD JACK

TIE ROD

Tie Rod are part of Form-work accessories that find application in scaffolding applications at construction sites. In the area of scaffolding, these tie rod assemblies find application in bracing steel columns/heavy timber beams and for supporting canopies/awnings.





DOUBLE COUPLER / FIX COUPLER

- Joins two scaffold tubes having outside diameter of 48.3mm at right angles.
- Typical working load limit of 6.25kN against slip at tightening torque of 54 Nm.





FORGED SHEET METAL

SWIVEL COUPLER

- Joins two scaffold tubes having outside diameter of 48.3mm at any angles.
- Typical working load limit of 6.25kN against slip at tightening torque of 54 Nm.





FORGED

SHEET METAL



SLEEVE COUPLER

Joins 48 O.D. scaffold tubes end to end externally.



PUTLOG COUPLER

- Joins 48 O.D. scaffold tubes at right angles.
- Used for positioning Putlog tubes onto ledgertubes.



EXPANDING JOINT PIN

- Joins 48 O.D. scaffold tube standards end to end internally.
- Fits inside scaffold tubes.
- Expands to fit internal diameter of scaffold tube when bolt tightened.



GOGO NUT

We offer Nut for 12mm and 16mm rod sizes. This precisely designed product, acquired from reliable sources, is utilized for clamping or holding several objects together to prevent the separation from any kind of pressure applied on them.



SPIGOT PIN / JOINT PIN

The Spigot Pin is used in Cuplock system. It is made out of 250/300 mm long round pipe of Outer Dia. 38 mm. Spigot is connecting internally and to allow ease of joining.



CASTER WHEEL

We provides caster wheel as per clients requirements. With and without Brakes.

ACCESSORIES FOR CUPLOCK SYSTEM



MS & GI PIPE



LEDGER BLADE



TOP CUP



BOTTOM CUP






STEEL TO STRUCTURE Complete Trunkey Steel Construction Solution

We "Faith Services Pvt. Ltd." are aspire to continuously innovate and better value for Customers. By incorporating innovation right from the beginning of Projects and With Continuous improvement; we bring perfection to complex projects. And thus our products are appreciated in both domestic as well as international markets.

So if you think you have a challenging assignment for Steel Structure or Pre Engineered Building, You can always trust Faith Services Pvt. Ltd.



FSPL Offers...

- Designing
- ✓ Detailing
- ✓ Manufacturing
- ✓ Supply / Transportation
- ✓ Erection & Commissioning
- ✓ Supervision & Close Monitoring


ADVANTAGES OF PEB

- ✓ Low Initial cost
- ✓ Superior Product Quality
- ✓ Fast Project Construction
- ✓ Functional Versatility
- ✓ Architectural Flexibility
- ✓ Low maintenance cost




FSPL Offers various Framing system depending on requirement & Application

Clear Span (CS)




Multi-Span "1" (MS-1)




MAX.PRACTICAL WIDTH MODULE = 70 m


Multi-Span "2" (MS-2)




Multi-Span "3" (MS-3)




Multi - Span EOT Crane with Mezzanine Floor




Arched Clear-Span (AS)




Single Slope (SS)




Multi - Gable (MG)



Roof System (RS)




Single Span EOT Crane





Products & Accessories for PEB





PROJECTS EXECUTED BY FSPL







PROJECTS EXECUTED BY FSPL













MANY



PORTABLE CABIN

FAITH SERVICES PVT. LTD. is one of the leading Manufacturers and Suppliers of a wide range of PORTABLE CABIN. Due to their Sturdy Construction, Easy Portability, Hassle-free Installation and Longer Serving Life, these products are highly demanded in Domestic and International Market. We have been able to cater to a remarkable position in this domain in such short period of time.

Special Features:

- Porta cabin, Environmental friendly, Customized Design, Easy installation, time, and labour saving
- Prefabricated and customized design.
- Fire proof, non-shrinking, and enlarging work size with little pollution.
- Normally more than 10 years using lifespan

Porta Cabins are highly demanded across

- **✓** Construction sites
- ✓ Airports Factories
- ✓ Marine Yards
- ✓ Quarries Convention Centres
- **✓** Playgrounds
- ✓ Water Treatment Plants
- **▼** Toll Booths
- ✓ Security Guard Cabin
- ✓ Mobile Toilet / Bath Rooms.

PROJECTS EXECUTED BY FSPL























OUR MAJOR CLIENTS

































































AND MANY MORE

