

# Agenda

- ① Joins
- ② Self join
- ③ Join on multiple Tables

## Joins

- combine ?? Join 2 Tables

students

$n=4$

id	<u>name</u>	batch-id
1	John	1
2	Jim	1
3	Jenny	2
4	Jack	3

student name: }  
batch name: }

batches

$m=3$

id	<u>name</u>
1	A
2	B
3	C


John	A
Jim	A
Jenny	B
Jack	C

$$n \times m = (12)$$

$n \times m$

Print out every student's name along with their batch's name.

Join: Allows us to combine data across multiple tables



I want to stitch the data of a row from students table with row of batch table iff st.batch-id = batch-id

stitching table

students			batches		
		batch-id		id	
→	(1	John	1)	= 1	A ✓
→	1	John	1	≠ 2	B ✗
→	1	John	1	≠ 3	C ✗
→	2	Jim	1	= 1	A ✓
→	2	Jim	1	≠ 2	B ✗
→	2	Jim	1	≠ 3	C ✗

name(student)      name(batch)

intermediate  
Table

1	John	1	1	A
2	Jim	1	1	A
3	Jenny	2	2	B
4	Jack	3	3	C

select stu.name,  
batch.name from  
Table

\* , col<sup>m</sup>

select [students.name, batches.name]  
from students

Join batches (magic happens/stitching)

→ on students.batch\_id = batches.id.  
if (Join condition).

pseudo

ans = []

for row in students

for row2 in batches

\* if (condition is matched)

ans.append(row1 + row2)

print(ans)

print([ans[0].st.name, batch.name])  
= equi Join

stitched  
rows

<u>student.id</u>	<u>student.name</u>	<u>st.batch_id</u>	batch.id, batch.name

→ what col should I join on?

→ Join on columns does NOT have to be on keys.

select

from students

join batches

on st.batch\_id < batches.id.

$len(st.name) < len(batch.name)$

Break Till 10:25

Self joins

→ we assign buddies to students (senior).

Students

id	<u>name</u>	<u>buddy_id</u>
1	Tilash	3
2	Sarkat	4
3	Ayushi	2

Print student's name along with their buddy's name:-

Students

id	name	buddy
1		-

(virtual copy)  
Students

id	name	buddy
x	alias	✓

```
select s.name, s1.name
from students s
Join students s1
on s.buddy_id = s1.id.
```

Self Join : when we do a join on The Table itself.

employees.

id	name	phone	manager-id	address
1	Saresh		4	
2	Saikat		4	
3	Kanya		4	
4	Ayush			

Saresh      Ayush      (Ayush, Saresh)  
 Saikat      Ayush

⋮  
 ⋮      ↔  
 as

select e.name, e1.name  
 from employees e

Join employees e1.

on e.id = e1.manager-id.

\* ① Saresh      4      1      Saresh      ④  
 "      "      2      Saikat      4

3      Kanya      4

\* ① Saresh      4      4      Ayush      Null

✓ ④ Ayush      null      1      Saresh      ④

✓

e<sub>1</sub>

2

e

④

i	Sauresh	4	1	Sauresh	4
1	"	"	2	Saikat	

3

✓

1	Sauresh	④	④	Ayush	④ null
---	---------	---	---	-------	--------