



```
In [ ]: Name - Ritesh Anil Badhe  
Roll No. 115 std -SY  
Bsc(CS) Batch - F  
Date 28/12/2024  
Practical no 1 - Graph Plotting 1
```

```
In [ ]: Q1)plot the graph for the following function
```


```
In [1]: from pylab import* import  
numpy as np x=np.linspace(-  
pi/2,pi/2,100) f=np.sin(x)  
plot(x,f) show()
```



```
In [2]: from pylab import*  
import numpy as np  
x=np.linspace(1,10,100)  
f=np.arccosh(x)  
plot(x,f) show()
```




```
In [7]: from pylab import*
import numpy as np
x=np.linspace(1,20,100)
f=np.log(x) plot(x,f)
show()
```




```
In [8]: from pylab import*  
import numpy as np
```

```
x=np.linspace(1,10,100) f=np.exp(1/x**2) plot(x,f) show()
```




```
In [10]: from pylab import* import  
numpy as np  
x=np.linspace(-10,20,100)  
f=2**x plot(x,f) show()
```




In []: e Q2) write the python program to plot the graph $y = x^2 + 10x - 5$, for $x \in (-10, 10)$ in r

```
In [14]: from pylab import *
import numpy as np
x=np.linspace(-10,10,100)
y=x**2 +10*x -5
plot(x,y,color = 'blue')
show()
```



In []: Q3) subject wise attendance record of sybcs cs class of 80 student for a week

```
In [17]: import matplotlib.pyplot as plt
import numpy as np
x1=['Mon','Tue','Wed','Thu','Fri','Sat']
y1=[62,78,34,58,45,67]
plt.plot(x1,y1,label="Mathematics")
x2=['Mon','Tue','Wed','Thu','Fri','Sat']
y2=[48,55,76,68,49,53]
plt.plot(x2,y2,label="Computer")
x3=['Mon','Tue','Wed','Thu','Fri','Sat']
y3=[55,64,57,79,63,42]
plt.plot(x3,y3,label="Electronics")
plt.xlabel('Days')
plt.ylabel('Number of students')
plt.title("Line Graph of Attendance Record")
plt.legend()
plt.show()
```



In [19]:


```

import matplotlib.pyplot as plt
import numpy as np
Mathematics=[62,78,34,58,45,67] Computer=[48,55,76,68,49,53]
Electronics=[55,64,57,79,63,42]
Days=['Mon','Tue','Wed','Thu','Fri','Sat']
fig=plt.figure() ax=fig.add_axes([0,0,1,1])
ax.scatter(Days,Mathematics,color='r')
ax.scatter(Days,Computer,color='b')

ax.scatter(Days,Electronics,color='g')
ax.set_xlabel(Days)
Text('Days')
ax.set_xlabel('No of students') Text('No
of students')
plt.title("Scatter graph of Attendance Record")
plt.legend() plt.show()


```

C:\Users\Student\AppData\Local\Temp\ipykernel_6948\4285316498.py:17: UserWarning: No artists with labels found to put in legend. Note that artists whose label start with an underscore are ignored when legend() is called with no argument.
plt.legend()




In []:s Q4)attendance record of sybsc cs class of 80 student for a week of mathematics

```
In [21]: import matplotlib.pyplot as plt import numpy as np left=[1,2,3,4,5,6]
height=[64,78,43,61,24,67] tick_label=['Mon','Tue','Wed','Thu','Fri','Sat']
plt.bar(left,height,tick_label=tick_label,width=0.8,color=['blue','green'])
plt.xlabel(Days) Text(0.5,0,'Days')
plt.ylabel("No of students present in mathematics") Text(0,0.5,'No
of student present in mathematics')
plt.title("Student attendance records")
Text(0.5,1.0,'Students attendance records') plt.show()
```




```
In [ ]: Q5) imagine you survey your 100 friends to kind of movie they like best
```

```
In [23]: import matplotlib.pyplot as plt import numpy as np
x=np.array(['action','romance','drama','scifi','horror'])
y=np.array([23,32,9,29,26]) plt.bar(x,y,1)
plt.xlabel("type of movie") plt.Text('type of movie')
plt.ylabel("no of friends") plt.Text('no of friends')
plt.title("kind of movie like by friends") plt.Text("kind
of movie like by friends") plt.show()
```



```
In [3]: import matplotlib.pyplot as plt import numpy as np
x=np.array(['action','romance','drama','scifi','horror'])
y=np.array([23,32,9,29,26])
mylabels=(['action','romance','drama','scifi','horror'])
plt.title("Kind of Movie liked by friends") plt.Text('Kind
of Movie liked by friends') plt.pie(y,labels=mylabels)
plt.show()
```


Kind of Movie liked by friends



In []: