7/29/24, 7:04 PM question3

```
import pandas as pd
import matplotlib

df=pd.read_csv("question3.csv")

df
```

Out[1]: Course Student 0 Both 163 1 Practical 82

2 Theoretical 14

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from sklearn.cluster import KMeans
import os

# Set OMP_NUM_THREADS environment variable to 1
os.environ["OMP_NUM_THREADS"] = "1"
# Number of clusters
k = 3
# Extract the 'student' column for clustering
X = df.drop('Course',axis=1)
# Apply k-means with explicit n_init
kmeans = KMeans(n_clusters=k, n_init=10, random_state=42)
predict = kmeans.fit_predict(X)
print(predict)
```


C:\Users\Ritesh\anaconda3\Lib\site-packages\sklearn\cluster_kmeans.py:1436: UserWarn
ing: KMeans is known to have a memory leak on Windows with MKL, when there are less c
hunks than available threads. You can avoid it by setting the environment variable OM
P_NUM_THREADS=1.
 warnings.warn(

[2 0 1]

```
In [3]: # Get unique colors for each cluster using a colormap
    colors = plt.cm.viridis(predict/(k - 1))
    # Bar plot
    df.plot.bar(x='Course', y='Student', color=colors, legend=False)
    plt.title('Bar plot of -> Do you prefer courses that are more theoretical or practical
    plt.xlabel('interest')
    plt.ylabel('Number of Students')
    plt.show()
```

7/29/24, 7:04 PM question3


Bar plot of -> Do you prefer courses that are more theoretical or practical in nature?



```
In [4]: # Scatter plot
plt.scatter(range(len(df)), df['Student'], c=colors, marker='o')
plt.title('Scatter plot of -> Do you prefer courses that are more theoretical or pract
plt.xlabel('interest')
plt.ylabel('Number of Students')
plt.xticks(range(len(df)), df['Course'])
plt.show()
# Display cluster information
print("Clusters:")
print(df)
```

7/29/24, 7:04 PM question3

Scatter plot of -> Do you prefer courses that are more theoretical or practical in nature?



Clusters:

	Course	Student
0	Both	163
1	Practical	82
2	Theoretical	14

In []: