Data Structure

Algorithms

- Singly Linked List:

1.Search

```
Step 1: [INITIALIZE] SET PTR = START
Step 2: Repeat Step 3 while PTR != NULL
Step 3:     IF VAL = PTR -> DATA
                SET POS = PTR
                Go To Step 5
            ELSE
                SET PTR = PTR -> NEXT
            [END OF IF]
        [END OF LOOP]
Step 4: SET POS = NULL
Step 5: EXIT
```

2.Insert Start

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 7
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> NEXT = START
Step 6: SET START = NEW_NODE
Step 7: EXIT
```

3.Insert End

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 10
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL->NEXT
Step 4: SET NEW_NODE->DATA = VAL
Step 5: SET NEW_NODE->NEXT = NULL
Step 6: SET PTR = START
Step 7: Repeat Step 8 while PTR->NEXT != NULL
Step 8:     SET PTR = PTR->NEXT
        [END OF LOOP]
Step 9: SET PTR->NEXT = NEW_NODE
Step 10: EXIT
```

4.Insert After a node

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL->NEXT
Step 4: SET NEW_NODE->DATA = VAL
Step 5: SET PTR = START
Step 6: SET PREPTR = PTR
Step 7: Repeat Steps 8 and 9 while PREPTR->DATA
         != NUM
Step 8:     SET PREPTR = PTR
Step 9:     SET PTR = PTR->NEXT
          [END OF LOOP]
Step 10: PREPTR->NEXT = NEW_NODE
Step 11: SET NEW_NODE->NEXT = PTR
Step 12: EXIT
```

5.Insert before a node

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET PTR = START
Step 6: SET PREPTR = PTR
Step 7: Repeat Steps 8 and 9 while PTR -> DATA != NUM
Step 8:     SET PREPTR = PTR
Step 9:     SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 10: PREPTR -> NEXT = NEW_NODE
Step 11: SET NEW_NODE -> NEXT = PTR
Step 12: EXIT
```

6.Delete Start

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 5
        [END OF IF]
Step 2: SET PTR = START
Step 3: SET START = START -> NEXT
Step 4: FREE PTR
Step 5: EXIT
```

7.Delete End

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 8
       [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Steps 4 and 5 while PTR -> NEXT != NULL
Step 4:     SET PREPTR = PTR
Step 5:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 6: SET PREPTR -> NEXT = NULL
Step 7: FREE PTR
Step 8: EXIT
```

8.Delete After a Given Node

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 10
       [END OF IF]
Step 2: SET PTR = START
Step 3: SET PREPTR = PTR
Step 4: Repeat Steps 5 and 6 while PREPTR -> DATA != NUM
Step 5:     SET PREPTR = PTR
Step 6:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 7: SET TEMP = PTR
Step 8: SET PREPTR -> NEXT = PTR -> NEXT
Step 9: FREE TEMP
Step 10: EXIT
```

9.Display

Step 1:

```
IF START = NULL
   Write "List is empty"
   Go to Step 6
[END OF IF]

Step 2:
SET PTR = START (Initialize PTR to point to the head node)
Step 3:
WHILE PTR != NULL
   Print PTR DATA
   SET PTR = PTR NEXT
[END OF WHILE]
Step 4:
Write "NULL" (Indicates the end of the list)
Step 5:
Go to Step 6
Step 6:
EXIT
```

- ❖ Circular Linked List

10.Insert Start

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 11
       [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET PTR = START
Step 6: Repeat Step 7 while PTR -> NEXT != START
Step 7:     PTR = PTR -> NEXT
       [END OF LOOP]
Step 8: SET NEW_NODE -> NEXT = START
Step 9: SET PTR -> NEXT = NEW_NODE
Step 10: SET START = NEW_NODE
Step 11: EXIT
```

11.Insert at end

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 10
       [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> NEXT = START
Step 6: SET PTR = START
Step 7: Repeat Step 8 while PTR -> NEXT != START
Step 8:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 9: SET PTR -> NEXT = NEW_NODE
Step 10: EXIT
```

12.Delete the first node

```
Step 1: IF START = NULL
              Write UNDERFLOW
              Go to Step 8
          [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> NEXT != START
Step 4:       SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET PTR -> NEXT = START -> NEXT
Step 6: FREE START
Step 7: SET START = PTR -> NEXT
Step 8: EXIT
```

13.Delete the Last node

```
Step 1: IF START = NULL
              Write UNDERFLOW
              Go to Step 8
          [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Steps 4 and 5 while PTR -> NEXT != START
Step 4:         SET PREPTR = PTR
Step 5:         SET PTR = PTR -> NEXT
          [END OF LOOP]
Step 6: SET PREPTR -> NEXT = START
Step 7: FREE PTR
Step 8: EXIT
```

❖ Doubly Linked List

14.Insert At Start

```
Step 1: IF AVAIL = NULL
                Write OVERFLOW
                Go to Step 9
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> PREV = NULL
Step 6: SET NEW_NODE -> NEXT = START
Step 7: SET START -> PREV = NEW_NODE
Step 8: SET START = NEW_NODE
Step 9: EXIT
```

15.Insert at End

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 11
       [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> NEXT = NULL
Step 6: SET PTR = START
Step 7: Repeat Step 8 while PTR -> NEXT != NULL
Step 8:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 9: SET PTR -> NEXT = NEW_NODE
Step 10: SET NEW_NODE -> PREV = PTR
Step 11: EXIT
```

16. Insert after a given node

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET PTR = START
Step 6: Repeat Step 7 while PTR -> DATA != NUM
Step 7:     SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 8: SET NEW_NODE -> NEXT = PTR -> NEXT
Step 9: SET NEW_NODE -> PREV = PTR
Step 10: SET PTR -> NEXT = NEW_NODE
Step 11: SET PTR -> NEXT -> PREV = NEW_NODE
Step 12: EXIT
```

17.Insert before a given node

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET PTR = START
Step 6: Repeat Step 7 while PTR -> DATA != NUM
Step 7:     SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 8: SET NEW_NODE -> NEXT = PTR
Step 9: SET NEW_NODE -> PREV = PTR -> PREV
Step 10: SET PTR -> PREV = NEW_NODE
Step 11: SET PTR  -> PREV -> NEXT = NEW_NODE
Step 12: EXIT
```

18. Delete Start

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 6
        [END OF IF]
Step 2: SET PTR = START
Step 3: SET START = START -> NEXT
Step 4: SET START -> PREV = NULL
Step 5: FREE PTR
Step 6: EXIT
```

19.Delete End

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 7
        [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> NEXT != NULL
Step 4:     SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET PTR -> PREV -> NEXT = NULL
Step 6: FREE PTR
Step 7: EXIT
```

20.Delete after a given node

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 9
       [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> DATA != NUM
Step 4:      SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 5: SET TEMP = PTR -> NEXT
Step 6: SET PTR -> NEXT = TEMP -> NEXT
Step 7: SET TEMP -> NEXT -> PREV = PTR
Step 8: FREE TEMP
Step 9: EXIT
```

21.Delete before a given node

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 9
       [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> DATA != NUM
Step 4:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 5: SET TEMP = PTR -> PREV
Step 6: SET TEMP -> PREV -> NEXT = PTR
Step 7: SET PTR -> PREV = TEMP -> PREV
Step 8: FREE TEMP
Step 9: EXIT
```

❖ CIRCULAR DOUBLY LINKED

22.insert a new node at the beginning

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 13
       [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET PTR = START
Step 6: Repeat Step 7 while PTR -> NEXT != START
Step 7:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 8: SET PTR -> NEXT = NEW_NODE
Step 9: SET NEW_NODE -> PREV = PTR
Step 10: SET NEW_NODE -> NEXT = START
Step 11: SET START -> PREV = NEW_NODE
Step 12: SET START = NEW_NODE
Step 13: EXIT
```

23.insert a new node at the end

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
       [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> NEXT = START
Step 6: SET PTR = START
Step 7: Repeat Step 8 while PTR -> NEXT != START
Step 8:     SET PTR = PTR -> NEXT
       [END OF LOOP]
Step 9: SET PTR -> NEXT = NEW_NODE
Step 10: SET NEW_NODE -> PREV = PTR
Step 11: SET START -> PREV = NEW_NODE
Step 12: EXIT
```

24.delete the first node

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 8
        [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> NEXT != START
Step 4:     SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET PTR -> NEXT = START -> NEXT
Step 6: SET START -> NEXT -> PREV = PTR
Step 7: FREE START
Step 8: SET START = PTR -> NEXT
```

25.delete the last node

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 8
        [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4  while PTR -> NEXT != START
Step 4:     SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET PTR -> PREV -> NEXT = START
Step 6: SET START -> PREV = PTR -> PREV
Step 7: FREE PTR
Step 8: EXIT
```

❖ Stack using array

26.to insert an element in a stack

```
Step 1: IF TOP = MAX-1
            PRINT "OVERFLOW"
            Goto Step 4
        [END OF IF]
Step 2: SET TOP = TOP + 1
Step 3: SET STACK[TOP] = VALUE
Step 4: END
```

27.delete an element from a stack

```
Step 1: IF TOP = NULL
            PRINT "UNDERFLOW"
            Goto Step 4
        [END OF IF]
Step 2: SET VAL = STACK[TOP]
Step 3: SET TOP = TOP - 1
Step 4: END
```

28.Peek operation

```
Step 1: IF TOP = NULL
            PRINT "STACK IS EMPTY"
            Goto Step 3
Step 2: RETURN STACK[TOP]
Step 3: END
```

- Stack using ll

29.insert an element

```
Step 1: Allocate memory for the new
        node and name it as NEW_NODE
Step 2: SET NEW_NODE -> DATA = VAL
Step 3: IF TOP = NULL
            SET NEW_NODE -> NEXT = NULL
            SET TOP = NEW_NODE
        ELSE
            SET NEW_NODE -> NEXT = TOP
            SET TOP = NEW_NODE
        [END OF IF]
Step 4: END
```

30.delete an element

```
Step 1: IF TOP = NULL
            PRINT "UNDERFLOW"
            Goto Step 5
        [END OF IF]
Step 2: SET PTR = TOP
Step 3: SET TOP = TOP -> NEXT
Step 4: FREE PTR
Step 5: END
```

- ❖ Queue using array

31.insert an element

```
Step 1: IF REAR = MAX-1
            Write OVERFLOW
            Goto step 4
        [END OF IF]
Step 2: IF FRONT = -1 and REAR = -1
            SET FRONT = REAR = 0
        ELSE
            SET REAR = REAR + 1
        [END OF IF]
Step 3: SET QUEUE[REAR] = NUM
Step 4: EXIT
```

32.delete an element

```
Step 1: IF FRONT = -1 OR FRONT > REAR
            Write UNDERFLOW
        ELSE
            SET VAL = QUEUE[FRONT]
            SET FRONT = FRONT + 1
        [END OF IF]
Step 2: EXIT
```

- ❖ Queue using ll

33.insert an element in a linked queue

```
Step 1: Allocate memory for the new node and name
        it as PTR
Step 2: SET PTR -> DATA = VAL
Step 3: IF FRONT = NULL
            SET FRONT = REAR = PTR
            SET FRONT -> NEXT = REAR -> NEXT = NULL
        ELSE
            SET REAR -> NEXT = PTR
            SET REAR = PTR
            SET REAR -> NEXT = NULL
        [END OF IF]
Step 4: END
```

34.delete an element in a linked queue

```
Step 1: IF FRONT = NULL
            Write "Underflow"
            Go to Step 5
        [END OF IF]
Step 2: SET PTR = FRONT
Step 3: SET FRONT = FRONT -> NEXT
Step 4: FREE PTR
Step 5: END
```

- Circular Queue

35.insert an element

```
Step 1: IF FRONT = 0 and Rear = MAX - 1
            Write "OVERFLOW”
            Goto step 4
        [End OF IF]
Step 2: IF FRONT = -1 and REAR = -1
            SET FRONT = REAR = 0
        ELSE IF REAR = MAX - 1 and FRONT != 0
            SET REAR = 0
        ELSE
            SET REAR = REAR + 1
        [END OF IF]
Step 3: SET QUEUE[REAR] = VAL
Step 4: EXIT
```

36.delete an element

```
Step 1: IF FRONT = -1
            Write "UNDERFLOW"
            Goto Step 4
        [END of IF]
Step 2: SET VAL = QUEUE[FRONT]
Step 3: IF FRONT = REAR
            SET FRONT = REAR = -1
         ELSE
            IF FRONT = MAX -1
                  SET FRONT = 0
            ELSE
                  SET FRONT = FRONT + 1
            [END of IF]
        [END OF IF]
Step 4: EXIT
```

- ❖ Trees

37. Pre-order Traversal

```
Step 1: Repeat Steps 2 to 4 while TREE != NULL
Step 2:           Write TREE -> DATA
Step 3:           PREORDER(TREE -> LEFT)
Step 4:           PREORDER(TREE -> RIGHT)
       [END OF LOOP]
Step 5: END
```

38. In-order Transversal

```
Step 1: Repeat Steps 2 to 4 while TREE != NULL
Step 2:            INORDER(TREE -> LEFT)
Step 3:            Write TREE -> DATA
Step 4:            INORDER(TREE -> RIGHT)
       [END OF LOOP]
Step 5: END
```

- ❖ Binary Search Trees

39. Searching for a Node

```
searchElement (TREE, VAL)

Step 1: IF TREE -> DATA = VAL OR TREE = NULL
          Return TREE
        ELSE
         IF VAL < TREE -> DATA
          Return searchElement(TREE -> LEFT, VAL)
         ELSE
          Return searchElement(TREE -> RIGHT, VAL)
         [END OF IF]
        [END OF IF]
Step 2: END
```

40. Inserting a New Node

```
Insert (TREE, VAL)

Step 1: IF TREE = NULL
            Allocate memory for TREE
            SET TREE -> DATA = VAL
            SET TREE -> LEFT = TREE -> RIGHT = NULL
        ELSE
            IF VAL < TREE -> DATA
                  Insert(TREE -> LEFT, VAL)
            ELSE
                  Insert(TREE -> RIGHT, VAL)
            [END OF IF]
        [END OF IF]
Step 2: END
```

41. Deleting a Node

```
Delete (TREE, VAL)

Step 1: IF TREE = NULL
          Write "VAL not found in the tree"
        ELSE IF VAL < TREE -> DATA
          Delete(TREE->LEFT, VAL)
        ELSE IF VAL > TREE -> DATA
          Delete(TREE -> RIGHT, VAL)
        ELSE IF TREE -> LEFT AND TREE -> RIGHT
          SET TEMP = findLargestNode(TREE -> LEFT)
          SET TREE -> DATA = TEMP -> DATA
          Delete(TREE -> LEFT, TEMP -> DATA)
        ELSE
          SET TEMP = TREE
          IF TREE -> LEFT = NULL AND TREE -> RIGHT = NULL
              SET TREE = NULL
          ELSE IF TREE -> LEFT != NULL
               SET TREE = TREE -> LEFT
          ELSE
               SET TREE = TREE -> RIGHT
          [END OF IF]
          FREE TEMP
        [END OF IF]
Step 2: END
```

42. To determine the height

```
Height (TREE)

Step 1: IF TREE = NULL
            Return 0
        ELSE
         SET LeftHeight = Height(TREE -> LEFT)
         SET RightHeight = Height(TREE -> RIGHT)
         IF LeftHeight > RightHeight
              Return LeftHeight + 1
         ELSE
              Return RightHeight + 1
         [END OF IF]
        [END OF IF]
Step 2: END
```

43. Traversing a Threaded Binary Tree

Step 1: Check if the current node has a left child that has not been visited. If a left child exists that has not been visited, go to Step 2, else go to Step 3.

Step 2: Add the left child in the list of visited nodes. Make it as the current node and then go to Step 6.

Step 3: If the current node has a right child, go to Step 4 else go to Step 5.

Step 4: Make that right child as current node and go to Step 6.

Step 5: Print the node and if there is a threaded node make it the current node.

Step 6: If all the nodes have visited then END else go to Step 1.