Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Full Stack development MERN Practical

Practical – III

Roll No.: T005	Name: Ritesh Chaubey
Class:TYIT	Batch:1
Date of Assignment: 10/07/2026	Date/Time of Submission: 10/07/2026

AIM: React Introduction and JSX.

A. Create a React application using Vite/CRA and display "Welcome to MERN Stack Development".

CODE:

(App.jsx):

```
function App()
{
  return (
    <div>
      <h1> Welcome to MERN Stack Development</h1>
      <>
    </div>
  );
}

export default App
```

OUTPUT:

```
PS C:\Users\info\OneDrive\Desktop\HimaniMERN> npm create vite@latest practical_3
Need to install the following packages:
create-vite@9.1.1
Ok to proceed? (y) y

> npx
> create-vite practical_3

◇  Select a framework:
│  React

◇  Select a variant:
│  JavaScript

◇  Which linter to use?
│  ESLint

◇  Install with npm and start now?
│  Yes

◇  Scaffolding project in C:\Users\info\OneDrive\Desktop\HimaniMERN\practical_3...
│
◇  Installing dependencies with npm...

added 135 packages, and audited 136 packages in 21s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

◇  Starting dev server...

  VITE v8.1.4  ready in 21985 ms

  ➜  Local:   http://localhost:5173/
  ➜  Network: use --host to expose
  ➜  press h + enter to show help
```



B. Display dynamic data using JSX.

A)CODE:

```
function App()

{

  const emp="varun";

  const dept="IT";

  const sal=50000;

  return (

    <div>

      <h1>Employee Details</h1>

      <p>Name:{emp}</p>

      <p>Department:{dept}</p>

      <p>Salary:{sal}</p>

    </div>

  );

}

export default App
```


OUTPUT:



B)Code:-

```
function App()
{
  const studentName = "Ritesh";
  const totalClasses = 60;
  const attendedClasses = 54;
  const attendance = (attendedClasses / totalClasses) * 100;
 return (
    <div>
      <h1>Atendance Details</h1>
      <hr />
      <p>Name: {studentName}</p>
      <p>Total Classes: {totalClasses}</p>
      <p>Classes Attended: {attendedClasses}</p>
      <p>Attendence: {attendance.toFixed(2)}%</p>
      <h2>
        Status: {attendance >= 75? "Eligible for Exam" : "Not Eligible"}
      </h2>
    </div>
  );
}
export default App
```

Output:-



C .Declare variables and write a function to calculate the sum of two numbers and display the result.

CODE:


```
function App()
{
  const name = "Ritesh"
  const math = 85;
  const sci = 90;

  function calculator(mark1 , mark2){return mark1 + mark2}

  return(
    <div>
      <h1> Student Marks </h1>
      <hr />
      <p>Name: {name}</p>
      <p>Mathematics Marks: {math}</p>
      <p>Science Marks : {sci}</p>
      <hr/>
      <p>Total Marks: {calculator(math , sci)}</p>
    </div>
  );
}

export default App
```

OUTPUT:




F.Create a React component that displays the current date and time dynamically using JavaScript.

CODE:

```
function App()
{
  const currentDate=new Date();
  const Name="Ritesh";
  return (
    <div>
      <h1>Current Date and Time</h1>
      <hr />
      <p>Date :{currentDate.toLocaleDateString()}</p>
      <p>Time :{currentDate.toLocaleTimeString()}</p>
       <p>Name: {Name}</p>
    </div>
  );
}
export default App
```

OUTPUT:



D)Apply basic CSS styling to a React component.

CODE:

APP.JSX

```
import "./App.css";
function App(){
  return (
    <div className="container">
      <h1>Student Dashboard</h1>
      <hr />
      <p>Name: Ritesh Chaubey</p>
      <p>Roll Number:101</p>
      <p>Course :Mca</p>
      <p>Semester :V</p>
      <button>View result</button>
    </div>
  )


}
export default App
```

APP.CSS

```
.counter {
  width:700px;
  margin:50px auto;
  padding:20px;
  border:2px solid black;
  border-radius:10 px;
  background-color:whitesmoke;
  text-align:center;
}
h1{
  color:darkblue;
}
p{
  font-size:18px;
  color:black;
}
button{
  background-color:green;
  color:white;
```

```
  border:none;
  padding:10px 20px;
  font-size:16px;
  border-radius:5px;
  cursor:pointer;
}
button:hover{
  background-color: darkgreen;
}
```

Output:-



E)Create a simple functional component and render it in App.js.

CODE:


(App.jsx)

```
import Student from "./components/Student";
function App(){
  return (
    <div>
      <h1>Student Dashboard</h1>
      <hr />
      <Student />
    </div>
  )
}
export default App;
```

Components (student.jsx)

```
function Student(){
  return (
    <div>
      <p>Name: Ritesh Chaubey</p>
      <p>Roll Number:101</p>
      <p>Course :Mca</p>
      <p>Semester :V</p>
      <button>View result</button>
    </div>
  )
}
export default Student;
```

OUTPUT:



Extra:

Code:-

App.jsx:-

```jsx
import HelloStudent from "./components/HelloStudent";
import WelcomeMessage from "./components/WelcomeStudent";
import ProfileCard from "./components/ProfileCard";
import SkillsList from "./components/Skill";
import "./App.css"
function App() {
 return (
   <div>
     <h1>My React App</h1>
     <hr />
     <HelloStudent />
     <hr />
     <WelcomeMessage />
     <hr />
     <ProfileCard />
     <hr />
     <SkillsList />
   </div>
 );
}
export default App;
```

App.css:

```css
body {
 margin: 0;
 font-family: Arial, sans-serif;
 background-color: whitesmoke;
}


.app {
 max-width: 700px;
 margin: 40px auto;
 padding: 20px;
}
```

```
h1 {
 text-align: center;
 color:darkgreen;
}


.card {
 background-color: white;
 border: 1px solid #d6e0f5;
 border-radius: 8px;
 padding: 16px;
 margin-bottom: 16px;
}


.card h2 {
 color: #2c5aa0;
 margin-top: 0;
}


.card p {
 color: #333333;
}
.card li {
 margin-bottom: 6px;
}
```

HelloStudent.jsx:

```
function HelloStudent() {
 return (
   <div>
     <h2>Hello, student!</h2>
     <p>This is my first functional component.</p>
   </div>
 );
}
export default HelloStudent;
```

WelcomeStudent.jsx:

```
function WelcomeMessage() {
```

```
 return (
   <div>
     <h2>Welcome to React</h2>
     <p>React lets us build pages using small reusable
components.</p>
   </div>
 );
}
export default WelcomeMessage;
```


ProfileCard.jsx:

```
function ProfileCard() {
 return (
   <div>
     <h2>Student Profile</h2>
     <p>Name: Ritesh Chaubey</p>
     <p>Course: BSc.IT</p>
     <p>RollNO: T005</p>
     <p>College: Sheth L.U.J.and Sir M.V College of Art Commerce and
Science.</p>
   </div>
 );
}
export default ProfileCard;
```

Skill.jsx:

```
function SkillsList() {
 return (
   <div>
     <h2>My Skills</h2>
       <p>HTML</p>
       <p>CSS</p>
       <p>JavaScript</p>
       <p>React</p>
       <p>Python</p>
       <p>Data Science</p>
   </div>
 );
}
export default SkillsList;
```

Output:-


My React App
Hello, student!
This is my first functional component.
Welcome to React
React lets us build pages using small reusable components.
Student Profile
Name: Ritesh Chaubey
Course: BSc.IT
RollNO: T005
College: Sheth L.U.J.and Sir M.V College of Art Commerce and Science.
My Skills
HTML
CSS
JavaScript
React
Python
Data Science