Farmers Insurance Analysis

"Farmers Insurance Analysis is a data-driven study of agricultural insurance schemes that examines farmer coverage, premium contributions, and claim-related trends to generate actionable insights for decision-making."

Introduction to Insurance

The **FarmersInsuranceData** dataset provides information on crop insurance coverage across Indian states and districts. It includes farmer enrollment, premium contributions, insured land area, and sum insured, making it suitable for analyzing insurance trends, government support, and regional agricultural risk using SQL and data analytics.

Business Question-1

```sql
-- Q1. Retrieve the names of all states (srcStateName) from the dataset.
SELECT DISTINCT
    srcStateName AS State_Name
FROM
    farmersinsurancedata;
```

Result Grid | Filter Rows:

State_Name
JAMMU AND KASHMIR
HIMACHAL PRADESH
UTTARAKHAND
HARYANA
GUJARAT
RAJASTHAN
TELANGANA
JHARKHAND
UTTAR PRADESH

Business Question-2

```sql
-- Q2. Retrieve the total number of farmers covered (TotalFarmersCovered)
SELECT
    SUM(TotalFarmersCovered) AS total_numbers_of_farmers_covered
FROM
    farmersinsurancedata;
```

total_numbers_of_farmers_covered
49795715

Business Question-3

```sql
-- Q3.  Retrieve all records where Year is '2020'
SELECT
    *
FROM
    farmersinsurancedata
WHERE
    srcYear = '2020';
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

rowID	srcYear	srcStateName	srcDistrictName	farmersinsurancedataInsuranceUnits	TotalFarmersCovered	ApplicationsLoaneeFarmers	ApplicationsNonLoaneeFarmers	InsuredLandArea
2076	2020	CHHATTISGARH	Bemetara	677	62445	277591	10161	110.12
2079	2020	CHHATTISGARH	Durg	354	19619	67848	9446	32.9
2083	2020	CHHATTISGARH	Kabeerdham	827	54651	66084	62484	79.86
2091	2020	CHHATTISGARH	Rajnandgaon	950	77225	146150	29115	120.75
2096	2020	MADHYA PRADESH	Agar Malwa	240	51435	81003	439	133.86
2099	2020	MADHYA PRADESH	Ashoknagar	327	28143	63968	180	99.03
2101	2020	MADHYA PRADESH	Barwani	362	15348	15897	643	14.91
2102	2020	MADHYA PRADESH	Betul	561	78887	110055	1397	187.12
2103	2020	MADHYA PRADESH	Bhind	438	14458	21347	25	38.06
2104	2020	MADHYA PRADESH	Bhopal	209	34144	73864	104	103.28
2106	2020	MADHYA PRADESH	Chhatarpur	566	34844	50957	808	59.8

Business Question-4

```sql
-- Q4. Retrieve all rows where the TotalPopulationRural is greater than 1 million and the srcStateName is 'HIMACHAL PRADESH'.
SELECT
    *
FROM
    farmersinsurancedata
WHERE
    srcStateName = 'HIMACHAL PRADESH'
        AND TotalPopulationRural > 1000000;
```

Code	Year_	Country	StateCode	DistrictCode	TotalPopulation	TotalPopulationUrban	TotalPopulationRural
	Calendar Year (Jan - Dec), 2018	India	2	18	1510075	86281	1423794
	Calendar Year (Jan - Dec), 2019	India	2	18	1510075	86281	1423794
	Calendar Year (Jan - Dec), 2020	India	2	18	1510075	86281	1423794
	Calendar Year (Jan - Dec), 2021	India	2	18	1510075	86281	1423794
	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Business Question-5

```sql
-- Q5. Retrieve the srcStateName, srcDistrictName, and the sum of FarmersPremiumAmount for each district in the year 2018,
--     and display the results ordered by FarmersPremiumAmount in ascending order.
SELECT
    srcStateName,
    srcDistrictName,
    SUM(FarmersPremiumAmount) AS TotalFarmersPremiumAmount
FROM
    farmersinsurancedata
WHERE
    srcYear = '2018'
GROUP BY srcStateName , srcDistrictName
ORDER BY TotalFarmersPremiumAmount ASC;
```

Result Grid | Filter Rows: | Export:

srcStateName	srcDistrictName	TotalFarmersPremiumAmount
KARNATAKA	Chikkaballapur	0
KARNATAKA	Chikkamagaluru	0
KARNATAKA	Mysuru	0
KARNATAKA	Ramanagara	0
KARNATAKA	Shivamogga	0
KARNATAKA	Tumakuru	0
KARNATAKA	Udupi	0
KARNATAKA	UttarKannada	0
KARNATAKA	Davangere	0.0000999999747378752
KARNATAKA	Kolar	0.0000999999747378752
KARNATAKA	Mandya	0.0000999999747378752
KARNATAKA	Hasan	0.000199999999494757503

Business Question-6

```sql
-- Q6. Retrieve the total number of farmers covered (TotalFarmersCovered) and the sum of premiums (GrossPremiumAmountToBePaid) for each state
--     where the insured land area (InsuredLandArea) is greater than 5.0 and the Year is 2018.
SELECT
    SUM(TotalFarmersCovered),
    srcStateName,
    SUM(GrossPremiumAmountToBePaid) AS sum_of_premiums
FROM
    farmersinsurancedata
WHERE
    srcYear = '2018'
        AND InsuredLandArea > 5.0
GROUP BY srcStateName , TotalFarmersCovered;
```



Result Grid | Filter Rows: | Export: | Wrap Cell Content:

SUM(TotalFarmersCovered)	srcStateName	sum_of_premiums
8137	JAMMU AND KASHMIR	282.7300109863281
19726	UTTARAKHAND	668.5700073242188
21180	HARYANA	928.3300170898438
43225	HARYANA	3155.179931640625
15862	HARYANA	889.25
51867	HARYANA	2031.949951171875
9452	HARYANA	306.4599914550781
85052	HARYANA	4586.0498046875
16695	HARYANA	662.97998046875
53620	HARYANA	2986.800048828125
46182	HARYANA	636.5599975585938
34790	HARYANA	1395.9200439453125

Business Question-7

```sql
-- Q7.    Calculate the average insured land area (InsuredLandArea) for each year (srcYear).
SELECT
    srcYear, AVG(InsuredLandArea) AS average_insured_land_area
FROM
    farmersinsurancedata
GROUP BY srcYear;
```

Result Grid | Filter Rows:

srcYear	average_insured_land_area
2018	38.91913724170961
2021	36.80113140405016
2019	40.94055200368562
2020	83.93572660966211

Business Question-8

```sql
-- Q8.     Calculate the total number of farmers covered (TotalFarmersCovered)
-- for each district (srcDistrictName) where Insurance units is greater than 0.
SELECT
    srcDistrictName,
    SUM(TotalFarmersCovered) AS Total_farmers_covered
FROM
    farmersinsurancedata
WHERE
    farmersinsurancedataInsuranceUnits > 0
GROUP BY srcDistrictName;
```

Result Grid | Filter Rows:

srcDistrictName	Total_farmers_covered
Reasi	4978
Samba	11636
Udhampur	21688
Bilaspur	81181
Chamba	16807
Hamirpur	169372
Kangra	97896
Kullu	24
Mandi	7552
Shimla	368
Sirmaur	5054

Business Question-9

```sql
-- Q9. For each state (srcStateName), calculate the total premium amounts (FarmersPremiumAmount, StatePremiumAmount, GOVPremiumAmount)
--     and the total number of farmers covered (TotalFarmersCovered).
-- Only include records where the sum insured (SumInsured) is greater than 500,000 (remember to check for scaling).
SELECT
    srcStateName,
    SUM(FarmersPremiumAmount) AS Total_Farmers_Premium,
    SUM(StatePremiumAmount) AS Total_State_Premium,
    SUM(GOVPremiumAmount) AS Total_Government_Premium,
    SUM(TotalFarmersCovered) AS Total_Farmers_Covered
FROM
    farmersinsurancedata
WHERE
    (SumInsured / 100000) > 5
GROUP BY srcStateName
ORDER BY Total_Farmers_Covered DESC;
```

Business Question-1 0

```
-- Q10.   Retrieve the top 5 districts (srcDistrictName) with the highest TotalPopulation in the year 2020.
SELECT
    srcDistrictName, TotalPopulation
FROM
    farmersinsurancedata
WHERE
    srcYear = 2020
ORDER BY TotalPopulation DESC
LIMIT 5;
```

Result Grid | Filter Rows:

srcDistrictName	TotalPopulation
Thane	8070032
Jaipur	6626178
Allahabad	5954391
Azamgarh	4613913
Lucknow	4589838



Business Question-11

```sql
-- Q11.   Retrieve the srcStateName, srcDistrictName, and SumInsured for the 10 districts with the lowest non-zero FarmersPremiumAmount,
--       ordered by insured sum and then the FarmersPremiumAmount.
SELECT
    srcStateName, srcDistrictName, SumInsured
FROM
    farmersinsurancedata
WHERE
    FarmersPremiumAmount > 0
ORDER BY SumInsured , FarmersPremiumAmount ASC
LIMIT 10;
```

Result Grid | Filter Rows: | Export:

srcStateName	srcDistrictName	SumInsured
KARNATAKA	Kolar	0.0048
KARNATAKA	Davangere	0.0051
KARNATAKA	Mandya	0.0056
KARNATAKA	Ballari	0.0107
KARNATAKA	Davangere	0.0122
KARNATAKA	Koppal	0.0135
KARNATAKA	Hasan	0.0159
KARNATAKA	Ballari	0.0173
UTTAR PRADESH	Allahabad	0.0197
UTTAR PRADESH	Azamgarh	0.0202

Business Question-12

```sql
-- Q12.  Retrieve the top 3 states (srcStateName) along with the year (srcYear) where the ratio of insured farmers (TotalFarmersCovered)
-- to the total population (TotalPopulation) is highest.
--      Sort the results by the ratio in descending order.
SELECT
    srcStateName, srcYear, Insured_Farmer_Ratio
FROM
    farmersinsurancedata
ORDER BY Insured_Farmer_Ratio DESC
LIMIT 3;
```

Result Grid | Filter Rows:

srcStateName	srcYear	Insured_Farmer_Ratio
ASSAM	2021	31.5452
ASSAM	2021	12.4985
ASSAM	2021	3.7198

Business Question-1 3

```sql
--  Q13.    Create StateShortName by retrieving the first 3 characters of the srcStateName for each unique state.
ALTER TABLE farmersinsurancedata
ADD COLUMN StateShortName VARCHAR(3);
SET SQL_SAFE_UPDATES = 0;
UPDATE farmersinsurancedata
SET
    StateShortName = UPPER(LEFT(srcStateName, 3));
SELECT
    *
FROM
    farmersinsurancedata;
```

Business Question-1 4

```sql
-- Q14.   Retrieve the srcDistrictName where the district name starts with 'B'.

SELECT
    srcDistrictName
FROM
    farmersinsurancedata
WHERE
    srcDistrictName LIKE 'B%';
```

Result Grid | Filter Ro

srcDistrictName
Bilaspur
Bageshwar
Bhiwani
Banswara
Baran
Barmer
Bharatpur
Bhilwara
Bikaner
Bundi
Baghpat
Bahraich

Business Question-1 5

```sql
-- Q15.    Retrieve the srcStateName and srcDistrictName where the district name contains the word 'pur' at the end.
SELECT
    srcStateName, srcDistrictName
FROM
    farmersinsurancedata
WHERE
    srcDistrictName LIKE '%pur';
```

Result Grid | Filter Rows:

srcStateName	srcDistrictName
JAMMU AND KASHMIR	Udhampur
HIMACHAL PRADESH	Bilaspur
HIMACHAL PRADESH	Hamirpur
RAJASTHAN	Bharatpur
RAJASTHAN	Dhaulpur
RAJASTHAN	Dungarpur
RAJASTHAN	Jaipur
RAJASTHAN	Jodhpur
RAJASTHAN	Sawai Madhopur
RAJASTHAN	Udaipur
UTTAR PRADESH	Balrampur
UTTAR PRADESH	Fatehpur

Business Question-16

```sql
-- Q16.   Perform an INNER JOIN between the srcStateName and srcDistrictName columns to retrieve the aggregated FarmersPremiumAmount
-- for districts where the district’s Insurance units for an individual year are greater than 10.

    SELECT
    f1.srcStateName,
    f1.srcDistrictName,
    f1.srcYear,
    SUM(f1.FarmersPremiumAmount) AS Total_FarmersPremiumAmount
FROM farmersinsurancedata f1
INNER JOIN
(
    SELECT
        srcStateName,
        srcDistrictName,
        srcYear
    FROM farmersinsurancedata
    GROUP BY
        srcStateName,
        srcDistrictName,
        srcYear
    HAVING SUM(farmersinsurancedataInsuranceUnits) > 10
) f2
ON f1.srcStateName = f2.srcStateName
AND f1.srcDistrictName = f2.srcDistrictName
AND f1.srcYear = f2.srcYear
GROUP BY
    f1.srcStateName,
    f1.srcDistrictName,
    f1.srcYear;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

srcStateName	srcDistrictName	srcYear	Total_FarmersPremiumAmount
JAMMU AND KASHMIR	Udhampur	2018	60.59000015258789
HIMACHAL PRADESH	Bilaspur	2021	63.883801370859146
HIMACHAL PRADESH	Chamba	2021	22.5600004196167
HIMACHAL PRADESH	Hamirpur	2021	102.91759872436523
HIMACHAL PRADESH	Kangra	2021	183.95030030608177
HIMACHAL PRADESH	Kullu	2021	0.11239999905228615
HIMACHAL PRADESH	Mandi	2021	14.022799751721323
HIMACHAL PRADESH	Shimla	2021	0.8706000074744225
HIMACHAL PRADESH	Sirmaur	2021	12.609999895095825
HIMACHAL PRADESH	Solan	2021	16.927200076170266
HIMACHAL PRADESH	Una	2021	93.9041004627943
UTTARAKHAND	Almora	2018	4.369999885559082

Business Question-1 7

```sql
-- Q17.  Write a query that retrieves srcStateName, srcDistrictName, Year,
-- TotalPopulation for each district and the the highest recorded FarmersPremiumAmount for that district over all available years
--      Return only those districts where the highest FarmersPremiumAmount exceeds 20 crores.

use ndap;
select * from farmersinsurancedata;
SELECT
    srcStateName,
    srcDistrictName,
    srcYear,
    TotalPopulation,
    FarmersPremiumAmount
FROM
    farmersinsurancedata
WHERE
    FarmersPremiumAmount > 20000000 / 100000
ORDER BY srcDistrictName , srcYear , TotalPopulation;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

srcStateName	srcDistrictName	srcYear	TotalPopulation	FarmersPremiumAmount
MADHYA PRADESH	Agar Malwa	2018	571278	671.85
MADHYA PRADESH	Agar Malwa	2019	571278	586.24
MADHYA PRADESH	Agar Malwa	2020	571278	952.46
MADHYA PRADESH	Agar Malwa	2021	571278	1622.07
UTTAR PRADESH	Agra	2018	4418797	1166.59
UTTAR PRADESH	Agra	2019	4418797	917.11
MAHARASHTRA	Ahmadnagar	2018	4543159	1433.18
MAHARASHTRA	Ahmadnagar	2019	4543159	448.6
MAHARASHTRA	Ahmadnagar	2020	4543159	510.66
MAHARASHTRA	Ahmadnagar	2021	4543159	1178.68
RAJASTHAN	Ajmer	2018	2583052	884.77
RAJASTHAN	Ajmer	2019	2583052	906.64

Business Question-18

```sql
-- Q18.   Perform a LEFT JOIN to combine the total population statistics with the farmers' data (TotalFarmersCovered, SumInsured)
-- for each district and state.
--     Return the total premium amount (FarmersPremiumAmount) and the average population count for each district aggregated over the years,
-- where the total FarmersPremiumAmount is greater than 100 crores.
--     Sort the results by total farmers' premium amount, highest first.

select * from farmersinsurancedata;

SELECT
    f.srcStateName,
    f.srcDistrictName,
    SUM(f.FarmersPremiumAmount) AS Total_Farmers_Premium,
    AVG(p.TotalPopulation) AS Average_Population_Count,
    SUM(f.TotalFarmersCovered) AS Total_Farmers_Covered,
    SUM(f.SumInsured) AS Total_Sum_Insured
FROM farmersinsurancedata f
LEFT JOIN farmersinsurancedata p
    ON f.srcStateName = p.srcStateName
    AND f.srcDistrictName = p.srcDistrictName
    AND f.srcYear = p.srcYear
GROUP BY
    f.srcStateName,
    f.srcDistrictName
HAVING
    SUM(f.FarmersPremiumAmount) > 1000000000/100000
ORDER BY
    Total_Farmers_Premium DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

srcStateName	srcDistrictName	Total_Farmers_Premium	Average_Population_Count	Total_Farmers_Covered	Total_Sum_Insured
MAHARASHTRA	Bid	14528.859741210938	2583421.0000	1430532	642287.7265625
MADHYA PRADESH	Ujjain	12385.230346679688	1986864.0000	630787	753452.1640625
MAHARASHTRA	Latur	11700.31982421875	2454196.0000	1184066	614966.94140625

Business Question-19

```sql
-- Q19.   Write a query to find the districts (srcDistrictName)
-- where the TotalFarmersCovered is greater than the average TotalFarmersCovered across all records.
SELECT
    srcDistrictName,
    SUM(TotalFarmersCovered) AS TotalFarmersCovered,
    AVG(TotalFarmersCovered) AS AvgFarmersCovered
FROM farmersinsurancedata
GROUP BY srcDistrictName
HAVING SUM(TotalFarmersCovered) > AVG(TotalFarmersCovered)
ORDER BY TotalFarmersCovered, AvgFarmersCovered;
```

srcDistrictName	TotalFarmersCovered	AvgFarmersCover
Patan	5	2.5000
Gandhinagar	6	3.0000
Banas Kantha	7	3.5000
Mahesana	9	4.5000
Bharuch	12	6.0000
Porbandar	17	8.5000
Kullu	24	6.0000
Devbhoomi Dwarka	27	13.5000
Amritsar	30	15.0000
West District	38	19.0000
South Goa	39	13.0000
North Goa	40	13.3333



Business Question-20

```
-- Q20.   Write a query to find the srcStateName where the SumInsured is higher than the SumInsured of the district
-- with the highest FarmersPremiumAmount.

SELECT  srcStateName
FROM farmersinsurancedata
WHERE SumInsured >
(
    SELECT MAX(SumInsured)
    FROM farmersinsurancedata
    WHERE FarmersPremiumAmount =
    (
        SELECT MAX(FarmersPremiumAmount)
        FROM farmersinsurancedata
    )
);
```

Business Question-21

Result Grid | Filter Rows: | Export: | Wrap

	srcDistrictName	FarmersPremiumAmount	srcStateName
▶	Bhiwani	702.08	HARYANA
	Fatehabad	1001.75	HARYANA
	Hisar	1355.27	HARYANA
	Jind	895.54	HARYANA
	Kaithal	636.37	HARYANA
	Karnal	597.88	HARYANA
	Kurukshetra	428.68	HARYANA
	Sirsa	1745.91	HARYANA
	Sonipat	453.35	HARYANA
	Ajmer	884.77	RAJASTHAN
	Alwar	1242.26	RAJASTHAN
	Baran	521.51	RAJASTHAN

```sql
-- Q21.   Write a query to find the srcDistrictName where the FarmersPremiumAmount is higher than
-- the average FarmersPremiumAmount of the state that has the highest TotalPopulation.
select * from farmersinsurancedata;
select srcDistrictName, FarmersPremiumAmount, srcStateName

from farmersinsurancedata
WHERE FarmersPremiumAmount >
(
    SELECT AVG(FarmersPremiumAmount)
    FROM farmersinsurancedata
    WHERE srcStateName =
    (
        SELECT srcStateName
        FROM farmersinsurancedata
        GROUP BY srcStateName
        ORDER BY MAX(TotalPopulation) DESC
        LIMIT 1
    )
);
```

Business Question-22

```sql
-- Q22.  Use the ROW_NUMBER() function to assign a row number to each record in the dataset ordered by total farmers covered in descending order.
select * from farmersinsurancedata;

-- TotalFarmersCovered
select
row_number() OVER (order by TotalFarmersCovered desc) as Row_num,
farmersinsurancedata.*
from farmersinsurancedata ;
```

Row_num	rowID	srcYear	srcStateName	srcDistrictName
1	1903	2019	MAHARASHTRA	Bid
2	3063	2021	MAHARASHTRA	Nanded
3	1913	2019	MAHARASHTRA	Latur
4	375	2018	MAHARASHTRA	Bid
5	3061	2021	MAHARASHTRA	Latur
6	3051	2021	MAHARASHTRA	Bid
7	385	2018	MAHARASHTRA	Latur
8	3066	2021	MAHARASHTRA	Osmanabad
9	215	2018	WEST BENGAL	Purba Medinipur
10	213	2018	WEST BENGAL	Paschim Medinipur
11	3068	2021	MAHARASHTRA	Parbhani

Business Question-23

```sql
-- Q23.   Use the RANK() function to rank the districts (srcDistrictName) based on the SumInsured (descending)
-- and partition by alphabetical srcStateName.
SELECT
    srcStateName,
    srcDistrictName,
    SumInsured,
    RANK() OVER(
        PARTITION BY srcStateName
        ORDER BY SumInsured DESC
    ) AS District_Rank
FROM farmersinsurancedata
ORDER BY srcStateName ASC, District_Rank;
```

srcStateName	srcDistrictName	SumInsured	District_Rank
ANDHRA PRADESH	Kurnool	191969	1
ANDHRA PRADESH	Y.S.R.	177442	2
ANDHRA PRADESH	Srikakulam	149882	3
ANDHRA PRADESH	Prakasam	115235	4
ANDHRA PRADESH	Krishna	110285	5
ANDHRA PRADESH	Y.S.R.	107311	6
ANDHRA PRADESH	West Godavari	101316	7
ANDHRA PRADESH	East Godavari	98728.3	8
ANDHRA PRADESH	Visakhapatnam	91695.2	9
ANDHRA PRADESH	Kurnool	88277	10
ANDHRA PRADESH	Vizianagaram	77937.6	11
ANDHRA PRADESH	Guntur	53191.1	12

Business Question-24

```sql
-- Q24.   Use the SUM() window function to calculate a cumulative sum of FarmersPremiumAmount
-- for each district (srcDistrictName), ordered ascending by the srcYear, partitioned by srcStateName.
SELECT
    srcStateName,
    srcDistrictName,
    srcYear,
    FarmersPremiumAmount,
    SUM(FarmersPremiumAmount) OVER(
        PARTITION BY srcStateName, srcDistrictName
        ORDER BY srcYear ASC
    ) AS Cumulative_Premium
FROM farmersinsurancedata
ORDER BY
    srcStateName ASC,
    srcDistrictName ASC,
    srcYear ASC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

srcStateName	srcDistrictName	srcYear	FarmersPremiumAmount	Cumulative_Premium
ANDHRA PRADESH	Anantapur	2018	541.83	541.8300170898438
ANDHRA PRADESH	Anantapur	2019	0.189	542.019017085433
ANDHRA PRADESH	Chittoor	2018	99.65	99.6500015258789
ANDHRA PRADESH	Chittoor	2019	0.4411	100.09110152721405
ANDHRA PRADESH	East Godavari	2018	102.6	102.5999984741211
ANDHRA PRADESH	East Godavari	2019	1.83	104.42999851703644
ANDHRA PRADESH	Guntur	2018	77.19	77.19000244140625
ANDHRA PRADESH	Guntur	2019	0.6184	77.80840241909027
ANDHRA PRADESH	Krishna	2018	72.22	72.22000122070312
ANDHRA PRADESH	Krishna	2019	1.15	73.37000119686127
ANDHRA PRADESH	Kurnool	2018	1341.24	1341.239990234375

Business Question-25

```sql
-- Q25.  Create a table 'districts' with DistrictCode as the primary key and columns for DistrictName and StateCode.
--       Create another table 'states' with StateCode as primary key and column for StateName.
CREATE TABLE states (
    StateCode INT PRIMARY KEY,
    StateName VARCHAR(100)
);
CREATE TABLE districts (
    DistrictCode INT PRIMARY KEY,
    DistrictName VARCHAR(100),
    StateCode INT,
    FOREIGN KEY (StateCode) REFERENCES states(StateCode)
);
```

Business Question-26

```sql
-- Q26.   Add a foreign key constraint to the districts table that references the StateCode column from a states table.
select * from districts;
ALTER TABLE districts
ADD CONSTRAINT fk_district_state
FOREIGN KEY (StateCode)
REFERENCES states(StateCode);
```



Business Question-27

```
-- Q27.   Update the FarmersPremiumAmount to 500.0 for the record where rowID is 1.


SELECT
    *
FROM
    farmersinsurancedata;
UPDATE farmersinsurancedata
SET
    FarmersPremiumAmount = 500.0
WHERE
    rowID = 1;
```

Business Question-28

```sql
-- Q28. Update the Year to '2021' for all records where srcStateName is 'HIMACHAL PRADESH'.

SET SQL_SAFE_UPDATES = 0;
UPDATE farmersinsurancedata
SET
    srcYear = '2021'
WHERE
    srcStateName = 'HIMACHAL PRADESH';
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

rowID	srcYear	srcStateName	srcDistrictName	farmersinsurancedataInsuranceUnits	TotalFarmersCovered	ApplicationsLoaneeFarmers	ApplicationsNonLoaneeFarmers	InsuredLandArea	FarmersPremiumAmount	StatePrem
8	2021	HIMACHAL PRADESH	Kangra	34	30868	31638	101	11.4	51.27	42.66
1073	2021	HIMACHAL PRADESH	Kangra	34	34564	35348	641	13.36	60.13	120.22
2263	2021	HIMACHAL PRADESH	Kangra	34	32453	33380	160	12.09	72.53	78.5
3144	2021	HIMACHAL PRADESH	Kangra	2	11	11	0	0	0.0203	0.0475
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Business Question-29

```sql
-- Q29.    Delete all records where the TotalFarmersCovered is less than 10000 and Year is 2020.

DELETE FROM farmersinsurancedata
WHERE
    TotalFarmersCovered < 10000
    AND srcYear = '2020';
```

Thank You