

COURSE:- Internet Programming Laboratory

COURSE CODE :- CSE326

Report on :- A webpage to buys car online (Carsplus)

Submitted by :- Ritesh Singh (12416975),

Section :- K24NR

Submitted to :- Gauri Thakur

REPORT

INTRODUCTION

Welcome to the ultimate platform for car enthusiasts and prospective buyers!

Our website offers a comprehensive, user-friendly experience tailored to meet all your automotive needs. Whether you're looking to buy a new car or customize one to your unique specifications, this platform has everything you need to make your dream car a reality.

One of the most significant features of our website is the vast selection of cars available for purchase. We understand that buying a car is a substantial investment, and the needs and financial constraints of each customer vary. Thus, we provide an extensive range of vehicles from economical models that are budget-friendly to high-performance luxury cars. This diversity ensures that every user can find a car that fits their specific requirements and financial plans..

But we don't stop at just offering a diverse range of cars. Our platform also allows you to customize your vehicle to your heart's content. The customization options are extensive, covering various aspects of the car, including the engine, color, gear-box, and other vital components.

Another key feature of our platform is the seamless integration of payment options. We understand that purchasing a car is a significant investment, and we aim to make the payment process as convenient as possible. Our website is integrated with multiple payment gateways, allowing users to complete transactions securely and efficiently. Whether you prefer to pay using a credit card or a debit card. Also user can buy the car by loan after filling the loan form..

Technology used

This is a website involves several key technologies Such as HTML (HyperText Markup Language) forms the backbone of a website, structuring its content and layout.CSS (Cascading Style Sheets) enhances the appearance by styling HTML elements, allowing for creative and visually appealing designs. And Finally the JavaScript adds Interactivity, enabling dynamic content updates and responsive features like form validation, animations, and user-triggered events. But this site does not use much of Javascript .Together, HTML, CSS, and JavaScript create a seamless and engaging user experience.

DETAIL EXPLANATION OF THE WEBSITE:-

Since, Our project for CA-3 was to make a Website where one can buy cars and it is also important to give a name to our website. So, I decided to give a name to our website as "Drift plus".

The term "Drift plus" is not a widely used or standard term. It's possible that one might be referring to a specific platform, company, or feature that uses the term "Drift plus" in its branding or nomenclature.

My website contains multiple page include

a.) HOME PAGE :- In the first page, we firstly named our website and provided links to the user to explore the *upcoming car*, to *buy cars and cars parts* by either by loan or you can do the full payment using QR. And also, if buyers faces any problems related to payment, they can *contact us* by clicking on contact and by filling some important details (like name, email, mobile number, etc.)

HTML code:-

```
otal large en
      (neta charset="UTF-8")
      creta name="viewdort" content="vidth=device-width, initial-scale=1.8")
      (title)Responsive Website for Car Sale (title)
     Link the website to CSS -->
     clink rel='stylesheet" href= style.css')
     (I-- (ink to Boximus --)
     clink href='https://unpkg.com/boxiconsi0.1.4/css/boxicons.min.css' rel='stylesheet
      clink rel='preconnect' href="https://fonts.googleapis.com"
      clink rel="preconnect" bref="https://funts.gstatic.com" crossorigino
     ( - Revisation ber --)
         (div class="nav container")
             (i class='on bx-menu' id= menu-icon')((i)
             (a href="f" class="logo")ORIfT(span)plus(/span)(/a)
             d-- Maxigation bar list -->
             (ul class="rayber")
                (li)(a bref= shone class= pre )Home((a)(/li)
                 (lib (a hvef="#cars")Cars(/a)
                 (If) (a href="sparts") Parts (/a) (/If)
                 (li)(a href="taxout")About(/a)(/li)
                 (li)<a href="#blog" Contact and Blog</a>
             (i class='bx bx-search-alt' id="search-icon")(/i)
              (dly class="search-box container")
                 (input type="search" placeholder="Search here...")
      (I--HIVE PAGE++)
      (section class="home" id="home")
         (div class="home-text")
              (hi) we have Everting (hr) Your (span)Car(/span)Need(/hi)
              (p)Checkout our unleased Cars(/p)
             (1--Rose Button--)
              (a href="discover.html" class="btm")Explore Now((a)
      (1--section for different cars--)
      (section class= cars id= cars )
```

```
(div class="headinf")
   (span)All Cars (/span)
    (h2)TO buy any car just click on the image(h2)
    (p)One click Away to Buy your dream Car(/p)
(div class="cars-container box")
    (div class="box")
         ca href="car1.html"><ing src="ing/car7.jpg" alt=""></a>
        (h2) lambo (/h2)
    (div class="box")
         ca href="car2.html"><ing src="ing/car1.jpg" alt=""></a>
         (h2)Porche (/h2)
    (div class="box")
        (a href="car3.html""><ing src="ing/car2.jpg" alt=""></a>
         (h2)Audi (/h2)
    (div class="box")
         <a href="car4.html""><ing src="ing/car3.jpg" alt=""></a>
         (h2)Audi(/h2)
    (div class="box")
        (a href="car5.html""><ing src="ing/car4.jpg" alt=""></a>
        (h2) lambo (/h2)
    (div class="box")
       (a href="car5.html"")<ing src="ing/car5.jpg" alt=""></a>
        (h2)lanbo(/h2)
    (div class="box")
        <a href="car6.html""><ing src="ing/car6.jpg" alt=""></a>
        (h2)lanbo(/h2)
```

```
LOOKTYPE html
(html lang= em)
    (neta charset= UTF-8")
    (meta name='viewport' content='width=device-width, initial-scale=1.0')
    (title)Responsive Website for Car Sale(/title)
   (I-- Link the website to CSS --)
    (link rel= stylesheet href= style.css")
   (!-- Link to Boxicons --)
    k href= https://unokg.com/noxicons@2.1.4/css/hoxicons.min.css ' rel='stylesheet' >
    clink rel="preconnect" href="https://fonts.googleapis.com"
    clink rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
   (!- Mavigation bar --)
       (div class="nay container")
           (i class='bx bx-menu' id="menu-icon")</ii>
           <a href= = class= logo \ORIFT(span)plus(/span)(/a)</pre>
           (L- Navigation har list --)
           (al class="navbar")
               (ii) (a href="mule" class="ore") Hone (la) (/ii)
               (li) (a href="stars") (ars(/a)(/li)
               disca bref="marts" Parts(la)(/lis
               (li) (a href="sabout") About (la) ((li))
               (li)ka href="#blog")Contact and Blog(/a>(/li)
           (i class='bx bx-search-alt' id="search-icon"></i>
           (di) class="search-box container")
                (input type= search placeholder='Search here...')
    (1--HIME PASE--)
    (section class= home id= none)
        (Mix class="hose-text")
           office have Everting (br) Your (span)Car(/span)Need(/h1)
           (c) Checkout our unleased Cars (b)
           (I-Home Button-)
           (a href="discover.html" class="btm" Explore Now(/a)
    (!--section for different cars-->
    (section class= cars id= cars)
```

```
(1--section for different cars--)
(section class= cars id= cars )
   (div class="headinf")
       (span)All Cars (/span)
       (h2)TO buy any car just click on the image(/h2)
        one click Away to Buy your dream Car
   (!--diffrent cars-->
   (div class="cars-container box")
        (div class="box")
            (a href="car1.html")<ing src="ing/car7.jpg" alt="")</a>
            (h2) lambo (/h2)
        (div class='box')
            (a href="car2.html"><ing src="ing/car1.jpg" alt=""></a>
            (h2)Porche(/h2)
        (div class="box")
            (a href="car3.html""> (ing src="ing/car2.jpg" alt=""> (/a)
            <h2>Audi</h2>
        (div class="box")
            (a href="car4.html"">\ing src="ing/car3.jpg" alt="">\//a>
            (h2)Audi (h2)
        <div class="box">
           (a href="car5.html"")<ing src="ing/car4.jpg" alt="")</a>
            (h2)audi(/h2)
        <div class="box">
           (a href='car5.html" >cing src="ing/car5.jpg' alt="">(/a)
            (h2) BMV (h2)
        (div class="box")
           (a href="car6.html"")<ing src="ing/car6.jpg" alt="")</a>
            (h2)Bmvc-8n(/h2)
```

```
(ing src="ing/part2.ong" alt="")
    Gear-box (/h3)
    (span)$1020.0(/span)
    d class="bx bxs-star">(61 review)
    ca href="buy.html" class="btm">Buy now(/a)
    (a href="notavail.html" class="details")View Details(/a)
(!--box 3 car parts--)
(div class= oux)
    (ing src="ing/part3.png" alt="")
   (h3) Gear-tools (/h3)
   (span)$128.8(/span)
   (i class="bx bxs-star")(60 review)(/i)
    (a href="buy.html" class= btm">Buy now(/a)
    (a href="notavail.html" class="details")View Details(/a)
only class= box
    (ing src="ing/part4.ong" alt="")
   (M) Engine filter(/h3)
   (span)$1298.8(/span)
   (i class="bx bxs-star")(26 review)(/i)
    <a href="notavail.html" class="btm">Buy now(/a)
    (a href="notavail.html" class="details")View Details(/a)
(1-box 5 car parts--)
xdiv class= box
    (ing src="ing/part1.png" alt="")
   (MB) Engine (/MB)
    (span)$1998.8(/span)
    <i class="bx bxs-star">(46 review)
    (a href="notavail.html" class="btm">Buy now(/a)
    (a href= # class= details )View Details(/a)
«!--box 6 car parts--)
(div class= bux)
   ding src="ing/part1.ong" alt="")
   (h3)Engine(/h3)
    (span)$1288.8 (span)
    di class="br brs-star">(236 review)(/i)
    (a href="notavail.html" class="btm">Buy now(/a)
    ca href="#" class="details")View Details
```

```
(section class= blog id= blog)
   offiv class="heatinf"
       cspan Contact detail and Blog (span)
        (N2) Contact detail and Blog (N2)
        dollark you (p)
   offy class="filog-container")
       (iiv class= oox
            (span/Mov 7, 2024/(span)
            (ME) How to Get cars at low price (ME) -Click on read more (ME)
             (a href="cheap.html" class="blog-btn")-Read more(i class="bx bx-right-arrow-alt")(JD(/a)
        offic class= onco
             (sea)/km 7 2604 (sea)
            (b)-For any query related to payment you can (c) -Click the read more (h)
             (a bref="contac.html" class="blog-btm">-Contact US(i class="bx bx-right-arrow-all;">(/1)(/a)
(section class="footer")
   offy class="footer-container")
        (div class= footer-box
            (a bref="#" class="lmp" (DRIFT(span)slus((span)(/a)
                  (a href="notavall.html" ×i class="bx bxl-facebook-circle">(/i)/(a)
                    to href-"rotand...html" >cl class- be bel-twitter>cd10da
to href-"r" >cl class-'be bel-instagram" >cl/beda
to href-"r" >cl class-'be bel-instagram" >cl/beda
to href-"r" >cl class-'be bel-youtube" >cl/beda
                u hrof-"schwall.html" home //o

hrof-"schwall.html" Garsi/o

href-"schwall.html" Ports //o

href-"schwall.html" Sales ()o

href-"schwall.html" Sales ()o
                ca brefe * Privacyco
                 co href-"# Refund Policy Un
      Ritesh singh /
(i -- tink to livescript --)
escript src-'ima.is' Hoscript
```

CSS code:-

```
font-family: 'Poppins', sans-serif;
         margin: 0;
         padding: 0;
         scroll-padding-top: 1rem;
         scroll-behavior: smooth;
         list-style: none;
         text-decoration: none;
         box-sizing: border-box;
12
     :root {
         --main-color: ■#33cc33;
         --text-color: □#020102;
        --bg-color: #fff;
    /*custom scroll bar*/
    html::-webkit-scrollbar{
        width: 0.6rem;
         background: transparent;
    html::-webkit-scrollbar{
         border-radius: 5rem;
         background: var(--text-color);
    section{
         padding: 4rem 0 2rem;
        width: 100%;
    body {
         color: var(--text-color);
     .container {
        max-width: 1068px;
         margin-left: auto;
        margin-right: auto;
    header {
        display: block;
        width: 100%;
         position: fixed;
         top: 0;
         left: 0;
```

```
header.shadow {
    background: var(--bg-color);
    box-shadow: 4px 4px 20px □rgb(15 54 55 / 10%);
    transition: 0.5s ease;
header.shadow #search-icon{
    color: var(--text-color);
.nav {
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 21px 36px;
#menu-icon {
    font-size: 25px;
    cursor: pointer;
    color: var(--text-color);
    display: none;
.logo {
    font-size: 1.3rem;
    font-weight: 700;
    color: var(--text-color);
.logo span {
    color: var(--main-color);
.navbar {
    display: flex;
    column-gap: 2.1rem;
.navbar a {
    color: var(--text-color);
    font-size: 1.1rem;
    text-transform: uppercase;
    font-weight: 500;
.navbar a:hover,
.navhar .nre {
```

CSS code:-

```
#search-icon {
    font-size: 25px;
   cursor: pointer;
    color: var(--bg-color);
.search-box {
    position: absolute;
   top: 111%;
   right: 0;
   left: 0;
   background: var(--bg-color);
   box-shadow: 4px 4px 40px □rgb(15 54 55 / 10%);
   border: 1px solid var(--main-color);
   border-radius: 0.5rem;
   clip-path: circle(0% at 100% 0%);
.search-box.active{
    clip-path: circle(144% at 100% 0%);
   transition: 0.4s;
.search-box input[type="search"] {
   width: 100%;
   padding: 20px;
   border: none;
   outline: none;
   background: transparent;
   font-size: 1.1rem;
.home{
    max-width: 1300px;
   margin: auto;
   width: 100%;
   min-height: 640px;
   display: flex;
    align-items: center;
   background: url(img/car7.jpg);
    background-repeat: no-repeat;
   background-size: cover;
    background-position: center left;
```

```
.home-text{
    padding-left: 130px;
.home-text h1{
   font-size: 2.4rem;
.home-text span{
   color: var(--main-color);
.home-text p{
   font-size: 0.939rem;
   font-weight: 300;
   margin: 0.5rem 0 1.2rem;
.btn{
   padding: 10px 22px;
   background: var(--main-color);
   color: var(--bg-color);
    font-weight: 400;
.btn:hover{
   background: #008000;
.headinf{
   text-align: center;
.headinf span{
   font-weight: 500;
   color: var(--main-color);
.headinf p{
   font-size: 0.938rem;
   font-weight: 300;
.cars-container {
   display: flex;
   flex-wrap: wrap;
    gap: 2rem;
   margin-top: 2rem;
.cars-container .box{
   flex: 1 1 17rem;
   position: relative;
   height: 200px;
   border-radius: 0.5rem;
```

CSS code:-

```
.cars-container .box img{
          width: 100%;
          height: 100%;
          object-fit: cover;
          overflow: hidden;
      .cars-container .box:hover{
          transform: scale(1.2);
          transition: 0.45s;
      .cars-container .box h2{
          position: absolute;
          bottom: 1rem:
          left: 1rem;
          font-weight: 400;
          font-size: 1rem;
          background: var(--bg-color);
          padding: 8px;
          border-radius: 0.5rem;
      .cars-container .box:hover h2{
          background: var(--main-color);
          color: var(--bg-color);
      .about {
216
          display: flex;
          flex-wrap: wrap;
          align-items: center;
          gap: 1.5rem;
      .about-img{
          flex: 1 1 21rem;
      .about-text{
          flex: 1 1 21rem;
      .about-text span{
          font-weight: 500;
          color: var(--main-color);
      .about-text h2{
          font-size: 1.7rem;
      .about-text p {
          font-size: 0.938rem;
          margin: 0.5rem 0 1.4rem;
```

```
/*making responsive*/
 @media (max-width:1080px){
    .container{
        margin-left: 1rem;
        margin-right: 1rem;
 @media (max-width:990px){
    .nav{
        padding: 15px 20px;
    section{
        padding: 3rem 0 1rem;
    .home-text{
        padding-left:2rem;
    .home-text h1{
        font-size: 2.1rem;
@media (max-width:920px){
    #search-icon{
        color: var(--text-color);
@media (max-width:768px){
    .search-box input{
        padding: 15px;
    .nav {
        padding: 10px 0;
    #menu-icon{
        display: initial;
    .navbar{
        position: absolute;
        top: 100%;
        right: 0;
        left: 0:
        display: flex;
        flex-direction: column;
        background: var(--bg-color);
        row-gap: 0.5rem;
        text-align: center;
```


Full css code is not here

JAVA Script code:-

```
let search = document.querySelector('.search-box');
     let menu = document.querySelector('.navbar');
     document.querySelector('#search-icon').onclick = () => {
         search.classList.toggle('active');
         menu.classList.remove('active');
     document.querySelector('#menu-icon').onclick = () => {
         menu.classList.toggle('active');
         search.classList.remove('active');
     }
12
     // Hide menu and search box on scroll
     window.onscroll = () => {
         menu.classList.remove('active');
         search.classList.remove('active');
     // Header shadow effect
     let header = document.querySelector('header');
     window.addEventListener('scroll', () => {
         header.classList.toggle('shadow', window.scrollY > 0);
     });
```




TO buy any car just click on the image One click Away to Buy your dream Cor





Cheap price with Quality cars

We belive in Quality not on looks Thankyou






b.) EXPLORE PAGE: In this we webpage have different upcoming cars and other cars such as concept car and many more.

HTML CSS code:-

```
<!DOCTYPE html>
<html lang="en">
       body {
   font-family: Arial, sans-serif;
   display: flex;
   justify-content: center;
   align-items: center;
   height: 100vh;
   background-color: #f0f0f0;
   margin: 0;
.grid-container {
   display: grid;
   grid-template-columns: repeat(2, 1fr);
   gap: 20px;
.item {
   position: relative;
.item img {
   width: 100%;
   border-radius: 10px;
.text-overlay {
   position: absolute;
   bottom: 10px;
   right: 10px;
   background-color: ☐rgba(0, 128, 0, 0.7);
   color: □white;
   padding: 5px 10px;
   border-radius: 5px;
   font-size: 14px;
   font-weight: bold;
.text-overlay:nth-child(1) {
   background-color: ☐ rgba(0, 100, 0, 0.7);
.text-overlay:nth-child(2) {
   background-color: ☐ rgba(34, 139, 34, 0.7);
```

```
text-overlay:nth-child(1) {
   background-color: □rgba(0, 100, 0, 0.7);
.text-overlay:nth-child(2) {
   background-color: □rgba(34, 139, 34, 0.7);
.text-overlay:nth-child(3) {
   background-color: @rgba(50, 205, 50, 0.7); }
.text-overlay:nth-child(4) {
   background-color: Ergba(144, 238, 144, 0.7);
div img:hover{
   background-color: #45a849;
   transform: scale(1.1);
   (neta charset="UTF-8")
   (meta name="viewport" content="width=device-width, initial-scale=1.0")
   <title>Document</title>
   (div class= iter)
          (ing src="ing\car1.jpg" alt="Inage 1")
          (div class="text-overlay")concept car(/div)
      (div class= item)
          <ing src="ing/car2.jpg" alt="Image 2">
          (div class= item)
          (ing src="ing/car3.jpg" alt="Inage 3")
          (div class= item)
          (ing src="ing/car4.jpg" alt="Inage 4")
          <div class="text-overlay">Upcoming car</div>
(body)
(/html)
```



GL®PM 8088

am:

c) Detail about Cars page: In Today's world people buy thing online by knowing the specification of the item. So, yes this page provide detail information about the car you are going to buy which include engine detail and other things.

Html and CSS Code:-


```
(LDOCTYPE Mil)
(bind lang= en )
   (neta charset="UTF-8")
    (meta name="viewport" content="width=device-width, initial-scale=1.0")
   <title)Car Parts</title>
body {
   font-family: Arial, sans-serif;
   display: flex;
   justify-content: center;
   align-items: center;
   height: 100vn;
   background-color: ■#f0f0f0;
   margin: 0;
image{
   margin: auto;
   width: 1000px;
   height: 920px;
   background-image: url('car_image.jpg');
   background-size: cover;
  background-repeat: no-repeat;
   padding: 20px;
   border-radius: 18px;
   box-shadow: 0 0 10px □rgba(0, 0, 0, 0.1);
   max-width: 600px;
   width: 188%;
   position: relative;
   z-index: 1;
   backdrop-filter: blur(5px);
.car-image [
   width: 188%;
   border-radius: 10px;
   margin-bottom: 20px;
.car-parts-table {
    border-collapse; collapse;
    background-color: <a href="mailto:legba">legba</a>(255, 255, 255, 8.8);
```

```
.car-parts-table th,
     .car-parts-table td {
         padding: 10px;
         text-align: left;
         border-bottom: 1px solid ■#ddd;
     .car-parts-table th {
         background-color: ■#33cc33;
         color: #fff;
     .car-parts-table tbody tr:nth-child(odd) {
         background-color: #c2f0c2;
     .car-parts-table tbody tr:nth-child(even) {
         background-color: ■#33cc33;
67
     .buy-button {
         display: block;
         width: 100%;
         padding: 10px;
         background-color: #c2f0c2;
         color: #fff;
         border: none;
         border-radius: 5px;
         cursor: pointer;
         font-size: 16px;
         margin-top: 20px;
     .buy-button:hover {
         background-color: ■#33cc33;
```

```
cing src="ing/car1.jpg" alt="Car Image" class="car-image")
(div class="table-container"
   <ing src="img/car1.jpg" alt="Car Image" class="car-image">
   (thoPart Name(/th)
              (th)Description(/th)
              Engine
              (td) The engine is the heart of the car that converts fuel into power to move the vehicle.
              (td) Transmission(/td)
              (td) The transmission transfers power from the engine to the wheels, enabling the car to move. (/td)
              (td)Brakes (/td)
              The braking system slows down or stops the vehicle by applying friction to the wheels.
              (td)Suspension(/td)
              (td) The suspension system absorbs shocks from the road, providing a smooth ride. (/td)
              (td) Exhaust (10)
              (td) The exhaust system channels gases from the engine out of the car, reducing noise and emissions. (/td)
              (td)Price(/td)
              128888$ (10)
   <a href="buy.html"><button class= buy-button >Buy Now</button></a>
```

Web Page:-





The exhaust system channels gases from the engine out of the car, reducing noise and emissions.

Exhaust

120000\$

Pie



- c.) Payment page:-This page include multiple pages
- 1) Payment option page: This page we have asked the respected buyer weither he/she is going to buys a car by different method which include either Loan or full payment option. Full payment using a debit or credit card.

HTML code:-

```
CLOOCTYPE html:
<html lang="en")
   (meta charset= UTF-8")
   creta name="viewport" content="width=device-width, initial-scale=1.0"
   <title>Document</title>
       font-family: Arial, sans-serif;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      background-image: url('ing/car7.jpg');
      background-size: cover;
      background-position: center;
       margin: 0;
   .container [
      text-align: center;
       background-color: Dforestgreen;
      padding: 20px;
       border-radius: 15rem;
      background-color: ■#46AF50;
      color: □white;
      padding: 15px 32px;
      text-align: center;
      text-decoration: none;
      display: inline-block;
       font-size: 16px;
       margin: 10px;
       border: none;
       border-radius: 15rem;
    button:haver {
       background-color: ##45a849;
```

```
(fieal)

dody)


div class="container")

(http://www.fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fit.org/fi
```



2) Loan document page:- This page include a page which contain loan form to buy a car

```
CLOOCTYPE html
      (html lang="en")
                                                                                                       .submit-button
                                                                                                           background-color: ##4CAF50;
          (neta charset= UTF-8")
                                                                                                           color: I mite;
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
                                                                                                           padding: 15px 20px;
          (title)Document /title
                                                                                                          text-align: center;
                                                                                                           text-decoration: none;
                                                                                                          display: inline-block;
              000y {
                   font-family: Arial, sans-serif;
                                                                                                           font-size: 160x;
                   display: flex;
                                                                                                          curson: pointer;
                   justify-content: center;
                                                                                                           borden: none;
                  align-items: center;
                                                                                                           border-radius: Sox;
                   height: 120vh;
                   margin: 0;
                                                                                                       .submit-button:hover {
                   background-image: url('img/car7Copy.jpg');
                                                                                                           background-color: ##5a849;
              form-container {
                   background-color: #fff;
                   padding: 20px;
                   border-radius: 10px;
                   box-shadow: 0 0 10px □rgba(0, 0, 0, 0.1);
                   width: 400px;
                                                                                                   (div class= head ) Loan Application Form (div)
                   text-align: center;
                                                                                                   (div class="fore-container")
                                                                                                       (form id="car-loan-form")
              head (
25
                                                                                                          (label for='name')Name: (/label)
                   text-align; center;
                                                                                                          circut type='text id='name' name='name' placeholder='Enter name' required>
                  color: I green;
                   font-size: 50px;
                                                                                                           (label for='enail') Email: (label)
                   margin-bottom: 20px;
                                                                                                           (input type='text' mame='enail' id='enail' placeholder='@ranil.com' required)
                                                                                                           (label for= phone )Phone Number: (/label)
              label {
                   display: block;
                                                                                                           (input type= tel id= phone mame= phone required placeholder= #31)
                   text-align: left;
                   margin: 10px 0 5px;
                                                                                                           (label for= amount )Loan Amount: ( label )
                   color: [ #333:
                                                                                                           (input type="number" id="amount" name="amount" required)
              input[type="text"],
                                                                                                           (label for="term")Loan Term (in years);(/label)
                                                                                                           circuit type="number" id="term" name="term" required>
              input[type="email"],
              input[type="tel"],
                                                                                                           (label for="income")Annual Income: (/label)
              input[type="number"],
                                                                                                           cirput type= number id= income name= income required)
              textarea {
                  width: 108%;
                   padding: 10px;
                  margin-bottom: 20px;
                  border: 1px solid #ccc;
                   border-radius: 5px;
                   font-size: 16px;
```




3) Full payment page: This page gave the buyers to fully pay

The car or parts

Html and Css code:-

```
earch (Ctrl+Shift+F) = html>
     Vilus Jarg= en )
          (neta charset="UTF-8")
         (neta name='viewport' content='width=device-width, initial-scale=1.0')
         (title)Document(/title)
             body (
                 font-family: Arial, sans-serif;
                 display: flex;
                 justify-content: center;
                 align-items: center;
                 height: 100vh;
                 background-color: ##0f0f0;
                 margin: 8:
             .form-container {
                 background-color: I#fff;
                 padding: 20px;
                 border-radius: 10px;
                 box-shadow: 0 0 10px [rgba(0, 0, 0, 0.1);
                 width: 400ox;
                 text-align: center;
             12 (
                 color: ##4CAF58;
                 margin-bottom: 20px;
             label (
                 display: block;
                 text-align: left;
                 margin: 10px 0 5px;
                 color: D#333;
             input[type= text ],
             input[type="enail"],
             input[type= number ] {
                 width: 186%;
                 padding: 18px;
                 margin-bottom: 20px;
                 border: inx solid #ccc;
                 border-radius: 5px;
                 font-size: 16px;
```

```
.submit-button {
        background-color: ##4CAF50;
        color: | White;
        padding: 15px 20px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 16px;
        cursor: pointer;
        border: none;
        border-radius: 5px;
    submit-button:hover {
        background-color: #45a849;
   #thankYouImage {
        display: none;
        margin-top: 20px;
   .head {
        text-align: center;
       color: Egreen;
        font-size: 50px;
        margin-bottom: 20px;}
<div class="head" >Car Payment Form</div>
(div class="form-container")
   <h2>Car Payment Form</h2>
   <form id="payment-form">
        (label for="name")Name:</label>
        <input type="text" id="name" name="name" required>
        (label for="email">Email:(/label)
        <input type="email" id="email" name="email" required>
        (label for="adress")Delivery Address:(/label)
        (input type="text" id="adress")
```



d) Contact page:- In today's digital age, a well


designed and user-friendly contact webpage is crucial for effective communication between businesses and their audience. This report explores the significance of a contact webpage, key elements for optimization, and best practices to enhance user engagement. By implementing the recommendations outlined in this report, businesses can foster better connections with their audience, improve customer satisfaction, and ultimately contribute to overall success. If user is facing some problem or user have some queries related to events, the user may contact as by filling some necessary details. User can contact us just by clicking the contact button at the very end of the page

HTML and CSS code:-

```
(html lang='en')
  (neta charset="UFF-8")
  (meta name='viewport' content='vioth=device-vioth, initial-scale=1.0')
  (title)Query(/title)
      body (
          background-image: url('ing/multiple supercars of different models in one image.jpg');
          font-family: Arial, sans-serif;
          display: flex;
          justify-content: center;
          align-items: center;
          height: 100vh;
          background-color: ##f0f0f0;
          margin: 0;
       .form-container {
          background-color: Tafff;
          padding: 20px;
          border-radius: 18ox;
          box-shadow: 0 0 10px □rgba(0, 0, 0, 0.1);
          width: 488px;
          text-align: center;
      h2 #
          margin-bottom: 20px;
      label {
          display: block;
          text-align: left;
          margin: 10px 0 5px;
          color: [1#333;
      input[type="text"],
      textarea {
          width: 186%;
          padding: 18px;
          margin-bottom: 20px;
          border: 1px solid ##ccc;
          border-radius: 5px;
          font-size: 16px;
      .submit-button {
          background-color: ###EAF58;
          color: | hite;
          padding: 15px 20px;
```

```
submit-button (
       background-color: ##4CAF58;
       color: | white:
       padding: 15px 20px;
       text-align: center;
       text-decoration: none;
       display: inline-block;
       font-size: 16ox;
       cursor: pointer;
       border: none;
       border-radius: 5px;
    .submit-button:hover {
       background-color: ##45a849;
   .details /
       display: none;
       margin-top: 20px;
       color: Ined;
(div class="form-container")
    (h2)Submit Your Query (h2)
   (form id="query-form")
       (label for= name >Name:(/label>
       <input type="text" id="name" name="name required>
       <label for= email" Email:</pre>
       (input type="text" id="email" name="email" required)
```

```
<label for="query">Your Query:</label>
            <textarea id="query" name="query" required></textarea>
            <button type="submit" class="submit-button">Submit</button>
       </form>
       <div class="details" id="details">
            Customer Care Number: 123-456-7890
            Email: support@company.com
        </div>
   </div>
   <script>
       document.getElementById('query-form').onsubmit = function (e) {
           e.preventDefault();
           document.getElementById('details').style.display = 'block';
       };
   </script>
</html>
```



SUMMARY:-

This website offers a platform to purchase multiple cars available at various price ranges. It provides extensive customization options, allowing users to personalize car parts such as the engine, color, and gearbox. The key features include a user-friendly interface for buying and customizing cars, integrated secure payment options, and multiple payment gateways. Customers can conveniently pay using credit or debit cards. The site aims to enhance the car-buying experience by combining a wide selection of vehicles, personalization options, and easy, secure payment methods, making it a comprehensive solution for modern car buyers.

Work Flow in the making of this "Report":-

- Introduction: This website offers a user-friendly platform to purchase cars in various price ranges. It allows extensive customization of car parts and integrates secure payment options. Customers can conveniently use credit or debit cards. The site enhances the car-buying experience with a wide vehicle selection and personalization options
- 2) Technology used:- In this section of report I discuss about various technology used such as HTML for structure, CSS for styling, and JavaScript for interactivity. HTML organizes content, CSS enhances visual design, and JavaScript adds dynamic, responsive features.

2) 3) Detailed Explanation of our website: First of all, we have explained the name of website, then explained webpages (HOME page, EXPLORE page, Detail about Car page, Contact page, Payment option page and PAYMENT page) along with the code of Html, CSS and javascript..

WITH THIS I AM CONCLUDING THIS REPORT

Yours Sincerely Ritesh singh (12416975)