CSS

CSS is the language we use to style an HTML document.

CSS describes how HTML elements should be displayed.

~~This tutori~~

What is CSS

CSS is the language we use to style a web page.

CSS describes how HTML elements are to be displayed on screen, paper, or in other media.

~~css saves a lot o~~

Full form

* Cascading - Multiple styles can apply to the same element (inline, internal, external), but they follow a priority order (based on specificity and order of rules) - this ordering process is called the "cascade"

* Style - defines how elements look (color, font, size, spacing, etc)

* Sheets - the style rules are written in a document / section.

CSS Syntax

A CSS rule consists of a selector and a declaration block :

Selector   Declaration   Declaration

h1 { color : blue ; font-size : 12px ; }

property   value   property   value

* The selector points to the HTML element you want to style.
* The declaration block contains one or more declarations separated by semicolons
* Each declaration includes a CSS property name and a value

Cascading

Cascading means when multiple CSS rules apply to the same element, the browser decides which rule wins based on an order / priority.

It decided based on 3 factors.

1. Importance - [!important] rules always win
2. Specificity - ID > class > Element
   more specific selector wins
3. Source order - If specificity is same, the last defined rule wins.

Scanned with OKEN Scanner

CSS priority :

1. Inline CSS
2. Internal CSS
3. External CSS
4. Browser default styles

Cascading

The process/algorithm the browser uses to decide which CSS rule wins when multiple rules apply to the same element

Cascading factors

1. Importance, 2 specificity
3. Source order (last rule wins if specificity is same)

Specificity

A Scoring System that calculates how "specific" a Selector is

CSS spec designers 4-level hierarchy

Inline Style (style="...")	1000 points	Most Specific - directly on element So highest priority
Id(#id)	100 points	Unique per page, So very specific
class, attribute, psudo-class	= 10 points	
Element, psudo-element	= 1	

css priority :

1. Inline css
2. Internal css
3. External css
4. Browser default styles

Cascading	Specificity
The process/algorithm the browser uses to decide which css rule wins when multiple rules apply to the same element	A Scoring System that calculates how "specific" a selector is
Cascading factors 1. Importance, 2 specificity 3. Source order (last rule wins if Specificity is same)	Css spec designers 4-level hierarchy

Inline style (style="...")	1000 points	Most specific - direct on element so highest priority
Id(#id)	100 points	Unique per page, so very specific
class, attribute, psudo-class	= 10 points	
Element, psudo-element	- 1	