

**NAAN MUDHALVAN**

Salesforce Project Documentation

# **SWIFT SHIP TRACKER**

Parcel Booking, Tracking & Delivery Management using Salesforce,  
Prompt Builder and Agentforce AI

**Submitted by**

| <b>S.No</b> | <b>Team Member</b> |
|-------------|--------------------|
| 1           | RITHIKA.R          |
| 2           | PUNITHA.S          |
| 3           | PAVITHRA.A         |
| 4           | PRIYANKA.K         |

**College Name:** NSN COLLEGE OF ENGINEERING AND  
TECHNOLOGY

**College Code:** 9209

# **TABLE OF CONTENTS**

## **User Story**

### **1. Introduction**

### **2. Ideation Phase**

### **3. Requirement Analysis Phase**

### **4. Project Design Phase**

### **5. Project Planning & Scheduling**

### **6. Project Development Phase**

Phase 1: Requirement Analysis & Planning

Phase 2: Salesforce Development – Backend & Configurations

Phase 3: UI/UX Development & Customization

Phase 4: Data Migration, Testing & Security

Phase 5: Deployment, Documentation & Maintenance

### **7. Functional & Performance Testing**

### **8. Advantages & Disadvantages**

### **9. Conclusion**

### **10. Future Scope**

### **11. Appendix**

### **12. References**

# **ABSTRACT**

Parcel booking and delivery tracking are still handled through phone calls, manual registers or several disconnected applications in many small and medium logistics businesses. Customers do not get a single place to see where their parcel is, delivery agents update status manually, and administrators find it hard to monitor operations.

SwiftShip Tracker addresses these problems with a Salesforce-based parcel management solution built in a Salesforce Developer Edition org. Four custom objects – Parcel, Delivery, Sender and Receiver – store the shipment data and are connected through lookup relationships. A Status picklist (Booked, In Transit, Out for Delivery, Delivered) tracks the parcel lifecycle.

For conversational self-service, a Prompt Builder template named Retrieve Parcel Details returns the Parcel Name, Parcel ID, Status, Weight and Estimated Delivery Date for a given Parcel ID. This prompt template is attached as an action to the Parcel Tracker subagent in Agentforce, so that a customer can simply ask for the details of a parcel by its ID and receive the full tracking information in the chat.

The project also defines Salesforce Flows, role-based security with profiles and permission sets, reports and dashboards, and Experience Cloud access as part of the complete solution architecture. The project was carried out by a team of four students of NSN College of Engineering and Technology as part of the Naan Mudhalvan programme.

## LIST OF ABBREVIATIONS

| Abbreviation | Full Form / Meaning                                                                   |
|--------------|---------------------------------------------------------------------------------------|
| CRM          | Customer Relationship Management                                                      |
| AI           | Artificial Intelligence                                                               |
| FR           | Functional Requirement                                                                |
| NFR          | Non-Functional Requirement                                                            |
| PS           | Problem Statement                                                                     |
| USN          | User Story Number                                                                     |
| UAT          | User Acceptance Testing                                                               |
| CI/CD        | Continuous Integration / Continuous Deployment                                        |
| FLS          | Field-Level Security                                                                  |
| API          | Application Programming Interface                                                     |
| ID           | Identifier (e.g., Parcel ID)                                                          |
| UI / UX      | User Interface / User Experience                                                      |
| __c          | Suffix used by Salesforce for custom objects and custom fields                        |
| Subagent     | A topic-level capability of an Agentforce agent with its own instructions and actions |

# LIST OF FIGURES

Figure 1: Tab creation wizard – “Append tab to users’ existing personal customizations” enabled

Figure 2: Parcel custom object tab listed under Custom Object Tabs

Figure 3: New Custom Field – choosing the data type for the Parcel object

Figure 4: Status picklist field with values Booked, In Transit, Out for Delivery and Delivered

Figure 5: Fields & Relationships of the Parcel object

Figure 6: Fields & Relationships of the Receiver object (Parcel lookup and Receiver Address geolocation)

Figure 7: Prompt Builder – new prompt template with Model Type “Standard” and model “GPT 5 Mini”

Figure 8: “Retrieve Parcel Details” prompt template – Version 1 (Active)

Figure 9: Agentforce Builder – Parcel Tracker subagent with reasoning instructions

Figure 10: Actions library in Agentforce Builder

Figure 11: Add Action dialog – action name, description and reference action type

Figure 12: Selecting the “Retrieve\_Parcel\_Details” prompt template (Status: Active) as the reference action

Figure 13: Parcel Details agent action linked to the Retrieve Parcel Details prompt template

# SWIFT SHIP TRACKER

## User Story:

The SwiftShip Tracker is designed to provide a centralized Salesforce-based parcel management solution that enables customers to book parcels, track delivery status, and manage shipments through an intuitive interface and conversational AI support. The system manages Parcel, Delivery, Sender, and Receiver information using Salesforce custom objects and relationships. Flows automate parcel operations and notifications, while Agentforce AI and Prompt Builder enable customers to retrieve parcel information and interact with the system conversationally. Delivery agents can update parcel status in real time, while Experience Cloud, security controls, reports, and dashboards provide secure customer access and operational visibility.

## 1. INTRODUCTION

### 1.1 Project Overview

The SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

### 1.2 Purpose

The purpose of SwiftShip Tracker is to:

- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications.
- Enable conversational parcel tracking using Agentforce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.

- Provide secure, role-based access to customers, agents, support staff, and administrators.

### 1.3 Intended Audience

This document is intended for faculty evaluators, Naan Mudhalvan reviewers, and anyone who wishes to understand or reproduce the SwiftShip Tracker implementation in a Salesforce Developer Edition org. It explains the problem, the design decisions, and each configuration step that was carried out.

- **Evaluators:** to understand the scope, design and outcome of the project.
- **Developers / Admins:** to reproduce the objects, fields, prompt template and agent configuration.
- **Business users:** to understand how parcel tracking is made available through conversational AI.

### 1.4 System Requirements

| Category            | Requirement                                                                                         |
|---------------------|-----------------------------------------------------------------------------------------------------|
| Platform            | Salesforce Developer Edition org (free)                                                             |
| Browser             | Google Chrome (latest version recommended)                                                          |
| Operating System    | Windows 10 / 11 (any OS with a modern browser works)                                                |
| Internet            | Stable internet connection to access the Salesforce cloud                                           |
| Licences / Features | Einstein / Agentforce features enabled in the org; Einstein Agent licence for the permission set    |
| Skills              | Salesforce Admin basics: Object Manager, Flows, Permission Sets, Prompt Builder, Agentforce Builder |

### 1.5 Document Organisation

Section 2 describes the ideation phase, Section 3 the requirement analysis, and Section 4 the project design. Section 5 contains the planning and sprint schedule. Section 6 is the core implementation guide, divided into five phases with step-by-step milestones and screenshots. Sections 7 to 10 cover testing, advantages and disadvantages, conclusion and future scope. The appendix and references follow at the end.

## 2. IDEATION PHASE

### 2.1 Problem Statement (Customer Problem Statement Template)

| PS   | I am (Customer)   | I'm trying to             | But                                                           | Because                                              | Which makes me feel |
|------|-------------------|---------------------------|---------------------------------------------------------------|------------------------------------------------------|---------------------|
| PS-1 | Customer / Sender | book a parcel easily      | booking requires support assistance or multiple applications  | parcel operations are not centralized                | frustrated          |
| PS-2 | Customer / Sender | track my parcel           | I do not have a simple real-time tracking experience          | shipment information is difficult to access          | confused            |
| PS-3 | Delivery Agent    | update parcel status      | status updates require manual handling                        | there is a need for centralized operational tracking | concerned           |
| PS-4 | Customer          | receive delivery updates  | notifications may not be available at every delivery stage    | communication needs to be automated                  | uncertain           |
| PS-5 | Admin             | monitor parcel operations | parcel flow and delivery performance are difficult to monitor | operational data needs centralized reporting         | concerned           |

### 2.2 Empathy Map Canvas

**User Persona:** Customer / Sender

- **Think & Feel:** Wants a simple way to book and track parcels without repeatedly contacting support.
- **Hear:** Receives delivery information and status updates from the parcel service.
- **See:** Parcel details, tracking status, estimated delivery date, and delivery information.
- **Say & Do:** Books parcels, checks tracking information, and asks for delivery updates.
- **Pain:** Delays, confusion, lack of easy tracking, and dependence on support or multiple apps.

- **Gain:** Real-time visibility, self-service tracking, convenient booking, and timely notifications.

## **2.3 Brainstorming & Idea Prioritization**

### **Ideas Considered**

- Manual registers
- Spreadsheet tracking
- Standalone parcel portal
- Salesforce CRM with Agentforce AI

### **Final Selection**

Salesforce CRM was selected due to:

- Centralized parcel management
- Automation through Flows
- Real-time tracking visibility
- Conversational AI assistance
- Secure role-based access
- Reports and dashboards

## **3. REQUIREMENT ANALYSIS PHASE**

### **3.1 Customer Journey Map**

Stages:

- Parcel Booking
- Parcel Record Creation
- Dispatch & Shipment
- In-Transit Tracking
- Out for Delivery
- Delivery Confirmation
- Customer Notification

- Feedback / Support

## 3.2 Solution Requirements

### Functional Requirements

| FR No | Requirement                              |
|-------|------------------------------------------|
| FR-1  | Parcel booking and record creation       |
| FR-2  | Parcel status tracking                   |
| FR-3  | Weight management                        |
| FR-4  | Estimated delivery date management       |
| FR-5  | Sender information management            |
| FR-6  | Receiver information management          |
| FR-7  | Delivery and current-location tracking   |
| FR-8  | Agent parcel status updates              |
| FR-9  | Automated customer notifications         |
| FR-10 | AI-powered parcel tracking               |
| FR-11 | Reports and dashboards                   |
| FR-12 | Customer access through Experience Cloud |

### Non-Functional Requirements


| NFR             | Description                                               |
|-----------------|-----------------------------------------------------------|
| Usability       | Intuitive Salesforce and customer-facing interface        |
| Security        | Role-based and field-level access control                 |
| Reliability     | Accurate parcel status and delivery information           |
| Performance     | Timely Flow and Agentforce responses                      |
| Availability    | Salesforce cloud-based access                             |
| Scalability     | Supports growing parcel and delivery operations           |
| Data Integrity  | Controlled access and relationship-based parcel data      |
| Maintainability | Flows, prompts, topics, and configurations can be updated |

### 3.3 Data Flow Diagram

#### Flow



#### AI Tracking Flow



The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.

### 3.4 Technology Stack

| Layer          | Technology                                                                     |
|----------------|--------------------------------------------------------------------------------|
| Platform       | Salesforce Developer Edition                                                   |
| UI             | Lightning App Page, Lightning Record Pages, Experience Cloud                   |
| Database       | Salesforce Custom & Standard Objects                                           |
| Business Logic | Salesforce Flows, Apex Classes                                                 |
| Automation     | Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows                   |
| AI             | Agentforce AI, Prompt Builder                                                  |
| Notifications  | Email Alerts & Email Templates                                                 |
| Processing     | Batch Apex                                                                     |
| Security       | Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules |
| Reporting      | Reports & Dashboards                                                           |

### 3.5 Use Case Descriptions

| ID   | Use Case                | Actor             | Description                                                                                         | Outcome                                                                    |
|------|-------------------------|-------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| UC-1 | Book a parcel           | Customer / Sender | Customer provides parcel, sender and receiver details to create a Parcel record with status Booked. | Parcel record created with a unique Parcel ID (P-{000}).                   |
| UC-2 | Track a parcel          | Customer          | Customer asks the Agentforce agent for parcel details by giving the Parcel ID.                      | Agent returns Parcel Name, ID, Status, Weight and Estimated Delivery Date. |
| UC-3 | Update parcel status    | Delivery Agent    | Agent updates the status through Booked → In Transit → Out for Delivery → Delivered.                | Parcel status reflects the latest stage.                                   |
| UC-4 | Update current location | Delivery Agent    | Agent updates the current location on the Delivery record.                                          | Customers and staff see the latest location.                               |
| UC-5 | Send notification       | System            | A Flow sends an email alert when the status changes.                                                | Customer receives a timely update.                                         |
| UC-6 | Monitor operations      | Admin / Manager   | Manager views reports and dashboards for parcel status and delivery performance.                    | Operational visibility for decisions.                                      |

### 3.6 Role-wise Access Matrix

The following matrix summarises the access planned for each user type in the security model (C = Create, R = Read, E = Edit, D = Delete).

| Object   | Admin   | Delivery Agent | Support Staff | Customer        |
|----------|---------|----------------|---------------|-----------------|
| Parcel   | C R E D | R E            | R             | R (own parcels) |
| Delivery | C R E D | R E            | R             | R (own parcels) |
| Sender   | C R E D | R E            | R             | R (own record)  |
| Receiver | C R E D | R E            | R             | R (own record)  |
| Case     | C R E D | R              | C R E         | C R (own cases) |

## 4. PROJECT DESIGN PHASE

### 4.1 Problem–Solution Fit

| Problem                               | Solution                                    | Benefit               |
|---------------------------------------|---------------------------------------------|-----------------------|
| Parcel booking is difficult           | Salesforce Parcel management                | Centralized booking   |
| Tracking requires support             | Agentforce AI + Prompt Builder              | Self-service tracking |
| Manual status updates                 | Salesforce Flows                            | Automated processes   |
| Delivery communication gaps           | Email Alerts                                | Timely notifications  |
| Scattered shipment information        | Parcel, Delivery, Sender & Receiver objects | Structured data       |
| Difficult operational monitoring      | Reports & Dashboards                        | Better visibility     |
| Different users need different access | Profiles, Roles & Permission Sets           | Secure access         |

## 4.2 Proposed Solution

| Parameter      | Description                                                                                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| Problem        | Difficult and inefficient parcel booking and tracking                                                       |
| Solution       | Salesforce-based Parcel Management System                                                                   |
| Innovation     | Agentforce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows      |
| Impact         | Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management |
| Business Model | Parcel, customer, delivery-agent, support, and administrator operations                                     |
| Scalability    | Supports growing parcel operations, Experience Cloud, and integration with external logistics systems       |

## 4.3 Solution Architecture

- **Users:** Customer | Delivery Agent | Support Staff | Admin
- **Interface:** Salesforce Lightning / Experience Cloud
- **Platform:** SwiftShip Tracker Salesforce Platform
- **Data Layer**
  - Parcel
  - Delivery
  - Sender
  - Receiver
- **Automation Layer**
  - Flows
  - Approval Processes
  - Apex Classes
  - Batch Apex
  - Email Alerts
- **AI Layer**
  - Agentforce AI
  - Prompt Builder
  - Parcel Tracking Agent

- **Security Layer**
  - Profiles
  - Roles
  - Permission Sets
  - Sharing Rules
  - Field-Level Security
- **Output:** Reports & Dashboards → Parcel Tracking & Operational Insights

#### 4.4 Entity Relationship Description

| Child Object | Relationship Field | Parent Object | Type   | Purpose                                 |
|--------------|--------------------|---------------|--------|-----------------------------------------|
| Parcel       | Sender             | Sender        | Lookup | Identifies who sent the parcel          |
| Delivery     | Parcel             | Parcel        | Lookup | Tracks delivery information of a parcel |
| Delivery     | Sender             | Sender        | Lookup | Links the delivery with the sender      |
| Receiver     | Parcel             | Parcel        | Lookup | Identifies the parcel being received    |
| Receiver     | Sender             | Sender        | Lookup | Associates both ends of the shipment    |

One Sender can be linked to many Parcels, so the sender history and all associated deliveries can be traced. Each Delivery and Receiver record points back to the Parcel it belongs to.

## 4.5 Data Dictionary

### Parcel Object

The Parcel object is the central object of the system. Every shipment is stored as a Parcel record.

| Field                   | Data Type             | Description                                          |
|-------------------------|-----------------------|------------------------------------------------------|
| Parcel Name             | Text (80)             | Standard record name of the parcel                   |
| Parcel ID               | Auto Number (P-{000}) | System-generated unique identifier used for tracking |
| Status                  | Picklist              | Booked, In Transit, Out for Delivery, Delivered      |
| Weight                  | Number                | Weight of the parcel                                 |
| Estimated Delivery Date | Date                  | Expected date of delivery                            |
| Sender                  | Lookup (Sender)       | Sender of the parcel                                 |

### Delivery Object

The Delivery object stores delivery-specific information and is used by agents to monitor the parcel during transit.

| Field              | Data Type       | Description                   |
|--------------------|-----------------|-------------------------------|
| Delivery Name      | Text            | Standard record name          |
| Current Location   | Geolocation     | Latest location of the parcel |
| Estimated Delivery | Date            | Estimated delivery date       |
| Sender             | Lookup (Sender) | Related sender                |
| Parcel             | Lookup (Parcel) | Parcel being delivered        |

## Sender Object

The Sender object stores the details of the person or business sending the parcel.

| Field          | Data Type   | Description                                      |
|----------------|-------------|--------------------------------------------------|
| Sender Name    | Text        | Standard record name                             |
| Sender Address | Geolocation | Pickup / sender address                          |
| Sender Contact | Phone       | Contact number of the sender                     |
| Sender Email   | Email       | Email used for booking confirmations and updates |

## Receiver Object

The Receiver object stores the details of the person who receives the parcel.

| Field              | Data Type       | Description                           |
|--------------------|-----------------|---------------------------------------|
| Receiver Name      | Text            | Standard record name                  |
| Receiver's Address | Geolocation     | Delivery address                      |
| Receiver Contact   | Phone           | Contact number of the receiver        |
| Receiver Email     | Email           | Email used for delivery notifications |
| Sender             | Lookup (Sender) | Related sender                        |
| Parcel             | Lookup (Parcel) | Related parcel                        |

## 5. PROJECT PLANNING & SCHEDULING

### 5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

## **5.2 Product Backlog, Sprint Schedule and Estimation**

| Sprint   | Functional Requirement (Epic) | User Story No. | User Story / Task                                                                                                                                                             | Story Points | Priority | Team Member |
|----------|-------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-------------|
| Sprint-1 | Developer Setup               | USN-1          | As a system administrator, I want to create and configure the Salesforce environment so that I can build the SwiftShip Tracker parcel management system.                      | 3            | High     | RITHIKA.R   |
| Sprint-2 | Data Modeling                 | USN-2          | As an admin, I want to create Parcel, Delivery, Sender, and Receiver objects with proper relationships so that parcel and delivery data is stored and managed systematically. | 5            | High     | PUNITHA.S   |
| Sprint-2 | Data Modeling                 | USN-3          | As a staff member, I want dedicated tabs and a Lightning App for SwiftShip modules so that I can easily navigate and manage parcel and delivery operations.                   | 5            | High     | PAVITHRA.A  |
| Sprint-3 | Automation                    | USN-4          | As a system, I want to validate parcel details, mandatory fields, and booking inputs so that invalid or incomplete parcel records are prevented.                              | 3            | High     | PRIYANKA.K  |
| Sprint-3 | Automation                    | USN-5          | As a delivery coordinator, I want automated Flows to update parcel status and delivery information so that parcel processing requires minimal manual effort.                  | 3            | High     | PRIYANKA.K  |
| Sprint-4 | Apex                          | USN-6          | As a system, I want Apex triggers and classes to automatically perform critical parcel and delivery actions so that important processes are handled accurately.               | 5            | High     | RITHIKA.R   |
| Sprint-4 | Apex                          | USN-7          | As an operations manager, I want Batch Apex jobs to process and update parcel or delivery records automatically so that operational data remains accurate and up to date.     | 5            | High     | PUNITHA.S   |
| Sprint-5 | Reports                       | USN-8          | As a manager, I want reports showing parcel status, delivery performance, and operational metrics so that I can monitor SwiftShip operations and make informed decisions.     | 4            | High     | PAVITHRA.A  |

| Sprint   | Functional Requirement (Epic) | User Story No. | User Story / Task                                                                                                                                                                                     | Story Points | Priority | Team Member |
|----------|-------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-------------|
| Sprint-6 | Dashboards & AI               | USN-9          | As a manager, I want dashboards showing parcel status, delivery performance, and key metrics, while Agentforce provides AI-powered tracking assistance, so that I can monitor operations efficiently. | 4            | Medium   | PRIYANKA.K  |

### 5.3 Project Tracker and Velocity

| Sprint   | Total Story Points | Duration | Sprint Start Date | Sprint End Date (Planned) | Story Points Completed | Sprint Release Date (Actual) |
|----------|--------------------|----------|-------------------|---------------------------|------------------------|------------------------------|
| Sprint-1 | 3                  | 6 Days   | 24 Aug 2026       | 29 Aug 2026               |                        |                              |
| Sprint-2 | 10                 | 6 Days   | 31 Aug 2026       | 05 Sep 2026               |                        |                              |
| Sprint-3 | 6                  | 6 Days   | 07 Sep 2026       | 12 Sep 2026               |                        |                              |
| Sprint-4 | 10                 | 6 Days   | 14 Sep 2026       | 19 Sep 2026               |                        |                              |
| Sprint-5 | 4                  | 6 Days   | 21 Sep 2026       | 26 Sep 2026               |                        |                              |
| Sprint-6 | 4                  | 6 Days   | 28 Sep 2026       | 03 Oct 2026               |                        |                              |

**Velocity:** Total story points = 37 across 6 sprints, giving an average velocity of  $37 / 6 \approx 6.2$  story points per sprint.

### 5.4 Sprint-wise Summary

#### Sprint-1 – Developer Setup

Goal: create and configure the Salesforce Developer environment. Deliverable: a working Developer Edition org ready for configuration. Story points: 3. Owner: RITHIKA.R.

#### Sprint-2 – Data Modeling

Goal: build the data model and navigation. Deliverables: Parcel, Delivery, Sender and Receiver objects with fields and relationships, and tabs for each object. Story points: 10. Owners: PUNITHA.S and PAVITHRA.A.

### **Sprint-3 – Automation**

Goal: validate booking inputs and automate status updates. Deliverables: mandatory-field validation and Flows for parcel status and delivery information. Story points: 6. Owner: PRIYANKA.K.

### **Sprint-4 – Apex**

Goal: handle critical logic and periodic processing. Deliverables: Apex triggers/classes and Batch Apex jobs for parcel and delivery records. Story points: 10. Owners: RITHIKA.R and PUNITHA.S.

### **Sprint-5 – Reports**

Goal: operational reporting. Deliverable: reports on parcel status, delivery performance and operational metrics. Story points: 4. Owner: PAVITHRA.A.

### **Sprint-6 – Dashboards & AI**

Goal: visibility and conversational tracking. Deliverables: dashboards and the Agentforce Parcel Tracker agent with the Retrieve Parcel Details prompt. Story points: 4. Owner: PRIYANKA.K.

## **5.5 Team Contribution**

| <b>Team Member</b> | <b>Responsibilities (as per sprint backlog)</b>                      |
|--------------------|----------------------------------------------------------------------|
| RITHIKA.R          | Developer setup (USN-1), Apex triggers and classes (USN-6)           |
| PUNITHA.S          | Objects and relationships (USN-2), Batch Apex (USN-7)                |
| PAVITHRA.A         | Tabs and Lightning App navigation (USN-3), Reports (USN-8)           |
| PRIYANKA.K         | Validation (USN-4), Flows (USN-5), Dashboards and Agentforce (USN-9) |

## **6. PROJECT DEVELOPMENT PHASE**

### **Phase 1: Requirement Analysis & Planning**

#### **Objective**

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps.

A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.”

### **Key Requirements**

- Requirement gathering from end users and delivery agents.
- Defining system scope and user personas (Customer, Agent, Admin).
- Designing the data model with relationships between Parcel, Sender, Receiver, and Delivery.
- Identifying use cases such as parcel booking, tracking, and delivery update automation.
- Selecting tools: Salesforce Flows, Prompt Builder, and Agentforce AI.

### **Project Scope**

1. Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
2. Support the end-to-end parcel lifecycle — from parcel booking → dispatch → tracking → delivery confirmation.
3. Include comprehensive data model design, automation (Flows, Apex, Email Alerts), AI-powered Prompt Builder, and reporting dashboards for effective management.
4. Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
5. Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

### **Objectives Summary**

- Streamline parcel operations by automating booking, tracking, and delivery notifications to reduce manual updates.
- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking options.
- Enhance agent efficiency through centralized dashboards and guided Flows for quick status updates.

- Enable business insights with reports and dashboards showing parcel trends, delivery performance, and agent activity.
- Ensure security and reliability by implementing Salesforce role hierarchies, sharing rules, and audit-based data access.

### **Gathering & Analysing User Needs — Users Involved**

- **Customers / Senders** – End users who book parcels, track deliveries, and receive real-time updates through the portal or AI agent.
- **Delivery Agents** – Manage assigned parcels, update delivery status, and ensure timely handover to customers.
- **Customer Support Team** – Handle delivery-related issues, respond to customer queries, and ensure smooth communication.
- **Admin Team** – Configure the Salesforce environment, manage user roles, security settings, and monitor operational performance.
- **System Integrator / Developer** – Responsible for implementing automation, AI agent setup, and backend integrations.

### **Key Functional Needs**

- Seamless parcel booking and tracking interface for customers through Salesforce Experience Site or agent assistance.
- Ability for agents to update parcel status (Booked → In Transit → Out for Delivery → Delivered) in real time.
- Automated notifications and email alerts to customers on every delivery stage update.
- Support for Sender and Receiver details management with address, contact, and email fields for communication.
- AI Agent integration (via Prompt Builder) for real-time parcel status queries and automated assistance.
- Reports and dashboards to monitor parcel flow, delivery performance, and agent activity for admins.
- Security controls with role-based access, profiles, and permission sets for different user levels.

## Tools Used

- Salesforce Developer Org – For configuration, development, and testing.
- Prompt Builder (Agentforce AI) – To create intelligent parcel tracking prompts and responses.
- Salesforce Flow Builder – To automate booking, tracking, and delivery updates.
- Google Sheets / Docs – For initial data planning, requirement documentation, and system mapping.

## Identifying Key Salesforce Features & Tools Required

- **Custom Objects:** Parcel\_\_c, Delivery\_\_c, Sender\_\_c, Receiver\_\_c
- **Standard Objects:** Account, Contact, Case, Task, EmailMessage, User
- **Automations:** Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows
- **Apex:** Apex Classes for automated parcel operations (e.g., Lead-to-Parcel mapping, delivery notifications), Batch Apex for periodic updates or notifications
- **UI:** Lightning App Page (SwiftShip Tracker App), Dynamic Forms for Parcel Details, Lightning Record Pages, and Experience Cloud for Customer Access
- **Agentforce AI & Prompt Builder:** Integrated AI agent trained to fetch parcel data based on Parcel ID and respond to tracking or delivery status queries
- **Email Services:** Custom Email Alerts and Templates for booking confirmations, delivery updates, and completion acknowledgments
- **Security:** Profiles, Permission Sets, Role Hierarchies, Field-Level Security, and Sharing Rules to ensure controlled access for Admin, Agent, and Customer roles

## Designing Data Model and Security Model

Data Model includes:

- **Parcel\_\_c (Custom Object)**

- Stores core parcel details such as Parcel ID, Status, Weight, and Estimated Delivery Date.
- Linked to Sender\_\_c and Receiver\_\_c objects to fetch sender and receiver details.
- Connected with Delivery\_\_c object to track real-time parcel location and status.
- **Delivery\_\_c (Custom Object)**
  - Stores delivery-specific information such as current location, estimated delivery date, and linked parcel.
  - Connected with Sender\_\_c and Parcel\_\_c for relationship-based tracking.
  - Used by agents to update and monitor delivery status during the parcel lifecycle.
- **Sender\_\_c (Custom Object)**
  - Captures sender-related information such as address, contact number, and email.
  - Linked to multiple parcels to track sender history and associated deliveries.
  - Used for sending booking confirmations and delivery updates via automated emails.
- **Receiver\_\_c (Custom Object)**
  - Stores receiver details such as address, contact, and email for communication and delivery confirmation.
  - Linked to Sender\_\_c and Parcel\_\_c to associate both ends of the shipment process.
  - Used by agents for delivery reference and automated email notifications upon completion.

### **Security Model Design:**

- **Role Hierarchy:** Administrator → Delivery Manager → Agent → Customer
- **Admin Profile:** Full access to all objects and records.

- **Delivery Agent Profile:** Read/Edit access to Parcel, Delivery, Sender, and Receiver objects.
- **Customer Profile:** Read-only access to their own parcel details via Experience Cloud.
- **Support Staff Profile:** Access to Cases and Parcel details for issue resolution.
- **Permission Sets:** Used to grant additional privileges (e.g., “Update Delivery Status”, “Access Agent Console”).
- **Record-Level Security:** Sharing Rules applied for Parcel\_\_c and Delivery\_\_c to allow controlled access for agents and managers. Customers can only view records linked to their own Sender or Receiver details.
- **Field-Level Security:** Sensitive fields like Sender Email, Receiver Contact, and Location Coordinates restricted to Admin and Agent profiles only.

## **Phase 2: Salesforce Development – Backend & Configurations**

This phase focused on developing the core logic of SwiftShip Tracker. Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. Automations were built using Flows for parcel status updates and approval processes.

### **Milestone 1 – Salesforce Account**

Salesforce is a customer success platform designed to help organisations sell, service, market, analyse, and connect with their customers. The first step of the project was to create a Salesforce Developer Edition org.

#### **Creating a Developer Account**

1. Go to <https://developer.salesforce.com/signup>.
2. On the sign-up form, enter First name & Last name, Email, Job Title (Developer), Company (College Name) and Country (India).
3. Click Sign me up.

4. Open the inbox of the email used while signing up and click Verify Account (the email may take 10–30 minutes, sometimes up to 2 hours).
5. Set a password, answer the security question and click Change Password.
6. You are then redirected to the Salesforce Setup page.

## **Milestone 2 – Objects Creation**

Four custom objects — Parcel, Delivery, Sender and Receiver — were created using the same procedure.

### **To create an object:**

1. From the Setup page, click Object Manager.
2. Click Create → Custom Object.
3. Enter the label name, plural label name and record name as given in the table below.
4. Select Data Type as Text for the record name.
5. Select Allow Reports, Allow Search and Allow Track Field History.
6. Click Save and New (for the last object, click Save).

| Object   | Label    | Plural Label | Record Name   |
|----------|----------|--------------|---------------|
| Parcel   | Parcel   | Parcels      | Parcel Name   |
| Delivery | Delivery | Deliveries   | Delivery Name |
| Sender   | Sender   | Sender's     | Sender Name   |
| Receiver | Receiver | Receiver's   | Receiver Name |


After saving, each object appears in Object Manager.

## **Milestone 3 – Tabs**

### **Creating a tab for the Parcel object**

1. Go to Setup → type Tabs in the Quick Find bar and click Tabs.
2. Click New (under Custom Object Tabs).
3. Select the object (Parcel) and choose a Tab Style.
4. Click Next → keep the Add to Profiles settings as default → Next.
5. On the Add to Custom App page, uncheck Include Tab.

6. Make sure “Append tab to users’ existing personal customizations” is checked.
7. Click Save.



*Figure 1: Tab creation wizard – “Append tab to users’ existing personal customizations” enabled*

The same steps were repeated for the Delivery, Sender and Receiver objects. After creation, the custom tab appears under Custom Object Tabs in the Tabs page.




Figure 2: Parcel custom object tab listed under Custom Object Tabs

The tabs for the Delivery, Sender and Receiver objects were created with the same procedure.

## Milestone 4 – Fields & Relationships

Fields and relationships were created for each of the custom objects from Object Manager → (object) → Fields & Relationships → New.

### Parcel Object – Field 1: Parcel ID

1. Open Object Manager and select the Parcel object.
2. Go to Fields & Relationships and click New.
3. Choose Data Type: Auto Number and click Next.
4. Enter the Field Label as Parcel ID and the Display Format as P-{000}.
5. Click Next → Next → Save & New.




Figure 3: New Custom Field – choosing the data type for the Parcel object

## Parcel Object – Status field (Picklist)

The Status field was created as a picklist with the values Booked, In Transit, Out for Delivery and Delivered, entered one per line and restricted to the values defined in the value set.




Figure 4: Status picklist field with values Booked, In Transit, Out for Delivery and Delivered

The remaining fields (Weight, Estimated Delivery Date, Sender) were created in the same way. After creation, the Parcel object lists Parcel ID (Auto Number) and the standard Parcel Name (Text 80) along with the other fields.




Figure 5: Fields & Relationships of the Parcel object

## Fields created for each object

| Object   | Field Label             | Data Type                                                  |
|----------|-------------------------|------------------------------------------------------------|
| Parcel   | Parcel ID               | Auto Number (P-{000})                                      |
| Parcel   | Status                  | Picklist (Booked, In Transit, Out for Delivery, Delivered) |
| Parcel   | Weight                  | Number                                                     |
| Parcel   | Estimated Delivery Date | Date                                                       |
| Parcel   | Sender                  | Lookup (Sender)                                            |
| Delivery | Current Location        | Geolocation                                                |
| Delivery | Estimated Delivery      | Date                                                       |
| Delivery | Sender                  | Lookup (Sender)                                            |
| Delivery | Parcel                  | Lookup (Parcel)                                            |
| Sender   | Sender Address          | Geolocation                                                |
| Sender   | Sender Contact          | Phone                                                      |
| Sender   | Sender Email            | Email                                                      |
| Receiver | Receiver's Address      | Geolocation                                                |
| Receiver | Receiver Contact        | Phone                                                      |

| Object   | Field Label    | Data Type       |
|----------|----------------|-----------------|
| Receiver | Receiver Email | Email           |
| Receiver | Sender         | Lookup (Sender) |
| Receiver | Parcel         | Lookup (Parcel) |

For the Receiver object, the Parcel relationship is created as a Lookup field (parcel\_\_c) and the Receiver Address is stored as a Geolocation field.




Figure 6: Fields & Relationships of the Receiver object (Parcel lookup and Receiver Address geolocation)

The remaining fields of the Parcel object and the fields of the Delivery and Sender objects were created in the same manner.

## Milestone 5 – Prompt Builder

### Designing prompts for Agent building

1. In Salesforce, go to Setup and type Prompt Templates in the Quick Find box.
2. Click New Prompt Template and choose the template type (Record Summary / Flex template).

3. Enter the details: Label – **Retrieve Parcel Details**; API Name – **Retrieve\_Parcel\_Details**; Description – Retrieves parcel details where Parcel\_ID matches the user input.
4. Select Model Type: Standard and Model: GPT 5 Mini.




Figure 7: Prompt Builder – new prompt template with Model Type “Standard” and model “GPT 5 Mini”

1. In the Prompt Template text area, enter the prompt that retrieves details from Parcel\_\_c where Parcel\_ID\_\_c matches the user input and returns the response in the “Parcel Tracking Update” format shown below.
2. Under Resources / Insert Resource, click Insert Resource → choose Object → select Parcel\_\_c, and insert the fields Name, Parcel\_ID\_\_c, Status\_\_c, Weight\_\_c and Estimated\_Delivery\_Date\_\_c.
3. Click Save, and then click Activate to make the template available to the agent or flow.

### Prompt template content:

```
Parcel Tracking Update
- Parcel Name: {!$Input:Parcel__c.Name}
- Parcel ID: {!$Input:Parcel__c.Parcel_ID__c}
- Status: {!$Input:Parcel__c.Status__c}
- Weight: {!$Input:Parcel__c.Weight__c}
- Estimated Delivery Date:
  {!$Input:Parcel__c.Estimated_Delivery_Date__c}
```




Figure 8: “Retrieve Parcel Details” prompt template – Version 1 (Active)

**Testing the prompt:** Open the Agent preview and type “Track parcel P-12345”. The response should return the details from the matching Parcel record.

## Milestone 6 – Flows

A Flow was created so that the agent can pass a Parcel ID and receive the parcel details as output.

1. Go to Setup → search Flows → click New Flow.
2. Choose Auto-Launched Flow (No Trigger) and click Create.
3. Add input/output variables: click New Resource → Variable. Create “ids” (Data Type: Text, Available for Input) and “Output” (Data Type: Text, Available for Output).
4. Add Element → Get Records. Label: Get Parcel Records; Object: Parcel; Condition: Parcel\_ID\_\_c Equals ids.
5. Add Element → Action. Find and select Retrieve Parcel Details; Label: Parcel Updates; Object to Summarize: Parcel from Get Parcel Records.
6. Add Element → Assignment. Label: Assignment Outputs; Variable: Output; Operator: Equals; Value: Outputs from Action → Prompt Response.
7. Connect Start → Get Records → Action → Assignment → End.

8. Save the Flow with the name Parcel Details and click Activate.
9. From the Flows list, use the drop-down beside the new Flow → Edit Access → Flow User Access, assign the required profiles and click Save.

### **Phase 3: UI/UX Development & Customization**

This phase enables agents to efficiently manage parcel operations and ensures secure access control using permission sets and AI-driven agent experiences built with Agentforce.

#### **Milestone 1 – Creating Permission Sets**

1. In the Quick Find box, type Permission Sets and click Permission Sets under Users.
2. Click New and enter Label: Swift Ship; API Name: auto-fills; License: Einstein Agent. Click Save.
3. Inside the Permission Set, under Apps, click Object Settings.
4. Open each object one by one (Parcel\_\_c, Delivery\_\_c, Sender\_\_c, Receiver\_\_c) and click Edit.
5. Enable Read, Create and Edit (optionally Delete), and make sure at least Visible is checked for all key fields under Field Permissions.
6. Click Save after each object.

#### **Milestone 2 – Assigning Permissions to the Agent User**

1. In the Quick Find box, type Users and click Users.
2. Open the agent user record (the Einstein Service Agent user that represents your agent, e.g., “SwiftShip Agent”).
3. Scroll to Permission Set Assignments and click Edit Assignments.
4. Select the Swift Ship permission set from Available Permission Sets and click Add → to move it to Enabled Permission Sets.
5. Click Save.

#### **Milestone 3 – Org Setup for Agentforce**

##### **Enable the Salesforce default agent**

1. From Quick Find, search “Salesforce Go” and open it.

2. Search for Default Agent → click Get Started and turn it on, then refresh the page.

### **Enable Einstein Setup**

1. Go to Setup → Quick Find → Einstein Setup and click Get Started if prompted.
2. Turn on Einstein, Global Languages and Deploy Prompt Template, then refresh the browser.
3. Go to Setup → Quick Find → Agentforce Agents and turn on Agentforce and Enable Agentforce Default Agent.

### **Milestone 4 – Building the Agent**

1. In Setup, search for Agentforce Agents in Quick Find.
2. Click Agentforce Agents, open the default agent and click Open in Builder.
3. Under Subagents, click New → New Subagent and fill in the details for the Parcel Tracker subagent.

The Parcel Tracker subagent was created with the description “This will track the parcel based on the parcel ID” and the reasoning instruction “When user asks parcel details giving parcel id please show all the parcel information”. The action is added from the Actions Available For Reasoning section using Add action.




Figure 9: Agentforce Builder – Parcel Tracker subagent with reasoning instructions

Clicking Add action opens the Actions library, which lists all available actions (70 items) that can be selected and added to the agent.




Figure 10: Actions library in Agentforce Builder

## Adding the Parcel Details action

1. In the Add Action dialog, enter Action Name: Parcel Details and Description: “Retrieves parcel details based on the parcel ID.”

2. Set Reference Action Type to Prompt Template.
3. In Reference Action, search for and select Retrieve Parcel Details (the active prompt template created in Milestone 5).
4. Click Create and Open.




Figure 11: Add Action dialog – action name, description and reference action type




Figure 12: Selecting the “Retrieve\_Parcel\_Details” prompt template (Status: Active) as the reference action

After the action is created, the Parcel Details action page shows the Basic Information with the Agent Action Label, API name (Parcel\_Details), description, Reference Action Type (Prompt Template) and Reference Action (Retrieve Parcel Details).




Figure 13: Parcel Details agent action linked to the Retrieve Parcel Details prompt template

1. Click Settings and rename the agent to SwiftShip Tracker, then click Save.
2. Click Activate (choose Ignore and Activate if prompted), then Activate.

## Phase 4: Data Migration, Testing & Security

This phase validates the functionality and reliability of the Parcel Tracking Agent created in Agent Builder. It ensures that the agent correctly recognizes topics, triggers the assigned action, retrieves or updates parcel data, and performs all intended actions without access or permission issues. The goal is to confirm that the AI-driven agent operates seamlessly within Salesforce and provides accurate, real-time responses to parcel management queries.

### Verify Agent

Go to Setup → Agentforce Agents, open the Agents list and confirm that the agent (SwiftShip Tracker / Parcel Tracking Agent) appears.

## **Validate Assigned Subagent**

In Agent Builder → Subagents, confirm that the Parcel Tracker subagent is listed. Open it to verify that:

- It contains a description and reasoning instructions related to parcel management.
- The Parcel Details action (Prompt Template: Retrieve Parcel Details) is linked to the subagent.

Click Save and ensure the agent is Active.

## **Check the Flow Association**

1. Go to Setup → Flows and locate the Flow named Parcel Details.
2. Confirm that the Flow is Activated and that it handles Parcel ID input, parcel details retrieval and the output response.
3. Open the Flow's Advanced Settings and ensure Run in System Context (Without Sharing) if data access is restricted.

## **Activate and Test the Agent**

1. Return to Setup → Agentforce Agents → SwiftShip Tracker and click Activate (if not already active).
2. Use the Preview / Try it Out mode and type a query such as “Track parcel ID P-001”.
3. Observe the agent's response – it should return the Parcel Tracking Update with Parcel Name, Parcel ID, Status, Weight and Estimated Delivery Date.

## **Validate Data in Salesforce**

1. Go to App Launcher → Parcels (Parcel\_\_c).
2. Search for the Parcel ID used during testing.
3. Verify that the Status and other fields match the details returned by the agent.

## **Phase 5: Deployment, Documentation & Maintenance**

- The purpose of this phase is to validate that the Parcel Tracking Agent, created using Salesforce Agent Builder, works as intended within the Salesforce Developer Org environment.
- The main goal is to understand how an AI-powered Service Agent can be tested to ensure correct topic recognition, action execution, and data retrieval from Salesforce custom objects.
- Testing is conducted within the Developer Org to simulate how the Agent would perform in a live setup, ensuring that permissions, flows, and interactions function correctly before any deployment stage.
- Real-world production testing (UAT or sandbox deployment) is not performed in this project because:
  - Developer Edition orgs are standalone environments and do not support production-linked testing environments.
  - Enterprise-level Agentforce deployment involves sandbox testing, staging environments, and CI/CD automation, which are outside the scope of this academic/prototype implementation.

### **Maintenance, Monitoring & Troubleshooting**

In the SwiftShip Tracker project, ongoing maintenance ensures that Parcel, Customer, and Delivery data remain accurate, synchronized, and up to date. Regular monitoring helps detect issues such as misrouted agent queries, failed Flow executions, or performance delays in Agentforce responses. Troubleshooting activities include resolving configuration errors, updating Flow logic, refining agent subagents, and improving prompts to enhance user interactions.

Although this project is implemented within a Salesforce Developer Org for learning purposes, in real-world enterprise deployments these maintenance and monitoring practices are essential. They ensure that AI-powered service agents remain reliable, scalable, and continuously aligned with evolving customer service operations and business goals.

## 7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to validate parcel object and field creation, the Status picklist values, the Retrieve Parcel Details prompt template, the Parcel Tracker subagent and its Parcel Details action, and the agent's parcel tracking responses. All features were verified to ensure correct functionality and performance.

| Test Area            | What was verified                                                                           | Result   |
|----------------------|---------------------------------------------------------------------------------------------|----------|
| Object & field setup | Parcel, Delivery, Sender, Receiver objects with fields and lookup relationships             | Verified |
| Status picklist      | Booked, In Transit, Out for Delivery, Delivered values available on Parcel                  | Verified |
| Prompt template      | Retrieve Parcel Details returns Parcel Name, ID, Status, Weight and Estimated Delivery Date | Verified |
| Agent action         | Parcel Details action linked to the Retrieve Parcel Details prompt template                 | Verified |
| Agent response       | Parcel ID query returns the parcel information in the agent preview                         | Verified |

## 7.1 Test Cases

| TC ID | Scenario                   | Input / Steps                                             | Expected Result                                                                                |
|-------|----------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|
| TC-01 | Create Parcel record       | Create a new Parcel with a name                           | Parcel saved with auto-generated Parcel ID in the format P-{000}                               |
| TC-02 | Status picklist values     | Open Status on a Parcel record                            | Booked, In Transit, Out for Delivery and Delivered are available; other values are not allowed |
| TC-03 | Parcel–Sender relationship | Select a Sender on the Parcel                             | Parcel shows the linked Sender                                                                 |
| TC-04 | Receiver–Parcel lookup     | Create a Receiver and select a Parcel                     | Receiver is linked to the Parcel                                                               |
| TC-05 | Prompt template output     | Preview Retrieve Parcel Details with a Parcel record      | Parcel Name, ID, Status, Weight and Estimated Delivery Date are returned                       |
| TC-06 | Subagent action            | Open the Parcel Tracker subagent                          | Parcel Details action is listed under Actions Available For Reasoning                          |
| TC-07 | Agent tracking query       | Ask “Track parcel P-001” in the agent preview             | Agent responds with the Parcel Tracking Update                                                 |
| TC-08 | Invalid Parcel ID          | Ask for a Parcel ID that does not exist                   | Agent does not return false information                                                        |
| TC-09 | Permission check           | Run the agent with the Swift Ship permission set assigned | Agent can read the Parcel data without access errors                                           |
| TC-10 | Data consistency           | Compare the agent response with the Parcel record         | Values match the record in Salesforce                                                          |

## 7.2 Performance and Reliability Criteria

| Criteria        | Expectation                                                                      |
|-----------------|----------------------------------------------------------------------------------|
| Response time   | The agent returns the parcel details within a few seconds of the query           |
| Accuracy        | Returned values match the Parcel record exactly                                  |
| Availability    | Salesforce cloud availability; no local installation required                    |
| Scalability     | Additional parcels and fields can be added without changing the prompt structure |
| Maintainability | Prompt text, subagent instructions and actions can be edited and re-activated    |

## 7.3 Security Testing Checklist

- The agent user has only the Swift Ship permission set required for the project objects.

- Object permissions are limited to Read, Create and Edit (Delete only if required).
- Sensitive fields such as sender email and receiver contact are restricted by field-level security.
- Customers can only view records linked to their own sender or receiver details.

## 7.4 Troubleshooting Guide

| Problem                              | Possible Cause                                        | Resolution                                                                     |
|--------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------|
| Agent does not return parcel details | Prompt template is not activated                      | Open Prompt Builder and activate the latest version of Retrieve Parcel Details |
| Action not visible in the subagent   | Action not added to the subagent                      | Use Add action and select the Parcel Details action                            |
| Insufficient access error            | Permission set not assigned to the agent user         | Assign the Swift Ship permission set to the agent user                         |
| Blank values in the response         | Fields not inserted as resources or no data in record | Insert Parcel__c fields in the prompt and verify the record data               |
| Wrong parcel returned                | Parcel ID entered incorrectly                         | Verify the Parcel ID format P-{000}                                            |
| Flow not available to the agent      | Flow not activated or no access                       | Activate the Flow and assign Flow User Access                                  |

## 8. ADVANTAGES & DISADVANTAGES

### Advantages

- Centralized parcel and customer information in Salesforce.
- Provides better visibility into parcel booking and delivery tracking.
- Automates key logistics processes using Salesforce Flow.
- Agentforce enables conversational customer support and parcel-status assistance.
- Prompt Builder supports AI-powered responses and self-service.
- Reduces manual effort for customers, support teams, and administrators.
- Provides timely notifications and updates during the delivery process.

- Experience Cloud can provide customers with convenient access to tracking information.
- Supports integration with external logistics systems.
- Can scale to support multiple locations and growing parcel operations.

### **Disadvantages**

- Requires accurate and up-to-date parcel and customer data.
- Dependence on Salesforce configuration and automation.
- Agentforce responses depend on properly configured prompts and available data.
- External logistics integrations may increase implementation complexity.
- Flow and automation logic require regular maintenance when business processes change.
- Users need appropriate Salesforce or Experience Cloud access to use the system.
- Initial Salesforce implementation and configuration can require significant effort.
- Expanding the system to additional locations or integrations may require further customization.

## **9. CONCLUSION**

The SwiftShip Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking solution. The project integrates custom objects, relationships, Flows, Apex, Email Alerts, Experience Cloud, Agentforce AI, Prompt Builder, security controls, and reporting to support parcel booking, delivery tracking, status updates, and customer communication.

The integration of Agentforce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking, enabling customers to obtain shipment information without depending entirely on manual support. The project therefore provides a practical foundation for a scalable and user-friendly parcel management solution.

## 10. FUTURE SCOPE

- Extend Agentforce capabilities for more parcel-management queries.
- Enhance real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add more advanced delivery-performance analytics.
- Integrate additional external logistics systems.
- Improve AI prompts and conversational experiences.
- Introduce enterprise-level sandbox and CI/CD deployment.
- Expand automation for additional parcel operations.

## 11. APPENDIX

- **A. Custom Objects:** Parcel, Delivery, Sender, Receiver
- **B. Standard Objects:** Account, Contact, Case, Task, EmailMessage, User
- **C. Automation:** Flows, Approval Processes, Email Alerts
- **D. Apex:** Apex Classes, Batch Apex
- **E. AI:** Agentforce AI, Prompt Builder
- **F. UI:** Lightning App, Lightning Record Pages, Experience Cloud
- **G. Security:** Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- **H. Analytics:** Reports & Dashboards
- **I. Testing:** Flow, Agentforce, data retrieval, security and permission validation

## 12. REFERENCES

- Salesforce Developer Edition sign-up – <https://developer.salesforce.com/signup>
- Salesforce Trailhead – <https://trailhead.salesforce.com>

- Salesforce Help – Prompt Builder and Prompt Templates – <https://help.salesforce.com>
- Salesforce Help – Agentforce Builder and Agent Actions – <https://help.salesforce.com>
- Salesforce Help – Flow Builder – <https://help.salesforce.com>
- Naan Mudhalvan – Salesforce course material and project template

**Thank You**