


Output Handson5-GIT.HOL



```
7996933_GollepelliRithika
File Edit Selection View Go Run Terminal Help
EXPLORER
7996933_GollepelliRithika
> .github
> Engineering concepts
> GIT
  > Handson-1
  > Handson-2
  > Handson-3
  > Handson-4
  > Handson-5
  > Module-1 Design Patt...
  > Module-2Data Structu...
  > Module-3PL SQL prog...
  > Module-4Test dr...
  > Module-5Spring...
  > Module-6Spring...
  > Module-7Spring...
  > Module-8Microservice...
  > Module-9Single Page ...
  > Module-10Application...
  > OUTLINE
  > TIMELINE
  > PROJECTS
  > RUN CONFIGURATION
  > LOGICAL STRUCTURE
    > EmployeeMana...
    > JUnitExercises
    > account
    > com.cognizant-s...
    > com.cognizant-s...
  > MAVEN

GIT > Handson-4 > .gitignore
1 *.bak
2 backup/

(c) Microsoft Corporation. All rights reserved.

C:\Users\rithi\7996933_GollepelliRithika>cd C:\Users\rithi\7996933_GollepelliRithika\GIT
C:\Users\rithi\7996933_GollepelliRithika\GIT>cd C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5
C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git branch -a
* main
remotes/origin/main


C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git pull origin main
From https://github.com/Rithikagollapelli/7996933_GollepelliRithika
* branch      main      -> FETCH_HEAD
Already up to date.

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git push origin main
Everything up-to-date

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git status
On branch main
```



```
Handson-1
Handson-2
Handson-3
Handson-4
Handson-5
Module-1 Design Patt...
Module-2Data Structu...
Module-3PL SQL prog...
Module-4Test dr...
Module-5Spring...
Module-6Spring...
Module-7Spring...
Module-8Microservice...
Module-9Single Page ...
Module-10Application...
OUTLINE
TIMELINE
PROJECTS
RUN CONFIGURATION
LOGICAL STRUCTURE
  EmployeeMana...
  JUnitExercises
  account
  com.cognizant-s...
  com.cognizant-s...
MAVEN

Already up to date.

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git push origin main
Everything up-to-date

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git add .
C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git commit -m "Completed Handson 5"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>git push origin main
Everything up-to-date

C:\Users\rithi\7996933_GollepelliRithika\GIT\Handson-5>
```

Explain How to Clean Up and Push Back to Remote Git

What is Git Cleanup?

Git cleanup means removing unnecessary files, deleting unused branches, and ensuring the local repository is organized before pushing changes to the remote repository (such as GitHub or GitLab).

Cleaning up helps maintain a clean project history and avoids uploading unwanted files.

Why is Git Cleanup Important?

- Removes temporary and unwanted files.
- Deletes branches that are no longer needed.
- Keeps the repository organized.

Step / Topic	Description / Command
Step 1: Check the Repository Status	Before cleaning up, check the current status of your repository using <code>git status</code> . It displays modified files, new files, deleted files, and files waiting to be committed.
Step 2: Remove Unwanted Files	Use <code>git clean -f</code> to remove untracked files. Use <code>git clean -fd</code> to remove both untracked files and directories. Note: Deleted files cannot be recovered through Git.
Step 3: Ignore Unwanted Files	Create or update a <code>.gitignore</code> file to prevent unwanted files (e.g., <code>node_modules/</code> , <code>*.log</code> , <code>dist/</code> , <code>build/</code>) from being tracked. Commit the updated <code>.gitignore</code> file.
Step 4: Delete Unused Local Branches	List branches using <code>git branch</code> . Delete a merged branch with <code>git branch -d feature-login</code> . Force delete a branch with <code>git branch -D feature-login</code> if necessary.
Step 5: Fetch the Latest Changes	Use <code>git fetch origin</code> to download the latest changes from the remote repository without merging them into your local branch.
Step 6: Pull the Latest Changes	Use <code>git pull origin main</code> to fetch and merge the latest changes from the remote main branch into your local branch.
Step 7: Stage the Changes	Stage all changes using <code>git add .</code> , or stage a specific file using <code>git add filename.java</code> .
Step 8: Commit the Changes	Save staged changes with a meaningful commit message using <code>git commit -m "Fixed login validation and cleaned project"</code> . A good commit message clearly describes the changes made.
Step 9: Push Changes to the Remote Repository	Push changes to the remote repository using <code>git push origin main</code> . If working on a feature branch, use <code>git push origin feature-login</code> .
Git Cleanup	Removes unnecessary files and unused branches to keep the repository organized.
<code>git status</code>	Shows the current state of the working directory.
<code>git clean -fd</code>	Deletes untracked files and directories.
<code>.gitignore</code>	Prevents unwanted files from being tracked by Git.

Step / Topic	Description / Command
git fetch	Downloads updates from the remote repository without merging.
git pull	Fetches and merges the latest changes from the remote repository.
git add	Stages changes for the next commit.
git commit	Saves staged changes with a commit message.
git push	Uploads local commits to the remote repository.