

Output10. Officespacerentalapp.ReactJS-HOL

React App

https://images.unsplash.com/...
https://images.unsplash.com/...
localhost:3004

Ask Gemini

Office Space Rental App



Cyber Towers Office
Rent : ₹45000
Address : Madhapur, Hyderabad



Tech Park Office
Rent : ₹70000
Address : Gachibowli, Hyderabad



Business Center
Rent : ₹55000
Address : Hitech City, Hyderabad

File Edit Selection View Go Run Terminal Help

79969..._GollapelliRumika

JS App.js ...cricketapp\... JS App.js ...officespacerentalapp\... JS index.js ...officespacerentalapp\... JS App.test.js JS OnlineShopping.js

Module-9Single Page Application framework - React > officespacerentalapp > src > JS App.js > App > offices > Image

```
3 function App() {
5   const offices = [
9     {
10      address: "Madhapur, Hyderabad",
11      image: "https://images.unsplash.com/photo-1497366754035-f200968a6e72?w=600"
12    },
13    {
14      name: "Tech Park Office",
15      rent: 70000,
16      address: "Gachibowli, Hyderabad",
17      image: "https://images.unsplash.com/photo-1497366412874-3415097a27e7?w=600"
18    },
19    {
20      name: "Business Center",
21      rent: 55000,
22      address: "Hitech City, Hyderabad",
23      image: "https://images.unsplash.com/photo-1524758631624-e2822e304c36?w=600"
24    }
25   ]
26 }
27 export default App;
```

OUTPUT DEBUG CONSOLE TERMINAL PORTS ARIANA TIMELINE SQL LANGUAGE SERVER QUERY RESULTS SPELL CHECKER SQL HISTORY TASK MONITOR

webpack compiled **successfully**
Compiling...
Compiled successfully!

You can now view **officespacerentalapp** in the browser.

Local: http://localhost:3004
On Your Network: http://192.168.0.5:3004

Note that the development build is not optimized.
To create a production build, use **npm run build**.

webpack compiled **successfully**

node
node
node
node
node

Objectives

1. Define JSX

JSX (JavaScript XML) is a syntax extension for JavaScript that allows developers to write HTML-like code inside JavaScript. It makes React components easier to read, write, and maintain. JSX is not understood directly by browsers; it is converted into JavaScript using tools such as Babel before execution.

Benefits

- Makes UI code more readable.
- Simplifies component development.
- Combines HTML and JavaScript in one file.
- Improves code maintainability.

2. Explain ECMAScript

ECMAScript (ES) is the standardized specification on which JavaScript is based. It defines the syntax, features, and behavior of the JavaScript language. Modern versions, especially ES6 (ECMAScript 2015), introduced powerful features such as `let`, `const`, arrow functions, classes, modules, promises, template literals, and destructuring, making JavaScript more efficient and easier to develop.

Advantages

- Standardizes JavaScript across browsers.
- Introduces modern programming features.
- Improves performance and code readability.
- Enables the development of scalable web applications.

3. Explain `React.createElement()`

`React.createElement()` is the core React method used to create React elements. Every JSX expression is internally converted into a `React.createElement()` call before it is rendered. It creates a virtual representation of the UI that React later converts into actual DOM elements.

4. Explain How to Create React Nodes with JSX

React nodes can be created simply by writing JSX. Each JSX tag creates a React element (node) that represents part of the user interface.

5. Define How to Render JSX to the DOM

Rendering JSX means displaying React components on the web page. In React 18, JSX is rendered using the `createRoot()` method from `react-dom/client`.

6. Explain How to Use JavaScript Expressions in JSX

JSX allows JavaScript expressions to be embedded inside curly braces `{}`. These expressions can perform calculations, display variables, call functions, or evaluate conditions.

Benefits

- Displays dynamic content.
- Performs calculations directly in JSX.
- Calls JavaScript functions.
- Makes components interactive.

7. Explain How to Use Inline CSS in JSX

In JSX, inline CSS is written as a JavaScript object. CSS property names use camelCase instead of hyphen-separated names, and the style attribute receives the object inside curly braces.