


Output12 ticketbookingapp.ReactJS-HOL

Before Login: Clicking any flight displays:

Please Login to Book Tickets

After clicking Login, the User page appears with the Book Ticket button.



Ticket Booking App

Guest Page

Available Flights



Hyderabad → Delhi

Hyderabad → Mumbai


Hyderabad → Chennai

Please Login to Book Tickets.

Login



When I clicked Login, it changes to:



Objectives

1. Explain About Conditional Rendering in React

Conditional rendering in React is a technique used to display different UI elements or components based on specific conditions. It allows applications to show or hide content depending on user actions, data values, or application state, making the interface dynamic and user-friendly.

React supports several ways to perform conditional rendering, including:

- if...else statements
- Ternary operator (condition ? true : false)
- Logical AND operator (&&)

Benefits

- Displays dynamic content.
- Improves user experience.
- Makes applications interactive.
- Reduces unnecessary UI elements.

2. Define Element Variables

Element variables are variables used to store React elements before they are rendered. They make conditional rendering cleaner and improve code readability by allowing JSX elements to be assigned to a variable and rendered later.

Advantages

- Improves code readability.

- Simplifies complex conditional logic.
- Makes components easier to maintain.

3. Explain How to Prevent Components from Rendering

Sometimes a component should not display anything based on a condition. In React, this can be achieved by returning **null** from the component. When a component returns null, React renders nothing for that component while keeping it mounted.