

ATT DRUGS:
TAKING STEPS TOWARDS TUBERCULOSIS FREE LIVING

rela Hospital

DEPARTMENT OF CLINICAL PHARMACY

Rela Institute & Medical Centre
7, CLC Works Road, Chromepet, Chennai-600044

Contact
+91 44 6666 7788
www.relainstitute.com

Disclaimer: Not medical advice. For educational use only.


rela Hospital

DEPARTMENT OF CLINICAL PHARMACY
DR. RELA INSTITUTE & MEDICAL CENTRE
An International Medical Facility

Understanding ATT - A guide to ANTI TUBERCULAR DRUGS


YOUR BEST DEFENCE AGAINST TUBERCULOSIS





WELCOME TO YOUR GUIDE ON ATT DRUGS

TUBERCULOSIS (TB) IS A SERIOUS INFECTIOUS DISEASE THAT CAN AFFECT THE LUNGS AND OTHER PARTS OF THE BODY. THIS BROCHURE WILL HELP YOU UNDERSTAND ANTI TUBERCULOSIS TREATMENT (ATT) DRUGS AND THEIR REACTIVE PERIPHERAL LYMPHADENOPATHY IN YOUR RECOVERY.





WHO ACUTE RESPIRATORY DISTRESS SYNDROME ARE MORE PRONE TO ARDS?

Those who consume alcohol while on anti TB treatment.

Those who are simultaneously taking other medicines (homeopathic, ayurvedic , unani etc) for TB

Those who are suffering from other diseases such as diabetes, increased BP (Hypertension) , Thyroid disorder, Liver & Renal diseases.

TB Patients living with HIV infection.

Eiderly TB patients

Those who are anemic and malnourished.

Those who are not taking their medicines regularly.

WHEN SHOULD I TAKE MY TB DRUGS?

- Take atleast one hour before you eat food or two hours afterwards

- Take on an empty stomach

-Isoniazid (INH) : Prevents TB bacteria from multiplying
-Rifampin (RIF) : Kills TB bacteria.
-Pyrazinamide (PZA): Stops the growth of TB bacteria.
-Ethambutol (EMB): Helps prevent drug resistance.

Each drug plays a crucial role in treating TB, but they may have side effects. Your healthcare provider will tailor your treatment plan to your needs.

SOME OF MAIN SIDE EFFECTS OF ATT DRUGS ARE :
RIF - Menstrual disturbances, Body secretions (urine, saliva, tears) may turn orange red INH - Pins and needles in the fingers and toes

Do not stop the ATT drugs due to side effects if the side effect gets severe please consult your respective physician
-ATT drugs may cause side effects like liver problems.
-Report any side effects to your health care provider.
- Take your medication as prescribed
- Avoid alcohol and discuss other medications with your doctor.

Never miss your Dose - it can lead to drug ressistance.

Consistency taking the drug in same brand.

