```
Dt: 18/2/2025
EditProductServlet.java
package test;
import java.io.*;
import java.util.*;
import jakarta.servlet.*;
import jakarta.servlet.http.*;
import jakarta.servlet.annotation.*;
@SuppressWarnings("serial")
@WebServlet("/edit")
public class EditProductServlet extends HttpServlet
{
        @SuppressWarnings("unchecked")
       @Override
protected void doGet(HttpServletRequest reg,HttpServletResponse res)throws
ServletException,IOException
{
        HttpSession hs = req.getSession(false);
        if(hs==null) {
                req.setAttribute("msg","Session Expired...<br>");
                req.getRequestDispatcher("Msg.jsp").forward(req, res);
        }else {
                ArrayList<ProductBean> al = (ArrayList<ProductBean>)hs.getAttribute("alist");
                String pC = req.getParameter("pcode");
                Iterator<ProductBean> it = al.iterator();
```

```
while(it.hasNext())
             {
                   ProductBean pb = (ProductBean)it.next();
                   if(pC.equals(pb.getCode())) {
                         req.setAttribute("pbean", pb);
                          req.getRequestDispatcher("EditProduct.jsp").forward(req, res);
                          break;
                   }//end of if
             }//end of while
       }
}
}
EditProduct.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
    pageEncoding="ISO-8859-1"
    import="test.*"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<%
AdminBean ab = (AdminBean)session.getAttribute("abean");
ProductBean pb = (ProductBean)request.getAttribute("pbean");
out.println("Page Belongs to Admin : "+ab.getfName()+"<br>");
%>
<form action="update" method="post">
ProductPrice:<input type="text" name="price" value=<%= pb.getPrice() %>><br>
ProductQty:<input type="text" name="qty" value=<%= pb.getQty() %>><br>
<input type="submit" value="UpdateProduct">
</form>
</body>
</html>
```

enkateshnainathi