

## Instructions to Run the Project

---

### Live Project Access

The project is deployed and can be accessed using the link below:

**Live URL:**

<https://duple-project.onrender.com/>

You can directly open this URL in the browser to use the application without running it locally.

---

### Run Project in Local Environment

The project has two parts:

- Client (Frontend)
- Server (Backend)

Make sure Node.js and npm are installed before running.

---

### **1** Clone the Repository

```
git clone <PROJECT_REPOSITORY_LINK>
```

Open the project folder in terminal or VS Code.

---

### **2** Client Setup (Frontend)

Go to client folder:

```
cd client
```

Install dependencies:

```
npm install
```

Create `.env` file inside client folder and add:

```
REACT_APP_SERVER = "https://duple-project-server.onrender.com"
```

Start client:

```
npm start
```

Client will run on:

```
http://localhost:3000
```

---

### 3 Server Setup (Backend)

Open new terminal and go to server folder:

```
cd server
```

Install dependencies:

```
npm install
```

Create `.env` file inside server folder and add:

```
PORT = 5000
MONGODB_URL =
mongodb+srv://ritikathilkar007_db_user:Ritik%40009@cluster0.9lq8dxm.mongodb.net/
JWT_SECRET = "qwertyuiop"
```

Run server:

```
npm run dev
```

Server will start on:

<http://localhost:5000>

---

#### **4 Database Setup**

- MongoDB Atlas is used
  - Connection string is configured in server `.env`
  - No separate local DB setup required
- 

#### **5 Default Testing Flow**

1. Register Admin/User
2. Login
3. Admin creates Workspace
4. Admin creates Project
5. Admin assigns Members
6. Admin assigns Tasks
7. Users update task status via Kanban board