

Assignment No:7

Name: Ruturaj Sandip Sutar

CSE (AI) -B

Roll no : 51

PRN : 12310720

Title: Design and develop a website.

Problem Statement: Design and develop a website using toggleable or dynamic tabs or pills with bootstrap and JQuery to show the relevance of SDP, EDI, DT and Course projects in VIT.

Course Objective: To learn front end technologies for website development.

Course Outcome: Build single page applications using REACT as a reusable UI component technology

Tools Required: Notepad++ Editor, Google Crome, HTML, Bootstrap, JQuery.

Theory:

1. Bootstrap

- Bootstrap is a free front-end framework for faster and easier web development
- Bootstrap includes HTML and CSS based design templates for typography, forms, buttons, tables, navigation, modals, image carousels and many other, as well as optional JavaScript plugins
- Bootstrap also gives you the ability to easily create responsive designs
- Bootstrap 5 (released 2021) is the newest version of Bootstrap (released 2013); with new components, faster stylesheet and more responsiveness.
- Bootstrap 5 supports the latest, stable releases of all major browsers and platforms. However, Internet Explorer 11 and down is not supported.
- The main differences between Bootstrap 5 and Bootstrap 3 & 4, is that Bootstrap 5 has switched to vanilla JavaScript instead of jQuery.

1.1 Why Use Bootstrap?

- **Easy to use:** Anybody with just basic knowledge of HTML and CSS can start using Bootstrap
- **Responsive features:** Bootstrap's responsive CSS adjusts to phones, tablets, and desktops
- **Mobile-first approach:** In Bootstrap, mobile-first styles are part of the core framework
- **Browser compatibility:** Bootstrap 5 is compatible with all modern browsers (Chrome, Firefox, Edge, Safari, and Opera).

1.2 Bootstrap 5 CDN

```
<!-- Latest compiled and minified CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

<!-- Latest compiled JavaScript -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
```

2. Bootstrap Component

2.1 Bootstrap 5 Containers

Containers are used to pad the content inside of them, and there are two container classes available:

1. The .container class provides a responsive **fixed width container**
2. The .container-fluid class provides a **full width container**, spanning the entire width of the viewport

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</head>
<body>

<div class="container">
  <h1>My First Bootstrap Page</h1>
  <p>This part is inside a .container class.</p>
  <p>The .container class provides a responsive fixed width container.</p>
  <p>Resize the browser window to see that the container width will change at different breakpoints.</p>
</div>

</body>
</html>
```

2.2 Bootstrap 5 Grid System

Bootstrap's grid system is built with flexbox and allows up to 12 columns across the page. If you do not want to use all 12 columns individually, you can group the columns together to create wider columns:

The grid system is responsive, and the columns will re-arrange automatically depending on the screen size.

Make sure that the sum adds up to 12 or fewer (it is not required that you use all 12 available columns).

The Bootstrap 5 grid system has six classes:

- .col- (extra small devices - screen width less than 576px)
- .col-sm- (small devices - screen width equal to or greater than 576px)
- .col-md- (medium devices - screen width equal to or greater than 768px)
- .col-lg- (large devices - screen width equal to or greater than 992px)
- .col-xl- (xlarge devices - screen width equal to or greater than 1200px)
- .col-xxl- (xxlarge devices - screen width equal to or greater than 1400px)

The classes above can be combined to create more dynamic and flexible layouts.

The following example shows how to create three equal-width columns, on all devices and screen widths:

```
<div class="container-fluid mt-3">
  <h1>Three equal width columns</h1>
  <p>Note: Try to add a new div with class="col" inside the row class - this will create four equal-width columns.</p>
  <div class="row">
    <div class="col p-3 bg-primary text-white">.col</div>
    <div class="col p-3 bg-dark text-white">.col</div>
    <div class="col p-3 bg-primary text-white">.col</div>
  </div>
</div>
```

2.3 Text Colors

Bootstrap 5 has some contextual classes that can be used to provide "meaning through colors".

The classes for text colors are: *.text-muted*, *.text-primary*, *.text-success*, *.text-info*, *.text-warning*, *.text-danger*, *.text-secondary*, *.text-white*, *.text-dark*, *.text-body* (*default body color/often black*) and *.text-light*.

```
<div class="container mt-3">
  <h2>Contextual Colors</h2>
  <p>Use the contextual classes to provide "meaning through colors":</p>
  <p class="text-muted">This text is muted.</p>
  <p class="text-primary">This text is important.</p>
  <p class="text-success">This text indicates success.</p>
  <p class="text-info">This text represents some information.</p>
  <p class="text-warning">This text represents a warning.</p>
  <p class="text-danger">This text represents danger.</p>
  <p class="text-secondary">Secondary text.</p>
  <p class="text-dark">This text is dark grey.</p>
  <p class="text-body">Default body color (often black).</p>
```

```
<p class="text-light">This text is light grey (on white background).</p>
<p class="text-white">This text is white (on white background).</p>
</div>
```

2.4 Background Colors

The classes for background colors are: *.bg-primary*, *.bg-success*, *.bg-info*, *.bg-warning*, *.bg-danger*, *.bg-secondary*, *.bg-dark* and *.bg-light*.

```
<div class="container mt-3">
<h2>Background Color with Contrasting Text Color</h2>
<p class="text-bg-primary">This text is important.</p>
<p class="text-bg-success">This text indicates success.</p>
<p class="text-bg-info">This text represents some information.</p>
<p class="text-bg-warning">This text represents a warning.</p>
<p class="text-bg-danger">This text represents danger.</p>
<p class="text-bg-secondary">Secondary background color.</p>
<p class="text-bg-dark">Dark grey background color.</p>
<p class="text-bg-light">Light grey background color.</p>
</div>
```

2.5 Bootstrap 5 Tables

A basic Bootstrap 5 table has a light padding and horizontal dividers.

The *.table* class adds basic styling to a table.

```
<div class="container mt-3">
<h2>Basic Table</h2>
<p>The .table class adds basic styling (light padding and horizontal dividers) to a table:</p>
<table class="table">
<thead>
<tr>
<th>Firstname</th>
<th>Lastname</th>
<th>Email</th>
</tr>
</thead>
<tbody>
<tr>
<td>John</td>
<td>Doe</td>
<td>john@example.com</td>
</tr>
<tr>
<td>Mary</td>
<td>Moe</td>
<td>mary@example.com</td>
</tr>
</tbody>
</table>
</div>
```

```

</tr>
<tr>
  <td>July</td>
  <td>Dooley</td>
  <td>july@example.com</td>
</tr>
</tbody>
</table>
</div>

```

3.1 How to use jQuery?

There are two ways to use jQuery.

Local Installation – You can download jQuery library on your local machine and include it in your HTML code.

Go to the <https://jquery.com/download/> to download the latest version available.

Now put downloaded **jquery-3.7.1.min.js** file in a directory of your website, e.g. /jquery.

CDN Based Version – You can include jQuery library into your HTML code directly from Content Delivery Network (CDN).

3.2 jQuery Syntax

The jQuery syntax is tailor-made for **selecting** HTML elements and performing some **action** on the element(s).

Basic syntax is: **`$(selector).action()`**

- A \$ sign to define/access jQuery
- A *(selector)* to "query (or find)" HTML elements
- A jQuery *action()* to be performed on the element(s)

Examples:

`$(this).hide()` - hides the current element.

`$("p").hide()` - hides all `<p>` elements.

`$(".test").hide()` - hides all elements with class="test".

`$("#test").hide()` - hides the element with id="test".

3.3 jQuery Selectors

jQuery selectors allow you to select and manipulate HTML element(s).

jQuery selectors are used to "find" (or select) HTML elements based on their name, id, classes, types, attributes, values of attributes and much more. It's based on the existing [CSS Selectors](#), and in addition, it has some own custom selectors.

All selectors in jQuery start with the dollar sign and parentheses: `$()`.

3.3.1 The element Selector

The jQuery element selector selects elements based on the element name.

You can select all <p> elements on a page like this: \$("p")

3.3.2 The #id Selector

The jQuery #id selector uses the id attribute of an HTML tag to find the specific element.

An id should be unique within a page, so you should use the #id selector when you want to find a single, unique element.

To find an element with a specific id, write a hash character, followed by the id of the HTML element: \$("#test")

3.3.3 The .class Selector

The jQuery class selector finds elements with a specific class.

To find elements with a specific class, write a period character, followed by the name of the class:

\$(".test")

```
<!DOCTYPE html>
<html>
<head>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<script>
$(document).ready(function(){
    $("button").click(function(){
        $(".test").hide();
    });
});
</script>
</head>
<body>
<h2 class="test">This is a heading</h2>
<p class="test">This is a paragraph.</p>
<p>This is another paragraph.</p>
<button>Click me</button>
</body>
</html>
```

3.4 jQuery Event

All the different visitor's actions that a web page can respond to are called events.

An event represents the precise moment when something happens.

Examples:

- moving a mouse over an element
- selecting a radio button
- clicking on an element

Mouse Events	Keyboard Events	Form Events	Document/Window
click	keypress	submit	load
dblclick	keydown	change	resize
mouseenter	keyup	focus	scroll
mouseleave		blur	unload

3.4.1 Commonly Used jQuery Event Methods

\$(document).ready()

The \$(document).ready() method allows us to execute a function when the document is fully loaded.

click()

The click() method attaches an event handler function to an HTML element. The function is executed when the user clicks on the HTML element.

dblclick()

The dblclick() method attaches an event handler function to an HTML element. The function is executed when the user double-clicks on the HTML element.

mouseenter()

The mouseenter() method attaches an event handler function to an HTML element. The function is executed when the mouse pointer enters the HTML element.

mouseleave()

The mouseleave() method attaches an event handler function to an HTML element. The function is executed when the mouse pointer leaves the HTML element.

mousedown()

The mousedown() method attaches an event handler function to an HTML element. The function is executed, when the left, middle or right mouse button is pressed down, while the mouse is over the HTML element.

mouseup()

The mouseup() method attaches an event handler function to an HTML element. The function is executed, when the left, middle or right mouse button is released, while the mouse is over the HTML element.

hover()

The hover() method takes two functions and is a combination of the mouseenter() and mouseleave() methods. The first function is executed when the mouse enters the HTML element, and the second function is executed when the mouse leaves the HTML element.

```
<!DOCTYPE html>
<html>
<head>
```

```

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
<script>
$(document).ready(function(){
    $("#p1").hover(function(){
        alert("You entered p1!");
    },
    function(){
        alert("Bye! You now leave p1!");
    });
});
</script>
</head>
<body>
<p id="p1">This is a paragraph.</p>
</body>
</html>

```

Conclusion: Hence, we have successfully designed and developed a website using toggleable or dynamic tabs (pills) with Bootstrap and jQuery to showcase the relevance of SDP, EDI, DT, and Course Projects in VIT.

Program:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Relevance of Projects in VIT Pune</title>

    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
        rel="stylesheet"
    />

    <style>
        body {
            background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
            min-height: 100vh;
            padding: 40px 0;
        }
    </style>

```

```
font-family: "Segoe UI", Tahoma, Geneva, Verdana, sans-serif;  
}  
  
.main-container {  
background: white;  
border-radius: 20px;  
box-shadow: 0 10px 40px rgba(0, 0, 0, 0.3);  
padding: 40px;  
margin-top: 20px;  
}  
  
.header-section {  
text-align: center;  
margin-bottom: 40px;  
padding-bottom: 20px;  
border-bottom: 3px solid #667eea;  
}  
  
.header-section h1 {  
color: #667eea;  
font-weight: bold;  
margin-bottom: 10px;  
}  
  
.header-section p {  
color: #6c757d;  
font-size: 1.1rem;  
}  
  
.nav-pills .nav-link {  
border-radius: 10px;  
margin: 5px;  
padding: 12px 25px;  
font-weight: 600;  
transition: all 0.3s ease;  
color: #667eea;  
border: 2px solid #667eea;  
background: white;  
}
```

```
.nav-pills .nav-link:hover {  
background: #f0f0f0;  
transform: translateY(-3px);  
box-shadow: 0 5px 15px rgba(102, 126, 234, 0.3);  
}  
  
.nav-pills .nav-link.active {  
background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);  
border-color: #667eea;  
color: white;  
box-shadow: 0 5px 20px rgba(102, 126, 234, 0.5);  
}  
  
.tab-content {  
margin-top: 30px;  
}  
  
.tab-pane {  
background: #f8f9fa;  
border-radius: 15px;  
padding: 30px;  
box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);  
animation: fadeIn 0.5s ease-in;  
}  
  
@keyframes fadeIn {  
from {  
opacity: 0;  
transform: translateY(20px);  
}  
to {  
opacity: 1;  
transform: translateY(0);  
}  
}  
  
.tab-pane h3 {  
color: #667eea;
```

```
font-weight: bold;  
margin-bottom: 20px;  
padding-bottom: 10px;  
border-bottom: 2px solid #667eea;  
}  
  
.tab-pane p {  
color: #495057;  
line-height: 1.8;  
font-size: 1.05rem;  
text-align: justify;  
}  
  
.tab-pane ul {  
margin-top: 15px;  
padding-left: 20px;  
}  
  
.tab-pane li {  
margin-bottom: 10px;  
color: #495057;  
line-height: 1.6;  
}  
  
.highlight {  
background: #fff3cd;  
padding: 5px 10px;  
border-radius: 5px;  
transition: all 0.3s ease;  
}  
  
.footer {  
text-align: center;  
margin-top: 40px;  
padding-top: 20px;  
border-top: 2px solid #e9ecef;  
color: #6c757d;  
}
```

```
.icon-animate {
    display: inline-block;
    transition: transform 0.3s ease;
}

.icon-animate:hover {
    transform: rotate(360deg);
}
</style>
</head>
<body>
<div class="container">
    <div class="main-container">
        <div class="header-section">
            <h1>
                <span class="icon-animate">🎓</span>
                Relevance of Projects in VIT Pune
            </h1>
            <p>
                Exploring the significance of Software Development Project,
                Engineering Design and Innovation, Design Thinking, and Course
                Projects
            </p>
        </div>
        <ul
            class="nav nav-pills justify-content-center"
            id="projectTabs"
            role="tablist"
        >
            <li class="nav-item" role="presentation">
                <button
                    class="nav-link active"
                    id="sdp-tab"
                    data-bs-toggle="pill"
                    data-bs-target="#sdp"
                    type="button"
                    role="tab"
                    aria-controls="sdp"
                >
```

```
aria-selected="true"
>
SDP
</button>
</li>
<li class="nav-item" role="presentation">
<button
  class="nav-link"
  id="edi-tab"
  data-bs-toggle="pill"
  data-bs-target="#edi"
  type="button"
  role="tab"
  aria-controls="edi"
  aria-selected="false"
>
  EDI
</button>
</li>
<li class="nav-item" role="presentation">
<button
  class="nav-link"
  id="dt-tab"
  data-bs-toggle="pill"
  data-bs-target="#dt"
  type="button"
  role="tab"
  aria-controls="dt"
  aria-selected="false"
>
  Design Thinking
</button>
</li>
<li class="nav-item" role="presentation">
<button
  class="nav-link"
  id="cp-tab"
  data-bs-toggle="pill"
  data-bs-target="#cp"
```

```
type="button"
role="tab"
aria-controls="cp"
aria-selected="false"
>
  Course Projects
</button>
</li>
</ul>

<div class="tab-content" id="projectTabsContent">
<div
  class="tab-pane fade show active"
  id="sdp"
  role="tabpanel"
  aria-labelledby="sdp-tab"
>
  <h3> Software Development Project (SDP)</h3>
  <p>
    The Software Development Project (SDP) is a cornerstone of
    practical learning at VIT Pune. It bridges the gap between theoretical
    knowledge and real-world application by providing students with
    hands-on experience in developing complete software solutions.
  </p>
  <p>
    <strong>Key Benefits:</strong>
  </p>
  <ul>
    <li>
      <strong>Industry-Ready Skills:</strong> Students learn
      industry-standard tools, frameworks, and methodologies
    </li>
    <li>
      <strong>Team Collaboration:</strong> Enhances teamwork and
      project management skills
    </li>
    <li>
      <strong>Problem-Solving:</strong> Develops critical thinking and
      debugging abilities
    </li>
  </ul>
</div>
</div>
```

```
</li>
<li>
    <strong>Portfolio Building:</strong> Creates tangible projects
    for showcasing to potential employers
</li>
<li>
    <strong>Full Development Lifecycle:</strong> Experience in
    requirements gathering, design, implementation, testing, and
    deployment
</li>
</ul>
</div>

<div
    class="tab-pane fade"
    id="edi"
    role="tabpanel"
    aria-labelledby="edi-tab">
<
<h3>💡 Engineering Design and Innovation (EDI)</h3>
<p>
    Engineering Design and Innovation (EDI) at VIT Pune fosters
    creativity, innovation, and practical problem-solving skills among
    students. This course emphasizes applying engineering principles
    to design innovative solutions for real-world challenges, bridging
    the gap between theoretical knowledge and practical application.
</p>
<p>
    <strong>Key Benefits:</strong>
</p>
<ul>
    <li>
        <strong>Innovative Thinking:</strong> Develops creative approaches
        to engineering problems and solutions
    </li>
    <li>
        <strong>Design Methodology:</strong> Learn systematic design processes
        from concept to prototype
    </li>
```

```
<li>
    <strong>Hands-on Experience:</strong> Build working prototypes and
    test engineering designs
</li>
<li>
    <strong>Interdisciplinary Skills:</strong> Integrate knowledge from
    multiple engineering domains
</li>
<li>
    <strong>Industry Relevance:</strong> Apply cutting-edge technologies
    and methodologies used in modern engineering
</li>
</ul>
</div>

<div
    class="tab-pane fade"
    id="dt"
    role="tabpanel"
    aria-labelledby="dt-tab">
<h3>💡 Design Thinking (DT)</h3>
<p>
    Design Thinking at VIT Pune is a human-centered approach to innovation
    that emphasizes empathy, creativity, and iterative
    problem-solving. It equips students with methodologies to tackle
    complex challenges across various domains.
</p>
<p>
    <strong>Key Benefits:</strong>
</p>
<ul>
    <li>
        <strong>User-Centric Design:</strong> Focus on understanding
        user needs and pain points
    </li>
    <li>
        <strong>Creative Problem-Solving:</strong> Encourages
        out-of-the-box thinking and ideation
    </li>

```

```
</li>
<li>
    <strong>Prototyping Skills:</strong> Learn rapid prototyping and
    iterative development
</li>
<li>
    <strong>Interdisciplinary Approach:</strong> Collaboration
    across different fields and perspectives
</li>
<li>
    <strong>Real-World Impact:</strong> Apply design thinking to
    solve actual societal problems
</li>
</ul>
</div>

<div
    class="tab-pane fade"
    id="cp"
    role="tabpanel"
    aria-labelledby="cp-tab">
<h3>  Course Projects</h3>
<p>
    Course Projects at VIT Pune are integrated into various subjects to
    reinforce theoretical concepts through practical implementation.
    These projects are essential for deepening understanding and
    applying classroom learning to solve specific problems.
</p>
<p>
    <strong>Key Benefits:</strong>
</p>
<ul>
    <li>
        <strong>Concept Reinforcement:</strong> Solidify theoretical
        knowledge through hands-on practice
    </li>
    <li>
        <strong>Skill Development:</strong> Build technical proficiency
    </li>

```

in specific domains and tools

Research Opportunities: Explore cutting-edge topics and contribute to knowledge

Assessment & Feedback: Regular evaluation helps identify strengths and areas for improvement

Academic Excellence: Enhances overall academic performance and deeper subject understanding

</div>

</div>

</div>

</div>

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
```

```
<script src="https://code.jquery.com/jquery-3.7.0.min.js"></script>
```

```
<script>  
$(document).ready(function () {  
    console.log("🎉 VIT Pune Projects Website Loaded Successfully!");  
    console.log("jQuery Version:", $.fn.jquery);  
  
    $(".nav-link").on("click", function () {  
        const tabName = $(this).text().trim();  
        console.log(`🔍 Tab Clicked: ${tabName}`);  
  
        $(this).addClass("highlight");  
        setTimeout(() => {  
            $(this).removeClass("highlight");  
        }, 300);  
    });
```

```
$(".nav-link").hover(  
    function () {  
        const tabText = $(this).text().trim();  
        console.log(`👉 Hovering over: ${tabText}`);  
  
        $(this).css("transform", "translateY(-3px) scale(1.05)");  
    },  
    function () {  
        const tabText = $(this).text().trim();  
        console.log(`👈 Left: ${tabText}`);  
  
        if (!$(this).hasClass("active")) {  
            $(this).css("transform", "translateY(0) scale(1)");  
        }  
    }  
);  
  
$('button[data-bs-toggle="pill"]').on("shown.bs.tab", function (e) {  
    const activeTab = $(e.target).text().trim();  
    const previousTab = $(e.relatedTarget).text().trim();  
  
    console.log(`✅ Active Tab: ${activeTab}`);  
    console.log(`⬅ Previous Tab: ${previousTab}`);  
  
    const targetPane = $($($(e.target).data("bs-target")));  
    targetPane.hide().fadeIn(500);  
});  
  
$(".tab-pane h3").hover(  
    function () {  
        $(this).css({  
            color: "#764ba2",  
            transform: "scale(1.02)",  
            transition: "all 0.3s ease",  
        });  
    },  
    function () {  
        $(this).css({  
            color: "#764ba2",  
            transform: "scale(1.02)",  
            transition: "all 0.3s ease",  
        });  
    }  
);
```

```
        color: "#667eea",
        transform: "scale(1)",
    });
}

);

$(".tab-pane li").on("click", function () {
    $(this).toggleClass("highlight");
    const itemText = $(this).text().substring(0, 50) + "...";
    console.log(`📌 List item clicked: ${itemText}`);

    setTimeout(() => {
        $(this).removeClass("highlight");
    }, 2000);
});

$(".tab-pane p").on("dblclick", function () {
    $(this).fadeOut(300).fadeIn(300);
    console.log("⭐ Paragraph animation triggered!");
});

$(".icon-animate").hover(
    function () {
        $(this).css("transform", "rotate(360deg)");
    },
    function () {
        $(this).css("transform", "rotate(0deg)");
    }
);

$(window).on("scroll", function () {
    const scrollPosition = $(window).scrollTop();
    if (scrollPosition > 100) {
        console.log("⬇️ User scrolled down");
    }
});

$("html").css("scroll-behavior", "smooth");
```

```
setTimeout(function () {
    console.log("=====");
    console.log("Welcome to VIT Pune Projects Portal!");
    console.log("Explore SDP, EDI, DT, and Course Projects");
    console.log("=====");
}, 500);
});
</script>
</body>
</html>
```

Output: