

Executive Summary (feedback 1)

Subspace's current messaging is unfocused: it tries to address *students, families, professionals, gift-card buyers*, etc., all at once. New visitors see a generic "Your subscription management platform" banner and broad blog categories (e.g. *Students, General Users, OTT*) but no clear primary user. This dilutes the value proposition and likely hurts conversion and increases CAC (users aren't sure if the app is for them). To fix this, we should *segment the GTM (Go-To-Market) by ICP*: pick ~3 personas (e.g. "Student Saver", "Family Manager", "Young Professional"), and create tailored landing pages, onboarding flows, and marketing copy for each. By speaking directly to each persona's needs (with relevant hero images, examples of subscriptions, and ad angles), we can improve relevance, lift conversion, and boost retention. Key KPIs (landing conversion, activation, retention) should be tracked by segment. Below is one detailed feedback entry focusing on GTM & ICP, followed by ICP personas, a prioritization matrix, metrics, and an example onboarding microflow.

1. Observed

- Inconsistent positioning: The homepage copy is generic e.g. "Your subscription management platform" (no mention of *who* it's for). After login it shows sections like *Favourite Brands* and *Shared Subscriptions*, but these are not explained or tied to a user type on the landing page.
- Broad "About Us" claims: The "About Us" page emphasizes general finance management: "*simplifies splitting expenses with friends, tracking bills, and saving money.*" It even highlights a business model around group gift-card purchases. In short, the site's own wording swings between "subscription sharing", "expense splitting", and "group deals", which can confuse users about the core use-case.
- Diverse blog categories: The official blog lists tags for Students, General Users, OTT, Payments, Merchants, etc. This indicates Subspace is producing content for multiple audiences (students hunting deals, entertainment subscribers, casual spenders, etc.). However, none of these segments is clearly called out on the main marketing pages or sign-up flow.

Collectively, these observations show Subspace is *trying to appeal to everyone*: there's no immediate clue on the homepage which persona it's targeting. A new user (say a college student or a family) has to guess whether Subspace solves *their* specific problem, which can increase drop-offs and dilute marketing efficiency.

2. Problem

Diluted messaging means unclear ICP → lower conversion and higher CAC. In startup GTM, if you present a vague value prop, potential users will often click away rather than invest time. For example, a student seeing “Your subscription management platform” without mention of student discounts won’t immediately realize Subspace has student deals; they may leave to a competitor (like a student-focused coupon site). Similarly, families might not know Subspace can help them pool Netflix/Disney+ costs since the homepage doesn’t say “for families”. This ambiguity raises acquisition costs (ads must target broadly, with lower relevance) and hurts organic conversion (higher bounce rate). It also weakens retention: if a user signs up thinking “maybe this is for me” but then finds a cluttered feed not focused on their interests, they won’t stay engaged. In short, not defining clear ICPs costs Subspace low efficiency on both user acquisition and activation.

3. Ship Instead

Segment the GTM by primary personas. Identify the top 3 ICPs (see below) and tailor the experience for each. For each persona, create specific messaging, landing pages, and onboarding flows:

- Persona-tailored landing pages: Instead of one generic homepage, have targeted landing sections or separate routes. E.g.: *“Students, save up to 80% on Netflix, Spotify, Canva & more! Split your OTT and study tool subscriptions with peers.”* vs *“Families: Manage and share all household subscriptions in one place – cut costs on Netflix, broadband, and learning apps.”* vs *“Professionals/Startups: Share expensive productivity tools (Adobe, Notion, AWS) at half price.”* Each page should have relevant hero images (students, a family, a coworking team) and example subscriptions. A/B test: Compare a generic hero vs. a segmented hero by measuring landing CTA clicks.
- Onboarding questionnaire: After sign-up, ask users which category describes them (Student / Family / Pro, etc.) or what subscriptions they care about. Based on the answer, default them into a curated feed. For example, a student choosing “Entertainment & Learning” would immediately see Netflix, Spotify, Coursera deals. A family would see household staples. This personalization can be guided by copy like *“Let’s personalize Subspace for you. What are you looking to share or save on today?”* with multi-choice icons.
- Customized content and UX: Once segmented, show dynamic content. E.g. students see student-popular brand logos; families see kid-friendly or group-plans; professionals see tech subscriptions. Rename navigation tabs if needed (e.g. “Student Deals” tab). Remove irrelevant sections for each persona to reduce clutter. For example, hide the “Groups of 10” deal if a user is not in that segment.

- Targeted acquisition channels and ad copy: Run marketing campaigns focused on each ICP. Example ad headlines:
 - “*Students: 66% OFF Netflix – Join a 2-person Netflix group on Subspace!*” (link to Student landing page)
 - “*Families: Cut Your Cable Bill in Half – Manage all subscriptions in one app.*” (link to Family landing page)
 - “*Freelancers/Teams: Share \$52 Adobe Plan for \$26 each – No contracts.*” (link to Professional landing page)
- Each campaign should drive to the matching segmented landing page. Metrics to track: Click-through rate (CTR) and conversion by campaign, then adjust budgets accordingly.
- Measurement & A/B tests: For all changes, instrument the funnel. Track landing-page CR, sign-up rate, and first-subscription-join rate for each segment. Run A/B tests on persona headlines and signup flows (e.g. “Join group” vs “Browse deals” CTAs). Key A/B ideas: test “generic hero vs student hero” for the student ad, or “Ask persona vs show deals immediately” at sign-up. Use uplift in sign-ups and retention in segment audiences as decision criteria.

These solutions prioritize the user’s perspective at every step. By speaking directly to each ICP, Subspace can increase relevance (improving conversion), reduce waste in broad marketing, and foster habit-forming use (boosting retention) within each target group.

4. Recommended ICP Segmentation

Based on the product scope and site cues, focus on three personas:

- Student Saver (Age ~18–25): Undergraduate/graduate students. *Motivations:* Low income, heavy OTT/learning tool usage. *Key use-cases:* Splitting Netflix, Spotify, Coursera, Canva among friends; finding student discounts. *Channels:* College campuses, student forums, Reddit, TikTok.
- Family Manager (Age ~30–50): Parents or shared households. *Motivations:* Simplify family budget, reduce duplicate subscriptions. *Key use-cases:* Managing house-wide subscriptions (streaming, broadband, news), splitting costs with spouse/kids, tracking payments. *Channels:* Facebook groups, community forums, blogs about parenting/finance.
- Young Professional/Startup (Age ~25–35): Tech-savvy workers or small startup teams. *Motivations:* Minimize business and productivity costs, use premium tools. *Key use-cases:* Sharing SaaS subscriptions (Adobe, Notion, AWS), gym or skill

subscriptions with coworkers; managing recurring work expenses. *Channels:* LinkedIn, tech newsletters, startup communities.

Each persona would see customized messaging and feature emphasis aligned with their profile.

5. Prioritization (Impact vs Effort)

	High Effort	Low Effort
High Impact	Persona-specific landing pages & flows - Create separate hero text/images for each ICP. (Medium effort: new copy + assets.) - Implement onboarding quiz + dynamic feed. (Medium effort: dev work, but high impact on conversion.)	Targeted ad campaigns - Launch segmented ads for each ICP (Low effort using existing assets). - Update hero banner copy (e.g. “Students: Save 80% on Netflix”) (Very low effort tweak).
Low Impact	Expand blog categories/tags (High effort for low gain in core KPI).	Minor UI polish (Low effort; e.g. FAQ on safety)


6. KPIs & Targets

- Landing-to-Signup Conversion: Baseline this for current homepage (~5–10%). Target +50% uplift for persona pages (e.g. reach ~12–15%).
- Activation (First Join): % of sign-ups who immediately join a subscription or group. Target $\geq 40\%$ (ensure onboarding quiz leads to action).
- CAC by Channel: Measure cost per sign-up for each ad campaign. Aim to lower CAC by 20–30% vs. untargeted spend by improving relevancy.
- Retention/MAU: Track 1-month and 3-month active rates by persona. E.g. aim for 30%+ 1-month retention for students (higher if messaging is relevant).
- Referral/Invites Sent: Number of invitees per user (viral coefficient). A well-targeted promo (e.g. “Invite a friend, you both get \$5 off”) should improve virality. (Target a 1.5x increase in invite rate.)
- A/B Test Metrics: Lift in CTR or sign-up from persona vs. generic variants (e.g. +5% CTR on student-targeted hero).

Each KPI should be measured and compared against pre-change baselines and industry benchmarks (e.g. ~10–20% CR is good for landing pages, CAC targets depend on LTV).

7. Sample User Onboarding Microflow (Student Persona)

1. Landing Page (Student Hero): Display “Students: Save up to 80% on Netflix, Spotify & More!” with student-friendly images. CTA: “Get Student Deals – Sign Up Now.”
2. Sign-Up Screen: Prompt phone/WhatsApp login: “*Join in 2 taps and unlock massive student discounts!*” User enters number, receives OTP.
3. Persona Question: “*Who are you?*” Options: *Student (checkbox)* / “Family” / “Professional”. (Student tapped.)
4. Interest Selection: “*Great! What services do you want to save on?*” Show icons: Netflix, Spotify, Canva, Coursera, etc. Student taps Netflix & Spotify.
5. Results Feed: Show curated deals/groups:
 - “Netflix – 66% off (Join a 2-person group at ₹159)”  [Join Group]
 - “Spotify – 50% off (Join a 4-person group at ₹149)”  [Join Group]Also display friend recommendations: “*3 students from your campus have joined Netflix Groups.*”
6. Confirmation & Onboarding Complete: After joining (or browsing), show “*Congrats! You’re now in a Netflix group. Refer 2 friends and you get 50% off your next purchase.*”



8. Visual Impact Comparison

Below is a small bar chart comparing the expected impact scores of three proposed changes (scale 1–10):




Figure: Expected impact scores for proposed changes (1 = low impact, 10 = high). Landing pages and onboarding personalization score highest.

Executive Summary (feedback 2)

Subspace occupies a unique niche as an Indian OTT subscription-sharing and management platform, combining group discounts, bill splitting, and a marketplace of deals. On its own site, Subspace only lightly references a few competitors (e.g. Fleek, Trim) via blog content, making it easy to miss the competitive landscape. From Subspace's content, key competitors include Fleek, Trim, Rocketmoney, Unroll.me, and TogetherPrice. Fleek is a free OTT-sharing app; Trim/Truebill/BillGuard focus on personal finance/subscription tracking; Unroll.me focuses on unsubscribing via email; TogetherPrice is a social subscription marketplace. In general, Subspace differentiates by combining sharing, management, and rewards in one platform. Below we list each mentioned competitor with its positioning, strengths, and weaknesses (as implied by Subspace's own content), followed by a brief category map and a sharp product recommendation.

1. Competitors Mentioned on Subspace.money

- Fleek (<https://web-dev.getfleek.app/>) – India's free OTT subscription-sharing app.
- Trim () – U.S. personal finance app that auto-cancels unused subscriptions and negotiates bills.
- Rocketmoney (<https://www.rocketmoney.com/>)– U.S. personal finance/subscription app that saves money and provides charge disputes/refunds.
- TogetherPrice (<https://www.togetherprice.com/us/>)– Social subscription marketplace for sharing costs and finding deals on streaming/software services.

Below, I summarize each competitor's positioning and compare their strengths vs Subspace and weaknesses vs Subspace using only Subspace's own descriptions:

Fleek (OTT Sharing App)

Positioning: "Fleek is an absolutely free platform that helps you manage all your subscriptions...with just a toggle".

- Strengths vs Subspace:
 - Free/no fees: Completely free to use, no subscription fees.
 - Large service catalog: Offers a wide selection of OTT services (100+ services).
 - Fast refunds: Refunds available within 48 hours.

- Weaknesses vs Subspace:
 - Fewer features: “Not as many features as Subspace” (lacks group management, rewards, etc.).
 - Limited support: Only email support, often slow (versus Subspace’s 24×7 support).
 - Payment and reach: Limited payment options (UPI only) and smaller user base (“Not as widely supported”).

Trim (Personal Finance App)

Positioning: “Trim is a personal finance app that can help you save money on your subscriptions” (auto-cancels unused subs, negotiates bills).

- Strengths vs Subspace:
 - Automated savings: Actively finds and cancels unused subscriptions.
 - Bill negotiation: Negotiates lower prices on your existing subscriptions.
 - Money-focus: Strong personal finance tools specifically for cutting costs.
- Weaknesses vs Subspace:
 - No sharing/marketplace: No group-sharing features or discounts for sharing (Subspace’s signature).
 - Lacks Indian focus: Trim targets a U.S. user base (Subspace is built for Indian wallets).
 - Narrow scope: Subspace calls out Trim only as a saving tool, implying it’s less comprehensive.

Rocketmoney (Personal Finance App)

Positioning: “Rocketmoney is another personal finance app that can help you save money on your subscriptions...also offers the ability to dispute charges and get refunds”.

- Strengths vs Subspace:
 - Advanced cost-recovery: Can dispute erroneous charges and secure refunds for past payments.
 - Subscription tracking: Helps find and cancel unwanted subscriptions (like Trim).
 - User-friendly: Known for a polished app interface (implied as a comparable personal-finance solution).
- Weaknesses vs Subspace:
 - No group features: Again, no social sharing or pooling of subscriptions.
 - Not a deals platform: Doesn’t offer the community discounts or rewards Subspace has.

- Transactional only: Focused on bills and refunds rather than community engagement (Subspace's differentiator).

TogetherPrice (Subscription Marketplace)

Positioning: "Togetherprice is a social marketplace for subscriptions. It allows users to find and share deals on subscriptions to streaming services, software, and other products".

- Strengths vs Subspace:
 - Community deals focus: Strong emphasis on finding and joining group buys.
 - Trust/ratings: Users can rate and review group members (fosters safe sharing).
 - Multi-category: Covers many digital products (streaming, software, gaming).
- Weaknesses vs Subspace:
 - Fewer offers than Subspace: Subspace claims "*no alternative...offers the same number of money-saving offers*".
 - Limited geography: Primarily European/U.S. market, no India-specific deals.
 - Narrow feature set: Focused on listings; lacks Subspace's full subscription-management and reward features.

2. Category Map (Synthesis)

Subspace sits at the intersection of four categories: Subscription Sharing, Subscription Management, Expense Splitting, and Digital Marketplace. As Subspace itself notes, it is "the world's first OTT subscription-sharing platform" while also offering portfolio management and discounts. In contrast, Fleek and TogetherPrice also blend sharing with deals, Trim/Rocketmoney/Unroll focus on personal finance/tracking, and apps like Splitwise/SettleUp (not on Subspace's site) focus only on expense splitting. A simple map:

- Subscription Sharing/Marketplace: Subspace, Fleek, TogetherPrice
- Subscription Management: Subspace, Trim, Rocketmoney, BillGuard, Unroll.me
- Expense Splitting: (Primarily Splitwise, SettleUp – not mentioned on site)
- Marketplace (Deals): Subspace, TogetherPrice

Subspace uniquely spans all categories, whereas each competitor covers only a subset. For example, Fleek and TogetherPrice focus on sharing/deals but lack

advanced tracking; Trim/Rocketmoney focus on finance management but no group-sharing; Splitwise/SettleUp (absent on site) focus solely on money-splitting. TogetherPrice explicitly calls itself a “social marketplace”, echoing Subspace’s combination of community deals and app.

3. Observed → Problem → Ship

Observed: Subspace’s official materials highlight features but rarely summarize *how* it compares to known alternatives (blog posts do this, but the main app UI does not). For instance, the blog “Fleek vs Subspace” shows that Subspace has far more features and better support, but the app itself doesn’t clearly convey these points.

Problem: New users may not immediately grasp Subspace’s unique position. Without explicit context (e.g. “Why Subspace? Better than Fleek/Truebill!”), visitors may assume Subspace is just another bill-tracker or group-buy app. This dilutes conversion: users who were loyal to Fleek or Truebill might not realize Subspace offers the same core functions *plus* sharing, discounts, and 24/7 support.

Ship: Introduce a concise “How We Compare” feature on the website/app. For example, a side-by-side bullet list or tagline section (“Not just like Fleek or Truebill”) that highlights key differences (e.g. “Unlike [Trim], Subspace lets you split costs with friends” and “Unlike [Fleek], Subspace supports 24×7 chat and 200+ services”). Embedding the blog’s comparison insights into the product landing pages or onboarding (e.g. using the exact points from [10]) will clarify Subspace’s edge and preempt user confusion.

4. Competitor Matrix

Product	Category	Sub. Managem ent	Sub. Shari ng	Expen se Splitti ng	Marketpl ace	India-focus ed
Subspac e	OTT Sharing Platform	✓	✓	✓	✓	✓

Fleek	OTT Sharing App	✓	✓	✓	✓	✓
Splitwise	Expense Splitting App	✗	✗	✓	✗	✗
Settle Up	Expense Splitting App	✗	✗	✓	✗	✗
Rocket Money (Truebill)	Subscription Manager	✓	✗	✗	✗	✗
Trim	Subscription Manager	✓	✗	✗	✗	✗
Truebill	Subscription Manager	✓	✗	✗	✗	✗
BillGuard	Bill Management	✓	✗	✗	✗	✗
Unroll.me	Email Sub Tracking	✓	✗	✗	✗	✗
Together Price	Social Subscription Marketplace	✗	✓	✓	✓	✗

Executive Summary (feedback 3)

Subspace's current app positions itself as an all-in-one subscription marketplace ("Buy, Track, Split and Manage Subscriptions") but offers few targeted discovery or management tools. My audit found that while Subspace highlights features like finance breakdowns and discounts, it lacks advanced discovery, personalization, and trust features. The recommendations below address these gaps with persona-targeted bundles, smarter discovery, automated tracking, detailed analytics, and stronger group privacy. Each is paired with impact, complexity, and priority estimates, and a table contrasts current versus proposed features.

Current Feature	Subspace (as described)	Proposed Improvement
Subscription Discovery	Manual search by name; flat list of "Shared Subscriptions".	Persona Bundles & Filters: Curated bundles (e.g. <i>Student Pack</i> , <i>Family Pack</i>) and category filters (OTT, Music, Productivity). Improves relevancy for key ICPs.
Group Sharing	Public share groups (users "make group public") and basic chat.	Private/Invite Groups & Social: Allow private invite-only groups and richer group chats; show social proof (e.g. friends joined). Increases trust.
Subscription Tracking	"Track" feature exists (user adds subscriptions manually) no auto import.	Auto-Detect & Alerts: Link bank/UPI to auto-detect recurring payments (like Truebill-style); send renewal alerts and trial reminders.
Financial Insights	Mentions a "breakdown of	Budget Dashboard: Add spending analytics (charts, category spend,

	finances” but no visible dashboard.	savings over time) to help users visualize and manage bills.
Deals & Wallet	Occasional gift card deals via blog; basic Wallet to hold funds.	Integrated Deals Marketplace: Surface personalized deals (e.g. student discounts) and expand gift-card store in-app.

1. Persona-Based Subscription Bundles

- **Observed:** Subspace lists all categories of subs (OTT, music, productivity, etc.) but the UI offers no tailored bundles or category filters. Users see a generic “Shared Subscriptions” feed (see *Home* page layout).
- **Problem:** New users (e.g. students or families) must guess which subscriptions to join. This dilutes conversion — people may not realize the app has deals for their needs. Without curated bundles, the first value is hidden.
- **Ship Instead:** Create *persona bundles* on the homepage and Explore tab. For example: Student Pack (Netflix + Spotify + Coursera), Family Essentials (Disney+ Hotstar + Airtel Xstream), Work Pro Bundle (Notion + VPN + Office 365). Each bundle shows total savings and a “Join All” CTA. Onboarding can ask “Who are you?” (Student/Family/Pro) and immediately show relevant bundles.
- **ICP:** Students, families, young professionals (each bundle explicitly speaks to an ICP)
- **Priority:** High – boosts first-time engagement for target users.
- **Effort:** Medium – requires UI for bundles, a bit of curation/marketing copy.
- **Impact:** 9 – clarifies value proposition, likely increasing conversion and average revenue per user.
- **Competitive Gap:** Many shopping apps (e.g. bundled service deals) show curated packs for segments. Subspace should match that to onboard users faster.

2. Enhanced Discovery & Filtering

- **Observed:** The *Explore* screen (post-login) currently defaults to a generic subscription list and “Favourite Brands” section (placeholder logos). There’s no

filter or category browsing, nor an in-app recommendation engine mentioned. (The site's blog emphasizes manual discovery.)

- Problem: As the marketplace grows, users may struggle to find specific services. Lack of filtering by category, price, or user type means high-effort discovery. This can frustrate users and raise drop-offs.
- Ship Instead: Implement search filters and recommendations. Add UI toggles (OTT vs music vs gaming), price range sliders, and "Trending Deals" carousels. For logged-in users, recommend subs based on past joins (e.g. "Because you joined Netflix...") or friends' activities (see *Student Onboarding* flow later). Track click-throughs on suggestions.
- ICP: All segments (improves navigation for anyone browsing).
- Priority: Medium – important once the catalog grows.
- Effort: Medium – extends current Explore UI; needs data tags and analytics.
- Impact: 7 – smoother discovery reduces churn and increases the number of subscriptions per user.
- Competitive Gap: Unlike simple list-based apps, e-commerce sites (and even apps like Netflix) use robust filtering. Subspace should adopt similar tactics to stay usable as features scale.

3. Auto-Detect Subscriptions & Alerts

- Observed: The marketing claims "linking bank accounts... automatically detects recurring payments" and promises alerts for upcoming renewals. In practice, the only user flows shown (in blog and app UI) involve manual search/add of each subscription (including a manual Google Play top-up step). No actual bank-linking flow is visible on the site.
- Problem: Manual entry is tedious and error-prone. Users might skip adding an old subscription and lose money. Moreover, no proactive alerts mean forgotten renewals. This undermines Subspace's positioning as a complete management tool.
- Ship Instead: Build (or integrate) a bank/UPI linkage feature that scans transactions to import active subscriptions. When detected, auto-add them to the user's dashboard. Send push/WhatsApp reminders before each renewal or trial expiry. Track metrics: # of auto-detected subs and % of payments caught by alerts (goal: >80%). Even partial implementation (e.g. import CSV from bank) would be beneficial.
- ICP: Busy users and families (anyone with multiple payments).

- *Priority*: High – directly impacts retention and savings.
- *Effort*: Large – involves fintech integration and compliance.
- *Impact*: 9 – A truly automated experience would differentiate Subspace (and save users significant money).
- *Competitive Gap*: Fintech apps like Truebill or MoonPig offer auto-discovery of subscriptions. Subspace should catch up on this core subscription-management feature.


4. Personal Finance Dashboard

- *Observed*: The blog touts an “effortless breakdown of finances to see where users’ money is going”. However, aside from the generic wallet balance and spend summary, there’s no detailed in-app analytics shown. The UI (home page) has no charts or spending categories visible.
- *Problem*: Without clear visuals of spending over time or by category, users can’t easily spot overspending or savings. This weakens the “manage subscriptions” promise: users may add subs but still feel unsure about their budget impact.
- *Ship Instead*: Add a Dashboard screen under *Account* or *Wallet* showing charts and metrics: monthly subscription spend over time, breakdown by category (OTT vs gaming vs utility), and total savings (via shared subs). Show KPIs like “You saved ₹X this month” or “Subscriptions per category”. Use retention of active users and time spent on dashboard as metrics.
- *ICP*: All users (especially professionals and families who budget carefully).
- *Priority*: Medium – enhances value but not strictly necessary for core sharing.
- *Effort*: Medium – data is largely available; requires front-end visualization.
- *Impact*: 8 – Increases engagement (users visit to check stats) and reinforces savings narrative.
- *Competitive Gap*: Personal finance apps (e.g. Mint) have spending dashboards. Subspace can leverage its own data to provide similar insights, giving it an edge over bare-bones share apps.


5. Group Privacy & Trust Enhancements

- *Observed*: The sharing process in the help doc shows users are instructed to “Make your Group Public”, implying groups default to open. The UI offers a generic *Chat* tab (likely for group chat), but no mention is made of group privacy settings or host verification.

- **Problem:** Users may be reluctant to pay strangers for a shared subscription without trust signals. Public groups risk scams or misuse. This trust gap could slow onboarding or drive users to informal solutions like asking friends via WhatsApp.
- **Ship Instead:** Implement private-group options and trust badges. Allow group hosts to keep a group *invite-only* (not public). Verify hosts via KYC or invite-link sharing. Display labels such as “Verified Host” or “High Trust” on group listings. In group chat, offer an “Invite a Friend” link and show if friends of the user have joined. Track conversion rates of public vs. private groups.
- **ICP:** All users, especially risk-averse ones (families, older professionals).
- **Priority:** High – critical for user confidence in money-sharing.
- **Effort:** Medium – modifying group settings and UI, plus simple verification.
- **Impact:** 6 – increases conversions on group joins, reduces support issues from scams.
- **Competitive Gap:** Expense-sharing apps (like Splitwise) allow private groups. Subspace should ensure similar privacy defaults. Adding social proof features (e.g. “3 of your contacts use Subspace” as in our mock flow) can further build trust.



Feature Recommendations - Impact vs Effort



Executive Summary (feedback 4)

We reviewed Subspace's web platform to diagnose two reported UX issues (intermittent "calling" feature failure and the "View All Public Groups" loading behavior) and to identify other UX shortcomings. We found that the calling feature likely suffers from inadequate network/error handling (e.g. missing retries or timeouts), and that the Public Groups page currently fetches all groups in one go, causing long load times. We recommend the following key actions: implement robust retry/fallback logic for calls and full stack monitoring; paginate or lazy-load the public groups list with backend limits; and clean up the UI (remove redundant prompts and loading placeholders). We also uncovered additional UX issues – for example, a persistent location-picker form and duplicated sign-up call-to-action – which should be streamlined. Below we detail reproduction steps, root-cause hypotheses, prioritized fixes (with effort/impact), QA tests and monitoring, other UX issues, timelines, and implementation notes. All observations are based on Subspace's official pages and logged UI text (no user screenshots were available, so analysis relies on site content and standard UX patterns).

1. Reproduction Steps

(a) Calling Feature Failure: The user reported that an in-app "call" action sometimes fails. A typical reproduction flow (app interface assumed) would be:

1. Login to Subspace (via phone/WhatsApp as shown on the site).
2. Navigate to the *Chat* section (bottom nav: "Chat") or a specific subscription group chat.
3. Tap the Call/Voice icon for a contact or support number.
4. Observe that the call interface briefly appears but then fails (e.g. hangs, disconnects, or shows an error).
5. If retried immediately or after some seconds, the call may succeed or fail again.

Note: The user mentioned having screenshots of the failure, but these were not provided for analysis. We assume a generic call workflow. The failure appears intermittent (only on some attempts).

(b) "View All Public Groups" Loading: On the website's Public Groups page (see the "# Public Groups" header), the entire list of available subscription-sharing groups is loaded at once. Reproduction:

1. Open Subspace Web (for example via Google Play/App Store or direct web).
2. Tap Explore → Public Groups (or simply visit the Public Groups page).
3. The page immediately shows all public groups (e.g. plans like “YouTube Premium Monthly Plan – ₹99, Total ₹297”, “Netflix Standard – ₹250, Total ₹499”, etc.), with no pagination or “Load More” button.
4. If the user scrolls or clicks a “View All” link (if any), the page continues to fetch all groups (and blocks until fully loaded).

Because we cannot see the actual group items in our static view, this is inferred from the site structure and user report. The key issue is that *all* groups appear at once rather than in pages.

2. Root-Cause Hypotheses

- Calling Feature: Likely causes include network instability or poor error handling. For example, the call service (third-party API or WebRTC server) may occasionally drop connections or fail to connect, and the app may not properly retry or fall back. A race condition or missing promise resolution could cut off the call. Insufficient client-side safeguards (no retry/backoff) or a backend timeout could manifest as an intermittent failure. Since the user’s environment (mobile network vs Wi-Fi) and implementation details are unknown, we hypothesize that without retry logic or robust connection checks, some calls simply fail. Another possibility is incorrect handling of call tokens/credentials (e.g. stale credentials cause a call to silently fail).
- Public Groups “View All”: The problem is straightforwardly due to lack of pagination or lazy loading. The site’s Public Groups endpoint appears to return the entire dataset in one response, and the frontend renders it all on one page. This inefficient query can lead to long response times or browser hangs if group count is large. A backend query without `LIMIT/OFFSET` means one big dataset; a missing lazy-load means the browser must render everything at once. We also suspect no client-side loading indicator or chunked fetch, so the UI only updates after full load.

Both issues stem from missing best practices: the call feature lacks retry/circuit logic, and the groups list lacks pagination/streaming.

3. Prioritized Fixes (with Effort/Impact)

- Fix Calling Reliability: *Add robust retry/circuit-breaker logic*. On call initiation failure, automatically retry the call (with exponential backoff) and alert the user only if repeated attempts fail. Ensure each call request is idempotent. Effort: Medium (M), Impact: 9/10 (P0). This directly addresses the reported failure.
- Public Groups Pagination: *Implement backend paging and front-end lazy loading*. Restrict the public-groups API to return, e.g., 20–50 items per page, and let the UI fetch “load more” on scroll or button. Effort: Medium (M), Impact: 8/10 (P0). This drastically reduces initial load time and memory use.
- Eliminate Redundant Location Prompt: The “Select Location” form appears by default on every page, even when irrelevant. This overlay should appear only when needed (e.g., on first visit or profile). Effort: Small (S), Impact: 4/10 (P1). Reduces confusion.
- Populate “Loading Deals” Placeholder: The homepage shows “Loading amazing deals...” with empty placeholders. We should pre-fill this with real deals or a clear CTA (“Sign up to see deals”). Effort: Medium (M), Impact: 5/10 (P1). Increases first-time conversion.

We rank call reliability and pagination as P0 fixes (urgent), since they directly affect core functionality and performance. UI clean-ups (CTA, location prompt, placeholders) are P1.

4. QA Tests and Monitoring

- Metrics: Track *Call Success Rate* (ratio of initiated to connected calls) and *Call Duration*. Track *Page Load Time* for the Public Groups page and *API latency* for groups. Monitor for spikes in dropped-call errors and slow database queries.
- Logs: On call failure, log the error code, timestamp, user ID, and network condition. For groups loading, log request sizes and any timeouts or memory errors.
- Synthetic Tests: Automate a scheduled test that attempts a call (perhaps via a test account) and records success/failure over time. Similarly, simulate loading the Public Groups page (with many groups) and measure load time and correctness of pagination.

- Alerts: Set alerts if call fail rate exceeds a threshold (e.g. >5% failures per hour) or if Public Groups load time exceeds e.g. 2s. Use metrics from real user monitoring to catch issues early.

Implementing automated end-to-end tests (e.g. with a headless device or emulated calls) will help detect regressions in the calling workflow. Logging correlation IDs for each call can also aid debugging.

5. Additional UX Issues on Subspace.money

Aside from the two reported bugs, we observed several UX/clarity problems on the site:

- Persistent Location/Address Prompt: Every page (Home, Explore, Public Groups, etc.) begins with a “Select Location” overlay (flat/house no., area, etc.). This suggests an unrelated delivery interface and distracts from subscriptions. Users browsing deals or groups shouldn’t have to enter an address first. *Impact:* High confusion; users may think this is a food/commerce site. *Fix:* Show location prompt only when truly needed (e.g. before adding a physical service), or move it to a profile setting step.
- Empty “Loading” State on Homepage: The logged-out homepage shows “Loading amazing deals...” with empty placeholder grids. New visitors see no actual content or explanation of the product. This “spinner” message provides no value. *Impact:* Moderate, as users get no immediate incentive. *Fix:* Replace placeholders with sample deals or marketing blurb (“Sign up to manage and share your subscriptions”) so the page isn’t blank for seconds. Preload a few featured subscription deals.
- Footer Redundancy: The footer contains “Your subscription management platform – Continue with WhatsApp or Phone” again, which overlaps with the main CTA. The actual legal/company footer also repeats the tagline. Consolidating these would declutter.
- Non-descriptive Footer Links: The bottom nav (“Home / Explore / Wallet / Chat / Account”) has no active indicator or tooltip. For example, on Public Groups the “Explore” tab might be active but it’s not highlighted in the text capture. Ensure active tab highlighting or breadcrumb.

These issues (evidenced by the page text) reduce the polish of the site. Addressing them will improve user understanding and reduce confusion.

6. Remediation Timeline & Calling Flow




Figure: The above flowchart illustrates the call process. On failure (branch D→E), we propose adding an auto-retry path (H) so the system attempts the call again before requiring user action.

7. Fixes Summary Table

Issue	Root Cause Hypothesis	Fix	Effort	Impact	Owner
Calling feature fails	Network/API timeout or missing retry logic	Add retry/backoff logic;	M	9	Backend Team

		handle call errors			
View All Groups loads slowly	No pagination (fetches all items)	Implement paginated API + lazy-load on UI	M	8	Backend/Frontend
Persistent location prompt	Unrelated mandatory delivery form	Show location prompt only when needed (or profile)	S	4	Frontend Team
Empty deals placeholder	No initial content fetched	Preload sample deals or clear messaging	M	5	Frontend Team

In the above, *Effort* is Small/Medium/Large; *Impact* is scored 1–10 (10 = highest user impact). “Owner” denotes which team or role should address the fix.

8. Fix Priority (P0/P1/P2)

- P0 (Critical): Calling reliability fix and Groups pagination fix – these directly affect core functionality and should be deployed first.
- P1 (High): Cleanup UI issues (duplicate CTA, location prompt, homepage content) – these improve usability but are not fatal.
- P2 (Low): Any minor enhancements or aesthetic tweaks not listed above (e.g. footer link labels) can follow.

9. Frontend/Backend Implementation Notes

- **Pagination (Backend):** Use *keyset pagination* or limit-offset for the public-groups query (e.g. SQL `LIMIT 50 OFFSET N`). Keyset is more efficient for large sets. Ensure the API returns a “next page” cursor or page number. The frontend should fetch page-by-page (e.g. load 20–50 groups at a time).
- **Infinite Scroll / Load More (Frontend):** Implement an “infinite scroll” or “Load More” button on the Public Groups page. Use a React/Vue watcher or IntersectionObserver to trigger loading the next page when the user scrolls near the bottom. This avoids loading everything at once.
- **Debounce Inputs:** If any search or filter exists on subscription lists, debounce the user input (e.g. 300ms) to reduce rapid-fire API calls. While not directly implicated, this pattern is useful for any text input.
- **Retry / Circuit Breaker:** For the calling feature, wrap the call API in a retry mechanism. For example, on failure schedule a re-attempt after 1–2 seconds (exponential backoff). Keep it idempotent by tracking call IDs so a retry doesn’t double-charge or double-connect. If repeated failures occur, implement a *circuit breaker* (stop trying for a short period) and inform the user.
- **Idempotency:** Ensure critical operations (like confirming a call or joining a group) are idempotent. E.g., if a call request is sent twice due to a retry, the backend should handle it gracefully (don’t start two calls or bill twice).
- **Graceful Degradation:** If the call service is unreachable (after retries), show a user-friendly error (“Unable to connect call, please try again later”). For public groups, if a page request fails, show “Failed to load groups. Retry?” rather than a blank page.
- **Monitoring/Logging:** Add instrumentation at key points: increment counters on call attempts, track response times on group-list API. Use these logs for alerts as noted above.

10. Screenshots or Snippets



Vidhya



No all are fixed rate in this platform 😞

4:12 pm

okk

4:12 pm

just one feedback check, when i call you are you able to pick up or hang up the call?

4:13 pm



Vidhya

Yeahh

4:13 pm

ok, cause from my side i was unable to hang up the call after dialing, i have to refresh the page.

4:14 pm



Executive Summary (Feedback 5)

Subspace's public website emphasizes general subscription management ("financial management ... accessible for everyone") but lacks any explicit campus or student program. Only a few student-oriented blog posts appear (e.g. *"Best Apps that Give Student Discounts"* and *"5 apps that give free subscription to students"*), suggesting untapped opportunity. We propose launching a Campus Subscription Ambassador Program to leverage student networks at colleges and universities. Ambassadors (student representatives) would promote Subspace on campus in exchange for rewards (free subscriptions, commissions, campus perks). A phased pilot→scale rollout (pilot at a few colleges, then expansion) with clear KPIs (ambassador recruitment, referral sign-ups, conversion, retention) can measurably grow user acquisition while reducing CAC. We estimate referral-driven sign-ups could cut CAC by ~20–30% (assuming modest referral incentives and viral effects). Risks (misrepresentation, low engagement, fraud) can be mitigated via training, clear guidelines, and tracking. Recommended collateral includes ambassador guides, slide decks, and tracked referral links. The prioritized partnership channels (tech clubs, E-cells, student bodies, etc.) are summarized in the table below. A sample one-page Ambassador Brief is provided at the end.

1. Current Student-Focused Messaging/Assets

A review of subspace.money shows no dedicated student landing page or deal funnel. The main platform emphasizes general subscription sharing (e.g. *"Your subscription management platform"*). The only student-centric content is two blog articles: *"Best Apps that Give Student Discounts"* (Apr 2023) and *"5 apps that give free subscription to students"* (Feb 2025). These posts list third-party services (Coursera, Autodesk, etc.) but are not integrated into the product UI. Subspace's mission is stated broadly ("make managing your finances simple...and accessible for everyone"), without mention of student segments. In short, the site offers minimal campus-targeted messaging; there is no apparent student pricing or in-app references to college life.

2. Existing Partnership Mentions on Site

The site's "Partnerships" blog content focuses on enterprise/b2b topics (e.g. ONDC integration, subscription billing software). We found no mention of campus or student collaborations. One general statement notes *"Subspace partners with the best and most trustworthy companies..."*, but this refers to service providers, not

marketing partners. The “About Us” page highlights that Subspace is built by tech-savvy founders (with IIT alumni) and funded by programs like InterIIT and Nirmaan, but these are recognitions, not active partnerships. Conclusion: Subspace’s site contains no content on campus partnerships or ambassador programs; the area is unspecified and open for proposal.

3. Campus Partnership Opportunities

Channels and Partners: College campuses and student organizations offer natural reach to young users. Potential targets include: universities (administrations and clubs), engineering coding clubs (e.g. Google Developer Student Clubs), entrepreneurship cells (E-Cells, startup communities), computer science hostels/dormitories, student unions or bodies, and tech fest events. For example, sponsoring a campus hackathon or giving a Subspace workshop at a tech fest can raise awareness. The founding team’s IIT Madras background and “partnership expertise” suggest access to premier college networks (IIT alumni clubs, campus incubation centers). Other opportunities include *affinity partnerships* (e.g. tie-ups with local hostel messes or student co-ops to offer Subspace sign-ups during inductions) and *academic partnerships* (offering student pricing via campus mailers).

Partnership Type	Potential Reach	Engagement Effort	Priority	Rationale
Tech Clubs (GDSC, IEEE, ACM)	High (targeted tech-savvy students)	Medium (liaise with club leads)	P1	Active in tech events; motivated members.
Entrepreneurship Cells (E-Cells)	Medium (aspiring student entrepreneurs)	Medium	P2	Interest in startups; easy for pitches.
Campus Ambassadors / Student Unions	High (broad peer network)	High (official approvals needed)	P2	Wide visibility, but bureaucratic setup.

Hostel/Dorm Committees	Medium (students in residence)	High	P3	Dense student clusters; may require approvals.
Campus Events/Fests	Variable (event attendance)	Low (booth participation)	P4	Good for mass sign-ups, but episodic.
Alumni & Incubators	Low/Medium (recent grads, startups)	Low	P3	Can endorse to current students.

Table: Prioritized campus partnership channels (P1 = highest priority).

4. Campus Ambassador Program Proposal

We propose a structured Campus Subscription Ambassador Program: recruited student ambassadors will promote Subspace on campus and earn rewards for driving new users. Key elements include:

- **Roles & Responsibilities:** Ambassadors act as the Subspace point-persons. Tasks: host info booths or webinars, share and explain deals to peers, distribute referral links/codes, facilitate group subscriptions among classmates, gather feedback on students' subscription habits, and report weekly to the program manager. They should embody the Subspace brand and abide by code-of-conduct (no spamming, factual messaging).
- **Incentives:** To motivate ambassadors, offer a mix of financial and experiential rewards. For example:
 - **Referral Bonuses:** Ambassadors receive ₹X (or Subspace credits) per verified new signup (or per subscription join) through their unique link.
 - **Performance Tiers:** Top referrers each semester get bigger prizes (e.g. free subscription for one year, tech gadgets, or cash stipends).
 - **Exclusive Perks:** Ambassador-only benefits (early access to new features, swag, LinkedIn recommendation letters, certification).
 - **Commission Model:** For high-volume targets, a share-of-revenue could be given (e.g. 5–10% of the subscription fee from referred students). These

incentives should be balanced with budget constraints; initial pilots can use gift cards or Subspace credits to manage costs.

- Onboarding & Training: Develop an Ambassador Onboarding Kit (digital): a slide deck or wiki covering Subspace's value proposition, app demo, referral tracking, and guidelines. Conduct an initial training webinar (via Zoom/Discord). Require ambassadors to sign a participation agreement outlining responsibilities, incentives, and confidentiality. Assign each ambassador a mentor from the growth team for support.
- Collateral & Materials: Provide ambassadors with branded materials: templated social media posts, posters/flyers (digital PDFs), FAQ sheets, and referral tracking links. Create a centralized portal (e.g. Google Drive or small web dashboard) with all assets and tracking spreadsheets. Optionally, supply physical swag (t-shirts, stickers) to create visibility. For transparency, each ambassador's unique referral code should be embedded in URLs or tracked via UTM parameters for proper attribution.
- Legal/Finance Considerations: Ensure incentives comply with university policies (some colleges have rules on paying students). Using non-cash perks (gift cards, commissions) may simplify tax/compliance issues. Draft a simple agreement limiting liabilities (e.g. ambassadors can't commit Subspace beyond approved terms). Set financial limits per ambassador and incorporate fraud checks (see Risks). Payment processes should be clear (monthly payouts via bank or vouchers). Maintain records for audit and budgeting.

5. Phased Rollout Plan

Phase 1 – Pilot (Months 0–3): Select 2–3 target campuses (e.g. local engineering colleges or ones with founder connections). Recruit 5–10 ambassadors through personal referrals and on-campus postings. Train them and launch the program in one semester. KPIs: Recruit X ambassadors, achieve Y referral sign-ups, measure conversion (e.g. % of referred students who join a paid subscription). Collect feedback from ambassadors and users. Adjust the incentive structure and messaging based on pilot learnings.

Phase 2 – Iterate (Months 4–6): Analyze pilot data (referrals per ambassador, CAC in campus channel, engagement). Refine rewards (maybe raise bonuses or add gamification), improve onboarding materials. Begin outreach to 5–10 additional colleges in the region.

Phase 3 – Scale (Months 7+): Roll out to 20+ campuses. Expand ambassador base (e.g. 3–5 per college). Develop a community (e.g. ambassador Slack group) for knowledge-sharing. Continually track KPIs.

KPIs & Timeline: The timeline below illustrates key activities and milestones.




Figure: Gantt timeline for pilot → scale rollout (illustrative dates).

Tracking: Implement a dashboard tracking ambassador KPIs (recruit count, referral link clicks, new users, conversion rate). Use UTM parameters on signup URLs to attribute sources. After Phase 2, measure 30-day retention of campus cohorts vs baseline to assess quality.

6. CAC Reduction & Referral Uplift (Assumptions)

Without campus channels, assume current Customer Acquisition Cost (CAC) is high (e.g. ₹600–800 per user) via digital ads. With ambassadors, peers are more trust-worthy, so we assume a 20–30% CAC reduction. For example, if ambassador incentives cost ₹150 per new user (substantially lower than paid ads), net CAC falls. We also assume each ambassador brings ~10–20 sign-ups per semester. For instance, 10 ambassadors could yield ~150 new users/semester, potentially doubling our monthly sign-ups from that campus. This viral lift depends on network effects: if each referred student further makes referrals (motivated by ambassador encouragement), overall growth could compound. For planning, we conservatively estimate +50% referral-driven sign-ups over current organic student sign-ups. (All figures assume a baseline subscription price of ~₹150–₹200 and are placeholders – actual CAC should be taken from analytics.) We will *state all assumptions* explicitly in the campaign plan and adjust after measuring real data.

7. Risks & Mitigations

- Low Engagement: Ambassadors may lose motivation. *Mitigation:* Select ambassadors with proven campus leadership; monitor progress and nudge under-performers; celebrate successes publicly; refresh incentives.
- Miscommunication/Brand Risk: Ambassadors might oversell or mislead peers (e.g. promise unrealistic discounts). *Mitigation:* Provide clear guidelines; require pre-approved promo language; supervise social media mentions.
- Fraudulent Sign-ups: Risk of fake accounts to earn rewards. *Mitigation:* Limit rewards to verified students (e.g. require institutional email), cap referrals per ambassador, and do random audits.
- Compliance Issues: Some campuses restrict outside marketing or student work. *Mitigation:* Coordinate with college administration (via student clubs or faculty advisors) to align program with campus rules; use credit/rewards rather than direct cash in sensitive cases.
- Technical Load: A sudden surge (many students joining one group) could strain the system. *Mitigation:* Stagger rollouts; ensure backend can handle group creation and payments; set group size caps.
- Ambassador Turnover: Student ambassadors graduate or quit mid-semester. *Mitigation:* Recruit juniors/seniors for continuity; always have an alternate; conduct waves of recruitment each semester.
- Legal/Financial: Ensuring payments to students is handled correctly. *Mitigation:* Work with finance to classify rewards properly; keep records.

8. Recommended Collateral & Tracking

Prepare a Campaign Kit: Ambassador handbook (PDF), presentation slides on Subspace features, printed posters/flyers, social media graphics. Provide a short video demo of the app. Also create an FAQ sheet answering common student questions (e.g. “How does splitting a Netflix account work?”). For tracking, use unique referral URLs or codes for each ambassador (via a simple spreadsheet or tracking tool). On the website, detect these UTM tags to attribute sign-ups. Instrument analytics (Google Analytics or equivalent) to segment traffic and sign-ups by campaign source. Set up weekly reporting: number of clicks on ambassador links, new registrations, and group joins from campus referrals. Keep legal disclaimers in collateral (e.g. “Offer valid only for students, while group slots last.”).

9. Prioritized Partnership Table

Channel / Partner	Priority	Rationale
-------------------	----------	-----------

Tech & Coding Clubs	High (P1)	Direct access to engaged, tech-savvy students.
E-Cell / Startup Clubs	High (P1)	Audience interested in savings and entrepreneurship incentives.
University IT Clubs	Medium (P2)	Large membership; good for events and workshops.
Hostel Committees	Medium (P2)	Concentrated student groups; ideal for word-of-mouth.
College Admin/Placement	Low (P3)	Institutional buy-in possible but slow processes.
Campus Events/Fests	Low (P3)	One-time high visibility; can drive spikes in sign-ups.

Table: Partner types ranked by priority for campus outreach.