## **Overview**

	Passed	Failed	Known	Undefined	Total	%Passed
Features	6	8	0	0	14	43%
Scenarios	60	24	0	0	84	71%
Steps	380	24	0	92	496	77%

Overall Duration: 0h 54m 32s

## **Table of Contents**

- 1. Verify login functionality on One pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify the Invalid Email id in login screen using "Continue with Email"
  - 4. Verify the User not registerd email in login screen using "Continue with Email"
  - 5. User should be able to retrieve the reset password using forget password link
  - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
  - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify share with friends functionality in OnePulse app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to share the link with Whatsapp
  - 4. Verify User should be able to share the link with Contacts app
  - 5. Verify User should be able to share the link with Messenger app
  - 6. Verify User should be able to share the link with Viber app
  - 7. Verify User should be able to share the link with Line app
- 3. Verify MySettings functionality in Account screen
  - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 2. Verify the My Feedback screen in Account tab
  - 3. Verify the submit functionality in My feedback screen
  - 4. Verify the Pulse Personalised tab
  - 5. Verify my setting screen in Account tab
- 4. Verify Exercise Buddy functionality via Fitness tab on Pulse Health & Wealth app
  - 1. Launch the app and select the country as per specified lbu
  - 2. Verify the user can access Exercise Buddy via Fitness
  - 3. Verify the Take Challenge via Squats
  - 4. Verify the Start via Squats
  - 5. Verify the Preview via Squats
- 5. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
  - 1. Launch the app and select the country as per specified lbu
  - 2. Verify the user can access My Wearables via Fitness
- 6. Verify Food Journal functionality on one pulse App
  - 1. Verify User should be able to login using email account
  - 2. Verify User should be able to navigate to Food page
  - 3. Verify User should be able to see the list of food schedule time
  - 4. Verify User should be able to time of the meal, add to cart and scan
  - 5. Verify User should be able to see the details after moving to "Breakfast"
  - 6. Verify User should be able to see the details after moving to "Lunch"

- 7. Verify User should be able to see the details after moving to "Dinner"
- 8. Verify User should be able to see log after add food is done
- 7. Verify that user can locate near by Hospitals, clinics using Location feature
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to locate Hospitals using PruShoppe location
  - 3. User can see details of listed hospitals in detail
  - 4. User can see the details in speciality tab
  - 5. User can see the details in doctor's tab
  - 6. User can see the details in rooms tab
  - 7. User can navigate out of the hospital details screen
  - 8. User should be able to locate cli using PruShoppe location
  - 9. User can verify the clinic page
  - 10. User can view listed clinic details
  - 11. User can view listed clinic info
  - 12. User can view listed clinic info details
  - 13. <u>User can navigate back to clinics screen</u>
- 8. Verify MY Event channel functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. Verify MyEvent Functionality in Home screen
  - 3. Verify Events Archive tab
  - 4. Verify Open Events tab
- 9. Verify My Health Content functionality on One Pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. Verify User should be able to navigate to Health page
  - 3. Verify User should be able to view the full page article post
  - 4. Verify User should be able to see the Like, Share, Comment options on full page article post
  - 5. Verify User should be able to Like the post in full article view screen
  - 6. Verify User should be able to Share the post in full article view screen
  - 7. Verify User can navigate to Health homepage
- 10. Verify My Challenges on One Pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. Verify My Challenges texts
  - 3. Verify the user can Connect Wearables via My Challenges
  - 4. Click on All challenges and and verify texts
- 11. Verify My Communities on One Pluse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
  - 3. Leave the community if already joined
  - 4. Verify the All Communities Post screen
  - 5. Verify the Likes and comments counts in All communities tab
  - 6. Verify the Share with Friends Functionality in All communities tab
  - 7. Verify the Post Functionality in All communities
  - 8. Verify the Category list and search feature
  - 9. User navigates back to the community screen
  - 10. Leave the community if already joined
- 12. Verify Private My Communities on One Pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. Verify the My communities screen
  - 3. Verify the Private Communities in communities screen

- 13. Verify legal and legacy on One Pluse App
  - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 2. Verify the Terms and condition should be displayed
  - 3. Verify the Privacy screen should be displayed
  - 4. Verify the Regulator screen should be displayed
- 14. Verify Edit Profile functionality on Pulse Health & Wealth app
  - 1. Verify User should be able to navigate to Edit profile screen and should be able to change the profile on app
  - 2. Verify user can able to change the details in edit profile screen
  - 3. Verify the email and COR fields are non-editable in edit profile screen
  - 4. Verify User should be able to see the registration required pop up if user not completed MyDoc Registration
  - 5. Verify User should not be able to edit Gender and DOB fields on myDoc registration page once the user submitted their gender and DOB in edit profile

## **Detailed Results Report**

ssed: 2	Failed: 5	<b>Undefined:</b>	0	Duration: 428.33s	
Scenario: Launch	the app and s	select the count	ry as per specified	l lbu	
Passed: 8	Failed	1: 0	Undefined: 0		<b>Duration: 70.1s</b>
Before					0.12s
Given User has	pulse app				9.97s
		id}'' to variable	"PULSE_EMAI	L''	0.00s
	<u> </u>		AIL" with Email		17.75s
			egistration page		23.02s
Then I wait for			1 3		2.01s
Then I change	the language	as required on	registration page		10.79s
And I click the			<u> </u>		4.95s
		e options on tog	ggle bar as per spo	ecified lbu on login	1.49s
After					0.00s
Back to Table of Cont	tents				
Scenario: login to	the app with	correct credent	ials using "Conti	nue with Email"	
Passed: 6	Failed		Undefined: 0		Duration: 43.45
Before					0.00s
Given I select t	he language o	ption on toggle	bar as required o	on login page	2.22s
When user ento		1 00	•	0 1 0	9.88s
	{PULSE_EM {login.passwo				'
And User click	s on signin bu	tton			0.20s
And User clicks on signin button  And I wait for 5 sec					5.01s
Allu I walt 10r	NTD 1	o opp for usor	email "\${PULSE	EMAIL}"	11.24s
And I wait for And I enter OT	<b>P</b> in one puls	e app for user c	4 (		
And I enter OT	<u>-</u>	to "Home" scre			14.91s

ssed: 3	Failed: 1	Undefined: 11	Duration: 3
fore			0.00s
Given User has	s pulse app		10.39s
Then I wait for			2.01s
And user click	on "CONTINUE WITH	I EMAIL" with Email button	14.35s
	the country as required		6.01s
processing the Original errors Build info: ver System info: he os.version: '10. Driver info: io. Capabilities {a uat, autoDismidesired: {appA autoDismissAlmewCommand deviceManufactere Command platformName viewportRect: false} Session ID: 189 *** Element in at java.base/jd (NativeConstruat java.base/jd (NativeConstruat java.base/jd (DelegatingConat java.base/jd (DelegatingConat java.base/jarat org.openqa.s (W3CHttpRes) at org.openqa.s (W3CHttpRes)	command. Original errors cocket hang up sion: '3.12.0', revision: '7.0st: 'TM003LSIN', ip: '1.0', java.version: '11.0.2' appium.java_client.and ppActivity: com.prudent ssAlerts: true, automation ssAlerts: true, automation ssAlerts: true, automation activity: com.prudential. erts: true, automation no secturer: Google, device density: 440, device Screen led: true, location Context Timeout: 10000, no Resecture: Google, device density: 440, device Screen led: true, location Context necessity: 440, device Screen led: true, location Context (height: 2015, left: 0, top 10.096071-fd13-440a-97af-11.0fo: {Using=xpath, value led: k.internal.reflect.Native led: k.internal.reflect.Native led: k.internal.reflect.Native led: k.internal.reflect.Delegan led: http. W. ponse Codec.java: 187) selenium.remote.http. W. ponse Codec.java: 122) selenium.remote.http. W. ponse Codec.java: 124) selenium.remote.http. W. ponse Codec.java: 125 selenium.remote.http. W. ponse Codec.java: 121 selenium.remote.http. W. ponse Codec.java: 122) selenium.remote.http. W. ponse Codec.java: 1231 selenium.remote. Http Compand Executor.java: 231) selenium.remote. Remote Remote. Remote Remote Remote. Remote Remo	roid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, datab pulse.MainAc, appPackage: o ame: UiAutomator2, deviceNart: true, platformName: android odel: Pixel 5, deviceName: 0C2 nSize: 1080x2340, deviceUDID extEnabled: false, networkComet: true, pixelRatio: 2.75, platfor sion: 11, statBarHeight: 145, tap: 145, width: 1080}, warnings: 2ea99cd04ef =//android.widget.Spinner[1]} ConstructorAccessorImpl.new 662) tingConstructorAccessorImpl.new 662) tor.newInstance(Constructor.ja 3CHttpResponseCodec.createR 3CHttpResponseCodec.decode 3CHttpResponseCodec.decode ommandExecutor.execute(Http mCommandExecutor.execute	to the remote server.  1:04:26.12Z' 10ws 10', os.arch: 'amd  1ge: com.prudential.pu 1geseEnabled: false, 1geseEnab

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rei java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.at io.appium.java_client.android.AndroidDriver.findElementByXPath(Andra at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb at io.appium.java_client.DefaultGenericMobileDriver.findElement(Command.executeCommand.executeCommand(Command at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1015) at com.onepulse.app.screen.java:1015) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectThe	r.java:1) moteWebDriver.  r.java:1) roidDriver.java:1) Driver.java:309)  r.java:1) s.java:141) seCommand.java: 63) me
	<b>5</b>
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse	
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29)	eLoginTest.
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec	eLoginTest.
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link	eLoginTest.  0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec	0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsofeature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page	0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec	0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName t@gmai	0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsofeature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName t@gmai Password Pas\$1234	0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29)  Then I wait for 2 sec And I click the Sign in link  Then I wait for 2 sec And I select the language option on toggle bar as required on login page  When user enters credentials  UserName t@gmai Password Pas\$1234  And User clicks on signin button	0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName t@gmai Password Pas\$1234  And User clicks on signin button Then verify invalid email message "Email is required"	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsofeature:29)  Then I wait for 2 sec And I click the Sign in link  Then I wait for 2 sec And I select the language option on toggle bar as required on login page  When user enters credentials  UserName t@gmai Password Pas\$1234  And User clicks on signin button  Then verify invalid email message "Email is required"  Then User clicks on Forgot Password button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName t@gmai Password Pas\$1234  And User clicks on signin button Then verify invalid email message "Email is required" Then User clicks on Forgot Password button Then enter the email to request the new password	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName t@gmai Password Pas\$1234 And User clicks on signin button Then verify invalid email message "Email is required" Then User clicks on Forgot Password button Then enter the email to request the new password Email t@gmai	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsofeature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName t@gmai Password Pas\$1234  And User clicks on signin button Then verify invalid email message "Email is required" Then User clicks on Forgot Password button Then enter the email to request the new password Email t@gmai Then User clicks on Send button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse feature:29) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName t@gmai Password Pas\$1234  And User clicks on signin button Then verify invalid email message "Email is required" Then User clicks on Forgot Password button Then enter the email to request the new password  Email t@gmai Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}"	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps,java:306) at .Then I change the country as required on registration page(features/Pulsofeature:29)  Then I wait for 2 sec And I click the Sign in link  Then I wait for 2 sec And I select the language option on toggle bar as required on login page  When user enters credentials  UserName @gmai Password Pas\$12.34  And User clicks on signin button  Then verify invalid email message "Email is required"  Then User clicks on Forgot Password button  Then enter the email to request the new password  Email t@gmai  Then User clicks on Send button  Then verify invalid email message "\${email.invalid.text}"  After	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsofeature:29)  Then I wait for 2 sec  And I click the Sign in link  Then I wait for 2 sec  And I select the language option on toggle bar as required on login page  When user enters credentials  UserName t@gmai Password Pas\$1234  And User clicks on signin button  Then verify invalid email message "Email is required"  Then User clicks on Forgot Password button  Then enter the email to request the new password  Email t@gmai  Then User clicks on Send button  Then verify invalid email message "\${email.invalid.text}"  After  Back to Table of Contents	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign value to following variables	0.00s
USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com	
USER_PASSWORD Pas\$1234	
Given User has pulse app	7.99s
And user click on "CONTINUE WITH EMAIL" with Email button	16.30s
Then I change the country as required on registration page	23.28s
Then I wait for 2 sec	2.01s
And I click the Sign in link	13.11s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: d81a5c2a-483c-4d7e-8586-b719f7250258

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign In') or contains(@text,'Log Masuk')]}

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)	• 542)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriv at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGener	
java:42)	iciviobileDilvei.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
$at\ io. appium. java\_client. and roid. And roid Driver. execute (And roid Driver. java) at\ io. appium. java\_client. and roid. And roid Driver. java at\ io. appium. java\_client. and roid. And roid Driver. java at\ io. appium. java\_client. and roid. And roid Driver. at\ io. appium. java\_client. and roid. And roid Driver. at\ io. appium. java\_client. and roid. And roid Driver. at\ io. appium. java\_client. and roid. And roid Driver. at\ io. appium. at\ io. ap$	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	oDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rejava:419)	moteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive at io.appium.java_client.android.AndroidDriver.findElementByXPath(Andr	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive	ve iovo 1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Command	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	teCommand.java:
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19)	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1	(63)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse	(63)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse720)	.63) eLoginScreen.java:
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse	.63) eLoginScreen.java:
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In	.63) eLoginScreen.java:
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349)	.63) eLoginScreen.java:
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59)	.63) eLoginScreen.java: SignUp
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec	.63) eLoginScreen.java: SignUp  0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page	63) eLoginScreen.java: SignUp  0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials	63) eLoginScreen.java: SignUp  0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME}	63) eLoginScreen.java: SignUp  0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}	63) eLoginScreen.java: SignUp  0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And I scroll down	63) eLoginScreen.java: SignUp  0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And I scroll down  And User clicks on signin button	0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And I scroll down  And User clicks on signin button Then verify invalid email message ''\${invalid.credential.message}''	0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And User clicks on signin button Then verify invalid email message ''\${invalid.credential.message}'' Then User clicks on Forgot Password button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And I scroll down And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}" Then User clicks on Forgot Password button Then enter the email to request the new password	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And I scroll down And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}" Then User clicks on Forgot Password button Then enter the email to request the new password Email \${USER_NAME}	0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME}  Password \${USER_PASSWORD}  And I scroll down  And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}" Then User clicks on Forgot Password button Then enter the email to request the new password  Email \${USER_NAME}  Then User clicks on Send button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse 720) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In(LoginSteps.java:349) at .And I click the Sign in link(features/PulseLoginTest.feature:59) Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials  UserName \${USER_NAME} Password \${USER_PASSWORD}  And I scroll down And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}" Then User clicks on Forgot Password button Then enter the email to request the new password  Email \${USER_NAME} Then User clicks on Send button Then verify invalid email message "\${invalid.credential.message}"	0.00s

ssed: 1	Failed: 1	Undefined: 6	Duration: 12
efore			0.00s
And I assign "\${1	forgot.password.emai	il.id}" to variable "PULSE_EMAIL"	0.00s
	nail to request the ne		12.77s
Email \${PULS	SE EMAIL}	-	
//android.widget. at com.prudentia java:176) at com.prudentia at com.onepulse. java:225) at com.onepulse. (LoginSteps.java	EditText[contains(@il.tap.appium.Appium.Appium.Appium.appium.Appium.app.screens.PulseLogapp.stepdefinitions.misc1)	eption: Not able to find element on scree (text,'pulsesgqa')]] nCommands.findElementNoWait(AppiumCommands.cleartext(Appiu	mCommands ds.java:406) ilseLoginScre
Then User clicks	on Send button		0.00s
		LSE_EMAIL}'' using mailsac api and	0.00s
store into a varia	ble "EMAIL_OTP"		
Then I wait for 5			0.00s
Then I enter ''\${1	EMAIL_OTP}" reset	t code	0.00s
Then I wait for 5	sec		0.00s
พัฒนาสุขภาพและกา ภายของคุณ ให้ดียิ่ง ข่อ ข้อ ระบอกต ระบอกต รับสา ระบอกต รับสา ระบอกต Thailand Tha	รออกกำลัง งขึ้นวันนี้		
fter  ack to Table of Conter			0.00s
cenario: Verify Ac	count should be locke	ed after entering more than 7 times inco	Duration: 14

efore Given I gene		1 Undefined: 6	S
Given I gene			0.00s
"RANDOM		nber and assign to variable	0.00s
And I assign "PULSE_EN		OM_NUMBER}@mailsac.com'' to variable	0.00s
And User ha	s pulse app		9.22s
Then I wait	for 2 sec		2.00s
And user clic	k on "CONTINU	JE WITH EMAIL" with Email button	13.39s
Then I chang	ge the country as	required on registration page	23.77s
Then I wait f	for 5 sec		5.02s
	ate to pulse regis inue with email b	tration page and select the lang on toggle boutton	ar then 4.40s
Then I wait i	for 2 sec		2.00s
When user e	nters registration	details	7.08s
FirstNam	e testAutomation		
LastNam	e testAutomation		
Email	\${PULSE_EMA	AIL}	
Password	Pas\$1234		
And taps on	continue ''Sign_U	Jp" button	0.23s
		er clicking on signup button	4.74s
			20.05
Then I enter	OTP in one puls	e app for user email "\${PULSE_EMAIL}"	30.95s
Then I click org.openqa.s	skip button elenium.NoSuch	e app for user email "\${PULSE_EMAIL}"  ElementException: An element could not be eters.	41.93s
org.openqa.s using the giv For documen /no_such_ele Build info: v System info: os.version: '1 Driver info: Capabilities uat, autoDist desired: {app autoDismiss/ newComman deviceManuf	skip button selenium.NoSuchlen search parametation on this erroment.html ersion: '3.12.0', r host: 'TM003LS 10.0', java.version io.appium.java_c {appActivity: compissAlerts: true, pActivity: com.pr Alerts: true, auto adTimeout: 10006 facturer: Google,	ElementException: An element could not be eters. ror, please visit: http://seleniumhq.org/exceevision: '7c6e0b3', time: '2018-05-08T14:04IN', ip: '192.168.1.124', os.name: 'Windows	41.93s e located on the page ptions :26.12Z' 10', os.arch: 'amd64', com.prudential.pulse. Enabled: false, n.prudential.pulse.uat, Android-Test, deviceApiLevel: 30, EDD40043P,

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1116)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/PulseLoginTest.feature:108)
```

Pas\$123##\${inva	lid.credential.mess	sage}	
Pas\$123##\${inva	lid.credential.mess	sage}	
Pas\$123##\${acco	ount.locked.messag	ge}	
3:50	<b>⊕</b> ♥ ₫		
A Healthy You, at just \$59,00.  Pulse Fit Subscript  Limited Period Offer  Eat healthy every day with our recommended meal plans & recommended mealthy eating goals  Meet your own Al Fitness Bud  Exclusive access to fitness vice fitness experts  Join fitness enthusiasts like ye Running & Rike Riding commended	r AJ ecipes ck of your ight into your with our Idy deos from our		
After			0.00s
Back to Table of Contents			10000
Scenario: Verify the Lo	ogin Functionality	using "Continue with Facebook"	
Passed: 6	Failed: 1	Undefined: 6	Duration: 61.81s
Before			0.00s
Given User has puls	se app		9.80s
Then I wait for 2 sec			2.01s
And user click on "	CONTINUE WITH	H EMAIL" with Email button	13.79s
Then I wait for 2 sec			2.01s
Then I change the c		1	21.99s
	ountry as required	i on registration page	21.776
Then I wait for 2 sec	<del>_</del>	on registration page	1.99s
Then I wait for 2 sec	c	oage and select the lang on toggle bar	1.99s

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6af847d7-4180-43d1-96ee-bb765aeeba1f
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

19) at com.onepulse.app at com.onepulse.app (PulseRegistrationSo at com.onepulse.app navigateToRegPage	stepdefinitions.mobilesteps.RegistrationSteps. AndSelectTheLangUsingToggle(RegistrationSteps.java:429) o pulse registration page and select the lang on toggle bar(fe	va:141) mmand.java:
	ect with facebook button	0.00s
Then I wait for 2 sec		0.00s
And I click the "Em	ail" in Continue with Facebook	0.00s
Emailid \${email Password \${password }}		
Then I wait for 10 se		0.00s
Then user should be	landed to "Home" screen	0.00s
And I logout from or	nepulse app	0.00s
After		0.00s
Scenario: Launch the a	pp and select the country as per specified lbu	
	Failed: 0 Undefined: 0	<b>Duration: 68.21s</b>
Passed: 8		
Passed: 8 Before		0.00s
Before  Given User has pulse	e app	9.48s
Before Given User has pulse And I assign "\${logi	e app n.email.id}'' to variable ''PULSE_EMAIL''	9.48s 0.00s
Given User has pulse And I assign ''\${logical And user click on ''C	e app n.email.id}'' to variable ''PULSE_EMAIL'' CONTINUE WITH EMAIL'' with Email button	9.48s 0.00s 15.90s
Given User has pulse And I assign "\${logical And user click on "Control Then I change the control Them I change the control I change the change the control I change the control I change the control I change the chan	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	9.48s 0.00s 15.90s 23.22s
Given User has pulse And I assign "\${logical And user click on "Control Then I change the control Then I wait for 2 seconds."	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	9.48s 0.00s 15.90s 23.22s 2.03s
Given User has pulse And I assign "\${logical And user click on "Contact Then I change the contact Then I wait for 2 second Then I change the later than I change the later I change the	e app n.email.id}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s
Given User has pulse And I assign "\${logical And user click on "Contact Then I change the contact Then I wait for 2 second Then I change the language and I click the Sign	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page enguage as required on registration page in link	9.48s 0.00s 15.90s 23.22s 2.03s
Given User has pulse And I assign "\${logical And user click on "Contact Then I change the contact Then I wait for 2 second Then I change the language I want to be a second Then I wait for 2 second Then I change the language I want to be a second Then I wait for 2 second Then I change the language I want to be a second Then I wait for 2 second Then I wait for 3 second T	e app n.email.id}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s
Given User has pulse And I assign "\${logical And user click on "Can Then I change the continuous Then I wait for 2 second Then I change the land I click the Signate Then I verify below page  After	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page enguage as required on registration page in link	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s
Given User has pulse And I assign "\${logical And user click on "Content I change the content I change the language I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I click the Sign Then I verify below a page I and I and I click the Sign Then I verify below a page I and	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page enguage as required on registration page in link language options on toggle bar as per specified lbu on login	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s
Given User has pulse And I assign "\${logical And user click on "Content I change the content I wait for 2 sectors. Then I change the language After  Back to Table of Contents  Scenario: login to the approximation of the pulse of the language After.	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page inguage as required on registration page in link language options on toggle bar as per specified lbu on login  pp with correct credentials using "Continue with Email"	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s 0.00s
Given User has pulse And I assign "\${logical And user click on "Content I change the content I change the language and I click the Signage and I click the Signage and I change the language are I change the language and I click the Signage are I change the language are I change	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page enguage as required on registration page in link language options on toggle bar as per specified lbu on login	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s 0.00s
Given User has pulse And I assign "\${logical And user click on "Content I change the content I wait for 2 sectors. Then I change the language After  Back to Table of Contents  Scenario: login to the approximation of the pulse of the language After.	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page inguage as required on registration page in link language options on toggle bar as per specified lbu on login  pp with correct credentials using "Continue with Email"	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s 0.00s
Given User has pulse And I assign "\${logical And user click on "Content I change the content I change the land I click the Signal Then I verify below page  After  Back to Table of Contents  Scenario: login to the appassed: 6  Before  Given I select the land	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link language as required on toggle bar as per specified lbu on login  pp with correct credentials using "Continue with Email" Failed: 0 Undefined: 0  unguage option on toggle bar as required on login page	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s 0.00s Duration: 46.62s 0.00s
Given User has pulse And I assign "\${logic And user click on "C Then I change the co Then I wait for 2 sec Then I change the la And I click the Sign Then I verify below page  After  Back to Table of Contents  Scenario: login to the appassed: 6  Before	e app n.email.id}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link language as required on toggle bar as per specified lbu on login  pp with correct credentials using "Continue with Email" Failed: 0 Undefined: 0  unguage option on toggle bar as required on login page	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s 0.00s
Given User has pulse And I assign "\${logical And user click on "Content I change the content I change the land I click the Signal Then I verify below page  After  Back to Table of Contents  Scenario: login to the appassed: 6  Before  Given I select the land	e app  n.email.id}" to variable "PULSE_EMAIL"  CONTINUE WITH EMAIL" with Email button  ountry as required on registration page  in guage as required on registration page  in link  language options on toggle bar as per specified lbu on login  pp with correct credentials using "Continue with Email"  Failed: 0 Undefined: 0  Inguage option on toggle bar as required on login page  edentials  SE_EMAIL}	9.48s 0.00s 15.90s 23.22s 2.03s 11.13s 4.89s 1.57s 0.00s Duration: 46.62s 0.00s

And I enter OTP in	n one pulse app fo	or user ema	il "\${PULSE	_EMAIL}''	15.54s
And I wait for 5 sec	c				5.00s
Then user should b	e landed to "Ho	me'' screen			14.03s
After	After				
<b>Back to Table of Contents</b>					
Scenario: Verify User	should be able to	share the	link with Wh	atsapp	
Passed: 1	Failed: 0	I	Undefined: 0		Duration: 13.83s
Before					0.00s
Then I verify the sl	hare with friends	links			13.83s
After					0.00s
<b>Back to Table of Contents</b>					
Scenario: Verify User	should be able to	share the	link with Cor	ntacts app	
Passed: 1	Failed: 0	ı	Undefined: 0		Duration: 9.2s
Before		·			0.00s
Then I verify the co	ontacts share ico	n			9.20s
After					0.00s
<b>Back to Table of Contents</b>					100000
Scenario: Verify User	should be able to	share the	link with Me	ssenger ann	
Passed: 1	Failed: 0		Undefined: 0	ssenger upp	Duration: 6.49s
Before					0.00s
Then I verify the fl	n messenger shar	e icon			6.49s
After	J messenger shar	<u>c reon</u>			0.00s
Back to Table of Contents					0.003
Scenario: Verify User	should be able to	a chara tha l	link with Vib	or opp	
Passed: 1	Failed: 0		Undefined: 0	ст арр	Duration: 22.44s
Before	rancu. v		Ondermed. V		0.00s
	Ghan shansiaan				1
Then I verify the V	iber snare icon				22.44s
After					0.00s
Back to Table of Contents					
Scenario: Verify User				e app	D
Passed: 1 Before	Failed: 0		Undefined: 0		Duration: 22.17s 0.00s
Then I verify the L	ine share icon				22.17s
After					0.00s
<b>Back to Table of Contents</b>					
eature: Verify MySettin	ngs functionality	in Account	screen		
ssed: 5 Fail	ed: 0	ndefined: 0		Duration: 182.05s	
Scenario: User should Gmail''	be able to login	on app with	orrect cred	lentials using "Cont	inue with
Passed: 13	Failed: 0		Undefined: 0		Duration: 109.92
Before					0.00s

Given User has pulse app	p		9.30s		
Then I wait for 5 sec			5.00s		
And I assign "\${onepuls	e.login.global.idset	ting}'' to variable ''PULSE_EMAI	L'' 0.00s		
And user click on "CON	TINUE WITH EM	IAIL" with Email button	12.10s		
Then I change the count	ry as required on r	registration page	23.95s		
Then I wait for 4 sec					
Then I change the langu	Then I change the language as required on registration page				
And I click the Sign in li	4.85s				
When user enters creder	10.02s				
UserName \${PULSE_	EMAIL}				
Password \${login.my	/settings}				
And User clicks on signif	n button		0.90s		
Then I wait for 10 sec			10.00s		
And I enter OTP in one	pulse app for user	email ''\${PULSE_EMAIL}''	10.76s		
Then user should be land	ded home screen		9.02s		
After			0.00s		
Back to Table of Contents			<u> </u>		
Scenario: Verify the My Fe	edback screen in A	ccount tab			
Passed: 5	Failed: 0	Undefined: 0	Duration: 16.07s		
Before			0.00s		
Then I wait for 5 sec			5.01s		
And I click the Account	icon in Home scree	en	0.92s		
And I click the My Feed			3.73s		
And I click the Feedback			4.45s		
Then I verify following t			1.95s		
\${HealthArticles.text					
\${BMI.text}	,				
\${Wrinkle.text}					
\${Health.Assessment.	text}				
After			0.00s		
Back to Table of Contents			10000		
Scenario: Verify the submit	t functionality in M	ly feedback screen			
	Failed: 0	Undefined: 0	Duration: 17.7s		
Before	rancu. v	Undermed. V	0.00s		
And I click the Health A	ntiologican in A	ount covoon	3.97s		
And I enter the "Feedba		recupack Screen	8.82s		
mobileNumber 98678			4.04		
And I click the Submit io	con in Feedback Sc	ereen	4.91s		
After			0.00s		
Back to Table of Contents					
Scenario: Verify the Pulse I					
Passed: 6	Failed: 0	Undefined: 0	Duration: 31.56s		
Before			0.00s		

Then I wait for 3 sec			3.00s		
And I click the Pulse by	Personalised icons		4.83s		
Then I wait for 3 sec	3.01s				
And I click the save but	3.64s				
	And I click the Ok button in pulse personlised screen				
	And I click the Back icon in pulse personalised screen				
After			8.63s 0.00s		
Back to Table of Contents			0.005		
Scenario: Verify my settin	a coroon in Account to	ıb.			
Passed: 4	Failed: 0	Undefined: 0	Duration: 6.8s		
Before	raneu: v	Undermed: 0	0.00s		
			_		
And I click the Account			2.75s		
And I click on "\${icon.	mySettings}" link in A	account screen	0.33s		
Then I wait for 2 sec	11.444	1: Nr. C 44:	2.01s		
	ing list texts are displ	ayed in My Setting screen	1.71s		
Country					
Thailand					
Language					
English (UK)					
Change Password					
<b>Enable Face Auth</b>					
After			0.00s		
After Back to Table of Contents			0.00s		
Back to Table of Contents	dy functionality via F	itness tab on Pulse Health & Wea			
Back to Table of Contents	dy functionality via F Undefined: 0	itness tab on Pulse Health & Wea			
Back to Table of Contents  Feature: Verify Exercise Bud	Undefined: 0	Duration: 170.82s			
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3 Failed: 2  Scenario: Launch the app	Undefined: 0 and select the country	Duration: 170.82s  as per specified lbu			
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3 Failed: 2	Undefined: 0	Duration: 170.82s	alth app		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3 Failed: 2  Scenario: Launch the app	Undefined: 0 and select the country	Duration: 170.82s  as per specified lbu	alth app		
Back to Table of Contents  Geature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13	Undefined: 0 and select the country Failed: 0	Duration: 170.82s  as per specified lbu	Duration: 111.43		
Back to Table of Contents  Geature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before	Undefined: 0 and select the country Failed: 0	Duration: 170.82s 7 as per specified lbu Undefined: 0	Duration: 111.43 s 0.00s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Scenario: Launch the app Passed: 13  Before  Given User has pulse app	Undefined: 0 and select the country Failed: 0	Duration: 170.82s 7 as per specified lbu Undefined: 0	Duration: 111.43 s 0.00s 9.61s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.ee}  Then I wait for 2 sec	Undefined: 0 and select the country Failed: 0  pp mail.id}'' to variable '	Duration: 170.82s 7 as per specified lbu Undefined: 0	Duration: 111.43 s 0.00s 9.61s 0.00s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.ee}  Then I wait for 2 sec	Undefined: 0  and select the country  Failed: 0  pp  mail.id}'' to variable '  NTINUE WITH EMA	Duration: 170.82s  7 as per specified lbu  Undefined: 0  PULSE_EMAIL''  IL'' with Email button	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Scenario: Launch the app Passed: 13  Before  Given User has pulse ap And I assign "\${login.ep} Then I wait for 2 sec And user click on "CO	Undefined: 0  and select the country  Failed: 0  pp  mail.id}'' to variable '  NTINUE WITH EMA	Duration: 170.82s  7 as per specified lbu  Undefined: 0  PULSE_EMAIL''  IL'' with Email button	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.ee}  Then I wait for 2 sec  And user click on "COO  Then I change the coun	Undefined: 0  and select the country  Failed: 0  pp  mail.id}'' to variable '  NTINUE WITH EMA  try as required on reg	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s		
Passed: 3  Scenario: Launch the app Passed: 13  Before  Given User has pulse ap And I assign "\${login.ex Then I wait for 2 sec And user click on "COT Then I change the coun Then I wait for 2 sec	Tinue with EMA  try as required on reguage as required on reguards.	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.ex}  Then I wait for 2 sec  And user click on "COO  Then I change the coun  Then I wait for 2 sec  Then I change the langer	The select the country  Failed: 0  pp mail.id}'' to variable '  NTINUE WITH EMA  stry as required on regularity as required on regularity.	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s 11.36s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.ex}  Then I wait for 2 sec  And user click on "COO  Then I change the countent of t	The select the country and select the country Failed: 0  pp mail.id}'' to variable '  NTINUE WITH EMA  Atry as required on regulated as required on regulated the selection of t	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s 11.36s 4.86s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.ee}  Then I wait for 2 sec  And user click on "CONThen I change the countent I wait for 2 sec  Then I change the lange And I click the Sign in I when user enters crede  UserName \${PULSE}	Undefined: 0 and select the country Failed: 0  pp mail.id}" to variable '  NTINUE WITH EMA try as required on regulated as required on regulated to the country as required to the coun	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s 11.36s 4.86s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap  And I assign "\${login.e}  Then I wait for 2 sec  And user click on "COD  Then I change the countent of the lange of	Indefined: 0 and select the country Failed: 0  pp mail.id}" to variable '  NTINUE WITH EMA atry as required on regulated as required on regulated to the country  Link Entials  LEMAIL  assword  assword	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s 11.36s 4.86s 9.93s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app Passed: 13  Before  Given User has pulse ap And I assign "\${login.ex} Then I wait for 2 sec And user click on "COO Then I change the coun Then I wait for 2 sec Then I change the languand I click the Sign in I When user enters crede UserName \${PULSE Password \${login.pa} And User clicks on sign	Indefined: 0 and select the country Failed: 0  pp mail.id}" to variable '  NTINUE WITH EMA atry as required on regulated as required on regulated to the country  Link Entials  LEMAIL  assword  assword	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s 11.36s 4.86s 9.93s		
Back to Table of Contents  Feature: Verify Exercise Bud Passed: 3  Failed: 2  Scenario: Launch the app  Passed: 13  Before  Given User has pulse ap And I assign "\${login.ex} Then I wait for 2 sec And user click on "CONThen I change the countent I wait for 2 sec Then I change the lange And I click the Sign in Mand I wait for 2 sec  UserName \${PULSE Password \${login.ps} And User clicks on sign Then I wait for 10 sec	Undefined: 0 and select the country Failed: 0  pp mail.id}" to variable '  NTINUE WITH EMA atry as required on regulate as required on regulate the country  Link Entials  LEMAIL  assword  in button	Duration: 170.82s 7 as per specified lbu Undefined: 0  'PULSE_EMAIL'' IL'' with Email button gistration page	Duration: 111.43 s 0.00s 9.61s 0.00s 2.00s 13.46s 23.13s 2.01s 11.36s 4.86s 9.93s		


Exercise Buddy via Fitness Undefined: 0  ddy button on Fitness screen se Buddy screen intermediate}" button on Exercise Buddy	0.00s  Duration: 20.51s 0.00s  14.13s 5.50s 0.00s  0.88s
Undefined: 0  ddy button on Fitness screen se Buddy screen	0.00s 14.13s 5.50s 0.00s
Undefined: 0  ddy button on Fitness screen se Buddy screen	0.00s 14.13s 5.50s 0.00s
ddy button on Fitness screen se Buddy screen	0.00s 14.13s 5.50s 0.00s
se Buddy screen	14.13s 5.50s 0.00s
se Buddy screen	5.50s 0.00s
se Buddy screen	0.00s 0.88s
	0.88s
intermediate}" button on Exercise Buddy	
	0.00
	0.00s
via Squats	
Undefined: 0	Duration: 18.97s
	0.00s
nge button on ''\${beginner.squat}''	4.13s
se Buddy screen	0.00s
e}	
scription}	
Title}	
Partner}	
l adds ''Test Test'' as a partner	14.85s
	0.00s
3	
Undefined: 7	Duration: 11.77s
	0.00s
on "\${beginner.squat}"	11.77s
nentException: An element could not be locates.	s 2Z' os.arch: 'amd64', prudential.pulse.
Si	, ip: '192.168.1.124', os.name: 'Windows 10', o .1.0.2' at.android.AndroidDriver rudential.pulse.MainAc, appPackage: com.j omationName: UiAutomator2, databaseEnab

```
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 20205f5d-6c07-465d-9773-ad8e8c261fee
*** Element info: {Using=xpath, value=//android.widget.Button[@text="Allow"]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnStart(ExerciseBuddyScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickStart
```

/ExerciseBuddy.feature:49)	
When User clicks on Stop button on "Squats"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s
\${squat.results.title}	
\${squat.results.description}	
\${squat.score.stat}	
\${squat.score.stands}	
\${squat.score.precision}	
\${squat.startAgain}	0.00
When User clicks on Start Now button on "Squats Report"	0.00s
When User clicks on Stop button on "Squats"  Then User verifies tout on Everying Puddy server	0.00s
Then User verifies text on Exercise Buddy screen	0.00s
\${squat.results.title}	0.00
When User clicks on Done button on "Squats Report"	0.00s
Then User verifies text on Exercise Buddy screen  \${exeBuddy.title}	0.00s
Allow Pulse to take pictures and record video?	
Allow Pulse to take pictures	
Allow Pulse to take pictures and record video?  While using the app  Only this time	0.00s
Allow Pulse to take pictures and record video?  While using the app  Only this time  Derry	0.00s
Allow Pulse to take pictures and record video?  While using the app  Only this time  Deny  er  k to Table of Contents	0.00s  Duration: 8.1 0.00s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 20205f5d-6c07-465d-9773-ad8e8c261fee
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"]
/following::android.widget.TextView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnPreview(ExerciseBuddyScreen.java:81) at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickPreview (ExerciseBuddySteps.java:54) at .When User clicks on Preview button on ''\${beginner.squat}''(features/th/fitness			
/ExerciseBuddy.feature:68)			
Then User verifies text on Exercise Buddy screen	0.00s		
\${beginner.squat}			
\${squat.preview.titleDescription}			
\${squat.preview.about}			
\${squat.preview.description}	2.00		
When User clicks on Take Challenge on "Squats Preview"	0.00s		
Then User verifies text on Exercise Buddy screen	0.00s		
\${exeBuddy.title}			
And User clicks on Back button	0.00s		
When User clicks on Start Now button on "Squats Preview"	0.00s		
When User clicks on Stop button on "Squats"	0.00s		
Then User verifies text on Exercise Buddy screen	0.00s		
\${squat.results.title}			
When User clicks on Done button on "Squats Report"	0.00s		
When I scroll down	0.00s		
Then User verifies text on Exercise Buddy screen	0.00s		
\${squat.preview.workout}			
\${squat.preview.instructions}			
\${squat.preview.instruction1}			
\${squat.preview.instruction2}			
\${squat.preview.instruction3}			
\${squat.preview.instruction4}			
\${squat.preview.instruction5}			
\${squat.preview.instruction6}			
\${squat.preview.instruction7}			
\${squat.preview.instruction8}			
\${squat.preview.instruction9}			
\${squat.preview.instruction10			
\${squat.preview.warmup}			



Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
--

Sc	Scenario: Launch the app and select the country as per specified lbu					
Pa	ssed: 4	Failed: 1	Undefined: 8	Duration: 18.16s		
Before 0.00s				0.00s		
	Given User has pulse a	9.03s				
	And I assign "\${login.	0.00s				
	Then I wait for 2 sec	2.01s				
	And user click on "CO	7.03s				
	Then I change the cou	ntry as require	d on registration page	0.09s		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d71516ca-83e9-4858-8a84-9e1916889416
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
```

at . I nen i chan	teps.java:306) age the country as required on registration page(features/th/	/fitness/MyWea
feature:9)		
Then I wait for		0.00s
	the language as required on registration page	0.00s
And I click the		0.00s
When user ento		0.00s
	{PULSE_EMAIL}	
	{login.password}	
	s on signin button	0.00s
Then I wait for		0.00s
	TP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
	ıld be landed to ''Home'' screen	0.00s
er		0.00s
k to Table of Cont		
nario: Verify t	he user can access My Wearables via Fitness	
sed: 1	Failed: 1 Undefined: 2	Duration:
ore		0.00s
		0.04
Then I verify N \${fitness.my		0.04s 0.06s
Fhen I verify N \${fitness.my \${fitness.my}	Iy Wearables tile on Fitness screen	
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my  java.lang.Asserthe expected te the expected te the expected te that org.testng.as at com.onepuls (OptionsInFoodat.Then I verif	Ty Wearables tile on Fitness screen  Wearables} Wearables.description}	ed [true] but fo
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my  java.lang.Asserthe expected te the expected te [false] at org.testng.as at com.onepuls (OptionsInFood at .Then I verif 24)	Wearables tile on Fitness screen Wearables.description  TionError: The following asserts failed: ext is: My Wearables expected [true] but found [false], ext is: Track all your activities at the click of a button expect eserts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticText eterSteps.java:40) by My Wearables tile on Fitness screen(features/th/fitness/M	ed [true] but for atOnFitnessScre
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my  java.lang.Asserthe expected texthe expected	Wearables tile on Fitness screen Wearables. Wearables.description  TionError: The following asserts failed: xt is: My Wearables expected [true] but found [false], xt is: Track all your activities at the click of a button expect serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticTex terSteps.java:40)	ed [true] but fo
\$\fitness.my \$\fit	Wearables tile on Fitness screen Wearables.description  TionError: The following asserts failed: ext is: My Wearables expected [true] but found [false], ext is: Track all your activities at the click of a button expect eserts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticText eterSteps.java:40) ey My Wearables tile on Fitness screen(features/th/fitness/M en Connect Now button on Fitness screen collowing text are displayed under My Wearables screen	ed [true] but for the street of the street o
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my  java.lang.Assenthe expected te the expected te the expected te [false] at org.testng.as at com.onepuls (OptionsInFootat .Then I verify 24)  When I click of Then I verify for \$\{\text{wearables}\}	Wearables tile on Fitness screen Wearables.description  TionError: The following asserts failed: xt is: My Wearables expected [true] but found [false], xt is: Track all your activities at the click of a button expect serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticTex terSteps.java:40) by My Wearables tile on Fitness screen(features/th/fitness/My  Connect Now button on Fitness screen collowing text are displayed under My Wearables screen chittle}	ed [true] but for the street of the street o
\$\fitness.my \$\fit	My Wearables tile on Fitness screen Wearables Wearables.description  TionError: The following asserts failed: ext is: My Wearables expected [true] but found [false], ext is: Track all your activities at the click of a button expect eserts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticText eterSteps.java:40) ey My Wearables tile on Fitness screen(features/th/fitness/Meanables) en Connect Now button on Fitness screen collowing text are displayed under My Wearables screen  dittle} esubTitle}	ed [true] but for the street of the street o
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my  java.lang.Asserthe expected te the expected te the expected te [false] at org.testng.as at com.onepuls (OptionsInFoot at .Then I verify 24)  When I click of Then I verify fo \$\{\text{wearables}\} \{\text{wearables}\} \$\{\text{wearables}\} \$\{\text{wearables}\}	Wearables tile on Fitness screen  Wearables  Wearables.description  TionError: The following asserts failed:  ext is: My Wearables expected [true] but found [false],  ext is: Track all your activities at the click of a button expect  esserts.SoftAssert.assertAll(SoftAssert.java:43)  e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticText  eterSteps.java:40)  fy My Wearables tile on Fitness screen(features/th/fitness/M  a Connect Now button on Fitness screen  bllowing text are displayed under My Wearables screen  ctitle}  essertitles  esserti	ed [true] but for the street of the street o
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\java.lang.Assenthe expected tenthe expected te	Wearables tile on Fitness screen  Wearables.  Wearables.description}  TionError: The following asserts failed:  xt is: My Wearables expected [true] but found [false],  xt is: Track all your activities at the click of a button expect  serts.SoftAssert.assertAll(SoftAssert.java:43)  e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticText  terSteps.java:40)  by My Wearables tile on Fitness screen(features/th/fitness/M)  a Connect Now button on Fitness screen  bllowing text are displayed under My Wearables screen  atitle}  absorbitites  description}  diftbitText	ed [true] but for the street of the street o
\$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\fitness.my \$\java.lang.Assenthe expected tenthe expected te	Wearables tile on Fitness screen  Wearables.  Wearables.description}  TionError: The following asserts failed:  xt is: My Wearables expected [true] but found [false],  xt is: Track all your activities at the click of a button expect  serts.SoftAssert.assertAll(SoftAssert.java:43)  e.app.stepdefinitions.OptionsInFooterSteps.verifyStaticText  terSteps.java:40)  y My Wearables tile on Fitness screen(features/th/fitness/M  n Connect Now button on Fitness screen  bllowing text are displayed under My Wearables screen  clitle}  .subTitle}  .description}  .fitbitText}  .garminText}	ed [true] but for the street of the street o

ssed: 7 Fail	ed: 1 Und	efined: 0 Duration: 178.28s				
Scenario: Verify User	should be able to le	ogin using email account				
Passed: 9	Failed: 0	Undefined: 0	Duration: 81.92s			
Before			0.00s			
Given User has pul	se app		8.99s			
		.id}'' to variable "PULSE_EMAIL"	0.00s			
When I navigate to			7.61s			
Given I create com	nection for api serv	ice	0.00s			
When user enters of	credentials		10.16s			
UserName \${PU	LSE_EMAIL}					
Password \${log	Password \${login.password}					
And User clicks on	signin button		0.31s			
Then I wait for 10	sec		10.01s			
And I enter OTP in	one pulse app for	user email "\${PULSE_EMAIL}"	30.26s			
Then user should b	e landed to "Home	e'' screen	14.59s			
After			0.00s			
<b>Back to Table of Contents</b>						
Scenario: Verify User	should be able to r	navigate to Food page				
Passed: 5	Failed: 0	Undefined: 0	Duration: 17.62s			
Before			0.00s			
Given I navigate to	food screen from l	home page	2.45s			
Then I wait for 5 se		romo Posso	5.01s			
And I scroll down			4.56s			
Then I wait for 5 so	ec		5.02s			
And I navigate to n		m food	0.58s			
After	<del>y</del> <del>y</del>		0.00s			
Back to Table of Contents			100000			
Scenario: Verify User	should be able to s	ee the list of food schedule time				
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.23s			
Before			0.00s			
And I verify follow	ing ontions in food	iournal	3.23s			
	ournal.LogyourFoo		0.205			
	ournal.Consumed}					
, , , , , , , , , , , , , , , , , , ,	ournal.foodjournal	<u> </u>				
After	di nai.iooujoui nai	<u> </u>	0.00s			
			0.008			
Back to Table of Contents  Secondaries Verify Hear	abould be able to	ima of the most sald to sent and a				
·		ime of the meal, add to cart and scan	D. 250			
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.79s			
Before			0.00s			
And I verify follow		journal	2.79s			
\${food.myfoodjo						
\${food.myfoodjo	<u> </u>					
\${food.myfoodjo	ournal.breakfast}					


\${food.myfoodjo	urnal.lunch}		
\${food.myfoodjo	ournal.dinner}		
After			0.00s
Back to Table of Contents			
Scenario Outline: Veri	ify User should b	e able to see the details after mov	ing to "Breakfast"
Passed: 7	Failed: 0	Undefined: 0	Duration: 24.95
Before			0.00s
Then I wait for 5 se	c		5.01s
		n for breakfast index "1"	0.54s
Then I wait for 5 se		102 02 00 00 00 00 00 00 00 00 00 00 00 0	5.01s
And I verify follow		od journal	1.04s
\${food.myfoodjo			
\${food.myfoodjo			
\${food.myfoodjo	urnal.Breakfast.	save}	
Given User search	for the food "Sea	food Gumbo'' index	8.72s
And I validate the f	ood selected and	calories	0.17s
And I scroll down			4.47s
After			0.00s
Back to Table of Contents			
Scenario Outline: Ver	ify User should b	e able to see the details after mov	ing to "Lunch"
Passed: 7	Failed: 0	Undefined: 0	Duration: 24.28
Before			0.00s
Then I wait for 5 se	c		5.01s
When User clicks o	n add food butto	n for breakfast index "2"	0.40s
Then I wait for 5 se	c		5.00s
And I verify follow	ing options in foo	od journal	0.83s
\${food.myfoodjo			·
\${food.myfoodjo	urnal.Breakfast.	selectfood}	
\${food.myfoodjo	urnal.Breakfast.	save}	
Given User search	for the food "Bite	es'' index	8.52s
And I validate the f	ood selected and	calories	0.21s
And I scroll down			4.32s
After			0.00s
Back to Table of Contents			
Scenario Outline: Veri	ify User should b	e able to see the details after mov	ing to "Dinner"
Passed: 1	Failed: 1	Undefined: 5	Duration: 12.75
Before			0.00s
Then I wait for 5 se	c		5.01s
When User clicks o	n add food butto	n for breakfast index "3"	<b>7.74</b> s
using the given sear	ch parameters.	ntException: An element could no ease visit: http://seleniumhq.org/e	

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 33e3f54d-132d-496f-9599-e10c4b66cab5
*** Element info: {Using=xpath, value=(//android.widget.TextView[contains(@text,"Add
Food")])[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at com.prudentia at com.prudentia 19) at com.onepulse.a at com.onepulse.a at com.onepulse.a	MobileDriver.java_client.Appiuma_client.androidal.tap.selenium.Cl.tap.selenium.El.tap.screens.Testapp.screens.Foodapp.stepdefinition	va:58) Driver.findEl AndroidDriv Commands\$15 ExecuteComm tBasePage.clic dScreen.click' ons.mobilestep	ement(Appiu er.findEleme 5.executeCom and.executeC ekButton(Test ToAddFoodB os.FoodSteps.		ava:141) ommand.java: ) en.java:68) FoodSteps.java:
Then I wait for 5					0.00s
And I verify follo		food journal			0.00s
	ljournal.Breakfa		al}		
	ljournal.Breakfa				
\${food.myfood	ljournal.Breakfa	ast.save}			
Given User searc	h for the food ''	Cake'' index			0.00s
And I validate th	e food selected a	and calories			0.00s
And I scroll down	1				0.00s
After					0.00s
\${food.myfood \${food.myfood	e ''\${food.myfoo wing options in ljournal.logtime ljournal.logtime ljournal.logtime	food journal c.Log} c.save} c.cancel}			Duration: 10.74s 0.00s 3.78s 5.02s 0.46s 1.27s
Then click on the	cancel button in	n logtime in fo	ood		0.21s
After					0.00s
Back to Table of Conten	ts				
eature: Verify that us	er can locate nea	ar by Hospita	ls,clinics usin	g Location feature	
assed: 5	ailed: 8	Undefined: 0		Duration: 477.06s	
Scenario: Launch th	e app and select	t the country	as per specific	ed lbu	
Passed: 13	Failed: 0		Undefined: 0		Duration: 110.63
Before					0.00s
	ulso onn				9.34s
Given User has p And I assign "\${1		to variable ''I	PIILSE EMA	П."	0.00s
Then I wait for 2		to variable. I	CLSE_ENIA		2.01s
Then I wait for 2 sec					2.013

	"CONTINUE WITH EMAIL" with Email butto	on 13.55s
	e country as required on registration page	23.32s
Then I wait for 2		23.32s 2.01s
	e language as required on registration page	11.01s
And I click the Si		4.95s
When user enters		10.01s
	ULSE_EMAIL}	10.015
Password \${lo		0.20-
And User clicks o		0.30s
Then I wait for 10		10.00s
	in one pulse app for user email ''\${PULSE_EMA	
	be landed to "Home" screen	13.87s
After		0.00s
Back to Table of Conten		
	d be able to locate Hospitals using PruShoppe lo	
Passed: 2	Failed: 1 Undefined: 3	Duration: 75.46s
Before		0.00s
When I clicks on	Health button	14.41s
	agation button	40.39s
Then I clicks on I	ocation button	
When I clicks on org.openqa.seleni using the given se For documentation/no_such_element	Search here text field  um.NoSuchElementException: An element could arch parameters. on on this error, please visit: http://seleniumhq.or	20.66s I not be located on the page rg/exceptions
org.openqa.seleni using the given se For documentatio /no_such_element Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu deviceScreenDens javascriptEnable newCommandTin	Search here text field  um.NoSuchElementException: An element could  arch parameters.  on on this error, please visit: http://seleniumhq.or	20.66s I not be located on the page rg/exceptions IT14:04:26.12Z' indows 10', os.arch: 'amd64', rckage: com.prudential.pulse. ItabaseEnabled: false, ge: com.prudential.pulse.uat, Name: Android-Test, roid}, deviceApiLevel: 30, 0C241FDD40043P, DID: 0C241FDD40043P, ConnectionEnabled: true, itform: LINUX,

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickSearchTextFieldInMaps(LocationScreen.
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnSearchHereTextField
(LocationSteps.java:35)
at .When I clicks on Search here text field(features/th/health/Hospital_Clinic_Locator.feature:
28)
```



/						
Af	ter			0.00s		
Ba	Back to Table of Contents					
Sc	enario: User can see deta	ils of listed hospitals in	detail			
Pa	Passed: 1 Undefined: 0 Duration: 34.65s					
Ве	Before 0.00					
	When I clicks on See Details button on First result					
	Then I can see the ''Hospital'' Information screen with Navigate and Call Now buttons					

java.lang.AssertionError: The following asserts failed:

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.iava:151)

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.

iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)

at .Then I can see the "Hospital" Information screen with Navigate and Call Now buttons (features/th/health/Hospital Clinic Locator.feature:35)



After				0.00s				
Ba	Back to Table of Contents							
Sc	Scenario: User can see the details in speciality tab							
Passed: 0		Failed: 1	Undefined: 1	<b>Duration: 8.7</b> s				
Before				0.00s				
	When I clicks on "Speciality" tab			8.70s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b58bc481-0663-481f-bd44-7c462a05ba21

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Speciality")]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Speciality" tab(features/th/health/Hospital Clinic Locator.feature:38)
```



After				0.00s				
<u>Ba</u>	Back to Table of Contents							
Sc	Scenario: User can see the details in doctor's tab							
Passed: 0		Failed: 1	Undefined: 1	Duration: 8.49s				
Before				0.00s				
	When I clicks on "Doctors" tab			8.49s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b58bc481-0663-481f-bd44-7c462a05ba21

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Doctors")]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Doctors" tab(features/th/health/Hospital Clinic Locator.feature:42)
```



After				0.00s					
Ba	Back to Table of Contents								
Sc	Scenario: User can see the details in rooms tab								
Passed: 0		Failed: 1	<b>Undefined: 1</b>	Duration: 8.8s					
Before				0.00s					
	When I clicks on "Rooms" tab			8.80s					

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b58bc481-0663-481f-bd44-7c462a05ba21

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Rooms'')]}
at idk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Rooms" tab(features/th/health/Hospital_Clinic_Locator.feature:46)
```



After			0.00s		
Back to Table of Contents					
Scenario: User can navigate	e out of the hospital de	etails screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: .29s		
Before			0.00s		
When I clicks on back b	When I clicks on back button in See Details screen 0.29s				
After 0.00s					
Back to Table of Contents	Back to Table of Contents				
Scenario: User should be al	Scenario: User should be able to locate cli using PruShoppe location				
Passed: 1	Failed: 1	Undefined: 2	Duration: 21.42s		
Before			0.00s		
And I clicks on back but	And I clicks on back button in "Hospitals" screen 1.30s				
When I clicks on Search	When I clicks on Search here text field 20.12s				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

```
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b58bc481-0663-481f-bd44-7c462a05ba21
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Search here']}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickSearchTextFieldInMaps(LocationScreen.
java:68)
at com. one pulse. app. step definitions. mobile steps. Location Steps.iClicksOnSearchHereTextField
```



0.00sBefore

And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results

166.79s

java.lang.AssertionError: The following asserts failed:

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],

Call button is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [1] under Clinics Search Results screen expected

[true] but found [false],

Call button is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],


Timings text is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.

 $user Can See That Call Navigate And See Details Links Are Displayed Under Search Results \\ (Location Steps. java: 51)$ 

at .And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results(features/th/health/Hospital\_Clinic\_Locator.feature:60)



After			0.00s	
Back to Table of Contents				
Scenario: User can view lis	ted clinic details	s		
Passed: 1	Failed: 0	Undefined: 0	Duration: 8.56s	
Before	Before 0.00s			
When I clicks on See Details button on First result 8.56s				
After			0.00s	
Back to Table of Contents				
Scenario: User can view lis	ted clinic info			
Passed: 0	Failed: 1	Undefined: 0	Duration: 25.53s	
Before			0.00s	
Then I can see the "Clinbuttons	ic'' Information	n screen with Navigate and Call No	25.53s	

java.lang.AssertionError: The following asserts failed:

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],

Call button is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [1] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [2] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [3] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [4] under Clinics Search Results screen expected [true] but found [false],

Call button is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],

Navigate button is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],

SeeDetails button is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],

Timings text is not displayed for Clinics tile [5] under Clinics Search Results screen expected [true] but found [false],

Call Now button is not displayed for the firstClinic tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstClinic tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Clinic tile See Details screen expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.

iCan See The Information Screen With Navigate And Call Now Buttons (Location Steps. java: 81)

at .Then I can see the "Clinic" Information screen with Navigate and Call Now buttons (features/th/health/Hospital\_Clinic\_Locator.feature:66)



Then I change the coun	try as required on regis	stration page	21.89s	
Then I wait for 2 sec			2.00s	
Then I change the langu	10.41s			
	And I click the Sign in link			
When user enters crede	10.63s			
UserName \${PULSE				
Password \${pulse.pa	assword}			
And User clicks on sign	in button		0.31s	
Then I wait for 10 sec			10.00s	
		ail "\${PULSE_EMAIL}"	11.30s	
Then user should be lar	nded to "Home" screen		14.38s	
After			0.00s	
Back to Table of Contents				
Scenario: Verify MyEvent	1			
Passed: 3	Failed: 0	Undefined: 0	Duration: 33.31	
Before			0.00s	
And I click the MyEven	nt icons		21.51s	
And I wait for 5 sec 5.01s				
And I verify following t	And I verify following texts are displayed			
You do not have any events enrolled yet				
Please choose from t	he open events and get	started		
After			0.00s	
Back to Table of Contents				
Scenario: Verify Events A	rchive tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 16.64	
Before			0.00s	
And I click the Events A	Archive icon		8.61s	
And I verify following t	exts are displayed		8.03s	
You do not have any	events in your archive.			
After		_	0.00s	
Back to Table of Contents				
Scenario: Verify Open Eve	ents tab			
Passed: 1	Failed: 1	Undefined: 0	Duration: 135.0	
Before			0.00s	
And I click the Open Ev	vents icon		8.59s	
		events are displayed on screen	126.46s	
	available at the momen			
	s on health and fitness			
java.lang.AssertionErro Open events displayed o at org.testng.asserts.Sof	expected [true] but four	nd [false]		

at com.onepulse.app.screens.CustomerConnectScreen.verifyOpenEvents (CustomerConnectScreen.java:2051) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps. verifyOpenEventsOnScreen(CustomerConnectSteps.java:672) at .And I verify either static text or available open events are displayed on screen(features/th /home/MyEvents.feature:36) 0.00sAfter **Back to Table of Contents** Feature: Verify My Health Content functionality on One Pulse App Failed: 0 Undefined: 0 Duration: 231.09s Passed: 7 Scenario: Launch the app and select the country as per specified lbu Duration: 113.14 Failed: 0 Passed: 13 **Undefined: 0** Before 0.00s9.42s Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE EMAIL" 0.00sThen I wait for 2 sec 2.01s And user click on "CONTINUE WITH EMAIL" with Email button 14.35s Then I change the country as required on registration page 22.80s 2.00sThen I wait for 2 sec Then I change the language as required on registration page 10.52sAnd I click the Sign in link 4.82s When user enters credentials 10.96s **UserName \${PULSE EMAIL}** Password \$\{\login.password\} And User clicks on signin button 0.36sThen I wait for 10 sec 10.00s And I enter OTP in one pulse app for user email "\${PULSE\_EMAIL}" 11.43s Then user should be landed to "Home" screen 14.47s After 0.00s**Back to Table of Contents** Scenario: Verify User should be able to navigate to Health page Undefined: 0 Passed: 5 Failed: 0 **Duration: 54.02s** 0.00sBefore Given I wait for 2 sec 2.00s24.59s Then I navigate to Health Content screen Then I wait for 8 sec 8.00s And I verify following texts are displayed 1.07s **Health Channels** And I verify the following texts "My Health Content" in Screen 18.35s Category Like Share Comment

After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	lld be able to vie	ew the full page article post	
Passed: 2	Failed: 0	Undefined: 0	Duration: 17.95
Before			0.00s
Then I click on "Health	Channels" topi	ic for details full view	7.94s
Then I wait for 10 sec			10.01s
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou post	ld be able to see	e the Like, Share, Comment o	ptions on full page article
Passed: 1	Failed: 0	Undefined: 0	Duration: 13.31
Before			0.00s
And I verify the followi	ng texts "Mv Ho	ealth Content" in Screen	13.31s
Like Share Comment			
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	ıld be able to Li	ke the post in full article view	screen
Passed: 2	Failed: 0	Undefined: 0	Duration: 11.23
Before			0.00s
And I Like the post			5.59s
And I Like the post			5.64s
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	ıld be able to Sh	are the post in full article view	v screen
Passed: 2	Failed: 0	Undefined: 0	Duration: 16.63
Before			0.00s
And I share the post			5.60s
Then I navigate back to	previous page		11.03s
After			0.00s
Back to Table of Contents			
Scenario: Verify User can	navigate to Hea	lth homepage	
Passed: 1	Failed: 0	Undefined: 0	Duration: 4.82s
Before			0.00s
Then I navigate to story	post page		4.82s
			0.00s
After			
Back to Table of Contents	s on One Pulse	Ann	
		App ined: 0 Duration:	31 98c

ssed: 4	Failed: 1	Undefined: 8	Duration: 31.
fore			0.00s
Given User has	s pulse app		9.34s
And I assign "	{login.email.id}" to v	ariable "PULSE_EMAIL"	0.00s
Then I wait for			2.01s
		TH EMAIL" with Email button	13.63s
		ed on registration page	6.87s
processing the Original error: Build info: ver System info: he os.version: '10. Driver info: io. Capabilities {a uat, autoDismi desired: {appA autoDismissAlenewCommand deviceManufactereScreenD javascriptEnal newCommand platformName	command. Original eresocket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0. appium.java_client.anppActivity: com.prudentials: true, automatictivity: com.prudentials: true, automation! Timeout: 10000, noRecturer: Google, devicelensity: 440, deviceScrooled: true, locationComTimeout: 10000, noRecturer: Android, platformVo	eption: An unknown server-side error: Could not proxy command to a cror: Could not proxy command to a cror. Could not proxy could not proxy command to a cror. Could not proxy could not pr	the remote server.  4:26.12Z' 5:10', os.arch: 'amd6  com.prudential.pul eEnabled: false, n.prudential.pulse.u Android-Test, deviceApiLevel: 30, FDD40043P, C241FDD40043P, ctionEnabled: true, : LINUX, sScreenshot: true,
*** Element in at jdk.internal at java.base/jd (DelegatingCon at java.base/ja at org.openqa.s (W3CHttpRes) at org.openqa.s (W3CHttpRes) at org.openqa.s (W3CHttpRes) at org.openqa.s	reflect.GeneratedConk.internal.reflect.Delegate instructorAccessorImplya.lang.reflect.Constructellenium.remote.http.'ponseCodec.java:187) selenium.remote.http.'ponseCodec.java:122) selenium.remote.http.'ponseCodec.java:49) selenium.remote.Http.'ponseCodec.java:49)	ue=//android.widget.Spinner[1]} ustructorAccessor25.newInstance(UngatingConstructorAccessorImpl.newIn.java:45) uctor.newInstance(Constructor.javaW3CHttpResponseCodec.createExceW3CHttpResponseCodec.decode W3CHttpResponseCodec.decode CommandExecutor.execute(HttpCo	wInstance 1:490) reption
(AppiumCommat org.openqa.sat io.appium.jajava:42) at io.appium.jaat io.appium.ja	nandExecutor.java:23 selenium.remote.Remo tva_client.DefaultGeno tva_client.AppiumDriva_client.android.And	iumCommandExecutor.execute 1) oteWebDriver.execute(RemoteWeb) ericMobileDriver.execute(DefaultG ver.execute(AppiumDriver.java:1) droidDriver.execute(AndroidDriver) oteWebDriver.findElement(Remote	enericMobileDriver

DefaultGenericMobileDriver.java:62) t io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) t io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver) t org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remote:419) t io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
$t\ org. open qa. selenium. remote. Remote Web Driver. find Element By XP ath (Remote Web Driver. find Element$	
ava:419)	moteWebDriver.
t 10.abblum.1ava   chent.DefaultGenerickfobileDriver.HndEdementBv&Path	
DefaultGenericMobileDriver.java:152)	
t io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive	r.iava:1)
t io.appium.java_client.android.AndroidDriver.findElementByXPath(Andr	
t org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	, in the second second
t org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java:309)
t io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:58) t io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
t io.appium.java_client.AppiumDriver.IndElement(AppiumDriver.java:1) t io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive	r iava·1)
t com.prudential.tap.selenium.Commands\$15.executeCommand(Command	
t com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut	
9)	
t com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1	63)
t com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNat	
PulseRegistrationScreen.java:1015)	
$t\ com. one pulse. app. step definitions. mobile steps. Registration Steps. iS elect The common pulse approximation of the common pulse. The common pulse approximation of the common pulse approximation of the common pulse. The common pulse approximation of the common pulse ap$	eCountry
RegistrationSteps.java:306)	
t.Then I change the country as required on registration page(features/th/ho	ome
PulseMyChallenges.feature:11)	0.00
then I wait for 2 sec	0.00s
then I change the language as required on registration page	0.00s
and I click the Sign in link	0.00s
Vhen user enters credentials	0.00s
UserName \${PULSE_EMAIL}	
Password \${login.password}	
nd User clicks on signin button	0.00s
hen I wait for 10 sec	0.00s
nd I enter OTP in one pulse app for user email ''\${PULSE_EMAIL}''	0.00s
hen user should be landed to "Home" screen	0.00s
r en	0.00s
to Table of Contents	
ario: Verify My Challenges texts	
d: 1 Undefined: 0	Duration: .08s
re	0.00s
and I click on My Challenges tile on one pulse app	0.03s
and I verify following texts are displayed	0.05s
	0.038
\${my.challenges.text}	
\${not.connected.wearable}	
ava.lang.AssertionError: The following asserts failed:  Ty Challenges text is displayed on page expected [true] but found [false],	

You have not connected any wearable text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/th/home/PulseMyChallenges.feature:26)

After			0.00s		
Back to Table of Contents	Back to Table of Contents				
Scenario: Verify the user can Connect Wearables via My Challenges					
Passed: 0	Failed: 1 Undefined: 2 Duration: .03s				
Before	0.00s				
And I clicks on ''\${my	0.03s				

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 231de0dc-c204-4b71-94cb-14a9eb5c6ca2

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Connect Wearable'')]}

at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

 $at\ org. open qa. selenium. remote. http. W3CHttpResponse Codec. decode$ 

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
  java:1741)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
  (CustomerConnectSteps.java:534)
  at .And I clicks on "${myChallenges.connectWearablesButton}" in app screen(features/th
  /home/PulseMyChallenges.feature:32)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Click on All challenges and and verify texts
Passed: 0
                        Failed: 1
                                              Undefined: 3
                                                                               Duration: .02s
Before
                                                                               0.00s
  And I clicks on "${all.challenges.text}" in app screen
                                                                               0.02s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
```

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 231de0dc-c204-4b71-94cb-14a9eb5c6ca2
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Challenges")]}
at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

	at com.onepulse.app.scr at com.onepulse.app.scr java:1741) at com.onepulse.app.stc (CustomerConnectStep at .And I clicks on "\${a feature:40)	reens.TestBaseP reens.Customer epdefinitions.mo s.java:534) ll.challenges.tex	eCommand.executeCommand(ExecuteCommand.executeCommand.executeCommand(ExecuteCompactScreen.clickButton(CustomerConnectScreen.clickIct)'' in app screen(features/th/home/Pulson)	3) ConnectScreen. UploadIcon seMyChallenges.
	And I verify the followi		nallenges" in Screen	0.00s
	\${my.challenges.text \${all.challenges.text	}		0.00
	And I verify following t		red	0.00s
	\${no.challenges.avai \${notify.challenge}	lable}		
	And I clicks on "\${back	x.home}'' in app	) screen	0.00s
A	fter			0.00s
Ba	ack to Table of Contents			
Featı	ure: Verify My Commun	ities on One Plu	ise App	
Passed			fined: 0 Duration: 365.29s	
So	cenario: Launch the app	and select the co	ountry as per specified lbu	
Pa	assed: 13	Failed: 0	Undefined: 0	Duration: 112.98
В	efore			0.00s
	Given User has pulse ap	_		8.35s
		se.login.global.i	d}" to variable "PULSE_EMAIL"	0.00s
	Then I wait for 2 sec			2.00s
	And user click on "CO	14.75s		
		THIED WITH	EMPILE With Email button	
	Then I change the coun			23.44s
	Then I change the coun Then I wait for 2 sec	try as required	on registration page	23.44s 2.00s
	Then I change the coun Then I wait for 2 sec Then I change the lang	try as required uage as required	on registration page	23.44s 2.00s 10.62s
	Then I change the coun Then I wait for 2 sec Then I change the lang And I click the Sign in	try as required uage as required link	on registration page	23.44s 2.00s 10.62s 4.90s
	Then I change the coun Then I wait for 2 sec Then I change the lang And I click the Sign in When user enters crede	try as required uage as required link entials	on registration page	23.44s 2.00s 10.62s
	Then I change the coun Then I wait for 2 sec Then I change the lang And I click the Sign in	try as required uage as required link entials C_EMAIL}	on registration page	23.44s 2.00s 10.62s 4.90s
	Then I change the countries I wait for 2 sec Then I change the lange And I click the Sign in I When user enters crede UserName \${PULSE}	try as required uage as required link entials C_EMAIL} assword}	on registration page	23.44s 2.00s 10.62s 4.90s
	Then I change the coun Then I wait for 2 sec Then I change the lang And I click the Sign in I When user enters crede UserName \${PULSE} Password \${login.ps}	try as required uage as required link entials C_EMAIL} assword}	on registration page	23.44s 2.00s 10.62s 4.90s 10.46s
	Then I change the countries I wait for 2 sec Then I change the lange And I click the Sign in I When user enters crede UserName \${PULSE Password \${login.ps}} And User clicks on sign Then I wait for 10 sec	try as required uage as required link entials C_EMAIL} assword}	on registration page	23.44s 2.00s 10.62s 4.90s 10.46s
	Then I change the countries I wait for 2 sec Then I change the lange And I click the Sign in I When user enters crede UserName \${PULSE Password \${login.ps}} And User clicks on sign Then I wait for 10 sec	uage as required link entials C_EMAIL} assword in button	on registration page  d on registration page  ser email "\${PULSE_EMAIL}"	23.44s 2.00s 10.62s 4.90s 10.46s 0.27s 10.01s
Ai	Then I change the countries I wait for 2 sec Then I change the lange And I click the Sign in I When user enters crede UserName \${PULSE Password \${login.password \$Ilogin.password \$Ilogin.passwor	uage as required link entials C_EMAIL} assword in button	on registration page  d on registration page  ser email "\${PULSE_EMAIL}"	23.44s 2.00s 10.62s 4.90s 10.46s  0.27s 10.01s 10.89s
	Then I change the countries I wait for 2 sec Then I change the lange And I click the Sign in I When user enters crede UserName \${PULSE Password \${login.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be langed.	uage as required link entials C_EMAIL} assword in button	on registration page  d on registration page  ser email "\${PULSE_EMAIL}"	23.44s 2.00s 10.62s 4.90s 10.46s  0.27s 10.01s 10.89s 15.30s
Ba So	Then I change the coun Then I wait for 2 sec Then I change the lang And I click the Sign in I When user enters crede UserName \${PULSE} Password \${login.pa} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be langed the second of t	uage as required link entials C_EMAIL} assword} in button e pulse app for unded to "Home"	on registration page  d on registration page  ser email "\${PULSE_EMAIL}" ' screen  app with correct credentials using "Con	23.44s 2.00s 10.62s 4.90s 10.46s  0.27s 10.01s 10.89s 15.30s 0.00s

Before			0.00s		
Then I wait for 6 sec	Then I wait for 6 sec				
And I click the MyCom	2.90s				
Then I wait for 6 sec					
And I verify following t					
\${icon.communities}			•		
And I verify the following	ng texts "All Con	nmunities" in Screen	9.28s		
\${my.communities.te	ext}				
\${All.Communities.t					
After			0.00s		
Back to Table of Contents					
Scenario: Leave the comm	unity if already id	oined			
Passed: 3	Failed: 0	Undefined: 0	Duration: 12.06		
Before			0.00s		
And I clicks on "\${my.c	ommunities toyt)	'' in ann screen	0.32s		
Then I wait for 5 sec	ommunities.text	m app screen	5.00s		
	communities by c	licking on three dots menu icon on my			
My communities screen	· · · · · · · · · · · · · · · · · · ·	incking on timee dots mend from on my	6.74s		
After			0.00s		
Back to Table of Contents					
Scenario: Verify the All Co	ommunities Post s	screen			
Passed: 9	Failed: 0	Undefined: 0	Duration: 39.78		
Before			0.00s		
Then I wait for 5 sec			5.01s		
And I clicks on "\${All.(	Communities.text	}'' in app screen	0.96s		
And I click the Join but			3.68s		
And I click the static Ac			4.68s		
And I click Edit icon in			16.15s		
And Enter the post in co	ommunity screen		2.37s		
POST TEST1					
And Enter the post in co	ommunity large t	ext screen	3.10s		
POST welcome	•		•		
And I click the Post icon	n in create post so	ereen	0.87s		
Then I verify the follow			2.96s		
TEST1		The second secon			
welcome					
After			0.00s		
Back to Table of Contents					
	and comments co	ounts in All communities tab			
Passed: 8	Failed: 0	Undefined: 0	Duration: 46.77		
Before			0.00s		
And I click the Post icon	in My communi	itios	9.01s		
And I click the Post Icol	i in wry commun	lucs	7.018		

And I wait for 5 sec			5.00s
And I click the like but	ton in Post scree	n	8.78s
And Verify the like cou	nt in Post screen	'' 1 Likes'' likes	9.25s
And I click the Comme	nt icon in feed so	creen	3.80s
And Enter the commen	ts in Feeds scree	n	2.24s
Comments TEST1			
And I click the submit	icon in feeds scre	een	1.02s
And Verify the comme	nts count in Feed	ls screen " 0 Comments" comments	7.67s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Share	e with Friends Fu	unctionality in All communities tab	
Passed: 4	Failed: 0	Undefined: 0	Duration: 22.27s
Before			0.00s
And I click the share ic	on in Post screen	1	4.94s
And Verify the pop up			4.11s
And I click the phone is			4.26s
And I give camera peri			8.95s
After			0.00s
Back to Table of Contents	<u> </u>		10000
Scenario: Verify the Post	Functionality in .	All communities	
Passed: 12	Failed: 0	Undefined: 0	Duration: 62.26s
Before	0.00s		
Then I click skip button	n in feeds screen		0.69s
Then I wait for 2 sec			2.01s
And I click the Back ice	on in Stav Active	screen	1.25s
Then I wait for 3 sec	<u> </u>	, 501001	3.01s
And I click Edit icon in	stav Active icon		16.53s
And I click the Camera			4.44s
And I click the Upload		<del></del>	4.30s
And I give camera peri			11.38s
Then I take picture fro			10.06s
And Enter the post in o		n	3.82s
POST TEST1	<u> </u>		
And Enter the post in o	ommunity large	text screen	3.27s
POST welcome			10.2.5
And I click the Post ico	n in create nost s	screen	1.52s
After	I in create post s	, and the second	0.00s
Back to Table of Contents			0.005
	rowy list and same	sob footum	
Scenario: Verify the Categorial 6			Dungting 25.15
Passed: 6 Before	Failed: 0	Undefined: 0	Duration: 35.17s 0.00s
Then I wait for 15 sec			15.01s
And I clicks on "\${cate	gory.text}" in ap	op screen	0.47s

And I verify the following	ng texts "Category" in S	creen	17.05s		
COVID-19					
Fitness					
Global Awareness Da	nys				
Mental Health					
And I clicks on "\${no.po	ost.category}'' in app scr	·een	0.25s		
And I clicks on "\${apply	v.button}" in app screen	ı	0.75s		
And I verify following to	exts are displayed		1.64s		
\${no.post.found.text}					
After			0.00s		
Back to Table of Contents					
Scenario: User navigates ba	ack to the community sc	reen			
Passed: 1		Undefined: 0	Duration: 1.41s		
Before			0.00s		
And I click the Back ico	n in Stav Active screen		1.41s		
After	- 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5		0.00s		
Back to Table of Contents			0.000		
Scenario: Leave the comm	unity if already joined				
Passed: 4		Undefined: 0	Duration: 8.08s		
Before	ranca. v	Ontermed. V	0.00s		
	And I clicks on "\${my.communities.text}" in app screen				
And I circks on \${my.c}  And I scroll down	ommuniues.text in ap	p screen	1.88s 4.58s		
When I click on joined of	ommunity throe date m	ony ison	0.21s		
And I click on leave but			1.41s		
After	lon for Joined Communit	ı <u>y</u>	0.00s		
			0.008		
Back to Table of Contents					
Feature: Verify Private My C					
Passed: 2 Failed: 1	Undefined: 0	Duration: 186.74s			
Scenario: Launch the app a	and select the country as	per specified lbu			
Passed: 13	Failed: 0	Undefined: 0	Duration: 110.76 s		
Before			0.00s		
Given User has pulse ap	p		9.53s		
And I assign "\${mychar	nel.private.user}'' to va	riable "PULSE_EMAIL"	0.00s		
Then I wait for 2 sec			2.01s		
	TINUE WITH EMAIL		14.17s		
	ry as required on regist	ration page	22.46s		
Then I wait for 2 sec			2.01s		
	age as required on regis	tration page	9.61s		
And I click the Sign in li			4.98s		
When user enters crede	ntials		10.39s		
UserName \${PULSE	EMAIL}				
Password \${login.pa	ssword}				

er email ''\${PULSE_EMAIL}'' screen  n Undefined: 0	10.00s 11.12s 14.21s 0.00s Duration: 21.05s 0.00s 6.02s 3.01s		
n Undefined: 0	14.21s 0.00s Duration: 21.05s 0.00s 6.02s		
n Undefined: 0	0.00s  Duration: 21.05s 0.00s  6.02s		
Undefined: 0	Duration: 21.05s 0.00s 6.02s		
Undefined: 0	0.00s 6.02s		
Undefined: 0	0.00s 6.02s		
Undefined: 0	0.00s 6.02s		
	6.02s		
d			
d			
<u></u>	1.7.U 1 S		
	0.30s		
<del></del>	100000		
mmunities" in Screen	8.72s		
	34720		
	3.01s		
	0.00s		
	0.008		
	D 41 74.02		
Underined: 0	Duration: 54.93s 0.00s		
4			
	4.93s		
t, Challenges etc." in "Test" in home	2.31s		
orum for celebrities etc " in "2020" in			
frum for ecleprities etc. in 2020 in	3.54s		
screen	0.28s		
	4.25s		
	10.67s		
	10.85s		
	3.00s		
	4.15s		
	1.48s		
	1.32s		
	8.16s		
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'			
	visit: http://seleniumhq.org/exceptions :6e0b3', time: '2018-05-08T14:04:26.12Z		

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 01e6101b-5d2b-4cdb-81ea-d14055b0f2a2
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''OK'')]}
at idk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "OK" in app screen(features/th/home/mycommunities /PulseMyCommunities\_private.feature:50) 4:30 😗 🕪 🖽 🕟 • × Add Members Please provide member name and relation Q Search by name /email/phone 0.00sAfter **Back to Table of Contents** Feature: Verify legal and legacy on One Pluse App Passed: 4 Undefined: 0 Failed: 0 Duration: 203.28s Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" Duration: 113.29 Passed: 13 Failed: 0 Undefined: 0 Before 0.00sGiven User has pulse app 9.53s And I assign "\${onepulse.login.global.id}" to variable "PULSE EMAIL" 0.00sThen I wait for 2 sec 2.01s And user click on "CONTINUE WITH EMAIL" with Email button 15.28s Then I change the country as required on registration page 22.97s Then I wait for 2 sec 2.00s11.11s Then I change the language as required on registration page And I click the Sign in link 4.93s When user enters credentials 9.94s

UserName \${PULSE	_EMAIL}	
Password \${Passwo	rd.text}	
And User clicks on sign	in button	0.25s
Then I wait for 10 sec	10.02s	
And I enter OTP in one	pulse app for user email "\${PULSE_EMAIL}"	11.72s
Then user should be lan	nded to "Home" screen	13.54s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Terms	s and condition should be displayed	
Passed: 4	Failed: 0 Undefined: 0	Duration: 11.93s
Before		0.00s
Then I wait for 5 sec		5.01s
And I click the Account	0.79s	
And I click the Legacy a	and Privacy in Account screen	3.71s
	texts are displayed in terms and condition screen	2.43s
\${Terms.conditions.t	text}	
\${Privacy.Notice.tex		
\${Regulatory.text}		
After		0.00s
Back to Table of Contents		
	cy screen should be displayed	
Passed: 4	Duration: 20.69s	
Before	Failed: 0 Undefined: 0	0.00s
And I click the Privacy	icon in legal screen	2.34s
And I click the pulse ico	13.65s	
And I click the Back ico	2.36s	
And I click the Back ico	2.33s	
After	0.00s	
Back to Table of Contents		0.005
	ator screen should be displayed	
Passed: 6	Duration: 57.37s	
Before	Failed: 0 Undefined: 0	0.00s
And I click the Regulate	1.39s 1.55s	
And I click the Babylon	3.66s	
	texts are displayed in terms and condition screen	3.008
\${Clinicalsafety.text}		
\${AI.in.Healthcare.to \${Localisation.text}	tal j	
\${Docansation.text} \${Privacy.Data.Prote	oction toytl	
\${Privacy.Data.Prou \${Raising.Concerns}		
	safety icon in Account screen	21.17s
Then I wait for 8 sec	8.01s	
And I click the Back ico	ons in pulse screen	21.59s

After						0.00s
<b>Back to Table of C</b>	<u>ontents</u>					
eature: Verify Ec	lit Profile f	ınctionality	on Pulse Healt	h & Weal	th app	
ssed: 5	Failed: 0	τ	J <b>ndefined: 0</b>		Duration: 254.21s	
Scenario: Verif	y User shou	ld be able t	to navigate to E	dit profile	screen and should	be able to
change the prof	ile on app					
Passed: 17		Failed: 0	Une	defined: 0		Duration: 160.6
						S
Before						0.00s
Given User has pulse app					10.78s	
		se.login.edit	t.profile}" to va	riable ''P	ULSE_EMAIL''	0.00s
Then I wait						2.01s
			TTH EMAIL" v		il button	14.41s
		try as requi	ired on registrat	ion page		22.95s
Then I wait						2.01s
Then I change the language as required on registration page					10.78s	
And I click the Sign in link					4.91s	
When user enters credentials					10.70s	
	e \${PULSE					
Password	\${pulse.ed	lit}				
And User clicks on signin button						0.35s
Then I wait for 10 sec						10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					11.29s	
Then user should be landed to "Home" screen					15.43s	
Then user navigate to account page					11.39s	
And user click on Edit profile link					4.85s	
Then I wait for 5 sec					5.00s	
Then user navigate to edit profile screen				23.85s		
After						0.00s
<b>Back to Table of C</b>	<u>ontents</u>					
Scenario: Verif	y user can a	ble to chan	ge the details in	edit prof	ile screen	
Passed: 2		Failed: 0	Un	defined: 0		Duration: 29.61
Before						0.00s
Then change	personal d	etails				28.70s
FirstNam		nation	]			
LastNam						
	mber 81069	<u> </u>				
Address Thailand						
PostalCod						
DOB		nuary-2003				
And click on						0.91s
	Sa , C Sutto.					000 ID
After						0.00s

Passed: 7	Failed: 0	Undefined: 0	Duration: 27.95s
Before			0.00s
And user click on Edit	profile link		15.06s
And verify email field is	0.33s		
Then I scroll down	4.54s		
Then I wait for 2 sec	2.01s		
And click on save butto	0.40s		
Then I wait for 5 sec	5.01s		
And I click "\${accounts	s.back.button}"	button on the app	0.60s
After			0.00s
Back to Table of Contents			
Scenario: Verify User show MyDoc Registration	ıld be able to see	e the registration required pop up if use	er not completed
Passed: 4	Failed: 0	Undefined: 0	Duration: 13.51
Before			0.00s
When I navigate to med	lical records scr	een	7.59s
And I verify following t	1.24s		
Registration Require	ed		
You are currently no	ot registered. Ple	ease register yourself before continuing.	
Then I verify following	0.32s		
LATER			
REGISTER NOW			
Then I proceed with reg	gister now butto	n	4.35s
After			0.00s
Back to Table of Contents			
Scenario: Verify User shoup page once the user submitted		o edit Gender and DOB fields on myDo and DOB in edit profile	c registration
Passed: 4	Failed: 0	Undefined: 0	Duration: 22.45
Before			0.00s
Then I wait for 5 sec			5.01s
Then user verify the fol registration page	lowing texts are	displayed on "Online Consultation"	0.47s
Online Consultation			
And verify Gender field	l should not be e	editable in mydoc Registration Screen	8.71s
And verify DOB field sl	hould not be edit	table in mydoc Registration Screen	8.26s
After			0.00s
Back to Table of Contents			