Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	1	4	0	0	5	20%
Scenarios	14	14	0	0	28	50%
Steps	122	14	0	50	186	66%

Overall Duration: 0h 17m 24s

Table of Contents

- 1. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify share with friends functionality in OnePulse app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to share the link with Whatsapp
 - 4. Verify User should be able to share the link with Contacts app
 - 5. Verify User should be able to share the link with Messenger app
 - 6. Verify User should be able to share the link with Viber app
 - 7. Verify User should be able to share the link with Line app
- 3. Verify MySettings functionality in Account screen
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the My Feedback screen in Account tab
 - 3. Verify the submit functionality in My feedback screen
 - 4. Verify the Pulse Personalised tab
 - 5. Verify my setting screen in Account tab
- 4. Verify My Challenges on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify My Challenges texts
 - 4. Verify the user can Connect Wearables via My Challenges
 - 5. Click on All challenges and and verify texts
- 5. Verify legal and legacy on One Pluse App
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the Terms and condition should be displayed
 - 3. Verify the Privacy screen should be displayed
 - 4. Verify the Regulator screen should be displayed

Detailed Results Report

Fe	ature:	Verify logi	in functior	ality on One pulse Ap	op		
Pas	ssed: 1		Failed: 6	Undefined: 0		Duration: 401.98s	
	Scena	rio: Launc	h the app	and select the country	as per specifi	ed lbu	
	Passed	l : 8		Failed: 0	Undefined: 0		Duration: 70.06s
	Befor	e					0.21s
	Gi	ven User h	as pulse ap	op			11.58s
	Ar	nd I assign	'' \${login.e i		'PULSE_EMA	AIL"	0.00s
	Ar	nd user clic	k on "CO	NTINUE WITH EMA	IL" with Ema	il button	16.47s
	Th	en I chang	e the coun	try as required on reg	sistration page		23.18s
	Th	en I wait fo	or 2 sec				2.01s
	Th	en I chang	e the lang	age as required on re	gistration pag	e	10.24s
	Ar	nd I click th	ne Sign in l	ink			4.80s
	Th pa		below lan	guage options on togg	le bar as per s	pecified lbu on login	1.57s
	After						0.00s
	Back t	o Table of Co	<u>ntents</u>				
	Scena	rio: <mark>login t</mark>	o the app	with correct credentia	als using "Cont	tinue with Email"	
	Passed			Failed: 1	Undefined: 0		Duration: 27.72s
	Befor	'e					0.00s
	Gi	ven I select	the langu	age option on toggle b	ar as required	l on login page	2.30s
		hen user en				range Puga	10.02s
		UserName					
		Password					
	Ar	nd User clic					0.27s
		nd I wait fo					5.01s
	Ar	nd I enter C	TP in one	pulse app for user en	nail ''\${PULSE	E EMAIL}"	5.02s
				ided to "Home" scree			5.10s
	at at at at at (L	org.testng org.testng org.testng org.testng com.onepu oginSteps.j	Assert.fail Assert.fail Assert.asse Assert.asse lse.app.ste ava:92)	or: expected [true] bu (Assert.java:94) NotEquals(Assert.java:4 ertTrue(Assert.java:4 ertTrue(Assert.java:5 epdefinitions.mobilest	a:513) 2) 2) eps.LoginSteps		
	After						0.00s
	Back t	o Table of Co	<u>ntents</u>				
				d Email id in login sc	reen using "Co	ontinue with Email'	
	Passed			Failed: 1	Undefined: 9		Duration: 62.17s
	Befor	e					0.00s
	Gi	ven User h	as pulse ar	op			9.21s
		en I wait fo					2.01s
				NTINUE WITH EMA	IL" with Ema	il button	14.76s

Then I change the country as required on registration page	21.20s
Then I wait for 2 sec	2.00s
And I click the Sign in link	13.00s
org.openqa.selenium.NoSuchElementException: An element could not be lo	ocated on the page
using the given search parameters.	• 0
For documentation on this error, please visit: http://seleniumhq.org/except	ions
no_such_element.html	
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2	6.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10	0', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: co	m.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEi	nabled: false,
desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.p	rudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: A	
newCommandTimeout: 10000, noReset: true, platformName: android}, de	and the state of t
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FD	
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24	
avascriptEnabled: true, locationContextEnabled: false, networkConnection	
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: L	
platformName: Android, platformVersion: 11, statBarHeight: 145, takesSo	
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, w	ebStorageEnabled:
false}	
Session ID: 179baae2-ce80-4143-9f5f-8a0f70dce51a	-(@44 !C! T !)
*** Element info: {Using=xpath, value=//android.widget.TextView[contain or contains(@text,'Log Masuk')]}	s(@text, Sign in')
or contains(@text, Log Masuk)]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstai	aaa(Matiya
Method)	iceo(ivalive
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstar	1 c e
NativeConstructorAccessorImpl.java:62)	icc
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newIn	nstance
DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:4	90)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createExcep	
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
$at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor) and the command of the command executor of the command ex$	mandExecutor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(DefeutleCorp.	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericwo.42)	ericivionilentiver.
ava:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.ja	vo·1)
at io.appium.java_chent.android.AndroidDriver.execute(AndroidDriver.ja at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWo	
te organization and the contract of the contra	(DDIIVEL.java.SI7)

	(DefaultGenericMobileDriver.java:62)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive	r.java:1)
	$at\ org. open qa. selenium. remote. Remote WebDriver. find Element By XP ath (Remote WebDriver.) at the contract of the contraction of the contr$	moteWebDriver.
	java:419)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
	(DefaultGenericMobileDriver.java:152)	w : o-vo.1)
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AppiumDriver.find	
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	(UluDiivei, java. 1)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java:309)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	2211 02 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	(DefaultGenericMobileDriver.java:58)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	$\textbf{at io.appium.java_client.android.} And \textbf{roidDriver.findElement} (\textbf{AndroidDriver.findElement}) \\$	
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Command	
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut	teCommand.java:
	19) st som energies om sensons TestPassPass slickPutten/TestPassPass isvest	<i>(</i> 2)
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse	
	719)	Loginsci cenijava.
	at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_In	SignUp
	(LoginSteps.java:349)	.
	at .And I click the Sign in link(features/PulseLoginTest.feature:32)	
	Then I wait for 2 sec	0.00s
	And I select the language option on toggle bar as required on login page	0.00s
	When user enters credentials	0.00s
	UserName t@gmai	
	Password Pas\$1234	
	And User clicks on signin button	0.00s
	Then verify invalid email message "Email is required"	0.00s
	Then User clicks on Forgot Password button	0.00s
	Then enter the email to request the new password	0.00s
	Email t@gmai	00000
	Then User clicks on Send button	0.00s
	Then verify invalid email message "\${email.invalid.text}"	0.00s
A f	ter	0.00s
		0.008
	ck to Table of Contents	141 75
	enario: Verify the User not registerd email in login screen using "Continue w	
	ssed: 6 Failed: 1 Undefined: 10	Duration: 66.47s
Ве	fore	0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
	And I assign value to following variables	0.00s
	USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com	
	USER_PASSWORD Pas\$1234	
	Given User has pulse app	11.90s
	Orton Osci nas paise app	11.703

And user click on "CONTINUE WITH EMAIL" with Email button	17.95s
Then I change the country as required on registration page	22.07s
Then I wait for 2 sec	2.00s
And I click the Sign in link	12.53s
org.openqa.selenium.NoSuchElementException: An element could not be losing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: contat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEntlesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudoDismissAlerts: true, automationName: UiAutomator2, deviceName: AntewCommandTimeout: 10000, noReset: true, platformName: android}, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDI leviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24	ons 5.12Z' 0', os.arch: 'amd64 m.prudential.puls nabled: false, rudential.pulse.ua ndroid-Test, viceApiLevel: 30, D40043P,
avascriptEnabled: true, locationContextEnabled: false, networkConnection newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LiblatformName: Android, platformVersion: 11, statBarHeight: 145, takesScriewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, we false}	INUX, reenshot: true,
Session ID: 6cfb3408-96aa-4980-8f49-146b57141942 *** Element info: {Using=xpath, value=//android.widget.TextView[contains or contains(@text,'Log Masuk')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstan	
Method) it java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstan NativeConstructorAccessorImpl.java:62)	ice
nt java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInDelegatingConstructorAccessorImpl.java:45)	
nt java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:49 nt org.openqa.selenium.remote.http.W3CHttpResponseCodec.createExcept W3CHttpResponseCodec.java:187)	
tt org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:122)	
tt org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	10
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpComm	nanaexecutor.jav
at io.appium.java_client.remote.AppiumCommandExecutor.execute AppiumCommandExecutor.java:231)	F42)
nt org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDri nt io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGene ava:42)	

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.find	iava.1)
at io.appium.java_chent.android.AndroidDriver.findElement(AndroidDriver at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Ren	
java:419)	HOLE WEDDING.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(Appiu	
at io.appium.java_client.android.AndroidDriver.findElementByXPath(oidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	Duivon iovo 200)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeblat io.appium.java_client.DefaultGenericMobileDriver.findElement	Driver.java:509)
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver	:.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute	eCommand.java:
19)	
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:16 at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(Pulse)	
719)	Loginsci cen.java.
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InS	SignUp
(LoginSteps.java:349)	8 1
at .And I click the Sign in link(features/PulseLoginTest.feature:59)	
Then I wait for 2 sec	0.00s
And I select the language option on toggle bar as required on login page	0.00s
When user enters credentials	0.00s
UserName \${USER_NAME}	
Password \${USER_PASSWORD}	
And I scroll down	0.00s
And User clicks on signin button	0.00s
Then verify invalid email message ''\${invalid.credential.message}''	0.00s
Then User clicks on Forgot Password button	0.00s
Then enter the email to request the new password	0.00s
Email \${USER_NAME}	
Then User clicks on Send button	0.00s
Then verify invalid email message "\${invalid.credential.message}"	0.00s
After	0.00s
Back to Table of Contents	
Scenario: User should be able to retrieve the reset password using forget passwo	rd link
Passed: 1 Failed: 1 Undefined: 6	Duration: 12.82s
Before	0.00s
And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.00s
Then enter the email to request the new password	12.82s
Email \${PULSE_EMAIL}	12:020
Email \$\forall \text{FULSE_ENIAIL}\]	

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //android.widget.EditText[contains(@text,'pulsesgqa')]]

at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.iava:176)

at com.prudential.tap.appium.AppiumCommands.cleartext(AppiumCommands.java:406) at com.onepulse.app.screens.PulseLoginScreen.enterEmailForgotPassword(PulseLoginScreen.java:224)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterForgotPasswordEmail (LoginSteps.java:61)

at .Then enter the email to request the new password(features/PulseLoginTest.feature:77)


Then User clicks on Send button	0.00s
And I read the otp for emailid ''\${PULSE_EMAIL}'' using mailsac api and store into a variable ''EMAIL_OTP''	0.00s
Then I wait for 5 sec	0.00s
Then I enter ''\${EMAIL_OTP}'' reset code	0.00s
Then I wait for 5 sec	0.00s
Then Verify message: '\\${password.reset.success.text}'' for Reset Password	0.00s



After			0.00s
Back to Table of Contents			
Scenario: Verify Account s	should be lock	ed after entering more than 7 t	imes incorrect passwords
Passed: 13	Failed: 1	Undefined: 6	Duration: 145.4s
Before			0.00s
Given I generate random "RANDOM_NUMBER		l assign to variable	0.00s
And I assign ''pulse\${R. "PULSE_EMAIL"	ANDOM_NUI	MBER}@mailsac.com'' to vari	able 0.00s
And User has pulse app			

Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.62s
Then I change the country as required on registration page	23.72s
Then I wait for 5 sec	5.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.82s
Then I wait for 2 sec	2.01s
When user enters registration details	7.82s
FirstName testAutomation	
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.34s
	4.23s
	32.75s
	40.48s
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.abs.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudent, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: lesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentautoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndroidnewCommandTimeout: 10000, noReset: true, platformName: android}, deviceAptleviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4004: leviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD	dential.pulse : false, tial.pulse.uat -Test, iLevel: 30, 3P,
avascriptEnabled: true, locationContextEnabled: false, networkConnectionEnablewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshviewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorgalse} Session ID: 3008421d-fcc2-493c-a43f-9a43f9346268 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@textYYY')]}	oled: true, not: true, ageEnabled:
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown S at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	

W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCom	mandExecutor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
AppiumCommandExecutor.java:231)	ivor iovo.542)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDr at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.execute(DefaultGenericM	
a to:applum.java_chent.DefauttGenerictviobheDriver.execute(DefauttGen java:42)	ericwiodiledriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
$at\ io. appium. java_client. and roid. And roid Driver. execute (And roid Driver. java) and roid Driver. java and roid Driver. jav$	
at org.openqa. selenium.remote. RemoteWebDriver.findElement (RemoteWebDriver.findElement)	ebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrivet.org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(F	
at org.openqa.selemum.remote.Kemote webbi iver.imdElementbyAr ath(F java:419)	remote weddiwei.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPat	h
DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDri	ver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(An	droidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
${\bf nt\ org.open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element)}$	ebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:58)	
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:	
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement)	ver.java:1)
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java: at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement)	ver.java:1) nds.java:141)
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement)	ver.java:1) nds.java:141)
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(EndroidDr	ver.java:1) nds.java:141) uteCommand.java:
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java:
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java:
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java:
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java:
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrivat com.prudential.tap.selenium.Commands\$15.executeCommand(Command com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.javat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton(PulseRegistrationScreen.java:1117) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickStreejstrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 to.appium.java_client.android.AndroidDriver.findElement(AndroidDrivet.com.prudential.tap.selenium.Commands\$15.executeCommand(Command.com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java.at.com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton(PulseRegistrationScreen.java:1117) at.com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSl(RegistrationSteps.java:377) at.Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) At io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 to.appium.java_client.android.AndroidDriver.findElement(AndroidDrivet.com.prudential.tap.selenium.Commands\$15.executeCommand(Command.com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.executeCommand(ExecuteCom.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java.com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton(PulseRegistrationScreen.java:1117) At com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickScreenstrationSteps.java:377) At .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 secute and I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) At io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 At io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.tindElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 to io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.tindElement(Execute)) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute)) at com.prudential.tap.se	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 to io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.tindElement(Execute)) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute)) at com.prudential.tap.se	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrivat com.prudential.tap.selenium.Commands\$15.executeCommand(Command to com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.javatatom.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton(PulseRegistrationScreen.java:1117) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickState (RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error message Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s
DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 to.appium.java_client.android.AndroidDriver.findElement(AndroidDrivat io.appium.java_client.android.AndroidDriver.findElement(AndroidDrivat com.prudential.tap.selenium.Commands\$15.executeCommand(Command com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteDrivate com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.javatat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton PulseRegistrationScreen.java:1117) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickStreejstrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error message Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	ver.java:1) nds.java:141) uteCommand.java: :163) kipButton 0.00s 0.00s 0.00s 0.00s 0.00s



Ai	fter			0.00s
<u>Ba</u>	ck to Table of Contents			
Sc	enario: Verify the Logir	Functionality	using "Continue with Facebook"	1
Pa	ssed: 4	Failed: 1	Undefined: 8	Duration: 17.35s
Be	efore			0.00s
	Given User has pulse a	pp		10.07s
	Then I wait for 2 sec			2.01s
	And user click on "CO	NTINUE WITH	HEMAIL" with Email button	3.20s
	Then I wait for 2 sec			2.01s
	Then I change the coun	try as required	on registration page	0.06s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2b9c1340-1501-45ce-85fe-3581619eb81e
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
```

		required on registration page(features/PulseLo	ginTest.
feature:149)			
Then I wait for 2 sec			0.00s
		tion page and select the lang on toggle bar	0.00s
Then I click on connec	ct with face	book button	0.00s
Then I wait for 2 sec			0.00s
And I click the "Emai		nue with Facebook	0.00s
Emailid \${emailid Password \${password }}			
Then I wait for 10 sec			0.00s
Then user should be la		Jome'' screen	0.00s
And I logout from one		ionic screen	0.00s
After	puise app		0.00s
			0.00s
Back to Table of Contents			
ature: Verify share with f	riends func	tionality in OnePulse app	
sed: 5 Failed: 2	Ţ	Undefined: 0 Duration: 166.91s	
Scenario: Launch the app	p and select	the country as per specified lbu	
Passed: 8	Failed: 0	Undefined: 0	Duration: 69.6
Before			
Defore			0.00s
	onn		+
Given User has pulse		4 II HDITI CE EMIATI II	10.44s
Given User has pulse a And I assign "\${login.	.email.id}'' 1	to variable "PULSE_EMAIL"	10.44s 0.00s
Given User has pulse a And I assign "\${login. And user click on "CO	email.id}'' 1	WITH EMAIL'' with Email button	10.44s 0.00s 15.60s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou	email.id}'' 1		10.44s 0.00s 15.60s 23.21s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec	email.id}'' (ONTINUE \ Intry as req	WITH EMAIL'' with Email button uired on registration page	10.44s 0.00s 15.60s 23.21s 2.00s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lange	email.id}'' (ONTINUE V Intry as req guage as re	WITH EMAIL'' with Email button	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lan And I click the Sign in	email.id}" (ONTINUE V Intry as requage as real tink	WITH EMAIL" with Email button uired on registration page quired on registration page	10.44s 0.00s 15.60s 23.21s 2.00s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lan And I click the Sign in	email.id}" (ONTINUE V Intry as requage as real tink	WITH EMAIL'' with Email button uired on registration page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la	email.id}" (ONTINUE V Intry as requage as real tink	WITH EMAIL" with Email button uired on registration page quired on registration page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lan And I click the Sign in Then I verify below la page	email.id}" (ONTINUE V Intry as requage as real tink	WITH EMAIL" with Email button uired on registration page quired on registration page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s
Given User has pulse a And I assign "\${login. And user click on "Co Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents	email.id}" (ONTINUE V Intry as req guage as red I link Inguage opt	WITH EMAIL" with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app	email.id}" (ONTINUE V Intry as required as reconstruction in the content of the correction in the cor	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email"	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app Passed: 6	email.id}" (ONTINUE V Intry as req guage as red I link Inguage opt	WITH EMAIL" with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s
Given User has pulse a And I assign "\${login. And user click on "Co Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app Passed: 6 Before	email.id}" (DNTINUE V Intry as required as reconstruction in the control of the correction in the cor	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lang	email.id}" (ONTINUE V Intry as requested as reconstructed as reconstructe	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email"	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s
Given User has pulse a And I assign "\${login.} And user click on "Co Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lang When user enters cree	email.id}" (DNTINUE V Intry as requested as reconstruction in the control of the	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 u on toggle bar as required on login page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s
Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lange and I click the Sign in Then I verify below lange After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lange When user enters creater UserName \${PULS}	email.id}" (DNTINUE V Intry as required a	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 u on toggle bar as required on login page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s
Given User has pulse a And I assign "\${login.} And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below langage After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lang When user enters creat UserName \${PULS Password \${login.}	guage as red link anguage option Failed: 0 guage option dentials E_EMAIL password	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 u on toggle bar as required on login page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s 2.28s 10.35s
Given User has pulse a And I assign "\${login.} And user click on "Co Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lang When user enters cred UserName \${PULS} Password \${login.} And User clicks on sig	p with corrected the corrected states of the corrected	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 n on toggle bar as required on login page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s 2.28s 10.35s
Given User has pulse a And I assign "\${login.} And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lange and I click the Sign in Then I verify below lange After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lange When user enters created UserName \${PULS Password \${login.} And User clicks on sig And I enter OTP in or	p with corrected the corrected states of the corrected	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 u on toggle bar as required on login page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s 2.28s 10.35s 0.28s 14.35s
Given User has pulse a And I assign "\${login.} And user click on "Co Then I change the cou Then I wait for 2 sec Then I change the lang And I click the Sign in Then I verify below la page After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lang When user enters cred UserName \${PULS} Password \${login.} And User clicks on sig	p with corrected the corrected states of the corrected	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 n on toggle bar as required on login page	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s 2.28s 10.35s
Given User has pulse a And I assign "\${login.} And user click on "CO Then I change the cou Then I wait for 2 sec Then I change the lange and I click the Sign in Then I verify below lange After Back to Table of Contents Scenario: login to the app Passed: 6 Before Given I select the lange When user enters created UserName \${PULS Password \${login.} And User clicks on sig And I enter OTP in or	guage as red link linguage option Failed: 0 guage option dentials E_EMAIL gassword gnin button he pulse app	with Email button uired on registration page quired on registration page ions on toggle bar as per specified lbu on login ect credentials using "Continue with Email" Undefined: 0 n on toggle bar as required on login page p for user email "\${PULSE_EMAIL}"	10.44s 0.00s 15.60s 23.21s 2.00s 11.88s 4.93s 1.54s 0.00s Duration: 46.0 0.00s 2.28s 10.35s 0.28s 14.35s

		nare the link with Whatsapp	
assed: 1	Failed: 0	Undefined: 0	Duration: 13.9
Before			0.00s
Then I verify th	ne share with friends lin	ıks	13.90s
After			0.00s
ack to Table of Conto	<u>ents</u>		
cenario: Verify U	ser should be able to sl	nare the link with Contacts app	
assed: 1	Failed: 0	Undefined: 0	Duration: 9.23
Before			0.00s
Then I verify th	ne contacts share icon		9.23s
After			0.00s
ack to Table of Conto	<u>ents</u>		
cenario: Verify U	ser should be able to sl	nare the link with Messenger app)
assed: 1	Failed: 0	Undefined: 0	Duration: 6.43
Sefore			0.00s
Then I verify th	e fb messenger share i	con	6.43s
After			0.00s
ack to Table of Conto	<u>ents</u>		
cenario: Verify U	ser should be able to sl	nare the link with Viber app	
cenario: Verify Uassed: 0	Failed: 1	Undefined: 0	Duration: 21.5
			Duration: 21.5 0.00s
Then I verify the org.openqa.sele processing the o	Failed: 1 ne Viber share icon nium.WebDriverExcep command. Original erro		0.00s 21.58s rror occurred while
Then I verify the org.openqa.sele processing the orginal error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismis desired: {appAcautoDismissAle newCommandIdeviceManufact deviceScreenDejavascriptEnabilities	Failed: 1 ne Viber share icon nium.WebDriverExceptommand. Original errosocket hang upoion: '3.12.0', revision: '3.12.0', revision: '15t: 'TM003LSIN', ip: '15t', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential erts: true, automaticitivity: com.prudential erts: true, automationNativity: 440, deviceScreeteled: true, locationConton	Undefined: 0 otion: An unknown server-side electric Could not proxy command to 7c6e0b3', time: '2018-05-08T14: 192.168.1.124', os.name: 'Window'	0.00s 21.58s rror occurred while of the remote server. 04:26.12Z' ws 10', os.arch: 'amd64' e: com.prudential.pulse.uale: Android-Test, od. deviceApiLevel: 30, 1FDD40043P, 0C241FDD40043P, ectionEnabled: true,

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at io.appium.java_client.DefaultGenericMobileElement.execute(DefaultGenericMobileElement.
iava:45)
at io.appium.java_client.MobileElement.execute(MobileElement.java:1)
at io.appium.java_client.android.AndroidElement.execute(AndroidElement.java:1)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:645)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:316)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:36)
```

at them I termy the tiber share resident estimate them them shear elections					
After			0.00s		
Back to Table of Contents					
cenario: Verify User s	hould be able to s	hare the link with Line app			
assed: 0	Failed: 1	Undefined: 0	Duration: .12s		
Before			0.00s		
Then I verify the Lin	e share icon		0.12s		
Original error: socke	0	cor: Could not proxy command	to the remote server.		

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1ecd9188-e345-40c6-8e4b-f4fdbc0c7f97
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

Back to Table of Contents		0.00s
	gs functionality in Account screen	
sed: 1 Failed:		
Scenario: User should Gmail'	be able to login on app with correct credentials using "C	Continue with
		Duration: 104.1
Passed: 13	Failed: 0 Undefined: 0	s
Before		0.00s
Given User has puls	se app	8.93s
Then I wait for 5 sec	c	5.00s
	epulse.login.global.idsetting}" to variable "PULSE_EMA	AIL'' 0.00s
And user click on "	CONTINUE WITH EMAIL" with Email button	12.97s
	country as required on registration page	22.84s
Then I wait for 4 sec		4.01s
	anguage as required on registration page	10.63s
And I click the Sign		4.80s
When user enters co		10.37s
UserName \${PUl		
Password \${logi	• • • • • • • • • • • • • • • • • • • •	
And User clicks on s	9	0.28s
Then I wait for 10 s		10.00s
	one pulse app for user email "\${PULSE_EMAIL}"	10.66s
	e landed home screen	3.62s
After		0.00s
Back to Table of Contents		
	ly Feedback screen in Account tab	
Passed: 1	Failed: 1 Undefined: 3	Duration: 5.04s
Before		0.00s
Then I wait for 5 see		5.00s 0.04s
	ount icon in Home screen	

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d9f8fe68-e0c2-4372-a9ac-14ae436e10b7
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

	apposition aboutego	strationScreen.accountButton	il discressibilations erec
java:738)	ann standafinitions mo	bilesteps.RegistrationSteps.ac	ccountRutton
(RegistrationSte		onesieps. Registi ationsteps.ac	ccountibution
` 0	* •	ne screen(features/th/PulseMy	Settings.feature:23)
And I click the N	My Feedback icon in Ac	ccount screen	0.00s
And I click the H	Feedback start icon in A	Account screen	0.00s
Then I verify fol	lowing texts are Displa	yed	0.00s
\${HealthArtion	cles.text}		
\${BMI.text}			
\${Wrinkle.tex	kt}		
\${Health.Asso	essment.text}		
ter			0.00s
ck to Table of Conte	<u>nts</u>		
enario: Verify the	e submit functionality i	in My feedback screen	
ssed: 1	Failed: 1	Undefined: 1	Duration: 8.0
efore			0.00s
And I click the I	Health Articles icon in A	Account screen	3.04s
And I enter the '	"Feedback" in welcome	e to Feedback Screen	5.04s
mobileNumber org.openqa.selen processing the configural error:	nium.WebDriverExcept ommand. Original erro socket hang up	tion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T1	to the remote server.
mobileNumber org.openqa.seler processing the configural error: some Build info: version System info: hos	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 tt: 'TM003LSIN', ip: '19	or: Could not proxy command	to the remote server. 4:04:26.12Z'
mobileNumber org.openqa.seler processing the configural error: Suild info: version System info: hosos.version: '10.0'	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7	or: Could not proxy command 7c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind	to the remote server. 4:04:26.12Z'
mobileNumber org.openqa.seler processing the configural error: Suild info: version system info: host os.version: '10.0 Driver info: io.a; Capabilities {app	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudent	or: Could not proxy command 7c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind roid.AndroidDriver tial.pulse.MainAc, appPacka	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6
mobileNumber org.openqa.seler processing the configural error: suit Build info: versions system info: host os.version: '10.0 Driver info: io.a; Capabilities {appuat, autoDismiss	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudent SAlerts: true, automatio	or: Could not proxy command 7c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind roid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, data	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false,
mobileNumber org.openqa.seler processing the configural error: substituting the configuration of the configuration	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudention tivity: com.prudential.p	or: Could not proxy command 7c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind roid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, data pulse.MainAc, appPackage:	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u
mobileNumber org.openqa.seler processing the configural error: Suild info: versions yetem info: host os.version: '10.0 Driver info: io.a; Capabilities {appuat, autoDismiss desired: {appAcautoDismissAler	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 ot: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudention tivity: com.prudential.p	or: Could not proxy command (c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, datal pulse.MainAc, appPackage: time: UiAutomator2, deviceNa	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.us me: Android-Test,
mobileNumber org.openqa.seler processing the configural error: substituting the configuration of the configuration	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudent sAlerts: true, automation tivity: com.prudential.p	or: Could not proxy command 7c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind roid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, data pulse.MainAc, appPackage:	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ime: Android-Test, id}, deviceApiLevel: 30,
org.openqa.seler processing the co Original error: s Build info: versi System info: hos os.version: '10.0 Driver info: io.a Capabilities {app uat, autoDismiss desired: {appAc autoDismissAler newCommandTi deviceManufact	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudential.p ts: true, automationNa imeout: 10000, noReset urer: Google, deviceMo	or: Could not proxy command 7c6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPacka pulse.MainAc, appPackage: pulse.MainAc, appPackage: time: UiAutomator2, deviceNa t: true, platformName: androi	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amdo age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P,
mobileNumber org.openqa.seler processing the configural error: substituting the configuration of the configuration	nium.WebDriverExceptommand. Original errosocket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudent sAlerts: true, automationNa tivity: com.prudential.p tts: true, automationNa imeout: 10000, noReset urer: Google, deviceMonsity: 440, deviceScreen ed: true, locationConte	or: Could not proxy command of Coeob3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPackatonName: UiAutomator2, datapulse.MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0C.nSize: 1080x2340, deviceUDIExtEnabled: false, networkConstructions	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true,
mobileNumber org.openqa.seler processing the configural error: subuild info: versions version: '10.0 Driver info: io.a Capabilities {appuat, autoDismiss desired: {appAcautoDismissAlernewCommandTideviceManufactideviceScreenDeriavascriptEnable newCommandTideviceManufactideviceScreenDeriavascriptEnable newCommandTideviceManufactideviceScreenDeriavascriptEnable newCommandTideviceManufactideviceScreenDeriavascriptEnable newCommandTideviceManufactideviceScreenDeriavascriptEnable newCommandTideviceManufactideviceScreenDeriavascriptEnable newCommandTideviceManufactideviceManufa	nium.WebDriverExceptommand. Original erro socket hang up on: '3.12.0', revision: '7 ot: 'TM003LSIN', ip: '19 ot: 'TM003LSIN', ip: '19 ot: '11.0.2' ppium.java_client.andrepActivity: com.prudent of sAlerts: true, automation of tivity: com.prudential.pts: true, automation of the salerts: true, automation of the salerts: true, automation of the salerts: 440, deviceScreen of true, location of the salerts: 10000, no Reset of true, location of the salerts: 10000, no Reset of the salerts of t	or: Could not proxy command of Coeobs', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPackage: UiAutomator2, databulse.MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0CinSize: 1080x2340, deviceUDIExtEnabled: false, networkCont: true, pixelRatio: 2.75, platfor:	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX,
mobileNumber org.openqa.seler processing the configural error: substituting the configuration of the configuration	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 ot: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudential.p ets: true, automationNa imeout: 10000, noReset urer: Google, deviceMonsity: 440, deviceScreen ed: true, locationContest imeout: 10000, noReset Android, platformVers	or: Could not proxy command of Co6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPackatonName: UiAutomator2, data pulse.MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0C of Size: 1080x2340, deviceUDIE xtEnabled: false, networkCont: true, pixelRatio: 2.75, platforon: 11, statBarHeight: 145, to	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true,
org.openqa.seler processing the concessing the concessing the concessing the concession or concessio	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 ot: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudential.p ets: true, automationNa imeout: 10000, noReset urer: Google, deviceMonsity: 440, deviceScreen ed: true, locationContest imeout: 10000, noReset Android, platformVers	or: Could not proxy command of Coeobs', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPackage: UiAutomator2, databulse.MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0CinSize: 1080x2340, deviceUDIExtEnabled: false, networkCont: true, pixelRatio: 2.75, platfor:	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true,
mobileNumber org.openqa.seler processing the configural error: subuild info: versions version: '10.0 Driver info: io.a; Capabilities {appactutoDismissAlernewCommandTideviceManufactuteviceScreenDerjavascriptEnablenewCommandTiplatformName: viewportRect: {lfalse}	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 ot: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudential.p ets: true, automationNa imeout: 10000, noReset urer: Google, deviceMonsity: 440, deviceScreen ed: true, locationContest imeout: 10000, noReset Android, platformVers	or: Could not proxy command of Co6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind roid.AndroidDriver tial.pulse.MainAc, appPackage: UiAutomator2, datapulse.MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0C asize: 1080x2340, deviceUDIE xtEnabled: false, networkCont: true, pixelRatio: 2.75, platfotion: 11, statBarHeight: 145, to: 145, width: 1080}, warnings	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pule baseEnabled: false, com.prudential.pulse.ue me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true,
org.openqa.seler processing the concessing the concessing the concession or concession	nium.WebDriverExceptommand. Original errosocket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andrepActivity: com.prudention pActivity: com.prudention tivity: com.prudential.pris: true, automation imeout: 10000, noReseturer: Google, deviceMonsity: 440, deviceScreented: true, locationContection imeout: 10000, noReseted: true, locationContection and the content of the	or: Could not proxy command of Co6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0C. aSize: 1080x2340, deviceUDIExtEnabled: false, networkCont: true, pixelRatio: 2.75, platfosion: 11, statBarHeight: 145, to: 145, width: 1080}, warnings 4ae436e10b7 =//android.widget.EditText}	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u. me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true, s: {}, webStorageEnabled
org.openqa.seler processing the cooriginal error: selection of the cooriginal error of the coor	nium.WebDriverExceptommand. Original errosocket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 i', java.version: '11.0.2' ppium.java_client.andrepActivity: com.prudentsAlerts: true, automation in tivity: com.prudential.pris: true, automation Natimeout: 10000, noReseturer: Google, deviceMonsity: 440, deviceScreened: true, locationContestimeout: 10000, noResete Android, platformVersineight: 2015, left: 0, top fe68-e0c2-4372-a9ac-14 o: {Using=xpath, value=eflect.GeneratedConstr	or: Could not proxy command of Co6e0b3', time: '2018-05-08T1 92.168.1.124', os.name: 'Wind coid.AndroidDriver tial.pulse.MainAc, appPackage: UiAutomator2, datapulse.MainAc, appPackage: me: UiAutomator2, deviceNate: true, platformName: androidel: Pixel 5, deviceName: 0C nSize: 1080x2340, deviceUDIExtEnabled: false, networkContextEnabled: false, networkContext	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pule baseEnabled: false, com.prudential.pulse.us me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true, s: {}, webStorageEnabled
org.openqa.seler processing the cooriginal error: selection of the cooriginal error of the cooriginal erro	nium.WebDriverExcept ommand. Original erro socket hang up on: '3.12.0', revision: '7 ot: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andrepActivity: com.prudential.profession: true, automationNativity: com.prudential.profession: 10000, noResetturer: Google, deviceMonsity: 440, deviceScreented: true, locationContestimeout: 10000, noResetture. 1	coechba', time: '2018-05-08T192.168.1.124', os.name: 'Winderoid.AndroidDriver tial.pulse.MainAc, appPackage: MainAc, appPackage: Ma	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pule baseEnabled: false, com.prudential.pulse.us me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true, s: {}, webStorageEnabled
org.openqa.seler processing the co Original error: s Build info: versi System info: hos os.version: '10.0 Driver info: io.a; Capabilities {appuat, autoDismiss desired: {appAcautoDismissAlernewCommandTideviceManufactideviceScreenDerjavascriptEnablenewCommandTiplatformName: viewportRect: {Ifalse} Session ID: d9f8 *** Element info at jdk.internal.reat java.base/jdk.(DelegatingCons	nium.WebDriverExceptommand. Original errosocket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andrepActivity: com.prudential.pactivity: com.prudential.pactivity: com.prudential.pactivity: com.prudential.pactivity: com.prudential.pactivity: com.prudential.pactivity: com.prudential.pactivity: com.prudential.pactivity: deviceMonsity: 440, deviceScreented: true, locationContented: true, locationContented: 10000, noResetted: true, locationContented: 2015, left: 0, top fe68-e0c2-4372-a9ac-14 o: {Using=xpath, value= eflect.GeneratedConstructorAccessorImpl.jactruc	coechba', time: '2018-05-08T192.168.1.124', os.name: 'Winderoid.AndroidDrivertial.pulse.MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: MainAc, appPackage: true, platformName: androidel: Pixel 5, deviceName: 0C. aSize: 1080x2340, deviceUDIExtEnabled: false, networkCont: true, pixelRatio: 2.75, platfosion: 11, statBarHeight: 145, to: 145, width: 1080}, warningsdae436e10b7 =//android.widget.EditText} cuctorAccessor21.newInstancetingConstructorAccessorImplaya: 45)	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul- baseEnabled: false, com.prudential.pulse.us me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true, s: {}, webStorageEnabled e(Unknown Source) l.newInstance
org.openqa.seler processing the cooriginal error: selection of the cooriginal error	nium.WebDriverExceptommand. Original errosocket hang up on: '3.12.0', revision: '7 it: 'TM003LSIN', ip: '19 i', java.version: '11.0.2' ppium.java_client.andrepActivity: com.prudential.pets: true, automationNativity: com.prudential.pets: true, automationNatimeout: 10000, noReseturer: Google, deviceMonsity: 440, deviceScreened: true, locationContextimeout: 10000, noResetextrue, lo	coechba', time: '2018-05-08T192.168.1.124', os.name: 'Winderoid.AndroidDriver tial.pulse.MainAc, appPackage: MainAc, appPackage: Ma	to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pule baseEnabled: false, com.prudential.pulse.us me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true, s: {}, webStorageEnabled e(Unknown Source) l.newInstance java:490)

at org.openqa.selenium	.remote.http.W3	3CHttpResponseCodec.decode	
(W3CHttpResponseCoo	•		
	•	3CHttpResponseCodec.decode	
(W3CHttpResponseCoo			
at org.openqa.selenium.	.remote.HttpCo	mmandExecutor.execute(Http(CommandExecutor.java:
at io.appium.java_clien	t.remote.Appiur	mCommandExecutor.execute	
(AppiumCommandExe	•		
		WebDriver.execute(RemoteWecMobileDriver.execute(Default	
at io.appium.java_clien	t.AppiumDriver	c.execute(AppiumDriver.java:1)
		oidDriver.execute(AndroidDriv	
		WebDriver.findElement(Remo	teWebDriver.java:317)
		cMobileDriver.findElement	
(DefaultGenericMobile)	•	6 IDI 4/A • D •	1)
		r.findElement(AppiumDriver.ja	
		oidDriver.findElement(Android WebDriver.findElementByXPa	
java:419)	n emote. Kemote	webbiivei.imuElementbyAi a	im(Kemote WebDiivei.
,	t.DefaultGeneri	cMobileDriver.findElementBy	XPath
(DefaultGenericMobile)		· · · · · · · · · · · · · · · · · · ·	wv
	•	r.findElementByXPath(Appiun	nDriver.java:1)
at io.appium.java_clien	t.android.Andro	oidDriver.findElementByXPath	(AndroidDriver.java:1)
		ndElement(By.java:353)	
		WebDriver.findElement(Remo	teWebDriver.java:309)
		cMobileDriver.findElement	
(DefaultGenericMobile)			1)
		r.findElement(AppiumDriver.ja pidDriver.findElement(Android	
		ands\$16.executeCommand(Con	
		eCommand.executeCommand(l	· · · · · · · · · · · · · · · · · · ·
	reens.TestRaseP	age.setTextWithTab(TestBasel	Page.iava:260)
		ConnectScreen.enterMobileNu	, , , , , , , , , , , , , , , , , , ,
(CustomerConnectScre		0	
		bilesteps.CustomerConnectSte	ps.enterMobileNumber
(CustomerConnectStep	s.java:231)		
at .And I enter the "Fee	dback" in welc	ome to Feedback Screen(featur	es/th/PulseMySettings.
feature:34)			
And I click the Submit			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Pulse	Personalised tal	h	
Passed: 3	Failed: 1	Undefined: 2	Duration: 12.11s
Before		endermed 2	0.00s
Then I wait for 3 sec	D 11 11		3.01s
And I click the Pulse by	Personalised ic	ons	3.03s
Then I wait for 3 sec			3.00s

```
And I click the save button in pulse personalised icons
                                                                            3.06s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d9f8fe68-e0c2-4372-a9ac-14ae436e10b7
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.CustomerConnectScreen.clickSaveButtonPersonalised
(CustomerConnectScreen.java:835)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
clickSavebuttonpersonalized(CustomerConnectSteps.java:245)
```

And I click the			0.00s
And I click the	Back icon in pulse perso	onalised screen	0.00s
ter			0.00s
ck to Table of Cont	tents		<u> </u>
	my setting screen in Acco	unt tah	
ssed: 0	Failed: 1	Undefined: 3	Duration: .04
fore	raneu: 1	Ondermed: 5	0.00s
And I click the	Account icon in Home s	creen	0.04s
System info: ho os.version: '10. Driver info: io. Capabilities {ajuat, autoDismis desired: {appA autoDismissAle newCommand deviceManufacteviceScreenDejavascriptEnabnewCommand platformName viewportRect: false} Session ID: d9f	ost: 'TM003LSIN', ip: '19 0', java.version: '11.0.2' appium.java_client.andr ppActivity: com.prudent ssAlerts: true, automation ctivity: com.prudential.perts: true, automation arimeout: 10000, noReset cturer: Google, deviceMo ensity: 440, deviceScreer oled: true, locationConte cimeout: 10000, noReset cheight: 2015, left: 0, top	tial.pulse.MainAc, appPackonName: UiAutomator2, datapulse.MainAc, appPackage ame: UiAutomator2, deviceNt: true, platformName: androdel: Pixel 5, deviceName: 00 nSize: 1080x2340, deviceUDIxtEnabled: false, networkCot: true, pixelRatio: 2.75, platfon: 11, statBarHeight: 145, p: 145, width: 1080}, warning	kage: com.prudential.pul abaseEnabled: false, e: com.prudential.pulse.u fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true,
	fo: {Using=xpath, value=	-(//android widget ImageVie	
at jdk.internal.	reflect Cenerated Constr		
04 town 1 / 11		cuctorAccessor21.newInstan	ce(Unknown Source)
	k.internal.reflect.Delegat	ructorAccessor21.newInstandtingConstructorAccessorImp	ce(Unknown Source)
(Delegating Cor	k.internal.reflect.Delegat istructorAccessorImpl.ja	ructorAccessor21.newInstand tingConstructorAccessorImp ava:45)	ce(Unknown Source) pl.newInstance
(DelegatingCor at java.base/jav	k.internal.reflect.Delegat nstructorAccessorImpl.ja va.lang.reflect.Construct	ructorAccessor21.newInstandtingConstructorAccessorImp	ce(Unknown Source) ol.newInstance :.java:490)
(DelegatingCor at java.base/jav at org.openqa.s (W3CHttpResp	k.internal.reflect.Delegat nstructorAccessorImpl.ja va.lang.reflect.Construct selenium.remote.http.W3 oonseCodec.java:187)	ructorAccessor21.newInstand tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat	ce(Unknown Source) cl.newInstance c.java:490) ceException
(Delegating Cor at java.base/jav at org.openqa.s (W3CHttpResp at org.openqa.s	k.internal.reflect.Delegat nstructorAccessorImpl.ja va.lang.reflect.Construct selenium.remote.http.W3 oonseCodec.java:187) selenium.remote.http.W3	ructorAccessor21.newInstand tingConstructorAccessorImp ava:45) tor.newInstance(Constructor	ce(Unknown Source) cl.newInstance c.java:490) ceException
(DelegatingCor at java.base/jav at org.openqa.s (W3CHttpResp at org.openqa.s (W3CHttpResp	k.internal.reflect.Delegat nstructorAccessorImpl.ja va.lang.reflect.Construct selenium.remote.http.W3 ponseCodec.java:187) selenium.remote.http.W3 ponseCodec.java:122)	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat	ce(Unknown Source) cl.newInstance c.java:490) ceException de
(Delegating Cor at java.base/jav at org.openqa.s (W3CHttpResp at org.openqa.s (W3CHttpResp at org.openqa.s	k.internal.reflect.Delegat nstructorAccessorImpl.ja va.lang.reflect.Construct selenium.remote.http.W3 ponseCodec.java:187) selenium.remote.http.W3 ponseCodec.java:122) selenium.remote.http.W3	ructorAccessor21.newInstand tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat	ce(Unknown Source) cl.newInstance c.java:490) ceException de
(Delegating Cor at java.base/jav at org.openqa.s (W3CHttpResp at org.openqa.s (W3CHttpResp at org.openqa.s (W3CHttpResp	k.internal.reflect.DelegatestructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.Wasselenium.remote.http.Wassel	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat 3CHttpResponseCodec.decod	ce(Unknown Source) cl.newInstance c.java:490) ceException de
(Delegating Corat java.base/javat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s at org.openqa.s	k.internal.reflect.DelegatestructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.java.lang.reflect.ConstructorAccessorImpl.Wasselenium.remote.http.Wassel	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat	ce(Unknown Source) cl.newInstance c.java:490) ceException de
(Delegating Corat java.base/javat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s 158)	k.internal.reflect.DelegatestructorAccessorImpl.java.lang.reflect.Constructselenium.remote.http.W3bonseCodec.java:187)selenium.remote.http.W3bonseCodec.java:122)selenium.remote.http.W3bonseCodec.java:49)selenium.remote.HttpCodeclenium.	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat 3CHttpResponseCodec.decod	ce(Unknown Source) cl.newInstance :.java:490) ceException de tpCommandExecutor.jav
(DelegatingCor at java.base/java at org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s at org.openqa.s at io.appium.ja (AppiumComm	k.internal.reflect.DelegatestructorAccessorImpl.java.lang.reflect.Constructselenium.remote.http.W3ponseCodec.java:187)selenium.remote.http.W3ponseCodec.java:122)selenium.remote.http.W3ponseCodec.java:49)selenium.remote.HttpCodec.java:231)	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat 3CHttpResponseCodec.decod 3CHttpResponseCodec.decod mmandExecutor.execute(Ht mCommandExecutor.execut	ce(Unknown Source) cl.newInstance c.java:490) ceException de tpCommandExecutor.jav
(Delegating Corat java.base/javat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s 158) at io.appium.ja (AppiumCommat org.openqa.s	k.internal.reflect.DelegatestructorAccessorImpl.java.lang.reflect.Constructselenium.remote.http.W3bonseCodec.java:187)selenium.remote.http.W3bonseCodec.java:122)selenium.remote.http.W3bonseCodec.java:49)selenium.remote.HttpCompandExecutor.java:231)selenium.remote.Remoteselenium.remote.Remoteselenium.remot	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat 3CHttpResponseCodec.decod 3CHttpResponseCodec.decod mmandExecutor.execute(Ht mCommandExecutor.execut	ce(Unknown Source) pl.newInstance c.java:490) deException de tpCommandExecutor.jav e WebDriver.java:543)
(Delegating Corat java.base/javat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s (W3CHttpRespat org.openqa.s 158) at io.appium.ja (AppiumCommat org.openqa.s	k.internal.reflect.DelegatestructorAccessorImpl.java.lang.reflect.Constructselenium.remote.http.W3bonseCodec.java:187)selenium.remote.http.W3bonseCodec.java:122)selenium.remote.http.W3bonseCodec.java:49)selenium.remote.HttpCompandExecutor.java:231)selenium.remote.Remoteselenium.remote.Remoteselenium.remot	ructorAccessor21.newInstance tingConstructorAccessorImp ava:45) tor.newInstance(Constructor 3CHttpResponseCodec.creat 3CHttpResponseCodec.decod 3CHttpResponseCodec.decod mmandExecutor.execute(Ht mCommandExecutor.execut	ce(Unknown Source) pl.newInstance c.java:490) deException de tpCommandExecutor.jav e WebDriver.java:543)

		${f ent.}$ and ${f roid.}$ And ${f roid.}$ Driver. ${f except example exa$				
	at org.openqa.seleniur	${f m.remote.RemoteWebDriver.findElement(RemoteWeb)}$	Driver.java:317)			
	at io.appium.java_client.DefaultGenericMobileDriver.findElement					
	(DefaultGenericMobileDriver.java:62)					
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)					
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)					
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.					
	java:419)					
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath					
	(DefaultGenericMobileDriver.java:152)					
	at io.appium.java_clie	ent.AppiumDriver.findElementByXPath(AppiumDrive	r.java:1)			
	at io.appium.java_clie	ent.android.AndroidDriver.findElementByXPath(Andr	oidDriver.java:1)			
		m.By\$ByXPath.findElement(By.java:353)	· ·			
		m.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.iava:309)			
		ent.DefaultGenericMobileDriver.findElement	· · - · J · · · · · · · · · ·			
	(DefaultGenericMobil					
		ent.AppiumDriver.findElement(AppiumDriver.java:1)				
		ent.android.AndroidDriver.findElement(AndroidDriver)	r iovo·1)			
		.selenium.Commands\$15.executeCommand(Command				
			· · · · · · · · · · · · · · · · · · ·			
		. selenium. Execute Command. execute Command (Execut Command)	eCommand.java:			
	19)		(2)			
		creens.TestBasePage.clickButton(TestBasePage.java:1				
		creens. Pulse Registration Screen. account Button (Pulse Registration) and the property of t	egistrationScreen.			
	java:738)					
		tep definitions. mobile steps. Registration Steps. account But the property of the property	utton			
	(RegistrationSteps.java:143)					
	(iteSisti attonoteps.ja)	(d.145)				
		count icon in Home screen(features/th/PulseMySettings	s.feature:57)			
	at .And I click the Aco	count icon in Home screen(features/th/PulseMySettings	· ·			
	at .And I click the Acc And I click on "\${icon		0.00s			
	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo	count icon in Home screen(features/th/PulseMySettings	0.00s			
	at .And I click the Acc And I click on ''\${icon Then I wait for 2 sec Then User verify follo Country	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
	at .And I click the Acc And I click on ''\${icon Then I wait for 2 sec Then User verify follo Country	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK)	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
At	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s 0.00s			
⊨	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth	count icon in Home screen(features/th/PulseMySettings n.mySettings}'' link in Account screen	0.00s 0.00s			
Ba	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth	count icon in Home screen(features/th/PulseMySettings n.mySettings}" link in Account screen wing list texts are displayed in My Setting screen	0.00s 0.00s 0.00s			
Ba eatu	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth fter ck to Table of Contents re: Verify My Challen	count icon in Home screen(features/th/PulseMySettings h.mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App	0.00s 0.00s 0.00s			
Ba	at .And I click the Acc And I click on "\${icon} Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth fter ck to Table of Contents Ire: Verify My Challen	count icon in Home screen(features/th/PulseMySettings n.mySettings}" link in Account screen wing list texts are displayed in My Setting screen	0.00s 0.00s 0.00s			
Ba eatu	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth Eter ck to Table of Contents Ire: Verify My Challen It: 3 Failed: 2	count icon in Home screen(features/th/PulseMySettings h.mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s	0.00s 0.00s 0.00s			
Ba eatu Sc	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth fter ck to Table of Contents are: Verify My Challen 1: 3 Failed: 2 cenario: Launch the ap	count icon in Home screen(features/th/PulseMySettings h.mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s p and select the country as per specified lbu	0.00s 0.00s 0.00s			
Ba eatu ssec Sc Pa	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth fter ck to Table of Contents ire: Verify My Challen d: 3 Failed: 2 enario: Launch the appossed: 8	count icon in Home screen(features/th/PulseMySettings h.mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s	0.00s 0.00s 0.00s 0.00s			
Ba eatu ssec Sc Pa	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth Eter ck to Table of Contents Ire: Verify My Challen 1: 3 Failed: 2 Evenario: Launch the appossed: 8	ges on One Pulse App Undefined: 0 Pulse App Undefined: 0 Pulse App Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0	0.00s 0.00s 0.00s 0.00s 0.00s			
Ba eatu ssec Sc Pa	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth fter ck to Table of Contents ure: Verify My Challen d: 3 Failed: 2 enario: Launch the appearance is a second of the contents Given User has pulse a second of the contents Given User has pulse a second of the contents The contents of the contents of the contents The contents of the contents of the contents The contents of the contents	count icon in Home screen(features/th/PulseMySettings) .mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s p and select the country as per specified lbu Failed: 0 Undefined: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: 69.34s 0.00s 11.33s			
Ba eatu ssec Sc Pa	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth Eter ck to Table of Contents are: Verify My Challen d: 3 Failed: 2 cenario: Launch the appssed: 8 cefore Given User has pulse a And I assign "\${login.	count icon in Home screen(features/th/PulseMySettings) .mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s p and select the country as per specified lbu Failed: 0 Undefined: 0 undefined: 0 undefined: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: 69.34s 0.00s 11.33s 0.00s			
Ba eatu ssec Sc Pa	at .And I click the Acc And I click on "\${icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth Eter ck to Table of Contents are: Verify My Challen d: 3 Failed: 2 cenario: Launch the appssed: 8 cefore Given User has pulse a And I assign "\${login.	count icon in Home screen(features/th/PulseMySettings) .mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s p and select the country as per specified lbu Failed: 0 Undefined: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: 69.34s 0.00s 11.33s			
Ba eatu ssec Sc Pa	at .And I click the Acc And I click on "\$\{icon Then I wait for 2 sec Then User verify follo Country Thailand Language English (UK) Change Password Enable Face Auth fter ck to Table of Contents re: Verify My Challen 1: 3 Failed: 2 renario: Launch the appssed: 8 refore Given User has pulse a And I assign "\$\{login. And user click on "Co	count icon in Home screen(features/th/PulseMySettings) .mySettings}'' link in Account screen wing list texts are displayed in My Setting screen ges on One Pulse App Undefined: 0 Duration: 142.54s p and select the country as per specified lbu Failed: 0 Undefined: 0 undefined: 0 undefined: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: 69.34s 0.00s 11.33s 0.00s			

Then I wait for 2	sec		2.01s	
		quired on registration page	11.41s	
And I click the Sig	gn in link		4.65s	
Then I verify below language options on toggle bar as per specified lbu on login page				
After				
Back to Table of Content	<u>ts</u>			
Scenario: login to the	e app with corre	ct credentials using "Continue with Email"		
Passed: 5	Failed: 0	Undefined: 0	Duration: 32.25	
Before		·	0.00s	
Given I select the	language option	on toggle bar as required on login page	2.24s	
When user enters			10.30s	
UserName \${P	ULSE_EMAIL}			
Password \${lo				
And User clicks of	<u> </u>		0.28s	
And I wait for 5 so			5.00s	
Then user should	be landed to "H	lome'' screen	14.43s	
After			0.00s	
Back to Table of Content	ts			
Scenario: Verify My	Challenges texts	s		
Passed: 1	Failed: 1	Undefined: 0	Duration: 22.74	
Before			0.00s	
And I click on My	Challenges tile	on one pulse app	12.60s	
And I click on My And I verify follow			12.60s 10.14s	
And I verify follow	wing texts are di			
And I verify follow \${my.challenge \${not.connecte	wing texts are di es.text} ed.wearable}	splayed		
\$\frac{\text{my.challenge}}{\text{not.connecte}}\$\frac{\text{sonnecte}}{\text{you have not confease}}\$\text{at org.testng.asser at com.onepulse.a}\$\text{(MyDocSteps.java}\$	wing texts are dies.text} d.wearable} onError: The followered any wear rts.SoftAssert.ass app.stepdefinition a:717)		10.14s but found	



After			0.00s				
Back to Table of Contents	Back to Table of Contents						
Scenario: Verify the user	Scenario: Verify the user can Connect Wearables via My Challenges						
Passed: 0	Duration: 8.31s						
Before	Before 0.00s						
And I clicks on "\${my	Challenges.connect	WearablesButton}" in app	screen 8.31s				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 72614c95-5e58-4b83-bf43-c1fc6ff61d15

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Connect
Wearable")]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1741)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${myChallenges.connectWearablesButton}" in app screen(features/th
/home/PulseMyChallenges.feature:34)
```



			1			
Then I wait for 2 sec			2.00s			
		MAIL" with Email button	14.56s 22.12s			
	Then I change the country as required on registration page					
Then I wait for 2 sec	2.00s					
Then I change the lang	10.12s					
	And I click the Sign in link					
	When user enters credentials					
UserName \${PULSI	UserName \${PULSE_EMAIL}					
Password \${Passwo	Password \${Password.text}					
And User clicks on signin button			0.24s			
Then I wait for 10 sec			10.00s			
And I enter OTP in on	e pulse app for user	email "\${PULSE_EMAIL}"	12.22s			
Then user should be la	nded to "Home" sci	reen	14.36s			
After			0.00s			
Back to Table of Contents						
Scenario: Verify the Tern	s and condition sho	uld he displayed				
Passed: 4	Failed: 0	Undefined: 0	Duration: 12.11s			
Before	rancu. v	ondermed. 0	0.00s			
Then I wait for 5 sec	II		5.00s			
And I click the Accoun			0.85s			
And I click the Legacy	<u> </u>		3.75s			
		in terms and condition screen	2.51s			
\${Terms.conditions						
\${Privacy.Notice.tex	xt}					
\${Regulatory.text}						
After			0.00s			
Back to Table of Contents						
Scenario: Verify the Priva	acy screen should be	displayed				
Passed: 4	Failed: 0	Undefined: 0	Duration: 20.7s			
Before			0.00s			
And I click the Privacy	icon in legal screen		2.34s			
And I click the pulse ic			13.61s			
And I click the Back ic			2.39s			
And I click the Back ic		2	2.36s			
After			0.00s			
Back to Table of Contents			10.000			
Scenario: Verify the Regu	llator caroon should	ho displayed				
Passed: 6			Duration: 58.12s			
Passed: 6 Before	Failed: 0	Undefined: 0	0.00s			
And I click the Regular	•		1.24s			
And I click the Babylor			1.62s			
Then I verify following	texts are displayed	in terms and condition screen	5.48s			
\${Clinicalsafety.text						

	\${AI.in.Healthcare.text}		
	\${Localisation.text}		
	\${Privacy.Data.Protection	.text}	
	\${Raising.Concerns}		
	And I click the clinical safety	icon in Account screen	20.80s
	Then I wait for 8 sec		8.00s
	And I click the Back icons in	pulse screen	20.98s
A	fter		0.00s
B	ack to Table of Contents		