Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	7	20	0	0	27	26%
Scenarios	83	135	0	0	218	38%
Steps	630	135	0	314	1,079	58%

Overall Duration: 1h 38m 13s

Table of Contents

6. Verify User should be able to see the Notification screen texts
6. Verify My Communities on One Pluse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Gmail"
    3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
    4. Leave the community if already joined
    5. Verify the All Communities Post screen
    6. Verify the Likes and comments counts in All communities tab
    7. Verify the Share with Friends Functionality in All communities tab
    8. Verify the Post Functionality in All communities
    9. Verify the Category list and search feature
    10. User navigates back to the community screen
    11. Leave the community if already joined
7. Verify Private My Communities on One Pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Gmail"
    3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
    4. Verify the Private Communities in communities screen
8. Verify MySettings functionality in Account screen
    1. User should be able to login on app with correct credentials using "Continue with Gmail"
    2. Verify the My Feedback screen in Account tab
    3. Verify the submit functionality in My feedback screen
    4. Verify the Pulse Personalised tab
    5. Verify the Marketing Consent in Account tab
9. Verify share with friends functionality in onepulse app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify User should be able to share the link with Whatsapp
    4. Verify User should be able to share the link with Contacts app
    5. Verify User should be able to share the link with Messenger app
    6. Verify User should be able to share the link with Viber app
    7. Verify User should be able to share the link with Line app
10. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the user can access My Wearables via Fitness
11. Verify Exercise Buddy functionality via Fitness tab on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the user can access Exercise Buddy via Fitness
    4. Verify the Take Challenge via Squats
    5. Verify the Start via Squats
    6. Verify the Preview via Squats
12. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the user can access My Wearables via Fitness
13. Verify wealth channel functionality on one pulse App
    1. Verify User should be able to login using email account

2. **Verify User should be able to navigate to Food page**
3. **Verify User should be able to see the list of food schedule time**
4. **Verify User should be able to time of the meal, add to cart and scan**
5. **Verify User should be able to see the details after moving to "Breakfast"**
6. **Verify User should be able to see the details after moving to "Lunch"**
7. **Verify User should be able to see the details after moving to "Dinner"**
8. **Verify User should be able to see log after add food is done**

14. **Verify the Babylon Registration via HRA journey for PH LBU**
    1. **User should be able to Register for Babylon HRA**
    2. **Launch the app and select the country as per specified lbu**
    3. **login to the app with correct credentials using "Continue with Email"**
    4. **User should be able to Register for Babylon HRA**

15. **Verify the BabyLon HRA Report - Nutrition, Body, Activity**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **User should be able to access Babylon Health Risk Assessment Report**
    4. **Verify the HRA Activity Summary**
    5. **Verify the HRA Activity Summary**
    6. **Verify the HRA Activity summary**
    7. **Verify the HRA Nutrition Report**
    8. **Verify the HRA Report - Keep It Up sub-section**
    9. **Verify the HRA Report - Make a Change sub-section**
    10. **User should be able to access Babylon HRA - Healthcheck - Body**
    11. **navigate back to digital twin screen**
    12. **User should be able to access Babylon HRA - Healthcheck - Nutrition**
    13. **Navigate back to nutrition screen and validate the static text**
    14. **navigate back to digital twin screen**
    15. **User should be able to access Babylon HRA - Healthcheck - Activity**
    16. **Navigate back to Activity screen and validate the static text**
    17. **navigate back to digital twin screen**
    18. **User should be able to access Babylon HRA - Healthcheck - Mood**
    19. **navigate back to digital twin screen**

16. **Verify Consult doctor functionality on Pulse Health**
    1. **Verify the Home screen validation using "Continue with Email"**
    2. **Verify the online consultation screen user fields**
    3. **Verify the online consultation screen user fields after swipe down**
    4. **Verify User should be able to enter address and zipcode**
    5. **Verify User should be able to upload NRIC Image in Online Consultation screen**
    6. **Verify User should be presented with the symptoms checker questions log**
    7. **Verify User can able to chat with chatbot symptoms checker**
    8. **Verify User should be presented with the sample text on the Medical Profile screen as a first time user**
    9. **Verify User should be able to create the medical profile**
    10. **Verify User should be able to see the payment screen fields**
    11. **Verify User should be able enter the card details**
    12. **Verify User should be able see the added card successfully**
    13. **Verify User should be able to start online pre consultation**
    14. **Verify User should be able see the allocated doctor details**

17. **Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.**
    1. **Verify User should be able to navigate to Consultation Summary and see all available Files**

2. Verify User should be able to see the Referral,Prescription and eMC Documents
3. Verify User should be able to download eMC Document
4. Verify User should be able to verify the eMC details in downloaded PDF file
5. Verify User should be able to download Prescription Document
6. Verify User should be able to verify the Prescription details in downloaded PDF file
7. Verify User should be able to download the Referral Document
8. Verify User should be able to verify the Referral details in downloaded PDF file

18. Verify My Heart clinic functionality in Account screen
   1. User should be able to login on app with correct credentials using "Continue with Gmail"
   2. Verify the popup for Health page is display properly

19. Verify MY Event channel functionality on one pulse App
   1. Launch the app and select the country as per specified lbu
   2. login to the app with correct credentials using "Continue with Email"
   3. Verify MyEvent Functionality in Home screen
   4. Verify Events Archive tab
   5. Verify Open Events tab

20. Verify Notification Center functionality on one pulse App
   1. User should be able to register on app with correct credentials using "Continue with Email"
   2. Navigate to notification screen via home screen
   3. Verify User should be able to see the Notification screen texts
   4. Then I navigate back to home screen from Notification Center
   5. Verify User should be able navigate to Notification Center via My account
   6. Verify User should be able to see the Notification screen texts
   7. Verify User should be able to login using already registered credentials
   8. Verify User should be able navigate to Notification Center

21. Verify login functionality on One pulse App
   1. Launch the app and select the country as per specified lbu
   2. login to the app with correct credentials using "Continue with Email"
   3. Verify the Invalid Email id in login screen using "Continue with Email"
   4. Verify the User not registerd email in login screen using "Continue with Email"
   5. User should be able to retrieve the reset password using forget password link
   6. Verify Account should be locked after entering more than 7 times incorrect passwords
   7. Verify the Login Functionality using "Continue with Facebook"

22. Verify registration functionality on one pulse App for PH LBU
   1. User should be able to register on app with correct credentials using "Continue with Email"
   2. verify the field label on registration screen
   3. verify the validation message for mandatory fields
   4. verify validation message when user enters Invalid password: Pulse@1 on registration page
   5. verify validation message when user enters Invalid password: Pulse123 on registration page
   6. Verify the validation message when user enter already registered email id on registration page
   7. Verify the mobile number screen validation using "Continue with Email"
   8. Verify the Registration screen validation using "Continue with Email"
   9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

23. Verify Free PA with COVID+ Vaccine Protection functionality on one pulse App
   1. User should be able to register on app with correct credentials using "Continue with Email"
   2. Launch the app and select the country as per specified lbu

3. login to the app with correct credentials using "Continue with Email"
4. Navigates to PRU Shoppe screen
5. Verify first time User are presented with T&C to proceed to the Pru Shoppe
6. Verify User should be able to navigate to Free PA with COVID+Vaccine Protection tile
7. Verify Free PA with COVID+Vaccine Protection coverage details and conditions are listed above Show More link
8. Verify the Show More link is clickable in Free PA with COVID+Vaccine Protection screen
9. Verify the Free PA with COVID+Vaccine Protection coverage details and conditions are listed on click Show More link
10. Verify the Show Less link is clickable in Free PA with COVID+Vaccine Protection screen
11. Verify the Your Details section in Free PA with COVID+Vaccine Protection screen
12. Verify all the field headers in Free PA with COVID+Vaccine Protection screen
13. Scroll down for further validation
14. Verify User should be able to see the fields in Your Details section
15. Scroll down for further validation
16. Verify the Terms and Conditions text in Free PA with COVID+Vaccine Protection screen
17. Verify the Terms and Conditions can be accepted in Free PA with COVID+Vaccine Protection screen
18. Scroll down for further validation
19. Verify the presence of PROCEED button
20. Verify the validation error messages on click of PROCEED button
21. Verify image of unauthorised ID not accepted
22. Verify user can enter other mandatory fields

24. Verify Group Yearly Renewable Term Insurance(GYRT) functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. Launch the app and select the country as per specified lbu
    3. login to the app with correct credentials using "Continue with Email"
    4. Navigate to PRU Shoppe screen
    5. Verify first time User are presented with T&C to proceed to the Pru Shoppe
    6. Verify User should be able to navigate to GYRT tile
    7. Verify the GYRT coverage details and conditions are listed above Show More link
    8. Verify the Show More link is clickable in GYRT screen
    9. Verify the GYRT coverage details and conditions are listed on click Show More link
    10. Verify the Show Less link is clickable in GYRT screen
    11. Verify the Your Details section in GYRT screen
    12. Verify all the field headers in GYRT screen
    13. Scroll down for further validation
    14. Verify User should be able to see the fields in Your Details section
    15. Scroll down for further validation
    16. Verify the Terms and Conditions text in GYRT screen
    17. Verify the Terms and Conditions can be accepted in GYRT screen
    18. Scroll down for further validation
    19. Verify the presence of PROCEED button
    20. Verify the validation error messages on click of PROCEED button
    21. Verify image of unauthorised ID not accepted
    22. Verify user can enter other mandatory fields

25. Verify that user can view his registered policies under My Policies
    1. Verify that No linked policies information message is displayed
    2. Verify that user can access his policies from Home screen

26. Verify wealth channel functionality on one pulse App

Detailed Results Report

Feature: **Verify Edit Profile functionality on Pulse Health & Wealth app**			
Passed: 7	Failed: 2	Undefined: 0	Duration: 230.23s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 63.61s
Before			0.44s
Given User has pulse app			13.21s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			17.61s
Then I change the country as required on registration page			22.46s
Then I wait for 5 sec			5.01s
And I click the Sign in link			4.88s
After			0.00s

Back to Table of Contents

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 7	Failed: 0	Undefined: 0	Duration: 49.17s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.50s
When user enters credentials			10.53s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button			0.28s
And I wait for 5 sec			5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			10.90s

Then user should be landed to "Home" screen			13.97s
And I wait for 5 sec			5.00s
After			0.00s

Scenario: Verify User should be able to navigate to Edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 22.16s
Before			0.00s
Given user navigate to account page			12.36s
And user click on Edit profile link			4.79s
Then I wait for 5 sec			5.01s
After			0.00s

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 31.28s
Before			0.00s
Then I give manage profile camera permission			21.42s
Then I take picture from Camera			9.87s
After			0.00s

Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.08s
Before			0.00s
And verify email field is non-editable			1.78s
And verify country code field is non-editable and country code is "${country.code}"			0.74s
And verify country of Residence is "${country.name}" and non-editable			0.57s
After			0.00s

Scenario: Verify user can able to change the details in edit profile screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.11s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.01s
And I assign value to following variables			0.00s
First Name	Automation-${RANDOM_NUMBER}		
Last Name	Testing-${RANDOM_NUMBER}		
Then I update following profile details in edit profile screen			3.03s
FirstName	${First Name}		
LastName	${Last Name}		
And I click on update button in edit profile screen			12.07s
After			0.00s

Scenario: Verify Details updated during pulse profile registration should be reflected in edit

profile screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.72s
Before			**0.00s**

Given user click on Edit profile link	8.72s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 59d94d75-afb2-460e-9379-b876b0bc53b9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]/following::android.view.ViewGroup[1]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:181)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)

Then I verify following values in edit profile screen	0.00s

FirstName	${First Name}	
LastName	${Last Name}	
Email	${onepulse.login.edit.profile}	
Gender	${pulse.edit.gender}	
PhoneNumber	${pulse.edit.number}	

After		0.00s

Scenario: **verify the user details should be correctly on babylon screen**			
Passed: 3	Failed: 1	Undefined: 2	Duration: 28.46s
Before			0.00s

Given I navigate to Home page from edit profile screen	**3.42s**
Then I navigate to Babylon health Assessment and Accept TermsAndCondition	**22.39s**
Then I wait for 2 sec	**2.00s**
Then I verify the default values in babylon registration page is updated as below	**0.65s**

Gender	${pulse.edit.gender}
FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

java.lang.AssertionError: actual value is Automation-91618066622 expected [Automation-2715075712] but found [Automation-91618066622]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at com.onepulse.app.screens.PulseManageProfileScreen.
verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:516)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156)
at .Then I verify the default values in babylon registration page is updated as below(features
/editProfile/PulseEditProfileTest.feature:67)

| And verify email field is non-editable | | | | 0.00s |
| And verify country of Residence is "${country.name}" and non-editable | | | | 0.00s |

| After | | 0.00s |

Scenario: **navigate back to health screen**			
Passed: 2	Failed: 0	Undefined: 0	Duration: 8.63s
Before			0.00s
Given I navigate to health page from babylon registration screen			3.63s
And I wait for 5 sec			5.00s
After			0.00s

Feature: **Verify MY Event channel functionality on one pulse App**			
Passed: 5	Failed: 0	Undefined: 0	Duration: 161.88s
Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 55.4s
Before			0.00s
Given User has pulse app			10.23s
And I assign "${onepulse.events.user}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			15.89s
Then I change the country as required on registration page			22.42s
Then I wait for 2 sec			2.01s
And I click the Sign in link			4.84s
After			0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 44.29s
Before			0.00s

Given I select the language option on toggle bar as required on login page		3.47s
When user enters credentials		10.33s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.26s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.28s
Then user should be landed to "Home" screen	13.96s

After	0.00s

Scenario: Verify MyEvent Functionality in Home screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 29.38s
Before			0.00s

And I click the MyEvent icons	23.73s
And I wait for 5 sec	5.01s
And I verify following texts are displayed	0.65s

You do not have any events enrolled yet
Please choose from the open events and get started

After	0.00s

Scenario: Verify Events Archive tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.7s
Before			0.00s

And I click the Events Archive icon	8.59s
And I verify following texts are displayed	3.12s

You do not have any events in your archive.

After	0.00s

Scenario: Verify Open Events tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 21.1s
Before			0.00s

And I click the Open Events icon	8.58s
And I verify either static text or available open events are displayed on screen	12.52s

There are no events available at the moment
Stay tuned for events on health and fitness

After	0.00s

Feature: Verify My Health Content functionality on One Pulse App

Passed: 8	Failed: 0	Undefined: 0	Duration: 226.24s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 57.47s
Before			0.00s
	Given User has pulse app		10.07s
	And user click on "CONTINUE WITH EMAIL" with Email button		16.71s
	Then I change the country as required on registration page		22.87s
	Then I wait for 3 sec		3.00s
	And I click the Sign in link		4.81s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 50.14s
Before			0.00s
	And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
	Given I select the language option on toggle bar as required on login page		3.46s
	When user enters credentials		10.01s
	UserName	${PULSE_EMAIL}	
	Password	${login.password}	
	And User clicks on signin button		0.25s
	Then I wait for 10 sec		10.00s
	And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		12.00s
	Then user should be landed to "Home" screen		14.42s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to Health page

Passed: 5	Failed: 0	Undefined: 0	Duration: 54.59s
Before			0.00s
	Given I wait for 2 sec		2.01s
	Then I navigate to Health Content screen		25.02s
	Then I wait for 8 sec		8.01s
	And I verify following texts are displayed		0.54s
	Health Channels		
	And I verify the following texts "My Health Content" in Screen		19.00s
	Category		
	Like		
	Share		
	Comment		
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to view the full page article post

Passed: 2	Failed: 0	Undefined: 0	Duration: 17.31s
Before			0.00s

Then I click on "Health Channels" topic for details full view			7.30s
Then I wait for 10 sec			10.01s
After			0.00s

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 1	Failed: 0	Undefined: 0	Duration: 13.24s
Before			0.00s
And I verify the following texts "My Health Content" in Screen			13.24s

Like			
Share			
Comment			

After			0.00s

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.18s
Before			0.00s
And I Like the post			5.55s
And I Like the post			5.62s
After			0.00s

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 17.89s
Before			0.00s
And I share the post			5.40s
Then I navigate back to previous page			12.49s
After			0.00s

Scenario: Verify User can navigate to Health homepage

Passed: 1	Failed: 0	Undefined: 0	Duration: 4.43s
Before			0.00s
Then I navigate to story post page			4.43s
After			0.00s

Feature: Verify My Challenges on One Pulse App

Passed: 0	Failed: 4	Undefined: 0	Duration: 22.31s

Scenario: Launch the app and select the country as per specified lbu

Passed: 2	Failed: 1	Undefined: 2	Duration: 21.05s
Before			0.00s
Given User has pulse app			10.17s
And user click on "CONTINUE WITH EMAIL" with Email button			10.81s
Then I change the country as required on registration page			0.06s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f2a15f6a-3657-4b16-b82a-fa21ee723536
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/home/mychallenges
/PulseMyChallenges.feature:8)

Then I wait for 3 sec	0.00s
And I click the Sign in link	0.00s
After	0.00s

Back to Table of Contents

Scenario: **User should be able to login on app with correct credentials using "Continue with Email"**			
Passed: 1	Failed: 1	Undefined: 5	Duration: 1.04s
Before			0.00s

And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	1.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}

Session ID: f2a15f6a-3657-4b16-b82a-fa21ee723536
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle (PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption (RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/home /mychallenges/PulseMyChallenges.feature:14)

When user enters credentials	0.00s
UserName ${PULSE_EMAIL}	
Password ${login.password}	
And User clicks on signin button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s
After	0.00s

Back to Table of Contents

Scenario: Verify My Challenges texts

Passed: 1	Failed: 1	Undefined: 1	Duration: .18s
Before			0.00s

And I click on My Challenges tile on one pulse app	0.03s
And I verify following texts are displayed	0.15s
${my.challenges.text}	
${do.not.have.challenges}	
${challenge.getstarted}	
${do.not.have.challenges}	

java.lang.AssertionError: The following asserts failed:
My Challenges text is displayed on page expected [true] but found [false],
You do not have any challenges yet. Please click below to select a challenge and get started text is displayed on page expected [true] but found [false],
Get Started text is displayed on page expected [true] but found [false],
You do not have any challenges yet. Please click below to select a challenge and get started text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/home/mychallenges/PulseMyChallenges. feature:25)

And I verify the following texts "My challenges" in Screen	0.00s
${all.challenges.text}	
After	0.00s

Back to Table of Contents

Scenario: Click on All challenges and and verify texts

Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s

And I clicks on "${all.challenges.text}" in app screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f2a15f6a-3657-4b16-b82a-fa21ee723536
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Challenges")]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1741)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon(CustomerConnectSteps.java:534)
at .And I clicks on "${all.challenges.text}" in app screen(features/home/mychallenges/PulseMyChallenges.feature:36)

And I verify the following texts "My challenges" in Screen	0.00s
${my.challenges.text}	
${all.challenges.text}	
And I verify following texts are displayed	0.00s
${no.challenges.available}	
${notify.challenge}	
And I clicks on "${back.home}" in app screen	0.00s
After	0.00s

[Back to Table of Contents](#)

Feature: Verify Notification Center functionality on one pulse App

Passed: 2	Failed: 4	Undefined: 0	Duration: 224.82s

Scenario Outline: Verify the Home screen validation using "Continue with Email"

Passed: 31	Failed: 1	Undefined: 6	Duration: 175.14s

Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			8.88s
And user click on "CONTINUE WITH EMAIL" with Email button			15.28s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			22.36s
Then I wait for 5 sec			5.00s
When user enters registration details			7.09s
FirstName	Diet		
LastName	Test		
Email	${PULSE_EMAIL}		
Password	Pas$1234		
And taps on continue "Sign_Up" button			0.33s
Then I wait for 10 sec			10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			31.00s
Then I wait for 5 sec			5.01s
And I enter the "mobile number" in welcome to pulse			10.24s
mobileNumber	98678419		

And I click the continue button	1.14s
And I choose my wellness goals under wellness plan screen	8.50s
And I click the continue button	0.47s
And I click the date in Date of Birth field	5.96s
And I click the Done icon	0.34s
And I click the continue button	1.36s
And I select the Male icon	5.90s
And I click the continue button	1.02s
Then I wait for 5 sec	5.01s
And I click the continue button	0.75s
And I click on Calculate BMI button	0.33s
And I click the continue button	3.43s
And I select the "How active are you?" in doing exercise	0.36s
And I click the continue button	1.28s
And I click the continue button	1.31s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	10.15s
Then I wait for 3 sec	3.00s
And I verify that "Tracking your activity is trending" is displayed	7.64s
java.lang.AssertionError: Tracking your activity is trending title is not displayed in the UI expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at com.onepulse.app.screens.PulseRegistrationScreen.verifytrackerConnectScreenUI (PulseRegistrationScreen.java:963) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iVerifyThatIsDisplayed (RegistrationSteps.java:226) at .And I verify that "Tracking your activity is trending" is displayed(features/ph /NotificationCenter.feature:49)	
And I click the continue button	0.00s
Then I wait for 5 sec	0.00s
And I click the Activate icon in registration screen	0.00s
Then I wait for 4 sec	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
After	0.00s

Scenario: Navigate to notification screen via home screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 7.68s
Before			0.00s

Given I navigate to notification screen from home page	7.68s
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.	

For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 494634d4-fbaa-47db-8566-08b7fa05b3fd
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.
navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1050)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240)
at .Given I navigate to notification screen from home page(features/ph/NotificationCenter.
feature:66)

Then I wait for 2 sec	0.00s

After	0.00s

Back to Table of Contents

Scenario: **Verify User should be able to see the Notification screen texts**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 7.14s
Before			0.00s

And I verify following texts are displayed	7.14s

${notification.msg}

java.lang.AssertionError: The following asserts failed:
Notification Center text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/NotificationCenter.feature:71)

After		0.00s

Scenario: Then I navigate back to home screen from Notification Center

Passed: 1	Failed: 0	Undefined: 0	Duration: .34s
Before			0.00s

Then I click on back button on notification screen to navigate to home screen	0.34s
After	0.00s

Scenario: Verify User should be able navigate to Notification Center via My account

Passed: 2	Failed: 0	Undefined: 0	Duration: 19.76s
Before			0.00s

Then I wait for 2 sec	2.01s
Then I navigate to notification center page	17.75s
After	0.00s

Scenario: Verify User should be able to see the Notification screen texts

Passed: 0	Failed: 1	Undefined: 0	Duration: 14.76s
Before			0.00s

And I verify following texts are displayed	14.76s
${no.notification.text}	
${check.notification.section.text}	

java.lang.AssertionError: The following asserts failed:
No Notifications Yet text is displayed on page expected [true] but found [false],
You do not have any notifications yet, check this section regularly for any updates. text is
displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/NotificationCenter.feature:85)

After		0.00s

Back to Table of Contents

Feature: Verify My Communities on One Pluse App			
Passed: 7	Failed: 4	Undefined: 0	Duration: 338.35s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 5	Failed: 0	Undefined: 0	Duration: 57.59s
Before			0.00s

Given User has pulse app	10.80s
And user click on "CONTINUE WITH EMAIL" with Email button	16.38s
Then I change the country as required on registration page	22.63s
Then I wait for 3 sec	3.01s
And I click the Sign in link	4.77s

After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"			
Passed: 7	Failed: 0	Undefined: 0	Duration: 50.63s
Before			0.00s

And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	3.63s
When user enters credentials	10.78s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.28s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	10.99s
Then user should be landed to "Home" screen	14.96s

After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 24.43s
Before			0.00s

Then I wait for 6 sec	6.01s
And I click the MyCommunities icon in Home Screen	3.21s
Then I wait for 6 sec	6.02s
And I verify following texts are displayed	0.47s

${icon.communities}

And I verify the following texts "All Communities" in Screen	8.73s

${my.communities.text}
${All.Communities.text}

After		0.00s

Back to Table of Contents

Scenario: Leave the community if already joined

Passed: 4	Failed: 0	Undefined: 0	Duration: 13.34s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	0.34s
And I scroll down	4.48s
When I click on joined community three dots menu icon	0.19s
And I click on leave button for joined community	8.33s

After		0.00s

Back to Table of Contents

Scenario: Verify the All Communities Post screen

Passed: 9	Failed: 0	Undefined: 0	Duration: 40.99s
Before			0.00s

Then I wait for 5 sec	5.01s
And I clicks on "${All.Communities.text}" in app screen	0.31s
And I click the Join button in Communties tab	4.49s
And I click the static Active icon in community screen	4.71s
And I click Edit icon in stay Active icon	15.89s
And Enter the post in community screen	3.31s

POST	TEST1		
And Enter the post in community large text screen			3.88s
POST	welcome		
And I click the Post icon in create post screen			0.90s
Then I verify the following text "TEST1" in post Screen			2.50s
TEST1			
welcome			
After			0.00s

Scenario: Verify the Likes and comments counts in All communities tab

Passed: 8	Failed: 0	Undefined: 0	Duration: 47.22s
Before			0.00s
And I click the Post icon in My communities			8.93s
And I wait for 5 sec			5.00s
And I click the like button in Post screen			9.44s
And Verify the like count in Post screen " 1 Likes" likes			8.58s
And I click the Comment icon in feed screen			3.96s
And Enter the comments in Feeds screen			2.08s
Comments	TEST1		
And I click the submit icon in feeds screen			0.99s
And Verify the comments count in Feeds screen " 0 Comments" comments			8.24s
After			0.00s

Scenario: Verify the Share with Friends Functionality in All communities tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 21.92s
Before			0.00s
And I click the share icon in Post screen			4.90s
And Verify the pop up in "Share with Friends"			4.51s
And I click the phone icon in share with friends			4.26s
And I give camera permission			8.26s
After			0.00s

Scenario: Verify the Post Functionality in All communities

Passed: 4	Failed: 1	Undefined: 7	Duration: 60.16s
Before			0.00s
Then I click skip button in feeds screen			0.80s
Then I wait for 13 sec			13.00s
And I click the Back icon in Stay Active screen			3.20s
Then I wait for 13 sec			13.01s
And I click Edit icon in stay Active icon			30.15s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 41bce3c5-583c-47ed-9c02-397bf09dfd09
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Create
Post')]/following::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.clickEditiconstayActive
(MyCommunitiesScreen.java:533)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickEditiconstayActive
(MyCommunitiesSteps.java:168)
at .And I click Edit icon in stay Active icon(features/ph/PulseMyCommunities.feature:81)

And I click the Camera icon in create post screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s

| After | | 0.00s |

Back to Table of Contents

Scenario: Verify the Category list and search feature

| Passed: 1 | Failed: 1 | Undefined: 4 | Duration: 16.94s |

| Before | | 0.00s |

| Then I wait for 15 sec | 15.03s |
| And I clicks on "${category.text}" in app screen | 1.91s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

false}
Session ID: 41bce3c5-583c-47ed-9c02-397bf09dfd09
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1741)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${category.text}" in app screen(features/ph/PulseMyCommunities.feature:
95)

And I verify the following texts ''Category'' in Screen	0.00s

COVID-19		
Fitness		
Global Awareness Days		
Mental Health		
And I clicks on "${no.post.category}" in app screen		0.00s
And I clicks on "${apply.button}" in app screen		0.00s
And I verify following texts are displayed		0.00s
${no.post.found.text}		

After		0.00s

Scenario: User navigates back to the community screen

Passed: 1	Failed: 1	Undefined: 0	Duration: 5.09s
Before			0.00s

Then I wait for 5 sec	5.00s
And I click the Back icon in Stay Active screen	0.08s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 41bce3c5-583c-47ed-9c02-397bf09dfd09
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)

at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon (MyCommunitiesScreen.java:464)

at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton (MyCommunitiesSteps.java:153)

at .And I click the Back icon in Stay Active screen(features/ph/PulseMyCommunities.feature:108)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Leave the community if already joined**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 41bce3c5-583c-47ed-9c02-397bf09dfd09
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1741)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon(CustomerConnectSteps.java:534)
at .And I clicks on "${my.communities.text}" in app screen(features/ph/PulseMyCommunities.feature:111)

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s
After	0.00s

Feature: Verify Private My Communities on One Pulse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 170.45s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 56.46s
Before			0.00s

Given User has pulse app	10.05s
And user click on "CONTINUE WITH EMAIL" with Email button	15.70s
Then I change the country as required on registration page	22.84s
Then I wait for 3 sec	3.00s
And I click the Sign in link	4.87s
After	0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 49.88s
Before			0.00s

And I assign "${mychannel.private.user}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	3.47s
When user enters credentials	9.96s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	0.26s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.37s
Then user should be landed to "Home" screen	14.82s
After	0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 18.46s
Before			0.00s
And I click the MyCommunities icon			2.94s
Then I wait for 3 sec			3.00s
And I verify following texts are displayed			0.34s
${icon.communities}			
And I verify the following texts "All Communities" in Screen			9.17s
${my.communities.text}			
${All.Communities.text}			
Then I wait for 3 sec			3.01s
After			0.00s

Scenario: Verify the Private Communities in communities screen

Passed: 11	Failed: 0	Undefined: 0	Duration: 45.64s
Before			0.00s
And I click the Private "${All.Communities.text}" in Communties screen			5.11s
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen			2.97s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen			3.21s
And I clicks on "Take a Picture" in app screen			0.34s
And I click the Upload Image icon			4.30s
And I give camera permission			9.89s
Then I take picture from Camera			10.02s
Then I wait for 3 sec			3.01s
And I scroll down			4.30s
And I click the continue button			1.23s
Then I click skip button in feeds screen			1.26s
After			0.00s

Feature: Verify MySettings functionality in Account screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 178.99s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 8	Failed: 0	Undefined: 0	Duration: 79.7s
Before			0.00s
Given User has pulse app			11.06s
And I assign "${onepulse.login.global.idsetting}" to variable "PULSE_EMAIL"			0.00s
When I navigate to login page			7.95s
When user enters credentials			10.13s
UserName ${PULSE_EMAIL}			
Password ${login.mysettings}			
And User clicks on signin button			0.32s

Then I wait for 10 sec		10.02s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		31.21s
Then user should be landed home screen		9.02s
After		0.00s

Scenario: Verify the My Feedback screen in Account tab

Passed: 5	Failed: 0	Undefined: 0	Duration: 16.17s
Before			0.00s

Then I wait for 5 sec	5.01s
And I click the Account icon in Home screen	0.81s
And I click the My Feedback icon in Account screen	3.77s
And I click the Feedback start icon in Account screen	3.87s
Then I verify following texts are Displayed	2.71s

${HealthArticles.text}
${BMI.text}
${Wrinkle.text}
${Health.Assessment.text}

After	0.00s

Scenario: Verify the submit functionality in My feedback screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 18.61s
Before			0.00s

And I click the Health Articles icon in Account screen	4.64s
And I enter the "Feedback" in welcome to Feedback Screen	8.94s

mobileNumber	98678419

And I click the Submit icon in Feedback Screen	5.03s
After	0.00s

Scenario: Verify the Pulse Personalised tab

Passed: 6	Failed: 0	Undefined: 0	Duration: 30.59s
Before			0.00s

Then I wait for 3 sec	3.01s
And I click the Pulse by Personalised icons	4.02s
Then I wait for 3 sec	3.01s
And I click the save button in pulse personalised icons	3.56s
And I click the Ok button in pulse personlised screen	8.36s
And I click the Back icon in pulse personalised screen	8.63s

After	0.00s

Scenario: Verify the Marketing Consent in Account tab

Passed: 6	Failed: 0	Undefined: 0	Duration: 33.91s
Before			0.00s

And I click the Marketing content		9.98s
Then I wait for 3 sec		3.01s
Then I verify the following text "${Marketing.Consent.text}" Screens		0.30s
${Marketing.Consent.text}		
And I click the save button in pulse personalised icons		3.58s
And I click the Ok button in pulse personlised screen		8.38s
And I click the Back icon in pulse Marketing Consent		8.67s
After		0.00s
Back to Table of Contents		

Feature: Verify share with friends functionality in onepulse app

Passed: 4	Failed: 3	Undefined: 0	Duration: 134.78s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 56.86s
Before			0.00s

Given User has pulse app		11.35s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		15.98s
Then I change the country as required on registration page		22.62s
Then I wait for 2 sec		2.01s
And I click the Sign in link		4.90s
After		0.00s
Back to Table of Contents		

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 50.71s
Before			0.00s

And I select the language option on toggle bar as required on login page		3.58s
When user enters credentials		11.82s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		0.25s
And I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		10.53s
Then user should be landed to "Home" screen		14.51s
After		0.00s
Back to Table of Contents		

Scenario: Verify User should be able to share the link with Whatsapp

Passed: 1	Failed: 0	Undefined: 0	Duration: 13.63s
Before			0.00s

Then I click the share icon in home screen		13.63s
After		0.00s
Back to Table of Contents		

Scenario: Verify User should be able to share the link with Contacts app

Passed: 1	Failed: 0	Undefined: 0	Duration: 8.46s
Before			0.00s
Then I verify the contacts share icon			8.46s
After			0.00s

Scenario: Verify User should be able to share the link with Messenger app

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.04s
Before			0.00s
Then I verify the fb messenger share icon			5.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 99e525d7-2d44-4a85-8966-bde9886b10ca
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
1146)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:415)
at .Then I verify the fb messenger share icon(features/ph/ShareWithFriends.feature:32)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to share the link with Viber app**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			0.00s

Then I verify the Viber share icon	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 99e525d7-2d44-4a85-8966-bde9886b10ca
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:645)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon (LoginSteps.java:316)
at .Then I verify the Viber share icon(features/ph/ShareWithFriends.feature:35)

After		0.00s

Scenario: **Verify User should be able to share the link with Line app**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			**0.00s**
	Then I verify the Line share icon		**0.04s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 99e525d7-2d44-4a85-8966-bde9886b10ca
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:639)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:311)
at .Then I verify the Line share icon(features/ph/ShareWithFriends.feature:38)

After		0.00s

Back to Table of Contents

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 3	Failed: 0	Undefined: 0	Duration: 112.22s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 57.86s

Before		0.00s
Given User has pulse app		9.20s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		15.52s
Then I change the country as required on registration page		23.21s
Then I wait for 5 sec		5.01s
And I click the Sign in link		4.91s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 5	Failed: 0	Undefined: 0	Duration: 30.33s

Before		3.61s
Given I select the language option on toggle bar as required on login page		3.61s
When user enters credentials		10.43s
UserName ${PULSE_EMAIL}		
Password ${login.password}		
And User clicks on signin button		0.27s
And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		11.01s
After		0.00s

Scenario: Verify the user can access My Wearables via Fitness

Passed: 6	Failed: 0	Undefined: 0	Duration: 24.03s
Before			0.00s

Then I wait for 5 sec	5.00s
And I click the Account icon in Home screen	0.82s
When User clicks on profile wearable tab	13.56s
Then I wait for 3 sec	3.00s
Then I verify My Wearables tile on Fitness Tracker Activity screen	0.40s
${wearable.headingtext}	
Then I verify My Wearables tile on Fitness Tracker Activity screen	1.24s
${wearables.title}	
${wearables.description}	
${wearables.fitbitText}	
${wearables.garminText}	
After	0.00s

Feature: Verify Exercise Buddy functionality via Fitness tab on Pulse Health & Wealth app

Passed: 0	Failed: 6	Undefined: 0	Duration: 55.53s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 1	Undefined: 0	Duration: 55.36s
Before			0.00s

Given User has pulse app	10.09s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.97s
Then I change the country as required on registration page	22.94s
Then I wait for 5 sec	5.00s
And I click the Sign in link	1.36s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: java.lang.IllegalStateException: UiAutomation not connected, UiAutomation@9347db4[id=-1, flags=0]
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8b6b6b88-bd78-4992-921c-651924c9b345
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions. java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java: 718)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp (LoginSteps.java:349)
at .And I click the Sign in link(features/ph/fitness/ExerciseBuddy.feature:14)

After		0.00s

Back to Table of Contents

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 0	Failed: 1	Undefined: 5	Duration: .04s
Before			0.00s

	Given I select the language option on toggle bar as required on login page	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8b6b6b88-bd78-4992-921c-651924c9b345
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption

(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/ph/fitness/ExerciseBuddy.feature:17)

When user enters credentials		0.00s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		0.00s
And I wait for 5 sec		0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		0.00s
Then user should be landed to "Home" screen		0.00s

After		0.00s

Back to Table of Contents

Scenario: Verify the user can access Exercise Buddy via Fitness

Passed: 1	Failed: 1	Undefined: 2	Duration: .05s
Before			0.00s

When User clicks on Fitness tab	0.03s
When User clicks on Exercise Buddy button on Fitness screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8b6b6b88-bd78-4992-921c-651924c9b345
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Home"]/preceding::android.widget.ImageView[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnExerciseBuddy
(ExerciseBuddyScreen.java:45)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickOnExerciseBuddy
(ExerciseBuddySteps.java:25)
at .When User clicks on Exercise Buddy button on Fitness screen(features/ph/fitness
/ExerciseBuddy.feature:28)

Then User verifies text on Exercise Buddy screen	0.00s
${exeBuddy.title}	
${exeBuddy.description}	
${beginner.title}	
And User clicks on "${exeBuddy.intermediate}" button on Exercise Buddy	0.00s

After		0.00s

Scenario: Verify the Take Challenge via Squats			
Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			0.00s
When User clicks on Take Challenge button on "${beginner.squat}"			0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8b6b6b88-bd78-4992-921c-651924c9b345
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"]/preceding::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnTakeChallenge
(ExerciseBuddyScreen.java:64)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickTakeChallenge
(ExerciseBuddySteps.java:42)
at .When User clicks on Take Challenge button on "${beginner.squat}"(features/ph/fitness
/ExerciseBuddy.feature:39)

Then User verifies text on Exercise Buddy screen		0.00s
${exeBuddy.takeChallenge.title}		
${exeBuddy.takeChallenge.description}		
${exeBuddy.takeChallenge.subTitle}		
${exeBuddy.takeChallenge.noPartner}		
And User searches for "Test" and adds "Test Test" as a partner		0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify the Start via Squats

Passed: 0	Failed: 1	Undefined: 7	Duration: .02s
Before			0.00s

When User clicks on Start button on "${beginner.squat}"	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}

Session ID: 8b6b6b88-bd78-4992-921c-651924c9b345
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"]
/following::android.widget.TextView[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnStart(ExerciseBuddyScreen.java:
87)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickStart
(ExerciseBuddySteps.java:59)
at .When User clicks on Start button on "${beginner.squat}"(features/ph/fitness
/ExerciseBuddy.feature:49)

When User clicks on Stop button on "Squats"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s

${squat.results.title}	
${squat.results.description}	
${squat.score.stat}	
${squat.score.stands}	
${squat.score.precision}	
${squat.startAgain}	
When User clicks on Start Now button on "Squats Report"	0.00s
When User clicks on Stop button on "Squats"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s
${squat.results.title}	
When User clicks on Done button on "Squats Report"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s
${exeBuddy.title}	

| After | 0.00s |

Back to Table of Contents

Scenario: Verify the Preview via Squats

| Passed: 0 | Failed: 1 | Undefined: 10 | Duration: .03s |

| Before | 0.00s |

| When User clicks on Preview button on "${beginner.squat}" | 0.03s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8b6b6b88-bd78-4992-921c-651924c9b345
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"]
/following::android.widget.TextView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnPreview(ExerciseBuddyScreen.java:
81)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickPreview
(ExerciseBuddySteps.java:54)
at .When User clicks on Preview button on "${beginner.squat}"(features/ph/fitness
/ExerciseBuddy.feature:68)

Then User verifies text on Exercise Buddy screen	0.00s
${beginner.squat}	
${squat.preview.titleDescription}	
${squat.preview.about}	
${squat.preview.description}	
When User clicks on Take Challenge on "Squats Preview"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s
${exeBuddy.title}	
And User clicks on Back button	0.00s
When User clicks on Start Now button on "Squats Preview"	0.00s

When User clicks on Stop button on "Squats"		0.00s
Then User verifies text on Exercise Buddy screen		0.00s
${squat.results.title}		
When User clicks on Done button on "Squats Report"		0.00s
When I scroll down		0.00s
Then User verifies text on Exercise Buddy screen		0.00s
${squat.preview.workout}		
${squat.preview.instructions}		
${squat.preview.instruction1}		
${squat.preview.instruction2}		
${squat.preview.instruction3}		
${squat.preview.instruction4}		
${squat.preview.instruction5}		
${squat.preview.instruction6}		
${squat.preview.instruction7}		
${squat.preview.instruction8}		
${squat.preview.instruction9}		
${squat.preview.instruction10}		
${squat.preview.warmup}		
${squat.preview.warmupDescription}		
After		0.00s

[Back to Table of Contents](#)

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 3	Failed: 0	Undefined: 0	Duration: 128.15s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 60.12s
Before			0.00s
Given User has pulse app			11.29s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			16.01s
Then I change the country as required on registration page			22.92s
Then I wait for 5 sec			5.01s
And I click the Sign in link			4.89s
After			0.00s

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 46.54s
Before			0.00s
Given I select the language option on toggle bar as required on login page			4.50s
When user enters credentials			10.36s
UserName	${PULSE_EMAIL}		
Password	${login.password}		
And User clicks on signin button			0.31s

And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.94s
Then user should be landed to "Home" screen	14.43s
After	0.00s

Scenario: Verify the user can access My Wearables via Fitness

Passed: 4	Failed: 0	Undefined: 0	Duration: 21.49s
Before			0.00s

When User clicks on Fitness tab	13.81s
Then I verify My Wearables tile on Fitness screen	3.01s
${fitness.myWearables}	
${fitness.myWearables.description}	
When I click on Connect Now button on Fitness screen	0.52s
Then I verify following text are displayed under My Wearables screen	4.16s
${wearables.title}	
${wearables.subTitle}	
${wearables.description}	
${wearables.fitbitText}	
${wearables.garminText}	
${wearables.googleFit}	
After	0.00s

Feature: Verify wealth channel functionality on one pulse App

Passed: 0	Failed: 8	Undefined: 0	Duration: 85.25s

Scenario: Verify User should be able to login using email account

Passed: 7	Failed: 1	Undefined: 1	Duration: 69.87s
Before			0.00s

Given User has pulse app	10.19s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	9.76s
Given I create connection for api service	0.00s
When user enters credentials	10.10s
UserName ${PULSE_EMAIL}	
Password ${login.password}	
And User clicks on signin button	0.32s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	29.50s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1fb10ca6-7e3f-47ed-9f7c-562069880d26
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a
verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:311)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/ph/food/MyFoodJournal.feature:14)

Then user should be landed to "Home" screen	0.00s

After		**0.00s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to Food page	

Passed: 0	Failed: 1	Undefined: 4	Duration: .03s

Before		**0.00s**

Given I navigate to food screen from home page	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 1fb10ca6-7e3f-47ed-9f7c-562069880d26
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Food")]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.FoodScreen.clickFoodFromHomePage(FoodScreen.java:48)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.iNavigateToWealthScreen
(FoodSteps.java:45)
at .Given I navigate to food screen from home page(features/ph/food/MyFoodJournal.feature:
18)

Then I wait for 5 sec	0.00s
And I scroll down	0.00s
Then I wait for 5 sec	0.00s
And I navigate to my food journal from food	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the list of food schedule time**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .09s
Before			0.00s

And I verify following options in food journal	0.09s
${food.myfoodjournal.LogyourFood}	
${food.myfoodjournal.Consumed}	
${food.myfoodjournal.foodjournal}	

java.lang.AssertionError: The following asserts failed:

Log your food text is displayed on page expected [true] but found [false],
Consumed text is displayed on page expected [true] but found [false],
Food Journal text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.
iVerifyFollowingOtionsFoodJournal(FoodSteps.java:61)
at .And I verify following options in food journal(features/ph/food/MyFoodJournal.feature:25)

After		0.00s

Scenario: Verify User should be able to time of the meal, add to cart and scan

Passed: 0	Failed: 1	Undefined: 0	Duration: .16s
Before			0.00s

And I verify following options in food journal	0.16s

${food.myfoodjournal.Scan}
${food.myfoodjournal.addfood}
${food.myfoodjournal.breakfast}
${food.myfoodjournal.lunch}
${food.myfoodjournal.dinner}

java.lang.AssertionError: The following asserts failed:
Scan text is displayed on page expected [true] but found [false],
Add Food text is displayed on page expected [true] but found [false],
BREAKFAST text is displayed on page expected [true] but found [false],
LUNCH text is displayed on page expected [true] but found [false],
DINNER text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.
iVerifyFollowingOtionsFoodJournal(FoodSteps.java:61)
at .And I verify following options in food journal(features/ph/food/MyFoodJournal.feature:32)

After		0.00s

Scenario Outline: Verify User should be able to see the details after moving to "Breakfast"

Passed: 1	Failed: 1	Undefined: 6	Duration: 5.03s
Before			0.00s

Then I wait for 5 sec	5.00s
And I scroll down	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1fb10ca6-7e3f-47ed-9f7c-562069880d26

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)

at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)

at .And I scroll down(features/ph/food/MyFoodJournal.feature:41)

Then I wait for 5 sec	0.00s
When User clicks on add food button for breakfast index "1"	0.00s
Then I wait for 5 sec	0.00s
And I verify following options in food journal	0.00s

${food.myfoodjournal.Breakfast.changemeal}
${food.myfoodjournal.Breakfast.selectfood}
${food.myfoodjournal.Breakfast.save}

Given User search for the food "Seafood Gumbo" index	0.00s
And I validate the food selected and calories	0.00s
After	0.00s

[Back to Table of Contents](#)

Scenario Outline: Verify User should be able to see the details after moving to "Lunch"

Passed: 1	Failed: 1	Undefined: 6	Duration: 5.02s

Before		**0.00s**
Then I wait for 5 sec		**5.00s**
And I scroll down		**0.02s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 1fb10ca6-7e3f-47ed-9f7c-562069880d26
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/food/MyFoodJournal.feature:41)

Then I wait for 5 sec		0.00s

When User clicks on add food button for breakfast index "2"	0.00s
Then I wait for 5 sec	0.00s
And I verify following options in food journal	0.00s

${food.myfoodjournal.Breakfast.changemeal}
${food.myfoodjournal.Breakfast.selectfood}
${food.myfoodjournal.Breakfast.save}

Given User search for the food "Bites" index	0.00s
And I validate the food selected and calories	0.00s

After	0.00s

[Back to Table of Contents](#)

Scenario Outline: Verify User should be able to see the details after moving to "Dinner"

Passed: 1	Failed: 1	Undefined: 6	Duration: 5.03s
Before			0.00s

Then I wait for 5 sec	5.01s
And I scroll down	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 1fb10ca6-7e3f-47ed-9f7c-562069880d26
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/food/MyFoodJournal.feature:41)

Then I wait for 5 sec	0.00s
When User clicks on add food button for breakfast index "3"	0.00s
Then I wait for 5 sec	0.00s
And I verify following options in food journal	0.00s
${food.myfoodjournal.Breakfast.changemeal}	
${food.myfoodjournal.Breakfast.selectfood}	
${food.myfoodjournal.Breakfast.save}	
Given User search for the food "Cake" index	0.00s
And I validate the food selected and calories	0.00s
After	0.00s

Scenario: Verify User should be able to see log after add food is done

Passed: 0	Failed: 1	Undefined: 4	Duration: .02s
Before			0.00s

And I scroll up	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

false}
Session ID: 1fb10ca6-7e3f-47ed-9f7c-562069880d26
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.java:73)
at .And I scroll up(features/ph/food/MyFoodJournal.feature:58)

Then I wait for 5 sec	0.00s
Given click on the log button	0.00s
And I verify following options in food journal	0.00s
${food.myfoodjournal.logtime.Log}	
${food.myfoodjournal.logtime.save}	
${food.myfoodjournal.logtime.cancel}	
Then click on the cancel button in logtime in food	0.00s
After	0.00s

[Back to Table of Contents](#)

Feature: Verify the Babylon Registration via HRA journey for PH LBU

Passed: 2	Failed: 2	Undefined: 0	Duration: 294.3s

Scenario: User should be able to Register for Babylon HRA

Passed: 14	Failed: 1	Undefined: 1	Duration: 161.49 s

Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	10.20s
Then I wait for 2 sec	2.01s

And user click on "CONTINUE WITH EMAIL" with Email button	13.77s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	24.13s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.95s
Then I wait for 2 sec	2.01s
When user enters registration details	7.04s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.30s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.26s
Then I wait for 2 sec	2.00s
Then I click skip button for PH LBU registration flow	57.81s

java.lang.AssertionError: Tracking your activity is trending title is not displayed in the UI expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.onepulse.app.screens.PulseRegistrationScreen.verifytrackerConnectScreenUI
(PulseRegistrationScreen.java:963)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButtonPH
(PulseRegistrationScreen.java:1327)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButtonPH
(RegistrationSteps.java:450)
at .Then I click skip button for PH LBU registration flow(features/ph/health
/BabylonHRA_Registration.feature:24)

And I wait for 2 sec	0.00s

After		0.00s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 61.64s
Before			0.00s

Given User has pulse app	10.11s
And user click on "CONTINUE WITH EMAIL" with Email button	16.84s
Then I change the country as required on registration page	24.86s
Then I wait for 5 sec	5.02s
And I click the Sign in link	4.81s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 47.45s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.49s
When user enters credentials	10.33s

UserName	${PULSE_EMAIL}
Password	Pas$1234

And User clicks on signin button	0.84s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	10.40s
Then user should be landed to "Home" screen	15.38s
And I wait for 2 sec	2.00s

After		0.00s

Back to Table of Contents

Scenario: User should be able to Register for Babylon HRA

Passed: 1	Failed: 1	Undefined: 3	Duration: 23.72s
Before			0.00s

	When I clicks on Health button	14.63s
	And I navigate to Babylon health Assessment and Accept TermsAndCondition	9.09s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: c07166e4-3f83-48b9-8db2-824619516b4b
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.
navigateToBabylonHealthAssessment(BabylonRegistrationScreen.java:250)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonHealthAssessmentAndAcceptTermsAndCondition(BabylonSteps.java:319)
at .And I navigate to Babylon health Assessment and Accept TermsAndCondition(features/ph
/health/BabylonHRA_Registration.feature:48)

And I confirm the registration	0.00s
And I click on Babylon Health Assessment Get Started button	0.00s
Then I verify following options are present for assessment	0.00s

Full Assessment	
Nutrition	
Activity	
Mood	

After	0.00s

[Back to Table of Contents](#)

Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity

Passed: 2	Failed: 17	Undefined: 0	Duration: 174.61s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 59.33s
Before			0.00s

Given User has pulse app	8.79s
And I assign "${hra.report.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.50s
Then I change the country as required on registration page	24.16s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.87s

After	0.00s

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 8	Failed: 0	Undefined: 0	Duration: 103.12s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.56s
When user enters credentials	9.87s

UserName	${PULSE_EMAIL}
Password	${hra.password}

And User clicks on signin button	0.27s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	10.36s
Then user should be landed to "Home" screen	14.95s
When I clicks on Health button	16.12s
And I navigate to Babylon health Assessment and Accept TermsAndCondition	42.97s
After	0.00s

Scenario: User should be able to access Babylon Health Risk Assessment Report

Passed: 1	Failed: 1	Undefined: 0	Duration: 11.84s

Before		0.00s

When I click on "Report" link on digital twin screen	5.38s
Then I verify the HRA Results are displayed	6.46s

${babylon.hraReport.report.title}

${babylon.hraReport.report.subTitle}

${babylon.hraReport.report.percentage}

${babylon.hraReport.report.statement1}

${babylon.hraReport.report.statement2}

${babylon.hraReport.report.statement3}

${babylon.hraReport.report.statement4}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)

at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.verifyHRAReport
(BabylonHealthAssessmentScreen.java:456)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:614)

at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.
feature:29)

After			0.00s

[Back to Table of Contents](#)

Scenario: **Verify the HRA Activity Summary**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

Then I verify the HRA Results are displayed	0.03s
${babylon.hraReport.summary.title}	
${babylon.hraReport.summary.description}	
${babylon.hraReport.summary.diseaseRisk}	
${babylon.hraReport.summary.diseaseRiskDescription}	
${babylon.hraReport.summary.diseaseRisk.statement1}	
${babylon.hraReport.summary.diseaseRisk.statement2}	
${babylon.hraReport.summary.diseaseRisk.statement3}	
${babylon.hraReport.summary.diseaseRisk.statement4}	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:610)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.
feature:42)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify the HRA Activity Summary**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

Then I verify the HRA Results are displayed	0.01s
${babylon.hraReport.summary.organ.title}	
${babylon.hraReport.summary.organDescription}	
${babylon.hraReport.summary.organ.statement1}	
${babylon.hraReport.summary.organ.statement2}	
${babylon.hraReport.summary.organ.statement3}	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. java:610)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report. feature:56)

After		0.00s

Scenario: **Verify the HRA Activity summary**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s

Then I verify the HRA Results are displayed		0.02s
${babylon.hraReport.activity.title}		
${babylon.hraReport.activity.subTitle}		
${babylon.hraReport.activity.statement1}		
${babylon.hraReport.activity.statement2}		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while		

processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. java:610)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report. feature:68)

After		0.00s

Back to Table of Contents

Scenario: **Verify the HRA Nutrition Report**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before		0.00s	

Then I verify the HRA Results are displayed	0.01s

${babylon.hraReport.nutrition.title}
${babylon.hraReport.nutrition.subTitle}
${babylon.hraReport.nutrition.statement1}
${babylon.hraReport.nutrition.statement2}
${babylon.hraReport.nutrition.statement3}
${babylon.hraReport.nutrition.statement4}
${babylon.hraReport.nutrition.statement5}
${babylon.hraReport.nutrition.statement6}
${babylon.hraReport.nutrition.statement7}
${babylon.hraReport.nutrition.statement8}
${babylon.hraReport.nutrition.statement9}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:610)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.
feature:78)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify the HRA Report - Keep It Up sub-section**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

Then I verify the HRA Results are displayed	0.01s

${babylon.hraReport.keepItUp}
${babylon.hraReport.lowFat}
${babylon.hraReport.lowFat.description}
${babylon.hraReport.bmi}
${babylon.hraReport.bmi.description}
${babylon.hraReport.lowAlcohol}
${babylon.hraReport.lowAlcohol.description}
${babylon.hraReport.fluids}
${babylon.hraReport.fluids.description}
${babylon.hraReport.redMeat}
${babylon.hraReport.redMeat.description}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:610)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.
feature:98)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify the HRA Report - Make a Change sub-section**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

Then I verify the HRA Results are displayed	0.01s
${babylon.hraReport.makeAChange}	
${babylon.hraReport.change1}	
${babylon.hraReport.change2}	
${babylon.hraReport.change3}	
${babylon.hraReport.change4}	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. java:610)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report. feature:112)

After		0.00s

Scenario: **User should be able to access Babylon HRA - Healthcheck - Body**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before			0.00s

When I click on "Healthcheck" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Healthcheck')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:114)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Healthcheck" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:120)

When I click on "Body" link on digital twin screen	0.00s
Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.bodyButtton}	
Then I verify following text is displayed on HRA report	0.00s
${babylon.hraReport.body.bones}	
${babylon.hraReport.body.heart}	
${babylon.hraReport.body.brain}	
${babylon.hraReport.body.liver}	

After		0.00s

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s

And I click on "Back" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:131)

After		0.00s

[Back to Table of Contents](#)

Scenario: **User should be able to access Babylon HRA - Healthcheck - Nutrition**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before			0.00s

When I click on "Nutrition" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while

processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Nutrition')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:122)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Nutrition" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:134)

Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.nutrition}	
${babylon.hraReport.nutrition.description}	
When I click on "Retake Assessment" link on digital twin screen	0.00s
Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.nutrition.retake}	
After	**0.00s**

[Back to Table of Contents](#)

Scenario: Navigate back to nutrition screen and validate the static text

Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before			**0.00s**

And I click on "Back" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:143)

Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.aboutDesease}	
${babylon.hraReport.about.nutrition.description}	

After	0.00s

Scenario: navigate back to digital twin screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			**0.00s**

And I click on "Back" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:149)

After		0.00s

[Back to Table of Contents](#)

Scenario: **User should be able to access Babylon HRA - Healthcheck - Activity**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before			0.00s

When I click on "Activity" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:126)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Activity" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:152)

Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.activity}	
${babylon.hraReport.activity.subTitle}	
When I click on "Retake Assessment" link on digital twin screen	0.00s

Then I verify the HRA Results are displayed		0.00s
${babylon.hraReport.activity.retake}		
${babylon.hraReport.activity.retake2}		

After		0.00s

Scenario: Navigate back to Activity screen and validate the static text			
Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
Before			0.00s

And I click on "Back" link on digital twin screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:162)

Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.aboutDisease}	
${babylon.hraReport.about.activity.description}	

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen

| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: .03s |

| Before | | 0.00s |

| And I click on "Back" link on digital twin screen | 0.03s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
```

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:168)

After		0.00s

Scenario: **User should be able to access Babylon HRA - Healthcheck - Mood**		
Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before		0.00s

When I click on "Mood" link on digital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:130)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Mood" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:171)

Then I verify the HRA Results are displayed		0.00s
${babylon.hraReport.mood}		
${babylon.hraReport.mood.duration}		
And I start the assessment		0.00s
Then I verify the HRA Results are displayed		0.00s
${babylon.hraReport.mood.assessment}		
${babylon.hraReport.mood.assessment2}		

After		0.00s

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

And I click on "Back" link on digital twin screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f819ca25-1102-459d-89e9-6919c0a3b5bc
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin (BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.feature:181)

After	0.00s
[Back to Table of Contents]	

Feature: Verify Consult doctor functionality on Pulse Health

Passed: 0	Failed: 14	Undefined: 0	Duration: 211.9s

Scenario: Verify the Home screen validation using "Continue with Email"

Passed: 15	Failed: 1	Undefined: 1	Duration: 166.65s

Before	0.00s

Step	Duration
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	10.01s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.27s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	23.27s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.98s
Then I wait for 2 sec	2.01s
When user enters registration details	6.34s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

Step	Duration
And taps on continue "Sign_Up" button	0.33s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	32.78s
Then I wait for 2 sec	2.01s
Then I click skip button	18.77s
Then user should be landed to "Home" screen	45.86s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/ph/health/ConsultDoctor.feature: 24)

Then I wait for 4 sec	0.00s
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify the online consultation screen user fields			
Passed: 2	Failed: 1	Undefined: 2	Duration: 25.16s
Before			0.00s

Given I clicks on Health button	23.14s
Then I wait for 2 sec	2.01s
Then I navigate to online consultation screen	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.PulseHealthScreen.navigateToOnlineConsultationScreen(PulseHealthScreen.java:119)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iNavigateToOnlineConsultationScreen(MyDocUiSteps.java:104)
at .Then I navigate to online consultation screen(features/ph/health/ConsultDoctor.feature:30)

Then user verify the following texts are displayed on "Online Consultation" registration page	0.00s
Online Consultation	
First Name / Given Name	
Last Name / Family Name	
Email	
County of Residence	
And I scroll down	0.00s

After	**0.00s**

[Back to Table of Contents](#)

Scenario: Verify the online consultation screen user fields after swipe down			
Passed: 0	Failed: 1	Undefined: 1	Duration: .01s
Before			**0.00s**

And I scroll down	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/health/ConsultDoctor.feature:43)

Then user verify the following texts are displayed on "Online Consultation" registration page		0.00s
Address (zipcode)		
NRIC/FIN		
NRIC/FIN Image		
Phone		

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to enter address and zipcode**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 4.05s
Before			0.00s

Then I enter "${address}" and "${zipcode}"	4.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Address (e.g. street, apartment name, etc)']]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterAddressAndZipcode
(MyDocRegistrationScreen.java:715)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterAnd(MyDocUiSteps.
java:142)
at .Then I enter "${address}" and "${zipcode}"(features/ph/health/ConsultDoctor.feature:52)

After		0.00s

Back to Table of Contents

Scenario: **Verify User should be able to upload NRIC Image in Online Consultation screen**			
Passed: 1	Failed: 1	Undefined: 1	Duration: 5.02s
Before			0.00s

Then I wait for 5 sec	5.00s
Then I enter the mandatory fields "${NRIC}"	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)

at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:643)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
(MyDocUiSteps.java:129)

at .Then I enter the mandatory fields "${NRIC}"(features/ph/health/ConsultDoctor.feature:
56)

Then I verify the "${phonenumber}" and proceed with "${otp}"	0.00s

After		**0.00s**

[Back to Table of Contents](#)

Scenario: Verify User should be presented with the symptoms checker questions log

Passed: 0	Failed: 1	Undefined: 0	Duration: .41s

Before		**0.00s**

And I verify following texts are displayed		0.41s
Choking		
Breathing difficulty		
Chest pain		
Weakness in arms or legs		
Speech difficulty		
Loss of consciousness		
Suicidal or homicidal thoughts		
Seizures		
Bleeding		
Severe pain		
Confusion and/or hallucinations		
Broken bones		

java.lang.AssertionError: The following asserts failed:
Choking text is displayed on page expected [true] but found [false],
Breathing difficulty text is displayed on page expected [true] but found [false],
Chest pain text is displayed on page expected [true] but found [false],
Weakness in arms or legs text is displayed on page expected [true] but found [false],
Speech difficulty text is displayed on page expected [true] but found [false],
Loss of consciousness text is displayed on page expected [true] but found [false],
Suicidal or homicidal thoughts text is displayed on page expected [true] but found [false],
Seizures text is displayed on page expected [true] but found [false],
Bleeding text is displayed on page expected [true] but found [false],
Severe pain text is displayed on page expected [true] but found [false],
Confusion and/or hallucinations text is displayed on page expected [true] but found [false],
Broken bones text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/health/ConsultDoctor.feature:60)

After		0.00s

Scenario: **Verify User can able to chat with chatbot symptoms checker**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 5.05s
Before			0.00s

When Handle Emergency symptoms questions for doctor consult	5.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='None of the above']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.
handleEmergencySymptomQues(MyDocMedicalProfileScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.handleEmergencySymptomQues
(MyDocSteps.java:179)
at .When Handle Emergency symptoms questions for doctor consult(features/ph/health
/ConsultDoctor.feature:75)

After		0.00s

Scenario: Verify User should be presented with the sample text on the Medical Profile screen as a first time user

Passed: 1	Failed: 1	Undefined: 0	Duration: .03s

Before		0.00s

And Verify Medical Profile screen is displayed		0.02s
And Verify the Sample Text on the text fields of the Medical Profile		0.01s

Allergies	Enter 'None' if no allergies	
Medical Conditions	Enter 'None' if no medical conditions	
Medications	Enter 'None' if no medications	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies'] /following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.validateMedProfSampleText (MyDocMedicalProfileScreen.java:171)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.validateMedProfSampleText

(MyDocSteps.java:671)
at .And Verify the Sample Text on the text fields of the Medical Profile(features/ph/health
/ConsultDoctor.feature:79)

After		0.00s

Scenario: Verify User should be able to create the medical profile

Passed: 0	Failed: 1	Undefined: 1	Duration: .02s

Before		0.00s

When I enter Medical Profile details as below		0.02s

Allergies	None
Medical Conditions	None
Medications	None
EmergencyContact Name	Pulse QA
Emergency Contact Name	Pulse
Emergency Contact Number	98066613

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.enterMedicalProfile
(MyDocMedicalProfileScreen.java:83)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.enterMedicalProfileDetails
(MyDocSteps.java:186)
at .When I enter Medical Profile details as below(features/ph/health/ConsultDoctor.feature:85)

And I click on Medical Profile Continue button	0.00s
After	**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the payment screen fields**			
Passed: 0	Failed: 1	Undefined: 2	Duration: .28s
Before			**0.00s**

And I verify following texts are displayed	0.28s
Payment	
Teleconsultation	
Payment Method	
Credit/Debit Card	
Voucher	
The fee covers a video consultation..	
The cost of medication is not included.	
When will I be charged?	

The amount will be charged to your card after the video consultation concludes.	
Total Amount	

java.lang.AssertionError: The following asserts failed:
Payment text is displayed on page expected [true] but found [false],
Teleconsultation text is displayed on page expected [true] but found [false],
Payment Method text is displayed on page expected [true] but found [false],
Credit/Debit Card text is displayed on page expected [true] but found [false],
Voucher text is displayed on page expected [true] but found [false],
The fee covers a video consultation.. text is displayed on page expected [true] but found [false],
The cost of medication is not included. text is displayed on page expected [true] but found [false],
When will I be charged? text is displayed on page expected [true] but found [false],
The amount will be charged to your card after the video consultation concludes. text is displayed on page expected [true] but found [false],
Total Amount text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/health/ConsultDoctor.feature:95)

Then I read the amount and stored into variable "PAYMENT_AMOUNT"	0.00s
And I click on Continue button	0.00s
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able enter the card details

Passed: 0	Failed: 1	Undefined: 4	Duration: .03s
Before			0.00s

When I click on Add New Card button	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939

*** Element info: {Using=xpath, value=//android.view.View[@text='Add new cards']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.clickAddNewCardButton
(MyDocPaymentDetailsScreen.java:92)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAddNewCardButton
(MyDocSteps.java:308)
at .When I click on Add New Card button(features/ph/health/ConsultDoctor.feature:111)

Then user verify add card details screen fields	0.00s
Pay with card	
Card Number	
And I enter Card details as below	0.00s

Card Number	4111 1111 1111 1111	
Expiration Date	0822	
Card Number Android	4111 1111 1111 1111	
Expiration Date Android	08 / 22	
And I click on Confirm Payment Method button		0.00s
Then I wait for 10 sec		0.00s
After		0.00s

Scenario: Verify User should be able see the added card successfully

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

Then I verify the my card added successfully	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
*** Element info: {Using=xpath, value=//android.view.View[@text='Online Video Consultation']/preceding::android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.verifyAddedCard(MyDocPaymentDetailsScreen.java:139)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.iVerifyTheMyCardAddedSuccessfully(MyDocSteps.java:819)
at .Then I verify the my card added successfully(features/ph/health/ConsultDoctor.feature:124)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to start online pre consultation**			
Passed: 0	Failed: 1	Undefined: 8	Duration: .06s
Before			0.00s

And I response to the pre consultation questions		0.06s
firstResponse	Feverish	
secondResponse	Couple of days	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
*** Element info: {Using=xpath, value=//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

at com.onepulse.app.screens.mydoc.MyDocPreConsultationScreen.fillPreconsultationForm
(MyDocPreConsultationScreen.java:73)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
enterDetailsForPreConsulationForm(MyDocSteps.java:247)
at .And I response to the pre consultation questions(features/ph/health/ConsultDoctor.feature:
127)

And I verify following texts are displayed	0.00s

What concerns or questions do you have for the doctor?
Feverish
How long has this been a concern?
Couple of days
Any further details you would like to add?

Then verify user should be prompted to select No or Yes options to type further details	0.00s
Then I click on No button	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s

Please Note
Make sure you are in an area where your device has good internet connectivity.
Once the request for consultation is sent, it cannot be recalled or cancelled.
The Average wait time for a consultation to start is 10-20 minutes.
Please ensure that the notification function is switched on to ensure you get appointment confirmation, reminder and alerts from the doctor and medical concierge.

Then I wait for 5 sec	0.00s
Then I click on submit button	0.00s
And I verify following texts are displayed	0.00s

Request sent! We will notify you when your doctor confirms the request.

After	0.00s

Scenario: Verify User should be able see the allocated doctor details

Passed: 2	Failed: 1	Undefined: 1	Duration: 5.08s
Before			0.00s

Then I wait for 5 sec	5.01s
And I click on MyDoc Back button	0.04s
When I access health Consultation Summary	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4d7e60d4-9ae3-408a-971a-35252b65f939
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary. naviGateToMyDocConsultationSummary(MyDocConsultationSummary.java:139)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps. naviGateToMyDocConsultationSummary(MyDocSteps.java:361)
at .When I access health Consultation Summary(features/ph/health/ConsultDoctor.feature: 153)

And I click on Consultation History and get assigned doctor name into variable "DOCTOR_NAME"		0.00s
After		0.00s
Back to Table of Contents		

Feature: Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.			
Passed: 0	Failed: 8	Undefined: 0	Duration: 80.97s
Scenario: Verify User should be able to navigate to Consultation Summary and see all available Files			
Passed: 6	Failed: 1	Undefined: 6	Duration: 71.75s
Before			0.00s

Given User has pulse app	13.44s
And I assign "${onepulse.login.id.consultdoctor}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.91s
When user enters credentials	10.54s

| UserName | ${PULSE_EMAIL} | |
| Password | Pas$1234 | |

And User clicks on signin button	0.37s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	29.50s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: a93854a2-7bc4-4c1b-8a74-0054d21ebddf
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
311)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/ph/health
/ConsultDoctorExistingUser.feature:13)

Then user should be landed to "Home" screen		0.00s
When I navigate to medical records screen		0.00s
Then User verify following texts are displayed in medical records screen		0.00s
Consultation History		
All My Files		
When I click on Consultation History link		0.00s
And I verify following texts are displayed		0.00s
Consultation History		
And I click on Consultation History screen back button		0.00s
After		**0.00s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the Referral,Prescription and eMC Documents

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			**0.00s**

When I click on All My Files link	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: a93854a2-7bc4-4c1b-8a74-0054d21ebddf
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='All My Files']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickAllMyFiles(MyDocConsultationSummary.java:299)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAllMyFiles(MyDocSteps.java:425)
at .When I click on All My Files link(features/ph/health/ConsultDoctorExistingUser.feature:25)

Then I wait for 8 sec	0.00s
And I verify following texts are displayed	0.00s
All My Files	
Then User verify following documents are displayed in All My Files Screen	0.00s
Referral-11th-January-2021-KJRYIP3Q2BRB.pdf	
Prescription-11th-January-2021-KJRYHM3H2BRB.pdf	
eMC-11th-January-2021-13980.pdf	

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: **Verify User should be able to download eMC Document**			
Passed: 0	Failed: 1	Undefined: 2	Duration: .04s
Before			0.00s

| And I click on emc attachment | 0.04s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: a93854a2-7bc4-4c1b-8a74-0054d21ebddf
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='eMC-11th-January-2021-13980.pdf']}

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickEMCAttachment
(MyDocConsultationSummary.java:402)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickEmcAttachment
(MyDocSteps.java:492)
at .And I click on emc attachment(features/ph/health/ConsultDoctorExistingUser.feature:35)

| And I click on download button for attachments | 0.00s |
| And I download "${EMC_FILE_NAME}" pdf file from phone to local machine | 0.00s |

| After | | 0.00s |

Scenario: **Verify User should be able to verify the eMC details in downloaded PDF file**

Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
Before			0.00s

	Then I verify following details are displayed in PDF File "${EMC_FILE_NAME}"	0.04s

	Medical Certificate
	${NRIC_NUMBER}
	${DOCTOR_NAME}
	${FIRST_NAME}

com.prudential.tap.exception.TapException: IO Exception while processing file [C:\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources/reports/summary/eMC-11th-January-2021-13980.pdf]
at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)
at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText(MyDocConsultationSummary.java:760)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF(MyDocSteps.java:504)
at .Then I verify following details are displayed in PDF File "${EMC_FILE_NAME}"(features/ph/health/ConsultDoctorExistingUser.feature:40)

	Then I close the file attachment	0.00s

| **After** | | | 0.00s |

[Back to Table of Contents]

Scenario: Verify User should be able to download Prescription Document			
Passed: 0	Failed: 1	Undefined: 2	Duration: 4.05s
Before			0.00s

	Then I open the Prescription	4.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: a93854a2-7bc4-4c1b-8a74-0054d21ebddf

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Prescription-11th-January-2021-KJRYHM3H2BRB.pdf']}

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.openPrescription (MyDocConsultationSummary.java:696)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.openPrescription(MyDocSteps. java:753)

at .Then I open the Prescription(features/ph/health/ConsultDoctorExistingUser.feature:48)

And I click on download button for attachments	0.00s
And I download "${PRE_FILE_NAME}" pdf file from phone to local machine	0.00s
After	**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify User should be able to verify the Prescription details in downloaded PDF file**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .0s
Before			0.00s

Then I verify following details are displayed in PDF File "${PRE_FILE_NAME}"	0.00s

${FIRST_NAME}
${NRIC_NUMBER}
${PRESCRIPTION_DOCTOR_NAME}
${PRESCRPTION_NUMBER}

com.prudential.tap.exception.TapException: IO Exception while processing file [C:\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources/reports/summary/Prescription-11th-January-2021-KJRYHM3H2BRB.pdf]
at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)
at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText (MyDocConsultationSummary.java:760)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF (MyDocSteps.java:504)
at .Then I verify following details are displayed in PDF File "${PRE_FILE_NAME}"(features /ph/health/ConsultDoctorExistingUser.feature:53)

Then I close the file attachment	0.00s

| After | | | 0.00s |

Scenario: **Verify User should be able to download the Referral Document**			
Passed: 0	Failed: 1	Undefined: 2	Duration: 5.05s
Before			0.00s

Then I open the referral	5.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: a93854a2-7bc4-4c1b-8a74-0054d21ebddf
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Referral-11th-January-2021-KJRYIP3Q2BRB.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.openReferral
(MyDocConsultationSummary.java:672)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.openReferral(MyDocSteps.java:
743)
at .Then I open the referral(features/ph/health/ConsultDoctorExistingUser.feature:61)

And I click on download button for attachments		0.00s
And I download "${REF_FILE_NAME}" pdf file from phone to local machine		0.00s
After		0.00s

Scenario: Verify User should be able to verify the Referral details in downloaded PDF file

Passed: 0	Failed: 1	Undefined: 3	Duration: .0s
Before			0.00s

Then I verify following details are displayed in PDF File "${REF_FILE_NAME}"	0.00s

${EPISODE ID}
${NRIC_NUMBER}
${PRESCRIPTION_DOCTOR_NAME}
${REFERRAL_NUMBER}

com.prudential.tap.exception.TapException: IO Exception while processing file [C:\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources/reports/summary/Referral-11th-January-2021-KJRYIP3Q2BRB.pdf]
at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)
at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText(MyDocConsultationSummary.java:760)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF(MyDocSteps.java:504)
at .Then I verify following details are displayed in PDF File "${REF_FILE_NAME}"(features/ph/health/ConsultDoctorExistingUser.feature:66)

Then I close the file attachment	0.00s
And I click on Consultation Summary back button	0.00s
And I logout from onepulse app	0.00s

After			0.00s

Feature: Verify My Heart clinic functionality in Account screen

Passed: 1	Failed: 1	Undefined: 0	Duration: 80.31s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 8	Failed: 0	Undefined: 0	Duration: 79.24s
Before			0.00s

Given User has pulse app	10.10s
And I assign "${onepulse.login.global.idsetting}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	8.53s
When user enters credentials	10.11s

UserName	${PULSE_EMAIL}
Password	${login.mysettings}

And User clicks on signin button	0.32s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.71s
Then user should be landed home screen	9.47s

After			0.00s

Scenario: **Verify the popup for Health page is display properly**			
Passed: 2	Failed: 1	Undefined: 7	Duration: 1.06s
Before			0.00s
When I clicks on Health button			0.04s
And I wait for 1 sec			1.01s
Then I scroll down			0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: e45f7da6-4556-4693-9093-ab63a2683f08
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .Then I scroll down(features/ph/health/MyHealthClinic.feature:20)

And I wait for 2 sec	0.00s
Then I scroll down	0.00s
And I wait for 2 sec	0.00s
Then I navigate to My Heart clinic screen	0.00s
And I wait for 5 sec	0.00s
Then I verify following texts in my heart clinic are Displayed in the popup	0.00s
${Health.MyeartClinic.AllowStatictext}	
Then I verify following button in my heart clinic are Displayed in the popup	0.00s
${Health.MyeartClinic.WhileUsingtheapptext}	
${Health.MyeartClinic.Onlythistimetext}	
${Health.MyeartClinic.Denytext}	
After	0.00s

Back to Table of Contents

Feature: Verify MY Event channel functionality on one pulse App

Passed: 5	Failed: 0	Undefined: 0	Duration: 270.43s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 55.38s
Before			0.00s

Given User has pulse app	8.94s
And I assign "${onepulse.events.user}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.87s
Then I change the country as required on registration page	22.59s
Then I wait for 2 sec	2.01s
And I click the Sign in link	4.97s
After	0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 45.75s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.53s
When user enters credentials	9.92s
UserName ${PULSE_EMAIL}	
Password ${pulse.password}	
And User clicks on signin button	0.27s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	12.55s
Then user should be landed to "Home" screen	14.48s
After	0.00s

Back to Table of Contents

Scenario: Verify MyEvent Functionality in Home screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 62.39s
Before			0.00s

And I click the MyEvent icons	21.72s
And I wait for 40 sec	40.01s
And I verify following texts are displayed	0.66s

You do not have any events enrolled yet
Please choose from the open events and get started

After			0.00s

Back to Table of Contents

Scenario: Verify Events Archive tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 49.36s
Before			0.00s

And I click the Events Archive icon	8.65s
And I wait for 40 sec	40.01s
And I verify following texts are displayed	0.71s

You do not have any events in your archive.

After			0.00s

Back to Table of Contents

Scenario: Verify Open Events tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 57.54s
Before			0.00s

And I click the Open Events icon	8.62s
And I wait for 40 sec	40.01s
And I verify either static text or available open events are displayed on screen	8.91s

There are no events available at the moment
Stay tuned for events on health and fitness

After			0.00s

Back to Table of Contents

Feature: Verify Notification Center functionality on one pulse App

Passed: 1	Failed: 7	Undefined: 0	Duration: 300.79s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 13	Failed: 1	Undefined: 4	Duration: 101.77s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.90s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	14.52s
Then I wait for 2 sec	2.01s

Then I change the country as required on registration page	22.67s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	5.44s
Then I wait for 2 sec	2.01s
When user enters registration details	6.84s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.31s
And I wait for otp screen after clicking on signup button	5.16s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	29.91s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 04968736-4e56-4e33-af77-84002ecd227e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:311)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/ph/home/prushoppe/general/NotificationCenter.feature:23)

Then I wait for 2 sec	0.00s
Then I click skip button for PH LBU registration flow	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
After	**0.00s**

[Back to Table of Contents](#)

Scenario: **Navigate to notification screen via home screen**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .03s
Before			**0.00s**

Given I navigate to notification screen from home page	**0.03s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 04968736-4e56-4e33-af77-84002ecd227e
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1050)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240)
at .Given I navigate to notification screen from home page(features/ph/home/prushoppe/general/NotificationCenter.feature:31)

Then I wait for 2 sec		0.00s
After		**0.00s**

Back to Table of Contents

Scenario: Verify User should be able to see the Notification screen texts

Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			**0.00s**

And I verify following texts are displayed	0.04s
${notification.msg}	

java.lang.AssertionError: The following asserts failed:
Notification Center text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/general/NotificationCenter.feature:36)

After		**0.00s**

Back to Table of Contents

Scenario: Then I navigate back to home screen from Notification Center

Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			**0.00s**

Then I click on back button on notification screen to navigate to home screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 04968736-4e56-4e33-af77-84002ecd227e

*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.PulseManageProfileScreen.clickOnNotificationBkBtn (PulseManageProfileScreen.java:978)

at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. clickBackButtonInNotificationScreenViaHome(ManageProfileSteps.java:246)

at .Then I click on back button on notification screen to navigate to home screen(features/ph /home/prushoppe/general/NotificationCenter.feature:43)

After			0.00s

Scenario: **Verify User should be able navigate to Notification Center via My account**			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.06s
Before			0.00s
Then I wait for 2 sec			2.01s
Then I navigate to notification center page			0.06s
After			0.00s

Scenario: **Verify User should be able to see the Notification screen texts**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .05s
Before			0.00s
And I verify following texts are displayed			0.06s

${no.notification.text}	
${check.notification.section.text}	

java.lang.AssertionError: The following asserts failed:
No Notifications Yet text is displayed on page expected [true] but found [false],
You do not have any notifications yet, check this section regularly for any updates. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/general /NotificationCenter.feature:50)

After			0.00s

Scenario: **Verify User should be able to login using already registered credentials**			
Passed: 10	Failed: 1	Undefined: 0	Duration: 160.43 s
Before			0.00s
Given User has pulse app			11.88s
And user click on "CONTINUE WITH EMAIL" with Email button			15.49s
Then I change the country as required on registration page			23.62s
Then I wait for 3 sec			3.01s
And I click the Sign in link			4.88s
And I select the language option on toggle bar as required on login page			3.55s
When user enters credentials			10.44s

UserName	${PULSE_EMAIL}
Password	Pas$1234

And User clicks on signin button			0.29s
Then I wait for 2 sec			2.01s

And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		39.37s
Then user should be landed to "Home" screen		45.90s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/ph/home/prushoppe/general
/NotificationCenter.feature:70)

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify User should be able navigate to Notification Center

Passed: 2	Failed: 1	Undefined: 0	Duration: 36.36s
Before			0.00s

Then I navigate to notification center page		16.00s
Then I wait for 4 sec		4.01s
And I verify following texts are displayed		16.35s
${no.notification.text}		
${check.notification.section.text}		

java.lang.AssertionError: The following asserts failed:
No Notifications Yet text is displayed on page expected [true] but found [false],
You do not have any notifications yet, check this section regularly for any updates. text is
displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/general
/NotificationCenter.feature:79)

After		0.00s

[Back to Table of Contents](#)

Feature: Verify login functionality on One pulse App

Passed: 0	Failed: 7	Undefined: 0	Duration: 324.93s

Scenario: Launch the app and select the country as per specified lbu

Passed: 3	Failed: 1	Undefined: 3	Duration: 25.27s
Before			0.00s

Given User has pulse app	11.29s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.86s
Then I change the country as required on registration page	0.13s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 922aad76-48dd-4e53-b5e5-dd53e1f9b01e
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName

(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/ph/home/prushoppe
/general/PulseLoginTest.feature:9)

Then I wait for 2 sec	0.00s
And I click the Sign in link	0.00s
Then I verify below language options on toggle bar as per specified lbu on login page	0.00s

After		0.00s

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 0	Failed: 1	Undefined: 5	Duration: .06s
Before			0.00s

Given I select the language option on toggle bar as required on login page	0.07s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 922aad76-48dd-4e53-b5e5-dd53e1f9b01e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/ph/home
/prushoppe/general/PulseLoginTest.feature:16)

When user enters credentials			0.00s
	UserName	${PULSE_EMAIL}	
	Password	${login.password}	
And User clicks on signin button			0.00s
And I wait for 5 sec			0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			0.00s
Then user should be landed to "Home" screen			0.00s
After			0.00s

[Back to Table of Contents](#)

Scenario: Verify the Invalid Email id in login screen using "Continue with Email"			
Passed: 8	Failed: 1	Undefined: 6	Duration: 61.88s
Before			0.00s
Given User has pulse app			9.35s
Then I wait for 2 sec			2.00s

And user click on "CONTINUE WITH EMAIL" with Email button	14.01s
Then I change the country as required on registration page	23.08s
Then I wait for 2 sec	2.01s
And I click the Sign in link	5.10s
Then I wait for 2 sec	2.01s
And I select the language option on toggle bar as required on login page	2.28s
When user enters credentials	2.04s

UserName	t@gmai
Password	Pas$1234

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 9e46a9c7-da3f-4100-b39b-160fb12c7def
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Email']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseLoginScreen.enterLoginCredentials(PulseLoginScreen.java: 151)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userEntersCredentials(LoginSteps. java:52)
at .When user enters credentials(features/ph/home/prushoppe/general/PulseLoginTest.feature: 35)

And User clicks on signin button	0.00s
Then verify invalid email message "Email is required"	0.00s
Then User clicks on Forgot Password button	0.00s
Then enter the email to request the new password	0.00s
Email t@gmai	
Then User clicks on Send button	0.00s
Then verify invalid email message "${email.invalid.text}"	0.00s

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify the User not registerd email in login screen using "Continue with Email"

| Passed: 6 | Failed: 1 | Undefined: 10 | Duration: 55.01s |

| Before | | 0.00s |

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign value to following variables	0.00s
USER_NAME	taf-${RANDOM_NUMBER}@mailinator.com
USER_PASSWORD	Pas$1234
Given User has pulse app	8.93s
And user click on "CONTINUE WITH EMAIL" with Email button	17.32s
Then I change the country as required on registration page	23.09s

Then I wait for 2 sec	**2.01s**
And I click the Sign in link	**3.66s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 10d40b1c-497f-4968-af0a-bcfcb2a8ceee
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions. java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java: 718)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp (LoginSteps.java:349)

at .And I click the Sign in link(features/ph/home/prushoppe/general/PulseLoginTest.feature: 59)	
Then I wait for 2 sec	0.00s
And I select the language option on toggle bar as required on login page	0.00s
When user enters credentials	0.00s

UserName	${USER_NAME}
Password	${USER_PASSWORD}

And I scroll down	0.00s
And User clicks on signin button	0.00s
Then verify invalid email message "${invalid.credential.message}"	0.00s
Then User clicks on Forgot Password button	0.00s
Then enter the email to request the new password	0.00s

Email	${USER_NAME}

Then User clicks on Send button	0.00s
Then verify invalid email message "${invalid.credential.message}"	0.00s
After	0.00s

[Back to Table of Contents]

Scenario: User should be able to retrieve the reset password using forget password link			
Passed: 1	Failed: 1	Undefined: 5	Duration: 2.07s
Before			0.00s

And I assign "${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.00s
Then enter the email to request the new password	2.07s

Email	${PULSE_EMAIL}

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //android.widget.EditText[contains(@text,'pulsesgqa')]]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands. java:176)
at com.prudential.tap.appium.AppiumCommands.cleartext(AppiumCommands.java:406)
at com.onepulse.app.screens.PulseLoginScreen.enterEmailForgotPassword(PulseLoginScreen. java:224)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterForgotPasswordEmail (LoginSteps.java:61)
at .Then enter the email to request the new password(features/ph/home/prushoppe/general /PulseLoginTest.feature:77)

Then User clicks on Send button	0.00s
And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	0.00s
Then I enter "${EMAIL_OTP}" reset code	0.00s
Then I wait for 5 sec	0.00s
Then Verify message: "${password.reset.success.text}" for Reset Password	0.00s
After	0.00s

[Back to Table of Contents]

Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords		
		Duration: 158.99

Passed: 13	Failed: 1	Undefined: 6	s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	9.08s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.37s
Then I change the country as required on registration page	23.30s
Then I wait for 5 sec	5.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.97s
Then I wait for 2 sec	2.01s
When user enters registration details	7.69s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.40s
Then I wait for otp screen after clicking on signup button	4.33s
Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.40s
Then I click skip button for PH LBU registration flow	54.43s

java.lang.AssertionError: Tracking your activity is trending title is not displayed in the UI expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.onepulse.app.screens.PulseRegistrationScreen.verifytrackerConnectScreenUI (PulseRegistrationScreen.java:963)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButtonPH (PulseRegistrationScreen.java:1327)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButtonPH (RegistrationSteps.java:450)
at .Then I click skip button for PH LBU registration flow(features/ph/home/prushoppe/general /PulseLoginTest.feature:108)

Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 2 sec	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${account.locked.message}

After		0.00s

Scenario: **Verify the Login Functionality using "Continue with Facebook"**			
Passed: 4	Failed: 1	Undefined: 8	Duration: 21.65s
Before			0.00s

Given User has pulse app	10.79s
Then I wait for 2 sec	2.02s
And user click on "CONTINUE WITH EMAIL" with Email button	6.76s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	0.08s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 9659c6e2-d564-43d1-aaa5-e64ad7993748
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1016)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/ph/home/prushoppe
/general/PulseLoginTest.feature:149)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar	0.00s
Then I click on connect with facebook button	0.00s
Then I wait for 2 sec	0.00s
And I click the "Email" in Continue with Facebook	0.00s

Emailid	${emailid.text}
Password	${password.texts}

Then I wait for 10 sec	0.00s
Then user should be landed to "Home" screen	0.00s
And I logout from onepulse app	0.00s
After	**0.00s**

[Back to Table of Contents](#)

Feature: Verify registration functionality on one pulse App for PH LBU

Passed: 3	Failed: 6	Undefined: 0	Duration: 615.41s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 16	Failed: 1	Undefined: 24	Duration: 152.49 s
Before			**0.00s**

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	9.91s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	14.33s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	21.49s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	4.44s
Then I wait for 2 sec	2.02s
When user enters registration details	8.06s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.35s
Then I wait for otp screen after clicking on signup button	4.22s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.00s
Then I wait for 2 sec	2.00s

And I enter the "mobile number" in welcome to pulse		15.88s
	mobileNumber	${registration.mobile.number}
And I click the date in Date of Birth field		32.78s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 98eae502-60c2-4009-9f82-185dec27f590

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-YYYY')]}

at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.enterDateOfBirth (PulseRegistrationScreen.java:652)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterDateOfBirth (RegistrationSteps.java:110)
at .And I click the date in Date of Birth field(features/ph/home/prushoppe/general /PulseRegistrationTest.feature:32)

And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click on connect Later button	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s
When user enters password credentials in sigin screen	0.00s
Password Pas$1234	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s

After		0.00s

Scenario: verify the field label on registration screen

Passed: 4	Failed: 1	Undefined: 4	Duration: 34.73s

Before		0.00s

Given User has pulse app	11.67s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	14.07s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	4.98s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5041b70b-f7d0-4420-a665-17ce69ce63c0
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/ph/home/prushoppe
/general/PulseRegistrationTest.feature:70)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s
Then I verify following field label should be displayed on registration screen	0.00s

${firstname.label.text}	
${lastname.label.text}	
${email.text}	
${password.text}	

After		0.00s

Back to Table of Contents

Scenario: **verify the validation message for mandatory fields**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s

Given taps on continue "Sign_Up" button	0.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5041b70b-f7d0-4420-a665-17ce69ce63c0
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Sign Up' or @text='Daftar']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickRegisterContinueButton(PulseRegistrationScreen.java:213)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.clickOnContinue(RegistrationSteps.java:155)
at .Given taps on continue "Sign_Up" button(features/ph/home/prushoppe/general/PulseRegistrationTest.feature:86)

Then I verify the validation error message is displayed for following field on registration page	0.00s

FirstName	${firstname.mandatoryField.message}
LastName	${lastname.mandatoryField.message}
Email	${email.mandatoryField.message}
Password	${password.validation.message}

After		0.00s

[Back to Table of Contents](#)

Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before		0.00s

When user enters registration details	0.02s

Password	Pulse@1

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5041b70b-f7d0-4420-a665-17ce69ce63c0
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Password')]

/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails
(PulseRegistrationScreen.java:263)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails
(RegistrationSteps.java:37)
at .When user enters registration details(features/ph/home/prushoppe/general
/PulseRegistrationTest.feature:95)

And taps on continue "Sign_Up" button		0.00s
Then I verify the validation error message is displayed for following field on registration page		0.00s
	Password ${password.validation.message}	

After		0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s

Before		0.00s

When user enters registration details		0.02s

Password	Pulse123

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5041b70b-f7d0-4420-a665-17ce69ce63c0
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Password')] /following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails
(PulseRegistrationScreen.java:263)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails
(RegistrationSteps.java:37)
at .When user enters registration details(features/ph/home/prushoppe/general
/PulseRegistrationTest.feature:95)
```

And taps on continue "Sign_Up" button	0.00s
Then I verify the validation error message is displayed for following field on registration page	0.00s
Password ${password.validation.message}	
After	0.00s

Back to Table of Contents

Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 68.85s
Before			0.00s

Given User has pulse app	9.26s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	15.12s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	23.26s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.78s
Then I wait for 2 sec	2.01s
When user enters registration details	7.82s
FirstName testAutomation	

LastName	**testAutomation**		
Email	**${login.email.id}**		
Password	**Pas$1234**		

And taps on continue "Sign_Up" button	0.25s
Then I verify the validation error message is displayed for following field on registration page	1.33s

Email	**${user.exist.text}**	

After		0.00s

Scenario: Verify the mobile number screen validation using "Continue with Email"

Passed: 20	Failed: 0	Undefined: 0	Duration: 130.0s

Before		0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
Given User has pulse app	11.56s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	13.18s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	22.82s
Then I wait for 2 sec	2.02s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.85s
Then I wait for 2 sec	2.00s
When user enters registration details	8.86s

FirstName	**NewAutomation**	
LastName	**NewAutomation**	
Email	**${PULSE_EMAIL}**	
Password	**Pas$1234**	

And taps on continue "Sign_Up" button	0.30s
And I wait for otp screen after clicking on signup button	4.25s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.42s
Then I wait for 10 sec	10.01s
Then I verify the country code should be displayed correctly on phone number screen	0.17s
And I enter the "mobile number" in welcome to pulse	12.32s

mobileNumber	**917670**	

And I click the continue button	0.97s
Then I wait for 2 sec	2.00s
Then verify Again invalid Mobile message "${invalid.mobile.text}"	0.24s

After		0.00s

Scenario: Verify the Registration screen validation using "Continue with Email"

Passed: 7	Failed: 1	Undefined: 15	Duration: 20.2s
Before			0.00s

Given I enter the "mobile number" in welcome to pulse		11.17s
	mobileNumber	${registration.mobile.number}	
Then I wait for 1 sec		1.01s
And I click the continue button		0.96s
Then I wait for 1 sec		1.03s
And I click the continue button		0.55s
Then verify validation message "${dob.alert.text}" on registration workflow screen		0.00s
And I click the date in Date of Birth field		5.44s
And I click the Done icon		0.06s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: a6a6c302-b824-46cd-b581-bc748d2ad0c6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Done')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.PulseRegistrationScreen.doneButton(PulseRegistrationScreen.java:665)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.doneButton (RegistrationSteps.java:116)

at .And I click the Done icon(features/ph/home/prushoppe/general/PulseRegistrationTest.feature:164)

And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${gender.alert.text}" on registration workflow screen	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${activity.level.alert.text}" on registration workflow screen	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
After		0.00s

Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 209.04 s

Before		0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.00s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	14.33s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	24.05s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.75s
Then I wait for 2 sec	2.01s
When user enters registration details	6.85s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.26s
Then I wait for otp screen after clicking on signup button	9.24s
Then I wait for 90 sec	90.00s
Then I click the Resend button in OTP screen	3.59s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.71s
And I wait for 2 sec	2.01s
And I verify enter otp screen is not displayed	8.22s

After		0.00s

Feature: Verify Free PA with COVID+ Vaccine Protection functionality on one pulse App

Passed: 7	Failed: 15	Undefined: 0	Duration: 682.3s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 12	Failed: 1	Undefined: 3	Duration: 99.32s

Before		0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	10.44s
Then I wait for 2 sec	2.01s

And user click on "CONTINUE WITH EMAIL" with Email button	13.36s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	23.60s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.80s
Then I wait for 2 sec	2.01s
When user enters registration details	8.70s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.29s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.08s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 993c5df8-ddc0-4347-b701-4cc8cf173b53
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
311)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/ph/home
/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:22)

Then I wait for 2 sec		0.00s
Then I click skip button for PH LBU registration flow		0.00s
Then I wait for 2 sec		0.00s
After		0.00s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 5	Failed: 0	Undefined: 0	Duration: 57.46s
Before			0.00s
Given User has pulse app			10.15s
And user click on "CONTINUE WITH EMAIL" with Email button			15.46s
Then I change the country as required on registration page			21.97s
Then I wait for 5 sec			5.01s
And I click the Sign in link			4.89s
After			0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 5	Failed: 1	Undefined: 1	Duration: 102.89 s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.56s
When user enters credentials	10.39s

UserName	${PULSE_EMAIL}
Password	Pas$1234

And User clicks on signin button	0.29s
And I wait for 5 sec	5.02s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	38.90s
Then user should be landed to "Home" screen	44.73s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/ph/home/prushoppe/prushoppee
/Pru_Free_PAwithCOVIDVaccine.feature:44)

And I wait for 2 sec	0.00s
After	0.00s

Scenario: Navigates to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 8.27s
Before			0.00s

And I click on pru shoppe button on the home page	8.27s
After	0.00s

Scenario: Verify first time User are presented with T&C to proceed to the Pru Shoppe

Passed: 1	Failed: 1	Undefined: 0	Duration: 10.19s
Before			0.00s

And I wait for 2 sec	2.00s
Then I click on Proceed button on prushoppe screen	8.19s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 901e6ae5-5429-4893-9be6-a7281ad9b883
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:55)

After	0.00s

Scenario: **Verify User should be able to navigate to Free PA with COVID+Vaccine Protection tile**			
Passed: 1	Failed: 1	Undefined: 1	Duration: 38.39s
Before			0.00s

Then I wait for 5 sec	5.00s
And I click on pru Free PA COVID Vaccine protection tile on prushoppe screen	33.39s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 901e6ae5-5429-4893-9be6-a7281ad9b883
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Quick Links')]/preceding::android.widget.ImageView[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickFreePACovidVaccineProtectTile

(PruShoppeScreen.java:263)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToFreePACovidVaccineProtect(PruShoppeSteps.java:171)
at .And I click on pru Free PA COVID Vaccine protection tile on prushoppe screen(features/ph
/home/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:60)

Then I wait for 3 sec		0.00s

After		0.00s

Back to Table of Contents

Scenario: Verify Free PA with COVID+Vaccine Protection coverage details and conditions are listed above Show More link

Passed: 0	Failed: 1	Undefined: 0	Duration: 33.17s

Before		0.00s

And I verify following texts are displayed		33.17s
${pavaccine.package.text}		
${pavaccine.package.text.package.info.1}		
${pavaccine.package.text.package.info.2}		
${pavaccine.package.text.package.info.3}		

java.lang.AssertionError: The following asserts failed:
PA-ADD with COVID-19 and COVID-19 Vaccine Protection Cover text is displayed on page
expected [true] but found [false],
Coverage Period : 1 year text is displayed on page expected [true] but found [false],
Guaranteed Php 50,000 lump sum in case of death due to COVID-19 text is displayed on page
expected [true] but found [false],
Burial Benefit of Php 10,000 if the Life Assured dies due to natural causes text is displayed on
page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Free_PAwithCOVIDVaccine.feature:64)

After		0.00s
Back to Table of Contents		

Scenario: Verify the Show More link is clickable in Free PA with COVID+Vaccine Protection screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 8.33s
Before			0.00s

And user click on following button "${show.more.text}" on prushoppe screen	8.33s
After	0.00s

Back to Table of Contents

Scenario: Verify the Free PA with COVID+Vaccine Protection coverage details and conditions are listed on click Show More link

Passed: 0	Failed: 1	Undefined: 0	Duration: 90.83s
Before			0.00s

And I verify following texts are displayed	90.83s
${pavaccine.package.text.package.info.4}	
${pavaccine.package.text.package.info.5}	
${pavaccine.package.text.package.info.6.1}	
${pavaccine.package.text.package.info.6.2}	
${pavaccine.package.text.package.info.6.3}	
${pavaccine.package.text.package.info.6.4}	
${pavaccine.package.text.package.info.6.5}	

${pavaccine.package.text.package.info.6.6}
${pavaccine.package.text.package.info.7}
${pavaccine.package.text.package.info.8}
${pavaccine.package.text.package.info.9}

java.lang.AssertionError: The following asserts failed:
Php 25,000 lump sum in case of accidental death and disablement/dismemberment text is displayed on page expected [true] but found [false],
Lump sum of Php 50,000 benefit in case of death due to the adverse effect of a COVID-19 Vaccine text is displayed on page expected [true] but found [false],
To avail of this product, the Life Assured must be: text is displayed on page expected [true] but found [false],
Within ages 18 to 64 text is displayed on page expected [true] but found [false],
Filipino citizen, residing in the Philippines at the time of application text is displayed on page expected [true] but found [false],
In good health, must not have any physical or medical impairment text is displayed on page expected [true] but found [false],
Must not be a suspect, probable, moderate or confirmed case for COVID-19 at the time of application text is displayed on page expected [true] but found [false],
Must not have received any COVID-19 Vaccine prior to applying for this product. text is displayed on page expected [true] but found [false],
If vaccinated within the Coverage Period, the COVID-19 Vaccine should have been approved by the FDA-Philippines and should have been administered in the Philippines text is displayed on page expected [true] but found [false],
The lump sum death benefit shall not be paid if death due to COVID-19 occurs within 14 days after the Coverage Start Date text is displayed on page expected [true] but found [false],
You are required to review the terms and conditions which include the product exclusions, prior to availing this product text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee /Pru_Free_PAwithCOVIDVaccine.feature:74)

After		0.00s

Scenario: **Verify the Show Less link is clickable in Free PA with COVID+Vaccine Protection screen**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 8.1s
Before			0.00s
And user click on following button "${show.less.text}" on prushoppe screen			8.10s
After			0.00s

Scenario: **Verify the Your Details section in Free PA with COVID+Vaccine Protection screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 16.31s
Before			0.00s
And I verify following texts are displayed			16.31s

${your.details.text}
${scan.your.id.text}

java.lang.AssertionError: The following asserts failed:
Your Details text is displayed on page expected [true] but found [false],
Scan your ID text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Free_PAwithCOVIDVaccine.feature:91)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify all the field headers in Free PA with COVID+Vaccine Protection screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 41.79s
Before			0.00s

And I verify following texts are displayed	41.79s
${id.no.text}	
${firstname.text}	
${middlename.text}	
${lastname.text}	
${prushoppe.gender.text}	
${prushoppe.disease.dob}	

java.lang.AssertionError: The following asserts failed:
ID Number text is displayed on page expected [true] but found [false],
First Name text is displayed on page expected [true] but found [false],
Middle Name text is displayed on page expected [true] but found [false],
Last name text is displayed on page expected [true] but found [false],
Date of birth text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:97)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Scroll down for further validation**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 4.51s
Before			0.00s

And I scroll down	4.51s
After	0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the fields in Your Details section**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 73.23s
Before			0.00s

And I verify following texts are displayed	73.23s
${ph.nationality}	
${ph.placeofbirth}	
${ph.proshoppe.address}	
${ph.proshoppe.city}	
${ph.proshoppe.country.code}	
${ph.email.address}	
${ph.occptn}	
${ph.mobile.phone.number}	
${ph.referral.code}	

java.lang.AssertionError: The following asserts failed:
Nationality text is displayed on page expected [true] but found [false],
Place of Birth text is displayed on page expected [true] but found [false],

Address text is displayed on page expected [true] but found [false],
City/Province text is displayed on page expected [true] but found [false],
Country Code text is displayed on page expected [true] but found [false],
Email Address text is displayed on page expected [true] but found [false],
Occupation text is displayed on page expected [true] but found [false],
Mobile Phone Number text is displayed on page expected [true] but found [false],
Referral code (optional) text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Free_PAwithCOVIDVaccine.feature:109)

After		0.00s

Scenario: **Scroll down for further validation**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 4.5s
Before			0.00s
And I scroll down			4.50s
After			0.00s

Scenario: **Verify the Terms and Conditions text in Free PA with COVID+Vaccine Protection screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 17.44s
Before			0.00s
And I verify following texts are displayed			17.44s
${pavaccine.package.tnc.2}			

${pavaccine.package.tnc.2}

java.lang.AssertionError: The following asserts failed:
By clicking PROCEED, I confirm and acknowledge that all the information I provided above including the product package I chose are correct. text is displayed on page expected [true] but found [false],
By clicking PROCEED, I confirm and acknowledge that all the information I provided above including the product package I chose are correct. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee /Pru_Free_PAwithCOVIDVaccine.feature:124)

After		0.00s

Back to Table of Contents

Scenario: **Verify the Terms and Conditions can be accepted in Free PA with COVID+Vaccine Protection screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 8.14s
Before			0.00s

Then User accept the term and conditions in PRU Shoppe Screen	8.14s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 901e6ae5-5429-4893-9be6-a7281ad9b883
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="
termsandcondition"]/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptGYRTTandC(PruShoppeScreen.java:249)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptGYRTTerms(PruShoppeSteps.java:166)
at .Then User accept the term and conditions in PRU Shoppe Screen(features/ph/home/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:129)

After		0.00s
Back to Table of Contents		
Scenario: **Scroll down for further validation**		
Passed: 1	Failed: 0	Undefined: 0	Duration: 4.51s
Before		0.00s
And I scroll down		4.51s
After		0.00s
Back to Table of Contents		
Scenario: **Verify the presence of PROCEED button**		
Passed: 0	Failed: 1	Undefined: 0	Duration: 8.39s
Before		0.00s
And I verify proceed button is displayed on pru shoppe screen		8.39s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)

at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.verifyProceedBtn
(PruShoppeSteps.java:146)
at .And I verify proceed button is displayed on pru shoppe screen(features/ph/home/prushoppe
/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:135)

After		0.00s

Scenario: **Verify the validation error messages on click of PROCEED button**			
Passed: 0	Failed: 1	Undefined: 3	Duration: 8.38s
Before			0.00s

Then I click on Proceed button on prushoppe screen	8.38s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 901e6ae5-5429-4893-9be6-a7281ad9b883
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or @text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn (PruShoppeSteps.java:101)

at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:138)

Then I verify the validation error message is displayed for following field on the Pru Shoppe screen		0.00s
ID Number	${ph.prushoppe.validation.id}	
Middle Name	${ph.prushoppe.validation.middlename}	
Place of Birth	${ph.prushoppe.validation.pob}	
City/Province	${ph.prushoppe.validation.city}	
And I scroll down		0.00s
And I verify the validation error message is displayed for following field on the Pru Shoppe screen		0.00s
Occupation	${ph.prushoppe.validation.ocptn}	

After		0.00s

Back to Table of Contents

Scenario: Verify image of unauthorised ID not accepted			
Passed: 3	Failed: 1	Undefined: 6	Duration: 19.58s
Before			0.00s
Then I scroll up			3.88s
And I scroll up			3.87s
And I scroll up			3.85s
And user click on Scan Your ID link			7.98s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 901e6ae5-5429-4893-9be6-a7281ad9b883
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="id"]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickedScanIDLink(PruShoppeScreen.java:313)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickEditProfileLink(PruShoppeSteps.java:189)
at .And user click on Scan Your ID link(features/ph/home/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:153)

Then I wait for 2 sec	0.00s
And user selects Camera option	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
Then I wait for 5 sec	0.00s
Then I verify following error message "${ph.prushoppe.validation.id.image}" is displayed	0.00s

After		0.00s
[Back to Table of Contents]		
Scenario: **Verify user can enter other mandatory fields**		

Passed: 0	Failed: 1	Undefined: 2	Duration: 18.57s

Before		0.00s
And user enters your details in pru shoppe protection screen		18.57s

ID Number	TST5689	
Middle Name	Tst Name	

Place of Birth	Tst Place
Address	Tst Address
City/Province	Tst City

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 901e6ae5-5429-4893-9be6-a7281ad9b883
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'ID Number')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PruShoppeScreen.enterYourDetails(PruShoppeScreen.java:271)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterYourDetails(PruShoppeSteps.java:178)
at .And user enters your details in pru shoppe protection screen(features/ph/home/prushoppe/prushoppee/Pru_Free_PAwithCOVIDVaccine.feature:162)

Then I scroll down	0.00s
And user enters your details in pru shoppe protection screen	0.00s
Occupation ${ph.prushoppe.ocptn.student}	

After		0.00s

Back to Table of Contents

Feature: Verify Group Yearly Renewable Term Insurance(GYRT) functionality on one pulse App			
Passed: 8	Failed: 14	Undefined: 0	Duration: 304.74s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 14	Failed: 1	Undefined: 1	Duration: 162.53 s

Before		0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	11.12s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	15.10s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	23.30s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.87s
Then I wait for 2 sec	2.01s
When user enters registration details	7.80s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.29s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	33.25s
Then I wait for 2 sec	2.01s
Then I click skip button for PH LBU registration flow	57.77s

java.lang.AssertionError: Tracking your activity is trending title is not displayed in the UI expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.onepulse.app.screens.PulseRegistrationScreen.verifytrackerConnectScreenUI (PulseRegistrationScreen.java:963)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButtonPH (PulseRegistrationScreen.java:1327)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButtonPH (RegistrationSteps.java:450)
at .Then I click skip button for PH LBU registration flow(features/ph/home/prushoppe /prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:23)

Then I wait for 2 sec	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 58.53s

Before		0.00s
Given User has pulse app		9.95s
And user click on "CONTINUE WITH EMAIL" with Email button		16.49s
Then I change the country as required on registration page		22.14s
Then I wait for 5 sec		5.01s
And I click the Sign in link		4.95s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 45.58s
Before			0.00s

Given I select the language option on toggle bar as required on login page		3.47s
When user enters credentials		10.02s

UserName	${PULSE_EMAIL}
Password	Pas$1234

And User clicks on signin button		0.24s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		10.19s
Then user should be landed to "Home" screen		14.65s
And I wait for 2 sec		2.01s
After		0.00s

Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 12.05s
Before			0.00s

And I click on pru shoppe button on the home page		12.05s
After		0.00s

Scenario: Verify first time User are presented with T&C to proceed to the Pru Shoppe

Passed: 2	Failed: 0	Undefined: 0	Duration: 5.25s
Before			0.00s

And I wait for 5 sec		5.00s
Then I click on Proceed button on prushoppe screen		0.26s
After		0.00s

Scenario: Verify User should be able to navigate to GYRT tile

Passed: 3	Failed: 0	Undefined: 0	Duration: 10.73s
Before			0.00s

And I wait for 5 sec		5.01s
Then I click on pru GYRT tile on prushoppe screen		0.72s
Then I wait for 5 sec		5.01s
After		0.00s

Scenario: Verify the GYRT coverage details and conditions are listed above Show More link

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.06s
Before			0.00s

And I verify following texts are displayed	2.06s
${gyrtpackage.text}	
${gyrtpackage.info.1}	
${gyrtpackage.info.2}	
${gyrtpackage.info.3.1}	
${gyrtpackage.info.3.2}	

After			0.00s

Scenario: Verify the Show More link is clickable in GYRT screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 7.0s
Before			0.00s

And user click on following button "${show.more.text}" on prushoppe screen	7.00s

After			0.00s

Scenario: Verify the GYRT coverage details and conditions are listed on click Show More link

Passed: 0	Failed: 1	Undefined: 0	Duration: .06s
Before			0.00s

And I verify following texts are displayed	0.06s
${gyrtpackage.info.4}	
${gyrtpackage.info.5}	
${gyrtpackage.info.6}	

java.lang.AssertionError: The following asserts failed:
During the last five (5) years, you must not have consulted, nor been treated or examined for more than two (2) weeks by a doctor for any disease or injury, and not have undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes text is displayed on page expected [true] but found [false],
You must not have been confined in a hospital for any length of time or had any surgical procedure text is displayed on page expected [true] but found [false],
You are required to review the Terms and Conditions, which include the product exclusions, prior to proceeding text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:90)

After			0.00s

Scenario: Verify the Show Less link is clickable in GYRT screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .02s
Before			0.00s

And user click on following button "${show.less.text}" on prushoppe screen		0.02s
After		0.00s

Scenario: Verify the Your Details section in GYRT screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			0.00s

And I verify following texts are displayed	0.04s

${your.details.text}
${scan.your.id.text}

java.lang.AssertionError: The following asserts failed:
Your Details text is displayed on page expected [true] but found [false],
Scan your ID text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:99)

After		0.00s

Scenario: Verify all the field headers in GYRT screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .14s
Before			0.00s

And I verify following texts are displayed	0.14s

${id.no.text}
${firstname.text}
${middlename.text}
${lastname.text}
${prushoppe.disease.gender.text}
${prushoppe.disease.dob}

java.lang.AssertionError: The following asserts failed:
ID Number text is displayed on page expected [true] but found [false],
First Name text is displayed on page expected [true] but found [false],
Middle Name text is displayed on page expected [true] but found [false],
Last name text is displayed on page expected [true] but found [false],
Gender text is displayed on page expected [true] but found [false],
Date of birth text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:105)

After		0.00s

Scenario: Scroll down for further validation

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s

And I scroll down	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:114)

After		0.00s

Scenario: Verify User should be able to see the fields in Your Details section

Passed: 0	Failed: 1	Undefined: 0	Duration: .23s

Before		0.00s

And I verify following texts are displayed		0.23s

${ph.nationality}

${ph.placeofbirth}

${ph.proshoppe.address}

${ph.proshoppe.city}

${ph.proshoppe.country.code}

${ph.email.address}

${ph.occptn}

${ph.mobile.phone.number}

${ph.referral.code}

java.lang.AssertionError: The following asserts failed:
Nationality text is displayed on page expected [true] but found [false],
Place of Birth text is displayed on page expected [true] but found [false],
Address text is displayed on page expected [true] but found [false],
City/Province text is displayed on page expected [true] but found [false],
Country Code text is displayed on page expected [true] but found [false],
Email Address text is displayed on page expected [true] but found [false],
Occupation text is displayed on page expected [true] but found [false],
Mobile Phone Number text is displayed on page expected [true] but found [false],
Referral code (optional) text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppee
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:117)

After		0.00s

Scenario: Scroll down for further validation

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s

Before		0.00s

And I scroll down		0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:129)

After		0.00s

Scenario: **Verify the Terms and Conditions text in GYRT screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .36s
Before			0.00s
And I verify following texts are displayed			0.36s

${gyrtpackage.tnc.1.1}
${gyrtpackage.tnc.1.2}
${gyrtpackage.tnc.1.3}
${gyrtpackage.tnc.1.4}
${gyrtpackage.tnc.1.5}

${gyrtpackage.tnc.1.6}
${gyrtpackage.tnc.1.7}
${gyrtpackage.tnc.1.8}
${gyrtpackage.tnc.2.1}
${gyrtpackage.tnc.2.2}
${gyrtpackage.tnc.2.3}
${gyrtpackage.tnc.2.5}

java.lang.AssertionError: The following asserts failed:
I have read, understood, agree to, and confirm the Product text is displayed on page expected [true] but found [false],
Terms and Conditions text is displayed on page expected [true] but found [false],
Declaration of Understanding. text is displayed on page expected [true] but found [false],
I declare that I text is displayed on page expected [true] but found [false],
(i) am in good health; text is displayed on page expected [true] but found [false],
(ii) have no physical nor medical impairment; text is displayed on page expected [true] but found [false],
(iii) in the last 5 years, have not consulted, nor been examined or treated for more than two (2) weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and text is displayed on page expected [true] but found [false],
(iv) have not been confined in a hospital for any length of time or had any surgical procedure; text is displayed on page expected [true] but found [false],
By clicking PROCEED text is displayed on page expected [true] but found [false],
I confirm and acknowledge text is displayed on page expected [true] but found [false],
that all the information text is displayed on page expected [true] but found [false],
correct. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:132)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify the Terms and Conditions can be accepted in GYRT screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before		0.00s	

Then User accept the term and conditions in PRU Shoppe Screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc=" termsandcondition"]/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.PruShoppeScreen.acceptGYRTTandC(PruShoppeScreen.java:
249)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptGYRTTerms
(PruShoppeSteps.java:166)
at .Then User accept the term and conditions in PRU Shoppe Screen(features/ph/home
/prushoppe/prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:148)

After		0.00s

Back to Table of Contents

Scenario: **Scroll down for further validation**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

And I scroll down	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/prushoppee/Pru_Group Yearly Renewable
Term Insurance(GYRT).feature:151)

After		0.00s

Back to Table of Contents

Scenario: **Verify the presence of PROCEED button**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s

Before		0.00s

And I verify proceed button is displayed on pru shoppe screen	0.03s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.verifyProceedBtn
(PruShoppeSteps.java:146)
at .And I verify proceed button is displayed on pru shoppe screen(features/ph/home/prushoppe
/prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:154)

After		0.00s

Back to Table of Contents

Scenario: **Verify the validation error messages on click of PROCEED button**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s

Before		0.00s

Then I click on Proceed button on prushoppe screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or @text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn (PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe /prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:157)

Then I verify the validation error message is displayed for following field on the Pru Shoppe screen		0.00s

ID Number	${ph.prushoppe.validation.id}	
Middle Name	${ph.prushoppe.validation.middlename}	
Place of Birth	${ph.prushoppe.validation.pob}	
City/Province	${ph.prushoppe.validation.city}	

And I scroll down		0.00s
And I verify the validation error message is displayed for following field on the Pru Shoppe screen		0.00s

Occupation	${ph.prushoppe.validation.ocptn}	

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify image of unauthorised ID not accepted

| Passed: 0	Failed: 1	Undefined: 9	Duration: .01s
Before			0.00s

Then I scroll up	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.java:73)
at .Then I scroll up(features/ph/home/prushoppe/prushoppee/Pru_Group Yearly Renewable
Term Insurance(GYRT).feature:168)

And I scroll up	0.00s
And I scroll up	0.00s
And user click on Scan Your ID link	0.00s
Then I wait for 2 sec	0.00s
And user selects Camera option	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
Then I wait for 5 sec	0.00s
Then I verify following error message "${ph.prushoppe.validation.id.image}" is displayed	0.00s
After	**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify user can enter other mandatory fields**			
Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			**0.00s**

And user enters your details in pru shoppe protection screen	0.03s

ID Number	TST5689
Middle Name	Tst Name
Place of Birth	Tst Place
Address	Tst Address
City/Province	Tst City

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ecd297a4-ccfc-4964-9fe3-c1fb29e1e96f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'ID Number')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

at com.onepulse.app.screens.PruShoppeScreen.enterYourDetails(PruShoppeScreen.java:271)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterYourDetails
(PruShoppeSteps.java:178)
at .And user enters your details in pru shoppe protection screen(features/ph/home/prushoppe
/prushoppee/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:180)

Then I scroll down	0.00s
And user enters your details in pru shoppe protection screen	0.00s
Occupation ${ph.prushoppe.ocptn.student}	

After		0.00s

[Back to Table of Contents](#)

Feature: **Verify that user can view his registered policies under My Policies**			
Passed: 0	Failed: 2	Undefined: 0	Duration: 160.96s

Scenario: **Verify that No linked policies information message is displayed**			
Passed: 9	Failed: 1	Undefined: 0	Duration: 114.3s
Before			0.00s

Given User has pulse app	8.81s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	8.66s
When user enters credentials	11.16s
UserName ${PULSE_EMAIL} Password ${Password.text}	
And User clicks on signin button	0.35s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.32s
Then user should be landed home screen	9.56s
When I clicks on "${prushoppe.policies.txt}" icon in Home screen	0.65s
Then User can see the list of linked policies	34.78s

java.lang.AssertionError: The following asserts failed:
Link Policy title is not matching with the UI expected [true] but found [false],
Information title is not matching with the UI in link Policies screen expected [true] but found
[false],
No Policies are linked to the logged in user message is not matching with the UI in My Policies
screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.MyPoliciesScreen.validateMyPoliciesScreenUI(MyPoliciesScreen.
java:112)
at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.
userCanSeeTheListOfLinkedPolicies(MyPolicySteps.java:32)
at .Then User can see the list of linked policies(features/ph/mypolicies/MyPolicies.feature:17)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify that user can access his policies from Home screen**			
Passed: 6	Failed: 1	Undefined: 17	Duration: 46.66s

Before		0.00s

Given User has pulse app	10.95s
And user click on "${continue.with.google.text}" with Google button	6.62s
And I click the "Email" in Continue with Gmail	15.84s

Emailid	${login.id.continue.with.google}	
Password	pulsesgqa@123	

Then user should be landed home screen	8.46s
When I clicks on "${my.policies.textchange}" icon in Home screen	0.47s
And I clicks on Proceed button to accept the terms and conditions	1.56s
Then User can see the list of linked policies	2.77s

java.lang.AssertionError: The following asserts failed:
Link Policy title is not matching with the UI expected [true] but found [false],
Information title is not matching with the UI in link Policies screen expected [true] but found [false],
No Policies are linked to the logged in user message is not matching with the UI in My Policies screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.MyPoliciesScreen.validateMyPoliciesScreenUI(MyPoliciesScreen.java:112)
at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.userCanSeeTheListOfLinkedPolicies(MyPolicySteps.java:32)
at .Then User can see the list of linked policies(features/ph/mypolicies/MyPolicies.feature:28)

Then Verify the policy details on my policies home screen	0.00s
When User clicks on "${policydetails.inforce.txt}" button to access the PruSafe COVID Vaccine	0.00s
Then I wait for 5 sec	0.00s
Then User will be landed in Policy Info screen	0.00s
And Verify the Policy Info screen UI	0.00s
When User clicks on "${policydetails.benefits.investment.txt}" tab	0.00s
Then User can verify the benefits screen UI	0.00s
When User click on "${policydetails.contract.txt}" tab	0.00s
Then User can verify the Policy Contract screen UI	0.00s
When User clicks on Submit a Claim button	0.00s
Then User can see an authentication pop-up to authenticate the transaction	0.00s
When User clicks on Mobile number checkbox	0.00s
And User clicks on Send button	0.00s
Then User can see OTP verification screen	0.00s
When User enters Invalid OTP and clicks on Continue button	0.00s
OTP 123456	
Then User can see that Invalid OTP error message	0.00s
And User clicks on Cancel button	0.00s

After	0.00s

[Back to Table of Contents](#)

Feature: Verify wealth channel functionality on one pulse App

Passed: 6	Failed: 7	Undefined: 0	Duration: 232.49s

Scenario: Verify User should be able to login using email account			
Passed: 9	Failed: 0	Undefined: 0	Duration: 83.9s

Before		0.00s
Given User has pulse app		9.88s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"		0.00s
When I navigate to login page		8.13s
Given I create connection for api service		0.00s
When user enters credentials		10.52s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		0.36s
Then I wait for 10 sec		10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		31.07s
Then user should be landed to "Home" screen		13.93s
After		0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to wealth page			
Passed: 4	Failed: 0	Undefined: 0	Duration: 46.67s
Before			0.00s

And I scroll down	4.60s
Then I wait for 10 sec	10.01s
Then I click on Wealth Channels on landing page	1.22s
And I verify following wealth channel option are displayed	30.84s
Wealth Channels	
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to view the story post			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.61s
Before			0.00s

Then I click on "Teach your child with Cha-Ching" wealth channel topic	5.61s
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the story post Like, Share, Comment options			
Passed: 1	Failed: 0	Undefined: 0	Duration: 12.45s
Before			0.00s

And I verify following social cite options are displayed	12.45s
Like	
Share	
Comment	
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to Like the post			
Passed: 4	Failed: 0	Undefined: 0	Duration: 33.13s
Before			0.00s

And I read the "Teach your child with Cha-Ching" post like count			15.65s
And I Like the post			6.57s
Then I verify "Teach your child with Cha-Ching" post like count is increased			5.26s
And I Like the post			5.65s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to Share the post

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.15s
Before			0.00s
And I share the post			5.48s
Then I Verify the share with friends popup			5.67s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to Comment the post

Passed: 0	Failed: 1	Undefined: 2	Duration: 5.03s
Before			0.00s
And I read the "Teach your child with Cha-Ching" post comment count			5.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Teach your child with Cha-Ching")]/following::android.widget.TextView[5]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:242)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount
(WealthSteps.java:100)
at .And I read the "Teach your child with Cha-Ching" post comment count(features/ph/wealth
/WealthChannel.feature:54)

And I commented in the post "${wealth.topic.comment}"		0.00s
Then I verify "Teach your child with Cha-Ching" post comment count is increased		0.00s

After		**0.00s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to view the full page article post			
Passed: 0	Failed: 1	Undefined: 0	Duration: 5.05s
Before			**0.00s**

Then I click on "Teach your child with Cha-Ching" topic for details full view	5.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Teach
your child with Cha-Ching")]/../following::android.widget.ScrollView[1]/android.view.
ViewGroup/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Teach your child with Cha-Ching" topic for details full view(features/ph/wealth/WealthChannel.feature:59)

After		0.00s

Back to Table of Contents

Scenario: **Verify User should be able to see the Like, Share, Comment options on full page article post**			
Passed: 1	Failed: 1	Undefined: 0	Duration: 15.09s
Before			0.00s

	Then I wait for 5 sec	5.00s
	And I verify following social cite options are displayed	10.09s
	Like	
	Share	
	Comment	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:
527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/ph/wealth/WealthChannel.
feature:63)

After		0.00s

Scenario: **Verify User should be able to Like the post in full article view screen**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s

And I Like the post	0.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}

Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/ph/wealth/WealthChannel.feature:68)

And I Like the post		0.00s
After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 6.27s
Before			**0.00s**

	And I share the post	6.27s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/ph/wealth/WealthChannel.feature:72)

Then I navigate back to previous page	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to Comment the post in full article view screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.04s
Before			0.00s

And I comment in full view post article "${wealth.topic.comment}"	5.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen. java:280)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle (WealthSteps.java:115)
at .And I comment in full view post article "${wealth.topic.comment}"(features/ph/wealth /WealthChannel.feature:76)

After			0.00s

Scenario: **Verify User can navigate to wealth homepage**			
Passed: 0	Failed: 1	Undefined: 2	Duration: 3.07s
Before			0.00s
	Then I navigate to story post page		3.07s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f2944b13-2382-4d97-ad57-df905ecd2bfe
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage
(WealthSteps.java:70)
at .Then I navigate to story post page(features/ph/wealth/WealthChannel.feature:79)

| Then I click on "Teach your child with Cha-Ching" back button | 0.00s |
| Then I click on "Wealth Channels" back button | 0.00s |

| After | | 0.00s |

Back to Table of Contents

Feature: Verify legal and legacy on One Pluse App			
Passed: 0	Failed: 4	Undefined: 0	Duration: 89.85s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"			
Passed: 7	Failed: 1	Undefined: 0	Duration: 82.73s

Before		0.00s

Given User has pulse app	10.21s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.47s
When user enters credentials	10.13s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.38s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.32s
Then user should be landed to "Home" screen	13.24s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/sg/profile/LegalAndLegacy.feature:
15)

After		0.00s

Back to Table of Contents

Scenario: Verify the Terms and condition should be displayed

Passed: 1	Failed: 1	Undefined: 2	Duration: 5.04s
Before			0.00s

Then I wait for 5 sec	5.00s
And I click the Account icon in Home screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 42e056da-21c8-45e9-aaa4-55be5d80c179
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.accountButton(PulseRegistrationScreen.
java:738)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.accountButton
(RegistrationSteps.java:143)
at .And I click the Account icon in Home screen(features/sg/profile/LegalAndLegacy.feature:
23)

And I click the Legacy and Privacy in Account screen	0.00s
Then I verify following texts are displayed in terms and condition screen	0.00s
${Terms.conditions.text}	
${Privacy.Notice.text}	
${Regulatory.text}	

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify the Privacy screen should be displayed

| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: 2.04s |
| Before | | | 0.00s |

| And I click the Privacy icon in legal screen | 2.04s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 42e056da-21c8-45e9-aaa4-55be5d80c179
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Privacy Notice')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickPrivacyicon (CustomerConnectScreen.java:680)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickprivacyIcon (CustomerConnectSteps.java:185)
at .And I click the Privacy icon in legal screen(features/sg/profile/LegalAndLegacy.feature:32)

And I click the pulse icon in Account screen		0.00s
And I click the Back icon in pulse screen		0.00s
And I click the Back icon in Privacy Notice		0.00s
After		**0.00s**

[Back to Table of Contents](#)

Scenario: Verify the Regulator screen should be displayed

Passed: 0	Failed: 1	Undefined: 5	Duration: .04s
Before			**0.00s**

And I click the Regulatory icon in legal screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 42e056da-21c8-45e9-aaa4-55be5d80c179
*** Element info: {Using=xpath, value=//android.widget.TextView[contains
(@text,'Regulatory')]}
at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory
(CustomerConnectScreen.java:691)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickRegulatory
(CustomerConnectSteps.java:194)
at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAndLegacy.feature:
39)

| And I click the Babylons icon in Account screen | 0.00s |
| Then I verify following texts are displayed in terms and condition screen | 0.00s |

${Clinicalsafety.text}	
${AI.in.Healthcare.text}	
${Localisation.text}	
${Privacy.Data.Protection.text}	
${Raising.Concerns}	

And I click the clinical safety icon in Account screen	0.00s
Then I wait for 8 sec	0.00s
And I click the Back icons in pulse screen	0.00s
After		0.00s

[Back to Table of Contents](#)