Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	13	14	0	0	27	48%
Scenarios	142	62	0	0	204	70%
Steps	851	62	0	242	1,155	74%

Overall Duration: 2h 06m 26s

Table of Contents

- 1. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify registration functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. verify the field label on registration screen
 - 3. verify the validation message for mandatory fields
 - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
 - 6. Verify the validation message when user enter already registered email id on registration
 - 7. Verify the mobile number screen validation using "Continue with Email"
 - 8. Verify the Registration screen validation using "Continue with Email"
 - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Edit profile screen
 - 4. Verify User should be able to change the profile picture in edit profile screen
 - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
 - 6. Verify user can able to change the details in edit profile screen
 - 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
 - 8. verify the user details should be correctly on babylon screen
 - 9. navigate back to health screen
- 4. Verify the Babylon Registration via HRA journey
 - 1. User should be able to Register for Babylon HRA
 - 2. User should be able to Register for Babylon HRA
- 5. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"

- 3. User should be able to locate Hospitals using PruShoppe location
- 4. <u>User can see details of listed hospitals in detail</u>
- 5. User can see the details in speciality tab
- 6. User can see the details in doctor's tab
- 7. User can see the details in rooms tab
- 8. User can navigate out of the hospital details screen
- 9. User should be able to locate cli using PruShoppe location
- 10. User can verify the clinic page
- 11. User can view listed clinic details
- 12. User can view listed clinic info
- 13. User can view listed clinic info details
- 14. User can navigate back to clinics screen
- 6. Verify Medicine Reminder Positive Flow functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Verify User should be able to navigate to medical reminder page
 - 3. verify the static text on medicine reminder screen
 - 4. <u>verify add medicine screen is launched and user can enter the required info on medical info screen</u>
 - 5. verify user navigated to schedule screen and user can enter the required info
 - 6. Verify User should be able to navigate to More Setting page
 - 7. verify Add medicine screen is displayed when user click on add new reminder on success popup
 - 8. verify medicine reminder home screen is displayed when user click on not now button on success popup
 - 9. navigate to health screen
 - 10. Verify User should be able to navigate to calendar page
- 7. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 8. Verify My Health Content functionality on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Health page
 - 4. Verify User should be able to view the full page article post
 - 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 6. Verify User should be able to Like the post in full article view screen
 - 7. Verify User should be able to Share the post in full article view screen
 - 8. Verify User can navigate to Health homepage
- 9. Verify Notification Center functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
 - 4. Then I navigate back to home screen from Notification Center
 - 5. Verify User should be able navigate to Notification Center via My account
 - 6. Verify User should be able to see the Notification screen texts

- 7. Verify User should be able to login using already registered credentials
- 8. Verify User should be able navigate to Notification Center
- 10. Verify My Challenges on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify My Challenges texts
 - 4. Click on All challenges and and verify texts
- 11. Verify My Communities on One Pluse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 3. <u>User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen</u>
 - 4. Leave the community if already joined
 - 5. Verify the All Communities Post screen
 - 6. Verify the Likes and comments counts in All communities tab
 - 7. Verify the Share with Friends Functionality in All communities tab
 - 8. Verify the Post Functionality in All communities
 - 9. Verify the Category list and search feature
 - 10. User navigates back to the community screen
 - 11. Leave the community if already joined
- 12. Verify Private My Communities on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify the My communities screen
 - 4. Verify the Private Communities in communities screen
- 13. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 14. Verify that user can view air quality details under My Environment screen
 - 1. Verify that user can view previous air quality details under My Environment Home page
 - 2. Verify that user can view Current air quality details under My Environment Home page
 - 3. Verify that user can view air quality details for next few days under My Environment Home page
 - 4. Verify that user can access and view Neighbourhood air quality details under My Environment Home page
 - 5. Verify that user can access and view Fires nearby under My Environment Home page
 - 6. Verify that user can view effects of the poor environment and upcoming activities under My Environment Home page
- 15. Verify the BabyLon HRA Report Nutrition, Body, Activity
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Babylon Health Risk Assessment Report
 - 4. Verify the HRA Activity Summary
 - 5. Verify the HRA Activity Summary
 - 6. Verify the HRA Activity summary
 - 7. Verify the HRA Nutrition Report
 - 8. Verify the HRA Report Keep It Up sub-section
 - 9. Verify the HRA Report Make a Change sub-section

- 10. User should be able to access Babylon HRA Healthcheck Body
- 11. navigate back to digital twin screen
- 12. User should be able to access Babylon HRA Healthcheck Nutrition
- 13. Navigate back to nutrition screen and validate the static text
- 14. navigate back to digital twin screen
- 15. User should be able to access Babylon HRA Healthcheck Activity
- 16. Navigate back to Activity screen and validate the static text
- 17. navigate back to digital twin screen
- 18. User should be able to access Babylon HRA Healthcheck Mood
- 19. navigate back to digital twin screen
- 16. Verify Dietician Negative Flow functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Verify User should be able to navigate to specialisation page
 - 4. Verify User should be able to navigate to Educational Details page
- 17. Verify Dietician Positive Flow functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Verify User should be able to navigate to specialisation page
 - 4. Verify User should be able to navigate to Educational Details page
 - 5. Verify User should be able to navigate to Services Offered page
 - 6. Verify User should be able to navigate to Seminar(s) Attended page
 - 7. Verify User should be able to navigate to Take a Picture page
 - 8. Verify User should be able to navigate to schedule Calendar page
- 18. <u>Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.</u>
 - 1. Verify User should be able to navigate to Consultation Summary and see all available Files
 - 2. Verify User should be able to see the Referral Prescription and eMC Documents
 - 3. Verify User should be able to download eMC Document
 - 4. Verify User should be able to verify the eMC details in downloaded PDF file
 - 5. Verify User should be able to download Prescription Document
 - 6. Verify User should be able to verify the Prescription details in downloaded PDF file
 - 7. Verify User should be able to download the Referral Document
 - 8. Verify User should be able to verify the Referral details in downloaded PDF file
- 19. Verify MyDoc doctor consultation Summary on Pulse Health & Wealth app
 - 1. Verify User should be able to navigate to Consultation Summary and see all available Files
 - 2. Verify User should be able to see the Referral, Prescription and eMC Documents
 - 3. Verify User should be presented with the Mydoc Chat bot questions log
 - 4. Verify User can able to chat with Mydoc Chat bot
 - 5. Verify User should be able to update the medical profile for registered user
 - 6. Verify User should be able to see the payment screen fields
 - 7. Verify User should be able to select payment with existing added card
 - 8. Verify User should be able to start online pre consultation
 - 9. Verify User should be able see the allocated doctor details
- 20. Verify MyDoc functionality on Pulse Health
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify the online consultation screen user fields
 - 3. Verify the online consultation screen user fields after swipe down
 - 4. Verify User should be able to enter address and zipcode
 - 5. Verify User should be able to upload NRIC Image in Online Consultation screen
 - 6. Verify User should be presented with the symptoms checker questions log

- 7. Verify User can able to chat with chatbot symptoms checker
- 8. Verify User should be presented with the sample text on the Medical Profile screen as a first time user
- 9. Verify User should be able to create the medical profile
- 10. Verify User should be able to see the payment screen fields
- 11. Verify User should be able enter the card details
- 12. Verify User should be able see the added card successfully
- 13. Verify User should be able to start online pre consultation
- 14. Verify User should be able see the allocated doctor details
- 21. Verify User should be able see all available documents in All My Files screen
 - 1. Verify User should be able to navigate to Consultation Summary and see all available Files
 - 2. Verify User should be able to see the Referral, Prescription and eMC Documents
- 22. Verify MyContent functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Health channel page
 - 3. Verify User should be able to Like the post
 - 4. Verify User should be able to Share the post
 - 5. Verify User should be able to Comment the post
 - 6. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 7. Verify User should be able to Like the post-Full page article post
- 23. Verify that user can view his registered policies under My Policies
 - 1. Verify that No linked policies information message is displayed
- 24. Verify legal and legacy on One Pluse App
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the Terms and condition should be displayed
 - 3. Verify the Privacy screen should be displayed
 - 4. Verify the Regulator screen should be displayed
- 25. Verify MySettings functionality in Account screen
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the My Feedback screen in Account tab
 - 3. Verify the submit functionality in My feedback screen
 - 4. Verify the Pulse Personalised tab
 - 5. Verify the Marketing Consent in Account tab
- 26. Verify wealth channel functionality on one pulse App
 - 1. Verify User should be able to login using email account
 - 2. Verify User should be able to navigate to wealth page
 - 3. Verify User should be able to see the wealth screen options
 - 4. Verify User should be able to view the story post
 - 5. Verify User should be able to see the story post Like, Share, Comment options
 - 6. Verify User should be able to Like the post
 - 7. Verify User should be able to Share the post
 - 8. Verify User should be able to Comment the post
 - 9. Verify User should be able to view the full page article post
 - 10. Verify User should be able to see the Like, Share, Comment options on full page article
 - 11. Verify User should be able to Like the post in full article view screen
 - 12. Verify User should be able to Share the post in full article view screen
 - 13. Verify User should be able to Comment the post in full article view screen
 - 14. Verify User can navigate to wealth homepage
- 27. Verify share with friends functionality in OnePulse app

- 1. Launch the app and select the country as per specified lbu
- 2. login to the app with correct credentials using "Continue with Email"
- 3. Verify User should be able to share the link with Whatsapp
- 4. Verify User should be able to share the link with Contacts app
- 5. Verify User should be able to share the link with Messenger app
- 6. Verify User should be able to share the link with Viber app
- 7. Verify User should be able to share the link with Line app

Detailed Results Report

Scenario: La	Failed: 3	Undefined: 0	I	Duration: 404.95s	
Beenario: Lit	unch the app and	select the country as	per specified	lbu	
Passed: 3	Faile	ed: 1	Undefined: 4		Duration: 35.7
Before					0.34s
Given Use	er has pulse app				9.56s
And I assi	ign ''\${login.email.	id}" to variable "PU	JLSE_EMAIL	11	0.01s
		NUE WITH EMAIL			10.28s
		s required on regist			15.55s
os.version Driver inf Capabiliti uat, autoI desired: { autoDism newComm	: '10.0', java.version ic: io.appium.java_ ies {appActivity: co DismissAlerts: true appActivity: com.p issAlerts: true, aut	client.android.Androm.prudential.pulse, automationName: prudential.pulse.MaiomationName: UiAtom, noReset: true, pl	roidDriver .MainAc, ap UiAutomator inAc, appPa utomator2, de atformName:	pPackage: com.; 2, databaseEnab ckage: com.pruc viceName: Andi android}, device	prudential.pulsoled: false, dential.pulse.ua coid-Test,

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseLoginTest.
feature:9)
```

8:36 9 = = 0 · 0	. ♥ 8				
836 0 2 2 0 1					
pulse'					
After					0.00s
Back to Table of Contents					
Scenario: login to the app	with correct cr	edentials usi	ng ''Continue	with Email"	
Passed: 0	Failed: 1	Uno	lefined: 5		Duration: 8.12s
Before					0.00s
Given I select the langu	age option on t	oggle bar as	required on l	ogin page	8.12s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 7c64925a-3f5c-4f14-9929-2ea15903799a


```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text=''EN'']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features
/PulseLoginTest.feature:16)
```

Password Modispassword Not	UserName \${PULSI	E EMAIL}		
And I said for 5 see And I enter OTP in one pulse app for user email "SIPULSE EMAIL!" Doos Then user should be landed to "Home" screen After O.00s Civen User has pulse app Then I wait for 2 see And user click on "CONTINUE WITH EMAIL" with Email button I.3.64s Then I change the country as required on registration page O.23s Then I wait for 2 see And I select the language option on toggle bar as required on login page When user enters credentials UserName t@gmail Password Pas\$1.234 And User clicks on signin button Then verify invalid email message "Email is required" O.73s Then user clicks on Send button Then verify invalid email message "Semail.invalid.text}" O.35s After O.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I generate random number and assign to variable "RANDOM_NUMBER" And user click on "CONTINUE WITH EMAIL" with Email button O.02s Given I generate random number and assign to variable "RANDOM_NUMBER" And I sasign value to following variables USER_PASSWORD Pas\$1234 Given User has pulse app O.00s Then I change the country as required on registration page O.26s				
And I enter OTP in one pulse app for user email "S(PULSE_EMAIL]" 0.00s After 0.00s Back to Table of Contents Scenario: Verify the Invalid Email id in login screen using "Continue with Email" Passed: 15 Failed: 0 Undefined: 0 Undefined: 54.18 Before 0.00s Given User has pulse app 9.88s Then I wait for 2 sec 2.02s And user click on "CONTINUE WITH EMAIL" with Email button 13.64s Then I change the country as required on registration page 0.23s Then I wait for 2 sec 2.01s And I click the Sign in link 5.25s Then I wait for 2 sec 2.01s And I select the language option on toggle bar as required on login page 2.29s When user enters credentials 10.46s UserName @gmai Password Pas\$1234 And User clicks on signin button 0.30s Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button 0.23s Then user effices on Send button 0.35s After 0.00s Bick to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 0.00s Given User has pulse app 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s				0.00s
Then I wait for 2 sec And I select the language option of toggle bar as required on login page When user enterts credentials UserName (@gmail Password PassW1234 And User clicks on Forgot Password button Then User clicks on Forgot Password button Then User clicks on Send button Then User clicks on Forgot Password button Then User clicks on Forgot Password button Then User clicks on Forgot Password button Then User clicks on Send button Then Verify invalid email message "\${email.invalid.text}'' 0.85s After 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_PASSWORD Pas\$1234 Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s				
After 0.008 Back to Table of Contents Scenario: Verify the Invalid Email id in login screen using "Continue with Email" Passed: 15 Failed: 0 Undefined: 0 Duration: 54.18 Before 0.008 Given User has pulse app 9.888 Then I wait for 2 sec 2.028 And user click on "CONTINUE WITH EMAIL" with Email button 13.648 Then I change the country as required on registration page 0.235 Then I wait for 2 sec 2.015 And I click the Sign in link 5.258 Then I wait for 2 sec 2.015 And I select the language option on toggle bar as required on login page 2.298 When user enters credentials 10.468 UserName (**gmail **Password** **Pas\$**Password** **Password**		e pulse app for	ruser email ''\${PULSE_EMAIL}''	
After 0.00s				
Sechario: Verify the Invalid Email id in login screen using "Continue with Email"				
Scenario: Verify the Invalid Email id in login screen using "Continue with Email" Passed: 15				0000
Passed: 15 Failed: 0 Undefined: 0 Duration: 54.18 Before 9.008 Given User has pulse app 9.888 Then I wait for 2 see 2.02s And user click on "CONTINUE WITH EMAIL" with Email button 13.648 Then I change the country as required on registration page 0.23s Then I wait for 2 see 2.01s And I click the Sign in link 5.25s Then I wait for 2 see 2.01s And I select the language option on toggle bar as required on login page 2.29s When user enters credentials 10.46s UserName(@gmai Password Pas\$1234 Password Pas\$1234 And User clicks on signin button 0.30s Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button 0.23s Then enter the email to request the new password 2.3s Then User clicks on Send button 0.77s Then verify invalid email message "\${email.invalid.text}}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable RANDOM_NUMBER" 0.02s And I assign value to following variables 0.00s USER_NAME (14-5{RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s		id Email id in	login screen using "Continue with	Email"
Given User has pulse app 9.888				
Then I wait for 2 see And user click on "CONTINUE WITH EMAIL" with Email button 13.64s Then I change the country as required on registration page 12.01s And I click the Sign in link 5.25s Then I wait for 2 see 2.01s And I select the language option on toggle bar as required on login page 2.29s When user enters credentials 10.46s UserName t@gmai Password Pas\$12.34 And User clicks on signin button Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button Then user clicks on Send button Then user clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: \$8.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s				
Then I wait for 2 see And user click on "CONTINUE WITH EMAIL" with Email button 13.64s Then I change the country as required on registration page 12.01s And I click the Sign in link 5.25s Then I wait for 2 see 2.01s And I select the language option on toggle bar as required on login page 2.29s When user enters credentials 10.46s UserName t@gmai Password Pas\$12.34 And User clicks on signin button Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button Then user clicks on Send button Then user clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: \$8.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Given User has nulse a	nn		9 88s
And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page 1.23s Then I wait for 2 sec 2.01s And I click the Sign in link 5.25s Then I wait for 2 sec 2.01s And I select the language option on toggle bar as required on login page When user enters credentials 10.46s UserName t@gmai Password Pas\$1234		<u>PP</u>		
Then I change the country as required on registration page Then I wait for 2 sec And I click the Sign in link 5.25s Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName t@gmai Password Pas\$1234 And User clicks on signin button Then verify invalid email message "Email is required" Then User clicks on Forgot Password button Then user clicks on Forgot Password button Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then verify invalid email message "\{email.invalid.text\}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_NAME taf-\{RANDOM_NUMBER\}@mailinator.com USER_PASSWORD Pas\{1234} Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s		NTINIIE WIT	TH EMAIL! with Email button	
Then I wait for 2 sec 2.01s And I click the Sign in link 5.25s Then I wait for 2 sec 2.01s And I select the language option on toggle bar as required on login page 2.29s When user enters credentials 10.46s UserName t@gmai Password Pas\$1234				
And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page 2.29s When user enters credentials UserName t@gmai Password Pas\$1234 And User clicks on signin button Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button Then enter the email to request the new password Then user clicks on Send button Then user clicks on Send button Then user clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s		J as require	Pugo	
Then I wait for 2 sec 2.01s And I select the language option on toggle bar as required on login page 2.29s When user enters credentials 10.46s UserName t@gmai Password Pas\$1234 And User clicks on signin button 0.30s Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button 0.23s Then enter the email to request the new password 3.54s Email t@gmai Then User clicks on Send button 0.77s Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s		link		
And I select the language option on toggle bar as required on login page Variable V				
When user enters credentials UserName t@gmai Password Pas\$1234 And User clicks on signin button Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button 0.23s Then enter the email to request the new password 3.54s Email t@gmai Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page		ge ontion on to	nggle bar as required on login page	
UserName t@gmai Password Pas\$1234 And User clicks on signin button Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button Then user clicks on Forgot Password button Then user clicks on Send button User clicks on Send button Then user clicks on Send button Undefined: 0 Duration: 58.62 Before Undefined: 0 Duration: 58			oggie our us required on regin pag-	
Password Pas\$1234 And User clicks on signin button 0.30s Then verify invalid email message "Email is required" 0.73s Then User clicks on Forgot Password button 0.23s Then enter the email to request the new password 3.54s Email t@gmail Then User clicks on Send button 0.77s Then verify invalid email message "\${email.invalid.text}\" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}\@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s				200100
Then verify invalid email message "Email is required" Then User clicks on Forgot Password button Then enter the email to request the new password Email t@gmai Then User clicks on Send button Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page 0.26s		1		
Then User clicks on Forgot Password button Then enter the email to request the new password Email t@gmai Then User clicks on Send button Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_NAME USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	And User clicks on sign	nin button		0.30s
Then enter the email to request the new password Email t@gmai Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Then verify invalid em	ail message ''E	Email is required''	0.73s
Email t@gmail Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Then User clicks on Fo	rgot Password	l button	0.23s
Then User clicks on Send button Then verify invalid email message "\${email.invalid.text}" 0.85s After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Then enter the email to	request the n	ew password	3.54s
Then verify invalid email message "\${email.invalid.text}" After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Email t@gmai			
After 0.00s Back to Table of Contents Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Then User clicks on Se	nd button		0.77s
Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Then verify invalid em	ail message ''\$	{email.invalid.text}''	0.85s
Scenario: Verify the User not registerd email in login screen using "Continue with Email" Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" 0.02s And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com} USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	After			0.00s
Passed: 17 Failed: 0 Undefined: 0 Duration: 58.62 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" 0.02s And I assign value to following variables 0.00s USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Back to Table of Contents			
Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME USER_PASSWORD Pas\$1234 Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page 0.00s 0.02s 0.02s 0.02s	Scenario: Verify the User	not registerd e	email in login screen using "Conti	nue with Email''
Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign value to following variables USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.02s	Passed: 17	Failed: 0	Undefined: 0	Duration: 58.62s
"RANDOM_NUMBER" And I assign value to following variables USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	Before			0.00s
USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	O		d assign to variable	0.02s
USER_NAME taf-\${RANDOM_NUMBER}@mailinator.com USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	And I assign value to fo	ollowing varial	bles	0.00s
USER_PASSWORD Pas\$1234 Given User has pulse app 9.81s And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s				
Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s	USER_PASSWORI	`		
And user click on "CONTINUE WITH EMAIL" with Email button 15.03s Then I change the country as required on registration page 0.26s				9.81s
Then I change the country as required on registration page 0.26s			TH EMAIL" with Email button	
Then I wait for 2 sec 2.00s	Then I wait for 2 sec		1 0	

And I click the Sign in li	ink		4.91s		
Then I wait for 2 sec					
And I select the languag	And I select the language option on toggle bar as required on login page				
	When user enters credentials				
UserName \${USER_1	NAME}				
Password \${USER_1	PASSWORD}				
And I scroll down			4.54s		
And User clicks on signi	in button		0.24s		
Then verify invalid ema	il message ''\${inval	lid.credential.message}''	1.12s		
Then User clicks on For	got Password butto	on	0.22s		
Then enter the email to	request the new pa	ssword	3.59s		
Email \${USER_NAM	IE}				
Then User clicks on Sen	d button		0.77s		
Then verify invalid ema	il message ''\${inval	lid.credential.message}''	1.22s		
After			0.00s		
Back to Table of Contents					
Scenario: User should be a	ble to retrieve the r	reset password using forget passwor	d link		
Passed: 8	Failed: 0	Undefined: 0	Duration: 42.28s		
Before			0.00s		
And Lassign "\${forgot.r	password.email.id}'	" to variable "PIILSE_EMAIL"	0.00s		
	And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL" Then enter the email to request the new password				
Email \${PULSE_EM		55 11 02 0	3.66s		
Then User clicks on Sen			0.77s		
		EMAIL}" using mailsac api and			
store into a variable "El		Living mansac aprand	26.89s		
Then I wait for 5 sec			5.00s		
Then I enter "\${EMAII	_OTP}" reset code	2	0.81s		
Then I wait for 5 sec			5.02s		
Then Verify message: "	\${password.reset.su	access.text}" for Reset Password	0.14s		
After			0.00s		
Back to Table of Contents					
	hould be locked aft	ter entering more than 7 times inco	rrect passwords		
Passed: 13	Failed: 1	Undefined: 6	Duration: 137.17		
Before			0.00s		
Given I generate randor	n number and accid	on to variable			
"RANDOM_NUMBER	· · ·		0.00s		
And I assign "pulse\${RA" "PULSE_EMAIL"	ANDOM_NUMBE	R}@mailsac.com'' to variable	0.00s		
And User has pulse app			8.68s		
Then I wait for 2 sec			2.01s		
And user click on "CON	NTINUE WITH EM	IAIL'' with Email button	13.33s		
Then I change the count	try as required on r	registration page	0.22s		
Then I wait for 5 sec			5.01s		

Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button Then I register of the screen after clicking on signup button Then I click skip button org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: "3.12.0", revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: "TM003LSIN", ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0", java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities [appActivity: com_prudential.pulse.MainAc, appPackage: com_prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: (appActivity: om_prudential.pulse.MainAc, appPackage: com_prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApil.evel: 30, deviceSoreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, plavacriptEnabled: true, locationContextEnabled: false, networkCommandTimeout: 10000, noReset: true, piselRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset: true, piselRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset: true, piselRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset: true, piselRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, s	Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button 3,90s Then I wait for otp screen after clicking on signup button 3,90s Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29,94s Then I click skip button 65,10s Then I click skip button 65,10s Org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions No. such_element.html Build info: version: '3,12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26,12Z' System info: host: 'TM003LSIN', ip: '192,168,1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabillities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UlAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UlAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApile.vel: 30, deviceApile.vel: 30, deviceApile.vel: 30, deviceMandateturer: Google, deviceModel: Pisle; 5, deviceName: C24IFDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 95014527-f768-4387-83d3-4715cd3bac9d Session ID: 95014527-f768-4387-83	Then I wait for 2 sec	2.01s
LastName testAutomation Email \$(PULSE_EMAIL) Password Pa\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button 3.90s Then I enter OTP in one pulse app for user email "\$(PULSE_EMAIL)" 29.94s Then I click skip button org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions no. such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java-version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse auto DismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: OC241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceMommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, newCommandTimeout: 10000, noReset:	When user enters registration details	6.64s
Semail \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button 0.328 Then I wait for otp screen after clicking on signup button 3.908 Then I click skip button 55.108 Then I click skip button 55.108 Org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions No. such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities 4ppActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: (height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}	FirstName testAutomation	
And taps on continue "Sign_Up" button 3.90s Then I wait for otp screen after clicking on signup button 3.90s Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.94s Then I click skip button 65.10s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no. such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities 4papActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. tat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, elesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceCemennents; 440, deviceScreenSize: 1080x2340, deviceUDD: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, pewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: talse} **** Element info: {Using=xpath, value=/landroid.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Delegat	LastName testAutomation	
And taps on continue "Sign_Up" button 3.90s Then I wait for otp screen after clicking on signup button 3.90s Then I enter OTP in one pulse app for user email "\$(PULSE_EMAIL)" 29.94s Then I click skip button 65.10s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions // no. such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com_prudential.pulse.MainAc, appPackage: com_prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com_prudential.pulse.MainAc, appPackage: com_prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceCoreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceOmmandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, pixelformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} 8ession ID: 95014527-f768-4387-83d3-4715cd3bac9d **** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstance) (NativeConstructorAccessorImpl.java:45) at java.ba	Email \${PULSE_EMAIL}	
Then I wait for otp screen after clicking on signup button Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.94s Then I click skip button 65.10s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: frue, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 95014527-f768-4387-83d3-4715cd3bac9d *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.ne	Password Pas\$1234	
Then I wait for otp screen after clicking on signup button Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.94s Then I click skip button 65.10s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: frue, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 95014527-f768-4387-83d3-4715cd3bac9d *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.ne	And taps on continue "Sign Up" button	0.32s
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.94s Then I click skip button 65.10s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDesity: 440, deviceScreenDesity: 440, deviceScreenDesity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceScreenDesity: 440, deviceScreenDesity: 440, constructorActessoriptEnabled: true, locationContextEnabled: false, network ConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 95014527-f768-4387-83d3-4715cd3bac9d **** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:4		
Then I click skip button org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: L1NUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 95014527-t768-4387-83d3-4715cd3bac9d **** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.s		
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uatat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uatautoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 95014527-f768-4387-83d3-4715cd3bac9d **** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.seleni		
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabledesired: {appActivity: com.prudential.pulse.MainAc, appPackage:	arch: 'amd64', rudential.pulse. d: false, ntial.pulse.uat, id-Test, piLevel: 30, 043P, 0D40043P, abled: true, X, shot: true,
(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:149)	*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Lighat java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(lMethod)	= -
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	(NativeConstructorAccessorImpl.java:62)	co.
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	(DelegatingConstructorAccessorImpl.java:45)	
(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)		
		Executor.java

at io.appium.java_client.remote.AppiumCommandExecutor.execu	ite
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(Remot	· · · · · · · · · · · · · · · · · · ·
at io.appium.java_client.DefaultGenericMobileDriver.execute(Def	aultGenericMobileDriver.
java:42)	vo.1)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.ja at io.appium.java_client.android.AndroidDriver.execute(Android	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(R	
at io.appium.java_client.DefaultGenericMobileDriver.findElemen	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriv	er.java:1)
$at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find$	
${\bf at\ org.open qa. selenium. remote. Remote WebDriver. find Element By a constant and the property of the p$	XPath(RemoteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElemen	tByXPath
(DefaultGenericMobileDriver.java:152)	oiumDuivan iava.1)
at io.appium.java_client.AppiumDriver.findElementByXPath(Appat io.appium.java_client.android.AndroidDriver.findElementByX	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	i am(AndroidDirver.java.1
at org.openqa.selenium.remote.RemoteWebDriver.findElement(R	emoteWebDriver.iava:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElemen	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriv	er.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriv	
jat 10.appium.java_enent.anui 01u.Anui 01uDi 1vei .imuElement(An	
at com.prudential.tap.selenium.Commands\$15.executeCommand(
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComma	Commands.java:141)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19)	Commands.java:141) nd(ExecuteCommand.java
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComma19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBaseP	Commands.java:141) ind(ExecuteCommand.java age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComma19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu	Commands.java:141) ind(ExecuteCommand.java age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBut(PulseRegistrationScreen.java:1132)	Commands.java:141) ind(ExecuteCommand.java age.java:163) tton
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps	Commands.java:141) ind(ExecuteCommand.java age.java:163) tton
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377)	Commands.java:141) ind(ExecuteCommand.java age.java:163) tton
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBut(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108)	Commands.java:141) ind(ExecuteCommand.java age.java:163) tton i.iClickSkipButton
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen	Commands.java:141) and(ExecuteCommand.java age.java:163) tton aiClickSkipButton 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBut(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec	Commands.java:141) and(ExecuteCommand.java) age.java:163) tton aiClickSkipButton 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app	Commands.java:141) and(ExecuteCommand.java) age.java:163) tton CiClickSkipButton 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeComman19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBut(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePat com.onepulse.app.screens.PulseRegistrationScreen.clickSkipBu(PulseRegistrationScreen.java:1132) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps(RegistrationSteps.java:377) at .Then I click skip button(features/PulseLoginTest.feature:108) Then user should be landed to "Home" screen Then I wait for 4 sec And I click the Account icon in Home screen And I click the sign out from pulse app Then I wait for 2 sec Then I enter invalid password on login screen and verify the error Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message} Pas\$123##\${invalid.credential.message}	Commands.java:141) and(ExecuteCommand.java age.java:163) tton CiClickSkipButton Commands.java:141) age.java:163)



Email''			
Passed: 24	Failed: 1	Undefined: 22	Duration: 124.0
Before			0.00s
Given I generate i "RANDOM_NUM	random number and /IBER''	assign to variable	0.00s
And I assign "pul "PULSE_EMAIL		MBER}@mailsac.com'' to variable	0.00s
And User has puls	se app		8.47s
Then I wait for 2	sec		2.01s
And user click on	"CONTINUE WITH	H EMAIL'' with Email button	13.22s
Then I wait for 2	sec		2.01s
Then I change the	country as required	on registration page	0.28s
Then I wait for 2	sec		2.01s
	o pulse registration p with email button	age and select the lang on toggle bar	0.00s
Then I wait for 2	sec		2.00s
When user enters	registration details		7.67s
FirstName test	Automation		
LastName test	Automation		
Email \${P	ULSE_EMAIL}		
Password Pas			
	nue ''Sign_Up'' butto	on	0.30s
	p screen after clickin		4.05s
	_	user email "\${PULSE_EMAIL}"	30.57s
Then I wait for 2		(1 0 E D E E E E E E E E E E E E E E E E E	2.01s
	nobile number'' in w	velcome to pulse	10.17s
	*\fregistration.mobil		200210
		wellness plan screen	8.31s
	te in Date of Birth fi		5.35s
And I click the Do		eiu	
			0.28s
And I click the co			1.31s
And I select the M			5.90s
	ntinue button lculate BMI button		1.05s
And I click on Ca And I click the co			8.15s 0.42s
		Il in daing arousing	
	How active are you?' um.NoSuchElement!	'' in doing exercise Exception: An element could not be	8.53s located on the page
using the given se	arch parameters.		•
	and the second s	se visit: http://seleniumhq.org/excep	tions
/no_such_element			
System info: host:		7c6e0b3', time: '2018-05-08T14:04:2 192.168.1.124', os.name: 'Windows 1	
	java.version: 11.0.2 pium.java_client.and		

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 84fb8ca0-d3dd-484a-af41-cf7a4b4952f7
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']}
at idk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

19)		
at com.onepulse.a	pp.screens. Test Base Page. click Button (Test Base Page. javasta)	:163)
	pp.screens.PulseRegistrationScreen.clickLightExercise	
(PulseRegistration		
	pp.stepdefinitions.mobilesteps.RegistrationSteps.iSelectT	heInDoingExercise
(RegistrationSteps	s.java:216) e ''How active are you?'' in doing exercise(features/Pulse)	Registration Test
feature:40)	e from active are you: In doing exercise (reatures/1 dise.	Registi atton i est.
And I click the con	ntinue button	0.00s
	vorite food dietary	0.00s
And I click the con		0.00s
	\${option.yes.text}" to "Any Food allergies?"	0.00s
And I click the con		0.00s
	'Tracking your activity is trending' is displayed	0.00s
	nect Later button	0.00s
	nobile number" in welcome to pulse	0.00s
		0.005
	\${registration.mobile.number}	0.00
	elcome to Pulse'' text is displayed	0.00s
	ess subscription exclusive offers screen is displayed	0.00s
And I click on clos		0.00s
	number last 4 digits "122F"	0.00s
Then I click skip b		0.00s
	be landed to "Home" screen	0.00s
Then I wait for 4 s		0.00s
	count icon in Home screen	0.00s
And I click the sig	n out from pulse app	0.00s
Then I wait for 4 s	sec	0.00s
	password credentials in sigin screen	0.00s
Password Pas\$	1234	
And User clicks or	n signin button	0.00s
Then I wait for 8 s	sec	0.00s
Then user should	be landed to ''Home'' screen	0.00s
After		0.00s
Back to Table of Content	<u> </u>	1777
	ield label on registration screen	
Passed: 4	Failed: 1 Undefined: 4	Duration: 38.91s
Before	Paneu. 1 Undermed. 4	0.00s
	,	
Given User has pu		8.83s
Then I wait for 2 s		2.01s
	"CONTINUE WITH EMAIL" with Email button	10.05s
Then I wait for 2 s		2.01s
Then I change the	country as required on registration page	16.01s
org.openqa.seleniuusing the given sea	um.NoSuchElementException: An element could not be learch parameters.	ocated on the page

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e66f374b-f8ba-435b-aecc-62b420893b9d
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java_clien at com.prudential.tap.s at com.prudential.tap.s 19)	Driver.java:58) t.AppiumDriver.findEle t.android.AndroidDrive elenium.Commands\$15 elenium.ExecuteComma	Driver.findElement ement(AppiumDriver.java:1) er.findElement(AndroidDriver.javaexecuteCommand(Commands.javaexecuteCommand(Exec	a:141)
at com.onepulse.app.sce (PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Then I change the co	reens.PulseRegistrations en.java:1016) epdefinitions.mobilestep :306)	Screen.changeTheCountryName s.RegistrationSteps.iSelectTheCoungistration page(features/PulseReg	
feature:77) Then I wait for 2 sec			0.00s
Then I wait for 2 sec Then I navigate to puls	e registration page and	select the lang on toggle bar then	0.00s
click on continue with e	mail button		
Then I wait for 2 sec	00 1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	played on registration screen	0.00s 0.00s
\${email.text} \${password.text} PULSE			
fter			0.00s
ack to Table of Contents			
cenario: verify the valida			D (1 - 70)
assed: 0	Failed: 1	ndefined: 1	Duration: 7.94s

fore		0.00s
Given taps on continue	"Sign_Up" button	7.94s
~	oSuchElementException: An element	could not be located on the page
using the given search j		ha angleriandiana
	this error, please visit: http://selenium	inq.org/exceptions
/no_such_element.html	2.01 povision, 17.66.0h21 time, 12019 (05 00T14.04.26 127!
	.2.0', revision: '7c6e0b3', time: '2018-0	
os.version: '10.0', java.	003LSIN', ip: '192.168.1.124', os.name	e: windows 10, os.arch: amuo4
· · · · · · · · · · · · · · · · · · ·	java_client.android.AndroidDriver	
	ty: com.prudential.pulse.MainAc, a	nnPackaga: com nrudantial nulsa
~ ~ ~	true, automationName: UiAutomator	
	com.prudential.pulse.MainAc, appPa	
~	e, automationName: UiAutomator2, d	
	: 10000, noReset: true, platformName	
	loogle, deviceModel: Pixel 5, deviceNa	
	40, deviceScreenSize: 1080x2340, devi	
•	e, locationContextEnabled: false, netw	
~	: 10000, noReset: true, pixelRatio: 2.7	
	d, platformVersion: 11, statBarHeigh	
<u>-</u>	2015, left: 0, top: 145, width: 1080}, w	
false}		<i>3 3 3 3 3 3 3 3 3 3</i>
Session ID: e66f374b-f8	8ba-435b-aecc-62b420893b9d	
*** Element info: {Usir	ng=xpath, value=//android.widget.Tex	tView[@text='Sign Up' or
@text='Daftar']}		- 9
at jdk.internal.reflect.G	GeneratedConstructorAccessor21.new	Instance(Unknown Source)
at java.base/jdk.interna	al.reflect.DelegatingConstructorAccess	sorImpl.newInstance
(Delegating Constructor	AccessorImpl.java:45)	
	eflect.Constructor.newInstance(Const	
	. remote. http. W3 CHttpResponse Code	ec.createException
(W3CHttpResponseCo		
	. remote. http. W3 CHttpResponse Code	ec.decode
(W3CHttpResponseCo		
	.remote.http.W3CHttpResponseCode	ec.decode
(W3CHttpResponseCo		. (II.) C II.
	.remote.HttpCommandExecutor.exec	eute(HttpCommandExecutor.java
158)	t nameta Annium Command Evacutor	aveaute.
at 10.applum.java_chen (AppiumCommandExe	t.remote.AppiumCommandExecutor.	execute
	.remote.RemoteWebDriver.execute(R	PomotoWohDrivor java•543)
	t.DefaultGenericMobileDriver.execut	
at 10.appium.java_chen java:42)	i.DefaultGenericiviobileDriver.execut	te(DelauitGenericiviobileDriver.
,	t.AppiumDriver.execute(AppiumDriv	ver joyo•1)
	t.android.AndroidDriver.execute(And	
	.remote.RemoteWebDriver.findElemo	
	t.DefaultGenericMobileDriver.findEl	
(DefaultGenericMobile		
at io.appium.java clien	t.AppiumDriver.findElement(Appiun	nDriver.java:1)
	t.AppiumDriver.findElement(Appium t.android.AndroidDriver.findElement	


java:419) at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.clickRegisterContinueButton (PulseRegistrationScreen.java:213) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.clickOnContinue (RegistrationSteps.java:155) at .Given taps on continue "Sign_Up" button(features/PulseRegistrationTest.feature:93) 8:45 🕟 🖽 🖽 📀 • We are sorry Currently the Pulse application is not available in your region. Also please ensure you have an active internet Your Device Id: 3f6e745edfb3c81c 0.00sAfter Back to Table of Contents

When user enters regis Password Pulse@1	tration details		0.00s
	tration details		
Password Pulse@1			17.85s
org.openqa.selenium.Nasing the given search or documentation on no_such_element.html.Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: autoDismissAlerts: desired: {appActivity: autoDismissAlerts: true newCommandTimeout deviceManufacturer: Office CommandTimeout olatformName: Androi viewportRect: {height: false} Session ID: e66f374b-f8 Se	parameters. this error, plead 12.0', revision: 1003LSIN', ip: version: '11.0.2 java_client.and ity: com.prudential e, automationNot: 10000, noRes Google, deviceNote 140, deviceScree e, locationContot: 10000, noRes id, platformVer 2015, left: 0, to 8ba-435b-aecc- ing=xpath, value dget.EditText[1 GeneratedCons al.reflect.Deleg rAccessorImplateflect.Construct in.remote.http.Voldec.java:187) in.remote.http.Voldec.java:122) in.remote.http.Voldec.java:122) in.remote.http.Voldec.java:49) in.remote.Http.Voldec.java:49) in.remote.Http.Coldec.java:49)	droid.AndroidDriver ntial.pulse.MainAc, appPack tionName: UiAutomator2, data l.pulse.MainAc, appPackage Name: UiAutomator2, deviceNa tet: true, platformName: andro Model: Pixel 5, deviceName: 0C textEnabled: false, networkCo tet: true, pixelRatio: 2.75, platf rsion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 62b420893b9d te=//android.widget.TextView[6] textUtorAccessor21.newInstand textingConstructorAccessorImp	/exceptions 14:04:26.12Z' dows 10', os.arch: 'amde tage: com.prudential.pu abaseEnabled: false, : com.prudential.pulse.tame: Android-Test, oid}, deviceApiLevel: 30 C241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, form: LINUX, takesScreenshot: true, s: {}, webStorageEnable contains(@text,'Passwor ee(Unknown Source) ol.newInstancejava:490) eException de de

```
at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
  at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails
  (PulseRegistrationScreen.java:263)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails
  (RegistrationSteps.java:37)
  at .When user enters registration details(features/PulseRegistrationTest.feature:102)
After
                                                                                0.00s
Back to Table of Contents
Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on
registration page
Passed: 0
                         Failed: 1
                                               Undefined: 2
                                                                                Duration: 18.6s
Before
                                                                                0.00s
                                                                                18.60s
  When user enters registration details
     Password Pulse123
  org.openqa.selenium.NoSuchElementException: An element could not be located on the page
  using the given search parameters.
  For documentation on this error, please visit: http://seleniumhq.org/exceptions
  /no such element.html
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
```

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e66f374b-f8ba-435b-aecc-62b420893b9d
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Password')]
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
```

s s os ation: 49. os 9s
ntion: 49.
ntion: 49.
ntion: 49. 9s
ntion: 49. 9s
9s
S
1s
S
S
S
S
S
S
S
S



cenario: Verify the mobile number screen validation using "Continue with Email"				
Passed: 20	Failed: 0	Undefined: 0	Duration: 100.26	
Before	0.00s			
Given I generate random "RANDOM_NUMBER	to variable	0.00s		
And I assign "pulse\${R."	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable			
Given User has pulse ap	op		10.77s	
Then I wait for 2 sec			2.01s	
And user click on "CON	NTINUE WITH EMA	IL'' with Email button	13.27s	
Then I wait for 2 sec			2.02s	
Then I change the coun	try as required on reg	istration page	0.28s	
Then I wait for 2 sec			2.02s	
Then I navigate to pulse click on continue with e	0.00s			
Then I wait for 2 sec			2.01s	
When user enters regist	ration details		7.35s	
FirstName NewAuto	mation			
LastName NewAuto	mation			
Email \${PULSE	_EMAIL}			
Password Pas\$1234				
And taps on continue "S	Sign_Up'' button		0.28s	
And I wait for otp scree	n after clicking on sig	nup button	5.19s	


	e pulse app for user email "\${PULSE_EMAIL}"	
Then I wait for 10 sec		10.01s
Then I verify the count screen	ry code should be displayed correctly on phone number	0.13s
And I enter the ''mobil	e number'' in welcome to pulse	10.41s
mobileNumber 9176	570	
		0.87s
Then I wait for 2 sec		2.00s
Then verify Again inva	lid Mobile message ''\${invalid.mobile.text}''	0.18s
er		0.00s
k to Table of Contents		
enario: Verify the Regis	stration screen validation using "Continue with Email"	
sed: 3	Failed: 1 Undefined: 25	Duration: 2
fore		0.00s
Given I enter the "mob	oile number'' in welcome to pulse	10.99s
	gistration.mobile.number}	
Then I wait for 1 sec	<u> </u>	1.02s
And I click the continu	e button	0.56s
	message "\${wellness.goal.alert.text}" on registration	
i nen verny vanuauon		
java.lang.AssertionErr at org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass	or: \${wellness.goal.alert.text} expected [true] but found [standard] l(Assert.java:94) lNotEquals(Assert.java:513) sertTrue(Assert.java:42)	
java.lang.AssertionErr at org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati	or: \${wellness.goal.alert.text} expected [true] but found [the continuous of the con	false] Msg
java.lang.AssertionErr at org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati (features/PulseRegistra	or: \${wellness.goal.alert.text} expected [true] but found [the last of the las	false] Msg vorkflow sc
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellnoose	or: \${wellness.goal.alert.text} expected [true] but found [the continuous of the con	false] Msg vorkflow sc
java.lang.AssertionErrat org.testng.Assert.failat org.testng.Assert.failat org.testng.Assert.failat org.testng.Assert.assat com.onepulse.app.sto(RegistrationSteps.javaat .Then verify validati(features/PulseRegistraAnd I choose my wellnothen I wait for 1 sec	or: \${wellness.goal.alert.text} expected [true] but found [fl(Assert.java:94)] INotEquals(Assert.java:513) SertTrue(Assert.java:42) epdefinitions.mobilesteps.RegistrationSteps.verifyInvalida:384) on message ''\${wellness.goal.alert.text}'' on registration validness.feature:167) ess goals under wellness plan screen	false] Msg vorkflow sc 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellnothen I wait for 1 sec And I click the continu Then verify validations	or: \${wellness.goal.alert.text} expected [true] but found [fl(Assert.java:94)] INotEquals(Assert.java:513) SertTrue(Assert.java:42) epdefinitions.mobilesteps.RegistrationSteps.verifyInvalida:384) on message ''\${wellness.goal.alert.text}'' on registration validness.feature:167) ess goals under wellness plan screen	false] Msg vorkflow sc
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellnothen I wait for 1 sec And I click the continuation verify validation secreen	or: \${wellness.goal.alert.text} expected [true] but found [the content of the con	false] Msg vorkflow sc 0.00s 0.00s 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.failat org.testng.Assert.failat org.testng.Assert.failat org.testng.Assert.asset com.onepulse.app.sto(RegistrationSteps.javaat.Then verify validation features/PulseRegistration I wait for 1 section I wait for 1 section I wait for 1 section I click the continuation of the section I click the date in I and I click the date in I click the date in I click the date in I	or: \${wellness.goal.alert.text} expected [true] but found [the last of the las	false] Msg vorkflow sc 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.ste (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellne Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in And I click the Done ic	or: \${wellness.goal.alert.text} expected [true] but found [the color of the color o	false] Msg vorkflow sc 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellnot Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in And I click the Continu And I click the Continu And I click the Continu Chand I click the Continu Change Ch	or: \${wellness.goal.alert.text} expected [true] but found [the color of the color o	false] Msg vorkflow sc 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.ste (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellne Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in Early And I click the date in Early And I click the Continu Then I wait for 1 sec And I click the Continu Then I wait for 1 sec	or: \${wellness.goal.alert.text} expected [true] but found [stack	false] Msg vorkflow sc 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.ste (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellne Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in And I click the Continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then Verify validation is	or: \${wellness.goal.alert.text} expected [true] but found [stack	false] Msg vorkflow sc 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.ste (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellne Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then verify validation is screen	or: \${wellness.goal.alert.text} expected [true] but found [t] (Assert.java:94) (NotEquals(Assert.java:513) (SertTrue(Assert.java:42) (Sepdefinitions.mobilesteps.RegistrationSteps.verifyInvalida:384) (Son message "\${wellness.goal.alert.text}" on registration valionTest.feature:167) (Sess goals under wellness plan screen) Be button Message "\${dob.alert.text}" on registration workflow Date of Birth field On Be button	false] Msg vorkflow sc 0.00s
java.lang.AssertionErrat org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.ste (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellne Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in I And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then Verify validation is screen And I select the Male in Screen And I sel	or: \${wellness.goal.alert.text} expected [true] but found [t] (Assert.java:94) (NotEquals(Assert.java:513) (SertTrue(Assert.java:42) (Sepdefinitions.mobilesteps.RegistrationSteps.verifyInvalida:384) (On message ''\${wellness.goal.alert.text}'' on registration valionTest.feature:167) (Sess goals under wellness plan screen) Be button (Botton on the button of the button of the button on the button on the button on the button of the but	false] Msg vorkflow sc 0.00s 0.00s
java.lang.AssertionErr at org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (RegistrationSteps.java at .Then verify validati (features/PulseRegistra And I choose my wellnot Then I wait for 1 sec And I click the continu Then verify validation is screen And I click the date in And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu Then I wait for 1 sec And I click the continu	or: \${wellness.goal.alert.text} expected [true] but found [t] (Assert.java:94) (NotEquals(Assert.java:513) (SertTrue(Assert.java:42) (Sepdefinitions.mobilesteps.RegistrationSteps.verifyInvalida:384) (On message ''\${wellness.goal.alert.text}'' on registration valionTest.feature:167) (Sess goals under wellness plan screen) Be button (Botton on the button of the button of the button on the button on the button on the button of the but	false] Msg vorkflow sc 0.00s

			0.00	
Then verify BMI workflow screen		 \${bmi.alert.text}" on registration	0.00s	
	And I click on Calculate BMI button			
And I click the c			0.00s 0.00s	
Then I wait for 1	sec		0.00s	
And I click the co	ontinue button		0.00s	
Then verify valid workflow screen				
And I select the '	And I select the "How active are you?" in doing exercise And I click the continue button			
Then I wait for 1				
And I click the c	ontinue button		0.00s	
Then verify valid workflow screen		t.preference.alert.text}'' on registr	cation 0.00s	
After			0.00s	
Back to Table of Conter	nts			
	LOTED 6	nality on Enter OTP Screen using	"Continue with Email"	
Scenario: Verify the	e resend OTP function			
Scenario: Verify the Passed: 18	Failed: 0	Undefined: 0	Duration: 177.51	
Passed: 18			Duration: 177.51 s 0.00s	
Passed: 18 Before	Failed: 0	Undefined: 0	s	
Passed: 18 Before Given I generate "RANDOM_NU	Failed: 0 random number and MBER'' llse\${RANDOM_NUM	Undefined: 0	0.00s 0.00s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu	Failed: 0 random number and MBER'' ulse\${RANDOM_NUM	Undefined: 0 assign to variable	0.00s 0.00s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI	Failed: 0 random number and MBER'' llse\${RANDOM_NUM	Undefined: 0 assign to variable	0.00s 0.00s 0.00s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2	Failed: 0 random number and MBER'' llse\${RANDOM_NUML'' llse app	Undefined: 0 assign to variable	0.00s 0.00s 0.00s 10.77s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2	Failed: 0 random number and MBER" llse\${RANDOM_NUML'' llse app sec n "CONTINUE WITI	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the	Failed: 0 random number and MBER" llse\${RANDOM_NUML''} llse app 2 sec n "CONTINUE WITH 2 sec ne country as required	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change th Then I wait for 2	Failed: 0 random number and MBER" llse\${RANDOM_NUML''} llse app sec n "CONTINUE WITH sec ne country as required asec	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I navigate of	Failed: 0 random number and MBER" llse\${RANDOM_NUML''} llse app sec n "CONTINUE WITH sec ne country as required asec	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I navigate of	Failed: 0 random number and MBER" alse\${RANDOM_NUML''} alse app 2 sec n "CONTINUE WITH 2 sec ne country as required as sec to pulse registration per with email button	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click on Then I wait for 2 Then I change th Then I wait for 2 Then I navigate to click on continue Then I wait for 2 When user enter	Failed: 0 random number and MBER" alse\${RANDOM_NUML''} alse app 2 sec n "CONTINUE WITH 2 sec ne country as required 2 sec to pulse registration per with email button 2 sec s registration details	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.00s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I wait for 2 Then I navigate of click on continue Then I wait for 2	Failed: 0 random number and MBER" alse\${RANDOM_NUML''} alse app 2 sec n "CONTINUE WITH 2 sec ne country as required 2 sec to pulse registration per with email button 2 sec s registration details	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page	s 0.00s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.00s 2.01s	
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I navigate to click on continue Then I wait for 2 When user enter LastName tes	Failed: 0 random number and MBER" alse\${RANDOM_NUML'} alse app sec n "CONTINUE WITH sec ne country as required sec to pulse registration per with email button sec sec registration details at Automation st Automation	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page	s 0.00s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.00s 2.01s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I wait for 2 Then I navigate to click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1}	Failed: 0 Frandom number and MBER'' alse\${RANDOM_NUML''} alse app 2 sec n "CONTINUE WITH 2 sec ne country as required 2 sec to pulse registration per with email button 2 sec as registration details at Automation pulse_EMAIL}	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page	s 0.00s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.00s 2.01s	
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I wait for 2 Then I navigate of click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1 Password Pa	Failed: 0 random number and MBER" alse\${RANDOM_NUML''} alse app a sec n "CONTINUE WITH a sec ne country as required a sec to pulse registration per with email button a sec as registration details at Automation pulse_EMAIL} as\$1234	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page page and select the lang on toggle be	s 0.00s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.00s 2.01s	
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I wait for 2 Then I navigate of click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1 Password Pa	Failed: 0 Frandom number and MBER'' alse\${RANDOM_NUML''} alse app 2 sec n "CONTINUE WITH 2 sec ne country as required 2 sec to pulse registration per with email button 2 sec as registration details at Automation pulse_EMAIL}	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button I on registration page page and select the lang on toggle be	s 0.00s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.00s 2.01s	
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click on Then I wait for 2 Then I change th Then I wait for 2 Then I mavigate to click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1 Password Pa And taps on continue	Failed: 0 random number and MBER" alse\${RANDOM_NUML''} alse app a sec n "CONTINUE WITH a sec ne country as required a sec to pulse registration per with email button a sec as registration details at Automation pulse_EMAIL} as\$1234	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button l on registration page page and select the lang on toggle b	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.20s 4.00s 4.00s 4.00s 6.40s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click on Then I wait for 2 Then I change th Then I wait for 2 Then I mavigate to click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1 Password Pa And taps on continue	Failed: 0 Frandom number and MBER" Ilse\${RANDOM_NUML''} Ilse app Z sec In "CONTINUE WITH Z sec It country as required as registration per with email button at a registration details at a regist	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button l on registration page page and select the lang on toggle b	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.40s 0.40s 0.50s	
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click on Then I wait for 2 Then I change th Then I wait for 2 Then I mavigate of click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1 Password Pa And taps on cont Then I wait for 9	Failed: 0 Frandom number and MBER" Ilse\${RANDOM_NUML''} Ilse app Z sec In "CONTINUE WITH Z sec It country as required as registration per with email button at a registration details at a regist	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button l on registration page page and select the lang on toggle be on ng on signup button	s 0.00s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.40s 0.40s 0.30s 4.52s	
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I wait for 2 Then I mavigate of click on continue Then I wait for 2 When user enter FirstName tes LastName tes Email \${1 Password Pa And taps on continue Then I wait for 9 Then I click the I And I enter OTP	Failed: 0 Failed: 0 Frandom number and MBER" Ilse\${RANDOM_NUML"} Ilse app E sec In "CONTINUE WITH E sec It country as required as required as registration per with email button as registration per with email button as registration details at Automation pulse_EMAIL} Is\$1234 Inue "Sign_Up" buttout processed after clicking as compared to the pulse app for pulse app for the pulse a	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button l on registration page page and select the lang on toggle be on ng on signup button	s 0.00s 0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.40s 2.01s 0.40s 0.30s 4.52s 90.01s	
Passed: 18 Before Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of Then I wait for 2 Then I change the Then I wait for 2 Then I wait for 2 When I wait for 2 When user enter FirstName tess LastName tess Email \${1 Password Pa And taps on content Then I wait for 0 Then I click the 1	Failed: 0 Failed: 0 Frandom number and MBER" Ilse\${RANDOM_NUML"} Ilse app E sec In "CONTINUE WITH E sec It country as required as required as registration per with email button as registration per with email button as registration details at Automation pulse_EMAIL} Is\$1234 Inue "Sign_Up" buttout processed after clicking as compared to the pulse app for pulse app for the pulse a	Undefined: 0 assign to variable MBER}@mailsac.com'' to variable H EMAIL'' with Email button l on registration page page and select the lang on toggle be on ng on signup button P screen	0.00s 0.00s 10.77s 2.02s 13.04s 2.01s 0.27s 2.01s 0.20s 2.01s 6.40s 0.30s 4.52s 90.01s 3.55s	

After				0.00s
Back to Table of Content	<u>s</u>			
ature: Verify Edit Pro	ofile functions	ality on Pulse Health	& Wealth app	
•	iled: 2	Undefined: 0	Duration: 220.79s	
Scenario: Launch the	e app and sele	ect the country as per		
Passed: 6	Failed: 0		ined: 0	Duration: 34.62
Before				0.00s
Given User has pu	ılse app			9.83s
		.edit.profile}'' to vari	able "PULSE_EMAIL"	0.00s
		E WITH EMAIL'' wi		14.67s
		equired on registration		0.25s
Then I wait for 5 s		1 0	1 0	5.01s
And I click the Sig	gn in link			4.86s
After				0.00s
Back to Table of Content	<u>is</u>			
		rect credentials usin	g ''Continue with Email'	1
Passed: 7	Failed: 0		ined: 0	Duration: 68.90
Before				0.00s
Given I select the	language onti	on on toggle har as r	equired on login page	3.65s
When user enters		on on toggic bar as i	equired on login page	9.92s
UserName \${P		TI		7.723
Password \${pi		<u>L)</u>		
And User clicks on		n .		0.24s
And I wait for 5 so		<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		5.00s
		pp for user email ''\$	PHISE EMAILS"	30.15s
Then user should			T CESE_ENTITE;	15.00s
And I wait for 5 so		Trome sereem		5.00s
After				0.00s
Back to Table of Content	S			0.005
Scenario: Verify Use		ole to navigate to Edi	t nrofile screen	
Passed: 3	Failed: 0		ined: 0	Duration: 21.99
Before	z unou. v	Ollucii		0.00s
	to to page wet	nogo		12.33s
Given user naviga	ne to account	page		
<u> </u>	Edit profile li	ink		
And user click on		ink		4.66s
And user click on Then I wait for 5 s		ink		4.66s 5.00s
And user click on Then I wait for 5 s	sec	ink		4.66s
And user click on Then I wait for 5 s After Back to Table of Content	sec		Clo wisterno impalitare Ci	4.66s 5.00s 0.00s
And user click on Then I wait for 5 s After Back to Table of Content Scenario: Verify Use	sec s r should be at	ble to change the pro	file picture in edit profile	4.66s 5.00s 0.00s
And user click on Then I wait for 5 s After Back to Table of Content Scenario: Verify Use Passed: 2	sec	ble to change the pro	file picture in edit profile	4.66s 5.00s 0.00s e screen Duration: 32.82
And user click on Then I wait for 5 s After Back to Table of Content Scenario: Verify Use Passed: 2 Before	sec r should be at Failed: 0	ble to change the pro Undef		4.66s 5.00s 0.00s e screen Duration: 32.82 0.00s
And user click on Then I wait for 5 s After Back to Table of Content Scenario: Verify Use Passed: 2	sec r should be at Failed: 0 ge profile cam	ble to change the pro Undefi		4.66s 5.00s 0.00s e screen Duration: 32.82

Rec	ter			0.00s
Dat	k to Table of Contents			
Sce	enario: Verify the ema	il,country code and CO	OR fields are non-editable in edit pr	ofile screen
Pas	sed: 3	Failed: 0	Undefined: 0	Duration: 1.46s
Be	fore			0.00s
	And verify email field	is non-editable		0.27s
	And verify country co	de field is non-editable	and country code is "\${country.	0.69s
		Residence is "\${count	ry.name}'' and non-editable	0.50s
Aft	ter			0.00s
Bac	k to Table of Contents			
Sce	enario: Verify user car	able to change the det	ails in edit profile screen	
	sed: 4	Failed: 0	Undefined: 0	Duration: 16.78s
Be	fore			0.00s
	Given I generate rand "RANDOM_NUMBE	lom number and assign	to variable	0.00s
	And I assign value to	following variables		0.00s
		ation-\${RANDOM_NU	MBER}	
	Last Name Testing	g-\${RANDOM_NUMB	ER}	
	Then I update followi	ng profile details in edi	t profile screen	3.17s
	FirstName \${First	Name}		
	LastName \${Last I			
	And I click on update	button in edit profile s	creen	13.62s
Aft				0.00s
Bac	k to Table of Contents			
Sce	enario: Verify Details	updated during pulse r	rofile registration should be reflect	ed in edit
	ofile screen		g	
Pas	and. O			
	seu: 0	Failed: 1	Undefined: 1	Duration: 8.03s
Be	fore	Failed: 1	Undefined: 1	Duration: 8.03s 0.00s
Bei			Undefined: 1	

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 06f14ea5-d757-4cc0-a3ed-8a217bc6814c
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]
/following::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:180)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
```



at org.testng.Assert.assertEqualsImpl(Assert.java:135) at org.testng.Assert.assertEquals(Assert.java:116) at org.testng.Assert.assertEquals(Assert.java:190) at com.onepulse.app.screens.PulseManageProfileScreen. verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:515) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156) at .Then I verify the default values in babylon registration page is updated as below(features /editProfile/PulseEditProfileTest.feature:67) 8:55 G 🞟 🞟 💿 • \leftarrow First Name / Given Name Automation-43829061628 Last Name / Family Name Testing-43829061628 Date of Birth Male 13-01-2003 pulseeditprofile@mailsac.com Country of Residence By clicking 'Confirm' you agree that your information above may be included in your Pulse profile and held subject to the Pulse Privacy Notice. 0.00sAfter **Back to Table of Contents** Scenario: navigate back to health screen Passed: 2 Failed: 0 Undefined: 0 **Duration: 7.95s** 0.00sBefore Given I navigate to health page from babylon registration screen 2.93s 5.02s And I wait for 5 sec After 0.00s**Back to Table of Contents** Feature: Verify the Babylon Registration via HRA journey Passed: 0 Failed: 2 **Undefined: 0** Duration: 247.09s Scenario: User should be able to Register for Babylon HRA **Duration: 139.48** Passed: 15 Failed: 1 **Undefined: 2** 0.00sBefore

Given I generate random number and assign to variable	0.00s	
"RANDOM_NUMBER"	0.005	
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		
And User has pulse app	8.74s	
Then I wait for 2 sec	2.01s	
And user click on "CONTINUE WITH EMAIL" with Email button	12.82s	
Then I wait for 2 sec	2.01s	
Then I change the country as required on registration page	0.26s	
Then I wait for 2 sec	2.03s	
Then I navigate to pulse registration page and select the lang on toggle bar the click on continue with email button	en 0.00s	
Then I wait for 2 sec	2.00s	
When user enters registration details	7.42s	
FirstName testAutomation		
LastName testAutomation		
Email \${PULSE_EMAIL}		
Password Pas\$1234		
And taps on continue "Sign_Up" button	0.30s	
And I wait for otp screen after clicking on signup button		
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.38s	
Then I wait for 2 sec	2.00s	
Then I click skip button	64.12s	

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b0d55839-88ab-4565-9f47-55dc313ee84d

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1132)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/health/BabylonHRA Registration.feature:24)
```



After			0.00s	
Back to Table of Contents				
Scenario: User should be able to Register for Babylon HRA				
Passed: 1	Failed: 1 Undefined: 3 Duration: 1		Duration: 107.61 s	
Before 0.00s			0.00s	
When I clicks on Health button			28.76s	
And I navigate to Babyle	on health Assessment a	nd Accept TermsAndCondition	78.85s	

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

```
false}
Session ID: b0d55839-88ab-4565-9f47-55dc313ee84d
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Continue']
/preceding::android.view.ViewGroup[1]/android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.
navigateToBabylonHealthAssessment(BabylonRegistrationScreen.java:253)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonHealthAssessmentAndAcceptTermsAndCondition(BabylonSteps.java:319)
at .And I navigate to Babylon health Assessment and Accept TermsAndCondition(features
/health/BabylonHRA_Registration.feature:30)
```

	0.00s
And I click on Babylon Health Assessment Get Started button Then I verify following options are present for assessment	0.00s
Full Assessment	0.005
Nutrition	
Activity	
Mood	
8:59 G M M G · · · · · · · · · · · · · · · ·	
SECUTION DIGITAL AVAITAR	
Which avatar do you prefer? Select an avatar which looks like you.	
Continue	
Continue	
After	0.00s
	0.00s
After	
After Back to Table of Contents	ocation feature
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78	ocation feature
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Lo	ocation feature
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78: Scenario: Launch the app and select the country as per specified lbu	ocation feature s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before	Duration: 32.4
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Locates and the specified of the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app	Duration: 32.4 0.00s 8.65s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	Duration: 32.4 0.00s 8.65s 0.00s
After Back to Table of Contents Eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button	Duration: 32.4 0.00s 8.65s 0.00s 16.77s
After Back to Table of Contents Pack to Table of Contents Pack to Table of Contents Passed: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Locates 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 2 sec	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loused: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 2 sec And I click the Sign in link	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s 4.83s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 2 sec And I click the Sign in link After Back to Table of Contents	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s 4.83s 0.00s
After Back to Table of Contents cature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loused: 14	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s 4.83s 0.00s
After Back to Table of Contents eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loussed: 14 Failed: 0 Undefined: 0 Duration: 245.78 Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 2 sec And I click the Sign in link After Back to Table of Contents	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s 4.83s 0.00s
After Back to Table of Contents cature: Verify that user can locate near by Hospitals, clinics using PruShoppe Loused: 14	Duration: 32.4 0.00s 8.65s 0.00s 16.77s 0.21s 2.01s 4.83s 0.00s


Given I select the lang	uage option	on toggle ba	ar as required on login page	3.65s		
When user enters cred	lentials			9.87s		
UserName \${PULS	E_EMAIL}					
Password \${login.password}						
And User clicks on sig	nin button			0.28s		
And I wait for 5 sec				5.02s		
And I enter OTP in or	ne pulse app	for user em	ail ''\${PULSE_EMAIL}''	30.86s		
Then user should be la	anded to ''H	lome'' screer	1	13.84s		
After				0.00s		
Back to Table of Contents						
Scenario: User should be	able to loca	te Hospitals	using PruShoppe location			
Passed: 6	Failed: 0		Undefined: 0	Duration: 62.25s		
Before				0.00s		
When I clicks on Heal	th button			15.16s		
Then I clicks on Locat				15.31s		
When I clicks on Sear		field		12.71s		
And I clicks on "Hosp			ch	1.21s		
			by to user's current location	3.63s		
	Call, Navig		Details links are displayed under	14.24s		
After				0.00s		
Back to Table of Contents						
Scenario: User can see de	etails of liste	d hospitals i	n detail			
Passed: 2	Failed: 0	<u>-</u>	Undefined: 0	Duration: 21.43s		
Before				0.00s		
When I clicks on See 1	Details hutto	n on First r	ecult	18.70s		
			reen with Navigate and Call Now	2.73s		
After				0.00s		
Back to Table of Contents						
Scenario: User can see th	e details in	speciality tal)			
Passed: 2	Failed: 0	production out	Undefined: 0	Duration: 2.03s		
Before				0.00s		
When I clicks on "Spe	ciality" tah			0.52s		
Then I verify the Spec	<u>·</u>			1.51s		
After	lanty server	i is displayed		0.00s		
Back to Table of Contents				0.003		
Scenario: User can see th	o dotoila in	doctoria tob				
Passed: 2	Failed: 0	uoctor s tab	Undefined: 0	Duration: 3.81s		
Passed: 2 Before	raned: 0		Ondermed: 0	0.00s		
				 		
When I clicks on "Doo				1.04s		
Then I verify the Doct	ors screen i	s displayed		2.77s		
After				0.00s		


Back to Table of Contents Scenario: User can see th	o details in veems tab		
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.98s
Before	raned: 0	Underined: 0	0.00s
			+
When I clicks on "Ro			0.49s
	ms screen is displayed		2.49s
After			0.00s
Back to Table of Contents			
Scenario: User can navig	<u> </u>		
Passed: 1	Failed: 0	Undefined: 0	Duration: .47s
Before			0.00s
When I clicks on back	button in See Details	screen	0.47s
After			0.00s
Back to Table of Contents			
Scenario: User should be	able to locate cli using	g PruShoppe location	
Passed: 4	Failed: 0	Undefined: 0	Duration: 21.03
Before			0.00s
And I clicks on back l	outton in "Hospitals" s	screen	2.66s
When I clicks on Sear	ch here text field		13.88s
And I clicks on "Clini	ics'' under Pulse Searc	h	1.22s
Then User can see the	e list of "Clinics" near	by to user's current location	3.27s
After			0.00s
Back to Table of Contents			·
Scenario: User can verify	y the clinic page		
Passed: 1	Failed: 0	Undefined: 0	Duration: 12.87
Before		•	0.00s
And User can see that "Clinics" search resu		e Details links are displayed under	12.87s
After			0.00s
Back to Table of Contents			1
Scenario: User can view	listed clinic details		
Passed: 1	Failed: 0	Undefined: 0	Duration: 18.5s
Before			0.00s
When I clicks on See	Details button on First	result	18.50s
After		. 1 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	0.00s
Back to Table of Contents			10000
Scenario: User can view	listed clinic info		
Passed: 1	Failed: 0	Undefined: 0	Duration: 1.67s
Before	I directive	Catemetr v	0.00s
	linial! Information	oon with Navigate and C-II N	10.005
buttons	mic information ser	een with Navigate and Call Now	1.67s
After			0.00s

Scenario: User can view list	ed clinic info details	
	iled: 0 Undefined: 0	Duration: .42s
Before	net. v	0.00s
When I clicks on back hi	utton in See Details screen	0.42s
After	utton in See Details sereen	0.42s 0.00s
Back to Table of Contents		0.005
	hook to oliving garage	
Scenario: User can navigate Passed: 1	iled: 0 Undefined: 0	Duration: 2.33
Before	med: 0 Ondermed: 0	0.00s
And I clicks on back but	ton in "Clinic" screen	2.33s
After		0.00s
Back to Table of Contents		
ature: Verify Medicine Rem	inder Positive Flow functionality on one pulse App	
sed: 3 Failed: 7	Undefined: 0 Duration: 517.39s	
Scenario: User should be al Email''	ole to register on app with correct credentials using "C	Continue with
Passed: 13	Failed: 1 Undefined: 2	Duration: 140.
Before		0.00s
Given I generate randon ''RANDOM_NUMBER'	n number and assign to variable	0.00s
And Lassian "nulse\${RA	NDOM NUMBED)@mailgag.com!! to wariable	
"PULSE_EMAIL"	ANDOM_NUMBER}@mailsac.com'' to variable	0.00s
	ANDOM_NUMBER}@mansac.com to variable	0.00s 10.28s
"PULSE_EMAIL" And User has pulse app	TINUE WITH EMAIL" with Email button	
"PULSE_EMAIL" And User has pulse app		10.28s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec		10.28s 15.53s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec	TINUE WITH EMAIL" with Email button	10.28s 15.53s 2.01s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the counts Then I wait for 2 sec	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the	10.28s 15.53s 2.01s 0.27s 2.03s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the nail button	10.28s 15.53s 2.01s 0.27s 2.03s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with en	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the nail button ration details	10.28s 15.53s 2.01s 0.27s 2.03s n 0.00s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with en When user enters registr FirstName medicine LastName reminder Email \${PULSE_ Password Pas\$1234	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the nail button ration details EMAIL	10.28s 15.53s 2.01s 0.27s 2.03s n 0.00s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with en When user enters registr FirstName medicine LastName reminder Email \${PULSE_ Password Pas\$1234 And taps on continue "S	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the nail button ration details EMAIL	10.28s 15.53s 2.01s 0.27s 2.03s n 0.00s 7.37s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with en When user enters registr FirstName medicine LastName reminder Email \${PULSE_ Password Pas\$1234 And taps on continue "S And I wait for otp screen	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the nail button ration details EMAIL ign_Up" button	10.28s 15.53s 2.01s 0.27s 2.03s 0.00s 7.37s
"PULSE_EMAIL" And User has pulse app And user click on "CON Then I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with en When user enters registr FirstName medicine LastName reminder Email \${PULSE_ Password Pas\$1234 And taps on continue "S And I wait for otp screen	TINUE WITH EMAIL" with Email button ry as required on registration page registration page and select the lang on toggle bar the nail button ration details EMAIL ign_Up" button n after clicking on signup button	10.28s 15.53s 2.01s 0.27s 2.03s 0.00s 7.37s

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5e7c14a1-eda0-4131-8f27-faa5e53d333e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

		t.DefaultGenericMobile	Driver.findElement			
	(DefaultGenericMobileDriver.java:58)					
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)					
	at io.appium.java_client.android.AndroidDriver.iindElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)					
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:					
	19)					
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)					
	at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton					
	(PulseRegistrationScreen.java:1132)					
	at com.onepulse.app.ste (RegistrationSteps.java		s.RegistrationSteps.iClickSkipBu	tton		
			licineReminder.feature:23)			
	Then user should be lar			0.00s		
	Then I wait for 4 sec			0.00s		
Af	fter			0.00s		
Ba	ck to Table of Contents					
Sc	enario: Verify User shou	ıld be able to navigate to	medical reminder page			
Pa	ssed: 5	Failed: 0	Undefined: 0	Duration: 76.12s		
Ве	efore			0.00s		
	Given I relaunch the ap	p on registration failure	;	17.47s		
	Then I click the Health	icon in Home screen		14.31s		
	And I wait for 2 sec			2.01s		
	And I clicks on click her	re icon in medical Remir	nder	40.33s		
	Then I wait for 2 sec			2.01s		
Ai	After 2 sec 2.018 0.00s					
	tter					
Ba	ck to Table of Contents					
_		ext on medicine remind	er screen			
Sc	ck to Table of Contents	1	er screen Undefined: 2	Duration: 25.15s		
Sc Pa	ck to Table of Contents enario: verify the static	1		Duration: 25.15s 0.00s		
Sc Pa	ck to Table of Contents enario: verify the static to ssed: 0	1	Undefined: 2			
Sc Pa	ck to Table of Contents enario: verify the static to ssed: 0	Failed: 1	Undefined: 2	0.00s		
Sc Pa	ck to Table of Contents enario: verify the static to ssed: 0 efore And I verify following to	Failed: 1 ext displayed in Add me	Undefined: 2	0.00s		
Sc Pa	ck to Table of Contents enario: verify the static to ssed: 0 efore And I verify following to \$\{\text{no.medicine.text}\}	Failed: 1 ext displayed in Add me .text}	Undefined: 2	0.00s		
Sc Pa	ck to Table of Contents renario: verify the static to ssed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \\$\{\text{Medicalremainder}}	Failed: 1 ext displayed in Add me .text} t}	Undefined: 2	0.00s		
Sc Pa	ck to Table of Contents enario: verify the static to seed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \$\{\text{track.medicine.text}\}	Failed: 1 ext displayed in Add me .text} t}	Undefined: 2	0.00s		
Sc Pa	ck to Table of Contents renario: verify the static to seed: 0 refore And I verify following to \$\{\text{no.medicine.text}\} \\$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \\$\{\text{important.dose.tex}\} \} \\$\{\text{important.dose.tex}\} \\$\{\text{important.dose.tex}\} \} \\$\{\text{important.dose.tex}\} \\$\{\text{important.dose.tex}\} \} \\$\{\text{important.dose.tex}\} \\$\{\text{important.dose.tex}\} \} \\$\{\text{important.dose.tex}\} \} \\$\{\text{important.dose.tex}\} \} \\$\{\text{important.dose.tex}\} \} \\$\{imp	Failed: 1 ext displayed in Add me .text} t} tr: The following asserts	Undefined: 2 dicine screen	0.00s		
Sc Pa	ck to Table of Contents renario: verify the static to ssed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \$\{\text{important.dose.text}\} \$\{\t	Failed: 1 ext displayed in Add me .text} t} tr: The following asserts t is displayed on page ex	Undefined: 2 dicine screen failed: spected [true] but found [false],	0.00s 25.15s		
Sc Pa	ck to Table of Contents enario: verify the static to seed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \$\{\text{important.dose.tex}\} \$\{\text{important.dose.tex}\} \$\{\text{track.medicine} \text{to medicine added! text} \$\text{Track the medicine and} \$\text{to Track the medicine and} \$\text{to Total to Table of Contents} \$\text	Ext displayed in Add me .text} t} tr: The following asserts t is displayed on page ex set reminder text is disp	dicine screen failed: spected [true] but found [false], played on page expected [true] bu	0.00s 25.15s It found [false],		
Sc Pa	ck to Table of Contents renario: verify the static to seed: 0 refore And I verify following to \$\{\text{no.medicine.text}\} \\$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \\$\{\text{important.dose.text}\} \\$\{\text{important.dose.text}\} \\$\text{Track the medicine and before for important dose.}	r: The following asserts t is displayed on page ex set reminder text is displayed on page text is displayed text is displa	dicine screen failed: spected [true] but found [false], played on page expected [true] but age expected [true] but found [false]	0.00s 25.15s It found [false],		
Sc Pa	ck to Table of Contents enario: verify the static to seed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.tex}\} \$\{\text{important.dose.tex}\} \$\{\text{important.dose.tex}\} \$\{track the medicine and before for important do at org.testng.asserts.Sof	ext displayed in Add me .text} t} or: The following asserts t is displayed on page ex set reminder text is displayed on page tAssert.assertAll(SoftAs	dicine screen failed: spected [true] but found [false], played on page expected [true] but age expected [true] but found [false], sert.java:43)	0.00s 25.15s It found [false], lse]		
Sc Pa	ck to Table of Contents enario: verify the static to seed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.tex}\} \$\{\text{important.dose.tex}\} \$\{\text{important.dose.tex}\} \$\{track the medicine and before for important do at org.testng.asserts.Sof	ext displayed in Add me .text} t} or: The following asserts t is displayed on page ex set reminder text is displayed on page tAssert.assertAll(SoftAs	dicine screen failed: spected [true] but found [false], played on page expected [true] but age expected [true] but found [false]	0.00s 25.15s It found [false], lse]		
Sc Pa	ck to Table of Contents renario: verify the static to ssed: 0 efore And I verify following to \$\{no.medicine.text\}\$ \$\{Medicalremainder \} \{track.medicine.text\}\$ java.lang.AssertionErrol No medicine added! texto Track the medicine and before for important do at org.testng.asserts.Sof at com.onepulse.app.stet java:885) at .And I verify following to the static	ext displayed in Add me .text} t} or: The following asserts t is displayed on page ex set reminder text is displayed on page tAssert.assertAll(SoftAs pdefinitions.mobilesteps ag text displayed in Add	dicine screen failed: spected [true] but found [false], played on page expected [true] but age expected [true] but found [false], sert.java:43)	0.00s 25.15s It found [false], lse]		
Sc Pa	ck to Table of Contents enario: verify the static to seed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \$\{\text{important.dose.tex}\} \$\{\text{important.dose.tex}\} \$\{\text{track medicine and before for important do at org.testng.asserts.Soft at com.onepulse.app.sterijava:885} \$\text{at .And I verify followire./MedicineReminder.fea}	ext displayed in Add me .text} t} or: The following asserts t is displayed on page ex set reminder text is displayed on page tAssert.assertAll(SoftAs pdefinitions.mobilesteps ag text displayed in Add ture:36)	dicine screen failed: spected [true] but found [false], played on page expected [true] but age expected [true] but found [false], sert.java:43) s.MyDocSteps.VerifyAddMedicin medicine screen(features/health	25.15s It found [false], Ise] Ise(MyDocSteps.		
Sc Pa	ck to Table of Contents enario: verify the static to seed: 0 efore And I verify following to \$\{\text{no.medicine.text}\} \$\{\text{Medicalremainder} \\$\{\text{track.medicine.text}\} \$\{\text{important.dose.tex}\} \$\{\text{important.dose.tex}\} \$\{\text{track medicine and before for important do at org.testng.asserts.Soft at com.onepulse.app.sterijava:885} \$\text{at .And I verify followire./MedicineReminder.fea}	ext displayed in Add me .text} t} or: The following asserts t is displayed on page ex set reminder text is displayed on page tAssert.assertAll(SoftAs pdefinitions.mobilesteps ag text displayed in Add	dicine screen failed: spected [true] but found [false], played on page expected [true] but age expected [true] but found [false], sert.java:43) s.MyDocSteps.VerifyAddMedicin medicine screen(features/health	0.00s 25.15s It found [false], lse]		






	Deta	ailed Results Report	
And I clicks on Tim	ing in Add medcine	e screen	0.00s
And I clicks on "\${	before.meal.text}'' i	n app screens	0.00s
And I clicks on Nex	t icon in app screen	NS .	0.00s
Medicine Reference Auly, 2021 MEM TEE NED THU FRI 12 13 14 13 16 Ally 16th, 2021 No medicine added! Track the medicine and set rem before for important dose Add New Restinder	SAT SUR) 17 18		
After Back to Table of Contents			0.00s
Scenario: Verify User	should be able to na	nvigate to More Setting pa	ge
Passed: 1	Failed: 1	Undefined: 2	Duration: 19.71s
Before			0.00s
Given I wait for 2 s	ec		2.01s
And I enter following	ng details in add me	edicine screen	17.70s
Medication For Medicine Stock org.openqa.seleniunusing the given sear For documentation /no_such_element.h Build info: version: System info: host: 'os.version: '10.0', ja Driver info: io.appi Capabilities {appAo	m.NoSuchElementE cch parameters. on this error, please tml '3.12.0', revision: '7 TM003LSIN', ip: '1 ava.version: '11.0.2' um.java_client.and etivity: com.prudent	e visit: http://seleniumhq.o 7c6e0b3', time: '2018-05-0 92.168.1.124', os.name: 'V	8T14:04:26.12Z' Vindows 10', os.arch: 'amd64', ackage: com.prudential.pulse.

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5e7c14a1-eda0-4131-8f27-faa5e53d333e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='What are you
taking this medication for?']/following::android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:395)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
```




```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5e7c14a1-eda0-4131-8f27-faa5e53d333e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Medicine Info']
/following::android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(Delegating Constructor Accessor Impl. java: 45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen (PulseHealthScreen.java:369) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps. enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/MedicineReminder. feature:85) 9:11 😉 🖽 🖽 😥 🔹 0.90 July, 2021 Ally 16th, 2021 No medicine addedi Track the medicine and set reminde before for important dose 0.00sAfter **Back to Table of Contents** Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup Passed: 2 Failed: 0 Undefined: 0 **Duration: 38.98s**

Before

0.00s

And I clicks on	Not now icon in app scre	een	38.80s
And I verify fol	lowing text displayed in	Add medicine screen	0.18s
\${Medicalre	mainder.text}		
fter			0.00s
ack to Table of Cont	<u>ents</u>		
cenario: navigate	to health screen		
assed: 1	Failed: 0	Undefined: 0	Duration: .22s
efore		·	0.00s
And I click the	Back button in medical 1	remainder	0.22s
fter			0.00s
ack to Table of Cont	ents		
	ser should be able to na	vigate to calendar page	
assed: 3	Failed: 1	Undefined: 0	Duration: 29.22
efore			0.00s
Given I wait for	r 2 sec		2.01s
When I scroll d			4.54s
Then I click on			14.52s
		A J.J J'	8.15s
\${Medicalred \${Medicine	tionError: The following layed on page expected [serts.SoftAssert.assertAl	g asserts failed: [true] but found [false]	
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43)	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mo]	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep
\${Medicalred \${Medicine_ java.lang.Asser cold text is disp at org.testng.ass at com.onepulsed java:885) at .And I verify	mainder.text} Info} tionError: The following layed on page expected [serts.SoftAssert.assertAle.app.stepdefinitions.mol	g asserts failed: [true] but found [false] ll(SoftAssert.java:43) bilesteps.MyDocSteps.VerifyAo	ddMedicine(MyDocStep



And I enter OTP in one pulse app for user email "\${PU	LSE_EMAIL}'' 30.27s
Then user should be landed to "Home" screen	13.62s
After	0.00s
Back to Table of Contents	
Scenario: Verify MyEvent Functionality in Home screen	
Passed: 3 Failed: 0 Undefined:	Duration: 33.5s
Before	0.00s
And I click the MyEvent icons	22.71s
And I wait for 5 sec	5.00s
And I verify following texts are displayed	5.78s
You do not have any events enrolled yet	
Please choose from the open events and get started	
After	0.00s
Back to Table of Contents	
Scenario: Verify Events Archive tab	
Passed: 2 Failed: 0 Undefined:	Duration: 16.52s
Before	0.00s
And I click the Events Archive icon	8.55s
And I verify following texts are displayed	7.97s
You do not have any events in your archive.	16775
After	0.00s
Back to Table of Contents	0.008
Scenario: Verify Open Events tab Passed: 2 Failed: 0 Undefined:	Duration: 21.64s
Before	0.00s
And I click the Open Events icon	8.81s
And I verify either static text or available open events an	re displayed on screen 12.83s
There are no events available at the moment	
Stay tuned for events on health and fitness	la aa
After	0.00s
Back to Table of Contents	
Feature: Verify My Health Content functionality on One Puls	е Арр
Passed: 8 Failed: 0 Undefined: 0	Duration: 222.69s
Scenario: Launch the app and select the country as per spe	
Passed: 5 Failed: 0 Undefined:	
Before	0.00s
Given User has pulse app	9.15s
And user click on "CONTINUE WITH EMAIL" with E	
Then I change the country as required on registration p	
Then I wait for 3 sec	3.01s
And I click the Sign in link	4.90s 0.00s

	Failed: 0 Undefined: 0	D 41 50.20
Passed: 7 Before	Failed: 0 Undefined: 0	Duration: 70.38
	n.email.id}" to variable "PULSE_EMAIL"	0.00s
	nguage option on toggle bar as required on login page	3.57s
When user enters cro		10.40s
UserName \${PUL		
Password \${logir		lo a c
And User clicks on s		0.26s
Then I wait for 10 se		10.01s
	one pulse app for user email "\${PULSE_EMAIL}"	31.56s
	landed to "Home" screen	14.58s
After		0.00s
Back to Table of Contents		
	hould be able to navigate to Health page	
Passed: 5	Failed: 0 Undefined: 0	Duration: 54.81
Before		0.00s
Given I wait for 2 se	С	2.01s
	ealth Content screen	25.57s
Then I wait for 8 sec		8.01s
	ng texts are displayed	0.43s
Health Channels		
And I verify the follo	owing texts "My Health Content" in Screen	18.79s
Category		
Like		
Like Share		
Like		
Like Share		0.00s
Like Share Comment		0.00s
Like Share Comment After Back to Table of Contents	hould be able to view the full page article post	0.00s
Like Share Comment After Back to Table of Contents	hould be able to view the full page article post Failed: 0 Undefined: 0	
Like Share Comment After Back to Table of Contents Scenario: Verify User si		
Like Share Comment After Back to Table of Contents Scenario: Verify User stressed: 2 Before		Duration: 19.07
Like Share Comment After Back to Table of Contents Scenario: Verify User stressed: 2 Before	Failed: 0 Undefined: 0 Ith Channels'' topic for details full view	Duration: 19.07 0.00s
Like Share Comment After Back to Table of Contents Scenario: Verify User strength Passed: 2 Before Then I click on "Hea	Failed: 0 Undefined: 0 Ith Channels'' topic for details full view	Duration: 19.07 0.00s 9.07s
Like Share Comment After Back to Table of Contents Scenario: Verify User strength S	Failed: 0 Undefined: 0 Ith Channels'' topic for details full view	Duration: 19.07 0.00s 9.07s 10.00s
Like Share Comment After Back to Table of Contents Scenario: Verify User strength of the second o	Failed: 0 Undefined: 0 Ith Channels'' topic for details full view	Duration: 19.07 0.00s 9.07s 10.00s 0.00s
Like Share Comment After Back to Table of Contents Scenario: Verify User strength of the second of	Failed: 0 Undefined: 0 alth Channels'' topic for details full view ce hould be able to see the Like, Share, Comment options or	Duration: 19.07 0.00s 9.07s 10.00s 0.00s
Like Share Comment After Back to Table of Contents Scenario: Verify User structure Passed: 2 Before Then I click on "Hea Then I wait for 10 see After Back to Table of Contents Scenario: Verify User structure Scenario: Verify User structure Scenario: Verify User structure Scenario: Verify User structure Then I wait for 10 see After	Failed: 0 Undefined: 0 alth Channels'' topic for details full view	Duration: 19.07 0.00s 9.07s 10.00s 0.00s

Like						
Share						
Comment						To 00
After						0.00s
Back to Table of Conter						
Scenario: Verify Us			1		icle view screen	
Passed: 2	Fai	led: 0		Undefined: 0		Duration: 11.22
Before						0.00s
And I Like the p						5.52s
And I Like the p	ost					5.71s
After						0.00s
Back to Table of Conter	<u>nts</u>					
Scenario: Verify Us	er should	d be able t	o Share the	post in full ar	ticle view screen	
Passed: 2	Fai	led: 0		Undefined: 0		Duration: 16.06
Before						0.00s
And I share the	post					5.43s
Then I navigate	back to p	revious p	age			10.63s
After						0.00s
Back to Table of Conter	nts					
Scenario: Verify Us		avigate to	Health hom	enage		
Passed: 1		led: 0		Undefined: 0		Duration: 4.88s
Before						0.00s
Then I navigate	to story i	nost nage				4.88s
After	to story p	post page				0.00s
Back to Table of Conte	nte					0.005
ature: Verify Notific				one pulse App		
	ailed: 1		Undefined: 0		Duration: 280.94s	
Scenario: User shou Email''	ıld be ab	le to regist	ter on app w	vith correct cr	edentials using "Co	ntinue with
Passed: 15	J	Failed: 1		II1.C1. 2		Duration: 139.7
				Undefined: 2		C
Refore				Undermed: 2		s 0 00s
Given I generate		number a	and assign to			0.00s 0.00s
	MBER" ulse\${RA			o variable	' to variable	
Given I generate "RANDOM_NU And I assign "pu	MBER'' ulse\${RA L''			o variable	' to variable	0.00s
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI	MBER" ulse\${RA L" ulse app			o variable	' to variable	0.00s 0.00s
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu	JMBER" ulse\${RA L" ulse app 2 sec	NDOM_N	UMBER}@	o variable mailsac.com'		0.00s 0.00s 9.90s
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2	JMBER" ulse\${RA L" ulse app 2 sec n "CON	NDOM_N	UMBER}@	o variable mailsac.com'		0.00s 0.00s 9.90s 2.00s
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAL And User has pu Then I wait for 2 And user click or	IMBER" Ilse\${RA L'' Ilse app 2 sec n "CONT	NDOM_N	IUMBER}@	o variable mailsac.com' L'' with Emai		0.00s 0.00s 9.90s 2.00s 12.99s
Given I generate "RANDOM_NU And I assign "pu "PULSE_EMAI And User has pu Then I wait for 2 And user click of	JMBER" ulse\${RA L" ulse app 2 sec n "CONT 2 sec ne countr	NDOM_N	IUMBER}@	o variable mailsac.com' L'' with Emai		0.00s 0.00s 9.90s 2.00s 12.99s 2.02s

click on continue with email button	0.00s
Then I wait for 2 sec	2.01s
When user enters registration details	6.94s
FirstName testAutomation	
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.31s
And I wait for otp screen after clicking on signup button	3.93s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.38s
Then I wait for 2 sec	2.01s
Then I click skip button	64.03s
org.openqa.selenium.NoSuchElementException: An element could not be loca	ted on the nage
using the given search parameters.	eca on the page
For documentation on this error, please visit: http://seleniumhq.org/exception	is
/no_such_element.html	
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1	
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10',	os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	mmadon4iol mados
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnab	
desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appAckage: com.prudential.pulse.MainAc, appAckage: com.prudential.pulse.MainAc, appAckage: com.prudential.pulse.MainAc, appAckage: com.prudential.pulse.MainAc, appAckage: com.	
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Andr	
newCommandTimeout: 10000, noReset: true, platformName: android}, devic	
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4	0043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241H	
javascriptEnabled: true, locationContextEnabled: false, networkConnectionE	
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN	
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen	
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webs false}	storageEnabled:
Session ID: 0cc8648c-afc7-4f17-a366-cdd714fe174b	
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Li	ght Exercise'l}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknow	
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInsta	
(DelegatingConstructorAccessorImpl.java:45)	
$at\ java.base/java.lang.reflect. Constructor.new Instance (Constructor.java: 490)$	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	n
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.e	naexecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	

	at io.appium.java_client		iver.execute(RemoteWebDriver.ja eDriver.execute(DefaultGenericMe			
	java:42)		(A - 1 - D 1 - 1)			
			e(AppiumDriver.java:1) er.execute(AndroidDriver.java:1)			
	~		iver.findElement(RemoteWebDriv	ver.java:31 7)		
	at io.appium.java_client			(crigatate 17)		
	(DefaultGenericMobileI	Driver.java:62)				
			ement(AppiumDriver.java:1)			
	~		er.findElement(AndroidDriver.jav			
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.					
	java:419)					
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)					
	· ·		ementByXPath(AppiumDriver.jay	va:1)		
			er.findElementByXPath(AndroidI			
	at org.openqa.selenium.					
			iver.findElement(RemoteWebDriv	ver.java:309)		
	at io.appium.java_client (DefaultGenericMobileI		eDriver.iindElement			
	1 7		ement(AppiumDriver.java:1)			
			er.findElement(AndroidDriver.jav	/a:1)		
			.executeCommand(Commands.jav			
		elenium.ExecuteComm	and.executeCommand(ExecuteCo	mmand.java:		
	19)					
	at com.onepulse.app.scr at com.onepulse.app.scr		kButton(TestBasePage.java:163)			
	(PulseRegistrationScree		Sci een.ciickSkipDutton			
			os.RegistrationSteps.iClickSkipBu	tton		
	(RegistrationSteps.java:	:377)				
			ificationCenter.feature:25)			
	Then user should be lan	ded to "Home" screen		0.00s		
	Then I wait for 4 sec			0.00s		
	ter			0.00s		
	ck to Table of Contents					
_	enario: Navigate to notifi	i de la companya de				
_	ssed: 3	Failed: 0	Undefined: 0	Duration: 20.27s		
Be	fore			0.00s		
	Given I relaunch the app	p on registration failur	e	17.88s		
	Given I navigate to notif	fication screen from ho	me page	0.38s		
	Then I wait for 2 sec			2.00s		
Af	ter			0.00s		
Ba	ck to Table of Contents					
Sc	enario: Verify User shou	ld be able to see the No	otification screen texts			
Pas	ssed: 1	Failed: 0	Undefined: 0	Duration: .13s		
Be	fore			0.00s		
	And I verify following to	exts are displayed		0.13s		
	\${notification.msg}					

After		0.00s		
Back to Table of Contents				
Scenario: Then I navigate back to home screen from Notification Center				
Passed: 1	Failed: 0 Undefined: 0	Duration: .16s		
Before		0.00s		
Then I click on back bu	tton on notification screen to navigate to home screen	0.16s		
After		0.00s		
Back to Table of Contents				
Scenario: Verify User shou	ıld be able navigate to Notification Center via My accou	ınt		
Passed: 2	Failed: 0 Undefined: 0	Duration: 10.66s		
Before		0.00s		
Then I wait for 2 sec		2.01s		
Then I navigate to notif	ication center page	8.65s		
After		0.00s		
Back to Table of Contents				
	ald be able to see the Notification screen texts			
Passed: 1	Failed: 0 Undefined: 0	Duration: 1.55s		
Before		0.00s		
And I verify following t	exts are displayed	1.55s		
\${no.notification.text		1.005		
\${check.notification.				
After		0.00s		
After		0.00s		
After Back to Table of Contents		0.00s		
After Back to Table of Contents	ald be able to login using already registered credentials Failed: 0 Undefined: 0	0.00s Duration: 94.66s		
After Back to Table of Contents Scenario: Verify User show	ald be able to login using already registered credentials			
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before	Ild be able to login using already registered credentials Failed: 0 Undefined: 0	Duration: 94.66s 0.00s		
After Back to Table of Contents Scenario: Verify User shound the short of the sho	ald be able to login using already registered credentials Failed: 0 Undefined: 0 Op	Duration: 94.66s 0.00s 10.97s		
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before Given User has pulse ap And user click on "COM	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button	Duration: 94.66s 0.00s 10.97s 16.16s		
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before Given User has pulse ap And user click on "COM	ald be able to login using already registered credentials Failed: 0 Undefined: 0 Op	Duration: 94.66s 0.00s 10.97s		
After Back to Table of Contents Scenario: Verify User shound Passed: 11 Before Given User has pulse and And user click on "CONTENT Then I change the countent Then I wait for 3 sec	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s		
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before Given User has pulse and And user click on "CONThen I change the count Then I wait for 3 sectors And I click the Sign in I	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s		
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before Given User has pulse and And user click on "CONThen I change the count Then I wait for 3 sectors And I click the Sign in I	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink ge option on toggle bar as required on login page	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s		
After Back to Table of Contents Scenario: Verify User shound the should be seen to the	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink ge option on toggle bar as required on login page entials	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s		
After Back to Table of Contents Scenario: Verify User shound the second to the secon	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink ge option on toggle bar as required on login page entials _EMAIL}	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s		
After Back to Table of Contents Scenario: Verify User shown Passed: 11 Before Given User has pulse and And user click on "CONThen I change the counth Then I wait for 3 sector And I click the Sign in I And I select the language When user enters crede UserName \${PULSE}	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink ge option on toggle bar as required on login page entials EMAIL}	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s		
After Back to Table of Contents Scenario: Verify User shound the second to the secon	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink ge option on toggle bar as required on login page entials EMAIL}	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s 9.89s		
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before Given User has pulse and And user click on "CONTen I change the countent Then I wait for 3 sector And I click the Sign in I And I select the language When user enters creded UserName \${PULSE Password Pas\$1234} And User clicks on sign Then I wait for 2 sec	Ild be able to login using already registered credentials Failed: 0 Undefined: 0 OP NTINUE WITH EMAIL'' with Email button try as required on registration page ink ge option on toggle bar as required on login page entials EMAIL}	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s 9.89s		
After Back to Table of Contents Scenario: Verify User shout Passed: 11 Before Given User has pulse and And user click on "CONTen I change the countent Then I wait for 3 sector And I click the Sign in I And I select the language When user enters creded UserName \${PULSE Password Pas\$1234} And User clicks on sign Then I wait for 2 sec	Induction and the solution of	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s 9.89s		
After Back to Table of Contents Scenario: Verify User shound Passed: 11 Before Given User has pulse and And user click on "CONThen I change the count Then I wait for 3 sector And I click the Sign in It And I select the language When user enters crede UserName \${PULSE Password Pas\$1234} And User clicks on sign Then I wait for 2 sector And I enter OTP in one	Induction and the solution of	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s 9.89s 0.25s 2.01s 30.39s		
After Back to Table of Contents Scenario: Verify User shound Passed: 11 Before Given User has pulse and And user click on "CONThen I change the count Then I wait for 3 sector And I click the Sign in I And I select the language When user enters creded UserName \${PULSE Password Pas\$1234} And User clicks on sign Then I wait for 2 sector And I enter OTP in one Then user should be larger than I wait for 2 sector And I enter OTP in one Then user should be larger than I wait for 2 sector And I enter OTP in one Then user should be larger than I wait for 2 sector And I enter OTP in one Then user should be larger than I wait for 2 sector I wait for 3 sector I wait for 2 sector I wait for 2 sector I wait for 2 sector I wait for 3 sector I wait for 2 sector I wait for 3 sector I wai	Induction and the solution of	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s 9.89s 0.25s 2.01s 30.39s 13.38s		
After Back to Table of Contents Scenario: Verify User shound Passed: 11 Before Given User has pulse and And user click on "CONThen I change the countent Then I wait for 3 sector And I click the Sign in It And I select the language When user enters creded UserName \${PULSE Password Pas\$1234} And User clicks on sign Then I wait for 2 sector And I enter OTP in one Then user should be lared After Back to Table of Contents	Induction and the solution of	Duration: 94.66s 0.00s 10.97s 16.16s 0.19s 3.00s 4.83s 3.58s 9.89s 0.25s 2.01s 30.39s 13.38s		

Passed: 3	Failed: 0	Undefined: 0	Duration: 13.74
Before			0.00s
Then I navigate to	page	9.24s	
Then I wait for 4 s			4.01s
And I verify follow	ing texts are displa	yed	0.49s
\${no.notification			
\${check.notifica			
After			0.00s
Back to Table of Contents	·		·
eature: Verify My Chal	lenges on One Puls	е Арр	
		defined: 0 Duration: 1	31.07s
Scenario: Launch the	app and select the	country as per specified lbu	
Passed: 5	Failed: 0	Undefined: 0	Duration: 33.48
Before			0.00s
Given User has pu	lse ann		9.55s
		H EMAIL" with Email button	15.86s
		l on registration page	0.21s
Then I wait for 3 s		on registration page	3.01s
Then I want for 5 5			4.85s
And I click the Sig	n in link		
And I click the Sig	n in link		
And I click the Sig After Back to Table of Contents	n in link		0.00s
After Back to Table of Contents Scenario: User should Email''	be able to login on	app with correct credentials usin	0.00s
After Back to Table of Contents Scenario: User should Email' Passed: 7		app with correct credentials usin	0.00s 12 "Continue with Duration: 70.0
After Back to Table of Contents Scenario: User should Email'' Passed: 7 Before	be able to login on Failed: 0	Undefined: 0	0.00s og "Continue with Duration: 70.0 0.00s
After Back to Table of Contents Scenario: User should Email'' Passed: 7 Before And I assign ''\${logs.	Failed: 0 gin.email.id}'' to va	Undefined: 0 riable ''PULSE_EMAIL''	0.00s ag "Continue with Duration: 70.0 0.00s 0.00s
After Back to Table of Contents Scenario: User should Email' Passed: 7 Before And I assign ''\${log Given I select the I	Failed: 0 gin.email.id}'' to va	Undefined: 0	0.00s In a "Continue with Duration: 70.0 0.00s 0.00s 0.00s age 3.69s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of	Failed: 0 gin.email.id}'' to valuaguage option on teredentials	Undefined: 0 riable ''PULSE_EMAIL''	0.00s ag "Continue with Duration: 70.0 0.00s 0.00s
After Back to Table of Contents Scenario: User should Email'' Passed: 7 Before And I assign ''\${log Given I select the I When user enters of UserName \${PU}	Failed: 0 gin.email.id}'' to valuage option on the credentials ULSE_EMAIL}	Undefined: 0 riable ''PULSE_EMAIL''	0.00s In a "Continue with Duration: 70.0 0.00s 0.00s 0.00s age 3.69s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU Password \${log	Failed: 0 Failed: 0 gin.email.id}'' to valuage option on the credentials JLSE_EMAIL} gin.password}	Undefined: 0 riable ''PULSE_EMAIL''	0.00s or "Continue with Duration: 70.00 0.00s 0.00s 0.00s 10.60s
After Back to Table of Contents Scenario: User should Email'' Passed: 7 Before And I assign ''\${log Given I select the l When user enters of UserName \${PU Password \${log And User clicks on	Failed: 0 gin.email.id}'' to valuanguage option on teredentials ULSE_EMAIL} gin.password}	Undefined: 0 riable ''PULSE_EMAIL''	0.00s og "Continue with Duration: 70.0 0.00s 0.00s 0.00s 10.60s 0.27s
After Back to Table of Contents Scenario: User should Email'' Passed: 7 Before And I assign ''\${log Given I select the I When user enters of UserName \${PU Password \${log And User clicks on Then I wait for 10	Failed: 0 Failed: 0 gin.email.id}'' to va anguage option on teredentials ULSE_EMAIL} gin.password} signin button sec	Undefined: 0 riable ''PULSE_EMAIL'' toggle bar as required on login pa	0.00s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU Password \${log And User clicks on Then I wait for 10 And I enter OTP in	Failed: 0 Failed: 0 gin.email.id}'' to valuanguage option on teredentials ULSE_EMAIL} gin.password} signin button sec	Undefined: 0 riable ''PULSE_EMAIL'' toggle bar as required on login pa	0.00s og "Continue with Duration: 70.0 0.00s 0.00s 0.00s 10.60s 0.27s 10.00s 31.07s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU Password \${log And User clicks on Then I wait for 10 And I enter OTP in Then user should it	Failed: 0 Failed: 0 gin.email.id}'' to va anguage option on teredentials ULSE_EMAIL} gin.password} signin button sec	Undefined: 0 riable ''PULSE_EMAIL'' toggle bar as required on login pa	0.00s og "Continue with Duration: 70.0 0.00s 0.00s 0.00s 10.60s 0.27s 10.00s 11.07s 14.41s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the l When user enters of UserName \${PU} Password \${log And User clicks on Then I wait for 10 And I enter OTP in Then user should be	Failed: 0 Failed: 0 gin.email.id}'' to value anguage option on the credentials ULSE_EMAIL} gin.password} signin button sec n one pulse app for one landed to "Home	Undefined: 0 riable ''PULSE_EMAIL'' toggle bar as required on login pa	0.00s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU Password \${log And User clicks on Then I wait for 10 And I enter OTP in Then user should be After Back to Table of Contents	Failed: 0 Failed: 0 gin.email.id}" to varianguage option on the credentials LSE_EMAIL} gin.password signin button sec n one pulse app for the landed to "Home	Undefined: 0 riable ''PULSE_EMAIL'' toggle bar as required on login pa	0.00s og "Continue with Duration: 70.0 0.00s 0.00s 0.00s 10.60s 0.27s 10.00s 11.07s 14.41s
After Back to Table of Contents Scenario: User should Email'' Passed: 7 Before And I assign ''\${log} Given I select the l When user enters of UserName \${PU} Password \${log} And User clicks on Then I wait for 10 And I enter OTP in Then user should leads to Table of Contents Scenario: Verify My	Failed: 0 Failed: 0 gin.email.id}'' to varanguage option on teredentials ULSE_EMAIL} gin.password} signin button sec n one pulse app for oe landed to ''Home	user email "\${PULSE_EMAIL}"	0.00s Duration: 70.0s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU} Password \${log And User clicks on Then I wait for 10 And I enter OTP in Then user should be After Back to Table of Contents Scenario: Verify My Opensed: 3	Failed: 0 Failed: 0 gin.email.id}" to varianguage option on the credentials LSE_EMAIL} gin.password signin button sec n one pulse app for the landed to "Home	Undefined: 0 riable ''PULSE_EMAIL'' toggle bar as required on login pa	0.00s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU Password \${log And User clicks on Then I wait for 10 And I enter OTP in Then user should it After Back to Table of Contents Scenario: Verify My O Passed: 3 Before	Failed: 0 Failed: 0 gin.email.id}" to varianguage option on teredentials LSE_EMAIL} gin.password} signin button sec n one pulse app for the landed to "Home Challenges texts Failed: 0	user email "\${PULSE_EMAIL}" "screen Undefined: 0	0.00s
After Back to Table of Contents Scenario: User should Email" Passed: 7 Before And I assign "\${log Given I select the I When user enters of UserName \${PU} Password \${log And User clicks on Then I wait for 10 And I enter OTP in Then user should it After Back to Table of Contents Scenario: Verify My of Passed: 3 Before And I click on My	Failed: 0 Failed: 0 gin.email.id}'' to varanguage option on teredentials ULSE_EMAIL} gin.password} signin button sec n one pulse app for oe landed to ''Home	user email "\${PULSE_EMAIL}" "screen Undefined: 0 Undefined: 0	0.00s

		\${do.not.have.chal	lenges}			
		\${challenge.getstan				
	\$\{\do.\not.\have.\challenges}\					
	1		wing texts ''My challenges'' in Screen	4.23s		
		\${all.challenges.tex	xt}			
<u> </u>	\ft			0.00s		
_		k to Table of Contents				
_			nallenges and and verify texts			
<u> </u>		sed: 4	Failed: 0 Undefined: 0	Duration: 9.87s		
Ľ		fore		0.00s		
	<u> </u>		.challenges.text}" in app screen	0.26s		
	1		wing texts "My challenges" in Screen	8.94s		
		\${my.challenges.te				
	-	\${all.challenges.tex		0.42		
	1	And I verify following		0.43s		
		\${no.challenges.av				
	-	\${notify.challenge}		0.25		
			ck.home}" in app screen	0.25s		
=	\ft			0.00s		
		k to Table of Contents				
Fea	tur					
	Ceature: Verify My Communities on One Pluse App Classed: 1 Failed: 10 Undefined: 0 Duration: 183.46s					
Pass	_					
Pass	Sce	nario: Launch the ap	p and select the country as per specified lbu			
Pass S	Sce Pass	enario: Launch the ap		Duration: 36.27s		
Pass S	Sce Pass Bef	enario: Launch the apsed: 2 Fore	p and select the country as per specified lbu Failed: 1 Undefined: 2	0.00s		
Pass S	Sce Pass Bef	enario: Launch the apsed: 2 Core Given User has pulse	p and select the country as per specified lbu Failed: 1 Undefined: 2 app	0.00s 10.54s		
Pass S	Sce Pass Bef	enario: Launch the apsed: 2 Fore Given User has pulse And user click on "Co	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button	0.00s 10.54s 9.89s		
Pass S	Sce Pass Bef	enario: Launch the apsed: 2 Gore Given User has pulse And user click on "Co	p and select the country as per specified lbu Failed: 1 Undefined: 2 app	0.00s 10.54s		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Core Given User has pulse And user click on "Co	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button intry as required on registration page	0.00s 10.54s 9.89s 15.85s		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Core Given User has pulse And user click on "Co	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button intry as required on registration page NoSuchElementException: An element could not be loca	0.00s 10.54s 9.89s 15.85s		
Pass S	Sce Pass Bef	chario: Launch the appear of the council of the cou	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception	0.00s 10.54s 9.89s 15.85s ted on the page		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Co Then I change the cou org.openqa.selenium. using the given search For documentation on /no_such_element.htm	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception.il	0.00s 10.54s 9.89s 15.85s ted on the page		
Pass S	Sce Passs Bef	chario: Launch the appear of the sed: 2 Gore Given User has pulse And user click on "Control of the country or search or search for documentation of the such_element.htm Build info: version: '3	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception. B.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1	0.00s 10.54s 9.89s 15.85s ted on the page s		
Pass S	Sce Pass Bef	chario: Launch the appear of the sed: 2 Gore Given User has pulse And user click on "Control of the country or search or search for documentation of the such_element.htm Build info: version: '3	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception. B.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.name: 'Windows	0.00s 10.54s 9.89s 15.85s ted on the page s		
Pass S	Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Control Control Co	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception nl 3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', a.version: '11.0.2' In.java_client.android.AndroidDriver	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64',		
Pass S	Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Co Then I change the cou org.openqa.selenium. using the given search For documentation on /no_such_element.htm Build info: version: '3 System info: host: 'Th os.version: '10.0', java Driver info: io.appium Capabilities {appActi	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception nl 3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', a.version: '11.0.2' In java_client.android.AndroidDriver vity: com.prudential.pulse.MainAc, appPackage: com.	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64',		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Control or Control of Co	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception of lb. 3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', a.version: '11.0.2' In java_client.android.AndroidDriver vity: com.prudential.pulse.MainAc, appPackage: com. is: true, automationName: UiAutomator2, databaseEnable.	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64', prudential.pulse. oled: false,		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Control Then I change the council org. openqa. selenium. using the given search for documentation on noused person: '3 System info: host: 'The os. version: '10.0', java Driver info: io. appium Capabilities {appActituat, autoDismissAlert desired: {appActivity	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception nl 6.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', or.yersion: '11.0.2' In.java_client.android.AndroidDriver vity: com.prudential.pulse.MainAc, appPackage: com. is: true, automationName: UiAutomator2, databaseEnable: com.prudential.pulse.MainAc, appPackage: com.prudential.puls	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat,		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Control Then I change the council or goopen as elenium." Using the given search For documentation on no_such_element.htm Build info: version: '3 System info: host: 'The os.version: '10.0', java Driver info: io.appium Capabilities {appActiuat, autoDismissAlerts treewCommandTimeoutles.	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception lb. 3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 lb. M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', la. version: '11.0.2' In. java_client.android.AndroidDriver vity: com.prudential.pulse.MainAc, appPackage: com. ls: true, automationName: UiAutomator2, databaseEnable: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30,		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Control Then I change the council org. openqa. selenium. using the given search for documentation on nousuch_element.htm Build info: version: '3 System info: host: 'The os. version: '10.0', java Driver info: io. appium Capabilities {appActituat, autoDismissAlert desired: {appActivity autoDismissAlerts: treewCommandTimeoudeviceManufacturer:	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception of this error, please visit: http://seleniumhq.org/exce	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P,		
Pass S	Sce Pass Bef	chario: Launch the apsed: 2 Gore Given User has pulse And user click on "Control Then I change the councing the given search for documentation on no_such_element.htm Build info: version: '3 System info: host: 'Thos.version: '10.0', java Driver info: io.appium Capabilities {appActivity autoDismissAlerts transwCommandTimeoudeviceManufacturer: deviceScreenDensity:	p and select the country as per specified lbu Failed: 1 Undefined: 2 app ONTINUE WITH EMAIL'' with Email button Intry as required on registration page NoSuchElementException: An element could not be local parameters. In this error, please visit: http://seleniumhq.org/exception lb. 3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 lb. M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', la. version: '11.0.2' In. java_client.android.AndroidDriver vity: com.prudential.pulse.MainAc, appPackage: com. ls: true, automationName: UiAutomator2, databaseEnable: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc	0.00s 10.54s 9.89s 15.85s ted on the page s 2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P, EDD40043P,		

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.jaya client.AppiumDriver.findElementByXPath(AppiumDriver.jaya:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/home/mycommunities
/PulseMyCommunities.feature:8)
```

	Then I wait for 3 sec			0.00s
	And I click the Sign i	in link		0.00s
	9:26 G E E C .	0.00		
	pulse'			
	potse			
4.0	ter			0.00s
Af				0.005
⊨				0.005
Bac	ck to Table of Contents	e able to login	on ann with correct credentials using "G	
Bac	ck to Table of Contents	e able to login	on app with correct credentials using "C	
Bac Sco Gr	ek to Table of Contents chario: User should b	e able to login Failed: 1	on app with correct credentials using "O	
Bac Sco Gr Pas	k to Table of Contents enario: User should b nail''			Continue with
Bac Sco Gr Pas Be	ek to Table of Contents enario: User should b nail'' sed: 1 fore	Failed: 1	Undefined: 5	Duration: 7.74s 0.00s
Bac Sco Gr Pas Be	k to Table of Contents enario: User should b nail'' sed: 1 fore And I assign ''\${onep	Failed: 1 oulse.login.glob	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL"	Duration: 7.74s 0.00s 0.00s
Bac Sco Gr Pas Be	k to Table of Contents enario: User should b nail'' sed: 1 fore And I assign ''\${onep	Failed: 1 oulse.login.glob	Undefined: 5	Duration: 7.74s 0.00s
Bac Sco Gr Pas Be	ek to Table of Contents enario: User should b nail'' sed: 1 fore And I assign "\${onep	Failed: 1 oulse.login.glob guage option o	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" on toggle bar as required on login page	Duration: 7.74s 0.00s 0.00s 7.74s
Bac Sco Gr Pas Be	ek to Table of Contents enario: User should b nail'' sed: 1 fore And I assign "\${onep	Failed: 1 oulse.login.glob guage option o	Undefined: 5 pal.id}'' to variable "PULSE_EMAIL" on toggle bar as required on login page entException: An element could not be lo	Duration: 7.74s 0.00s 0.00s 7.74s
Bac Sco Gr Pas Be	enario: User should benail" sed: 1 fore And I assign "\${onep} Given I select the lan org.openqa.selenium using the given search	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl	Undefined: 5 pal.id}'' to variable "PULSE_EMAIL" on toggle bar as required on login page entException: An element could not be lo	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page
Bac Sco Gr Pas Be	ch to Table of Contents chario: User should benail'' sed: 1 fore And I assign ''\${onep} Given I select the lan org.openqa.selenium using the given searc For documentation o /no_such_element.htm	Failed: 1 oulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl	Undefined: 5 pal.id}" to variable "PULSE_EMAIL" on toggle bar as required on login page entException: An element could not be logen to the second state of the second	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page
Bac Sco Gr Pas Be	ch to Table of Contents chario: User should benail' sed: 1 fore And I assign ''\${onep Given I select the lan org.openqa.selenium using the given searc For documentation o /no_such_element.htm Build info: version: ''	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision	Undefined: 5 Dal.id}" to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be logenessed in the could not	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page ions 6.12Z'
Bac Sco Gr Pas Be	ch to Table of Contents chario: User should benail" sed: 1 fore And I assign "\${onepare or a select the land or a	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be logentessed with the property of the property	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page ions 6.12Z'
Bac Sco Gr Pas Be	chario: User should be nail" sed: 1 fore And I assign "\${oner or open a selenium using the given search for documentation of /no_such_element.htm Build info: version: 'Tos.version: '10.0', jav	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lefted by the series of the	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page ions 6.12Z'
Bac Sco Gr Pas Be	chario: User should benail" sed: 1 fore And I assign "\${onepoint of the land	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip va.version: '11. m.java_client.a	Undefined: 5 Dal.id}" to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lease visit: http://seleniumhq.org/exceptin: '7c6e0b3', time: '2018-05-08T14:04:260: '192.168.1.124', os.name: 'Windows 100.2' android.AndroidDriver	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page ions 6.12Z' 0', os.arch: 'amd64',
Bac Sco Gr Pas Be	chario: User should benail" sed: 1 fore And I assign "\${onepart or governous and the given search or governous and given se	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip ra.version: '11. m.java_client.a ivity: com.pru	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lease visit: http://seleniumhq.org/exceptin: '7c6e0b3', time: '2018-05-08T14:04:20: '192.168.1.124', os.name: 'Windows 100.2' android.AndroidDriver dential.pulse.MainAc, appPackage: co	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page ions 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse.
Bac Sco Gr Pas Be	chario: User should benail" sed: 1 fore And I assign "\${onepart of the language of the lang	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip va.version: '11. m.java_client.a ivity: com.pruets: true, autom	Undefined: 5 Dal.id}" to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lease visit: http://seleniumhq.org/exceptin: '7c6e0b3', time: '2018-05-08T14:04:260: '192.168.1.124', os.name: 'Windows 100.2' android.AndroidDriver	Duration: 7.74s 0.00s 0.00s 7.74s cated on the page ons 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse. habled: false,
Bac Sco Gr Pas Be	chario: User should benail" sed: 1 fore And I assign "\${oneparage of the landary of the given search of the landary of the la	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip ra.version: '11. m.java_client.a ivity: com.prue rts: true, autom y: com.prudent	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lefted by the lease visit: http://seleniumhq.org/exception: '7c6e0b3', time: '2018-05-08T14:04:20: '192.168.1.124', os.name: 'Windows 100.2' android.AndroidDriver dential.pulse.MainAc, appPackage: contaitionName: UiAutomator2, databaseEn	Duration: 7.74s 0.00s 0.00s 7.74s ocated on the page fons 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse. habled: false, rudential.pulse.uat,
Bac Sco Gr Pas Be	chario: User should be nail" sed: 1 fore And I assign "\${onep} Given I select the land org. openqa. selenium using the given search for documentation of /no_such_element.htm Build info: version: "Esystem info: host: "Tos. version: 10.0", jav Driver info: io. appium Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlerts: tranewCommandTimeo	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip va.version: '11. m.java_client.a ivity: com.prue vts: true, autom vt: com.prudent rue, automatio out: 10000, noR	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lefted by the lease visit: http://seleniumhq.org/exception: '7c6e0b3', time: '2018-05-08T14:04:20: '192.168.1.124', os.name: 'Windows 100.2' android.AndroidDriver dential.pulse.MainAc, appPackage: contationName: UiAutomator2, databaseEntial.pulse.MainAc, appPackage: com.punName: UiAutomator2, deviceName: AiReset: true, platformName: android}, deviceName: AiReset: true, platformName: android}	Duration: 7.74s 0.00s 0.00s 7.74s cated on the page cons 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse. habled: false, rudential.pulse.uat, ndroid-Test, viceApiLevel: 30,
Bac Sco Gr Pas Be	chario: User should be mail" sed: 1 fore And I assign "\${oneparates or goven question of the given search of the given sear	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip ra.version: '11. m.java_client.a ivity: com.prue rts: true, autom true, automatio out: 10000, noR c Google, device	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be leftered by the series of th	Duration: 7.74s 0.00s 0.00s 7.74s cated on the page cons 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse. habled: false, rudential.pulse.uat, hdroid-Test, viceApiLevel: 30, D40043P,
Bac Sco Gr Pas Be	chario: User should benail" sed: 1 fore And I assign "\${oneparate or groupen a select the landary or groupen a select the lan	Failed: 1 Dulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip ra.version: '11. m.java_client.a ivity: com.prudent rue, automatio out: 10000, noR c Google, device 1440, deviceSc	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be lease visit: http://seleniumhq.org/exception: '7c6e0b3', time: '2018-05-08T14:04:26: '192.168.1.124', os.name: 'Windows 160.2' android.AndroidDriver dential.pulse.MainAc, appPackage: conationName: UiAutomator2, databaseEntial.pulse.MainAc, appPackage: conationName: UiAutomator2, deviceName: Aleset: true, platformName: android}, deviceModel: Pixel 5, deviceName: 0C241FD creenSize: 1080x2340, deviceUDID: 0C24	Duration: 7.74s 0.00s 0.00s 7.74s cated on the page cons 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse. habled: false, rudential.pulse.uat, hdroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P,
Bac Sco Gr Pas Be	chario: User should be nail" sed: 1 fore And I assign "\${onep} Given I select the land org. openqa. selenium using the given search for documentation of /no_such_element.htm Build info: version: "System info: host: "Tos. version: '10.0', jav Driver info: io. appius Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlerts: transwCommandTimeodeviceManufacturer: deviceScreenDensity: javascriptEnabled: transport to the serior of the seri	Failed: 1 oulse.login.glob guage option of NoSuchEleme h parameters. on this error, pl ml 3.12.0', revision M003LSIN', ip va.version: '11. m.java_client.a ivity: com.prue vts: true, autom vts: true, autom vts: true, autom vts: 10000, noR vts: 440, deviceSc rue, locationCo	Undefined: 5 Dal.id}'' to variable "PULSE_EMAIL" On toggle bar as required on login page entException: An element could not be leftered by the series of th	Duration: 7.74s 0.00s 0.00s 7.74s cated on the page cons 6.12Z' 0', os.arch: 'amd64', m.prudential.pulse. habled: false, rudential.pulse.uat, ndroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true,

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/home
/mycommunities/PulseMyCommunities.feature:14)
```

	rs credentials		0.00s
	PULSE_EMAIL}		
Password \${}	pulse.password}		
And User clicks	on signin button		0.00s
Then I wait for 1	10 sec		0.00s
		for user email ''\${PULSE_EMAIL}''	0.00s
Then user should	d be landed to ''Ho	me'' screen	0.00s
After			0.00s
Back to Table of Conter	<u>nts</u>		
Scenario: User shou Email'' and Verify (on app with correct credentials using "es screen	Continue with
Passed: 3	Failed: 1	Undefined: 1	Duration: 28.03
Before			0.00s
Then I wait for 6	5 sec		6.01s
And I click the N	MyCommunities ico	on	8.02s
Then I wait for 6	<u> </u>		6.01s
And I verify follo	owing texts are disp	played	8.00s
\${icon.comm			
at com.onepulse. (MyDocSteps.jav	.app.stepdefinitions va:717)	ertAll(SoftAssert.java:43) s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie	
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyComm	.app.stepdefinitions va:717) following texts are (unities.feature:27)	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunitie	
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommo	.app.stepdefinitions va:717) following texts are o unities.feature:27) following texts ''Al	s.mobilesteps.MyDocSteps.verifyTextsO	es
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommo	.app.stepdefinitions va:717) following texts are of unities.feature:27) following texts "Al nities.text	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunitie	es
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommon	.app.stepdefinitions va:717) following texts are of unities.feature:27) following texts "Al nities.text	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunitie	0.00s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommon And I verify the \${my.common \${All.Common	.app.stepdefinitions va:717) following texts are o unities.feature:27) following texts "Al nities.text} unities.text	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunitie	es
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community} All.Community After Back to Table of Conternal	.app.stepdefinitions va:717) following texts are o unities.feature:27) following texts "Al nities.text} unities.text	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunities!! in Screen	0.00s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommo	.app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text} inities.text e community if alre	s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie ll Communities'' in Screen	0.00s 0.00s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community} After Back to Table of Contents Scenario: Leave the Passed: 0	.app.stepdefinitions va:717) following texts are o unities.feature:27) following texts "Al nities.text} unities.text	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunities!! in Screen	0.00s 0.00s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommu And I verify the \${my.commu} \${All.Commu} After Back to Table of Content Scenario: Leave the Passed: 0 Before	.app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text} mities.text} community if alre Failed: 1	s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie ll Communities'' in Screen ady joined Undefined: 2	0.00s 0.00s Duration: 7.96s 0.00s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommu And I verify the \${my.commu} \${All.Commu} After Back to Table of Content Scenario: Leave the Passed: 0 Before	.app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text} mities.text} e community if alre Failed: 1	s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie ll Communities'' in Screen	0.00s 0.00s Duration: 7.96s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community After Back to Table of Content Because the Passed: 0 Before And I clicks on ' org.openqa.selen	.app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text} nts e community if alre Failed: 1 '\${my.communities} nium.NoSuchEleme	s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie ll Communities'' in Screen eady joined Undefined: 2 s.text}'' in app screen entException: An element could not be le	0.00s 0.00s 0.00s Duration: 7.96s 0.00s 7.96s
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommu And I verify the \${my.commu \${All.Commu \${All.Commu }} Cenario: Leave the Passed: 0 Before And I clicks on ' org.openqa.selen using the given s	.app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text} mities.text e community if alre Failed: 1 '\${my.communities} nium.NoSuchEleme earch parameters.	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunities Il Communities'' in Screen eady joined Undefined: 2 s.text}'' in app screen entException: An element could not be leading to the screen of the scre	0.00s 0.00s 0.00s Duration: 7.96s 0.00s 7.96s ocated on the page
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community \${All.Community \${Community \${All.Community \${Community	.app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al mities.text} mities.text} ts community if alre Failed: 1 '\${my.communities} nium.NoSuchEleme search parameters. ion on this error, pl	s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie ll Communities'' in Screen eady joined Undefined: 2 s.text}'' in app screen entException: An element could not be le	0.00s 0.00s 0.00s Duration: 7.96s 0.00s 7.96s ocated on the page
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community After Back to Table of Contents Scenario: Leave the Passed: 0 Before And I clicks on ' org.openqa.selen using the given s For documentati /no_such_element	app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text} nities.text} re community if alre Failed: 1 '\${my.communities} nium.NoSuchEleme tearch parameters. ion on this error, plant.html	s.mobilesteps.MyDocSteps.verifyTextsO displayed(features/home/mycommunitie ll Communities'' in Screen eady joined Undefined: 2 s.text}'' in app screen entException: An element could not be le lease visit: http://seleniumhq.org/except	Duration: 7.96s 0.00s 7.96s ocated on the page ions
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommu And I verify the \${my.commu \${All.Commu} \$After Back to Table of Conter Scenario: Leave the Passed: 0 Before And I clicks on ' org.openqa.selen using the given s For documentati /no_such_elemen Build info: version	.app.stepdefinitions va:717) following texts are of unities.feature:27) following texts "Almities.text" mities.text mities.text e community if alreaded: 1 '\${my.communities} nium.NoSuchElement is earch parameters. ion on this error, plant.html on: '3.12.0', revision int.html	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunities Il Communities'' in Screen eady joined Undefined: 2 s.text}'' in app screen entException: An element could not be leading to the screen of the scre	0.00s 0.00s 0.00s Duration: 7.96s 0.00s 7.96s ocated on the page ions 6.12Z'
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community After Back to Table of Contents Scenario: Leave the Passed: 0 Before And I clicks on ' org.openqa.selentusing the given s For documentatity /no_such_elements Build info: version System info: hos os.version: '10.0'	app.stepdefinitions va:717) following texts are ounities.feature:27) following texts "Al nities.text nities.text nities.text nities.text respectively are community if alrest respectively respectively in the community if alrest respectively respectivel	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunities) Il Communities'' in Screen Enday joined Undefined: 2 S.text}'' in app screen entException: An element could not be lease visit: http://seleniumhq.org/excepton: '7c6e0b3', time: '2018-05-08T14:04:2p: '192.168.1.124', os.name: 'Windows 160.2'	0.00s 0.00s 0.00s Duration: 7.96s 0.00s 7.96s ocated on the page ions 6.12Z'
at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommu And I verify the \${my.commu \${All.Commu} \${All.Commu} After Back to Table of Conter Scenario: Leave the Passed: 0 Before And I clicks on ' org.openqa.selen using the given s For documentati /no_such_elementati	app.stepdefinitions va:717) following texts are of unities.feature:27) following texts "Almities.text" mities.text mities.text e community if alremaisment failed: 1 '\${my.communities} ion on this error, plant.html on: '3.12.0', revision: '11.tml or: '3.12.0', revision: '11.tml ppium.java_client.a	s.mobilesteps.MyDocSteps.verifyTextsOdisplayed(features/home/mycommunities/lt Communities/lt in Screen Communities/lt in Screen Undefined: 2 s.text}'' in app screen entException: An element could not be lease visit: http://seleniumhq.org/except in: '7c6e0b3', time: '2018-05-08T14:04:2 p: '192.168.1.124', os.name: 'Windows 16	0.00s 0.00s

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534)

at .And I clicks on "\${my.communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:34)

Then I wait for 5 sec	0.00s
Then I leave all joined communities by clicking on three dots menu icon on my My communities screen	0.00s



We are sorry

9:27 🕟 🖽 🖽 🐧 🔹

Currently the Pulse application is not available in your region.

Also please ensure you have an active internet

Your Device Id: 3f6e745edfb3c81c

Af	ter			0.00s		
<u>Ba</u>	Back to Table of Contents					
Sc	enario: Verify the All	Communities Post scre	een			
Pa	ssed: 1	Failed: 1	Undefined: 7	Duration: 12.95s		
Ве	fore			0.00s		
	Then I wait for 5 sec			5.01s		
	And I clicks on '\\${All.Communities.text}'' in app screen			7.94s		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "\${All.Communities.text}" in app screen(features/home/mycommunities /PulseMyCommunities.feature:43) 9:27 🕟 🖽 🖽 🐧 🔹 0.98 We are sorry Currently the Pulse application is not available Also please ensure you have an active internet Your Device Id: 3f6e745edfb3c81c 0.00sAfter **Back to Table of Contents** Scenario: Verify the Likes and comments counts in All communities tab Passed: 0 Failed: 1 **Undefined: 7** Duration: 23.78s 0.00sBefore 23.78s And I click the Post icon in My communities org.openqa.selenium.NoSuchElementException: An element could not be located on the page

```
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508) at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds (MyCommunitiesScreen.java:311) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons (MyCommunitiesSteps.java:106) at .And I click the Post icon in My communities(features/home/mycommunities /PulseMyCommunities.feature:57) Comments TEST1 0.91 9:27 🕟 🖽 🖽 🐧 🔹 We are sorry Currently the Pulse application is not available Also please ensure you have an active internet Your Device Id: 3f6e745edfb3c81c 0.00sAfter **Back to Table of Contents**

ssed: 0	Failed: 1	Undefined: 3	Duration: 19.
efore			0.00s
And I click t	he share icon in Post sci	reen	19.68s
using the giv For document /no_such_ele Build info: v System info: os.version: '1 Driver info: Capabilities uat, autoDist desired: {app autoDismiss/ newCommant deviceManual deviceScreen javascriptEn newComman	en search parameters. Intation on this error, pla ment.html ersion: '3.12.0', revision host: 'TM003LSIN', ip: 10.0', java.version: '11.0 io.appium.java_client.a: {appActivity: com.prud missAlerts: true, automation Alerts: true, automation dTimeout: 10000, noRe facturer: Google, devices abled: true, locationCon dTimeout: 10000, noRe adTimeout: 10000, noRe		descriptions [4:04:26.12Z' dows 10', os.arch: 'amd6 [age: com.prudential.pulse.uame: Android-Test, oid}, deviceApiLevel: 30, [2241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, form: LINUX,
viewportRec false} Session ID: 7 *** Element Pulsemate!') at jdk.intern at java.base/ (DelegatingC	t: {height: 2015, left: 0, /a2ebf45-4a5a-449a-8fcf info: {Using=xpath, val]} al.reflect.GeneratedCor jdk.internal.reflect.Dele ConstructorAccessorImp	top: 145, width: 1080}, warnings f-ef7d4cdf4b64 lue=//android.widget.TextView[constructorAccessor21.newInstance egatingConstructorAccessorImp	s: {}, webStorageEnabled contains(@text,'Hi ce(Unknown Source) l.newInstance
(W3CHttpRoat org.openq (W3CHttpRoat org.openq	esponseCodec.java:187) a.selenium.remote.http. esponseCodec.java:122) a.selenium.remote.http.	. W3 CH ttp Response Code c. decode	le
at org.openq 158) at io.appium	.java_client.remote.App	CommandExecutor.execute(Htt	
at org.openq at io.appium java:42)	.java_client.DefaultGen	31) toteWebDriver.execute(RemoteV nericMobileDriver.execute(Defau iver.execute(AppiumDriver.java	ultGenericMobileDriver.
at io.appium at org.openq at io.appium	.java_client.android.An a.selenium.remote.Rem	ndroidDriver.execute(AndroidDr noteWebDriver.findElement(Ren nericMobileDriver.findElement	river.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)

at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon

(MyCommunitiesScreen.java:556)


 $at\ com. one pulse. app. step definitions. mobile steps. My Communities Steps. Click Share I consider the constant of the co$

(MyCommunitiesSteps.java:173)

at .And I click the share icon in Post screen(features/home/mycommunities

/PulseMyCommunities.feature:68)

/	
And Verify the pop up in "Share with Friends"	0.00s
And I click the phone icon in share with friends	0.00s
And I give camera permission	0.00s




After 0.00s

Back to Table of Contents

ssed: 0	Failed: 1	Undefined: 11	Duration: 15.
fore			0.00s
Then I click s	kip button in feeds scre	een	15.78s
org.openqa.se using the give For documen /no_such_eler Build info: ve System info: los.version: '1' Driver info: i Capabilities { uat, autoDism desired: {app autoDismissAnewComman deviceManufideviceScreen javascriptEng	elenium.NoSuchElement search parameters. tation on this error, plement.html ersion: '3.12.0', revision host: 'TM003LSIN', ip: 0.0', java.version: '11.0 o.appium.java_client.anappActivity: com.prudentissAlerts: true, automation dTimeout: 10000, noReacturer: Google, device Density: 440, deviceScrabled: true, locationContention	ease visit: http://seleniumhq.org/o : '7c6e0b3', time: '2018-05-08T14' : '192.168.1.124', os.name: 'Wind	exceptions 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.puls baseEnabled: false, com.prudential.pulse.ua me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, unectionEnabled: true,
platformNam viewportRect false} Session ID: 73 *** Element i Pulsemate!')]	e: Android, platformV : {height: 2015, left: 0, a2ebf45-4a5a-449a-8fcf info: {Using=xpath, val }	ersion: 11, statBarHeight: 145, tatop: 145, width: 1080}, warnings	akesScreenshot: true, :: {}, webStorageEnabled ontains(@text,'Hi
at java.base/j (DelegatingC at java.base/j at org.openqa	dk.internal.reflect.Dele onstructorAccessorImp ava.lang.reflect.Constr	gatingConstructorAccessorImplol.java:45) uctor.newInstance(Constructor.j W3CHttpResponseCodec.create	.newInstance java:490)
at org.openqa (W3CHttpRe at org.openqa	.selenium.remote.http. sponseCodec.java:122)	W3CHttpResponseCodec.decode	
158) at io.appium.	java_client.remote.App	CommandExecutor.execute(Http: oiumCommandExecutor.execute	CommandExecutor.jav
at org.openqa at io.appium, java:42)	java_client.DefaultGen	oteWebDriver.execute(RemoteWericMobileDriver.execute(Defau	ltGenericMobileDriver.
at io.appium, at org.openqa	java_client.android.An .selenium.remote.Rem	ver.execute(AppiumDriver.java: droidDriver.execute(AndroidDri oteWebDriver.findElement(Rem ericMobileDriver.findElement	iver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.	iova.1)					
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rem	•					
java:419)	iote webbiivei.					
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath						
(DefaultGenericMobileDriver.java:152)						
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.	.java:1)					
at io.appium.java_client.android.AndroidDriver.findElementByXPath(Andro	oidDriver.java:1)					
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)						
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebI	Oriver.java:309)					
at io.appium.java_client.DefaultGenericMobileDriver.findElement						
(DefaultGenericMobileDriver.java:58)						
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	• 4)					
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.	•					
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute	•					
19)	Commanu.java.					
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:16	3)					
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508						
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedb						
(MyCommunitiesScreen.java:662)						
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSl	kipbutton					
(MyCommunitiesSteps.java:208)						
at .Then I click skip button in feeds screen(features/home/mycommunities						
/PulseMyCommunities.feature:75)						
Then I wait for 2 sec	0.00s					
And I click the Back icon in Stay Active screen	0.00s					
Then I wait for 3 sec	0.00s					
And I click Edit icon in stay Active icon	0.00s					
And I click the Camera icon in create post screen	0.00s					
And I click the Upload Image icon	0.00s					
And I give camera permission	0.00s					
Then I take picture from Camera	0.00s					
And Enter the post in community screen	0.00s					
POST TEST1	0.005					
	0.00-					
And Enter the post in community large text screen	0.00s					
POST welcome						
	0.00s					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.003					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	0.005					
And I click the Post icon in create post screen	7.005					
And I click the Post icon in create post screen	7.005					



uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

false}

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

```
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
iava:1741)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${category.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:93)
```

Fitness Global Awareness			
a waitiles	Days		
Mental Health	1 2 4 5		
	o.post.category}'' in app screen	n	0.00s
	pply.button}" in app screen		0.00s
	g texts are displayed		0.00s
\${no.post.found.te			
We are sorry Currently the Pulse application is not avain your region. Also please ensure you have an active in connection! Your Device Id: 3f6e745edfb3c81c			
After			0.00s
Back to Table of Contents			0.005
	s back to the community scree	en	
Scenario: User navigate		ned: 0	Duration: .31s
	il uncu. o		Duranon515
Passed: 1	T uned. 0		0.00s
Passed: 1 Before			0.00s
Passed: 1 Before And I click the Back	icon in Stay Active screen		
Passed: 1 Before And I click the Back After			0.00s 0.31s
Passed: 1 Before And I click the Back After Back to Table of Contents	icon in Stay Active screen		0.00s 0.31s
Passed: 1 Before And I click the Back After Back to Table of Contents		ned: 3	0.00s 0.31s
Passed: 1 Before And I click the Back After Back to Table of Contents Scenario: Leave the con	icon in Stay Active screen munity if already joined	ned: 3	0.00s 0.31s 0.00s
Passed: 1 Before And I click the Back After Back to Table of Contents Scenario: Leave the con Passed: 0 Before	icon in Stay Active screen munity if already joined		0.00s 0.31s 0.00s Duration: 8.06s

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7a2ebf45-4a5a-449a-8fcf-ef7d4cdf4b64
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Communities'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1741)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534)

at .And I clicks on '\\$\{my.communities.text\}'' in app screen(features/home/mycommunities/PulseMyCommunities.feature:108)

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s



9:29 🕟 🖽 🖽 🗘 🔹

0.90

Currently the Pulse application is not available in your region.

Also please ensure you have an active internet

connection! Your Device Id: 3f6e745edfb3c81c

4	AI	ter	0.008
I	A £		0.00c
		,	

Back to Table of Contents

Teat	ture: Verify Priv	ate My C	ommunities	s on One Pul	se App		
asse	ed: 4	Failed: 0		Undefined: 0		Duration: 168.84s	
S	Scenario: Launch the app and select the country as per specified lbu						
P	assed: 5		Failed: 0		Undefined: 0		Duration: 33.19s
B	Before						0.00s
	Given User has	s pulse ap	p				9.86s
	And user click	on "CON	TINUE W	ITH EMAII	.'' with Email	button	15.28s
	Then I change	the count	ry as requi	red on regist	tration page		0.21s
	Then I wait for	r 3 sec					3.01s

And I click the Sign in link		4.83s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to Email''	login on app with correct credentials using "Con	tinue with
Passed: 7 Faile	: 0 Undefined: 0	Duration: 68.82
Before		0.00s
And I assign "\${mychannel.	rivate.user}'' to variable ''PULSE_EMAIL''	0.00s
Given I select the language of	otion on toggle bar as required on login page	3.59s
When user enters credential		10.35s
UserName \${PULSE_EM	AIL}	
Password \${login.passwo	rd}	
And User clicks on signin bu	ton	0.22s
Then I wait for 10 sec		10.01s
	app for user email "\${PULSE_EMAIL}"	31.06s
Then user should be landed	o ''Home'' screen	13.60s
After		0.00s
Back to Table of Contents		
Scenario: Verify the My comm	nities screen	
Passed: 5 Faile	: 0 Undefined: 0	Duration: 17.62
Before		0.00s
And I click the MyCommun	ies icon	2.37s
Then I wait for 3 sec		3.01s
And I verify following texts a	re displayed	0.37s
\${icon.communities}		
And I verify the following te	ts "All Communities" in Screen	8.86s
\${my.communities.text} \${All.Communities.text}		
Then I wait for 3 sec		3.01s
After		0.00s
Back to Table of Contents		
	nmunities in communities screen	
Passed: 12 Faile		Duration: 49.21
Before		0.00s
And I click the Private "\${A	.Communities.text}" in Communties screen	5.09s
	thy content, Challenges etc." in "Test" in home	3.03s
	content, forum for celebrities etc." in "2020" in	3.51s
And I clicks on "Take a Pict	re'' in app screen	0.31s
And I click the Upload Imag	**	4.20s
And I give camera permission		9.91s
Then I take picture from Ca		9.87s

Then I wait for 3 se	ec	3.01s
And I scroll down		4.23s
And I click the con	tinue button	1.38s
Then I click skip b	utton in feeds screen	1.39s
And I clicks on "O		3.28s
After		0.00s
Back to Table of Contents		
Costuro: Varify MV Fyor	nt channel functionality on one pulse App	
Passed: 5 Faile		
	app and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 33.53s
Before	Falled: 0 Undermed: 0	0.00s
Given User has pul		11.34s
	epulse.events.user}" to variable "PULSE_EMAIL"	0.00s
	'CONTINUE WITH EMAIL" with Email button	15.07s
	country as required on registration page	0.26s
Then I wait for 2 se		2.01s
And I click the Sign	n in link	4.85s
After		0.00s
Back to Table of Contents		
Scenario: login to the	app with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 63.0s
Before		0.00s
Given I select the la	anguage option on toggle bar as required on login page	3.55s
When user enters of		9.92s
UserName \${PU	ILSE EMAIL)	
Password \${pul	se.password	
And User clicks on		0.26s
And I wait for 5 sec		5.01s
	n one pulse app for user email ''\${PULSE_EMAIL}''	30.54s
	be landed to "Home" screen	13.73s
After	landed to Home sereen	0.00s
		0.008
Back to Table of Contents		
	vent Functionality in Home screen	a
Passed: 3	Failed: 0 Undefined: 0	Duration: 62.21s
Before		0.00s
And I click the My		21.69s
And I wait for 40 se		40.00s
And I verify follow	ing texts are displayed	0.52s
You do not have	e any events enrolled yet	
Please choose fr	om the open events and get started	
		0.00s

Back to Table of Contents				
Scenario: Verify Events A	rchive tab			
Passed: 3	Failed: 0	Undefined: 0		Duration: 49.15s
Before				0.00s
And I click the Events	Archive icon			8.85s
And I wait for 40 sec				40.01s
And I verify following t	texts are display	ed		0.28s
You do not have any	v events in your a	archive.		
After				0.00s
Back to Table of Contents				
Scenario: Verify Open Eve	ents tab			
Passed: 3	Failed: 0	Undefined: 0		Duration: 175.12
Before				0.00s
And I click the Open E	vents icon			8.52s
And I wait for 40 sec				40.00s
And I verify either state	ic text or availab	ole open events are d	lisplayed on screen	126.60s
There are no events				_
Stay tuned for event	s on health and	fitness		
After				0.00s
7 11 10 1				
Back to Table of Contents	view ein quelity	dotoile under My E	Invironment sereen	
Back to Table of Contents eature: Verify that user can				
Back to Table of Contents eature: Verify that user can assed: 6 Failed: 0	Unde	efined: 0	Duration: 261.13s	mont Homo nag
eature: Verify that user can assed: 6 Failed: 0 Scenario: Verify that user	Undo	efined: 0 us air quality detail	Duration: 261.13s	
Back to Table of Contents eature: Verify that user can assed: 6 Failed: 0	Unde	efined: 0	Duration: 261.13s	ment Home pag Duration: 172.28
eature: Verify that user can assed: 6 Failed: 0 Scenario: Verify that user	Undo	efined: 0 us air quality detail	Duration: 261.13s	
Back to Table of Contents eature: Verify that user can assed: 6 Failed: 0 Scenario: Verify that user Passed: 16 Before	Undo can view previo	efined: 0 us air quality detail	Duration: 261.13s	Duration: 172.28 s 0.00s
Back to Table of Contents eature: Verify that user can assed: 6 Failed: 0 Scenario: Verify that user Passed: 16 Before Given User has pulse ap	Can view previo Failed: 0	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28
Back to Table of Contents eature: Verify that user can assed: 6 Failed: 0 Scenario: Verify that user Passed: 16 Before	Can view previo Failed: 0 pp se.login.global.io	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28 s 0.00s 9.81s
Back to Table of Contents eature: Verify that user can assed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse a And I assign "\${onepul	Can view previo Failed: 0 pp se.login.global.io	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28 s 0.00s 9.81s 0.00s
Back to Table of Contents eature: Verify that user can assed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse a And I assign ''\${onepul When I navigate to logi	Can view previo Failed: 0 pp se.login.global.io in page entials	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s
Back to Table of Contents eature: Verify that user can assed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse a And I assign "\${onepul When I navigate to logi When user enters crede	Can view previo Failed: 0 pp se.login.global.io in page entials E_EMAIL}	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s
Back to Table of Contents eature: Verify that user can assed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to logi When user enters crede UserName \${PULSE}	Tailed: 0 Failed: 0 pp se.login.global.ic in page entials C_EMAIL} ord.text}	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s
Back to Table of Contents eature: Verify that user can ssed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to logical When user enters crede UserName \${PULSE Password \${Password \${Passwor	Tailed: 0 Failed: 0 pp se.login.global.ic in page entials C_EMAIL} ord.text}	efined: 0 us air quality detail Undefined: 0	Duration: 261.13s s under My Environ	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s
Back to Table of Contents eature: Verify that user can used: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul user Name user enters crede userName user enters crede userName user userName user enters crede userName user enters crede userName user enters crede userName user userName user enters crede user enters crede userName user enters crede userName user enters crede userName user enters crede user e	railed: 0 Failed: 0 pp se.login.global.io in page entials E_EMAIL} ord.text} hin button	us air quality detail Undefined: 0 d}'' to variable "PU ser email "\${PULS}	Duration: 261.13s s under My Environ LSE_EMAIL''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s
Back to Table of Contents eature: Verify that user can ssed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to loging When user enters crede UserName \${PULSE Password \${Password Separation of the I wait for 10 second	railed: 0 Failed: 0 pp se.login.global.io in page entials E_EMAIL} ord.text} hin button	us air quality detail Undefined: 0 d}'' to variable "PU ser email "\${PULS}	Duration: 261.13s s under My Environ LSE_EMAIL''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s
Back to Table of Contents eature: Verify that user can used: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul user Name user enters crede userName user enters crede userName user userName user enters crede userName user enters crede userName user enters crede userName user userName user enters crede user enters crede userName user enters crede userName user enters crede userName user enters crede user e	can view previo Failed: 0 pp se.login.global.id in page entials E_EMAIL} ord.text} ain button e pulse app for unded home screen	us air quality detail Undefined: 0 d}'' to variable "PU ser email "\${PULS}	Duration: 261.13s s under My Environ LSE_EMAIL''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s 0.29s 10.02s 30.06s
Back to Table of Contents eature: Verify that user can used: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to logic When user enters creded UserName \${PULSE Password \${Password Service on sign Then I wait for 10 sec And I enter OTP in one Then user should be lart When I clicks on Health And I clicks on My Enverted.	ran view previo Failed: 0 pp se.login.global.id in page entials E_EMAIL} ord.text} ain button e pulse app for unded home screet h button vironment icon	us air quality detail Undefined: 0 d}'' to variable "PU ser email "\${PULS}	Duration: 261.13s s under My Environ LSE_EMAIL'' E_EMAIL}''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s 0.29s 10.02s 30.06s 9.39s
Back to Table of Contents eature: Verify that user can seed: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to logic When user enters crede UserName \${PULSE Password \${Password Seed Note of the I wait for 10 sec And I enter OTP in one Then user should be late When I clicks on Health	ran view previo Failed: 0 pp se.login.global.id in page entials E_EMAIL} ord.text} ain button e pulse app for unded home screet h button vironment icon	us air quality detail Undefined: 0 d}'' to variable "PU ser email "\${PULS}	Duration: 261.13s s under My Environ LSE_EMAIL'' E_EMAIL}''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s 0.29s 10.02s 30.06s 9.39s 13.19s
Back to Table of Contents eature: Verify that user can used: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to logic When user enters creded UserName \${PULSE Password \${Password Service And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lared When I clicks on Health And I clicks on My Enverted Then User must be land When User clicks on Province The Content of the C	can view previo Failed: 0 pp se.login.global.id in page entials E_EMAIL} ord.text} ain button e pulse app for unded home screeth button vironment icon ded in My Envir	us air quality detail Undefined: 0 d}" to variable "PU ser email "\${PULS} en conment Home Page ity button	Duration: 261.13s s under My Environ LSE_EMAIL'' E_EMAIL}''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s 0.29s 10.02s 30.06s 9.39s 13.19s 60.71s 0.51s 0.68s
Back to Table of Contents eature: Verify that user can used: 6 Scenario: Verify that user Passed: 16 Before Given User has pulse and I assign "\${onepul When I navigate to logical When user enters creded UserName \${PULSE Password \${Password \${Password I enter OTP in one Then user should be land When I clicks on Health And I clicks on My Envertee Then User must be land	can view previo Failed: 0 pp se.login.global.ic in page entials E_EMAIL} ord.text} in button e pulse app for unded home screet h button vironment icon ded in My Envir revious Air quali revious'' Air quali	us air quality detail Undefined: 0 d}" to variable "PU ser email "\${PULS} onment Home Page ity button ality search screen	Duration: 261.13s s under My Environ LSE_EMAIL'' E_EMAIL}''	Duration: 172.28 s 0.00s 9.81s 0.00s 7.42s 10.56s 0.29s 10.02s 30.06s 9.39s 13.19s 60.71s 0.51s 0.68s 8.25s

quality details		6.19s
	Previous'' Air Quality Details	3.03s
When User clicks on "Sy	wipes Down To Close' button to close the details	2.19s
After		0.00s
Back to Table of Contents		
Scenario: Verify that user of	can view Current air quality details under My Environm	ent Home pag
Passed: 7	Failed: 0 Undefined: 0	Duration: 20.03
Before		0.00s
And User clicks on ''Bac My Environments Home	ck" icon from "Previous Air Quality" screen to move to ePage	1.19s
Then User must be land	ed in My Environment Home Page	2.15s
When User clicks on Cu	rrent Air quality button	0.70s
Then User can view "Cu	ırrent'' Air quality search screen	6.06s
When User clicks on "Sy quality details	wipe Up for Details'' button to view current day air	5.72s
Then User can see the "	Current" Air Quality Details	3.41s
When User clicks on "Sy	wipes Down To Close' button to close the details	0.80s
After		0.00s
Back to Table of Contents		
Home page	can view air quality details for next few days under My E	
Passed: 7	Failed: 0 Undefined: 0	Duration: 19.94
Before		0.00s
And User clicks on 'Bac My Environments Home	ck" icon from "Current Air Quality" screen to move to ePage	1.02s
	ed in My Environment Home Page	3.19s
When User clicks on "H Environments Home Pa	low is my air quality over the next few days'' icon in ge	0.66s
Then User can view "Fo	recast" Air quality search screen	6.06s
When User clicks on "Sy quality details	wipe Up for Details'' button to view current day air	5.67s
Then User can see the "	ForeCast'' Air Quality Details	2.74s
When User clicks on "Sy	wipes Down To Close' button to close the details	0.60s
After		0.00s
Back to Table of Contents		
Scenario: Verify that user of Environment Home page	can access and view Neighbourhood air quality details ur	nder My
Passed: 4	Failed: 0 Undefined: 0	Duration: 10.72
		0.00s
Before	ck" icon from "Next Few Days Air Quality" screen to nts HomePage	0.98s
Before And User clicks on ''Bac move to My Environmen		0.98s 1.81s
And User clicks on ''Bac move to My Environmen Then User must be land	nts HomePage	

After				0.00s
Back to Table of Contents				
Scenario: Verify that user	can access an	d view Fi	res nearby under My Environmen	t Home page
Passed: 6	Failed: 0		Undefined: 0	Duration: 17.31s
Before				0.00s
And User clicks on "Bac move to My Environme		_	ourhood Air Quality" screen to	1.09s
Then User must be land	led in My En	vironmen	t Home Page	2.71s
When User clicks on Fin	0.68s			
Then User can view "Fi	res Nearby''	Air qualit	y search screen	6.01s
When User clicks on "S quality details	wipe Up for I	Details'' b	utton to view current day air	5.59s
When User clicks on "S	wipes Down	To Close"	button to close the details	1.23s
After				0.00s
Back to Table of Contents				
Scenario: Verify that user My Environment Home pa		cts of the	poor environment and upcoming a	activities under
Passed: 4	Failed: 0		Undefined: 0	Duration: 20.85s
Before				0.00s
And User clicks on "Bac Environments HomePa		ı ''Fires N	learby'' screen to move to My	0.99s
Then User must be land	led in My Env	vironmen	t Home Page	3.21s
	Why is it impo		nonitor my environment'' icon in	13.30s
Then User can view sho	rt term and l	ong term	effects screen	3.35s
After				0.00s
Back to Table of Contents				
eature: Verify the BabyLon	HRA Report	- Nutritio	n Rody Activity	
ssed: 19 Failed: 0	_	ndefined: 0	Duration: 308.31s	
Scenario: Launch the app				
	alled: 0	Country	Undefined: 0	Duration: 36.09s
Before Passed of	ancu. v		endermed. V	0.00s
				0.000
Given User has pulse ap				0 0 4 a
And Lossian !!\$(hra ron	_	" to vorio	ble "DIII SE EMAIL"	8.84s
And I assign "\${hra.rep	ort.email.id}			0.00s
And user click on "CON	oort.email.id} NTINUE WIT	TH EMAI	L'' with Email button	0.00s 17.18s
And user click on "CONThen I change the count	oort.email.id} NTINUE WIT	TH EMAI	L'' with Email button	0.00s 17.18s 0.21s
And user click on "CONThen I change the count Then I wait for 5 sec	oort.email.id} NTINUE WII try as require	TH EMAI	L'' with Email button	0.00s 17.18s 0.21s 5.02s
And user click on "CONThen I change the count Then I wait for 5 sec And I click the Sign in I	oort.email.id} NTINUE WII try as require	TH EMAI	L'' with Email button	0.00s 17.18s 0.21s 5.02s 4.84s
And user click on "CONThen I change the count Then I wait for 5 sec And I click the Sign in I	oort.email.id} NTINUE WII try as require	TH EMAI	L'' with Email button	0.00s 17.18s 0.21s 5.02s
And user click on "CON Then I change the count Then I wait for 5 sec And I click the Sign in 1 After Back to Table of Contents	oort.email.id} NTINUE WIT try as require	TH EMAI	L'' with Email button stration page	0.00s 17.18s 0.21s 5.02s 4.84s
And user click on "CON Then I change the count Then I wait for 5 sec And I click the Sign in I After Back to Table of Contents Scenario: login to the app	oort.email.id} NTINUE WIT try as require	TH EMAI	L'' with Email button	0.00s 17.18s 0.21s 5.02s 4.84s

		ar as required on login page	3.59s
When user enters creden			10.33s
UserName \${PULSE_	EMAIL}		
Password \${hra.passv	word}		
And User clicks on signing	n button		0.27s
And I wait for 5 sec	5.01s		
	* *	ail ''\${PULSE_EMAIL}''	30.80s
Then user should be land		1	13.83s
When I clicks on Health	button		14.00s
And I navigate to Babylo	on health Assessment	and Accept TermsAndCondition	40.55s
After			0.00s
Back to Table of Contents			
Scenario: User should be ab	le to access Babylon	Health Risk Assessment Report	
Passed: 2 Fai	iled: 0	Undefined: 0	Duration: 11.65
Before			0.00s
When I click on "Report	" link on digital twin	screen	5.36s
Then I verify the HRA R			6.30s
\${babylon.hraReport.	report.title}		
\${babylon.hraReport.			
\${babylon.hraReport.			
\${babylon.hraReport.	report.statement1}		
\${babylon.hraReport.	report.statement2}		
\${babylon.hraReport.	report.statement3}		
After			0.00s
Back to Table of Contents			·
Scenario: Verify the HRA A	activity Summary		
Passed: 1 Fai	iled: 0	Undefined: 0	Duration: 12.05
Before			0.00s
Then I verify the HRA R	esults are displayed		12.05s
\${babylon.hraReport.	<u>+ </u>		
\${babylon.hraReport.	• • •	1}	
\${babylon.hraReport.			
\${babylon.hraReport.			
\${babylon.hraReport.	<u> </u>	* *	
\${babylon.hraReport.	<u> </u>		
\${babylon.hraReport.			
\${babylon.hraReport.	· · · · · · · · · · · · · · · · · · ·		
After			0.00s
Back to Table of Contents			
Scenario: Verify the HRA A	ctivity Summary		
<u> </u>	iled: 0	Undefined: 0	Duration: 4.79s
		To and the same of	
Before			0.00s

Then I verify the	ne HRA Results are displayed	4.79s			
\${babylon.h	raReport.summary.organ.title}				
\${babylon.h	raReport.summary.organDescription}				
\${babylon.h	raReport.summary.organ.statement1}				
	raReport.summary.organ.statement2}				
\${babylon.h	raReport.summary.organ.statement3}				
After		0.00s			
Back to Table of Con	tents	3332			
	he HRA Activity summary				
Passed: 1	Failed: 0 Undefined: 0	Duration: 3.08s			
Before	Tuncus o Chuchicus o	0.00s			
	as IIDA Dagulta ana dignlayad	3.08s			
	ne HRA Results are displayed	J.008			
	raReport.activity.title} raReport.activity.subTitle}				
	1 ,				
	raReport.activity.statement1}				
	raReport.activity.statement2}	0.00			
After		0.00s			
Back to Table of Cont					
•	he HRA Nutrition Report				
Passed: 1	Failed: 0 Undefined: 0	Duration: 16.63			
Before		0.00s			
Then I verify the	ne HRA Results are displayed	16.63s			
\${babylon.h	raReport.nutrition.title}				
\${babylon.h	raReport.nutrition.subTitle}				
\${babylon.h	raReport.nutrition.statement1}				
\${babylon.h	raReport.nutrition.statement2}				
\${babylon.h	raReport.nutrition.statement3}				
	raReport.nutrition.statement4}				
\${babylon.h	raReport.nutrition.statement5}				
\${babylon.h	raReport.nutrition.statement6}				
\${babylon.h	raReport.nutrition.statement7}				
\${babylon.h	raReport.nutrition.statement8}				
\${babylon.h	raReport.nutrition.statement9}				
After		0.00s			
Back to Table of Con	ents				
Scenario: Verify t	he HRA Report - Keep It Up sub-section				
Passed: 1	Failed: 0 Undefined: 0	Duration: 13.23			
Before		0.00s			
	ne HRA Results are displayed	13.23s			
	1 0	13.435			
	\${babylon.hraReport.keepItUp} \${babylon.hraReport.lowFat}				
\${babylon.hraReport.lowFat.description}					
\${babylon.h	raReport.lowAlcohol}				

	raReport.lowAlcohol.description}					
\${babylon.h	raReport.lowCaffeine}					
\${babylon.h	\${babylon.hraReport.lowCaffeine.description}					
\${babylon.h	\${babylon.hraReport.fluids}					
\${babylon.h	raReport.fluids.description}					
After		0.00s				
Back to Table of Cont	ents					
Scenario: Verify tl	ne HRA Report - Make a Change sub-section					
Passed: 1	Failed: 0 Undefined: 0	Duration: 10.85s				
Before		0.00s				
Then I verify th	e HRA Results are displayed	10.85s				
	raReport.makeAChange}	10.000				
	raReport.change1}					
	raReport.change2}					
	raReport.change3}					
_ ` `	raReport.change4}					
	raReport.change5}					
After		0.00s				
Back to Table of Cont	anto	0.008				
		1 D. 1				
	build be able to access Babylon HRA - Healthcheel					
Passed: 4	Failed: 0 Undefined: 0	Duration: 12.29s				
Before		0.00s				
	"Healthcheck" link on digital twin screen	5.81s				
	''Body'' link on digital twin screen	2.38s				
	e HRA Results are displayed	0.80s				
	raReport.bodyButtton}					
Then I verify for	llowing text is displayed on HRA report	3.30s				
\${babylon.hr	raReport.body.bones}					
\${babylon.hr	raReport.body.heart}					
\${babylon.h	raReport.body.brain}					
\${babylon.hr	raReport.body.liver}					
After		0.00s				
Back to Table of Cont	ents					
	back to digital twin screen					
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.39s				
Before	z was v	0.00s				
	'Back'' link on digital twin screen	2.39s				
After	Dack link on digital twill selecti	0.00s				
		U.0US				
Back to Table of Cont		N. 4. 24.				
	build be able to access Babylon HRA - Healthcheel					
Passed: 4	Failed: 0 Undefined: 0	Duration: 37.45s				
Before	Tuneus v	0.00s				

When I click on "Nu	trition'' link on digital twin screen	3.25s					
Then I verify the HI	RA Results are displayed	0.88s					
\${babylon.hraRe	\${babylon.hraReport.nutrition}						
\${babylon.hraRe	\${babylon.hraReport.nutrition.description}						
When I click on "Re	When I click on "Retake Assessment" link on digital twin screen						
Then I verify the HI	RA Results are displayed	0.98s					
\${babylon.hraRe}	port.nutrition.retake}						
After		0.00s					
Back to Table of Contents							
Scenario: Navigate bac	k to nutrition screen and validate the static text						
Passed: 2	Failed: 0 Undefined: 0	Duration: 3.0s					
Before		0.00s					
And I click on "Back	k'' link on digital twin screen	2.29s					
	RA Results are displayed	0.72s					
	port.aboutDisease}						
	port.about.nutrition.description}						
After		0.00s					
Back to Table of Contents							
Scenario: navigate back	κ to digital twin screen						
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.37s					
Before		0.00s					
And I click on "Bacl	k'' link on digital twin screen	2.37s					
After		0.00s					
Back to Table of Contents		10000					
	be able to access Babylon HRA - Healthcheck - Activity						
Passed: 4	Failed: 0 Undefined: 0	Duration: 9.38s					
Before		0.00s					
When I click on "Ac	tivity'' link on digital twin screen	2.78s					
	RA Results are displayed	0.47s					
\${babylon.hraRe		100110					
	port.activity.subTitle}						
	take Assessment'' link on digital twin screen	5.62s					
	RA Results are displayed	0.51s					
	port.activity.retake}						
\${babylon.hraReport.activity.retake2}							
After		0.00s					
Back to Table of Contents							
	k to Activity screen and validate the static text						
Passed: 2	Failed: 0 Undefined: 0	Duration: 3.45s					
Before	- Additional V	0.00s					
	k'' link on digital twin screen	2.30s					
	RA Results are displayed	1.15s					
Then I verify the III	ar results are displayed	1.133					

Before 0.00s And I click on "Back" link on digital twin screen 2.24s After 0.00s Back to Table of Contents Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before 0.00s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed 1.38s \${babylon.hraReport.mood} \${babylon.hraReport.mood.duration} And I start the assessment 0.25s Then I verify the HRA Results are displayed 2.73s \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment2} After 0.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 Before 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Feature: Verify Dictician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email"	\${babylon.hraRepo	rt.aboutDisease}					
Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.24 Before 0.00s And I click on "Back" link on digital twin screen 2.24s After 0.00s Back to Table of Contents Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before 0.00s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed \$[babylon.hraReport.mood] \$[babylon.hraReport.mood.duration] \$ And I start the assessment 0.25s Then I verify the HRA Results are displayed 2.73s \$[babylon.hraReport.mood.dssessment] \$[babylon.hraReport.mood.assessment] \$[babylon.hraReport.mood.assessment] \$ \$[babylon.hraReport.mood.assessment] \$ \$[babylon.hraReport.mood.assessment2] \$ After 0.00s Back to Table of Contents Scenario: navigate back to digital twin screen 2.26s And I click on "Back" link on digital twin screen 2.26s After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 2 Failed: 1 Undefined: 2 Duration: 151 s Before 0.00s	\${babylon.hraRepo	rt.about.activity.descrip	tion}				
Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.24 Before 0.008 And I click on "Back" link on digital twin screen 2.24s After 0.008 Back to Table of Contents Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.72 Before 0.008 When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed 1.38s \${babylon.hraReport.mood} \${babylon.hraReport.mood.duration} And I start the assessment Then I verify the HRA Results are displayed 2.73s \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment2} After 0.008 Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 After 0.008 And I click on "Back" link on digital twin screen 2.26s After 0.008 Back to Table of Contents Passed: 2 Failed: 2 Undefined: 0 Duration: 2.60.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.008 Given I generate random number and assign to variable 0.008	After			0.00s			
Passed: 1 Failed: 0 Undefined: 0 Duration: 2.24 Before	Back to Table of Contents						
Before 0.00s And I click on "Back" link on digital twin screen 2.24s After 0.00s Back to Table of Contents Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before 0.00s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed \${\text{babylon.hraReport.mood.}}\$ \${\text{babylon.hraReport.mood.}}\$ And I start the assessment 0.25s Then I verify the HRA Results are displayed \${\text{babylon.hraReport.mood.assessment}}\$ \${\text{babylon.hraReport.mood.assessment}}\$ \${\text{babylon.hraReport.mood.assessment}}\$ \${\text{babylon.hraReport.mood.assessment}}\$ \${\text{babylon.hraReport.mood.assessment}}\$ After 0.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Centure: Verify Dictician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Duration: 151 \$\$\text{ Scenario Outline: Verify the Home screen validation using "Continue with Email"} Passed: 12 Failed: 1 Undefined: 2 Duration: 151 \$\$\text{ Scenario Outline: Verify the Home screen validation using "Continue with Email"} Passed: 12 Failed: 1 Undefined: 2 Duration: 151 \$\$\text{ Scenario Outline: Verify the Home screen validation using "Continue with Email"} Passed: 12 Failed: 1 Undefined: 2 Duration: 151 \$\$\text{ Scenario Outline: Verify the Home screen validation using "Continue with Email"} Passed: 12 Failed: 1 Undefined: 2 Duration: 151 \$\$\text{ Scenario Outline: Verify the Home screen validation using "Continue with Email"}	Scenario: navigate back to	o digital twin screen					
And I click on "Back" link on digital twin screen After 0.00s Back to Table of Contents Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before 0.00s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed \${babylon.hraReport.mood}\$ \${babylon.hraReport.mood.duration}\$ And I start the assessment 0.25s Then I verify the HRA Results are displayed \${babylon.hraReport.mood.auration}\$ After 0.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Duration: 151 Separation: 151 Separatio	Passed: 1	Failed: 0	Undefined: 0	Duration: 2.24s			
After 0.00s Back to Table of Contents Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before 0.00s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed 1.38s {\{\frac{1}{5}\}\} \{\frac{5}{5}\}\} \{\frac{5}{5}\} \{\frac{1}{5}\}\} \{\frac{5}{5}\} \{\frac{1}{5}\}\} \{\frac{5}{5}\} \{\frac{1}{5}\}\} \{\frac{5}{5}\} \{\frac{1}{5}\} \{\frac	Before			0.00s			
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood	And I click on "Back"	link on digital twin scre	en	2.24s			
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before 0.000s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed 1.38s \${babylon.hraReport.mood} \${babylon.hraReport.mood.duration} And I start the assessment 0.25s Then I verify the HRA Results are displayed 2.73s \${babylon.hraReport.mood.assessment} \${babylon.hraRepo	After			0.00s			
Passed: 4 Failed: 0 Undefined: 0 Duration: 6.73 Before	Back to Table of Contents						
Before 0.00s When I click on "Mood" link on digital twin screen 2.37s Then I verify the HRA Results are displayed 1.38s \${babylon.hraReport.mood} \${babylon.hraReport.mood.duration} And I start the assessment 0.25s Then I verify the HRA Results are displayed 2.73s \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment2} After 0.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 After 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Ceature: Verify Dictician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.00s Given I generate random number and assign to variable 0.00s Given I generate random number and assign to variable 0.00s Continue with Email Continue with Email	Scenario: User should be	able to access Babylon H	IRA - Healthcheck - Mood				
When I click on "Mood" link on digital twin screen Then I verify the HRA Results are displayed \${babylon.hraReport.mood}\$ \${babylon.hraReport.mood.duration}\$ And I start the assessment O.25s Then I verify the HRA Results are displayed \${babylon.hraReport.mood.assessment}\$ \${babylon.hraReport.mood.assessment}\$ \${babylon.hraReport.mood.assessment2}\$ After O.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26s After O.00s And I click on "Back" link on digital twin screen Pask to Table of Contents Ceature: Verify Dietician Negative Flow functionality on one pulse App assed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before O.00s	Passed: 4	Failed: 0	Undefined: 0	Duration: 6.73s			
Then I verify the HRA Results are displayed \${babylon.hraReport.mood} \${babylon.hraReport.mood.duration} And I start the assessment O.25s Then I verify the HRA Results are displayed \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment2} After O.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26s And I click on "Back" link on digital twin screen And I click on "Back" link on digital twin screen After O.00s Back to Table of Contents Seature: Verify Dictician Negative Flow functionality on one pulse App assed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before O.00s Given I generate random number and assign to variable	Before			0.00s			
Then I verify the HRA Results are displayed \${babylon.hraReport.mood} \${babylon.hraReport.mood.duration} And I start the assessment O.25s Then I verify the HRA Results are displayed \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment} \${babylon.hraReport.mood.assessment2} After O.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26s And I click on "Back" link on digital twin screen And I click on "Back" link on digital twin screen After O.00s Back to Table of Contents Seature: Verify Dictician Negative Flow functionality on one pulse App assed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before O.00s Given I generate random number and assign to variable	When I click on "Mood	d'' link on digital twin sc	creen	2.37s			
\$\{\text{babylon.hraReport.mood.duration}\} \				1.38s			
And I start the assessment Then I verify the HRA Results are displayed \${babylon.hraReport.mood.assessment}\$ \${babylon.hraReport.mood.assessment2}\$ After	\${babylon.hraRepo	rt.mood}					
Then I verify the HRA Results are displayed \${babylon.hraReport.mood.assessment}} \${babylon.hraReport.mood.assessment2} After	\${babylon.hraRepo	rt.mood.duration}					
S{babylon.hraReport.mood.assessment2}	And I start the assessm	nent		0.25s			
\$\{\text{babylon.hraReport.mood.assessment2}\} \ After	Then I verify the HRA	Results are displayed		2.73s			
After 0.00s Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 Before 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Seature: Verify Dictician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.00s Given I generate random number and assign to variable	\${babylon.hraRepo	rt.mood.assessment}					
Back to Table of Contents Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 Before 0.000s And I click on "Back" link on digital twin screen 2.26s After 0.000s Back to Table of Contents Feature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Duration: 151 Before 0.00s Given I generate random number and assign to variable	\${babylon.hraRepo	rt.mood.assessment2}					
Scenario: navigate back to digital twin screen Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 Before 0.000s And I click on "Back" link on digital twin screen 2.26s After 0.000s Back to Table of Contents Feature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.000s	After			0.00s			
Passed: 1 Failed: 0 Undefined: 0 Duration: 2.26 Before 0.00s And I click on "Back" link on digital twin screen 2.26s After 0.00s Back to Table of Contents Teature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.00s	Back to Table of Contents			•			
Before And I click on "Back" link on digital twin screen After Back to Table of Contents Ceature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.00s Given I generate random number and assign to variable	Scenario: navigate back to	o digital twin screen					
And I click on "Back" link on digital twin screen After Back to Table of Contents Feature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.00s Given I generate random number and assign to variable	Passed: 1	Failed: 0	Undefined: 0	Duration: 2.26s			
After Back to Table of Contents Feature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Before 0.00s Given I generate random number and assign to variable	Before			0.00s			
Back to Table of Contents Feature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Duration: 151 Before 0.00s Given I generate random number and assign to variable	And I click on "Back"	link on digital twin scre	en	2.26s			
Feature: Verify Dietician Negative Flow functionality on one pulse App Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Duration: 151 Before 0.00s Given I generate random number and assign to variable	After			0.00s			
Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email"	Back to Table of Contents						
Passed: 2 Failed: 2 Undefined: 0 Duration: 260.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12	eature: Verify Dietician Ne	gative Flow functionality	y on one pulse Ann				
Scenario Outline: Verify the Home screen validation using "Continue with Email" Passed: 12 Failed: 1 Undefined: 2 Duration: 151 Before 0.00s Given I generate random number and assign to variable							
Passed: 12 Failed: 1 Undefined: 2 Duration: 151 Before 0.00s Given I generate random number and assign to variable							
Before 0.00s Given I generate random number and assign to variable				Duration: 151.78			
Given I generate random number and assign to variable		0.00s					
	<u> </u>	0.00s					
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable 0.00s		0.00s					
"PULSE_EMAIL" And User has pulse app 9.76s		0 76s					
And User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 16.00s			L" with Email button				
Then I wait for 2 sec 2.01s		WITH EWAII	With Eman button				
Then I change the country as required on registration page 0.22s		ntry as required on regis	stration nage				

Then I wait for 5 sec	5.00s
When user enters registration details	7.35s
FirstName Diet	
LastName Test	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.26s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.69s
Then I wait for 5 sec	5.01s
Then I click skip button	65.48s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 692e4454-d446-4fc7-9327-4a88903bd1c3

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

	at io.appium.java client	t.DefaultGenericMobileDriver.execute(DefaultG	enericMobileDriver.				
	java:42)	002 014 014 0 014 0 14 0 14 0 14 0 14 0					
		t.AppiumDriver.execute(AppiumDriver.java:1)					
	at io.appium.java_client	t.android.AndroidDriver.execute(AndroidDriver	:.java:1)				
		remote. Remote WebDriver. find Element (Remote the context of th	WebDriver.java:317)				
		t.DefaultGenericMobileDriver.findElement					
	(DefaultGenericMobileI						
		t.AppiumDriver.findElement(AppiumDriver.jav					
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.						
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.						
	java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath						
	(DefaultGenericMobileI	·	au				
		t.AppiumDriver.findElementByXPath(AppiumD	river.iava:1)				
		t.android.AndroidDriver.findElementByXPath(A					
		By\$ByXPath.findElement(By.java:353)	0 /				
	at org.openqa.selenium.	remote.RemoteWebDriver.findElement(Remote	WebDriver.java:309)				
		t.DefaultGenericMobileDriver.findElement					
	(DefaultGenericMobileI						
		t.AppiumDriver.findElement(AppiumDriver.jav	*				
		t.android.AndroidDriver.findElement(AndroidD					
		elenium.Commands\$15.executeCommand(Comm					
	19)	elenium.ExecuteCommand.executeCommand(Ex	ecuteCommana.java:				
		reens TestRasePage clickRutton(TestRasePage ia	va•163)				
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)						
	at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton						
		•					
	(PulseRegistrationScree	•	«SkipButton				
	(PulseRegistrationScree	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClicl	«SkipButton				
	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java:	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClicl					
	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java:	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick :377) :ton(features/sg/health/dietician/Dietician_Negati					
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java: at .Then I click skip but	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick :377) :ton(features/sg/health/dietician/Dietician_Negati	veFlow.feature:22)				
A	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java: at .Then I click skip but Then user should be lan	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick :377) :ton(features/sg/health/dietician/Dietician_Negati	veFlow.feature:22)				
	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick :377) :ton(features/sg/health/dietician/Dietician_Negati	veFlow.feature:22) 0.00s 0.00s				
Ba	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick :377) :ton(features/sg/health/dietician/Dietician_Negati	veFlow.feature:22) 0.00s 0.00s				
Ba	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) eton(features/sg/health/dietician/Dietician_Negationded to ''Home'' screen	veFlow.feature:22) 0.00s 0.00s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec et at .Table of Contents enario: Verify User should be land to Table of Contents enario: Verify User should be land to Table of Contents enario: Verify User should be land to Table of Contents enario: Verify User should be land to Table of Contents enario: Verify User should be land to Table of Contents enario: Verify User should be land to Table of Contents enario: Verify User should be land to Table of Contents enarior to Table of Contents enarior to Table enarior t	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) cton(features/sg/health/dietician/Dietician_Negationed to "Home" screen	0.00s 0.00s 0.00s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec et at .Table of Contents enario: Verify User should ssed: 11	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) tton(features/sg/health/dietician/Dietician_Negationed to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0	0.00s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec et at .Table of Contents enario: Verify User should sed: 11	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClicl :377) rton(features/sg/health/dietician/Dietician_Negationded to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure	0.00s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec eter ck to Table of Contents enario: Verify User shoussed: 11 efore Given I relaunch the app Then I click the Health in the components of the contents of t	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) tton(features/sg/health/dietician/Dietician_Negationed to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen	0.00s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec eter ck to Table of Contents enario: Verify User should seed: 11 efore Given I relaunch the app Then I click the Health in Then I click the Dieticia	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) ton(features/sg/health/dietician/Dietician_Negationed to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen in in Health Screen	Duration: 66.97s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec exter ck to Table of Contents enario: Verify User should seed: 11 efore Given I relaunch the app Then I click the Health in Then I click the Dieticia And I clicks on "Doctor"	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) tton(features/sg/health/dietician/Dietician_Negationed to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen in in Health Screen "" in app screen	Duration: 66.97s 0.00s 17.44s 14.57s 18.09s 2.49s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be land Then I wait for 4 sec exter ck to Table of Contents enario: Verify User should seed: 11 efore Given I relaunch the app Then I click the Health in Then I click the Dieticia And I clicks on "Doctor And I click the continue of the second seed of the continue of the second seed of the second second seed of the second second seed of the second seed of the second	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) tton(features/sg/health/dietician/Dietician_Negationed to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen in in Health Screen "" in app screen	Duration: 66.97s 0.00s 17.44s 14.57s 18.09s 2.49s 0.34s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be land Then I wait for 4 sec enter center of the second sec	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) cton(features/sg/health/dietician/Dietician_Negationded to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen an in Health Screen button	Duration: 66.97s 0.00s 17.44s 14.57s 18.09s 2.49s 0.34s 3.02s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec exter ck to Table of Contents enario: Verify User shoussed: 11 efore Given I relaunch the app Then I click the Health in Then I click the Dieticia And I clicks on "Doctor And I click the continue Then I wait for 3 sec And Enter the Service New York (Pulser Service New York	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) tton(features/sg/health/dietician/Dietician_Negationed to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen in in Health Screen "" in app screen	Duration: 66.97s 0.00s 17.44s 14.57s 18.09s 2.49s 0.34s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be land Then I wait for 4 sec exter ck to Table of Contents renario: Verify User should seed: 11 refore Given I relaunch the app Then I click the Health in Then I click the Dieticia And I clicks on "Doctor And I click the continue Then I wait for 3 sec And Enter the Service Number 05	pdefinitions.mobilesteps.RegistrationSteps.iClick:377) ton(features/sg/health/dietician/Dietician_Negationded to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen in in Health Screen button Number in Service Number Screen	Duration: 66.97s 0.00s 0.00s 17.44s 14.57s 18.09s 2.49s 0.34s 3.02s 3.05s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be lan Then I wait for 4 sec enario: Verify User should be lan Then I wait for 4 sec enario: Verify User should be lan Then I click the Health in Then I click the Health in Then I click the Dieticia and I click the continue Then I wait for 3 sec enario and Enter the Service Note that I save the I sav	en.java:1132) pdefinitions.mobilesteps.RegistrationSteps.iClick:377) cton(features/sg/health/dietician/Dietician_Negationded to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen an in Health Screen button	Duration: 66.97s 0.00s 17.44s 14.57s 18.09s 2.49s 0.34s 3.02s				
Ba Sc Pa	(PulseRegistrationScree at com.onepulse.app.ste) (RegistrationSteps.java: at .Then I click skip but Then user should be land Then I wait for 4 sec exter ck to Table of Contents enario: Verify User should seed: 11 efore Given I relaunch the app Then I click the Health in Then I click the Dieticia And I clicks on "Doctor And I click the continue Then I wait for 3 sec And Enter the Service Number 05 And Enter the Issue Org ServiceNumber 07	pdefinitions.mobilesteps.RegistrationSteps.iClick:377) ton(features/sg/health/dietician/Dietician_Negationded to "Home" screen ald be able to navigate to Dietician page Failed: 0 Undefined: 0 p on registration failure icon in Home screen in in Health Screen button Number in Service Number Screen	Duration: 66.97s 0.00s 0.00s 17.44s 14.57s 18.09s 2.49s 0.34s 3.02s 3.05s				

And I clicks on "What is your service number?" ir	app screen 0.79s				
And I click the continue button	1.03s				
After	0.00s				
Back to Table of Contents					
Scenario: Verify User should be able to navigate to sp	ecialisation page				
	defined: 0 Duration: 22.				
Before	0.00s				
And I clicks on "General Physician" in app screen	1.03s				
And I click the continue button	1.41s				
And I click the continue button	1.36s				
And I verify following texts are displayed	0.78s				
Educational Details					
And Enter the Degree Name in Eductaion Details S	Screen 2.59s				
ServiceNumber MBBS					
And Enter the study Name in Eductaion Details So	reen 3.87s				
ServiceNumber Denist	P 1815				
And I clicks on "Educational Details" in app scree	n 0.84s				
And Enter the year Name in Eductaion Details Scr					
ServiceNumber 202020					
And I clicks on "Educational Details" in app scree	n 0.83s				
And Enter the university Name in Eductaion Detail					
ServiceNumber 202020	3.473				
And I clicks on "Educational Details" in app scree	n 1.35s				
And I click the continue button	1.26s				
After	0.00s				
Back to Table of Contents	0.003				
Scenario: Verify User should be able to navigate to Eq	Jugational Datails page				
	lefined: 0 Duration: 18.				
Before	0.00s				
And I Enter the "Enter Hospital/Clinic Name" in screen					
And I Enter the "Enter Location" in "Singapore"	in home screen 2.92s				
And I Enter the "Start Date" in "10" in dynamic s					
And I Enter the "End Date" in "10" in dynamic End date Experience screen					
And I Enter the "Start Date" in "2030" in dynami screen	c start years Experience 1.90s				
And I Enter the "End Date" in "2010" in dynamic	End years Experience screen 1.88s				
And I clicks on "Add Experience" in app screen	2.07s				
And I Enter the ''Enter profile title if any'' in ''ME profile screen	BBSDOCTOR" in Doctor 0.86s				
And I click the continue button	1.06s				
And I chek the continue button					

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: java.lang.IllegalStateException: Unable to evaluate
expression. See cause
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 692e4454-d446-4fc7-9327-4a88903bd1c3
*** Element info: {Using=xpath, value=//android.widget.TextView[Contains(@text,'Add
Experience')1}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
```

		•			Driver.findEl	ementByXPath	
		ericMobileDr	•				
		•			•	h(AppiumDriver.ja	
						tByXPath(Android	Driver.java:1)
	~ -	•	•		ent(By.java:3		
	~ -				ver.1111aE1em Driver.findEl	ent(RemoteWebDri	ver.java:509)
		gava_enem.r ericMobileDr			Di ivei .iiidei	ement	
					ment(Anniun	nDriver.java:1)	
	* *	· —	* *		` * *	t(AndroidDriver.ja	va:1)
		~				TestBasePage.java:2	
	•			~ ~		rience(DieticianScr	
						ps.VerifyServiceOf	
	DieticianSte			_		·	
á	at .Then veri	fy Add Expe	ience messa	ge ''Add l	Experience''(features/sg/health/d	ietician
/	Dietician_Ne	egativeFlow.f	eature:82)				
	9:52 🕟 🖽 🖽 🖸	. 091					
	7.00 G = - G						
		_					
	Services Offered						
	These will be displayed on yo	our public profile.					
	1						
	2						
	3						
	e.g. Measles Treatment, Imm	runization etc.					
	Add More	•					
	00	Tinue					
Aft	er						0.00s
Bacl	k to Table of Co	ontents					
			T1 0				
				<u> </u>	on one pulse A		
ssed:	7	Failed: 1	Uno	defined: 0		Duration: 329.1s	
Sce	nario Outlin	e: Verify the	Home screei	ı validatio	on using "Co	ntinue with Email"	
_		_					Duration: 150.39
Pass	ed: 12	F	ailed: 1		Undefined: 3		S
Bef	ore						0.00s
_		note render	number en l	oggiere 4-	vonichle		
		rate random	number and	assign to	variable		0.00s
 	'RANDOM_		IDOM NICE	(DED)	.,	4	
4	and I assign	pulse\${RAN	NUN_NUN	IREK @	mailsac.com''	to variable	

"PULSE_EMAIL" And User has pulse app	0.00s
* **	8.90s
And user click on "CONTINUE WITH EMAIL" with Email button	15.68s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	0.26s
Then I wait for 5 sec	5.01s
When user enters registration details	7.41s
FirstName Diet	7.415
LastName Test	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.29s
Then I wait for 10 sec	10.02s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.41s
Then I wait for 5 sec	5.02s
Then I click skip button	65.37s
os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: con	', os.arch: 'amd64', n.prudential.pulse.
Driver info: io.appium.java_client.android.AndroidDriver	m.prudential.pulse. abled: false, rudential.pulse.uat, droid-Test, iceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true, NUX, reenshot: true,

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1132)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:377)
  at .Then I click skip button(features/sg/health/dietician/Dietician_PositiveFlow.feature:55)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify User should be able to navigate to Dietician page
Passed: 10
                         Failed: 0
                                               Undefined: 0
                                                                               Duration: 67.17s
                                                                               0.00s
Before
  Given I relaunch the app on registration failure
                                                                               16.68s
  Then I click the Health icon in Home screen
                                                                               14.85s
  Then I click the Dietician in Health Screen
                                                                               18.25s
  And I clicks on "Doctor" in app screen
                                                                               2.32s
  And I click the continue button
                                                                               0.41s
  And Enter the Service Number in Service Number Screen
                                                                               3.54s
```

ServiceNumber 05		
And Enter the Issue Or	rganization in Service Number Screen	5.91s
ServiceNumber 07		
	ill im Service Number Screen	2.77s
ServiceNumber 12		
	is your service number?" in app screen	1.38s
And I click the continu		1.07s
After		0.00s
Back to Table of Contents		
Scenario: Verify User sho	uld be able to navigate to specialisation page	
Passed: 6	Failed: 0 Undefined: 0	Duration: 7.48s
Before		0.00s
And I clicks on "Gener	al Physician'' in app screen	1.00s
And I click the continu	•	1.43s
	text displayed in Add medicine screen	0.80s
Add Super Specialis		
	per Specialization Till im pulse for Experts Screen	2.53s
ServiceNumber MB		
	Super Specialisation'' in app screen	0.76s
And I click the continu		0.97s
After		0.00s
111001	0.000	
Back to Table of Contents		
Back to Table of Contents Scenario: Verify User sho	uld be able to navigate to Educational Details page	
	uld be able to navigate to Educational Details page Failed: 0 Undefined: 0	Duration: 36.72s
Scenario: Verify User sho	uld be able to navigate to Educational Details page Failed: 0 Undefined: 0	Duration: 36.72s 0.00s
Scenario: Verify User sho Passed: 19 Before	Failed: 0 Undefined: 0	0.00s
Scenario: Verify User sho Passed: 19 Before And I verify following	Failed: 0 Undefined: 0 text displayed in Add medicine screen	
Scenario: Verify User sho Passed: 19 Before And I verify following to Educational Details	Failed: 0 Undefined: 0 text displayed in Add medicine screen	0.00s
Scenario: Verify User sho Passed: 19 Before And I verify following to Educational Details And Enter the Degree	Failed: 0 Undefined: 0 text displayed in Add medicine screen Name in Eductaion Details Screen	0.00s 0.76s
Scenario: Verify User sho Passed: 19 Before And I verify following to Educational Details And Enter the Degree to ServiceNumber MB	Failed: 0 Undefined: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS	0.00s 0.76s 4.56s
Scenario: Verify User sho Passed: 19 Before And I verify following Educational Details And Enter the Degree ServiceNumber MB And Enter the study Na	Failed: 0 Undefined: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen	0.00s 0.76s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den	Failed: 0 Undefined: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist	0.00s 0.76s 4.56s 3.98s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educational Details	Failed: 0 Undefined: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details' in app screen	0.00s 0.76s 4.56s 3.98s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen ist ntional Details'' in app screen me in Eductaion Details Screen	0.00s 0.76s 4.56s 3.98s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na ServiceNumber 2012	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen me in Eductaion Details Screen	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s
Scenario: Verify User sho Passed: 19 Before And I verify following to Educational Details And Enter the Degree to ServiceNumber MB And Enter the study National ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Control of the ServiceNumber Den And I clicks on "Educational Details" Details Details Details Details Details Details Det	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen me in Eductaion Details Screen itional Details'' in app screen ational Details'' in app screen	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na ServiceNumber 2012 And I clicks on "Educa And Enter the universi	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen ist ational Details'' in app screen me in Eductaion Details Screen 2 ational Details'' in app screen ty Name in Eductaion Details Screen	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na ServiceNumber 2012 And I clicks on "Educa And Enter the university ServiceNumber 2020	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen me in Eductaion Details Screen 2 ational Details'' in app screen ity Name in Eductaion Details Screen	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s 0.82s 3.17s
Scenario: Verify User sho Passed: 19 Before And I verify following to Educational Details And Enter the Degree of ServiceNumber MB And Enter the study Note ServiceNumber Dente And I clicks on "Educational Color on "Education "Education "Education "Education "Education "Education "Educ	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen ty Name in Eductaion Details Screen ity Name in Eductaion Details Screen ational Details'' in app screen ty Name in Eductaion Details Screen ational Details'' in app screen ational Details'' in app screen	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s 0.82s 3.17s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na ServiceNumber 2012 And I clicks on "Educa And Enter the universi ServiceNumber 2020 And I clicks on "Educa	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen me in Eductaion Details Screen 2 ational Details'' in app screen ty Name in Eductaion Details Screen 0 ational Details'' in app screen e button	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s 0.82s 3.17s 0.76s 1.20s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na ServiceNumber 2012 And I clicks on "Educa And Enter the universi ServiceNumber 2020 And I clicks on "Educa	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen ty Name in Eductaion Details Screen ity Name in Eductaion Details Screen ational Details'' in app screen ty Name in Eductaion Details Screen ational Details'' in app screen ational Details'' in app screen	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s 0.82s 3.17s
Scenario: Verify User sho Passed: 19 Before And I verify following a Educational Details And Enter the Degree a ServiceNumber MB And Enter the study Na ServiceNumber Den And I clicks on "Educa And Enter the year Na ServiceNumber 2012 And I clicks on "Educa And Enter the universi ServiceNumber 2020 And I clicks on "Educa And I clicks on "Educa And I clicks on "Educa And I click the continu And I Enter the "Enter screen	Failed: 0 text displayed in Add medicine screen Name in Eductaion Details Screen BS ame in Eductaion Details Screen iist ational Details'' in app screen me in Eductaion Details Screen 2 ational Details'' in app screen ty Name in Eductaion Details Screen 0 ational Details'' in app screen e button	0.00s 0.76s 4.56s 3.98s 0.82s 3.41s 0.82s 3.17s 0.76s 1.20s

And I Enter the "Start I	Date" in "10" in dynamic start date Experience screen	2.59s				
And I Enter the "End D	1.85s					
And I Enter the "Start I screen						
And I Enter the "End D	ate" in "2030" in dynamic End years Experience screen	2.34s				
And I clicks on "Add Ex	And I clicks on "Add Experience" in app screen					
And I Enter the "Enter profile screen	1					
	And I clicks on "Add Experience" in app screen					
And I click the continue	button	0.42s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify User shou	ld be able to navigate to Services Offered page					
Passed: 10	Failed: 0 Undefined: 0	Duration: 11.28s				
Before		0.00s				
Then I wait for 3 sec		3.01s				
	ext displayed in Add medicine screen	0.19s				
Services Offered						
And I Enter the "Servic screen	es Offered'' in ''MBBSDOCTOR'' in service offered	0.78s				
And I click the continue	button	0.90s				
And I verify following to	exts are displayed	0.82s				
Achievements & Awa	nrds					
And I Enter the "Enter	title of the award" in "TEST TITLE" in home screen	0.84s				
And I Enter the "Enter in home screen	organisation name (Awarded by)" in "TEST TITLE"	2.22s				
And I Enter the "Year"	in "2020" in Achievement Award screen	1.29s				
And I clicks on "Add sea as a speaker." in close k	minar details whether you attended as a participant or eyboard screen	0.82s				
And I click the continue	button	0.41s				
After		0.00s				
Back to Table of Contents						
Scenario: Verify User shou	ld be able to navigate to Seminar(s) Attended page					
Passed: 9	Failed: 0 Undefined: 0	Duration: 15.53s				
Before		0.00s				
Then I wait for 3 sec		3.00s				
	And I verify following texts are displayed					
Seminar(s) Attended						
	seminar title" in "TEST TITLE" in home screen	1.32s				
	Location" in "SINGAPORE" in home screen	1.83s				
	in "2020" in seminars Attended	1.35s				
And I click the continue		1.74s				
And I Enter the "Enter home screen	name of the Clinic/ Hospital'' in ''TEST TITLE'' in	1.44s				
nome screen						

And I Enter the "Enter	Location"	in "SINGAI	PORE" in hor	ne screen	2.92s
And I click the continu	e button				1.33s
After					0.00s
Back to Table of Contents					
Scenario: Verify User sho	uld be able	to navigate t	o Take a Pict	ure page	
Passed: 9	Failed: 0		Undefined: 0		Duration: 32.61s
Before					0.00s
And I clicks on "Take a	a Picture'' i	n app screen			0.80s
And I give camera peri					10.36s
Then I take picture fro					9.70s
And I click the continu					1.74s
Then I wait for 3 sec					3.00s
And I scroll down					4.43s
Then I wait for 2 sec					2.01s
And I click Agree butto	on ''Terms a	and Conditio	ns'' confirm s	screen	0.32s
And I clicks on "Terms	and Condi	itions" text ii	app screen		0.25s
After					0.00s
Back to Table of Contents					
Scenario: Verify User sho	uld be able	to navigate t	o schedule Ca	lendar page	
Passed: 4	Failed: 0		Undefined: 0		Duration: 7.92s
Before					0.00s
Then I wait for 5 sec					5.01s
And I clicks on "Sched	ule Calenda	ar" in app sc	reen		0.23s
And I verify following					0.18s
Calendar		<u> </u>			
And I Select the Date in	n calendar f	ield			2.50s
After					0.00s
Back to Table of Contents					00000
	11. (. D	111		7.12.1.4.411.4.21	
Feature: Verify User should Mydoc Documents.	be able to D	ownload as I	PDF Files & V	alidate the details	in downloaded
Passed: 5 Failed: 3		Undefined: 0		Duration: 189.25s	
Scenario: Verify User sho	uld be able		o Consultatio		all available
Files	ind be able	to navigate t	o Consultatio	ii Suiiiiiai y and sec	an avanable
					Duration: 111.78
Passed: 13	Failed: 0		Undefined: 0		s
Before					0.00s
Given User has pulse a	pp				10.50s
And I assign "\${onepul		mydoc}'' to v	ariable ''PUI	SE_EMAIL''	0.00s
When I navigate to login page					10.65s
When user enters crede	entials				10.29s
UserName \${PULSF	E_EMAIL}				
Password Pas\$1234					
And User clicks on sign					0.31s

Then I wait for 10 sec			10.00s
And I enter OTP in one	pulse app for us	er email ''\${PULSE_EMAIL}''	30.43s
Then user should be lan	ded to "Home" s	screen	14.10s
When I navigate to med	ical records scre	en	6.33s
Then User verify follow	2.12s		
Consultation History			
All My Files			
When I click on Consult	tation History lin	ık	10.35s
And I verify following to	exts are displayed	d	0.29s
Consultation History			
And I click on Consulta	tion History scre	en back button	6.42s
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	ld be able to see	the Referral, Prescription and eMC Do	ocuments
Passed: 4	Failed: 0	Undefined: 0	Duration: 16.54s
Before			0.00s
When I click on All My	Files link		6.60s
Then I wait for 8 sec			8.01s
And I verify following to	exts are displayed	d	1.13s
All My Files			
Then User verify follow	0.81s		
Referral-11th-Januar	ry-2021-KJRYIP	P3Q2BRB.pdf	
Prescription-11th-Ja	<u> </u>	-	
eMC-11th-January-2	021-13980.pdf		
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	ld be able to dov	vnload eMC Document	
Passed: 3	Failed: 0	Undefined: 0	Duration: 13.25s
Before		•	0.00s
And I click on emc attac	chment		0.28s
And I click on download		chments	7.93s
		C}'' pdf file from phone to local machin	
After		*	0.00s
Back to Table of Contents			
	ld be able to veri	ify the eMC details in downloaded PDI	F file
Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s
Then I verify following	details are displa	ved in PDF File	
"\${EMC_FILE_NAME	-		0.05s
Medical Certificate			
	1		
\${NRIC_NUMBER}			
\${NRIC_NUMBER} \${DOCTOR_NAME	}		

com.prudential.tap.exception.TapException: IO Exception while processing file [C:

\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources /reports/summary/eMC-11th-January-2021-13980.pdf]

at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)

at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)

10:00 🕟 🚥 🚥 🔹

After

Passed: 0

Before

Back to Table of Contents

0.98

at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText (MyDocConsultationSummary.java:760)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF (MyDocSteps.java:504)

at .Then I verify following details are displayed in PDF File "\${EMC_FILE_NAME}"(features /sg/health/mydoc/MyDocAllAttachmentsFromDoctor.feature:40)

	\leftarrow		mydoc	:)				
			↓ >	<				
	Medical Certifica	ite	mydoc	0				
	IRCNs. TENDROS	True 2001						
	Project Rights dropp with fire between in States Or Producted States 6	Patient III MINORINE CLEOSE III	Profesti Siste office: 11-01-2006 (Wywes odd) Dise My Siste of 100-2006 141 Oly-400 120-2 Sistepapers +008700001					
	This is locatedly the above has been constructed on the construction of the cons							
	the arthur and administration of the arthur and administration and a	on and in-this polaryocandrap region accesses	Page 1 The profiles is environmentally an execu-					
Aft	er							0.00s
3ac	k to Table	of Conter	<u>ıts</u>					
Sce	enario: V	erify Us	er shoul	d be able to	download	Prescription	Document	
Pas	sed: 3		I	Failed: 0		Undefined: 0		Duration: 22.79s
Bef	fore							0.00s
	Then I op	pen the l	Prescrip	tion				4.39s
	And I cli	ck on do	wnload	button for a	ttachmen	ts		13.35s
	And I do	wnload	''\${PRE	_FILE_NAN	/IE}'' pdf	file from pho	one to local machin	ne 5.06s

Scenario: Verify User should be able to verify the Prescription details in downloaded PDF file

Undefined: 1

Failed: 1

0.00s

0.00s

Duration: .0s

Then I verify following details are displayed in PDF File

"\${PRE_FILE_NAME}"

\${FIRST_NAME}

\${NRIC_NUMBER}

\${PRESCRIPTION_DOCTOR_NAME}


\${PRESCRPTION_NUMBER}

com.prudential.tap.exception.TapException: IO Exception while processing file [C: \Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources /reports/summary/Prescription-11th-January-2021-KJRYHM3H2BRB.pdf] at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24) at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39) at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText (MyDocConsultationSummary.java:760) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF (MyDocSteps.java:504)

at .Then I verify following details are displayed in PDF File "\${PRE_FILE_NAME}"(features /sg/health/mydoc/MyDocAllAttachmentsFromDoctor.feature:53)



A	fter				0.00s
Ba	ack to Table of Contents				
So	cenario: Verify User shou	ıld be able to do	wnload t	the Referral Document	
Pa	assed: 3	Failed: 0		Undefined: 0	Duration: 24.83s
В	Before				0.00s
	Then I open the referral				6.16s
	And I click on download	13.62s			
	And I download "\${RE	5.05s			




Back to Table of Contents

Feature: Verify MyDoc doctor consultation Summary on Pulse Health & Wealth app

Verify Consultation His Verify All My Files Do	cuments			
		rney Without Mydoc Re Undefined: 0	Duration: 614.07s	ser)
		o navigate to Consultat		e all available
Passed: 13	Failed: 0	Undefined: 0		Duration: 110.
Before				0.00s
Given User has pu	llse app			10.64s
And I assign "\${or	nepulse.login.id.n	nydoc}'' to variable ''PU	JLSE_EMAIL''	0.00s
When I navigate to				8.23s
When user enters	credentials			10.09s
Password Pass				
And User clicks or				0.29s
Then I wait for 10				10.01s
		or user email "\${PULS	E_EMAIL}"	31.79s
Then user should				14.34s
When I navigate to medical records screen				6.40s
		e displayed in medical r	ecords screen	1.91s
Consultation H All My Files	istory			
When I click on C	onsultation Histo	ry link		10.30s
And I verify follow	ving texts are disp	played		0.64s
Consultation H	istory			
And I click on Cor	nsultation History	y screen back button		5.87s
After				0.00s
Back to Table of Contents	<u>.</u>			
Scenario: Verify User	r should be able t	o see the Referral,Presc	cription and eMC Do	cuments
Passed: 10	Failed: 0	Undefined: 0		Duration: 59.0
Before		·		0.00s
When I click on A	ll My Files link			9.05s
And I verify follow	wing texts are disp	played		1.53s
And I verify follow	ing tents are and			
All My Files	The texts are and			
All My Files			My Files Screen	0.88s
All My Files Then User verify f \${REF_FILE_N} \${PRE_FILE_N}	following docume NAME} NAME}	nts are displayed in All	My Files Screen	0.88s
All My Files Then User verify f \${REF_FILE_N} \${PRE_FILE_N} \${mc.file.name}	following docume NAME} NAME}	nts are displayed in All	My Files Screen	
All My Files Then User verify f \${REF_FILE_N} \${PRE_FILE_N}	Following docume NAME} NAME} SAME SAME SAME SAME SAME SAME SAME SAME	nts are displayed in All	My Files Screen	0.88s 20.15s 4.55s

			5.01s
Then I scroll down			4.62s
Then I wait for 5 sec			5.01s
Then I scroll down			4.63s
Then I navigate to onlin	e consultatio	on screen for mydoc registration	4.18s
fter			0.00s
ack to Table of Contents			
cenario: Verify User shou	lld be presen	ted with the Mydoc Chat bot question	ıs log
assed: 0	Failed: 1	Undefined: 0	Duration: 94.1
efore			0.00s
And I verify following to	exts are disp	laved	94.19s
Choking			
Breathing difficulty			
Chest pain			
Weakness in arms or	· legs		
Speech difficulty	legs		
Loss of consciousness	G		
Suicidal or homicida Seizures	1 thoughts		
Bleeding			
Severe pain	17		
Confusion and/or hal	llucinations		
Broken bones			
Breathing difficulty text Chest pain text is displa Weakness in arms or leg Speech difficulty text is	ed on page ext t is displayed yed on page gs text is disp displayed on ext is displaye	wing asserts failed: spected [true] but found [false], l on page expected [true] but found [false], expected [true] but found [false], played on page expected [true] but found n page expected [true] but found [false ed on page expected [true] but found	ind [false],



After			0.00s		
Back to Table of Contents					
Scenario: Verify User can able to chat with Mydoc Chat bot					
Passed: 0	Failed: 1	Undefined: 1	Duration: 12.4s		
Before	0.00s				
When Handle Emergency symptoms questions for doctor consult 12.40s					

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 64b07bc6-0bd6-4277-b709-e9619904414d

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='None of the
above']}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.
handleEmergencySymptomQues(MyDocMedicalProfileScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.handleEmergencySymptomQues
(MyDocSteps.java:179)
at .When Handle Emergency symptoms questions for doctor consult(features/sg/health/mydoc
/MyDocConsultationSummaryTest.feature:59)
```



After	0.00	S
Back to Table of Contents		
Scenario: Verify User should	ld be able to update the medical profile for registered user	

Passed: 0 Failed: 1 Undefined: 1 Duration: 17.07s
Before 0.00s

When I enter Medical Profile details as below 17.07s

Allergies	None
Medical Conditions	None
Medications	None
Emergency Contact Name	Pulse
Emergency Contact Number	98066613

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

os.version. 10.0, java.version. 11.0.2

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,

```
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 64b07bc6-0bd6-4277-b709-e9619904414d
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.enterMedicalProfile
(MyDocMedicalProfileScreen.java:83)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.enterMedicalProfileDetails
(MvDocSteps.java:186)
```



The fee covers a video consultation.. text is displayed on page expected [true] but found [false], The cost of medication is not included. text is displayed on page expected [true] but found [false],


When will I be charged? text is displayed on page expected [true] but found [false], The amount will be charged to your card after the video consultation concludes. text is displayed on page expected [true] but found [false],

Total Amount text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/sg/health/mydoc/MyDocConsultationSummaryTest.feature:72)

Then I read the amount and stored into variable "PAYMENT_AMOUNT"	0.00s
And I click on Continue button	0.00s



Af	fter			0.00s
Ba	ck to Table of Contents			
Sc	enario: Verify User shou	ld be able to select payr	nent with existing added card	
Pas	ssed: 1	Failed: 1	Undefined: 0	Duration: 45.39s
Be	efore			0.00s
	Then I wait for 10 sec			10.01s
	When I select the confirm payment using already added card			35.39s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions

/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 64b07bc6-0bd6-4277-b709-e9619904414d
*** Element info: {Using=xpath, value=//android.view.View[@text='Visa']/following::android.
widget.Image[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)


at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.

verifyPaymentUsingExistingAddedCard(MyDocPaymentDetailsScreen.java:155)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.

iSelectTheConfirmPaymentUsingAlreadyAddedCard(MyDocUiSteps.java:158)

at .When I select the confirm payment using already added card(features/sg/health/mydoc/MyDocConsultationSummaryTest.feature:88)



After			0.00s		
Back to Table of Contents					
Scenario: Verify User shou	Scenario: Verify User should be able to start online pre consultation				
Passed: 0	Failed: 1 Undefined: 8 Duration: 27.36s				
Before			0.00s		
And I response to the pr	re consultation o	questions	27.36s		
firstResponse Feve	erish				
secondResponse Cou	ple of days				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions

/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 64b07bc6-0bd6-4277-b709-e9619904414d
*** Element info: {Using=xpath, value=//android.widget.EditText}
at idk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

(MyDocPreConsultationScreen.java:73) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.	
enterDetailsForPreConsulationForm(MyDocSteps.java:247)	
at .And I response to the pre consultation questions(features/sg/	health/mydoc
MyDocConsultationSummaryTest.feature:91)	
And I verify following texts are displayed	0.00s
What concerns or questions do you have for the doctor?	
Feverish	
How long has this been a concern?	
Couple of days	
Any further details you would like to add?	
Then verify user should be prompted to select No or Yes option details	s to type further 0.00s
Then I click on No button	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s
Please Note	
Make sure you are in an area where your device has good in	ternet connectivity.
Once the request for consultation is sent, it cannot be recalle	d or cancelled.
The Average wait time for a consultation to start is 10-20 mi	
Please ensure that the notification function is switched on to confirmation, reminder and alerts from the doctor and medi	
Then I wait for 5 sec	0.00s
Then I click on submit button	0.00s
And I verify following texts are displayed	0.00s
Request sent! We will notify you when your doctor confirms	the request.



After			0.00s
Back to Table of Contents			
Scenario: Verify User	should be able see th	e allocated doctor details	
Passed: 2	Failed: 1	Failed: 1 Undefined: 1	Duration: 169.94
1 dissect. 2	r ancu. 1		s
Before			0.00s
Then I wait for 5 sec		5.00s	
And I click on MyDoc Back button			90.13s
When I access health Consultation Summary			74.81 s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 64b07bc6-0bd6-4277-b709-e9619904414d
*** Element info: {Using=xpath, value=//android.widget.ScrollView/android.view.ViewGroup
/android.view.ViewGroup[3]/android.view.ViewGroup/android.view.ViewGroup/android.view.
ViewGroup}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.
naviGateToMyDocConsultationSummary(MyDocConsultationSummary.java:142)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
naviGateToMyDocConsultationSummary(MyDocSteps.java:361)
at .When I access health Consultation Summary(features/sg/health/mydoc
/MyDocConsultationSummaryTest.feature:117)
```



```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'First Name
/ Given Name')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

at io.appium.java_cli at com.prudential.tap at com.prudential.tap 19) at com.onepulse.app. at com.onepulse.app. (PulseRegistrationSca at com.onepulse.app. (RegistrationSteps.ja	ent.android.AndroidDroselenium.Commands\$ o.selenium.ExecuteCom screens.TestBasePage.screens.PulseRegistrationsen.java:254) stepdefinitions.mobilestva:37)	Element(AppiumDriver.java:1 iver.findElement(AndroidDriv 16.executeCommand(Comman mand.executeCommand(ExecuteTextWithTab(TestBasePage. onScreen.enterRegistrationDet teps.RegistrationSteps.enterRegistrationDet tures/sg/health/mydoc/MyDocF	ver.java:1) nds.java:148) uteCommand.java: java:260) cails gistrationDetails		
And taps on continue	''Sign_Up'' button		0.00s		
Then I wait for 10 sec	c		0.00s		
And I enter OTP in o	ne pulse app for user ei	mail ''\${PULSE_EMAIL}''	0.00s		
Then I wait for 5 sec			0.00s		
And I enter the "mok	oile number'' in welcom	e to pulse	0.00s		
mobileNumber 81	069586				
And I choose my well	lness goals under wellne	ess plan screen	0.00s		
And I click the contir	nue button		0.00s		
And I click the date i	n Date of Birth field		0.00s		
And I click the Done	icon		0.00s		
And I click the contin	nue button		0.00s		
			0.00s		
And I click the contin	nue button		0.00s		
And I click on Calcul	late BMI button		0.00s		
And I click the contin			0.00s		
And I select the "How	w active are you?" in do	ing exercise	0.00s		
And I click the contin	nue button		0.00s		
And I select my favor	rite food dietary		0.00s		
And I click the contin	nue button		0.00s		
And I answer as "Yes	s'' to ''Food Allergies ar	e common?''	0.00s		
And I click the contin	And I click the continue button				
And I verify that "Tracking your activity is trending" is displayed			0.00s		
And I click ''\${reg.tracker.connect}'' button on the app			0.00s		
And I see that "Welcome to Pulse" text is displayed			0.00s		
And I see that fitness subscription exclusive offers screen is displayed			0.00s		
And I click on close icon			0.00s		
And I enter NRIC number last 4 digits "122F"			0.00s		
Then I click skip buttons			0.00s		
Then user should be landed home screen			0.00s		
fter			0.00s		
ck to Table of Contents					
enario: Verify the online consultation screen user fields					
assed: 2	sed: 2 Failed: 1 Undefined: 2 Duration: 119.1				

Given I relaunch the app on registration failure	0.00s
or the frequency on the app of the first action failure	39.66s
Then I clicks on Health button	30.69s
Then I navigate to online consultation screen	48.76s
ava.lang.AssertionError: Consult Doctor image is not displayed in Heat org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.PulseHealthScreen.navigateToOnlineConstPulseHealthScreen.java:129) at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.NavigateToOnlineConsultationScreen(MyDocUiSteps.java:104) at .Then I navigate to online consultation screen(features/sg/health/mydocMyDocEndToEndTogt.footures/50)	sultationScreen
MyDocEndToEndTest.feature:59) Then user verify the following texts are displayed on "Online Consultation."	tion'' 0.00s
registration page	0.008
Online Consultation	
First Name / Given Name	
Last Name / Family Name	
Email	
County of Residence	
And I scroll down	0.00s
pulse Es	
Improve your Health and Fitness Today Today Today G CONTINUE WITH GOOGLE CONTINUE WITH FACEBOOK CONTINUE WITH EMAIL	

Back to Table of Contents			
Scenario: Verify the onl	ine consultation screen	user fields after swipe down	
Passed: 1	Failed: 1	Undefined: 0	Duration: 36.75s
Before			0.00s

And I scroll down		4.52s
Then user verify the registration page	following texts are displayed on "Online Consultation"	32.24s
Address (zipcode) NRIC/FIN NRIC/FIN Image Phone		

java.lang.AssertionError: The following asserts failed:

Address (zipcode) text is displayed on page Online Consultation expected [true] but found [false],

NRIC/FIN text is displayed on page Online Consultation expected [true] but found [false], NRIC/FIN Image text is displayed on page Online Consultation expected [true] but found [false],

Phone text is displayed on page Online Consultation expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.

userVerifyTheFollowingTextsAreDisplayedOnRegistrationPage(MyDocUiSteps.java:117) at .Then user verify the following texts are displayed on ''Online Consultation'' registration page(features/sg/health/mydoc/MyDocEndToEndTest.feature:73)



After			0.00s		
Back to Table of Contents	Back to Table of Contents				
Scenario: Verify User s	Scenario: Verify User should be able to enter address and zipcode				
Passed: 0	Failed: 1	Undefined: 0	Duration: 22.12s		
Before	0.00s				
Then I enter "\${address}" and "\${zipcode}" 22.12s					

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Address (e.g. street,
apartment name, etc)']}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterAddressAndZipcode (MyDocRegistrationScreen.java:715)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterAnd(MyDocUiSteps.java:142)

at .Then I enter "\${address}" and "\${zipcode}"(features/sg/health/mydoc/MyDocEndToEndTest.feature:81)



After			0.00s		
Back to Table of Contents	Back to Table of Contents				
Scenario: Verify User sh	nould be able to upload	NRIC Image in Online Consultation	screen		
Passed: 1	Failed: 1	Undefined: 1	Duration: 35.22s		
Before	0.00s				
Then I wait for 5 sec 5.01s					
Then I enter the mandatory fields "\${NRIC}" 30.21s					

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric

(MyDocRegistrationScreen.java:646)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields (MyDocUiSteps.java:129)

at .Then I enter the mandatory fields ''\${NRIC}''(features/sg/health/mydoc/MyDocEndToEndTest.feature:85)

Then I verify the "\${phonenumber}" and proceed with "\${otp}"

0.00s



Loss of consciousness

After			0.00s	
Back to Table of Contents				
Scenario: Verify User sh	ould be presen	ted with the symptoms checker	questions log	
Passed: 0	Failed: 1	Undefined: 0	Duration: 96.03s	
Before			0.00s	
And I verify following	g texts are disp	layed	96.03s	
Choking				
Breathing difficult	y			
Chest pain				
Weakness in arms	or legs			
Speech difficulty				

Suicidal or	homicidal thoughts
Seizures	
Bleeding	
Severe pai	n
Confusion	and/or hallucinations
Broken bo	nes

java.lang.AssertionError: The following asserts failed:

Choking text is displayed on page expected [true] but found [false],

Breathing difficulty text is displayed on page expected [true] but found [false],

Chest pain text is displayed on page expected [true] but found [false],

Weakness in arms or legs text is displayed on page expected [true] but found [false],

Speech difficulty text is displayed on page expected [true] but found [false],

Loss of consciousness text is displayed on page expected [true] but found [false],

Suicidal or homicidal thoughts text is displayed on page expected [true] but found [false],

Seizures text is displayed on page expected [true] but found [false],

Bleeding text is displayed on page expected [true] but found [false],

Severe pain text is displayed on page expected [true] but found [false],

Confusion and/or hallucinations text is displayed on page expected [true] but found [false],

Broken bones text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/sg/health/mydoc/MyDocEndToEndTest. feature:89)



After 0.00s

Back to Table of Contents

Scenario: Verify User can able to chat with chatbot symptoms checker

assed: 0	Failed: 1	Undefined: 0	Duration: 12.
efore			0.00s
When Handle E	mergency symptom	ns questions for doctor consult	12.96s
org.openqa.seler using the given so For documentat /no_such_element Build info: versi System info: hos os.version: '10.0 Driver info: io.a Capabilities {appuat, autoDismiss desired: {appAc autoDismissAlernewCommandT deviceManufact deviceScreenDeri javascriptEnablenewCommandT platformName: viewportRect: {Ifalse} Session ID: 7886 *** Element info above']} at jdk.internal.rat java.base/jdk.	nium.NoSuchEleme search parameters. ion on this error, plat.html on: '3.12.0', revision it: 'TM003LSIN', ip ', java.version: '11. ppium.java_client.a pActivity: com.prudent sAlerts: true, autom tivity: com.prudent itivity: com.prudent ets: true, automatio imeout: 10000, noR urer: Google, device ed: true, locationCo imeout: 10000, noR Android, platform neight: 2015, left: 0 le8b0-c882-44f0-bd o: {Using=xpath, va eflect.GeneratedCo	lease visit: http://seleniumhq.org/excepon: '7c6e0b3', time: '2018-05-08T14:04:p: '192.168.1.124', os.name: 'Windows 0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: dential.pulse.MainAc, appPackage: combinName: UiAutomator2, deviceName: DiAutomator2, deviceName: Package: combinName: UiAutomator2, deviceName: Reset: true, platformName: android}, demodel: Pixel 5, deviceName: 0C241ForeenSize: 1080x2340, deviceUDID: 0ContextEnabled: false, networkConnect Reset: true, pixelRatio: 2.75, platform: Version: 11, statBarHeight: 145, takes 0, top: 145, width: 1080}, warnings: {}, 124-d8ca59e26c9e alue=//android.widget.TextView[@textOnstructorAccessor21.newInstance(UndlegatingConstructorAccessorImpl.newInstance(U	ptions :26.12Z' 10', os.arch: 'amd6' com.prudential.pulse.ua Enabled: false, .prudential.pulse.ua Android-Test, deviceApiLevel: 30, DD40043P, :241FDD40043P, ionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='None of the known Source)
at java.base/java at org.openqa.se (W3CHttpRespo	n.lang.reflect.Const lenium.remote.http onseCodec.java:187	tructor.newInstance(Constructor.java:p.W3CHttpResponseCodec.createExce	
at org.openqa.se (W3CHttpRespo at org.openqa.se	onseCodec.java:49)	p.W3CHttpResponseCodec.decode	nmandExecutor.jav
(AppiumComma at org.openqa.se	andExecutor.java:2 lenium.remote.Ren	opiumCommandExecutor.execute 231) noteWebDriver.execute(RemoteWebD enericMobileDriver.execute(DefaultGe	
at io.appium.jav at io.appium.jav at org.openqa.se at io.appium.jav (DefaultGeneric	a_client.android.A lenium.remote.Ren a_client.DefaultGe MobileDriver.java:	river.execute(AppiumDriver.java:1) .ndroidDriver.execute(AndroidDriver. moteWebDriver.findElement(RemoteVenericMobileDriver.findElement :62) river.findElement(AppiumDriver.java	WebDriver.java:317

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

 $at\ io. appium. java_client. and roid. And roidDriver. find Element By XP ath (And roidDriver. java: 1)$

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.

handleEmergencySymptomQues(MyDocMedicalProfileScreen.java:54)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.handleEmergencySymptomQues (MyDocSteps.java:179)

at .When Handle Emergency symptoms questions for doctor consult(features/sg/health/mydoc/MyDocEndToEndTest.feature:104)



After			0.00s				
Back to Table of Contents							
Scenario: Verify User sh first time user	ould be presented with	the sample text on the Medical Profi	le screen as a				
Passed: 1	Passed: 1						
Before 0.00s							

Detailed Results Report					
And Verify Medical P	rofile screen is displayed	7.96s			
And Verify the Sampl	e Text on the text fields of the Medical Prof	file 2.32s			
Allergies	Enter 'None' if no allergies				
	Enter 'None' if no medical conditions				
Medications	Enter 'None' if no medications				
Wieurcations	Enter None if no medications				
org.openqa.selenium.lusing the given search For documentation on /no_such_element.htm Build info: version: '3 System info: host: 'TN os.version: '10.0', java Driver info: io.appium Capabilities {appActivuat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeout deviceManufacturer: deviceScreenDensity: javascriptEnabled: trunewCommandTimeout deviceManufacturer: deviceScreenDensity: javascriptEnabled: trunewCommandTimeout	org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,				
viewportRect: {height false} Session ID: 788de8b0-	oid, platformVersion: 11, statBarHeight: 14: 2015, left: 0, top: 145, width: 1080}, warnioc882-44f0-bd24-d8ca59e26c9e ing=xpath, value=//android.widget.TextVieidget.EditText[1]}	ings: {}, webStorageEnabled:			
at java.base/jdk.intern (DelegatingConstructo	GeneratedConstructorAccessor21.newInstructorAccessorInal.reflect.DelegatingConstructorAccessorInpl.java:45)	mpl.newInstance			
at org.openqa.selenium (W3CHttpResponseC	reflect.Constructor.newInstance(Constructor.newInstanc	eateException			
(W3CHttpResponseC	odec.java:122) n.remote.http.W3CHttpResponseCodec.de				
at org.openqa.selenium 158)	n.remote.HttpCommandExecutor.execute() ont.remote.AppiumCommandExecutor.exec	· · ·			
(AppiumCommandEx at org.openqa.selenium		oteWebDriver.java:543)			
at io.appium.java_clie at org.openqa.selenium	ont.AppiumDriver.execute(AppiumDriver.ja ont.android.AndroidDriver.execute(Android on.remote.RemoteWebDriver.findElement(I ont.DefaultGenericMobileDriver.findEleme	dDriver.java:1) RemoteWebDriver.java:317)			

(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)

at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.validateMedProfSampleText (MyDocMedicalProfileScreen.java:171)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.validateMedProfSampleText (MyDocSteps.java:671)

at .And Verify the Sample Text on the text fields of the Medical Profile(features/sg/health/mydoc/MyDocEndToEndTest.feature:108)



fter			0.00s			
Back to Table of Contents						
Scenario: Verify User should be able to create the medical profile						
ssed: 0	Failed: 1	Undefined: 1	Duration: 18.78s			
efore			0.00s			
When I enter Medica	al Profile details as bel	low	18.78s			
Allergies None						
	enario: Verify User states to the second of	enario: Verify User should be able to create sed: 0 Failed: 1 fore When I enter Medical Profile details as be	enario: Verify User should be able to create the medical profile sed: 0 Failed: 1 Undefined: 1 fore When I enter Medical Profile details as below			

Medical Conditions	None
Medications	None
EmergencyContact Name	Pulse QA
Emergency Contact Name	Pulse
Emergency Contact Number	98066613

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies'] /following::android.widget.EditText[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

 $at\ com. one pulse. app. screens. mydoc. MyDocMedical Profile Screen. enter Medical Profile$

(MyDocMedicalProfileScreen.java:83)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.enterMedicalProfileDetails

(MyDocSteps.java:186)

at .When I enter Medical Profile details as below(features/sg/health/mydoc

/MyDocEndToEndTest.feature:114)

And I click on Medical Profile Continue button

0.00s



After 0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the payment screen fields

Passed: 0 Failed: 1 Undefined: 2 Duration: 80.05s

And I verify follow		0.00s
	ring texts are displayed	80.05s
Payment		
Teleconsultation	n	
Payment Metho	od	
Credit/Debit Ca	ard	
Voucher		
The fee covers a	video consultation	
The cost of med	ication is not included.	
When will I be o	charged?	
The amount wil	l be charged to your card after the video consultation conclu	des.
Total Amount		
[false], When will I be cha The amount will be displayed on page (rged? text is displayed on page expected [true] rged? text is displayed on page expected [true] but found [false] to your card after the video consultation concludes expected [true] but found [false], is displayed on page expected [true] but found [false]	lse],
at org.testng.assert at com.onepulse.ap (MyDocSteps.java: at .And I verify foll	ts.SoftAssert.assertAll(SoftAssert.java:43) op.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSci	
at org.testng.assert at com.onepulse.ap (MyDocSteps.java: at .And I verify foll feature:124)	ts.SoftAssert.assertAll(SoftAssert.java:43) op.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSci (3717) lowing texts are displayed(features/sg/health/mydoc/MyDocI	EndToEndTe
at org.testng.assert at com.onepulse.ap (MyDocSteps.java: at .And I verify foll feature:124)	ts.SoftAssert.assertAll(SoftAssert.java:43) op.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSci 2717) lowing texts are displayed(features/sg/health/mydoc/MyDocI	



After			0.00s				
Back to Table of Conten	Back to Table of Contents						
Scenario: Verify Use	er should be able en	ter the card details					
Passed: 0	Passed: 0 Failed: 1 Undefined: 4						
Before			0.00s				
When I click on A	Add New Card butt	on	7.95s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e

```
*** Element info: {Using=xpath, value=//android.view.View[@text='Add new cards']}
at idk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.clickAddNewCardButton
(MyDocPaymentDetailsScreen.java:92)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAddNewCardButton
(MyDocSteps.java:308)
at .When I click on Add New Card button(features/sg/health/mydoc/MyDocEndToEndTest.
feature:140)
```

Card Number	4111 1111 1111 1111
Expiration Date	0822
Card Number Android	4111 1111 1111 1111
Expiration Date Android	08 / 22

And I click on Confirm Payment Method button	0.00s
Then I wait for 10 sec	0.00s



After			0.00s				
Back to Table of Contents							
Scenario: Verify Use	Scenario: Verify User should be able see the added card successfully						
Passed: 0	Failed: 1	Undefined: 0	Duration: 8.24s				
Before	0.00s						
Then I verify the	my card added suc	cessfully	8.24s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e
*** Element info: {Using=xpath, value=//android.view.View[@text='Online Video
Consultation']/preceding::android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.verifyAddedCard
(MyDocPaymentDetailsScreen.java:139)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
```

iVerifyTheMyCardAddedSuccessfully(MyDocSteps.java:819) at .Then I verify the my card added successfully(features/sg/health/mydoc/MyDocEndToEndTest.feature:153)



After							0.00s
Bac	Back to Table of Contents						
Sc	ena	ario: Verify User s	hould be able t	to start on	line pre consulta	ation	
Pas	ssed	1: 0	Failed: 1		Undefined: 8		Duration: 25.92s
Be	Before						0.00s
	And I response to the		e pre consultat	tion quest	ions		25.93s
		firstResponse	Feverish				
		secondResponse	Couple of days				
		_					

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 788de8b0-c882-44f0-bd24-d8ca59e26c9e
*** Element info: {Using=xpath, value=//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.mydoc.MyDocPreConsultationScreen.fillPreconsultationForm
(MyDocPreConsultationScreen.java:73)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
enterDetailsForPreConsulationForm(MyDocSteps.java:247)
at .And I response to the pre consultation questions(features/sg/health/mydoc
/MvDocEndToEndTest.feature:156)
```

What concerns or questions do you have for the doctor? Feverish How long has this been a concern? Couple of days Any further details you would like to add? Then verify user should be prompted to select No or Yes options to type furdetails	ther
How long has this been a concern? Couple of days Any further details you would like to add? Then verify user should be prompted to select No or Yes options to type further details.	ther
Couple of days Any further details you would like to add? Then verify user should be prompted to select No or Yes options to type further details.	ther
Any further details you would like to add? Then verify user should be prompted to select No or Yes options to type further details.	ther
Then verify user should be prompted to select No or Yes options to type furt	ther
	ther
	0.00s
Then I click on No button	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	
Please Note	
Make sure you are in an area where your device has good internet connec	ctivity.
Once the request for consultation is sent, it cannot be recalled or cancelle	ed.
The Average wait time for a consultation to start is 10-20 minutes.	
Please ensure that the notification function is switched on to ensure you g confirmation, reminder and alerts from the doctor and medical conciergo	
Then I wait for 5 sec	0.00s
Then I click on submit button	0.00s
And I verify following texts are displayed	0.00s
Request sent! We will notify you when your doctor confirms the request.	



After			0.00s			
Back to Table of Contents						
Scenario: Verify User should be able see the allocated doctor details						
Passed: 2	Failed: 1	Undefined: 1	Duration: 89.53s			

fore		0.00s
Then I wait for 5 sec		5.01s
And I click on MyDo	c Back button	7.96s
When I access health	Consultation Summary	76.56s
org.openqa.selenium using the given searc For documentation of no_such_element.htm Build info: version: 'Esystem info: host: 'Tos.version: '10.0', jav Driver info: io.appium Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlerts: transewCommandTimeodeviceManufacturer: deviceScreenDensity: javascriptEnabled: transewCommandTimeodewCommandTimeodewCommandTimeodewCommandTimeodewCommandTimeodewCommandTimeodewCommandTimeodewCommandTimeodema	.NoSuchElementException: An element could th parameters. on this error, please visit: http://seleniumhq.orgml 3.12.0', revision: '7c6e0b3', time: '2018-05-08T	not be located on the page g/exceptions [14:04:26.12Z' ndows 10', os.arch: 'amd64] [ckage: com.prudential.pulstabaseEnabled: false, e: com.prudential.pulse.ual.wame: Android-Test, coid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX,
Talse} Session ID: 788de8b0 Se	nt: 2015, left: 0, top: 145, width: 1080}, warning 0-c882-44f0-bd24-d8ca59e26c9e [sing=xpath, value=//android.widget.ScrollView Group[3]/android.view.ViewGroup/android.vie t.GeneratedConstructorAccessor21.newInstan rnal.reflect.DelegatingConstructorAccessorImp torAccessorImpl.java:45)	w/android.view.ViewGroupew.ViewGroup/android.vie nce(Unknown Source) pl.newInstance
at org.openqa.seleniu (W3CHttpResponse)	g.reflect.Constructor.newInstance(Constructor) m.remote.http.W3CHttpResponseCodec.creat Codec.java:187) m.remote.http.W3CHttpResponseCodec.deco	teException
(W3CHttpResponseOat org.openqa.seleniu (W3CHttpResponseO	Codec.java:122) ım.remote.http.W3CHttpResponseCodec.deco	ode
(AppiumCommandE at org.openqa.seleniu at io.appium.java_cli java:42)	um.remote.RemoteWebDriver.execute(Remote ient.DefaultGenericMobileDriver.execute(Defa ient.AppiumDriver.execute(AppiumDriver.jav	eWebDriver.java:543) aultGenericMobileDriver. va:1)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.

naviGateToMyDocConsultationSummary(MyDocConsultationSummary.java:142)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.

naviGateToMyDocConsultationSummary(MyDocSteps.java:361)

at .When I access health Consultation Summary(features/sg/health/mydoc

/MyDocEndToEndTest.feature:182)

And I click on Consultation History and get assigned doctor name into variable "DOCTOR_NAME"

0.00s



After 0.00s

Back to Table of Contents

Feature: Verify User should be able see all available documents in All My Files screen

sed: 0	Failed: 2	Undefined: 0	Duration: 52.96s	
Scenario: V Files	erify User should be	able to navigate to Con	sultation Summary and se	e all available
Passed: 2	Failed: 1	Undefine	ed: 10	Duration: 44.48
Before				0.00s
Given U	ser has pulse app			9.00s
		in.id.mydoc}" to variab	le "PULSE_EMAIL"	0.00s
	navigate to login page			35.48s
using the For docu /no_such Build inf System i os.version Driver in Capabili uat, autodesired: autoDismewComdeviceMdeviceScipavascripmewComplatform viewport false} Session I*** Elem WITH Eat jdk.im at java.b (Delegat	e given search paramementation on this errongelement.html fo: version: '3.12.0', ronfo: host: 'TM003LS fon: '10.0', java.version fo: io.appium.java_c fities {appActivity: com.pr for io	revision: '7c6e0b3', time IN', ip: '192.168.1.124', in: '11.0.2' client.android.Androidlem.prudential.pulse.Main automationName: UiArudential.pulse.MainAcomationName: UiAutom 0, noReset: true, platfor, deviceModel: Pixel 5, viceScreenSize: 1080x2 tionContextEnabled: fa 0, noReset: true, pixelR tformVersion: 11, statB left: 0, top: 145, width: b2b-af30-55ef1d5df8d8 ath, value=//android.wi	inAc, appPackage: com.putomator2, databaseEnable, appPackage: com.prudenator2, deviceName: Andromator2, deviceName: Andromame: android}, devicedeviceName: 0C241FDD40340, deviceUDID: 0C241Flalse, networkConnectionEnatio: 2.75, platform: LINUBATHEIGHT: 145, takesScreen1080}, warnings: {}, webStates and the state of the state	Z' s.arch: 'amd64 brudential.pulse ed: false, ential.pulse.uat oid-Test, ApiLevel: 30, 1043P, 10D40043P, tabled: true, JX, nshot: true, torageEnabled:
at org.op		te.http.W3CHttpRespo	ce(Constructor.java:490) onseCodec.createException	
(W3CHt	tpResponseCodec.jav			
(W3CHt	tpResponseCodec.jav		nseCodec.decode itor.execute(HttpComman	dEvecutor issu
158)		ote.AppiumCommandE		azzecutor.java
(Appium at org.op at io.app	nCommandExecutor, penqa.selenium.remot	java:231) te.RemoteWebDriver.e	xecute(RemoteWebDriver, er.execute(DefaultGenericN	•
java:42) at io.app	ium.java_client.Appi	iumDriver.execute(App	oiumDriver.java:1)	

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver. at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Refava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.gopenqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebat io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement.findElement(AndroidDriver.findElement.findEle	er.java:1) emoteWebDriver. er.java:1) roidDriver.java:1 bDriver.java:309) er.java:1) ds.java:141) teCommand.java
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:Iat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage(PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267)	ginPage
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:lat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage(PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLogin	ginPage
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:lat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage(PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile(7)) When user enters credentials	ginPage
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:Iat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile 7) When user enters credentials UserName \${PULSE_EMAIL}	ginPage eValidation.featur
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:Iat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile(7)) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234	ginPage eValidation.featur
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:Iat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFiled) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button	ginPage EValidation.featur 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:Iat com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile(7)) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec	ginPage EValidation.featur 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java: at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile 7) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email ''\${PULSE_EMAIL}''	ginPage EValidation.featur 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java: at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFiled) When user enters credentials UserName \${PULSE_EMAIL}} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email ''\${PULSE_EMAIL}'' Then user should be landed to ''Home'' screen	ginPage EValidation.featur 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java: at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile 7) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen When I navigate to medical records screen	ginPage EValidation.featur 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage(PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFiled) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen When I navigate to medical records screen Then User verify following texts are displayed in medical records screen Consultation History	ginPage EValidation.featur 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java: at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFiled) when user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen When I navigate to medical records screen Then User verify following texts are displayed in medical records screen	ginPage EValidation.featur 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:] at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage (PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog (LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFile (7) When user enters credentials UserName \${PULSE_EMAIL}} Password Pas\$1234 And User clicks on signin button Fhen I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen When I navigate to medical records screen Fhen User verify following texts are displayed in medical records screen Consultation History All My Files When I click on Consultation History link	0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPagePulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLogLoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFiled) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen When I navigate to medical records screen Then User verify following texts are displayed in medical records screen Consultation History All My Files When I click on Consultation History link	ginPage EValidation.featur 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage(PulseRegistrationScreen.java:858) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLog(LoginSteps.java:267) at .When I navigate to login page(features/sg/health/mydoc/PulseMyDocFiled) When user enters credentials UserName \${PULSE_EMAIL} Password Pas\$1234 And User clicks on signin button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen When I navigate to medical records screen Then User verify following texts are displayed in medical records screen Consultation History	0.00s



After			0.00s
Back to Table of Contents			
Scenario: Verify User sh	ould be able to see the l	Referral,Prescription and eMC Docu	ments
Passed: 0	Failed: 1	Undefined: 3	Duration: 8.48s
Before			0.00s
When I click on All M	Iy Files link		8.48s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 9102c33b-253a-4b2b-af30-55ef1d5df8d8

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='All My Files']}
at idk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickAllMyFiles
(MyDocConsultationSummary.java:299)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAllMyFiles(MyDocSteps.
at .When I click on All My Files link(features/sg/health/mydoc/PulseMyDocFileValidation.
feature:25)
```



And taps on continue "Sign_Up" button	0.29s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.18s
Then I wait for 5 sec	5.00s
And I enter the ''mobile number'' in welcome to pulse	10.40s
mobileNumber 98678419	
And I choose my wellness goals under wellness plan screen	8.64s
And I click the continue button	0.46s
And I click the date in Date of Birth field	5.88s
And I click the Done icon	1.12s
And I click the continue button	1.39s
And I select the Male icon	6.37s
And I click the continue button	1.06s
And I click on Calculate BMI button	8.16s
And I click the continue button	0.53s
And I select the "How active are you?" in doing exercise	8.76s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: da26a17c-1362-4281-989b-6ec02e12c195

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Light Exercise']} at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickLightExercise
(PulseRegistrationScreen.java:944)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheInDoingExercise
(RegistrationSteps.java:216)
at .And I select the "How active are you?" in doing exercise(features/sg/home/mycontent
/MyContent.feature:37)
```

After			0.00s
Back to Table of Contents			
Scenario: Verify User show	ald be able to navigate	e to Health channel page	
Passed: 4	Failed: 0	Undefined: 0	Duration: 35.17s
Before			0.00s
Given I relaunch the ap	p on registration fail	ure	17.88s
And I clicks on "Conter	nt" in Home screen		0.38s
Then I wait for 15 sec			15.00s
And I verify following t	ext are displayed in h	ealth channel	1.91s
Like			
Share			
Comment			
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	ald be able to Like the	e post	
Passed: 4	Failed: 0	Undefined: 0	Duration: 22.33s
Before			0.00s
And I read the Post cou	ınt data in Covid-19 s	creen	5.33s
And I Like the post			5.42s
And I read the Post cou	ınd after click the Lik	e button	5.21s
And I Like the post			6.37s
After			0.00s
Back to Table of Contents			
Scenario: Verify User show	ald be able to Share tl	ne post	
Passed: 2	Failed: 0	Undefined: 0	Duration: 11.61s
Before			0.00s
And I share the post			5.49s
Then I Verify the share	with friends popup		6.12s
After			0.00s
Back to Table of Contents			
Scenario: Verify User shou	uld be able to Comme	nt the post	
•	Failed: 0	Undefined: 0	Duration: 28.86s
Before			0.00s
And I read the Comme	nt count in Covid-19	screen	5.20s
And I click the commen			4.75s
And I commented in the			13.71s
And I read the Post cou			5.20s
After			0.00s
Back to Table of Contents			
•	ald be able to see the l	Like, Share, Comment options on fu	ll page article
post	uld be able to see the l	Like, Share, Comment options on fu Undefined: 0	Duration: 46.28s

The are T -12-1	tonio for Jet 'L C II		20.45-
Then I click on Covid-19	topic for details full	view	30.45s
Then I wait for 15 sec And I verify following text are displayed in health channel			15.01s
	xt are displayed in he	catui channei	0.83s
Like			
Share			
Comment			
After			0.00s
Back to Table of Contents			
Scenario: Verify User should	d be able to Like the	post- Full page article post	
Passed: 3	ailed: 0	Undefined: 0	Duration: 21.38s
Before			0.00s
And I Like the post			5.38s
And I share the post			5.36s
Then I navigate back to j	orevious page		10.65s
After	I I I I I I I I I I I I I I I I I I I		0.00s
Back to Table of Contents			0.000
Feature: Verify that user can v		•	
Passed: 1 Failed: 0	Undefined:	Duration: 84.33s	
Scenario: Verify that No lin	ked policies informa	tion message is displayed	
Passed: 11	Failed: 0	Undefined: 0	Duration: 84.33s
Before			0.00s
Given User has pulse app)		8.85s
And I assign "\${onepulse	e.login.global.id}" to	variable "PULSE_EMAIL"	0.00s
When I navigate to login	page		8.60s
When user enters creden	tials		10.58s
			10.58s
UserName \${PULSE_	EMAIL}		10.58s
UserName \${PULSE_ Password \${Passwore	EMAIL} d.text}		
UserName \${PULSE_ Password \${Password} And User clicks on signing	EMAIL} d.text}		0.32s
UserName \${PULSE_ Password \${Password} And User clicks on signing Then I wait for 10 sec	EMAIL} d.text} n button	nail ''\${PULSE_EMAIL}''	0.32s 10.01s
UserName \${PULSE_Password} \${Password} \${Password} And User clicks on signing Then I wait for 10 sectors And I enter OTP in one I	EMAIL} d.text} n button pulse app for user en	nail ''\${PULSE_EMAIL}''	0.32s 10.01s 30.11s
UserName \${PULSE_Password} \${Password} \${Password} And User clicks on signing Then I wait for 10 sector And I enter OTP in one I Then user should be land	EMAIL} d.text} n button pulse app for user en led home screen		0.32s 10.01s 30.11s 10.55s
UserName \${PULSE_Password} \${Password} \${P	EMAIL} d.text} n button pulse app for user em led home screen plicies'' icon in Home	screen	0.32s 10.01s 30.11s 10.55s 1.35s
UserName \${PULSE_Password} \${Password} \${Password} \${Password} And User clicks on signing Then I wait for 10 sector And I enter OTP in one part Then user should be land When I clicks on ''My Poly And I clicks on Proceed I	email. d.text d.text button pulse app for user em led home screen plicies'' icon in Home button to accept the t	screen	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s
UserName \${PULSE_Password} \${Password} \${Password} And User clicks on signing Then I wait for 10 sector And I enter OTP in one I Then user should be land When I clicks on "My Potential And I clicks on Proceed I Then User can see the list	email. d.text d.text button pulse app for user em led home screen plicies'' icon in Home button to accept the t	screen	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s
UserName \${PULSE_Password} \${Password} \${P	email. d.text d.text button pulse app for user em led home screen plicies'' icon in Home button to accept the t	screen	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s
UserName \${PULSE_Password} \${Password} \${P	EMAIL} d.text} button pulse app for user empled home screen plicies'' icon in Home button to accept the tot of linked policies	screen	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s
UserName \${PULSE_Password} \${Password} \${Password} \${Password} \${Password} \${Password} \${Password} \${And User clicks on signing Then I wait for 10 sectors And I enter OTP in one part of the User should be land When I clicks on ''My Post And I clicks on Proceed In Then User can see the list After Back to Table of Contents Feature: Verify legal and legace	email. d.text d.text button pulse app for user en led home screen plicies'' icon in Home button to accept the t t of linked policies y on One Pluse App	screen erms and conditions	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s
UserName \${PULSE_Password} \${Password} \${P	EMAIL} d.text} button pulse app for user empled home screen plicies'' icon in Home button to accept the tot of linked policies	screen erms and conditions	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s
UserName \${PULSE_Password} \${Password} \${P	email: d.text} d.text} button pulse app for user emeled home screen blicies'' icon in Home button to accept the test of linked policies y on One Pluse App Undefined:	screen erms and conditions	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s 0.00s
UserName \${PULSE_Password} \${Password} \${P	email: d.text} d.text} button pulse app for user emeled home screen blicies'' icon in Home button to accept the test of linked policies y on One Pluse App Undefined:	screen terms and conditions Duration: 185.25s	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s 0.00s
UserName \${PULSE_Password} \${Password} \${P	email: d.text} d.text} button pulse app for user emeled home screen blicies'' icon in Home button to accept the test of linked policies y on One Pluse App Undefined: le to login on app wi	screen terms and conditions Duration: 185.25s th correct credentials using "Con	0.32s 10.01s 30.11s 10.55s 1.35s 1.70s 2.27s 0.00s

Given User has pulse	арр	8.77s
And I assign "\${onep	oulse.login.global.id}'' to variable ''PULSE_EMAIL''	0.00s
When I navigate to lo	ogin page	7.20s
When user enters cre	edentials	10.15s
UserName \${PUL	SE_EMAIL}	
Password \${Passv	word.text}	
And User clicks on si	gnin button	0.32s
Then I wait for 10 sec	e	10.01s
And I enter OTP in o	one pulse app for user email "\${PULSE_EMAIL}"	30.61s
Then user should be	landed to "Home" screen	29.40s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Ter	rms and condition should be displayed	
Passed: 4	Failed: 0 Undefined: 0	Duration: 11.88s
Before		0.00s
Then I wait for 5 sec		5.00s
	int icon in Home screen	0.82s
And I click the Legac	cy and Privacy in Account screen	3.71s
	ng texts are displayed in terms and condition screen	2.35s
\${Terms.condition		
\${Privacy.Notice.t		
\${Regulatory.text}		
After		0.00s
Back to Table of Contents		
	vacy screen should be displayed	
Passed: 4	Failed: 0 Undefined: 0	Duration: 20.76s
Before		0.00s
And Leliek the Priva	cy icon in legal screen	2.39s
	icon in Account screen	13.66s
And I click the Back		2.38s
	icon in Privacy Notice	2.33s
After	leon in 1117acy 17odec	0.00s
Back to Table of Contents		0.005
	gulator screen should be displayed	
Passed: 6	Failed: 0 Undefined: 0	Duration: 56.14s
Before	rancu. 0 Undermed: 0	0.00s
	atory icon in legal screen	1.29s
	ons icon in Account screen	1.68s
	ng texts are displayed in terms and condition screen	3.08s
\${Clinicalsafety.te		
\${AI.in.Healthcar		
\${Localisation.tex		
\${Privacy.Data.Pr	otection.text}	

\${Raising.Concer	ns}	
And I click the clinic	cal safety icon in Account screen	21.20s
Then I wait for 8 sec		8.00s
And I click the Back	icons in pulse screen	20.89s
After		0.00s
Back to Table of Contents		
Teature: Verify MySetting	s functionality in Account screen	
Passed: 5 Failed		
Scenario: User should b	oe able to login on app with correct credentials using "Co	ntinue with
Passed: 8	Failed: 0 Undefined: 0	Duration: 78.5s
Before	Tuned v Charling v	0.00s
Given User has pulse	ann	8.91s
	pulse.login.global.id}'' to variable ''PULSE_EMAIL''	0.00s
When I navigate to le		7.83s
When user enters cro		10.01s
		10.018
UserName \${PUL Password \${Pass		
And User clicks on si	ignin button	0.29s
Then I wait for 10 se	ec	10.00s
And I enter OTP in	one pulse app for user email "\${PULSE_EMAIL}"	31.69s
Then user should be		9.76s
After		0.00s
Back to Table of Contents		
Scenario: Verify the My	y Feedback screen in Account tab	
Passed: 5	Failed: 0 Undefined: 0	Duration: 16.17s
Before		0.00s
Then I wait for 5 sec		5.00s
	unt icon in Home screen	0.71s
And I click the My F	Seedback icon in Account screen	3.71s
	back start icon in Account screen	4.74s
Then I verify followi	ng texts are Displayed	2.01s
\${HealthArticles.		
\${BMI.text}		
\${Wrinkle.text}		
\${Health.Assessm	ent.text}	
After		0.00s
Back to Table of Contents		
Scenario: Verify the sul	bmit functionality in My feedback screen	
Passed: 3	Failed: 0 Undefined: 0	Duration: 18.34s
Before		0.00s
And I click the Healt	th Articles icon in Account screen	4.36s
	edback" in welcome to Feedback Screen	8.96s

mobileNumber 98678		-1- C	5 02 ··
And I click the Submit io	on in Feedba	ick Screen	5.02s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Pulse 1	Personalised t	ab	
	iled: 0	Undefined: 0	Duration: 30.81
Before			0.00s
Then I wait for 3 sec			3.01s
And I click the Pulse by	Personalised i	icons	4.39s
Then I wait for 3 sec			3.01s
And I click the save butt	on in pulse pe	ersonalised icons	3.53s
And I click the Ok butto	n in pulse per	rsonlised screen	8.31s
And I click the Back icon	n in pulse per	sonalised screen	8.56s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Marke	ting Consent	in Account tab	
Passed: 6 Fa	iled: 0	Undefined: 0	Duration: 33.49
Before			0.00s
And I click the Marketin	g content		9.49s
Then I wait for 3 sec	0		2.99s
Then I verify the followi	ng text ''Marl	keting Consent'' Screens	0.31s
\${Marketing.Consent			
And I click the save butt		ersonalised icons	3.60s
And I click the Ok butto			8.32s
And I click the Back icon			8.78s
After	<u> </u>	· ·	0.00s
Back to Table of Contents			12.2.2.2
ature: Verify wealth channe	1 francisco alita	wan and mulas Amn	
ssed: 14 Failed: 0		defined: 0 Duration: 315.91	
			8
Scenario: Verify User should be a second of the second of			D 4° 91 40
Passed: 9 Fa Before	iled: 0	Undefined: 0	Duration: 81.48 0.00s
Given User has pulse ap		1111 (111 HPW CP P1717)	9.13s
		.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page		7.38s	
Given I create connection for api service		0.00s	
When user enters creder			9.62s
UserName \${PULSE_			
Password Pulse@123			lo
And User clicks on signi	n button		0.28s
Then I wait for 10 sec			10.01s
And Lenter OTP in one	pulse app for	user email "\${PULSE_EMAIL}"	30.23s

	uld be landed to "Hom	e'' screen	14.84s
After			0.00s
Back to Table of Cor	<u>ntents</u>		
Scenario: Verify	User should be able to	navigate to wealth page	
Passed: 2	Failed: 0	Undefined: 0	Duration: 4.24s
Before			0.00s
Then I naviga	te to wealth screen		0.75s
	ollowing wealth homepa	age options	3.49s
Wealth Ch	annel		
Learn Inve	sting Basics		
Wealth			
Care about	your finances		
After			0.00s
Back to Table of Cor	<u>itents</u>		
Scenario: Verify	User should be able to s	see the wealth screen options	
Passed: 2	Failed: 0	Undefined: 0	Duration: 37.81
Before			0.00s
Then I naviga	te to wealth channel ex	plore page	5.29s
	ollowing social cite option	1 0	32.52s
Wealth Ch			
	sting Basics		
	ld I as a Parent know?		
After			0.00s
Back to Table of Co	ntents		0.005
	User should be able to	view the story post	
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.69s
Before	rancu. v	ondermed. V	0.00s
	n ''I oorn Investing Res	ics'' wealth channel topic	5.69s
After	Learn investing bas	ics wearth channel topic	0.00s
	-11		0.008
Back to Table of Con		con the storm most I ille Charact	mmont outless
Passed: 1	Failed: 0	see the story post Like, Share, Co Undefined: 0	Duration: 12.31
Before	ranea: v	Underinea: 0	0.00s
	11	1. 1. 1	
	ollowing social cite option	ons are displayed	12.31s
Like			
Share			
Comment			
After			0.00s
Back to Table of Cor			
Scenario: Verify	User should be able to 1	Like the post	
Passed: 4	Failed: 0	Undefined: 0	Duration: 30.09
Before			0.00s

	arn Investing Basic	cs" post like count	13.54s
And I Like the post			5.63s
Then I verify "Lear	n Investing Basics	" post like count is increased	5.25s
And I Like the post			5.67s
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to S	Share the post	
Passed: 2	Failed: 0	Undefined: 0	Duration: 11.12
Before			0.00s
And I share the post	t		5.59s
Then I Verify the sh	are with friends p	орир	5.53s
After			0.00s
Back to Table of Contents			<u> </u>
Scenario: Verify User s	should be able to C	Comment the post	
Passed: 3	Failed: 0	Undefined: 0	Duration: 19.29
Before			0.00s
And I read the "Lea	arn Investing Basic	cs" post comment count	5.27s
And I commented in			8.81s
		" post comment count is increased	5.21s
After			0.00s
Back to Table of Contents	•		<u> </u>
Scenario: Verify User s	should be able to v	iew the full page article post	
Passed: 1	Failed: 0	Undefined: 0	Duration: 8.96s
Before			0.00s
Then I click on "Le	arn Investing Basi	cs'' topic for details full view	8.96s
After	3	•	0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to s	ee the Like, Share, Comment options of	n full page article
Passed: 2	Failed: 0	Undefined: 0	Duration: 38.45
D C			0.00s
Before			0.003
Then I wait for 5 sec	c		5.01s
		ons are displayed	
Then I wait for 5 sec		ons are displayed	5.01s
Then I wait for 5 see And I verify following Like Share Comment		ons are displayed	5.01s
Then I wait for 5 sec And I verify following Like Share Comment After		ons are displayed	5.01s 33.45s
Then I wait for 5 sec And I verify following Like Share Comment After Back to Table of Contents	ng social cite optio	ons are displayed	5.01s 33.45s
Then I wait for 5 sec And I verify following Like Share Comment After Back to Table of Contents	ng social cite optio		5.01s 33.45s 0.00s
Then I wait for 5 sec And I verify following Like Share Comment After Back to Table of Contents Scenario: Verify User 8	ng social cite optio	ike the post in full article view screen	5.01s 33.45s

And I Like the post			5.54s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sho	uld be able to Sha	are the post in full article view screen	
Passed: 2	Failed: 0	Undefined: 0	Duration: 16.22s
Before			0.00s
And I share the post			5.50s
Then I navigate back	o previous page		10.72s
After			0.00s
Back to Table of Contents			
Scenario: Verify User she	uld be able to Co	mment the post in full article view screer	 1
Passed: 1	Failed: 0	Undefined: 0	Duration: 22.97s
Before			0.00s
And I comment in full	view nost article	"\${wealth.topic.comment}"	22.97s
After	view post ur tiere	*(**catchiopteteomment)	0.00s
Back to Table of Contents			J
Scenario: Verify User car	navigate to weal	th homonogo	
Passed: 3	Failed: 0	Undefined: 0	Duration: 16.21s
Before	rancu. v	Charlinea. V	0.00s
<u> </u>			3.71s
Then I navigate to stor		" hook button	5.48s
Then I click on "Weal			7.01s
After	in Chamnels Dac	R button	0.00s
			0.008
Back to Table of Contents			
eature: Verify share with f			
ssed: 7 Failed: (fined: 0 Duration: 172.7s	
		untry as per specified lbu	Т
Passed: 8	Failed: 0	Undefined: 0	Duration: 33.81s
Before			0.00s
Given User has pulse	<u> </u>		9.62s
		able "PULSE_EMAIL"	0.00s
		EMAIL' with Email button	15.45s
Then I change the cou	ntry as required o	on registration page	0.27s
Then I wait for 2 sec			2.01s
Then I change the lan		on registration page	0.00s
And I click the Sign in			4.89s
Then I verify below la page	iguage options on	toggle bar as per specified lbu on login	1.58s
After			0.00s
Back to Table of Contents			
Scenario: login to the app	with correct cred	dentials using "Continue with Email"	
Passed: 6	Failed: 0	Undefined: 0	Duration: 65.03s

Before			0.00s
Given I select the lar	nguage option on to	oggle bar as required on login page	2.27s
When user enters cr	edentials		9.95s
UserName \${PUL	SE_EMAIL}		
Password \${logir	n.password}		
And User clicks on s	ignin button		0.26s
And I enter OTP in	one pulse app for u	ser email "\${PULSE_EMAIL}"	33.03s
And I wait for 5 sec			5.00s
Then user should be	landed to "Home"	' screen	14.52s
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	hould be able to sh	are the link with Whatsapp	
Passed: 1	Failed: 0	Undefined: 0	Duration: 13.6s
Before			0.00s
Then I verify the sha	re with friends lin	ks	13.60s
After			0.00s
Back to Table of Contents			
	hould be able to sh	are the link with Contacts app	
Passed: 1	Failed: 0	Undefined: 0	Duration: 9.14s
Before			0.00s
Then I verify the cor	ntacts share icon		9.14s
After	itacts share icon		0.00s
Back to Table of Contents			0.005
	hauld ha abla ta ab	one the limb with Massanger one	
Scenario: verny User s Passed: 1	Failed: 0	are the link with Messenger app Undefined: 0	Duration: 7.39s
Passed: 1 Before	Faned: 0	Underined: 0	0.00s
Then I verify the fb	messenger share ic	on	7.39s
After			0.00s
Back to Table of Contents			
		are the link with Viber app	
Passed: 1	Failed: 0	Undefined: 0	Duration: 22.01s
Before			0.00s
Then I verify the Vib	oer share icon		22.01s
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	hould be able to sh	are the link with Line app	
Passed: 1	Failed: 0	Undefined: 0	Duration: 21.72s
Before			0.00s
Then I verify the Lir	ne share icon		21.72s
After			0.00s