

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	16	3	0	0	19	84%
Scenarios	390	7	0	0	397	98%
Steps	2,670	7	0	19	2,696	99%

Overall Duration: 1h 54m 07s

Table of Contents

1. [Verify agent registration workflow](#)
 1. [verify default and sample text on agent registration page](#)
 2. [Invalid password check on agent registration page](#)
 3. [Invalid password check on agent registration page](#)
 4. [Invalid password check on agent registration page](#)
 5. [Invalid password check on agent registration page](#)
 6. [Invalid password check on agent registration page](#)
 7. [Create password and confirm password mismatch check on agent registration page](#)
 8. [Validate mask and unmask functionality for create and confirm password field](#)
 9. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 10. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 11. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 12. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 13. [verify Agent should be able to create the password for sales portal](#)
 14. [Verify Agent account is activated and can proceed with login](#)
 15. [verify the user should be prompted to login when already registered user is loaded in bulk upload and he opens the agent registration page](#)
 16. [Close from Sales Portal](#)
2. [Validate the forgot password with valid and invalid condition](#)
 1. [Agent Registration using api](#)
 2. [Verify agent registration flow - Setting up password](#)
 3. [Verify agent registration flow - Email Verification](#)
 4. [Verify static text and elements on Forgot Password page in Sales Portal](#)
 5. [Validate the return to the login link in Forgot your password page](#)
 6. [Verify the confirmation message on forgot password page when user enter valid email id](#)
 7. [Verify back button navigates user back to login page](#)
 8. [Close sales portal](#)
 9. [Verify reset password link is sent to user email account](#)
 10. [Validate mask and unmask functionality for create and confirm password field](#)
 11. [verify that the reset password button is enabled only when agent entered the correct create and confirm password](#)
 12. [verify that the reset password button is enabled only when agent entered the correct create and confirm password](#)

13. **verify that the reset password button is enabled only when agent entered the correct create and confirm password**
 14. **verify that the reset password button is enabled only when agent entered the correct create and confirm password**
 15. **verify Agent should be able to reset the password for sales portal**
 16. **verify Agent should be able to logout and Login back with the new/reset password**
 17. **Close from Sales Portal**
3. **Verify the homepage for Agent ID, Navigation bar & Toggle bar**
1. **Verify the agent ID is displayed on home page**
 2. **Verify the Toggle bar on the home page**
 3. **I verify the navigation to the New Quote page and verify that user is landed on New Quote page and verify the presence of toggle bar items when navigate to the New Quote page**
 4. **I verify the navigation to the Quotes page and verify that user is landed on Quotes page and verify the presence of toggle bar items when navigate to the Quotes page**
 5. **I verify the navigation to the Documents page and verify that user is landed on Documents page and verify the presence of toggle bar items when navigate to the Documents page**
 6. **I verify the navigation to the Get Help page and verify that user is landed on Get Help page and verify the presence of toggle bar items when navigate to the Get Help page**
 7. **I verify the navigation to the Agent Profile page and verify that user is landed on Agent Profile page and verify the presence of toggle bar items when navigate to the Agent Profile page**
 8. **I verify the navigation to the Information page and verify that user is landed on Information page and verify the presence of toggle bar items when navigate to the Information page**
 9. **Verify the Navigation bar on the New Quote page**
 10. **I verify the navigation to the Select Plan page and verify that user is landed on Select Plan page and all left toggle bar items are present**
 11. **I verify the navigation to the Employees page and verify that user is landed on Employees page and all left toggle bar items are present**
 12. **I verify the navigation to the Company page and verify that user is landed on Company page and all left toggle bar items are present**
 13. **I verify the navigation to the Submit page and verify that user is landed on Submit page and all left toggle bar items are present**
 14. **Create a Quote for Sticky bar validation**
 15. **I verify the sticky bar is present in all the Select Plan page in the new quote creation journey**
 16. **I verify the sticky bar is present in all the Employees page in the new quote creation journey**
 17. **I verify the sticky bar is present in all the Company page in the new quote creation journey**
 18. **I verify the sticky bar is present in all the Submit page in the new quote creation journey**
 19. **verify toggle bar items are minimised when user opts to collapse the sidebar option**
 20. **Close Sales Portal**
4. **Verify login functionality with OTP to landing in the welcome page**
1. **Verify static text and elements on Login page Sales Portal**
 2. **Sales Portal Login Page fields error message validation "Invalid email format and password"**
 3. **Sales Portal Login Page fields error message validation "Blank email and Password"**
 4. **Sales Portal Login Page fields error message validation "Registered email and blank password"**
 5. **Sales Portal Login Page fields error message validation "Registered email and invalid password"**

6. **Sales Portal Login Page fields error message validation "Registered email and password length more than 50"**
 7. **Verify Agent is not able to login with wrong credential**
 8. **Validate the eye icon functionality for password field**
 9. **Login to Sales portal and verify OTP page is displayed**
 10. **verify by validation message displays by providing Invalid OTP checks**
 11. **verify by validation message displays by providing Invalid OTP checks**
 12. **Enter invalid otp and click on Login button**
 13. **Validate the return to the login link in verify your account page**
 14. **Validate the "Didnt receive code " in verify your account page**
 15. **Verify contact support link is navigating to knowledgebase**
 16. **Close Sales Portal**
5. **Verify user is landed to Sales pitch page after login which is a Information page**
 1. **Verify Sales pitch page is displayed after login**
 2. **Verify the first section on sales pitch page**
 3. **Verify the second section on sales pitch page**
 4. **Verify the third section on sales pitch page**
 5. **Verify the fourth section on sales pitch page**
 6. **Verify the fifth section on sales pitch page**
 7. **Verify the sixth section on sales pitch page**
 8. **Close Sales Portal**
6. **Verify agent can view his profile and reset the password**
 1. **Log in to Sales portal with valid agent credentials**
 2. **Navigate to Agent profile page and verify the agent details**
 3. **Verify sample text in change password section**
 4. **Invalid password check on profile page**
 5. **Invalid password check on profile page**
 6. **Invalid password check on profile page**
 7. **Invalid password check on profile page**
 8. **Invalid password check on profile page**
 9. **New password and confirm your password mismatch check on profile page**
 10. **Validate mask and unmask functionality for current,new and confirm password field**
 11. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 12. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 13. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 14. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 15. **verify Agent should be able to change the password for sales portal**
 16. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 17. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 18. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 19. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 20. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 21. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 22. **verify Agent should be able to logout and Login back with the updated password**
 23. **Close from Sales Portal**
7. **Verify select plan page functionality**
 1. **Launch Sales application for PAMB**

2. **verify static and sample text on company and category section on select plan page**
 3. **Verify optional plan GHS is not selected by default**
 4. **Verify the validation when user saves the quote without entering the Mandatory fields**
 5. **Verify Next button validation message without entering any values**
 6. **verify that the coverage date should be current date by default**
 7. **verify the coverage date should set to current date if Agent input past date in text field**
 8. **verify that the past date should be disabled on coverage date calendar**
 9. **verify coverage date calendar is functioning properly**
 10. **verify coverage date calendar is functioning properly**
 11. **Enter number of employees: 4 for single category**
 12. **Verify Agent should be able to enter company and category details**
 13. **verify employee screen is displayed when user click on next button at the bottom of the screen**
 14. **verify the company name should be displayed as entered on select plan page on subsequent Employees page**
 15. **verify the company name should be displayed as entered on select plan page on subsequent Company page**
 16. **verify the company name should be displayed as entered on select plan page on subsequent Submit page**
 17. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Employees page**
 18. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Company page**
 19. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Submit page**
 20. **Close Sales Portal**
8. **Verify Agent can add,edit or delete members manually**
1. **Log into sales portal as an agent and navigate to employee page**
 2. **Verify Sample text on employee view**
 3. **Verify PDPA Consent requirement title and text**
 4. **verify Upload file,Add employee and download template button is disabled when PDPA Consent requirement check box is unchecked**
 5. **verify Upload file,Add members and download template button is enabled when PDPA Consent requirement check box is checked**
 6. **verify Agent can download the excel template**
 7. **verify static,sample text,header and footer on Member profile page**
 8. **verify the values of Occupational Class field on Add member modal**
 9. **Verify nationality field is uneditable**
 10. **Verify the dropdown lists in State field**
 11. **verify country field should be un editable**
 12. **Validating the error message When user clicks on save button without entering field value on member view**
 13. **Validating the error message: "\${emp.error.min.max.validation.firstname}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC**
 14. **Validating the error message: "\${emp.error.min.max.validation.surname}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC**
 15. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "abcD" for field "Post Code" on member profile page**

16. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "103" for field "Post Code" on member profile page**
"ABCDEFGHIJK5LMNOPqrstuvwxyzWXYZ1234567890123456789012345678901234567890AB"
17. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "145607" for field "Post Code" on member profile page**
18. **Validating the error message: "\${emp.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on member profile page**
19. **Validating the error message: "\${emp.error.min.max.validation.email}" When user enters invalid value**
"ABCDEFGHIJK5LMNOPqrstuvwxyzWXYZ1234567890123456789012345678901234567890AB"
20. **Validating the error message: "\${error.numeric.validation.city}" When user enters invalid value "Test123" for field "City" on member profile page**
21. **Validating the error message: "\${emp.error.formatvalidation.nationalid}" When user enters invalid value "G1234567@H45" for field "NRIC no." on member profile page**
22. **Validating the error message: "\${emp.error.min.max.validation.address1}" When user enters invalid value**
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A"
23. **Validating the error message: "\${emp.error.min.max.validation.city}" When user enters invalid value "ABCDEfgIJKLMNO#\$%"**
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A"
24. **Validating the error message: "\${bulk.upload.error.minmax.validation.ID}" When user enters invalid value "1234567891" for field "NRIC no." on member profile page**
25. **Validating the error message: "\${emp.error.min.max.validation.address2}" When user enters invalid value**
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A"
26. **Validating the error message: "\${emp.error.min.max.validation.address3}" When user enters invalid value**
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A"
27. **Validating the error message: "\${emp.error.min.max.validation.address4}" When user enters invalid value**
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A"
28. **Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is pastdate**
29. **validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date of coverage is past date**
30. **validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date of coverage is past date**
31. **validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date of coverage is past date**
32. **validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date of coverage is past date**
33. **Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is future date**
34. **validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date of coverage is a future date**
35. **validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date of coverage is a future date**
36. **validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date of coverage is a future date**
37. **validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date of coverage is a future date**
38. **Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is current date**

39. validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date of coverage is a future date
 40. validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date of coverage is a future date
 41. validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date of coverage is a future date
 42. validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date of coverage is a future date
 43. verify calendar functionality is working for date of birth
 44. verify calendar functionality is working for coverage start date
 45. Verify agent can perform following functions
 46. Verify the email duplicate check is present while adding same email for employees manually
 47. Verify the presence of the Search field
 48. Verify the agent can search member details by entering "First Name"
 49. Verify the agent can search member details by entering "NRIC no."
 50. Verify the agent can search member details by entering "Email Address"
 51. Verify the agent can edit the employee information on employee page
 52. Verify the agent can delete single member profile
 53. Verify that the quote can be saved by clicking on Save Quote button after entering member details
 54. Verify workflow of adding multiple member profiles manually
 55. Verify that the quote can be saved by clicking on Save Quote button in the Members page before entering member details
 56. Close Sales Portal
9. Verify upload,re upload, download member excel functionality on members page
1. Prerequisite to upload members xlsm using \${employee.upload.file.btn} button
 2. Set up the member view for uploading member data file
 3. verify error message when wrong file type is uploaded
 4. Sales Portal upload member error message validation "XLSM file with no details"
 5. Sales Portal upload member error message validation "XLSM file with no headers"
 6. Sales Portal upload member error message validation "XLSM file with missing header"
 7. Sales Portal upload member error message validation "XLSM file with diff headers"
 8. Sales Portal upload member error message validation "XLSM file with no data"
 9. Sales Portal upload member error message validation "XLSM file with wrong header name"
 10. Verify the validation message when Agent upload wrong data file with multiple errors
 11. Verify agent should be landed back to members screen after clicking on download member data file link
 12. verify the member Screen when member file is uploaded successfully
 13. Re-upload prep
 14. verify Re upload popup window
 15. Re upload Member excel and verify the modified and new data have inserted and searched field text is cleared out
 16. Upload Member xls file with duplicate data and check upload is not allowed
 17. Closing the error modal view
 18. Verify Company Name in the bulk upload file validation against the Company Name of the quote isn't case sensitive
 19. Verify Age Next Birthday validations are applied when members are uploaded in bulk
 20. Close Sales Portal
10. Verify Agent can update the required details on company page and verify validations

1. [verify default,sample text,header and footer on company page](#)
2. [Verify Sample text on Company page](#)
3. [Validate State data in dropdown](#)
4. [verify the default value of country field on company page](#)
5. [verify Agent details should be pre populated based on registration details](#)
6. [Validating the error message When user clicks on next button without entering mandatory fields value on company page](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
7. [Validating the error message: "\\${company.error.min.max.validation.firstname}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
8. [Validating the error message: "\\${company.error.min.max.validation.surname}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
9. [Validating the error message: "\\${company.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on company page](#)
10. [Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters invalid value "123456789" for field "Contact Fax Number" on company page](#)
11. [Validating the error message: "Please ensure Telephone Number is 10 digits" When user enters invalid value "78456" for field "Telephone Number" on company page](#)
12. [Validating the error message: "\\${company.error.min.max.validation.email}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPqrstuvwxyz123456789012345678901234567890AB
13. [Validating the error message: "\\${error.numeric.validation.city}" When user enters invalid value "City123456" for field "City" on company page](#)
14. [Validating the error message: "\\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page](#)
15. [Validating the error message: "\\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page](#)
16. [Validating the error message: "\\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123456" for field "Postcode" on company page](#)
17. [Validating the error message: "\\${company.error.signatoryDesignation.format.validation}" When user enters invalid value "test2Title" for field "Authorised Signatory Title" on company page](#)
18. [Validating the error message: "\\${company.error.signatoryName.min.max.validation}" When user enters invalid value "abCD" for field "Authorised Signatory Name" on company page](#)
19. [Validating the error message: "\\${company.error.signatoryName.min.max.validation}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
20. [Validating the error message: "\\${company.error.signatoryDesignation.min.max.validation}" When user enters invalid value "ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABCDEFHIJKLMNO](#)
21. [Validating the error message: "\\${company.error.min.max.validation.address1}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
22. [Validating the error message: "\\${company.error.min.max.validation.address2}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
23. [Validating the error message: "\\${company.error.min.max.validation.address3}" When user enters invalid value](#)
"ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A

24. **Validating the error message: "\${company.error.min.max.validation.address4}" When user enters invalid value**
"ABCDEF~~GHIJKL~~MNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
25. **Validating the error message: "\${company.error.min.max.validation.city}" When user enters invalid value "ABCDEFgIJKL~~MNO~~#\$%"**
^&@PQRSTUVWXYZyABCDEF~~GHIJKL~~MNOPQRSTUVWXYZABCDEF~~GHIJKL~~MNO
26. **validating the toast error message for scenario Primary Email Address already exists user clicks on next button**
27. **verify Agent should be able to fill Company Name**
28. **verify Agent should be able to fill Primary Contact details**
29. **verify Agent should be able to fill company details**
30. **verify Agent should be able to fill company address details**
31. **verify Agent should be able to fill Authorised signatory details**
32. **Verify all the information should persist when user return to company screen after clicking on back button**
33. **Verify Agent can add additional Signatory information on company page to maximum 3 signatory**
34. **Verify Agent can add additional Signatory information on company page to maximum 3 signatory**
35. **Verify Agent should be able to fill multiple authorised signatories and Title titles in company page**
36. **Verify Agent can save and export the quote on company page**
37. **Verify pop up message is displayed when we delete added signatory**
38. **Confirm delete of added signatory**
39. **Verify Signatory added are displayed in Submit page to add documents**
40. **Close Sales Portal**
11. **Verify the Submit page for page verification and various document uploads**
1. **Login to Sales portal and go to New Quote page**
 2. **Verify the text and buttons on Submit page**
 3. **Verify the upload for signed proposal document section**
 4. **verify delete popup window on submit page**
 5. **Verify agent can upload pdf,png,jpg,jpeg file types**
 6. **Verify agent can upload pdf,png,jpg,jpeg file types**
 7. **Verify agent can upload pdf,png,jpg,jpeg file types**
 8. **Verify agent can upload pdf,png,jpg,jpeg file types**
 9. **Verify agent can upload pdf,png,jpg,jpeg file types**
 10. **Verify agent can upload pdf,png,jpg,jpeg file types**
 11. **Verify agent can upload pdf,png,jpg,jpeg file types**
 12. **Verify agent can upload pdf,png,jpg,jpeg file types**
 13. **Verify uploading invalid file format is throwing error on UI**
 14. **Verify the upload for Form 8 document**
 15. **Verify the upload for Form 24 document**
 16. **Verify the upload for Form 49 document**
 17. **Verify the upload for Direct Credit document**
 18. **Verify the upload for Schedule of assurance document**
 19. **Verify the upload for GHS schedule of benefits document**
 20. **Verify the upload for Authorized Signatory document 1 document**
 21. **Verify the upload for Copy of NRIC document**
 22. **Verify the upload for Copy of Memos document**
 23. **Verify the select payment method Bank transfer section**
 24. **Verify the select payment method Bank transfer section**

25. Add quote for Group term life for all 5 categories
 26. Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency
 27. Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency
 28. Validating the error message When user clicks on Confirm and Submit button without entering mandatory fields value on submit page
 29. Verify Agent can save and export the quote on submit page
 30. Close Sales Portal
12. Verify agent can see all the PLUK documents and can download them
1. Verify default and documents on Documents Page
 2. Verify documents table on document page
 3. Verify "PRUED Protect Leaflet" document download button is enabled
 4. Verify "Claim Form" document download button is enabled
 5. Verify "Medical Claim - Doctor's Statement" document download button is enabled
 6. Verify "Personal Accident Claim - Doctor's Statement" document download button is enabled
 7. Verify "Personal Accident Claim - Healing Progress Form" document download button is enabled
 8. Verify "Total and Permanent Disability Claim - Doctor's Statement" document download button is enabled
 9. Verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document download button is enabled
 10. Verify "Death Claim - Doctor's Statement" document download button is enabled
 11. Verify "Consent To Release Information" document download button is enabled
 12. Verify "Master Application Form" document download button is enabled
 13. Verify "Application For Direct Credit Form" document download button is enabled
 14. Verify "Authorised Company Representative Declaration Form" document download button is enabled
 15. Download PDF documents by click on down arrow button and verify "PRUED Protect Leaflet" document is downloaded
 16. Download PDF documents by click on down arrow button and verify "Claim Form" document is downloaded
 17. Download PDF documents by click on down arrow button and verify "Medical Claim - Doctor's Statement" document is downloaded
 18. Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Doctor's Statement" document is downloaded
 19. Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Healing Progress Form" document is downloaded
 20. Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement" document is downloaded
 21. Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document is downloaded
 22. Download PDF documents by click on down arrow button and verify "Death Claim - Doctor's Statement" document is downloaded
 23. Download PDF documents by click on down arrow button and verify "Consent To Release Information" document is downloaded
 24. Download PDF documents by click on down arrow button and verify "Master Application Form" document is downloaded
 25. Download PDF documents by click on down arrow button and verify "Application For Direct Credit Form" document is downloaded

26. [Download PDF documents by click on down arrow button and verify "Authorised Company Representative Declaration Form" document is downloaded](#)
27. [Close Sales Portal](#)
13. [Verify agent can search for saved quotes based on search criteria, filter options and take required action](#)
1. [Create Draft quote and verify default and sample text of Quotes page](#)
 2. [Verify Table headers and fields on Quotes page](#)
 3. [Verify the filter option](#)
 4. [Create Draft Quote](#)
 5. [Create Archived Quote](#)
 6. [Create Submitted Quote](#)
 7. [Create In Force Quote](#)
 8. [Create Denied Quote](#)
 9. [Verify Archive quotes are not displayed when no filters are selected on quote page](#)
 10. [Verify search can be performed with "The exact company name"](#)
 11. [Verify search can be performed with "Company name by regex pattern"](#)
 12. [Verify search can be performed with "Reference Number"](#)
 13. [Verify Search Quote functionality is working for Company Name](#)
 14. [Verify search with invalid search value](#)
 15. [Verify Quote Filter functionality for "Filter quotes for status Draft"](#)
 16. [Verify Quote Filter functionality for "Filter quotes for status Archived"](#)
 17. [Verify Quote Filter functionality for "Filter quotes for status Submitted"](#)
 18. [Verify Quote Filter functionality for "Filter quotes for status In Force"](#)
 19. [Verify Quote Filter functionality for "Filter quotes for status Denied"](#)
 20. [Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"](#)
 21. [Verify Quote Filter functionality for "Filter quotes for status Draft,Denied"](#)
 22. [Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,Denied"](#)
 23. [Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,In Force"](#)
 24. [Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted"](#)
 25. [Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"](#)
 26. [Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived,In Force,Denied"](#)
 27. [Verify Action options for "Action option for status Draft" quotes](#)
 28. [Verify Action options for "Action option for status Submitted" quotes](#)
 29. [Verify Action options for "Action option for status Archived" quotes](#)
 30. [Verify Action options for "Action option for status InForce" quotes](#)
 31. [Verify Action options for "Action option for status Denied" quotes](#)
 32. [Verify Quote Action item Edit for Draft quote](#)
 33. [Quote Action item Export PDF : "Verify quote is exported to PDF for Draft quote"](#)
 34. [Quote Action item Export PDF : "Verify quote is exported to PDF for Submitted quote"](#)
 35. [Quote Action item Export PDF : "Verify quote is exported to PDF for Archived quote"](#)
 36. [Quote Action item Export PDF : "Verify quote is exported to PDF for Inforce quote"](#)
 37. [Quote Action item Export PDF : "Verify quote is exported to PDF for Denied quote"](#)
 38. [1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option "\\${quote.filter.option.draft}"](#)
 39. [1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option "\\${quote.filter.option.denied}"](#)
 40. [1.Verify "Inforce" quotes should return irrespective of isArchived flag for filter option "\\${quote.filter.option.in.force}"](#)
 41. [Verify Action Duplicate for "\\${quote.filter.option.draft}"](#)
 42. [Verify Action Duplicate for "\\${quote.filter.option.denied}"](#)

43. [verify Delete popup window](#)
 44. [Verify Draft Quote is deleted](#)
 45. [Verify Quote Action item Edit for Archived quote](#)
 46. [Verify Quote Action item Unarchive text and cancel function](#)
 47. [Verify Archived Quote is deleted](#)
 48. [Verify Quote Action item View for Submitted quote](#)
 49. [Verify Quote Action item View for Inforce quote](#)
 50. [Close Sales Portal](#)
14. [Verify the Get Help page functionality](#)
1. [Verify agent should be navigated to Get Help page](#)
 2. [Verify static text on Get Help page](#)
 3. [Submit a ticket on sales portal app](#)
 4. [View Knowledge base](#)
 5. [Close from Sales Portal](#)
15. [Verify view mode for Submitted and InForce quotes](#)
1. [Login to sales portal](#)
 2. [Agent creates GTL submitted quote](#)
 3. [Get quote reference Number](#)
 4. [Verify Quote Action item View for Submitted quote](#)
 5. [PAS Inforce the submitted quote for create quote number and company](#)
 6. [Verify Quote file generated fields](#)
 7. [Check quote is inforced](#)
 8. [Verify Quote Action item View for Inforced quote](#)
 9. [Close Sales Portal](#)
 10. [Verify HR Admin received the on-boarding email for Pru](#)
 11. [Close Sales Portal](#)
 12. [Verify member received the activation email for member sdk](#)
 13. [Verify content of activation email for employee](#)
 14. [Close Sales Portal](#)
16. [Verify product plan by benefit table data is as per requirement](#)
1. [Login to Sales Portal](#)
 2. [Verify default state of Premium and Benefit page](#)
 3. [Compare plan by Annual benefit data for "\\${select.plan.group.coverage.gtl.text}" product on screen with the Required value in CSV "GTL ANNUAL"](#)
 4. [Close premium and benefit screen and logout](#)
 5. [Close from Sales Portal](#)
17. [Verify Quote is getting multiplied by number of employees and based on premium for selected plan for GTL product](#)
1. [Launch Sales portal and navigate to New Quote page](#)
 2. [Load Premium and modal factor csv file](#)
 3. [Estimated Annual Premium for Plan "GTL" for number of members "1"](#)
 4. [Estimated Annual Premium for Plan "GTL" for number of members "4"](#)
 5. [Estimated Annual Premium for Plan "GTL" for number of members "5"](#)
 6. [Estimated Annual Premium for Plan "GTL" for number of members "50"](#)
 7. [Estimated Annual Premium for Plan "GTL" for number of members "100"](#)
 8. [Estimated Annual Premium for Plan "GTL" for number of members "200"](#)
 9. [Estimated Annual Premium for Plan "GTL" for number of members "1000"](#)
 10. [Estimated Annual Premium for Plan "GTL" for number of members "5000"](#)
 11. [Estimated Annual Premium for Plan "GTL" for number of members "10000"](#)
 12. [Close Sales Portal](#)
18. [Verify agent can download the quotes in pdf format and check all information is correct for GTL](#)

1. [Login to sales portal](#)
 2. [Assign value to variables and enter details on select plan page](#)
 3. [Select plan and category](#)
 4. [Save Quote and get reference number from Quotes screen](#)
 5. [Verify Export Quote is working in "Select Plan" page in sales Journey](#)
 6. [Verify Export Quote is working in "Employees" page in sales Journey](#)
 7. [Verify Export Quote is working in "Company" page in sales Journey](#)
 8. [Verify Export Quote is working in "Submit" page in sales Journey](#)
 9. [Close Sales Portal](#)
19. [Verify agent can download the quotes in pdf format and check all information is correct for GTL](#)
1. [Login to sales portal](#)
 2. [Assign value to variables and enter details on select plan page](#)
 3. [Select plan and category](#)
 4. [Save Quote and get reference number from Quotes screen](#)
 5. [Verify Export Quote is working in "Select Plan" page in sales Journey](#)
 6. [Verify Export Quote is working in "Employees" page in sales Journey](#)
 7. [Verify Export Quote is working in "Company" page in sales Journey](#)
 8. [Verify Export Quote is working in "Submit" page in sales Journey](#)
 9. [Close Sales Portal](#)

Detailed Results Report

Feature: Verify agent registration workflow

Passed: 16

Scenario: verify default and sample text on agent registration page

Passed: 16

Before

Given I assign "/testdata/\${sales.fe.lbu}/bulk_user_upload" to variable "testdata.path"

Output

Assigning value /testdata/my/bulk_user_upload to variable testdata.path

And I assign "\${testdata.path}/input/AgentReg_Template.csv" to variable "INPUT_PATH"

Output

Assigning value /testdata/my/bulk_user_upload/input/AgentReg_Template.csv to variable INPUT_PATH

And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT_PATH"

Output

Assigning value /testdata/my/bulk_user_upload/output/Users.csv to variable OUTPUT_PATH

And I generate random number and assign to variable "RANDOM_NUMBER"**Output**

Random number generated is :842

And I copy the csv template "\${INPUT_PATH}" and replace following variables in output path "\${OUTPUT_PATH}"

agent.Email	taf-\${RANDOM_NUMBER}@mailinator.com
-------------	--------------------------------------

And I assign value to following variables

GROUP_ID	\${group.id}
----------	--------------

And I upload the csv file "\${OUTPUT_PATH}" received from agent group "\${GROUP_ID}" using API**Then I verify File is uploaded successfully****Then I verify for below email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_email.html"**

EMAIL SUBJECT	\${register.email.subject}
EMAIL FROM	\${register.email.from}
EMAIL TO	\${agent.Email}

Output

Mailinator url is <https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-84212031349>

Expected email content Welcome to the team

Hi,

A warm welcome from the Prudential Enterprise Business team. You are 2 steps away from completing your account.
Please click on the below link and follow the instructions to create your account password. This link expires after 24 hours.

Create Password

Warm Regards,
Prudential

Please note that this is a system generated email, please do not reply

Actual email content Welcome to the team

Hi,

A warm welcome from the Prudential Enterprise Business team. You are 2 steps away from completing your account.
Please click on the below link and follow the instructions to create your account password. This link expires after 24 hours.

Create Password

Warm Regards,
Prudential

Please note that this is a system generated email, please do not reply

And I close sales portal**And I launch the agent registration URL****Output**

https://dev-pamb-sales-eb.pru.intranet.asia/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInR		
Then I verify following text is displayed on "Agent Registration" page		
<table border="1"> <tr> <td> \${agent.registration.text}</td> </tr> <tr> <td> \${agent.password.rule.text}</td> </tr> </table>	\${agent.registration.text}	\${agent.password.rule.text}
\${agent.registration.text}		
\${agent.password.rule.text}		
Then verify Welcome text "Welcome \${agent.Email}" on agent registration page		
And I verify field label text on "Agent Registration" page		
<table border="1"> <tr> <td> \${agent.create.password.text}</td> </tr> <tr> <td> \${agent.confirm.password.text}</td> </tr> </table>	\${agent.create.password.text}	\${agent.confirm.password.text}
\${agent.create.password.text}		
\${agent.confirm.password.text}		
Then I verify next button text		
And I verify next button is disabled		
After		
Back to Table of Contents		
Scenario Outline: Invalid password check on agent registration page		
Passed: 2		
Before		
<table border="1"> <tr> <td>When I enter "Agent" password in create password field</td> </tr> <tr> <td>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</td> </tr> </table>	When I enter "Agent" password in create password field	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
When I enter "Agent" password in create password field		
Then I verify "\${agent.password.rule.text}" validation error message is highlighted		
After		
Back to Table of Contents		
Scenario Outline: Invalid password check on agent registration page		
Passed: 2		
Before		
<table border="1"> <tr> <td>When I enter "1234567#" password in create password field</td> </tr> <tr> <td>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</td> </tr> </table>	When I enter "1234567#" password in create password field	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
When I enter "1234567#" password in create password field		
Then I verify "\${agent.password.rule.text}" validation error message is highlighted		
After		
Back to Table of Contents		
Scenario Outline: Invalid password check on agent registration page		
Passed: 2		
Before		
<table border="1"> <tr> <td>When I enter "AGENT@1234" password in create password field</td> </tr> <tr> <td>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</td> </tr> </table>	When I enter "AGENT@1234" password in create password field	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
When I enter "AGENT@1234" password in create password field		
Then I verify "\${agent.password.rule.text}" validation error message is highlighted		
After		
Back to Table of Contents		
Scenario Outline: Invalid password check on agent registration page		
Passed: 2		
Before		
<table border="1"> <tr> <td>When I enter "agent@12334" password in create password field</td> </tr> <tr> <td>Then I verify "\${agent.password.rule.text}" validation error message is highlighted</td> </tr> </table>	When I enter "agent@12334" password in create password field	Then I verify "\${agent.password.rule.text}" validation error message is highlighted
When I enter "agent@12334" password in create password field		
Then I verify "\${agent.password.rule.text}" validation error message is highlighted		
After		
Back to Table of Contents		

Scenario Outline: Invalid password check on agent registration page
Passed: 2
Before
<p>When I enter "Agent1236666667777777777Agent12344444444444444442" password in create password field</p> <p>Then I verify "\${password.field.length.validation}" validation error message is highlighted</p>
After
Back to Table of Contents
Scenario: Create password and confirm password mismatch check on agent registration page
Passed: 3
Before
<p>When I enter "Agent1234" password in create password field</p> <p>And I enter "Agent3456" password in confirm password field</p> <p>Then I verify "The passwords entered do not match, please try again" validation error message is displayed</p>
After
Back to Table of Contents
Scenario: Validate mask and unmask functionality for create and confirm password field
Passed: 5
Before
<p>And I verify the Password entered is masked</p> <p>When I click on the eye icon for Create Password field</p> <p>Then I validate the password should display without encrypted</p> <p>When I click on the eye icon for Confirm Password field</p> <p>Then I validate the confirm password should display without encrypted</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create and confirm password
Passed: 3
Before
<p>When I enter "Agent" password in create password field</p> <p>And I enter "Agent" password in confirm password field</p> <p>Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create and confirm password
Passed: 3
Before
<p>When I enter "Agent123" password in create password field</p> <p>And I enter "" password in confirm password field</p> <p>Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create and confirm password

Passed: 3
Before
<p>When I enter "Agent123" password in create password field And I enter "Agent" password in confirm password field Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create an
Passed: 3
Before
<p>When I enter "" password in create password field And I enter "Agent123" password in confirm password field Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario: verify Agent should be able to create the password for sales portal
Passed: 9
Before
<p>Given I assign "Agent123" to variable "AGENT_PASSWORD"</p>
Output
Assigning value Agent123 to variable AGENT_PASSWORD
<p>When I enter "\${AGENT_PASSWORD}" password in create password field And I enter "\${AGENT_PASSWORD}" password in confirm password field And I verify next button is enabled And I click on next button Then I verify following text is displayed on "Email Confirmation" page \${agent.registration.text}</p>
And I verify following paragraph is displayed on "Email Confirmation" page
An email has been sent to
Please click on the link sent to your email address to verify your account and proceed to the log
And I verify email confirmation contains the agent email address as "\${agent.Email}"
And I close sales portal
After
Back to Table of Contents
Scenario: Verify Agent account is activated and can proceed with login
Passed: 17
Before
And I wait for 10 sec
Given I assign "\${verify.email.from}" to variable "EMAIL_FROM"

Output

Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM

Given I assign "\${verify.email.subject}" to variable "EMAIL SUBJECT"**Output**

Assigning value Prudential Enterprise Business Account E-mail Verification to variable EMAIL_SUBJECT

Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${verify.emai**Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-84212031349

Registration link is https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=2f52442a-e537-462a-9d6d-

Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_registeration_email_content.html"**When I navigate to the email verification link sent to agent****Output**

https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=2f52442a-e537-462a-9d6d-a3aacc8e18fa&cod

Then I verify following text is displayed on "Confirmation" page

Confirmation

And I verify following paragraph is displayed on "Confirmation" page

Your account has now been activated, please proceed to login page.

And I verify Proceed to login button is enabled**When I click on Proceed to login button****Then I verify following text is displayed on "Login" page**

Welcome

And I close sales portal**When I launch to mailinator email "\${agent.Email}" on UI****Output**

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-84212031349

And I wait for 10 sec**When I click on email with from "\${verify.email.from}" and subject "\${login.email.success}" on mailinator**

	Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_register" And I close sales portal
After	
Back to Table of Contents	
Scenario: verify the user should be prompted to login when already registered user is loaded in bulk upload	
Passed: 7	
Before	
	When I launch the agent registration URL
	Output
	https://dev-pamb-sales-eb.pru.intranet.asia/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInR
	Then verify user is landed to agent registration page
	And I assign "Agent123" to variable "AGENT_PASSWORD"
	Output
	Assigning value Agent123 to variable AGENT_PASSWORD
	And I enter "\${AGENT_PASSWORD}" password in create password field
	And I enter "\${AGENT_PASSWORD}" password in confirm password field
	And I click on next button
	Then I verify "Error: This account already exists" form validation error message is displayed
After	
Back to Table of Contents	
Scenario: Close from Sales Portal	
Passed: 1	
Before	
	And I close sales portal
After	
Back to Table of Contents	
Feature: Validate the forgot password with valid and invalid condition	
Passed: 15	
	Scenario: Agent Registration using api
Passed: 11	
Before	
	Given I assign "/testdata/\${sales.fe.lbu}/bulk_user_upload" to variable "testdata.path"
	Output

Assigning value /testdata/my/bulk_user_upload to variable testdata.path

And I assign "\${testdata.path}/input/AgentReg_Template.csv" to variable "INPUT_PATH"

Output

Assigning value /testdata/my/bulk_user_upload/input/AgentReg_Template.csv to variable INPUT_PATH

And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT_PATH"

Output

Assigning value /testdata/my/bulk_user_upload/output/Users.csv to variable OUTPUT_PATH

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :165

When I copy the csv template "\${INPUT_PATH}" and replace following variables in output path

agent.Email	taf.\${RANDOM_NUMBER}@mailinator.com
-------------	--------------------------------------

And I assign value to following variables

GROUP_ID	\${group.id}
----------	--------------

And I upload the csv file "\${OUTPUT_PATH}" received from agent group "\${GROUP_ID}" using

Then I verify File is uploaded successfully

And I assign value to following variables

JWT_TOKEN	\${JWT_BLK_UPL}
USER_EMAIL	\${agent.Email}
USER_PWD	Agent123
CONSENT	true
ACCEPT	true

And I launch the agent registration URL

Output

https://dev-pamb-sales-eb.pru.intranet.asia/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJdWlOiJhY3RpdmF0aW9ubGluayIsInR

Then I verify following text is displayed on "Agent Registration" page

\${agent.registration.text}

After

[Back to Table of Contents](#)**Scenario: Verify agent registration flow - Setting up password**

Passed: 8

Before**Given I assign "Agent123" to variable "AGENT_PASSWORD"****Output**

```
Assigning value Agent123 to variable AGENT_PASSWORD
```

When I enter "\${AGENT_PASSWORD}" password in create password field**And I enter "\${AGENT_PASSWORD}" password in confirm password field****And I click on next button****Then I verify following text is displayed on "Email Confirmation" page****\${agent.registration.text}****And I verify following paragraph is displayed on "Email Confirmation" page****An email has been sent to****Please click on the link sent to your email address to verify your account and proceed to the log****And I wait for 10 sec****And I close sales portal****After**[Back to Table of Contents](#)**Scenario: Verify agent registration flow - Email Verification**

Passed: 3

Before**Given I assign "\${verify.email.from}" to variable "EMAIL_FROM"****Output**

```
Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM
```

Given I assign "\${verify.email.subject}" to variable "EMAIL SUBJECT"**Output**

```
Assigning value Prudential Enterprise Business Account E-mail Verification to variable EMAIL_SUBJECT
```

Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${verify.emai**Output**

```
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-16512031350
```

```
Registration link is https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=041f25f4-c631-4527-a5fb-
```

After[Back to Table of Contents](#)**Scenario: Verify static text and elements on Forgot Password page in Sales Portal**

Passed: 11

Before**When I navigate to the email verification link sent to agent****Output**

```
https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=041f25f4-c631-4527-a5fb-56939fae8418&cod
```

Then I verify following text is displayed on "Confirmation" page**Confirmation****When I click on Proceed to login button****Then I verify following text is displayed on "Login" page** **`${agent.login.welcome.text}`****Given I click on the forgot password link from the login page****Then I verify following text is displayed on "Forgot your password" page** **`${agent.login.forgot.password.text}`****And I verify field label text on "Forgot your password" page** **`${agent.forgot.password.field.label.text}`****And I verify sample text in email field on "Forgot your password" page** **`${reset.password.email.id.field.sample.text}`****And I verify Return to login link text on Forgot your password page****And I verify following buttons are displayed on "Forgot your password"** **`${agent.contact.support.text}`****And I verify " `${submit.button.text}`" button is "disabled"****After**[Back to Table of Contents](#)**Scenario: Validate the return to the login link in Forgot your password page**

Passed: 4

Before**When I click on the Return to Login link in Forgot your password page****Then I verify following text is displayed on "Login" page** **`${agent.login.welcome.text}`****When I click on the forgot password link from the login page****Then I verify the forgot password email text box is empty****After**[Back to Table of Contents](#)**Scenario: Verify the confirmation message on forgot password page when user enter valid email id**

Passed: 7

Before**When I enter email address "\${USER_EMAIL}" in Forgot your password page****Output**

```
taf-16512031350@mailinator.com
```

And I verify "\${submit.button.text}" button is "enabled"**When I click on "\${submit.button.text}" button****Then I verify following text is displayed on "Forgot your password?" page****\${agent.login.forgot.password.text}****And I verify email confirmation contains the agent email address as "\${USER_EMAIL}"****And I verify following paragraph is displayed on "Email Confirmation" page****\${reset.password.instruction.message.text}****And I verify link label text on "Forgot your password" page****\${back.button.text}****After**[Back to Table of Contents](#)**Scenario: Verify back button navigates user back to login page**

Passed: 2

Before**And I click on "\${back.button.text}" link label****And I verify following text is displayed on "Login" page****\${agent.login.welcome.text}****After**[Back to Table of Contents](#)**Scenario: Close sales portal**

Passed: 1

Before**And I close sales portal****After**[Back to Table of Contents](#)**Scenario: Verify reset password link is sent to user email account**

Passed: 10

Before**Given I assign "\${reset.email.from}" to variable "EMAIL_FROM"****Output**

```
Assigning value rits.ciampuru@prudential.com.sg to variable EMAIL_FROM
```

Given I assign "\${reset.email.subject}" to variable "EMAIL SUBJECT"

Output

Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL SUBJECT

And I wait for 10 sec

Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.email.subject}"

Output

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-16512031350

Registration link is https://dev-pamb-sales-eb.pru.intranet.asia/identity/reset-password?app=eb_sme&token=6743ee52-063f-4bc

Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_registration_email.html"

When I navigate to the reset password link sent to agent

Output

https://dev-pamb-sales-eb.pru.intranet.asia/identity/reset-password?app=eb_sme&token=6743ee52-063f-4bcb-8b17-56769bb3fd

Then I verify following text is displayed on "Password Reset" page

`${reset.password.label.text}`

`${agent.password.rule.text}`

And I verify field label text on "Password Reset" page

`${agent.create.password.text}`

And I verify "\${reset.password.button.text}" button is "disabled"

And I verify following buttons are displayed on "Forgot your password"

`${agent.contact.support.text}`

After

[Back to Table of Contents](#)

Scenario: Validate mask and unmask functionality for create and confirm password field

Passed: 5

Before

And I verify the Password entered is masked

When I click on the eye icon for Create Password field

Then I validate the password should display without encrypted

When I click on the eye icon for Confirm Password field

Then I validate the confirm password should display without encrypted

After

[Back to Table of Contents](#)

Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password

Passed: 3	
Before	
<ul style="list-style-type: none"> When I enter "Agent" password in create password field And I enter "Agent" password in confirm password field And I verify "\${reset.password.button.text}" button is "disabled" 	
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
<ul style="list-style-type: none"> When I enter "Agent123" password in create password field And I enter "" password in confirm password field And I verify "\${reset.password.button.text}" button is "disabled" 	
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
<ul style="list-style-type: none"> When I enter "Agent123" password in create password field And I enter "Agent" password in confirm password field And I verify "\${reset.password.button.text}" button is "disabled" 	
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
<ul style="list-style-type: none"> When I enter "" password in create password field And I enter "Agent123" password in confirm password field And I verify "\${reset.password.button.text}" button is "disabled" 	
After	
Back to Table of Contents	
Scenario: verify Agent should be able to reset the password for sales portal	
Passed: 13	
Before	
<ul style="list-style-type: none"> Given I assign "Agent124" to variable "AGENT_NEW_PASSWORD" 	
Output	
	<pre>Assigning value Agent124 to variable AGENT_NEW_PASSWORD</pre>
<ul style="list-style-type: none"> When I enter "\${AGENT_NEW_PASSWORD}" password in create password field And I enter "\${AGENT_NEW_PASSWORD}" password in confirm password field 	


	<p>And I verify "\${reset.password.button.text}" button is "enabled"</p> <p>And I click on "\${reset.password.button.text}" button</p> <p>And I verify following text is displayed on "Password Reset" page</p> <table border="1"><tr><td> \${reset.password.label.text}</td></tr><tr><td> \${reset.password.confirmation.message.text}</td></tr></table> <p>Then I verify "\${agent.proceed.login.text}" button is "enabled"</p> <p>And I verify following buttons are displayed on "Forgot your password"</p> <table border="1"><tr><td> \${agent.contact.support.text}</td></tr></table> <p>Then I click on Proceed to login button</p> <p>Then I verify following text is displayed on "Welcome" page</p> <table border="1"><tr><td> \${agent.login.welcome.text}</td></tr></table> <p>When I enter username and password in Sales portal Login page</p> <table border="1"><tr><td> UserName \${USER_EMAIL}</td></tr><tr><td> Password \${AGENT_NEW_PASSWORD}</td></tr></table> <p>And I click on Login button</p> <p>And I enter the verification code if page appears for agent "\${USER_EMAIL}"</p> <p>Then I verify "\${welcome.to.prudential}" screen is displayed</p>	\${reset.password.label.text}	\${reset.password.confirmation.message.text}	\${agent.contact.support.text}	\${agent.login.welcome.text}	UserName \${USER_EMAIL}	Password \${AGENT_NEW_PASSWORD}
\${reset.password.label.text}							
\${reset.password.confirmation.message.text}							
\${agent.contact.support.text}							
\${agent.login.welcome.text}							
UserName \${USER_EMAIL}							
Password \${AGENT_NEW_PASSWORD}							
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(//h2)[text()=\"Welcome to Prudential\"]"} Session info: headless chrome=83.0.4103.116 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-pxsm3-1ff5w', ip: '10.153.105.160', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.11+9-Ubuntu-1ubuntu2', jre.version: '11.0.11+9-Ubuntu-1ubuntu2', vendor: 'Ubuntu', vendor.version: '18.04.4 LTS (Bionic Beaver)', arch: 'x86_64' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {version: 83.0.4103.116, platform: LINUX}, javascriptEnabled: true, moz:profile: /tmp/rust_mozprofile1q...}, pageLoadStrategy: normal, platform: LINUX, platformName: Linux, platformVersion: 4.15.0-102-generic, proxy: {}, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss, unhandledAlertBehavior: dismiss, webauthn: {allowInsecureTransport: false, requireHmac: false}, webgl: {contextLossPolicy: 'loseContext', contextType: 'primary'}, webSocketDebuggerAvailable: true} Session ID: ddc3a0632ee61cb49afe946e017601e5 *** Element info: {Using=xpath, value=/h2[text()="Welcome to Prudential"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:112) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:352) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at com.prudential.tap.selenium.Commands\$20.executeCommand(Commands.java:185) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.getText(TestBasePage.java:189) at com.pru.sales.portal.pages.HomePage.getDashboardPageLabel(HomePage.java:57) at com.pru.sales.portal.stepdef.HomeSteps.verifyWelcomePage(HomeSteps.java:27) at .Then I verify "\${welcome.to.prudential}" screen is displayed(features/SalesForgotPassword.feature:11)</pre>						



Check device

⚠ Error: Device check failed

[Contact Support](#)



**After**[Back to Table of Contents](#)**Scenario: verify Agent should be able to logout and Login back with the new/reset password**

Passed: 0

Before**When I Logout of the sales portal**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-pxsm3-1ff5w', ip: '10.153.105.160', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191-b12'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Windows 10"}, javascriptEnabled: true, platform: "Windows 10", platformName: "Windows 10", platformVersion: "10.0", se: {"chrome": {"version": "83.0.4103.116", "platform": "Windows 10"}}, se:chrome: {"version": "83.0.4103.116", "platform": "Windows 10"}, se:webdriver: {"version": "83.0.4103.116", "platform": "Windows 10"}, timeouts: {"implicit": 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: "dismiss", version: "83.0.4103.116", webauthn: {}}
Session ID: ddc3a0632ee61cb49afe946e017601e5
*** Element info: {Using=xpath, value=//a/span[text()="Logout"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:40)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickLogoutButton(HomePage.java:230)
at com.pru.sales.portal.stepdef.HomeSteps.clickLogoutButton(HomeSteps.java:32)
at .When I Logout of the sales portal(features/SalesForgotPassword.feature:189)
```

When I enter username and password in Sales portal Login page

UserName	\${USER_EMAIL}
Password	\${AGENT_NEW_PASSWORD}

And I click on Login button**And I enter the verification code if page appears for agent "\${USER_EMAIL}"**


Then I verify "\${welcome.to.prudential}" screen is displayed



Check device

⚠ Error: Device check failed

[Contact Support](#)



**After**[Back to Table of Contents](#)**Scenario: Close from Sales Portal**

Passed: 1

Before

And I close sales portal

After[Back to Table of Contents](#)**Feature: Verify the homepage for Agent ID, Navigation bar & Toggle bar**

Passed: 20

Scenario: Verify the agent ID is displayed on home page

Passed: 7

Before

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/
--

And I assign value to following variables
--

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}

When I Login to Sales Portal with below details
--

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"
--

And I verify "English" language is selected by default based on LBU
--

Then I toggle the language button as required
--

Then I verify "\${welcome.to.prudential}" screen is displayed
--

After[Back to Table of Contents](#)**Scenario: Verify the Toggle bar on the home page**

Passed: 3

Before

Given The toggle bar is present at left side of the page

Then I verify the presence of following toggle bar items

New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}
Profile	\${toggleBarItem.profile.label}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}

Then I verify following language options are available on toggle bar based on the LBU

 \${language.selection.options}

After

[Back to Table of Contents](#)

Scenario Outline: I verify the navigation to the New Quote page and verify that user is landed on New Quote page

Passed: 4

Before

Given I click on "New Quote" Link

And verify the user is landed on "New Quote" page

Then I verify the presence of following toggle bar items

Toggle SideBar	\${toggleBarItem.toggleSidebar.label}
New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}
Profile	\${toggleBarItem.profile.label}

Then I verify following language options are available on toggle bar based on the LBU

 \${language.selection.options}

After

[Back to Table of Contents](#)

Scenario Outline: I verify the navigation to the Quotes page and verify that user is landed on Quotes page

Passed: 4

Before

Given I click on "Quotes" Link

And verify the user is landed on "Quotes" page

Then I verify the presence of following toggle bar items

Toggle SideBar	\${toggleBarItem.toggleSidebar.label}
New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}

	Profile	<code> \${toggleBarItem.profile.label}</code>
Then I verify following language options are available on toggle bar based on the LBU		
		<code> \${language.selection.options}</code>

After[Back to Table of Contents](#)**Scenario Outline: I verify the navigation to the Documents page and verify that user is landed on Doc**

Passed: 4

Before**Given I click on "Documents" Link****And verify the user is landed on "Documents" page****Then I verify the presence of following toggle bar items**

Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>
New Quote	<code> \${toggleBarItem.newQuote.label}</code>
Information	<code> \${toggleBarItem.information.label}</code>
Quotes	<code> \${toggleBarItem.quotes.label}</code>
Documents	<code> \${toggleBarItem.documents.label}</code>
Support	<code> \${toggleBarItem.support.label}</code>
Logout	<code> \${toggleBarItem.logOut.label}</code>
Profile	<code> \${toggleBarItem.profile.label}</code>

Then I verify following language options are available on toggle bar based on the LBU `${language.selection.options}`**After**[Back to Table of Contents](#)**Scenario Outline: I verify the navigation to the Get Help page and verify that user is landed on Get H**

Passed: 4

Before**Given I click on "Get Help" Link****And verify the user is landed on "Get Help" page****Then I verify the presence of following toggle bar items**

Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>
New Quote	<code> \${toggleBarItem.newQuote.label}</code>
Information	<code> \${toggleBarItem.information.label}</code>
Quotes	<code> \${toggleBarItem.quotes.label}</code>
Documents	<code> \${toggleBarItem.documents.label}</code>
Support	<code> \${toggleBarItem.support.label}</code>
Logout	<code> \${toggleBarItem.logOut.label}</code>
Profile	<code> \${toggleBarItem.profile.label}</code>

Then I verify following language options are available on toggle bar based on the LBU `${language.selection.options}`**After**[Back to Table of Contents](#)**Scenario Outline: I verify the navigation to the Agent Profile page and verify that user is landed on A**

Passed: 4

Before																		
<p>Given I click on "Agent Profile" Link</p> <p>And verify the user is landed on "Agent Profile" page</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td>Toggle SideBar</td><td> \${toggleBarItem.toggleSidebar.label}</td></tr> <tr><td>New Quote</td><td> \${toggleBarItem.newQuote.label}</td></tr> <tr><td>Information</td><td> \${toggleBarItem.information.label}</td></tr> <tr><td>Quotes</td><td> \${toggleBarItem.quotes.label}</td></tr> <tr><td>Documents</td><td> \${toggleBarItem.documents.label}</td></tr> <tr><td>Support</td><td> \${toggleBarItem.support.label}</td></tr> <tr><td>Logout</td><td> \${toggleBarItem.logOut.label}</td></tr> <tr><td>Profile</td><td> \${toggleBarItem.profile.label}</td></tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr><td> \${language.selection.options}</td></tr> </table>		Toggle SideBar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	\${language.selection.options}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}																	
New Quote	\${toggleBarItem.newQuote.label}																	
Information	\${toggleBarItem.information.label}																	
Quotes	\${toggleBarItem.quotes.label}																	
Documents	\${toggleBarItem.documents.label}																	
Support	\${toggleBarItem.support.label}																	
Logout	\${toggleBarItem.logOut.label}																	
Profile	\${toggleBarItem.profile.label}																	
\${language.selection.options}																		
After																		
<p>Back to Table of Contents</p> <p>Scenario Outline: I verify the navigation to the Information page and verify that user is landed on Inf</p> <p>Passed: 4</p>																		
Before																		
<p>Given I click on "Information" Link</p> <p>And verify the user is landed on "Information" page</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td>Toggle SideBar</td><td> \${toggleBarItem.toggleSidebar.label}</td></tr> <tr><td>New Quote</td><td> \${toggleBarItem.newQuote.label}</td></tr> <tr><td>Information</td><td> \${toggleBarItem.information.label}</td></tr> <tr><td>Quotes</td><td> \${toggleBarItem.quotes.label}</td></tr> <tr><td>Documents</td><td> \${toggleBarItem.documents.label}</td></tr> <tr><td>Support</td><td> \${toggleBarItem.support.label}</td></tr> <tr><td>Logout</td><td> \${toggleBarItem.logOut.label}</td></tr> <tr><td>Profile</td><td> \${toggleBarItem.profile.label}</td></tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr><td> \${language.selection.options}</td></tr> </table>		Toggle SideBar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	\${language.selection.options}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}																	
New Quote	\${toggleBarItem.newQuote.label}																	
Information	\${toggleBarItem.information.label}																	
Quotes	\${toggleBarItem.quotes.label}																	
Documents	\${toggleBarItem.documents.label}																	
Support	\${toggleBarItem.support.label}																	
Logout	\${toggleBarItem.logOut.label}																	
Profile	\${toggleBarItem.profile.label}																	
\${language.selection.options}																		
After																		
<p>Back to Table of Contents</p> <p>Scenario: Verify the Navigation bar on the New Quote page</p> <p>Passed: 3</p>																		
Before																		
<p>Given I click on Create Quote Link</p> <p>Then I accept disclaimer if present for new quote</p> <p>Then I verify the presence of following navigation bar items</p> <table border="1"> <tr><td> \${selectPlan.tab.text}</td></tr> <tr><td> \${employee.tab.text}</td></tr> <tr><td> \${company.tab.text}</td></tr> </table>		\${selectPlan.tab.text}	\${employee.tab.text}	\${company.tab.text}														
\${selectPlan.tab.text}																		
\${employee.tab.text}																		
\${company.tab.text}																		

	<code> \${submit.tab.text}</code>																		
After																			
Back to Table of Contents																			
Scenario Outline: I verify the navigation to the Select Plan page and verify that user is landed on Select Plan screen																			
Passed: 7																			
Before																			
<p>Given I navigate to "Select Plan" screen</p> <p>And verify the user is landed on "Select Plan" page</p> <p>Then I wait for 2 sec</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td>Toggle SideBar</td><td><code> \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code> \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code> \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code> \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code> \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code> \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code> \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code> \${toggleBarItem.profile.label}</code></td></tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr><td><code> \${language.selection.options}</code></td></tr> </table> <p>When I click on Estimated Premium info icon</p> <p>Then I verify following text is displayed on "Info Section" page</p> <table border="1"> <tr><td><code> \${info.text}</code></td></tr> </table>		Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code> \${toggleBarItem.newQuote.label}</code>	Information	<code> \${toggleBarItem.information.label}</code>	Quotes	<code> \${toggleBarItem.quotes.label}</code>	Documents	<code> \${toggleBarItem.documents.label}</code>	Support	<code> \${toggleBarItem.support.label}</code>	Logout	<code> \${toggleBarItem.logOut.label}</code>	Profile	<code> \${toggleBarItem.profile.label}</code>	<code> \${language.selection.options}</code>	<code> \${info.text}</code>
Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>																		
New Quote	<code> \${toggleBarItem.newQuote.label}</code>																		
Information	<code> \${toggleBarItem.information.label}</code>																		
Quotes	<code> \${toggleBarItem.quotes.label}</code>																		
Documents	<code> \${toggleBarItem.documents.label}</code>																		
Support	<code> \${toggleBarItem.support.label}</code>																		
Logout	<code> \${toggleBarItem.logOut.label}</code>																		
Profile	<code> \${toggleBarItem.profile.label}</code>																		
<code> \${language.selection.options}</code>																			
<code> \${info.text}</code>																			
After																			
Back to Table of Contents																			
Scenario Outline: I verify the navigation to the Employees page and verify that user is landed on Employees screen																			
Passed: 7																			
Before																			
<p>Given I navigate to "Employees" screen</p> <p>And verify the user is landed on "Employees" page</p> <p>Then I wait for 2 sec</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td>Toggle SideBar</td><td><code> \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code> \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code> \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code> \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code> \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code> \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code> \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code> \${toggleBarItem.profile.label}</code></td></tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr><td><code> \${language.selection.options}</code></td></tr> </table> <p>When I click on Estimated Premium info icon</p>		Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code> \${toggleBarItem.newQuote.label}</code>	Information	<code> \${toggleBarItem.information.label}</code>	Quotes	<code> \${toggleBarItem.quotes.label}</code>	Documents	<code> \${toggleBarItem.documents.label}</code>	Support	<code> \${toggleBarItem.support.label}</code>	Logout	<code> \${toggleBarItem.logOut.label}</code>	Profile	<code> \${toggleBarItem.profile.label}</code>	<code> \${language.selection.options}</code>	
Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>																		
New Quote	<code> \${toggleBarItem.newQuote.label}</code>																		
Information	<code> \${toggleBarItem.information.label}</code>																		
Quotes	<code> \${toggleBarItem.quotes.label}</code>																		
Documents	<code> \${toggleBarItem.documents.label}</code>																		
Support	<code> \${toggleBarItem.support.label}</code>																		
Logout	<code> \${toggleBarItem.logOut.label}</code>																		
Profile	<code> \${toggleBarItem.profile.label}</code>																		
<code> \${language.selection.options}</code>																			

	Then I verify following text is displayed on "Info Section" page																
	<code> \${info.text}</code>																
After																	
Back to Table of Contents																	
Scenario Outline: I verify the navigation to the Company page and verify that user is landed on Company screen																	
Passed: 7																	
Before																	
	Given I navigate to "Company" screen																
	And verify the user is landed on "Company" page																
	Then I wait for 2 sec																
	Then I verify the presence of following toggle bar items																
	<table border="1"> <tr><td>Toggle SideBar</td><td><code> \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code> \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code> \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code> \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code> \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code> \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code> \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code> \${toggleBarItem.profile.label}</code></td></tr> </table>	Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code> \${toggleBarItem.newQuote.label}</code>	Information	<code> \${toggleBarItem.information.label}</code>	Quotes	<code> \${toggleBarItem.quotes.label}</code>	Documents	<code> \${toggleBarItem.documents.label}</code>	Support	<code> \${toggleBarItem.support.label}</code>	Logout	<code> \${toggleBarItem.logOut.label}</code>	Profile	<code> \${toggleBarItem.profile.label}</code>
Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>																
New Quote	<code> \${toggleBarItem.newQuote.label}</code>																
Information	<code> \${toggleBarItem.information.label}</code>																
Quotes	<code> \${toggleBarItem.quotes.label}</code>																
Documents	<code> \${toggleBarItem.documents.label}</code>																
Support	<code> \${toggleBarItem.support.label}</code>																
Logout	<code> \${toggleBarItem.logOut.label}</code>																
Profile	<code> \${toggleBarItem.profile.label}</code>																
	Then I verify following language options are available on toggle bar based on the LBU																
	<code> \${language.selection.options}</code>																
	When I click on Estimated Premium info icon																
	Then I verify following text is displayed on "Info Section" page																
	<code> \${info.text}</code>																
After																	
Back to Table of Contents																	
Scenario Outline: I verify the navigation to the Submit page and verify that user is landed on Submit screen																	
Passed: 7																	
Before																	
	Given I navigate to "Submit" screen																
	And verify the user is landed on "Submit" page																
	Then I wait for 2 sec																
	Then I verify the presence of following toggle bar items																
	<table border="1"> <tr><td>Toggle SideBar</td><td><code> \${toggleBarItem.toggleSidebar.label}</code></td></tr> <tr><td>New Quote</td><td><code> \${toggleBarItem.newQuote.label}</code></td></tr> <tr><td>Information</td><td><code> \${toggleBarItem.information.label}</code></td></tr> <tr><td>Quotes</td><td><code> \${toggleBarItem.quotes.label}</code></td></tr> <tr><td>Documents</td><td><code> \${toggleBarItem.documents.label}</code></td></tr> <tr><td>Support</td><td><code> \${toggleBarItem.support.label}</code></td></tr> <tr><td>Logout</td><td><code> \${toggleBarItem.logOut.label}</code></td></tr> <tr><td>Profile</td><td><code> \${toggleBarItem.profile.label}</code></td></tr> </table>	Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>	New Quote	<code> \${toggleBarItem.newQuote.label}</code>	Information	<code> \${toggleBarItem.information.label}</code>	Quotes	<code> \${toggleBarItem.quotes.label}</code>	Documents	<code> \${toggleBarItem.documents.label}</code>	Support	<code> \${toggleBarItem.support.label}</code>	Logout	<code> \${toggleBarItem.logOut.label}</code>	Profile	<code> \${toggleBarItem.profile.label}</code>
Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>																
New Quote	<code> \${toggleBarItem.newQuote.label}</code>																
Information	<code> \${toggleBarItem.information.label}</code>																
Quotes	<code> \${toggleBarItem.quotes.label}</code>																
Documents	<code> \${toggleBarItem.documents.label}</code>																
Support	<code> \${toggleBarItem.support.label}</code>																
Logout	<code> \${toggleBarItem.logOut.label}</code>																
Profile	<code> \${toggleBarItem.profile.label}</code>																
	Then I verify following language options are available on toggle bar based on the LBU																
	<code> \${language.selection.options}</code>																

When I click on Estimated Premium info icon

Then I verify following text is displayed on "Info Section" page

\${info.text}

After

[Back to Table of Contents](#)

Scenario: Create a Quote for Sticky bar validation

Passed: 7

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :659

And I assign "TestDraft_\${RANDOM_NUMBER}" to variable "COMP_NAME"

Output

Assigning value TestDraft_65912031329 to variable COMP_NAME

Then I navigate to "\${selectPlan.tab.text}" screen

And I enter following details on select plan page

Company Name	\${COMP_NAME}
Industry Type	\${selectplan.industry.type.value1}
Position Name	Position
No. of Employees	10

And I click on export quote button

Then I verify following validation message on "Select plan page"

\${validationMessage.export.pdf}

And I click on "\${saveQuote.button.text}" button

After

[Back to Table of Contents](#)

Scenario Outline: I verify the sticky bar is present in all the Select Plan page in the new quote creation

Passed: 14

Before

Given I navigate to "Select Plan" screen

Then I wait for 2 sec

When I scroll to the end of page

And I verify company text field is displayed on the top of the "Select Plan" page

Then I verify Payment frequency dropdown is displayed for PH with following values

\${payment.frequency.annual}

\${payment.frequency.semi.annual}

	<table border="1"><tr><td> \${payment.frequency.quarterly}</td></tr><tr><td> \${payment.frequency.monthly}</td></tr></table>	\${payment.frequency.quarterly}	\${payment.frequency.monthly}			
\${payment.frequency.quarterly}						
\${payment.frequency.monthly}						
And I verify following text is displayed on "Select Plan" page						
<table border="1"><tr><td> \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						
Then I verify following buttons are displayed on top right corner of the screen						
<table border="1"><tr><td> Save Quote \${saveQuote.button.text}</td></tr></table>			Save Quote \${saveQuote.button.text}			
Save Quote \${saveQuote.button.text}						
Then I verify the presence of export quote button						
Then I verify the presence of following items on page footer						
<table border="1"><tr><td> \${next.button.text}</td></tr></table>			\${next.button.text}			
\${next.button.text}						
And I scroll the page up						
And I verify company text field is displayed on the top of the "Select Plan" page						
And I verify following text is displayed on "Select Plan" page						
<table border="1"><tr><td> \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						
Then I verify following buttons are displayed on top right corner of the screen						
<table border="1"><tr><td> Save Quote \${saveQuote.button.text}</td></tr></table>			Save Quote \${saveQuote.button.text}			
Save Quote \${saveQuote.button.text}						
Then I verify the presence of following items on page footer						
<table border="1"><tr><td> \${next.button.text}</td></tr></table>			\${next.button.text}			
\${next.button.text}						
After						
Back to Table of Contents						
Scenario Outline: I verify the sticky bar is present in all the Employees page in the new quote creation						
Passed: 14						
Before						
Given I navigate to "Employees" screen						
Then I wait for 2 sec						
When I scroll to the end of page						
And I verify company text field is displayed on the top of the "Employees" page						
Then I verify Payment frequency dropdown is displayed for PH with following values						
<table border="1"><tr><td> \${payment.frequency.annual}</td></tr><tr><td> \${payment.frequency.semi.annual}</td></tr><tr><td> \${payment.frequency.quarterly}</td></tr><tr><td> \${payment.frequency.monthly}</td></tr></table>			\${payment.frequency.annual}	\${payment.frequency.semi.annual}	\${payment.frequency.quarterly}	\${payment.frequency.monthly}
\${payment.frequency.annual}						
\${payment.frequency.semi.annual}						
\${payment.frequency.quarterly}						
\${payment.frequency.monthly}						
And I verify following text is displayed on "Employees" page						
<table border="1"><tr><td> \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						
Then I verify following buttons are displayed on top right corner of the screen						
<table border="1"><tr><td> Save Quote \${saveQuote.button.text}</td></tr></table>			Save Quote \${saveQuote.button.text}			
Save Quote \${saveQuote.button.text}						
Then I verify the presence of export quote button						
Then I verify the presence of following items on page footer						
<table border="1"><tr><td> \${previous.button.text}##\${next.button.text}</td></tr></table>			\${previous.button.text}##\${next.button.text}			
\${previous.button.text}##\${next.button.text}						
And I scroll the page up						
And I verify company text field is displayed on the top of the "Employees" page						
And I verify following text is displayed on "Employees" page						
<table border="1"><tr><td> \${estimatedAnnualPremium.button.text}</td></tr></table>			\${estimatedAnnualPremium.button.text}			
\${estimatedAnnualPremium.button.text}						

	Then I verify following buttons are displayed on top right corner of the screen
	Save Quote \${saveQuote.button.text}
	Then I verify the presence of following items on page footer
	\${previous.button.text}##\${next.button.text}
After	
	Back to Table of Contents
	Scenario Outline: I verify the sticky bar is present in all the Company page in the new quote creation
Passed: 14	
Before	
	Given I navigate to "Company" screen
	Then I wait for 2 sec
	When I scroll to the end of page
	And I verify company text field is displayed on the top of the "Company" page
	Then I verify Payment frequency dropdown is displayed for PH with following values
	\${payment.frequency.annual}
	\${payment.frequency.semi.annual}
	\${payment.frequency.quarterly}
	\${payment.frequency.monthly}
	And I verify following text is displayed on "Company" page
	\${estimatedAnnualPremium.button.text}
	Then I verify following buttons are displayed on top right corner of the screen
	Save Quote \${saveQuote.button.text}
	Then I verify the presence of export quote button
	Then I verify the presence of following items on page footer
	\${previous.button.text}##\${next.button.text}
	And I scroll the page up
	And I verify company text field is displayed on the top of the "Company" page
	And I verify following text is displayed on "Company" page
	\${estimatedAnnualPremium.button.text}
	Then I verify following buttons are displayed on top right corner of the screen
	Save Quote \${saveQuote.button.text}
	Then I verify the presence of following items on page footer
	\${previous.button.text}##\${next.button.text}
After	
	Back to Table of Contents
	Scenario Outline: I verify the sticky bar is present in all the Submit page in the new quote creation
Passed: 14	
Before	
	Given I navigate to "Submit" screen
	Then I wait for 2 sec
	When I scroll to the end of page
	And I verify company text field is displayed on the top of the "Submit" page

Then I verify Payment frequency dropdown is displayed for PH with following values
\${payment.frequency.annual}
\${payment.frequency.semi.annual}
\${payment.frequency.quarterly}
\${payment.frequency.monthly}
And I verify following text is displayed on "Submit" page
\${estimatedAnnualPremium.button.text}
Then I verify following buttons are displayed on top right corner of the screen
Save Quote \${saveQuote.button.text}
Then I verify the presence of export quote button
Then I verify the presence of following items on page footer
\${previous.button.text}##\${confirm.submit.button}
And I scroll the page up
And I verify company text field is displayed on the top of the "Submit" page
And I verify following text is displayed on "Submit" page
\${estimatedAnnualPremium.button.text}
Then I verify following buttons are displayed on top right corner of the screen
Save Quote \${saveQuote.button.text}
Then I verify the presence of following items on page footer
\${previous.button.text}##\${confirm.submit.button}
After
Back to Table of Contents
Scenario: verify toggle bar items are minimised when user opts to collapse the sidebar option
Passed: 4
Before
Given I verify following static text on "Navigation Bar" page
New Quote
Then I click on "Toggle Sidebar" Link
Then I wait for 2 sec
And I verify following span text is not displayed "Navigation Bar" page
New Quote
After
Back to Table of Contents
Scenario: Close Sales Portal
Passed: 1
Before
And I close sales portal
After
Back to Table of Contents
Feature: Verify login functionality with OTP to landing in the welcome page
Passed: 16
Scenario: Verify static text and elements on Login page Sales Portal

Passed: 7

Before**Given I decode the password "\${agent.login.password}" to variable "AGENT_PASSWORD"****Given Launch sales portal**

Output

```
https://dev-pamb-sales-eb.pru.intranet.asia/
```

Then I verify following text is displayed on "Welcome" page**\${agent.login.welcome.text}****And I verify field label text on "Login" page****\${agent.login.id.text}****\${agent.login.password.text}****And I verify the login button is disabled****And I verify Forgot your password link is enabled****And I verify following buttons are displayed on "Login"****\${agent.login.contact.support.text}****After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal Login Page fields error message validation "Invalid email format and blank password"**

Passed: 2

Before**When I enter username and password in Sales portal Login page**

UserName	test@gmail
Password	Test@123

Then I verify "\${login.email.format.error.message}" validation error message is displayed**After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal Login Page fields error message validation "Blank email and Password"**

Passed: 2

Before**When I enter username and password in Sales portal Login page**

UserName	
Password	Test@123

Then I verify "Email is mandatory, please provide the relevant details" validation error message is displayed**After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and blank password"**

Passed: 2

Before**When I enter username and password in Sales portal Login page**

	<table border="1"> <tr><td>UserName</td><td>test@gmail.com</td></tr> <tr><td>Password</td><td></td></tr> </table>	UserName	test@gmail.com	Password		
UserName	test@gmail.com					
Password						
Then I verify "Password is mandatory, please provide the relevant details" validation error message is displayed						
After						
Back to Table of Contents						
Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and invalid password"						
Passed: 2						
Before						
<p>When I enter username and password in Sales portal Login page</p> <table border="1"> <tr><td>UserName</td><td>test@gmail.com</td></tr> <tr><td>Password</td><td>Test</td></tr> </table>			UserName	test@gmail.com	Password	Test
UserName	test@gmail.com					
Password	Test					
Then I verify "\${agent.password.rule.text}" validation error message is displayed						
After						
Back to Table of Contents						
Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and password length validation"						
Passed: 2						
Before						
<p>When I enter username and password in Sales portal Login page</p> <table border="1"> <tr><td>UserName</td><td>test@gmail.com</td></tr> <tr><td>Password</td><td>Agent12366666677777777777Agent123444444444444444444442</td></tr> </table>			UserName	test@gmail.com	Password	Agent12366666677777777777Agent123444444444444444444442
UserName	test@gmail.com					
Password	Agent12366666677777777777Agent123444444444444444444442					
Then I verify "\${password.field.length.validation}" validation error message is displayed						
After						
Back to Table of Contents						
Scenario: Verify Agent is not able to login with wrong credential						
Passed: 3						
Before						
<p>When I enter username and password in Sales portal Login page</p> <table border="1"> <tr><td>UserName</td><td>\${agent.email.id.login}</td></tr> <tr><td>Password</td><td>Test@123</td></tr> </table>			UserName	\${agent.email.id.login}	Password	Test@123
UserName	\${agent.email.id.login}					
Password	Test@123					
And I click on Login button						
Then I verify otp validation error message "Error: Your email and/or password do not match, please try again."						
After						
Back to Table of Contents						
Scenario: Validate the eye icon functionality for password field						
Passed: 4						
Before						
<p>When I enter username and password in Sales portal Login page</p> <table border="1"> <tr><td>UserName</td><td>test@gmail.com</td></tr> <tr><td>Password</td><td>Test@123</td></tr> </table>			UserName	test@gmail.com	Password	Test@123
UserName	test@gmail.com					
Password	Test@123					
Then I verify the Password entered is masked						
Then I click on the eye icon						
And I validate the password should display without encrypted						

After[Back to Table of Contents](#)**Scenario: Login to Sales portal and verify OTP page is displayed**

Passed: 12

Before**Given I assign "\${agent.email.id.login}" to variable "agent.Email"****Output**

Assigning value taf-5503024244@mailinator.com to variable agent.Email

When I enter username and password in Sales portal Login page

UserName	\${agent.Email}
Password	\${AGENT_PASSWORD}

And I validate the Login button is enabled in Sales portal**When I click on Login button****Then I wait for 5 sec****Then I verify following text is displayed on "Verify your account" page****Verify your account****And I verify following paragraph is displayed on "Verify your account" page**

A code has just been sent to the following
The code expires after 10 minutes.

And I verify email confirmation contains the agent email address as "\${agent.Email}"**And I verify field label text on "Verify your account" page****Verification Code****And I verify button label text on "Verify your account" page**

Return to login
Didn't receive code?

And I verify following buttons are displayed on "Login" **\${agent.login.contact.support.text}****And I verify the login button is disabled****After**[Back to Table of Contents](#)**Scenario Outline: verify by validation message displays by providing Invalid OTP checks**

Passed: 3

Before**When I enter the verification Code as "test"****And I verify the login button is disabled****Then I verify "Invalid Verification Code format" validation error message is displayed****After**[Back to Table of Contents](#)**Scenario Outline: verify by validation message displays by providing Invalid OTP checks**

Passed: 3				
Before				
<p>When I enter the verification Code as ""</p> <p>And I verify the login button is disabled</p> <p>Then I verify "Verification Code is mandatory, please provide the relevant details" validation error message is displayed</p>				
After				
Back to Table of Contents				
Scenario: Enter invalid otp and click on Login button				
Passed: 4				
Before				
<p>When I enter the verification Code as "12345"</p> <p>And I validate the Login button is enabled in Sales portal</p> <p>When I click on Login button</p> <p>Then I verify otp validation error message "\${login.otp.format.error.message}" is displayed</p>				
After				
Back to Table of Contents				
Scenario: Validate the return to the login link in verify your account page				
Passed: 2				
Before				
<p>When I click on the Return to Login</p> <p>Then I verify following text is displayed on "Login" page</p> <p style="border: 1px solid black; padding: 2px;">\${agent.login.welcome.text}</p>				
After				
Back to Table of Contents				
Scenario: Validate the "Didnt receive code" in verify your account page				
Passed: 7				
Before				
<p>When I enter username and password in Sales portal Login page</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">UserName</td> <td style="padding: 2px;">\${agent.Email}</td> </tr> <tr> <td style="padding: 2px;">Password</td> <td style="padding: 2px;">\${AGENT_PASSWORD}</td> </tr> </table> <p>And I validate the Login button is enabled in Sales portal</p> <p>When I click on Login button</p> <p>Then I wait for 5 sec</p> <p>Then I verify following text is displayed on "Verify your account" page</p> <p style="border: 1px solid black; padding: 2px;">Verify your account</p> <p>When I click on Didn't receive code? link</p> <p>Then I verify following text is displayed on "Welcome" page</p> <p style="border: 1px solid black; padding: 2px;">\${agent.login.welcome.text}</p>	UserName	\${agent.Email}	Password	\${AGENT_PASSWORD}
UserName	\${agent.Email}			
Password	\${AGENT_PASSWORD}			
After				
Back to Table of Contents				
Scenario: Verify contact support link is navigating to knowledgebase				
Passed: 3				

Before				
When I click on "\${agent.login.contact.support}" button				
And I wait for 15 sec				
Then I verify "\${support.application.page.title}" link is opened in new browser tab				
After				
Back to Table of Contents				
Scenario: Close Sales Portal				
Passed: 1				
Before				
And I close sales portal				
After				
Back to Table of Contents				
Feature: Verify user is landed to Sales pitch page after login which is a Information page				
Passed: 8				
Scenario: Verify Sales pitch page is displayed after login				
Passed: 6				
Before				
Given Launch sales portal				
Output				
https://dev-pamb-sales-eb.pru.intranet.asia/				
And I assign value to following variables				
<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}			
Agent_Password	\${agent.password}			
When I Login to Sales Portal with below details				
<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}			
Password	\${Agent_Password}			
And I enter the verification code if page appears for agent "\${Agent_Email}"				
Then I toggle the language button as required				
Then I verify "\${welcome.to.prudential}" screen is displayed				
After				
Back to Table of Contents				
Scenario: Verify the first section on sales pitch page				
Passed: 1				
Before				
Given I verify following paragraph is displayed on "Welcome to Prudential section" on Sales Pitch				
<table border="1"> <tr> <td> \${welcome.prudential.informational.text.1}</td> </tr> <tr> <td> \${welcome.prudential.informational.text.2}</td> </tr> </table>	\${welcome.prudential.informational.text.1}	\${welcome.prudential.informational.text.2}		
\${welcome.prudential.informational.text.1}				
\${welcome.prudential.informational.text.2}				
After				
Back to Table of Contents				

Scenario: Verify the second section on sales pitch page

Passed: 3

Before**Given I scroll to the "\${whatMakeUsDifferent.static.text}" of the sales pitch page****Then I verify following header texts are displayed on "Sales Pitch" page****\${whatMakeUsDifferent.static.text}****Then I verify following paragraph is displayed on "What make us different section" on Sales Pitch****\${whatMakeUsDifferent.informational.text}****After**[Back to Table of Contents](#)**Scenario: Verify the third section on sales pitch page**

Passed: 3

Before**Given I scroll to the "\${howCanWeHelp.static.text}" of the sales pitch page****Then I verify following header texts are displayed on "Sales Pitch" page****\${howCanWeHelp.static.text}****And I verify following paragraph is displayed on "How can we help section" on Sales Pitch page****\${howCanWeHelp.informational.text.1}****\${howCanWeHelp.informational.text.2}****After**[Back to Table of Contents](#)**Scenario: Verify the fourth section on sales pitch page**

Passed: 3

Before**Given I scroll to the "\${ourOffering.static.text}" of the sales pitch page****Then I verify following header texts are displayed on "Sales Pitch" page****\${ourOffering.static.text}****And I verify following paragraph is displayed on "Our offering section" on Sales Pitch page****\${ourOffering.informational.text}****After**[Back to Table of Contents](#)**Scenario: Verify the fifth section on sales pitch page**

Passed: 3

Before**Given I scroll to the "\${valueAddedService.static.text}" of the sales pitch page****Then I verify following header texts are displayed on "Understanding your value added section" on Sales Pitch****\${valueAddedService.static.text}****And I verify following paragraph is displayed on "Understanding your value added section" on Sales Pitch****\${valueAddedService.informational.text.1}****\${valueAddedService.informational.text.2}****After**

[Back to Table of Contents](#)**Scenario: Verify the sixth section on sales pitch page**

Passed: 6

Before

Given I scroll to the "\${createPolicy.static.text}" of the sales pitch page

Then I verify following header texts are displayed on "Sales Pitch" page

\${createPolicy.static.text}

Then I verify following paragraph is displayed on "Creating your policy section" on Sales Pitch pa

\${createPolicy.informational.text}

And I verify following buttons are displayed on pitch page

\${startNewQuote.button.label}

Then I click on following button on sales pitch page

\${startNewQuote.button.label}

Then verify the user is landed on "New Quote" page

After[Back to Table of Contents](#)**Scenario: Close Sales Portal**

Passed: 1

Before

And I close sales portal

After[Back to Table of Contents](#)**Feature: Verify agent can view his profile and reset the password**

Passed: 22

Scenario: Log in to Sales portal with valid agent credentials

Passed: 6

Before

Given I assign value to following variables

AGENT_EMAIL_ID	\${agent.email.id.profile}
AGENT_PROFILE_NAME	\${agent.email.id.profilename}
AGENT_ID	\${agent.code.profile}

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

When I Login to Sales Portal with below details

UserName	\${AGENT_EMAIL_ID}
Password	\${agent.password}

And I enter the verification code if page appears for agent "\${AGENT_EMAIL_ID}"

And I toggle the language button as required

	<p>Then I verify "\${welcome.to.prudential}" screen is displayed</p>			
After				
Back to Table of Contents				
Scenario: Navigate to Agent profile page and verify the agent details				
Passed: 3				
Before				
	<p>Given I decode the password "\${agent.password}" to variable "AGENT_PASSWORD"</p>			
	<p>Then I click on "Agent Profile" Link</p>			
	<p>And verify the user is landed on "Agent Profile" page</p>			
	<p>And I verify following h3 header texts are displayed on "Profile" page</p>			
	<table border="1"><tr><td> \${AGENT_PROFILE_NAME}</td></tr><tr><td> \${AGENT_EMAIL_ID}</td></tr><tr><td> \${AGENT_ID}</td></tr></table>	 \${AGENT_PROFILE_NAME}	 \${AGENT_EMAIL_ID}	 \${AGENT_ID}
 \${AGENT_PROFILE_NAME}				
 \${AGENT_EMAIL_ID}				
 \${AGENT_ID}				
	<p>java.lang.AssertionError: The following asserts failed: PAMB DEV Auto header is displayed on page Profile expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.pru.sales.portal.stepdef.ProfileSteps.verifyDisplayedProducts(ProfileSteps.java:93) at .And I verify following h3 header texts are displayed on "Profile" page(features/SalesProfilePage)</p>			
	<p>And I verify h1 header text is displayed on "Profile" page</p>			
	<table border="1"><tr><td> \${profile.text}</td></tr></table>	 \${profile.text}		
 \${profile.text}				
	<p>Then I verify following text is displayed on "Profile" page</p>			
	<table border="1"><tr><td> \${profile.text.sub.header}</td></tr></table>	 \${profile.text.sub.header}		
 \${profile.text.sub.header}				

PRUDENTIAL 

Profile

+ New Quote View your account details and security settings.

Information

Quotes

Documents

PAMB Auto

PA PAMB23456

testpambdev_23456@mailinator.com

Change Password

Current Password

Password

New Password

Password

Password must be at least 8 characters long and contain upper, lower

Save

Powered by
PRUDENTIAL 

PA Profile

Get Help

Logout

Collapse Sidebar

After

[Back to Table of Contents](#)

Scenario: Verify sample text in change password section

Passed: 4

Before

And I verify following h3 header texts are displayed on "Profile" page

`${profile.update.password.text}`

Then I verify " `${save.button.text}`" button is "disabled"

Then I verify the field label text on "profile page"

`${profile.current.password.label}`

`${profile.new.password.label}`

`${profile.confirm.password.label}`

Then I verify following text is displayed on "Profile" page

`${agent.password.rule.text}`

After

[Back to Table of Contents](#)

Scenario Outline: Invalid password check on profile page

Passed: 3

Before

When I enter "Agent" password in new password field

Then I verify " `${agent.password.rule.text}`" validation error message is highlighted

Then I verify " `${save.button.text}`" button is "disabled"

After

[Back to Table of Contents](#)

Scenario Outline: Invalid password check on profile page

Passed: 3

Before

When I enter "1234567#" password in new password field

Then I verify " `${agent.password.rule.text}`" validation error message is highlighted

Then I verify " `${save.button.text}`" button is "disabled"

After

[Back to Table of Contents](#)

Scenario Outline: Invalid password check on profile page

Passed: 3

Before

When I enter "AGENT@1234" password in new password field

Then I verify " `${agent.password.rule.text}`" validation error message is highlighted

Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: Invalid password check on profile page
Passed: 3
Before
<ul style="list-style-type: none"> When I enter "agent@12334" password in new password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: Invalid password check on profile page
Passed: 3
Before
<ul style="list-style-type: none"> When I enter "Agent12366666777777777Agent12344444444444444442" password in new password field Then I verify "\${new.password.field.length.validation}" validation error message is highlighted Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario: New password and confirm your password mismatch check on profile page
Passed: 4
Before
<ul style="list-style-type: none"> When I enter "Agent1234" password in new password field And I enter "Agent3456" password in confirm your password field Then I verify "The passwords entered do not match, please try again" validation error message is displayed Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario: Validate mask and unmask functionality for current,new and confirm password field
Passed: 9
Before
<ul style="list-style-type: none"> And I verify the Current Password entered is masked When I click on the eye icon for current Password field Then I validate the current password should display without encrypted And I verify the New Password entered is masked When I click on the eye icon for new Password field Then I validate the new password should display without encrypted And I verify the Confirm Password entered is masked When I click on the eye icon for confirm your Password field Then I validate the confirm your password should display without encrypted
After
Back to Table of Contents

Scenario Outline: verify that the save button is enabled only when agent entered the correct current,password
Passed: 4
Before
Given I enter "\${AGENT_PASSWORD}" password in current password field When I enter "Agent" password in new password field And I enter "Agent" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: verify that the save button is enabled only when agent entered the correct current,password
Passed: 4
Before
Given I enter "" password in current password field When I enter "Agent123" password in new password field And I enter "" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: verify that the save button is enabled only when agent entered the correct current,password
Passed: 4
Before
Given I enter "wrong@Password1" password in current password field When I enter "Agent123" password in new password field And I enter "Agent" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: verify that the save button is enabled only when agent entered the correct current,password
Passed: 4
Before
Given I enter "testing" password in current password field When I enter "" password in new password field And I enter "Agent123" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario: verify Agent should be able to change the password for sales portal
Passed: 10
Before
Given I assign "Agent124" to variable "AGENT_NEW_PASSWORD" Output <pre>-----</pre>

Assigning value Agent124 to variable AGENT_NEW_PASSWORD

Then I enter "\${AGENT_PASSWORD}" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

Then I verify "\${save.button.text}" button is "enabled"

And I click on "\${save.button.text}" button

And I wait for 5 sec

Then I verify following text is displayed on "popup window on profile" page

\${agent.change.password.confirmation.text}

Then I verify following buttons are displayed on "change password confirmation popup"

\${close.button}

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent125" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent125 to variable AGENT_NEW_PASSWORD

Then I enter "Agent124" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent126" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent126 to variable AGENT_NEW_PASSWORD

Then I enter "Agent125" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field
And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field
And I click on "\${save.button.text}" button
Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent127" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent127 to variable AGENT_NEW_PASSWORD

Then I enter "Agent126" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent128" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent128 to variable AGENT_NEW_PASSWORD

Then I enter "Agent127" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent129" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent129 to variable AGENT_NEW_PASSWORD

Then I enter "Agent128" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent123" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent123 to variable AGENT_NEW_PASSWORD

Then I enter "Agent129" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario: verify Agent should be able to logout and Login back with the updated password

Passed: 6

Before

When I Logout of the sales portal

When I Login to Sales Portal with below details

UserName	\${AGENT_EMAIL_ID}
Password	\${agent.password}

And I enter the verification code if page appears for agent "\${AGENT_EMAIL_ID}"

Then I verify "\${welcome.to.prudential}" screen is displayed

Then I click on "Agent Profile" Link

And verify the user is landed on "Agent Profile" page

After

[Back to Table of Contents](#)

Scenario: Close from Sales Portal

	Passed: 1				
	Before				
	And I close sales portal				
	After				
	Back to Table of Contents				
	Feature: Verify select plan page functionality				
Passed: 16					
	Scenario: Launch Sales application for PAMB				
Passed: 5					
	Before				
	Given Launch sales portal				
	Output				
	https://dev-pamb-sales-eb.pru.intranet.asia/				
	And I assign value to following variables				
	<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}				
Agent_Password	\${agent.password}				
	When I Login to Sales Portal with below details				
	<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}				
Password	\${Agent_Password}				
	And I enter the verification code if page appears for agent "\${Agent_Email}"				
	Then I verify "\${welcome.to.prudential}" screen is displayed				
After					
	Back to Table of Contents				
	Scenario: verify static and sample text on company and category section on select plan page				
Passed: 11					
	Before				
	Given I click on Create Quote Link				
	Then verify the user is landed on "Select Plan" page				
	And I verify following text is displayed on "Select plan Page" page				
	<table border="1"> <tr> <td> \${estimatedAnnualPremium.button.text}</td> </tr> <tr> <td> \${newQuote.static.text}</td> </tr> </table>	\${estimatedAnnualPremium.button.text}	\${newQuote.static.text}		
\${estimatedAnnualPremium.button.text}					
\${newQuote.static.text}					
	And I verify the h2 header text is displayed on "Select plan" page				
	<table border="1"> <tr> <td> \${select.plan.group.coverage.ghs.text}</td> </tr> <tr> <td> \${select.group.plan.static.text}</td> </tr> </table>	\${select.plan.group.coverage.ghs.text}	\${select.group.plan.static.text}		
\${select.plan.group.coverage.ghs.text}					
\${select.group.plan.static.text}					
	And I verify following static text on "Select plan" page				
	<table border="1"> <tr> <td> \${select.plan.group.coverage.gtl.text}</td> </tr> <tr> <td> \${select.plan.group.coverage.gtl.death.text}</td> </tr> <tr> <td> \${select.plan.group.coverage.gtl.tpd.text}</td> </tr> <tr> <td> \${select.plan.gtl.gadd.text}</td> </tr> </table>	\${select.plan.group.coverage.gtl.text}	\${select.plan.group.coverage.gtl.death.text}	\${select.plan.group.coverage.gtl.tpd.text}	\${select.plan.gtl.gadd.text}
\${select.plan.group.coverage.gtl.text}					
\${select.plan.group.coverage.gtl.death.text}					
\${select.plan.group.coverage.gtl.tpd.text}					
\${select.plan.gtl.gadd.text}					

And I verify following paragraph is displayed on "Select Plan" page

\${select.plan.group.ghs.confirm.text}
--

Then I verify following buttons are displayed on "Select Plan page"

\${saveQuote.button.text}
\${premiumandbenefit.button.text}
\${selectplan.ghs.yes.button}
\${selectplan.ghs.no.button}

Then I verify field label text on "Select Plan" page

\${numOfEmp.field.label.text}
\${selectCoverageStartDate.field.label.text}

Then I verify the presence of following items on page footer

\${next.button.text}

Then I verify "\${previous.button.text}" button should not be visible on "select plan page footer"

Then I verify the sample text of following fields on select plan page

Select coverage date	\${coverageDate.default.value}
Number of Members	

After

[Back to Table of Contents](#)

Scenario: Verify optional plan GHS is not selected by default

Passed: 2

Before

Then I verify following buttons are displayed and enabled

\${selectplan.ghs.yes.button}
\${selectplan.ghs.no.button}

And I verify selection status of following buttons are "not selected"

\${selectplan.ghs.yes.button}
\${selectplan.ghs.no.button}

After

[Back to Table of Contents](#)

Scenario: Verify the validation when user saves the quote without entering the Mandatory fields

Passed: 2

Before

Given I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${validationMessage.company.name}
\${emp.bulk.upload.error.empcount.message}
\${validationMessage.ghs.button}

After

[Back to Table of Contents](#)

Scenario: Verify Next button validation message without entering any values

Passed: 5

Before

Given I click on "\${next.button.text}" button
 Then I verify following validation message on "Select plan page"
 \${validationMessage.ghs.button}
 And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button
 Given I click on "\${next.button.text}" button
 Then I verify following text is displayed on "Select Plan" page
 \${selectplan.error.num.employee}

After[Back to Table of Contents](#)**Scenario: verify that the coverage date should be current date by default**

Passed: 2

Before

Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format
 Then I verify the sample text of following fields on select plan page
 Select Coverage Date \${current date}

After[Back to Table of Contents](#)**Scenario: verify the coverage date should set to current date if Agent input past date in text field**

Passed: 4

Before

And I scroll the page up
 Then I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format
 And I calculate "-31d" from current date in "dd/MM/yyyy" format and assign to variable "past date"
 Then I enter following details on select plan page
 Select Coverage Date \${past date}
 No. of Employees 5
 Then I verify the sample text of following fields on select plan page
 Select Coverage Date \${current date}

java.lang.AssertionError: expected [12/03/2021] but found [09/03/2021]
 at org.testng.Assert.fail(Assert.java:94)
 at org.testng.Assert.failNotEquals(Assert.java:513)
 at org.testng.Assert.assertEqualsImpl(Assert.java:135)
 at org.testng.Assert.assertEquals(Assert.java:116)
 at org.testng.Assert.assertEquals(Assert.java:190)
 at org.testng.Assert.assertEquals(Assert.java:200)
 at com.pru.sales.portal.pages.SelectPlanPage.verifySampleTextOnSelectPlanPage(SelectPlanPage.java:116)
 at com.pru.sales.portal.stepdef.SelectPlanSteps.verifySampleTextOnSelectPlanPage(SelectPlanSteps.java:25)
 at .Then I verify the sample text of following fields on select plan page(features/my/01.SelectPlanPage.feature:11)



+ New Quote

Information

Quotes

Documents

Powered by

TA Profile

Get Help

Select Plan

! Member

New Quote

Company Name

Group Plan

Group Term Life (GTL)

Death Benefit (due to ALL causes)

Total and Permanent Disability Benefit (TPD)

Group Accidental Death and Disablement Be

Group Hospital and Surgical Be

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: verify that the past date should be disabled on coverage date calendar

Passed: 1

Before

```
And I calculate "-32d" from current date in "MMM/dd/yyyy" format and assign to variable "past"
```

```
Then I open the coverage date calendar
```

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-pxsm3-1ff5w', ip: '10.153.105.160', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '1.8.0_212-b04-50-0815'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "L...Session ID: 6a6a0bf89f0dc9e017555ef00194000e
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA...
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons...
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCode...
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:48)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:44)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut...
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.SelectPlanPage.openCoverageDateCal(SelectPlanPage.java:897)
at com.pru.sales.portal.stepdef.SelectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:...
at .Then I open the coverage date calendar(features/my/01.SelectPlanPage.feature:92)
```

```
Then I select the coverage date "past date" using calendar
```

```
And I verify past date is disabled
```

```
Then I verify month field dropdown value matches with "/testdata/my/month_dropdown/month.tx...
```



+ New Quote

Information

Quotes

Documents

Powered by

TA Profile

Get Help

Select Plan

! Member

New Quote

Company Name

Group Plan

Group Term Life (GTL)

Death Benefit (due to ALL causes)

Total and Permanent Disability Benefit (TPD)

Group Accidental Death and Disablement Be

Group Hospital and Surgical Be

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: verify coverage date calendar is functioning properly**

Passed: 0

Before**Then I open the coverage date calendar**

```

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-pxsm3-1ff5w', ip: '10.153.105.160', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 6a6a0bf89f0dc9e017555ef00194000e
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.SelectPlanPage.openCoverageDateCal(SelectPlanPage.java:897)
at com.pru.sales.portal.stepdef.SelectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:
at .Then I open the coverage date calendar(features/my/01.SelectPlanPage.feature:98)

```

Then I generate "current date" and assign to variable "current date" in "MMM/dd/yyyy" format

Then I generate "current date" and assign to variable "DATE_SELECTED" in "MM/dd/yyyy" fo

Then I generate "current date" and assign to variable "EXPECTED_DATE_SELECTED" in "dd

Then I select the coverage date "current date" using calendar

Then I verify the sample text of following fields on select plan page

Select Coverage Date	\${EXPECTED_DATE_SELECTED}
----------------------	----------------------------



+ New Quote

Information

Quotes

Documents

Powered by

TA Profile

Get Help

Select Plan

! Member

New Quote

Company Name

Group Plan

Group Term Life (GTL)

Death Benefit (due to ALL causes)

Total and Permanent Disability Benefit (TPD)

Group Accidental Death and Disablement Be

Group Hospital and Surgical Be

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: verify coverage date calendar is functioning properly

Passed: 0

Before

Then I open the coverage date calendar

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-pxsm3-1ff5w', ip: '10.153.105.160', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 6a6a0bf89f0dc9e017555ef00194000e
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.SelectPlanPage.openCoverageDateCal(SelectPlanPage.java:897)
at com.pru.sales.portal.stepdef.SelectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:
at .Then I open the coverage date calendar(features/my/01.SelectPlanPage.feature:98)
```

Then I generate "future date" and assign to variable "future date" in "MMM/dd/yyyy" format
 Then I generate "future date" and assign to variable "DATE_SELECTED" in "MM/dd/yyyy" for
 Then I generate "future date" and assign to variable "EXPECTED_DATE_SELECTED" in "dd/mm/yyyy"
 Then I select the coverage date "future date" using calendar
 Then I verify the sample text of following fields on select plan page

Select Coverage Date	#{EXPECTED_DATE_SELECTED}
----------------------	---------------------------



+ New Quote

Information

Quotes

Documents

Powered by

TA Profile

Get Help

Select Plan

! Member

New Quote

Company Name

Group Plan

Group Term Life (GTL)

Death Benefit (due to ALL causes)

Total and Permanent Disability Benefit (TPD)

Group Accidental Death and Disablement Be

Group Hospital and Surgical Be

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: Enter number of employees: 4 for single category**

- 1) verify Agent should not be allowed to enter less than 5 employees for single category
- 2) verify Agent should not be allowed to enter more than 200 employees for single category

Passed: 6

Before

Then I enter following details on select plan page

No. of Employees	4
------------------	---

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${emp.bulk.upload.error.empcount.message}
--

Given I click on "\${next.button.text}" button

Then I verify following text is displayed on "Select Plan" page

\${emp.bulk.upload.error.empcount.message}
--

After[Back to Table of Contents](#)**Scenario: Verify Agent should be able to enter company and category details**

- 1) all the information should be same as entered by agent on select plan page after saving the quote
- 2) last saved message should be displayed correctly

Passed: 14

Before

Given I click on Quotes link

Then I click on Create Quote Link

Then I navigate to "Select Plan" screen

Then I generate "future date" and assign to variable "future date" in "dd/MM/yyyy" format

Then I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :534

Then I assign value to following variables

Company_Name	Automation_\${RANDOM_NUMBER}

No._of_Employees	200
And I enter following details on select plan page	
Company Name	\${Company_Name}
Select Coverage Date	\${future date}
No. of Employees	\${No._of_Employees}
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button	
Then I click on "\${saveQuote.button.text}" button	
Then I verify following validation message on "Select plan page"	
\${success.quote.message.text}	
Then I verify following information is displayed on page footer	
\${lastSavedMessage.static.text}	
Given I verify company name is displayed as entered on select plan page	
Company Name \${Company_Name}	
Then I verify the sample text of following fields on select plan page	
Select Coverage Date	\${future date}
Number of Members	\${No._of_Employees}
Then I verify the presence of export quote button	
After	
Back to Table of Contents	
Scenario: verify employee screen is displayed when user click on next button at the bottom of the screen	
Passed: 3	
Before	
Given I verify "\${next.button.text}" button is "enabled"	
Then I click on next button present on page footer	
And verify the user is landed on "Employees" page	
After	
Back to Table of Contents	
Scenario Outline: verify the company name should be displayed as entered on select plan page on sub	
Passed: 4	
Before	
Given I navigate to "Employees" screen	
Then I verify company name is displayed as entered on select plan page	
Company Name \${Company_Name}	
Then I click on "\${saveQuote.button.text}" button	
Then I verify following validation message on "Select plan page"	
\${success.quote.message.text}	
After	
Back to Table of Contents	
Scenario Outline: verify the company name should be displayed as entered on select plan page on sub	
Passed: 4	
Before	
Given I navigate to "Company" screen	

Then I verify company name is displayed as entered on select plan page

Company Name	\${Company_Name}
--------------	------------------

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${success.quote.message.text}

After

[Back to Table of Contents](#)

Scenario Outline: verify the company name should be displayed as entered on select plan page on sub

Passed: 4

Before

Given I navigate to "Submit" screen

Then I verify company name is displayed as entered on select plan page

Company Name	\${Company_Name}
--------------	------------------

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${success.quote.message.text}

After

[Back to Table of Contents](#)

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Employees" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

Estimated Annual Premium	\${PREMIUM_AMOUNT}
--------------------------	--------------------

After

[Back to Table of Contents](#)

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Company" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

Estimated Annual Premium	\${PREMIUM_AMOUNT}
--------------------------	--------------------

After

[Back to Table of Contents](#)

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Submit" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

	Estimated Annual Premium \${PREMIUM_AMOUNT}								
After									
Back to Table of Contents									
Scenario: Close Sales Portal									
Passed: 1									
Before									
And I close sales portal									
After									
Back to Table of Contents									
Feature: Verify Agent can add,edit or delete members manually									
Passed: 56									
Scenario: Log into sales portal as an agent and navigate to employee page									
Passed: 5									
Before									
Given Launch sales portal									
Output									
https://dev-pamb-sales-eb.pru.intranet.asia/									
And I assign value to following variables									
<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> <tr> <td>Occupational Class</td> <td> \${emp.occupationalclass.dropdown.value1}</td> </tr> <tr> <td>Nationality</td> <td> \${nationality.dropDown.list}</td> </tr> </table>		Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	Occupational Class	\${emp.occupationalclass.dropdown.value1}	Nationality	\${nationality.dropDown.list}
Agent_Email	\${agent.email.id.global}								
Agent_Password	\${agent.password}								
Occupational Class	\${emp.occupationalclass.dropdown.value1}								
Nationality	\${nationality.dropDown.list}								
When I Login to Sales Portal with below details									
<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>		UserName	\${Agent_Email}	Password	\${Agent_Password}				
UserName	\${Agent_Email}								
Password	\${Agent_Password}								
And I enter the verification code if page appears for agent "\${Agent_Email}"									
Then I verify "\${welcome.to.prudential}" screen is displayed									
After									
Back to Table of Contents									
Scenario: Verify Sample text on employee view									
Passed: 20									
Before									
When I click on Create Quote Link									
Then I navigate to "Select Plan" screen									
And I generate "current date" and assign to variable "\${COVERAGE_DATE}" in "dd/MM/yyyy"									
And I assign value to following variables									
No._of_Members 10									
And I enter following details on select plan page									
Effective Date of Coverage \${COVERAGE_DATE}									

No. of Employees	\${No._of_Members}
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button	
Then I navigate to "Members" screen	
And verify the user is landed on "Members" page	
And I verify following text is displayed on "Employee Page" page	
\${estimatedAnnualPremium.button.text}	
\${newQuote.static.text}	
Then I verify following buttons are displayed on top right corner of the screen	
Save Quote \${saveQuote.button.text}	
Then I verify the presence of following button on "members page"	
\${employee.upload.file.btn}	
\${addEmployeeManually.button.text}	
Then I verify the presence of "\${employee.download.template.btn}" on employee page	
Then I verify the presence of three dots dropdown for ph on employee page	
Then I verify the following information text on the screen	
Info \${employee.drop.data.file}	
Then I assign value to following variables	
EMP_COUNT 0	
Then I verify the presence of following member table headers on "member page"	
\${employee.detail.name}	
\${employee.detail.startdate}	
Then I verify following counts are displayed for employee and dependant on employee page	
Member Count \${employee.uploaded.count}	
Then I verify the presence of following items on page footer	
\${previous.button.text}	
\${next.button.text}	
And I verify "\${previous.button.text}" button is "enabled"	
And I verify "\${next.button.text}" button is "enabled"	
After	
Back to Table of Contents	
Scenario: Verify PDPA Consent requirement title and text	
Passed: 2	
Before	
Then I verify following text is displayed on "Member" page	
\${employee.PDPAtitle.txt}	
Then I verify below pdpa consent text is displayed on Employee page	
\${employee.PDPA.consent.text}	
After	
Back to Table of Contents	
Scenario: verify Upload file,Add employee and download template button is disabled when PDPA Co	
Passed: 3	
Before	

Given I verify PDPA Consent requirement checkbox is "unchecked"
Then I verify following buttons are "disabled" on employee page
\${addEmployeeManually.button.text}
Then I verify following span type link are "disabled" on employee page
\${employee.download.template.btn}

After[Back to Table of Contents](#)**Scenario: verify Upload file,Add members and download template button is enabled when PDPA Con**

Passed: 6

Before

Given I select the PDPA Consent requirement check box
And I verify PDPA consent information is collapsed
Then I click on three dots at the top right corner of employee table
Then I verify the presence of following button on "top right corner of member table"
\${employee.reupload.btn}
And I verify button label text on "Employee Page on click on 3 dots" page
\${employee.reupload.btn}
Then I verify "\${employee.reupload.btn}" button is "enabled"

After[Back to Table of Contents](#)**Scenario: verify Agent can download the excel template**

- 1) verify template format should be excel
- 2) the file should contain expected headers

Passed: 14

Before

Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"
Output
Assigning value /testdata/my/bulk_upload_employee to variable testdata.path
Then I assign "Employee_Temp_To_Compare_With.xls" to variable "FILE_NAME"
Output
Assigning value Employee_Temp_To_Compare_With.xls to variable FILE_NAME
Then I assign "employees_template.xls" to variable "DOWNLOADED_FILE_NAME"
Output
Assigning value employees_template.xls to variable DOWNLOADED_FILE_NAME

And I assign "\${testdata.path}/downloadEmployeeTemplate" to variable "employee.template.com

Output

Assigning value /testdata/my/bulk_upload_employee/downloadEmployeeTemplate to variable employee.template.compareWith

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "employee.te

Then I delete the downloaded file "\${employee.template.CompareTo.path}" if it already exists

Then I scroll to the end of page

When I click on Download employee template button

Then I verify following text is displayed on "Download Member Data File" page

\${employee.download.popup.Header.text}

\${employee.download.popup.message}

Then I verify following buttons are displayed on "Download Member Data File"

\${employee.download.popup.english.button}
--

Then I click on "\${employee.download.popup.english.button}" button

Then I verify downloaded file name is "\${employee.template.CompareTo.path}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/employees_template.xlsx

And I verify employee csv file "\${employee.template.CompareTo.path}" is matching with "\${emp

And I close download employee data file popup

After

[Back to Table of Contents](#)

Scenario: verify static,sample text,header and footer on Member profile page

Passed: 10

Before

Given I close download employee data file popup if it is opened

Given I select the PDPA Consent requirement check box

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

Then I verify the h3 header text is displayed on "Add Employee modal" page

\${employee.addemp.empdetails}

\${employee.addemp.nationalitydetails}
--

\${employee.addemp.addressdetails}

Then I verify the field label text on "Add Employee modal"

\${employee.addemp.field.firstname}

	\${employee.adtemp.field.surname} \${employee.adtemp.field.dob} \${employee.adtemp.field.gender} \${employee.adtemp.field.cmpnyemail} \${employee.adtemp.field.occupationclass} \${employee.adtemp.field.nationality} \${employee.adtemp.field.nric} \${employee.adtemp.field.mandatory.address} \${employee.adtemp.field.optional.address2} \${employee.adtemp.field.optional.address3} \${employee.adtemp.field.optional.address4} \${employee.adtemp.field.state} \${employee.adtemp.field.city} \${employee.adtemp.field.zipcode} \${employee.adtemp.field.country}
--	---

Then I verify the informational text on "Add Employee Modal"

\${employee.adtemp.field.optional.address2} \${employee.infotext}
\${employee.adtemp.field.optional.address3} \${employee.infotext}
\${employee.adtemp.field.optional.address4} \${employee.infotext}

Then I verify the default value in following fields on add employee screen

State	\${state.default.value}
MY Occupational Class	\${emp.occupationalclass.dropdown.value1}
static Nationality	\${nationality.dropDown.list}
Country	\${country.dropDown.value}
Date of Birth default	\${emp.date.format}
Coverage Start Date default	\${emp.date.format}

And I verify the presence of following button on "Add employee modal"

\${employee.adtemp.saveandnew}
\${employee.adtemp.close}

After

[Back to Table of Contents](#)

Scenario: **verify the values of Occupational Class field on Add member modal**

Passed: 1

Before

Then I verify Occupational Class field is non editable on Add member screen

After

[Back to Table of Contents](#)

Scenario: **Verify nationality field is uneditable**

Passed: 1

Before

Then I verify Nationality field is non editable on Add employee screen

After

[Back to Table of Contents](#)

Scenario: Verify the dropdown lists in State field

Passed: 1

Before**Then I verify State field dropdown values matches with "/testdata/my/state/state.txt" file****Output**

```
StateField data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
```

After[Back to Table of Contents](#)**Scenario: verify country field should be un editable**

Passed: 1

Before**Given I verify Country field is non editable on Add employee screen****After**[Back to Table of Contents](#)**Scenario: Validating the error message When user clicks on save button without entering field value or leaving it blank**

Passed: 4

Before**Given I close the Add employee Modal if it is already opened****Then I click on "Add Member" button****Then I click on "\${employee.adtemp.saveandnew}" button****Then I verify the error message on "Add Member modal"**

`\${employee.adtemp.field.firstname}`	`\${emp.error.mandatoryfield1}`
`\${employee.adtemp.field.surname}`	`\${emp.error.mandatoryfield3}`
`\${employee.adtemp.field.dob}`	`\${emp.error.mandatoryfield5}`
`\${employee.adtemp.field.cmpnyemail}`	`\${emp.error.mandatoryfield6}`
PAMB Gender	`\${emp.error.mandatoryfield9}`
`\${employee.adtemp.field.nric}`	`\${emp.error.mandatoryfield10}`
PAMB State	`\${emp.error.mandatoryfield12}`
`\${employee.adtemp.field.city}`	`\${emp.error.mandatoryfield13}`
`\${employee.adtemp.field.zipcode}`	`\${emp.error.mandatoryfield14}`
`\${employee.adtemp.field.mandatory.address}`	`\${emp.error.mandatoryfield11}`

Output

```
Checking validation message for First Name
Checking validation message for Surname
Checking validation message for Date of Birth
Checking validation message for Email Address
Checking validation message for PAMB Gender
Checking validation message for NRIC no.
Checking validation message for PAMB State
Checking validation message for City
```


Then I verify the error message on "Add Member modal"

<code> \${employee.adtemp.field.zipcode}</code>	<code> \${emp.error.min.max.validation.zipcode}</code>
--	---

Output

Checking validation message for Post Code

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code

Passed: 3

Before

Then I enter following details on "add member" screen

<code> Post Code</code>	<code>103</code>
----------------------------	------------------

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

<code> \${employee.adtemp.field.zipcode}</code>	<code> \${emp.error.min.max.validation.zipcode}</code>
--	---

Output

Checking validation message for Post Code

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters valid zip code

Passed: 3

Before

Then I enter following details on "add member" screen

<code> Post Code</code>	<code>145607</code>
----------------------------	---------------------

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

<code> \${employee.adtemp.field.zipcode}</code>	<code> \${emp.error.min.max.validation.zipcode}</code>
--	---

Output

Checking validation message for Post Code

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.formatvalidation.email}" When user enters invalid email address

Passed: 3

Before

Then I enter following details on "add member" screen

Email Address testmailinator.com

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

Employee Add Form - Validation

Output

Checking validation message for Email Address

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.email}" When user enters invalid email

Passed: 3

Before

Then I enter following details on "add member" screen

Email Address ABCDEFGHIJK5LMNOPqrstuvwxyz123456789012345678901234567890123.

Then I click on "\${employee.addemp.saveandnew}" button

When I verify the error message on "Add Member modal"

1

Checking validation message for Email Address

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${error.numeric.validation.city}" When user enters

Passed: 3

Before

Then I enter following details on "add member" screen

City Test123

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

Employee Address Validation

Output

Checking validation message for City

Checking validation message for City

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${bulk.upload.error.minmax.validation.ID}" When

Passed: 3

Before

Then I enter following details on "add member" screen

NRIC no. 1234567891

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

Employee Addemp Field NRIC \${employee.addemp.field.nric} \${bulk.upload.error.minmax.validation.ID}

Output

Checking validation message for NRIC no.

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.address2}" When

Passed: 3

Before

Then I enter following details on "add member" screen

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on Optional fields in "Add Member modal"

`${employee.addemp.field.optional.address2} ${emp.error.min.max.validation.address2}`

Output

Checking validation message for Address 2

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.address3}" When

Passed: 3

Before

Then I enter following details on "add member" screen

Before

Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 31}

And I calculate "-31y" from "\${past_coverage_date}" in "dd/MM/yyyy" format and assign to variable \${ANB 31}

And I enter following details on "add member" screen

\${employee.addemp.field.dob}	\${ANB 31}
-------------------------------	------------

Then I click on "\${employee.addemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

\${employee.addemp.field.dob}	\${emp.addemp.future.DOB.error.message}
-------------------------------	---

Output

```
Checking validation message for Date of Birth
```

After[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date is \${past_coverage_date}**

Passed: 6

Before

Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 30}

And I calculate "-30y" from "\${past_coverage_date}" in "dd/MM/yyyy" format and assign to variable \${ANB 30}

And I enter following details on "add member" screen

\${employee.addemp.field.dob}	\${ANB 30}
-------------------------------	------------

Then I click on "\${employee.addemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

\${employee.addemp.field.dob}	
-------------------------------	--

Output

```
Checking validation message for Date of Birth
```

After[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date is \${past_coverage_date}**

Passed: 6

Before

Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 15}

And I calculate "-15y" from "\${past_coverage_date}" in "dd/MM/yyyy" format and assign to variable \${ANB 15}

And I enter following details on "add member" screen

\${employee.addemp.field.dob}	\${ANB 15}
-------------------------------	------------

Then I click on "\${employee.addemp.saveandnew}" button

And I wait for 2 sec**Then I verify the error message on "Add Employee modal"** **`${employee.addemp.field.dob} ${emp.addemp.future.DOB.error.message}`****Output**

```
Checking validation message for Date of Birth
```

After[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 16} when effe****Passed: 6****Before****Given I calculate "-30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable "future_date"****And I calculate "-16y" from "\${past_coverage_date}" in "dd/MM/yyyy" format and assign to variable "past_coverage_date"****And I enter following details on "add member" screen** **`${employee.addemp.field.dob} ${ANB 16}`****Then I click on "\${employee.addemp.saveandnew}" button****And I wait for 2 sec****Then I verify the error message on "Add Employee modal"** **`${employee.addemp.field.dob}`****Output**

```
Checking validation message for Date of Birth
```

After[Back to Table of Contents](#)**Scenario: Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is future date****Passed: 9****Before****Given I close the Add employee Modal if it is already opened****Then I navigate to "Select Plan" screen****And I calculate "+30d" from current date in "dd/MM/yyyy" format and assign to variable "future_date"****And I enter following details on select plan page** **`Effective Date of Coverage ${future_coverage_date}`****And I navigate to "Members" screen****Given I select the PDPA Consent requirement check box****And I scroll the page up****Then I click on "\${addEmployeeManually.button.text}" button****Then I verify "\${employee.addemp.modal.title}" modal comes up****After**

Back to Table of Contents				
Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 31} when effective date is +30 days				
Passed: 6				
Before				
<p>Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 31}</p> <p>And I calculate "-31y" from "\${future_coverage_date}" in "dd/MM/yyyy" format and assign to variable \${emp.addemp.future.DOB.error.message}</p> <p>And I enter following details on "add member" screen</p> <table border="1"> <tr> <td> \${employee.addemp.field.dob}</td> <td> \${ANB 31}</td> </tr> </table> <p>Then I click on "\${employee.addemp.saveandnew}" button</p> <p>And I wait for 2 sec</p> <p>Then I verify the error message on "Add Employee modal"</p> <table border="1"> <tr> <td> \${employee.addemp.field.dob}</td> <td> \${emp.addemp.future.DOB.error.message}</td> </tr> </table>	\${employee.addemp.field.dob}	\${ANB 31}	\${employee.addemp.field.dob}	\${emp.addemp.future.DOB.error.message}
\${employee.addemp.field.dob}	\${ANB 31}			
\${employee.addemp.field.dob}	\${emp.addemp.future.DOB.error.message}			
Output				
<pre>Checking validation message for Date of Birth</pre>				
After				
Back to Table of Contents				
Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 30} when effective date is +30 days				
Passed: 6				
Before				
<p>Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 30}</p> <p>And I calculate "-30y" from "\${future_coverage_date}" in "dd/MM/yyyy" format and assign to variable \${emp.addemp.future.DOB.error.message}</p> <p>And I enter following details on "add member" screen</p> <table border="1"> <tr> <td> \${employee.addemp.field.dob}</td> <td> \${ANB 30}</td> </tr> </table> <p>Then I click on "\${employee.addemp.saveandnew}" button</p> <p>And I wait for 2 sec</p> <p>Then I verify the error message on "Add Employee modal"</p> <table border="1"> <tr> <td> \${employee.addemp.field.dob}</td> </tr> </table>	\${employee.addemp.field.dob}	\${ANB 30}	\${employee.addemp.field.dob}	
\${employee.addemp.field.dob}	\${ANB 30}			
\${employee.addemp.field.dob}				
Output				
<pre>Checking validation message for Date of Birth</pre>				
After				
Back to Table of Contents				
Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 15} when effective date is +30 days				
Passed: 6				
Before				
<p>Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable \${ANB 15}</p> <p>And I calculate "-15y" from "\${future_coverage_date}" in "dd/MM/yyyy" format and assign to variable \${emp.addemp.future.DOB.error.message}</p>				

And I enter following details on "add member" screen

<code> \${employee.adtemp.field.dob} </code>	<code> \${ANB 15} </code>
--	---------------------------

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

<code> \${employee.adtemp.field.dob} </code>	<code> \${emp.adtemp.future.DOB.error.message} </code>
--	--

Output

Checking validation message for Date of Birth

After

[Back to Table of Contents](#)

Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 16} when effec

Passed: 6

Before

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variab

And I calculate "-16y" from "\${future_coverage_date}" in "dd/MM/yyyy" format and assign to variab

And I enter following details on "add member" screen

<code> \${employee.adtemp.field.dob} </code>	<code> \${ANB 16} </code>
--	---------------------------

Then I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

Then I verify the error message on "Add Employee modal"

<code> \${employee.adtemp.field.dob} </code>
--

Output

Checking validation message for Date of Birth

After

[Back to Table of Contents](#)

Scenario: Prerequisite for ANB validtaions between 16 & 30 (inclusive) - Effective date is current date

Passed: 9

Before

Given I close the Add employee Modal if it is already opened

Then I navigate to "Select Plan" screen

And I generate "current date" and assign to variable "current_coverage_date" in "dd/MM/yyyy"

And I enter following details on select plan page

<code> Effective Date of Coverage </code>	<code> \${current_coverage_date} </code>
---	--

And I navigate to "Members" screen

Given I select the PDPA Consent requirement check box

And I scroll the page up

	<p>Then I click on "\${addEmployeeManually.button.text}" button</p> <p>Then I verify "\${employee.adtemp.modal.title}" modal comes up</p>		
After			
Back to Table of Contents			
Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 31} when eff			
Passed: 6			
Before			
	<p>Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to varia</p> <p>And I calculate "-31y" from "\${current_coverage_date}" in "dd/MM/yyyy" format and assign to</p> <p>And I enter following details on "add member" screen</p> <table border="1"> <tr> <td> \${employee.adtemp.field.dob} \${ANB 31}</td> </tr> </table> <p>Then I click on "\${employee.adtemp.saveandnew}" button</p> <p>And I wait for 2 sec</p> <p>Then I verify the error message on "Add Employee modal"</p> <table border="1"> <tr> <td> \${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}</td> </tr> </table>	 \${employee.adtemp.field.dob} \${ANB 31}	 \${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}
 \${employee.adtemp.field.dob} \${ANB 31}			
 \${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}			
Output	<pre>----- Checking validation message for Date of Birth</pre>		
After			
Back to Table of Contents			
Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 30} when eff			
Passed: 6			
Before			
	<p>Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to varia</p> <p>And I calculate "-30y" from "\${current_coverage_date}" in "dd/MM/yyyy" format and assign to</p> <p>And I enter following details on "add member" screen</p> <table border="1"> <tr> <td> \${employee.adtemp.field.dob} \${ANB 30}</td> </tr> </table> <p>Then I click on "\${employee.adtemp.saveandnew}" button</p> <p>And I wait for 2 sec</p> <p>Then I verify the error message on "Add Employee modal"</p> <table border="1"> <tr> <td> \${employee.adtemp.field.dob} </td> </tr> </table>	 \${employee.adtemp.field.dob} \${ANB 30}	 \${employee.adtemp.field.dob}
 \${employee.adtemp.field.dob} \${ANB 30}			
 \${employee.adtemp.field.dob} 			
Output	<pre>----- Checking validation message for Date of Birth</pre>		
After			
Back to Table of Contents			
Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 15} when eff			
Passed: 6			

Before

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable
And I calculate "-15y" from "\${current_coverage_date}" in "dd/MM/yyyy" format and assign to variable
And I enter following details on "add member" screen
\${employee.adtemp.field.dob} \${ANB 15}
Then I click on "\${employee.adtemp.saveandnew}" button
And I wait for 2 sec
Then I verify the error message on "Add Employee modal"
\${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}

Output

```
Checking validation message for Date of Birth
```

After[Back to Table of Contents](#)**Scenario Outline: validate the ANB calculation is done based on member DOB - \${ANB 16} when effective date is \${current_coverage_date}****Passed: 6****Before**

Given I calculate "+30d" from current date in "dd/MM/yyyy HH:mm" format and assign to variable
And I calculate "-16y" from "\${current_coverage_date}" in "dd/MM/yyyy" format and assign to variable
And I enter following details on "add member" screen
\${employee.adtemp.field.dob} \${ANB 16}
Then I click on "\${employee.adtemp.saveandnew}" button
And I wait for 2 sec
Then I verify the error message on "Add Employee modal"
\${employee.adtemp.field.dob}

Output

```
Checking validation message for Date of Birth
```

After[Back to Table of Contents](#)**Scenario: verify calendar functionality is working for date of birth****Passed: 11****Before**

Given I close the Add employee Modal if it is already opened
And I scroll the page up
Then I click on "\${addEmployeeManually.button.text}" button
And I generate "current date" and assign to variable "current date" in "dd/MMM/yyyy" format
And I generate "future date" and assign to variable "future date_1" in "dd/MMM/yyyy" format

And I generate "future date" and assign to variable "future date_2" in "dd/MM/yyyy" format

Then I click on date of birth calendar button on Add employee modal on Sales

Then I verify the value "\${current date}" is selected by default for date of birth calendar on Add employee modal on Sales

Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month_dropdown" on Add employee modal on Sales

Output

expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]

Then I select date "\${future date_1}" using calendar

Then I verify Add Employee page is displayed with all data pre-populated from employee table

Date of Birth	\${future date_2}
---------------	-------------------

After

[Back to Table of Contents](#)

Scenario: verify calendar functionality is working for coverage start date

Passed: 5

Before

Then I click on employee start date calendar button on Add employee modal on Sales

Then I verify the value "\${current date}" is selected by default for employee start date calendar on Add employee modal on Sales

Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month_dropdown" on Add employee modal on Sales

Output

expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]

Then I select date "\${future date_1}" using calendar

Then I verify Add Employee page is displayed with all data pre-populated from employee table

Date of Birth	\${future date_2}
---------------	-------------------

After

[Back to Table of Contents](#)

Scenario: Verify agent can perform following functions

- 1)manually add the single member after uploading a bulk emp file
- 2)Save using Save and New button
- 3)The member count per category and total no of members is updated after employee is manually added

Passed: 35

Before

Given I close the Add employee Modal if it is already opened

Then I click on Create Quote Link

And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" format

And I enter Company Name as "MY Member Bulk Upload Tests"**Output**

```
company name is: MY Member Bulk Upload Tests
```

And I assign value to following variables

No._of_Members	10
----------------	----

And I enter following details on select plan page

Effective Date of Coverage	\${COVERAGE_DATE}
No. of Members	\${No._of_Members}

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**Then I navigate to "Members" screen****Then I select the PDPA Consent requirement check box****And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"****Output**

```
Assigning value /testdata/my/bulk_upload_employee to variable testdata.path
```

Then I assign "employee_CorrectData.xls" to variable "FILE_NAME"**Output**

```
Assigning value employee_CorrectData.xls to variable FILE_NAME
```

Then I upload the employee csv file "\${testdata.path}/003/\${FILE_NAME}"**And I wait for 10 sec****And I verify the "\${employee.upload.success.msg}" validation message on employee screen****And I scroll the page up****Then I click on "\${addEmployeeManually.button.text}" button****Then I verify "\${employee.addemp.modal.title}" modal comes up****And I generate random number and assign to variable "RANDOM_NUMBER"****Output**

```
Random number generated is :981
```

And I assign value to following variables

Employee First Name	Employee One
Employee Surname	Sur.name
Date of Birth	01/01/1995

Gender	\${gender.female.text}
Email Address	testuser_\${RANDOM_NUMBER}@test.com
Coverage Start Date	\${COVERAGE_DATE}
NRIC no.	123456789102
Address 1	Test Address1
Address 2	Test Address2
Address 3	Test Address3
Address 4	Test Address4
State	\${state.dropdown.value.2}
City	Test City
Post Code	54787

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name}
Surname	\${Employee Surname}
Date of Birth	\${Date of Birth}
Gender	\${Gender}
Email Address	\${Email Address}
Coverage Start Date	\${Coverage Start Date}
NRIC no.	\${NRIC no.}
Address 1	\${Address 1}
Address 2	\${Address 2}
Address 3	\${Address 3}
Address 4	\${Address 4}
State	\${State}
City	\${City}
Post Code	\${Post Code}

And I assign "\${Employee First Name} \${Employee Surname}" to variable "Employee Full Name"

Output

Assigning value Employee One Sur.name to variable Employee Full Name

Then I scroll the page up

And I click on "\${employee.addemp.saveandnew}" button

Then I click on "\${employee.addemp.close}" button

Then verify the user is landed on "Members" page

Then I assign value to following variables

EMP_COUNT	11
-----------	----

And I scroll the page up

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count	\${employee.uploaded.count}
----------------	-----------------------------

Then I enter "\${Employee Full Name}" in search text field in Members page

Then I scroll to the end of page

Then I verify following information is displayed for member "\${Employee Full Name}" in member list

\${employee.detail.name}	\${Employee Full Name}	
\${employee.detail.startdate}	\${COVERAGE_DATE}	

When I expand the member "\${Employee Full Name}" using > button

And I verify following details for the added/updated members

\${employee.adtemp.field.dob}	\${Date of Birth}
\${employee.adtemp.field.gender}	\${Gender}
\${employee.adtemp.field.nationality}	\${Nationality}
\${employee.detailsview.field.empid}	\${NRIC no.}
\${employee.adtemp.field.occupationclass}	\${Occupational Class}
\${employee.adtemp.field.cmpnyemail}	\${Email Address}

Then I navigate to "Select Plan" screen

Then I verify the sample text of following fields on select plan page

Number of Members	11
-------------------	----

After

[Back to Table of Contents](#)

Scenario: Verify the email duplicate check is present while adding same email for employees manually

Passed: 13

Before

Given I navigate to "Members" screen

And I scroll the page up

And I click on "\${addEmployeeManually.button.text}" button

And I verify "\${employee.adtemp.modal.title}" modal comes up

Then I enter following details on "Add Employee" screen

Email Address	\${hr.admin.id}
---------------	-----------------

And I click on "\${employee.adtemp.saveandnew}" button

When I verify the error message on "Add Employee modal"

\${employee.adtemp.field.cmpnyemail}	\${emp.bulk.upload.error.email.exist}
--------------------------------------	---------------------------------------

Output

Checking validation message for Email Address

Then I enter following details on "Add Employee" screen

Email Address	\${Email Address}
---------------	-------------------

And I click on "\${employee.adtemp.saveandnew}" button

And I wait for 2 sec

When I verify the error message on "Add Employee modal"

\${employee.adtemp.field.cmpnyemail}	\${emp.bulk.upload.error.email.exist}
--------------------------------------	---------------------------------------

Output

Checking validation message for Email Address

	<p>And I click on "\${employee.addemp.close}" button And verify the user is landed on "Members" page</p>
After	
Back to Table of Contents	
Scenario: Verify the presence of the Search field	
Passed: 3	
Before	
	<p>Given I close the Add employee Modal if it is already opened And I verify Search text field is displayed and enabled with magnifying class and default text as Se And I verify sample text of search text field on "member page" page on Sales Portal \${member.search.text}</p>
After	
Back to Table of Contents	
Scenario Outline: Verify the agent can search member details by entering "First Name"	
Passed: 3	
Before	
	<p>Given I enter "\${Employee First Name}" in search text field in Members page And I verify searched member count is 1 Then I remove search text on manage members page in Sales Portal</p>
After	
Back to Table of Contents	
Scenario Outline: Verify the agent can search member details by entering "NRIC no."	
Passed: 3	
Before	
	<p>Given I enter "\${NRIC no.}" in search text field in Members page And I verify searched member count is 1 Then I remove search text on manage members page in Sales Portal</p>
After	
Back to Table of Contents	
Scenario Outline: Verify the agent can search member details by entering "Email Address"	
Passed: 3	
Before	
	<p>Given I enter "\${Email Address}" in search text field in Members page And I verify searched member count is 1 Then I remove search text on manage members page in Sales Portal</p>
After	
Back to Table of Contents	
Scenario: Verify the agent can edit the employee information on employee page	
Passed: 23	

Before

Given I close the Add employee Modal if it is already opened																																
And I navigate to "Select Plan" screen																																
And I navigate to "Members" screen																																
Then I enter "\${Email Address}" in search text field in Members page																																
And I click on edit button next to the employee "\${Employee Full Name}"																																
Then I click on profile button "\${employee.editprofile.button.text}" on Add employee page																																
Then I verify "\${employee.editemp.modal.title}" modal comes up																																
Then I verify Add Employee page is displayed with all data pre-populated from employee table																																
<table border="1"> <tr><td>First Name</td><td> \${Employee First Name}</td></tr> <tr><td>Surname</td><td> \${Employee Surname}</td></tr> <tr><td>Date of Birth</td><td> \${Date of Birth}</td></tr> <tr><td>Gender</td><td> \${Gender}</td></tr> <tr><td>Email Address</td><td> \${Email Address}</td></tr> <tr><td>MY Occupational Class</td><td> \${Occupational Class}</td></tr> <tr><td>Coverage Start Date</td><td> \${Coverage Start Date}</td></tr> <tr><td>static Nationality</td><td> \${Nationality}</td></tr> <tr><td>NRIC no.</td><td> \${NRIC no.}</td></tr> <tr><td>Address 1</td><td> \${Address 1}</td></tr> <tr><td>Address 2</td><td> \${Address 2}</td></tr> <tr><td>Address 3</td><td> \${Address 3}</td></tr> <tr><td>Address 4</td><td> \${Address 4}</td></tr> <tr><td>State</td><td> \${state.dropdown.value.2}</td></tr> <tr><td>City</td><td> \${City}</td></tr> <tr><td>Post Code</td><td> \${Post Code}</td></tr> </table>	First Name	\${Employee First Name}	Surname	\${Employee Surname}	Date of Birth	\${Date of Birth}	Gender	\${Gender}	Email Address	\${Email Address}	MY Occupational Class	\${Occupational Class}	Coverage Start Date	\${Coverage Start Date}	static Nationality	\${Nationality}	NRIC no.	\${NRIC no.}	Address 1	\${Address 1}	Address 2	\${Address 2}	Address 3	\${Address 3}	Address 4	\${Address 4}	State	\${state.dropdown.value.2}	City	\${City}	Post Code	\${Post Code}
First Name	\${Employee First Name}																															
Surname	\${Employee Surname}																															
Date of Birth	\${Date of Birth}																															
Gender	\${Gender}																															
Email Address	\${Email Address}																															
MY Occupational Class	\${Occupational Class}																															
Coverage Start Date	\${Coverage Start Date}																															
static Nationality	\${Nationality}																															
NRIC no.	\${NRIC no.}																															
Address 1	\${Address 1}																															
Address 2	\${Address 2}																															
Address 3	\${Address 3}																															
Address 4	\${Address 4}																															
State	\${state.dropdown.value.2}																															
City	\${City}																															
Post Code	\${Post Code}																															

Then I scroll the page up

Then I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :963

And I assign value to following variables

updated_Employee First Name	Test FN updated
updated_Employee Sur Name	Test SN updated
updated_Date of Birth	23/09/1992
updated_Gender	\${gender.male.text}
updated_Email Address	testuser_\${RANDOM_NUMBER}@test.com
updated_CoverageStart Date	\${COVERAGE_DATE}
updated_NRIC no.	456789012345
updated_Address 1	Test Address1
updated_Address 2	Test Address2
updated_Address 3	Test Address3

updated_Address 4	Test Address4
updated_State	\${state.dropdown.value.3}
updated_City	Test City
updated_Post Code	53783

Then I enter following details on "add employee" screen

First Name	\${updated_Employee First Name}
Surname	\${updated_Employee Sur Name}
Date of Birth	\${updated_Date of Birth}
Gender	\${updated_Gender}
Email Address	\${updated_Email Address}
Coverage Start Date	\${updated_CoverageStart Date}
NRIC no.	\${updated_NRIC no.}
Address 1	\${updated_Address 1}
Address 2	\${updated_Address 2}
Address 3	\${updated_Address 3}
Address 4	\${updated_Address 4}
State	\${updated_State}
City	\${updated_City}
Post Code	\${updated_Post Code}

And I assign "\${updated_Employee First Name} \${updated_Employee Sur Name}" to variable "u

Output

Assigning value Test FN updated Test SN updated to variable updated_Employee Full Name

Then I scroll the page up

Then I click on "\${employee.adtemp.save}" button

Then verify the user is landed on "Members" page

Then I wait for 5 sec

Then I remove search text on manage members page in Sales Portal

Then I assign value to following variables

EMP_COUNT 11

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count \${employee.uploaded.count}

Then I enter "\${updated_Employee Full Name}" in search text field in Members page

When I expand the member "\${updated_Employee Full Name}" using > button

And I verify following details for the added/updated members

\${employee.adtemp.field.dob}	\${updated_Date of Birth}
\${employee.adtemp.field.gender}	\${updated_Gender}
\${employee.adtemp.field.nationality}	\${Nationality}
\${employee.detailsview.field.empid}	\${updated_NRIC no.}
\${employee.adtemp.field.occupationclass}	\${Occupational Class}
\${employee.adtemp.field.cmpnyemail}	\${updated_Email Address}

After
Back to Table of Contents
Scenario: Verify the agent can delete single member profile
Passed: 15
Before
<p>Given I close the Add employee Modal if it is already opened</p> <p>Given I enter "\${updated_Employee Full Name}" in search text field in Members page</p> <p>And I click on edit button next to the employee "\${updated_Employee Full Name}"</p> <p>Then I assign "\${updated_Employee Full Name}" to variable "Employee Full Name"</p>
Output
Assigning value Test FN updated Test SN updated to variable Employee Full Name
Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add employee page
Then I verify following text is displayed on "delete profile popup window on employee" page
<p> \${employee.delete.popup.Header.text}</p> <p> \${employee.delete.popup.message}</p>
Then I verify following buttons are displayed on "delete profile popup window on employee"
<p> \${employee.delete.popup.cancel.button}</p> <p> \${employee.delete.popup.delete.button}</p>
Then I click on "\${employee.delete.popup.cancel.button}" button
Given I click on edit button next to the employee "\${updated_Employee Full Name}"
Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add employee page
Then I click on "\${employee.delete.popup.delete.button}" button
Then I remove search text on manage members page in Sales Portal
Then I assign value to following variables
<p> EMP_COUNT 10</p>
Then I verify following counts are displayed for employee and dependant on employee page
<p> Employee Count \${employee.uploaded.count}</p>
Then I verify following employees should not present on employee page
<p> \${Employee Full Name}</p>
After
Back to Table of Contents
Scenario: Verify that the quote can be saved by clicking on Save Quote button after entering member details
Passed: 12
Before
<p>Given I close delete profile modal if already opened</p> <p>Then I navigate to "Members" screen</p> <p>And I verify following buttons are displayed on top right corner of the screen</p>
<p> Save Quote \${saveQuote.button.text}</p>

And I generate random number and assign to variable "RANDOM_NUMBER"**Output**

```
Random number generated is :227
```

And I assign "Test_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"**Output**

```
Assigning value Test_Quote_22712031331 to variable Company_Name
```

And I enter Company Name as "\${Company_Name}"**Output**

```
company name is: Test_Quote_22712031331
```

And I click on "\${saveQuote.button.text}" button**Then I verify following information is displayed on page footer**

 \${lastSavedMessage.static.text}

Then I verify the presence of export quote button**And I click on "Quotes" Link****When I enter "\${Company_Name}" in search text field in Quotes page****Then I verify Quote is present only for "\${Company_Name}" search criteria in "Company Name"****After**[Back to Table of Contents](#)**Scenario: Verify workflow of adding multiple member profiles manually****1) Verify the agent can add multiple member profiles manually****2) Verify the functionality of save and new button to add multiple members****Passed: 48****Before****Given I close the Add employee Modal if it is already opened****Then I click on Create Quote Link****And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" format****And I assign value to following variables**

 No._of_Members	10
-------------------------	-----------

And I enter Company Name as "MY Member Bulk Upload Tests"**Output**

company name is: MY Member Bulk Upload Tests

And I enter following details on select plan page

Effective Date of Coverage	\${COVERAGE_DATE}
No. of Members	\${No. of Members}

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I navigate to "Members" screen

And verify the user is landed on "Members" page

Then I select the PDPA Consent requirement check box

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :652

And I assign value to following variables

Employee First Name_emp1	First User
Employee Surname_emp1	Sur'name
Date of Birth_emp1	27/08/1996
Gender_emp1	\${gender.male.text}
Email Address_emp1	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp1	\${COVERAGE_DATE}
NRIC no._emp1	896789012345
Address 1_emp1	Test Address1
Address 2_emp1	Test Address2
Address 3_emp1	Test Address3
Address 4_emp1	Test Address24
State_emp1	\${state.dropdown.value.1}
City_emp1	Test City
Post Code_emp1	60258

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp1}
Surname	\${Employee Surname_emp1}
Date of Birth	\${Date of Birth_emp1}
Gender	\${Gender_emp1}
Email Address	\${Email Address_emp1}
Coverage Start Date	\${CoverageStart Date_emp1}
NRIC no.	\${NRIC no._emp1}
Address 1	\${Address 1_emp1}
Address 2	\${Address 2_emp1}

Address 3	\${Address 3_emp1}
Address 4	\${Address 4_emp1}
State	\${State_emp1}
City	\${City_emp1}
Post Code	\${Post Code_emp1}

And I assign "\${Employee First Name_emp1} \${Employee Surname_emp1}" to variable "Employee Full Name_emp1"

Output

Assigning value First User Sur'Name to variable Employee Full Name_emp1

Then I scroll the page up

And I click on "\${employee.adtemp.saveandnew}" button

Then I verify "\${employee.adtemp.modal.title}" modal comes up

And I scroll the page up

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :442

And I assign value to following variables

Employee First Name_emp2	Second User
Employee Surname_emp2	SN
Date of Birth_emp2	18/12/1994
Gender_emp2	\${gender.male.text}
Email Address_emp2	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp2	\${COVERAGE_DATE}
NRIC no._emp2	545767689022
Address 1_emp2	Second Address1
Address 2_emp2	Second Address2
Address 3_emp2	Second Address3
Address 4_emp2	Second Address4
State_emp2	\${state.dropdown.value.2}
City_emp2	Second City
Post Code_emp2	04988

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp2}
Surname	\${Employee Surname_emp2}
Date of Birth	\${Date of Birth_emp2}
Gender	\${Gender_emp2}
Email Address	\${Email Address_emp2}
Coverage Start Date	\${CoverageStart Date_emp2}

NRIC no.	\${NRIC no._emp2}
Address 1	\${Address 1_emp2}
Address 2	\${Address 2_emp2}
Address 3	\${Address 3_emp2}
Address 4	\${Address 4_emp2}
State	\${State_emp2}
City	\${City_emp2}
Post Code	\${Post Code_emp2}

And I assign "\${Employee First Name_emp2} \${Employee Surname_emp2}" to variable "Employee Full Name_emp2"

Output

Assigning value Second User SN to variable Employee Full Name_emp2

And I click on "\${employee.addemp.saveandnew}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I scroll the page up

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :580

And I assign value to following variables

Employee First Name_emp3	Third User
Employee Surname_emp3	S-N
Date of Birth_emp3	19/09/1996
Email Address_emp3	testuser_\${RANDOM_NUMBER}@test.com
NRIC no._emp3	854545454545
Address 1_emp3	Test Address@3
State_emp3	\${state.dropdown.value.3}
City_emp3	Test-City
Post Code_emp3	76548

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp3}
Surname	\${Employee Surname_emp3}
Date of Birth	\${Date of Birth_emp3}
Gender	\${Gender_emp2}
Coverage Start Date	\${COVERAGE_DATE}
Email Address	\${Email Address_emp3}
NRIC no.	\${NRIC no._emp3}
Address 1	\${Address 1_emp3}
State	\${State_emp3}

	City	 \${City_emp3}
	Post Code	 \${Post Code_emp3}
And I assign "\${Employee First Name_emp3} \${Employee Surname_emp3}" to variable "Employee Output"		
 Assigning value Third User S-N to variable Employee Full Name_emp3		
 And I click on "\${employee.adtemp.saveandnew}" button		
Then I click on "\${employee.adtemp.close}" button		
Then verify the user is landed on "Members" page		
Then I assign value to following variables		
EMP_COUNT 3		
Then I verify following counts are displayed for employee and dependant on employee page		
	Employee Count	 \${employee.uploaded.count}
Then I verify following information is displayed for member "\${Employee Full Name_emp1}" in Members page		
	 \${employee.detail.name}	 \${Employee Full Name_emp1}
	 \${employee.detail.startdate}	 \${COVERAGE_DATE}
Given I enter "\${Employee Full Name_emp1}" in search text field in Members page		
When I expand the member "\${Employee Full Name_emp1}" using > button		
And I verify following details for the added/updated members		
	 \${employee.adtemp.field.dob}	 \${Date of Birth_emp1}
	 \${employee.adtemp.field.gender}	 \${Gender_emp1}
	 \${employee.adtemp.field.nationality}	 \${Nationality}
	 \${employee.detailsview.field.empid}	 \${NRIC no._emp1}
	 \${employee.adtemp.field.occupationclass}	 \${Occupational Class}
	 \${employee.adtemp.field.cmpnyemail}	 \${Email Address_emp1}
When I expand the member "\${Employee Full Name_emp1}" using > button		
Then I remove search text on manage members page in Sales Portal		
Given I enter "\${Employee Full Name_emp2}" in search text field in Members page		
Then I verify following information is displayed for member "\${Employee Full Name_emp2}" in Members page		
	 \${employee.detail.name}	 \${Employee Full Name_emp2}
	 \${employee.detail.startdate}	 \${COVERAGE_DATE}
And I remove search text on manage members page in Sales Portal		
Given I enter "\${Employee Full Name_emp3}" in search text field in Members page		
Then I verify following information is displayed for member "\${Employee Full Name_emp3}" in Members page		
	 \${employee.detail.name}	 \${Employee Full Name_emp3}
	 \${employee.detail.startdate}	 \${COVERAGE_DATE}
After		
Back to Table of Contents		
Scenario: Verify that the quote can be saved by clicking on Save Quote button in the Members page by using the following steps		
Passed: 16		
Before		

Given I click on Create Quote Link

Then I navigate to "Select Plan" screen

Then I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :228

Then I assign "Dummy_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"

Output

Assigning value Dummy_Quote_22812031344 to variable Company_Name

Then I enter Company Name as "\${Company_Name}"

Output

company name is: Dummy_Quote_22812031344

Then I enter following details on select plan page

No. of Employees 10

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I navigate to "Members" screen

Then I verify following buttons are displayed on top right corner of the screen

Save Quote \${saveQuote.button.text}

Then I click on "\${saveQuote.button.text}" button

Then I verify following information is displayed on page footer

\${lastSavedMessage.static.text}

Then I verify the presence of export quote button

Then I click on Quotes link

And I wait for 2 sec

When I enter "\${Company_Name}" in search text field in Quotes page

Then I verify Quote is present only for "\${Company_Name}" search criteria in "Company Name"

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify upload,re upload, download member excel functionality on members page

- 1) Verify upload members using xlsm file*
- 2) Verify Re upload Member xlsm file*
- 3) Verify the Member Table data downloadable into xlsm*

Passed: 20

Scenario: Prerequisite to upload members xlsm using \${employee.upload.file.btn} button

Passed: 7

Before**Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"****Output**

Assigning value /testdata/my/bulk_upload_employee to variable testdata.path

Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format**When Launch sales portal****Output**

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
COVERAGE_DATE	\${current date}

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"**Then I verify "\${welcome.to.prudential}" screen is displayed****After**[Back to Table of Contents](#)**Scenario: Set up the member view for uploading member data file**

Passed: 6

Before**When I click on Create Quote Link****And I assign value to following variables**

No._of_Employees	10
------------------	----

And I enter Company Name as "MY Member Bulk Upload Tests"**Output**

company name is: MY Member Bulk Upload Tests
And I enter following details on select plan page
No. of Employees \${No._of_Employees}
And I navigate to "Members" screen
And I select the PDPA Consent requirement check box
After
Back to Table of Contents
Scenario: verify error message when wrong file type is uploaded
Passed: 3
Before
Given I assign "Wrong_file_type.txt" to variable "FILE_NAME"
Output
Assigning value Wrong_file_type.txt to variable FILE_NAME
When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"
Then I verify "\${employee.wrong.filetype.upload.error}" validation error message is displayed
After
Back to Table of Contents
Scenario Outline: Sales Portal upload member error message validation "XLSM file with no details"
Passed: 7
Before
Given I assign "employee_EmptyFile.xlsx" to variable "FILE_NAME"
Output
Assigning value employee_EmptyFile.xlsx to variable FILE_NAME
And I navigate to "Select Plan" screen
And I navigate to "Members" screen
When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"
When I click on View button to see errors
Then I verify following text is displayed on "emp bulk upload error modal" page
 \${employee.empty.file.upload.error}
Given I close "\${employee.error.view.close}" the error modal if it is opened
After
Back to Table of Contents
Scenario Outline: Sales Portal upload member error message validation "XLSM file with no headers"
Passed: 7

Before**Given I assign "employee_No_Header.xlsx" to variable "FILE_NAME"****Output**

Assigning value employee_No_Header.xlsx to variable FILE_NAME

And I navigate to "Select Plan" screen**And I navigate to "Members" screen****When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"****When I click on View button to see errors****Then I verify following text is displayed on "emp bulk upload error modal" page** **`${employee.no.headers.upload.error}`****Given I close "\${employee.error.view.close}" the error modal if it is opened****After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal upload member error message validation "XLSM file with missing header"**

Passed: 7

Before**Given I assign "employee_MissingColumn.xlsx" to variable "FILE_NAME"****Output**

Assigning value employee_MissingColumn.xlsx to variable FILE_NAME

And I navigate to "Select Plan" screen**And I navigate to "Members" screen****When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"****When I click on View button to see errors****Then I verify following text is displayed on "emp bulk upload error modal" page** **`${employee.missing.column.upload.error}`****Given I close "\${employee.error.view.close}" the error modal if it is opened****After**[Back to Table of Contents](#)**Scenario Outline: Sales Portal upload member error message validation "XLSM file with diff headers"**

Passed: 7

Before**Given I assign "employee_diff_language.xlsx" to variable "FILE_NAME"****Output**

	Assigning value employee_diff_language.xlsx to variable FILE_NAME
	And I navigate to "Select Plan" screen
	And I navigate to "Members" screen
	When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"
	When I click on View button to see errors
	Then I verify following text is displayed on "emp bulk upload error modal" page
	 \${employee.diff.language.upload.error}
	Given I close "\${employee.error.view.close}" the error modal if it is opened
After	
	Back to Table of Contents
	Scenario Outline: Sales Portal upload member error message validation "XLSM file with no data"
	Passed: 7
Before	
	Given I assign "employee_nodata.xlsx" to variable "FILE_NAME"
	Output
	Assigning value employee_nodata.xlsx to variable FILE_NAME
	And I navigate to "Select Plan" screen
	And I navigate to "Members" screen
	When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"
	When I click on View button to see errors
	Then I verify following text is displayed on "emp bulk upload error modal" page
	 \${employee.no.data.upload.error}
	Given I close "\${employee.error.view.close}" the error modal if it is opened
After	
	Back to Table of Contents
	Scenario Outline: Sales Portal upload member error message validation "XLSM file with wrong header"
	Passed: 7
Before	
	Given I assign "employee_IncorrectColumnName.xlsx" to variable "FILE_NAME"
	Output
	Assigning value employee_IncorrectColumnName.xlsx to variable FILE_NAME
	And I navigate to "Select Plan" screen
	And I navigate to "Members" screen
	When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

	<p>When I click on View button to see errors</p> <p>Then I verify following text is displayed on "emp bulk upload error modal" page</p> <p> \${employee.missing.column.upload.error}</p> <p>Given I close "\${employee.error.view.close}" the error modal if it is opened</p>
After	
Back to Table of Contents	
Scenario: Verify the validation message when Agent upload wrong data file with multiple errors	
	<p>1) Verify All error related to given records should display under relevant row number</p> <p>2) Verify All validation messages are displayed correctly</p>
Passed: 19	
Before	
	<p>Given I close "\${employee.error.view.close}" the error modal if it is opened</p> <p>And I navigate to "Select Plan" screen</p> <p>And I navigate to "Members" screen</p> <p>Given I assign "employees_wrongdata.xlsxm" to variable "FILE_NAME"</p> <p>Output</p> <div style="border: 1px dashed gray; padding: 10px;"> <p>Assigning value employees_wrongdata.xlsxm to variable FILE_NAME</p> </div>
	<p>Then I upload the employee csv file "\${testdata.path}/002/\${FILE_NAME}"</p> <p>Then I scroll the page up</p> <p>And I assign "33" to variable "ERROR_COUNT"</p> <p>Output</p> <div style="border: 1px dashed gray; padding: 10px;"> <p>Assigning value 33 to variable ERROR_COUNT</p> </div>
	<p>And I verify the "\${employee.upload.error.message}" validation message on employee screen</p> <p>And I verify View button is displayed to see error messages</p> <p>When I click on View button to see errors</p> <p>Then I verify employee data file upload error modal is displayed</p> <p>Then I verify the error message "\${ERROR_COUNT}" is displayed in employee bulk upload erro</p> <p>And I verify the "\${employee.error.view.close}" button is enabled</p> <p>And I verify following paragraph is displayed on "emp bulk upload error modal" page</p> <p> \${employee.error.resolution.text}</p> <p>And I verify following sub header text "emp bulk upload error modal"</p> <p> \${employee.error.view.text}</p> <p>Then I verify following text is displayed on "emp bulk upload error modal" page</p> <p> \${emp.bulk.upload.error.emp.firstname.mandatory}</p> <p> \${emp.bulk.upload.error.emp.surname.mandatory}</p> <p> \${emp.bulk.upload.error.startdate.format}</p>

	<p> \${emp.bulk.upload.error.dob.mandatory} \${emp.bulk.upload.error.emp.email.mandatory} \${emp.bulk.upload.error.startdate.mandatory} \${emp.bulk.upload.error.companyname.match} \${emp.bulk.upload.error.emp.email.format} \${bulk.upload.error.numeric.validation.city} \${emp.error.min.max.validation.zipcode} \${emp.bulk.upload.error.country.mandatory} \${emp.bulk.upload.error.nric.mandatory} \${emp.bulk.upload.error.emp.occupationclass.mandatory} \${emp.bulk.upload.error.age.range.message} \${bulk.upload.error.minmax.validation.ID} \${bulk.upload.error.numeric.validation.city} \${bulk.upload.error.minmax.validation.email} \${bulk.upload.error.minmax.validation.firstname} \${bulk.upload.error.minmax.validation.lastname} \${bulk.upload.error.minmax.validation.address1} \${bulk.upload.error.minmax.validation.address2} \${bulk.upload.error.minmax.validation.address3} \${bulk.upload.error.minmax.validation.address4} \${bulk.upload.error.minmax.validation.city} </p>
	<p>And I verify button label text on "emp bulk upload error modal" page</p>
	<p> \${employee.error.view.downloadlabel.text}</p>
	<p>Then I verify "\${employee.error.view.downloadlabel.text}" button is enabled</p>
	<p>Then I click on "\${employee.error.view.close}" button</p>
After	
	<p>Back to Table of Contents</p>
	<p>Scenario: Verify agent should be landed back to members screen after clicking on download member</p>
	<p>1) Verify Agent should be able to upload the member data using upload functionality</p>
Passed: 23	
Before	
	<p>Given I close "\${employee.error.view.close}" the error modal if it is opened</p>
	<p>Then I assign "employees_wrongdata.xlsx" to variable "FILE_NAME"</p>
	<p>Output</p>
	<pre>Assigning value employees_wrongdata.xlsx to variable FILE_NAME</pre>
	<p>-----</p>
	<p>Then I upload the employee csv file "\${testdata.path}/002/\${FILE_NAME}"</p>
	<p>Then I scroll the page up</p>
	<p>When I click on View button to see errors</p>
	<p>Then I verify employee data file upload error modal is displayed</p>

Then I click on "\${employee.error.view.downloadlabel.text}" button

Then I verify following text is displayed on "Download Employee Data File" page

\${employee.download.popup.Header.text}
\${employee.download.popup.message}

Then I verify following buttons are displayed on "Download Member Data File"

\${employee.download.popup.english.button}
--

Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"

Output

Assigning value /testdata/my/bulk_upload_employee to variable testdata.path

Then I assign "Employee_Temp_To_Compare_With.xlsx" to variable "FILE_NAME"

Output

Assigning value Employee_Temp_To_Compare_With.xlsx to variable FILE_NAME

Then I assign "employees_template.xlsx" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value employees_template.xlsx to variable DOWNLOADED_FILE_NAME

And I assign "\${testdata.path}/downloadEmployeeTemplate" to variable "employee.template.compareWith"

Output

Assigning value /testdata/my/bulk_upload_employee/downloadEmployeeTemplate to variable employee.template.compareWith

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "employee.template.CompareTo.path"

Then I delete the downloaded file "\${employee.template.CompareTo.path}" if it already exists

Then I click on "\${employee.download.popup.english.button}" button

Then I verify downloaded file name is "\${employee.template.CompareTo.path}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/employees_template.xlsx

And I verify employee csv file "\${employee.template.CompareTo.path}" is matching with "\${employee.addemp.close}"

And I close download employee data file popup

And I click on "\${employee.addemp.close}" button

And verify the user is landed on "Members" page		
Then I verify the presence of following button on "member page"		
<table border="1"> <tr> <td><code> \${employee.upload.file.btn}</code></td> </tr> <tr> <td><code> \${addEmployeeManually.button.text}</code></td> </tr> </table>	<code> \${employee.upload.file.btn}</code>	<code> \${addEmployeeManually.button.text}</code>
<code> \${employee.upload.file.btn}</code>		
<code> \${addEmployeeManually.button.text}</code>		
And I verify the presence of "<code> \${employee.download.template.btn}</code>" on employee page		
After		
Back to Table of Contents		
Scenario: verify the member Screen when member file is uploaded successfully		
Passed: 21		
Before		
<p>Given I close download employee data file popup if it is opened</p> <p>Given I close "<code> \${employee.error.view.close}</code>" the error modal if it is opened</p> <p>When I click on Create Quote Link</p> <p>And I assign value to following variables</p> <table border="1"> <tr> <td><code>No._of_Employees</code></td> <td>10</td> </tr> </table> <p>And I enter Company Name as "MY Member Bulk Upload Tests"</p> <p>Output</p> <div style="border: 1px dashed gray; padding: 10px;"> <p>company name is: MY Member Bulk Upload Tests</p> </div>	<code>No._of_Employees</code>	10
<code>No._of_Employees</code>	10	
<p>And I enter following details on select plan page</p> <table border="1"> <tr> <td><code>No. of Employees</code></td> <td><code> \${No._of_Employees}</code></td> </tr> </table> <p>And I navigate to "Members" screen</p> <p>And I select the PDPA Consent requirement check box</p> <p>Then I assign "employee_CorrectData.xls" to variable "FILE_NAME"</p> <p>Output</p> <div style="border: 1px dashed gray; padding: 10px;"> <p>Assigning value employee_CorrectData.xls to variable FILE_NAME</p> </div>	<code>No. of Employees</code>	<code> \${No._of_Employees}</code>
<code>No. of Employees</code>	<code> \${No._of_Employees}</code>	
<p>Then I upload the employee csv file "<code> \${testdata.path}/003/\${FILE_NAME}</code>"</p> <p>Then I assign value to following variables</p> <table border="1"> <tr> <td><code>EMP_COUNT</code></td> <td>10</td> </tr> </table> <p>And I assign "First Name.01 Surname 1" to variable "EMP_NAME"</p> <p>Output</p> <div style="border: 1px dashed gray; padding: 10px;"> <p>Assigning value First Name.01 Surname 1 to variable EMP_NAME</p> </div>	<code>EMP_COUNT</code>	10
<code>EMP_COUNT</code>	10	
And I wait for 10 sec		

And I verify the "\${employee.upload.success.msg}" validation message on employee screen												
Then I verify following counts are displayed for employee and dependant on employee page												
Employee Count \${employee.uploaded.count}												
Then I verify "\${employee.upload.file.btn}" button should not be visible on "Members Page"												
Then I verify "\${employee.download.template.btn}" button should not be visible on "Members Pa												
Then I scroll the page up												
When I expand the member "\${EMP_NAME}" using > button												
And I verify following details for the added/updated members												
<table border="1"> <tr><td> \${employee.addemp.field.dob}</td><td>11/12/1995</td></tr> <tr><td> \${employee.addemp.field.gender}</td><td> \${gender.male.text}</td></tr> <tr><td> \${employee.addemp.field.nationality}</td><td>Malaysian</td></tr> <tr><td> \${employee.detailsview.field.empid}</td><td>755454343430</td></tr> <tr><td> \${employee.addemp.field.occupationclass}</td><td> \${emp.occupationalclass.dropdown.value1}</td></tr> <tr><td> \${employee.addemp.field.cmpnyemail}</td><td>testMemberUpload1.0567890@mailinator.com</td></tr> </table>	\${employee.addemp.field.dob}	11/12/1995	\${employee.addemp.field.gender}	\${gender.male.text}	\${employee.addemp.field.nationality}	Malaysian	\${employee.detailsview.field.empid}	755454343430	\${employee.addemp.field.occupationclass}	\${emp.occupationalclass.dropdown.value1}	\${employee.addemp.field.cmpnyemail}	testMemberUpload1.0567890@mailinator.com
\${employee.addemp.field.dob}	11/12/1995											
\${employee.addemp.field.gender}	\${gender.male.text}											
\${employee.addemp.field.nationality}	Malaysian											
\${employee.detailsview.field.empid}	755454343430											
\${employee.addemp.field.occupationclass}	\${emp.occupationalclass.dropdown.value1}											
\${employee.addemp.field.cmpnyemail}	testMemberUpload1.0567890@mailinator.com											
Then I scroll the page up												
After												
Back to Table of Contents												
Scenario: Re-upload prep												
Passed: 5												
Before												
Given I expand the member "\${EMP_NAME}" using > button												
Then I verify Add Employee button is displayed at the top right corner of employee table												
When I click on three dots at the top right corner of employee table												
And I verify button label text on "Member Page on click on 3 dots" page												
\${employee.reupload.btn}												
When I click on three dots at the top right corner of employee table												
After												
Back to Table of Contents												
Scenario: verify Re upload popup window												
Passed: 8												
Before												
And I scroll the page up												
When I click on three dots at the top right corner of employee table												
Then I click on "\${employee.reupload.btn}" button												
Then I verify following text is displayed on "reupload popup window on employee" page												
\${employee.reupload.pagename}												
\${employee.reupload.pagetext}												
Then I verify following buttons are displayed on "reupload popup"												
\${employee.reupload.cncl.btn}												
\${employee.reupload.upload.btn}												
Then I click on "\${employee.reupload.cncl.btn}" button												
Then I verify reupload popup window is closed and following text "\${employee.reupload.pagenam												
Then I verify the presence of following button on "member page"												

	 \${addEmployeeManually.button.text}
After	
Back to Table of Contents	
Scenario: Re upload Member excel and verify the modified and new data have inserted and searched	
Passed: 20	
Before	
Then I enter "testMemberUpload1.0567890@mailinator.com" in search text field in Members page	
Then I assign value to following variables	
EMP_COUNT 1	
Then I verify following counts are displayed for employee and dependant on employee page	
Employee Count \${employee.uploaded.count}	
And I scroll the page up	
When I click on three dots at the top right corner of employee table	
Then I click on "\${employee.reupload.btn}" button	
Then I click on "\${employee.reupload.upload.btn}" button	
Then I verify reupload popup window is closed and following text "\${employee.reupload.pagenam	
Then I verify the presence of following button on "employee page"	
\${employee.upload.file.btn}	
\${addEmployeeManually.button.text}	
Given I assign "employee_ReuploadData.xlsx" to variable "FILE_NAME"	
Output	

Assigning value employee_ReuploadData.xlsx to variable FILE_NAME	

And I assign "First Name Changed Surname Upd" to variable "EMP_NAME"	
Output	

Assigning value First Name Changed Surname Upd to variable EMP_NAME	

Then I assign value to following variables	
EMP_COUNT 10	
Then I upload the employee csv file "\${testdata.path}/004/\${FILE_NAME}"	
Then I scroll the page up	
And I wait for 10 sec	
And I verify the "\${employee.upload.success.msg}" validation message on employee screen	
Then I verify following counts are displayed for employee and dependant on employee page	
Employee Count \${employee.uploaded.count}	
Given I enter "\${EMP_NAME}" in search text field in Members page	
When I expand the member "\${EMP_NAME}" using > button	
And I verify following details for the added/updated members	

	<code> \${employee.adtemp.field.dob}</code>	28/01/1995
	<code> \${employee.adtemp.field.gender}</code>	<code> \${gender.female.text}</code>
	<code> \${employee.adtemp.field.nationality}</code>	Malaysian
	<code> \${employee.detailsview.field.empid}</code>	755454343430
	<code> \${employee.adtemp.field.occupationclass}</code>	<code> \${emp.occupationalclass.dropdown.value1}</code>
	<code> \${employee.adtemp.field.cmpnyemail}</code>	testMemberUpload1.0567890@mailinator.com

After[Back to Table of Contents](#)**Scenario: Upload Member xls file with duplicate data and check upload is not allowed**

Passed: 16

Before**Given I click on Quotes link****When I click on Create Quote Link****And I assign value to following variables****No._of_Employees** 10**And I enter Company Name as "MY Member Bulk Upload Tests"****Output**

company name is: MY Member Bulk Upload Tests

And I enter following details on select plan page**No. of Employees** \${No._of_Employees}**And I navigate to "Members" screen****And I select the PDPA Consent requirement check box****Then I assign "employee_DuplicateData.xls" to variable "FILE_NAME"****Output**

Assigning value employee_DuplicateData.xls to variable FILE_NAME

Then I upload the employee csv file "\${testdata.path}/004/\${FILE_NAME}"**Then I scroll the page up****And I assign "2" to variable "ERROR_COUNT"****Output**

Assigning value 2 to variable ERROR_COUNT

And I verify View button is displayed to see error messages**When I click on View button to see errors****Then I verify employee data file upload error modal is displayed**

	<p>Then I verify the error message "\${ERROR_COUNT}" is displayed in employee bulk upload erro</p>
	<p>Then I verify following text is displayed on "member bulk upload error modal" page</p>
	<p> \${emp.bulk.upload.error.email.exist}</p>

After

[Back to Table of Contents](#)

Scenario: Closing the error modal view

Passed: 1

Before

 Then I click on "\${employee.error.view.close}" button

After

[Back to Table of Contents](#)

Scenario: Verify Company Name in the bulk upload file validation against the Company Name of the

Passed: 9

Before

 Given I click on Create Quote Link

 And I enter Company Name as "my member BULK UPLOAD TESTS"

Output

company name is: my member BULK UPLOAD TESTS

And I enter following details on select plan page

 No. of Employees 10

 And I navigate to "Members" screen

 And I select the PDPA Consent requirement check box

 Then I assign "employee_CorrectData.xlsx" to variable "FILE_NAME"

Output

Assigning value employee_CorrectData.xlsx to variable FILE_NAME

When I upload the employee csv file "\${testdata.path}/003/\${FILE_NAME}"

Then I assign value to following variables

 EMP_COUNT 10

 And I verify the "\${employee.upload.success.msg}" validation message on employee screen

After

[Back to Table of Contents](#)

Scenario: Verify Age Next Birthday validations are applied when members are uploaded in bulk

Passed: 15

Before

 Given I click on Create Quote Link

 And I enter Company Name as "MY MEMBER BULK UPLOAD ANB TESTS"

Output

company name is: MY MEMBER BULK UPLOAD ANB TESTS

Then I navigate to "Select Plan" screen

And I enter following details on select plan page

Effective Date of Coverage	01/03/2022
----------------------------	------------

And I enter following details on select plan page

No. of Employees	10
------------------	----

And I navigate to "Members" screen

And I select the PDPA Consent requirement check box

Then I assign "member_ANB_Validations.xlsx" to variable "FILE_NAME"

Output

Assigning value member_ANB_Validations.xlsx to variable FILE_NAME

When I upload the employee csv file "\${testdata.path}/003/\${FILE_NAME}"

And I assign "6" to variable "ERROR_COUNT"

Output

Assigning value 6 to variable ERROR_COUNT

And I click on View button to see errors

Then I verify employee data file upload error modal is displayed

Then I verify the error message "\${ERROR_COUNT}" is displayed in employee bulk upload erro

Then I verify following text is displayed on "member bulk upload error modal" page

\${emp.addemp.future.DOB.error.message}

And I verify following text is displayed on "member bulk upload error modal" page

Row 3
Row 4
Row 5
Row 6
Row 8
Row 9

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

	And I close sales portal
--	---------------------------------

	After
--	--------------

	Back to Table of Contents
--	---

Feature: Verify Agent can update the required details on company page and verify validations

Passed: 40

Scenario: verify default,sample text,header and footer on company page

Passed: 5

Before

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/
--

And I assign value to following variables
--

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_First_Name	\${agent.email.id.firstname}
Agent_Middle_Name	\${agent.email.id.middlename}
Agent_Surname	\${agent.email.id.lastname}
Agent_Code	\${agent.email.id.agentcode}
Agent_Phone	\${agent.phone}

When I Login to Sales Portal with below details
--

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"
--

Then I verify "\${welcome.to.prudential}" screen is displayed
--

After

Back to Table of Contents

Scenario: Verify Sample text on Company page

Passed: 17

Before

When I click on Create Quote Link
--

Then I navigate to "Company" screen
--

And verify the user is landed on "Company" page
--

Then I verify the sample text of New Quote fields on Company page
--

Company name	\${company.name.text.field}
--------------	-----------------------------

And I verify following text is displayed on "Company Page" page
--

\${estimatedAnnualPremium.button.text}
\${newQuote.static.text}

Then I verify following buttons are displayed on top right corner of the screen
--

Save Quote	\${saveQuote.button.text}
------------	---------------------------

And I verify the heading of all sections on company page

\${company.hrContactDetails.text}
\${company.companyDetails.text}
\${company.companyAddress.header.text}
\${company.authorised.signatory.header}
\${company.agentDetails.text}

And I verify following paragraph is displayed on "Primary Contact details section on Company" page

\${company.hr.primarycontact.info.text}

Then I verify the informational text under "agent details" section on Company page

Email \${company.agentEmailInformation.text}
--

Then I verify following buttons are displayed on "Company page"

\${company.add.signatory.link}

And I verify 1 "\${company.add.signatory.link}" buttons are displayed on "Company page"

And I verify following text is not displayed on "Company Page" page

\${company.signatory.delete.button}

And I scroll the page up

Then I verify the field label text on company page

HR First Name	\${company.hrFirstName.text}
Surname	\${company.hrSurname.text}
HR Email	\${company.hrEmail.text}
Contact Mobile Number	\${company.hrContactMobile.text}
Company Registration Number	\${company.registration.num.text}
Telephone Number	\${company.hrTelephone.text}
Contact Fax Number	\${company.fax.num.text}
Address 1	\${company.companyAddress1.text}
Address 2	\${company.companyAddress2.text}
Address 3	\${company.companyAddress3.text}
Address 4	\${company.companyAddress4.text}
City	\${company.companyCity.text}
State	\${company.companyState.text}
Post Code	\${company.companyZipCode.text}
Country	\${company.companyCountry.text}
Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}
Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}
Agent First Name	\${company.agentFirstName.text}
Agent Surname	\${company.agentSurname.text}
Agent Code	\${company.agentCode.text}
Agent Phone Number	\${company.agent.phone.text}
Agent Email	\${company.agentEmail.text}

Then I verify the presence of following items on page footer

\${previous.button.text}
\${next.button.text}

And I verify "\${previous.button.text}" button is "enabled"

And I verify "\${next.button.text}" button is "enabled"

After

[Back to Table of Contents](#)

Scenario: Validate State data in dropdown

Passed: 1

Before

Then I verify State dropdown values matches with "/testdata/my/state/state.txt" file

Output

```
State data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
```

After

[Back to Table of Contents](#)

Scenario: verify the default value of country field on company page

Passed: 3

Before

Given I scroll the page till country field is displayed on company page

Then Verify all the previously entered details/default values are persistent/present on company page

Ph Country \${country.dropDown.value}

Then I verify country field is non editable on company page

After

[Back to Table of Contents](#)

Scenario: verify Agent details should be pre populated based on registration details

Passed: 2

Before

Then I verify following fields are "Non editable" on company page

Agent First Name
Agent Middle Name
Agent Surname
Agent Code
Agent Email
Agent Phone

Given Verify all the previously entered details/default values are persistent/present on company page

Agent First Name	\${Agent_First_Name}
Agent Surname	\${Agent_Surname}
Agent Code	\${Agent_Code}
Agent Email	\${Agent_Email}
MY TelephoneNumber	0299999999
Ph MobileNumber	0199999999
Agent Phone	\${Agent_Phone}

After[Back to Table of Contents](#)**Scenario: Validating the error message When user clicks on next button without entering mandatory****Passed: 19****Before****Given I generate random number and assign to variable "RANDOM_NUMBER"****Output**

Random number generated is :643

And I assign "TestQuote_\${RANDOM_NUMBER}" to variable "COMP_NAME_QUOTE"**Output**

Assigning value TestQuote_64312032318 to variable COMP_NAME_QUOTE

And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path**Output**

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path

And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"**Output**

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"**Output**

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployees.xls"**Output**

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xls to variable EMPLOYEE_FILE

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path																						
<table border="1"> <tr> <td>email.id</td> <td> \${RANDOM_NUMBER}</td> </tr> <tr> <td>COMP_NAME</td> <td> \${COMP_NAME_QUOTE}</td> </tr> </table>	email.id	\${RANDOM_NUMBER}	COMP_NAME	\${COMP_NAME_QUOTE}																		
email.id	\${RANDOM_NUMBER}																					
COMP_NAME	\${COMP_NAME_QUOTE}																					
When I click on Create Quote Link																						
Then I navigate to "Select Plan" screen																						
And I enter following details on select plan page																						
<table border="1"> <tr> <td>Company Name</td> <td> \${COMP_NAME_QUOTE}</td> </tr> <tr> <td>No. of Employees</td> <td>10</td> </tr> </table>	Company Name	\${COMP_NAME_QUOTE}	No. of Employees	10																		
Company Name	\${COMP_NAME_QUOTE}																					
No. of Employees	10																					
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button																						
And I click on "\${next.button.text}" button																						
And I select the PDPA Consent requirement check box																						
And I upload the employee csv file "\${EMPLOYEE_FILE}"																						
And I wait for 6 sec																						
And I click on "\${next.button.text}" button																						
And I click on "\${next.button.text}" button																						
Then I verify following validation message on "company page"																						
<table border="1"> <tr> <td> \${company.error.popup.text}</td> </tr> </table>	\${company.error.popup.text}																					
\${company.error.popup.text}																						
Then I verify following field level error message on company page																						
<table border="1"> <tr> <td>HR Given Name</td> <td> \${company.error.HR.firstname.mandatory}</td> </tr> <tr> <td>HR Family Name</td> <td> \${company.error.HR.surname.mandatory}</td> </tr> <tr> <td>Company Email</td> <td> \${company.error.HR.email.mandatory}</td> </tr> <tr> <td>Telephone Number</td> <td> \${company.error.HR.telephone.number.mandatory}</td> </tr> <tr> <td>Company Registration Number</td> <td> \${company.error.registration.num.mandatory}</td> </tr> <tr> <td>Address1</td> <td> \${company.error.address.mandatory}</td> </tr> <tr> <td>State</td> <td> \${company.error.state.mandatory}</td> </tr> <tr> <td>City</td> <td> \${company.error.city.mandatory}</td> </tr> <tr> <td>Postcode</td> <td> \${company.error.postcode.mandatory}</td> </tr> <tr> <td>Authorised Signatory Name</td> <td> \${company.error.signatoryName.mandatory}</td> </tr> <tr> <td>Authorised Signatory Title</td> <td> \${company.error.signatoryDesignation.mandatory}</td> </tr> </table>	HR Given Name	\${company.error.HR.firstname.mandatory}	HR Family Name	\${company.error.HR.surname.mandatory}	Company Email	\${company.error.HR.email.mandatory}	Telephone Number	\${company.error.HR.telephone.number.mandatory}	Company Registration Number	\${company.error.registration.num.mandatory}	Address1	\${company.error.address.mandatory}	State	\${company.error.state.mandatory}	City	\${company.error.city.mandatory}	Postcode	\${company.error.postcode.mandatory}	Authorised Signatory Name	\${company.error.signatoryName.mandatory}	Authorised Signatory Title	\${company.error.signatoryDesignation.mandatory}
HR Given Name	\${company.error.HR.firstname.mandatory}																					
HR Family Name	\${company.error.HR.surname.mandatory}																					
Company Email	\${company.error.HR.email.mandatory}																					
Telephone Number	\${company.error.HR.telephone.number.mandatory}																					
Company Registration Number	\${company.error.registration.num.mandatory}																					
Address1	\${company.error.address.mandatory}																					
State	\${company.error.state.mandatory}																					
City	\${company.error.city.mandatory}																					
Postcode	\${company.error.postcode.mandatory}																					
Authorised Signatory Name	\${company.error.signatoryName.mandatory}																					
Authorised Signatory Title	\${company.error.signatoryDesignation.mandatory}																					
After																						
Back to Table of Contents																						
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.firstname}" Validation																						
Passed: 3																						
Before																						
<table border="1"> <tr> <td colspan="2">Given I enter following details on company page</td> </tr> <tr> <td>HR Given Name</td> <td> ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ</td> </tr> <tr> <td colspan="2">Then I click on "\${next.button.text}" button</td> </tr> <tr> <td colspan="2">Then I verify following field level error message on company page</td> </tr> <tr> <td>HR Given Name</td> <td> \${company.error.min.max.validation.firstname}</td> </tr> </table>	Given I enter following details on company page		HR Given Name	ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ	Then I click on "\${next.button.text}" button		Then I verify following field level error message on company page		HR Given Name	\${company.error.min.max.validation.firstname}												
Given I enter following details on company page																						
HR Given Name	ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ																					
Then I click on "\${next.button.text}" button																						
Then I verify following field level error message on company page																						
HR Given Name	\${company.error.min.max.validation.firstname}																					
After																						
Back to Table of Contents																						
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.surname}" Validation																						
Passed: 3																						

Before**Given I enter following details on company page**

Surname	ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ
---------	---

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Surname	\${company.error.min.max.validation.surname}]
---------	---

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.formatvalidation.email}" When user enters invalid email address**

Passed: 3

Before**Given I enter following details on company page**

Email Address	testmailinator.com
---------------	--------------------

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Email Address	\${company.error.formatvalidation.email}]
---------------	---

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters invalid contact fax number**

Passed: 3

Before**Given I enter following details on company page**

Contact Fax Number	123456789
--------------------	-----------

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Contact Fax Number	Please ensure Contact Fax Number is 10 digits
--------------------	---

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "Please ensure Telephone Number is 10 digits" When user enters invalid telephone number**

Passed: 3

Before**Given I enter following details on company page**

Telephone Number	78456
------------------	-------

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Telephone Number	Please ensure Telephone Number is 10 digits
------------------	---

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.email}" When user enters invalid email address**

Passed: 3

Before

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "{\$error.numeric.validation.city}" When user enters

Passed: 3

Before

Given I enter following details on company page	
City	City123456
Then I click on "\${next.button.text}" button	
Then I verify following field level error message on company page	
City	\${error.numeric.validation.city}

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code

Passed: 3

Before

Given I enter following details on company page

Postcode	123
----------	-----

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Postcode	\${emp.error.min.max.validation.zipcode}
----------	--

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code

Passed: 3

Before

Given I enter following details on company page
Postcode 123
Then I click on "\${next.button.text}" button
Then I verify following field level error message on company page

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code

Passed: 3

Before

Given I enter following details on company page

Postcode	123456
----------	--------

	<p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Postcode</td><td> \${emp.error.min.max.validation.zipcode}</td></tr> </table>	Postcode	\${emp.error.min.max.validation.zipcode}		
Postcode	\${emp.error.min.max.validation.zipcode}				
After					
Back to Table of Contents					
Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.format.validation}"					
Passed: 3					
Before					
	<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Authorised Signatory Title</td> <td>test2Title</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Authorised Signatory Title</td> <td> \${company.error.signatoryDesignation.format.validation}</td> </tr> </table>	Authorised Signatory Title	test2Title	Authorised Signatory Title	\${company.error.signatoryDesignation.format.validation}
Authorised Signatory Title	test2Title				
Authorised Signatory Title	\${company.error.signatoryDesignation.format.validation}				
After					
Back to Table of Contents					
Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation}"					
Passed: 3					
Before					
	<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Authorised Signatory Name</td> <td>abCD</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Authorised Signatory Name</td> <td> \${company.error.signatoryName.min.max.validation}</td> </tr> </table>	Authorised Signatory Name	abCD	Authorised Signatory Name	\${company.error.signatoryName.min.max.validation}
Authorised Signatory Name	abCD				
Authorised Signatory Name	\${company.error.signatoryName.min.max.validation}				
After					
Back to Table of Contents					
Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation}"					
Passed: 3					
Before					
	<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Authorised Signatory Name</td> <td>ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNO#%&@PQRSTUVWXYZy</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Authorised Signatory Name</td> <td> \${company.error.signatoryName.min.max.validation}</td> </tr> </table>	Authorised Signatory Name	ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNO#%&@PQRSTUVWXYZy	Authorised Signatory Name	\${company.error.signatoryName.min.max.validation}
Authorised Signatory Name	ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNO#%&@PQRSTUVWXYZy				
Authorised Signatory Name	\${company.error.signatoryName.min.max.validation}				
After					
Back to Table of Contents					
Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.min.max.validation}"					
Passed: 3					
Before					
	<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Authorised Signatory Title</td> <td>ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNO#%&@PQRSTUVWXYZy</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p>	Authorised Signatory Title	ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNO#%&@PQRSTUVWXYZy		
Authorised Signatory Title	ABCDEFGHIJKLMNO#%&@PQRSTUVWXYZyABCDEFGHIJKLMNO#%&@PQRSTUVWXYZy				

	Then I verify following field level error message on company page
	Authorised Signatory Title \${company.error.signatoryDesignation.min.max.validation}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address1}"	
Passed: 3	
Before	
	Given I enter following details on company page
	Address1 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Address1 \${company.error.min.max.validation.address1}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address2}"	
Passed: 3	
Before	
	Given I enter following details on company page
	Address2 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Address2 \${company.error.min.max.validation.address2}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address3}"	
Passed: 3	
Before	
	Given I enter following details on company page
	Address3 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Address3 \${company.error.min.max.validation.address3}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address4}"	
Passed: 3	
Before	
	Given I enter following details on company page
	Address4 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Address4 \${company.error.min.max.validation.address4}

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.city}" When user enters invalid city name**

Passed: 3

Before**Given I enter following details on company page**

City	ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ
------	---

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

City	\${company.error.min.max.validation.city}
------	---

After[Back to Table of Contents](#)**Scenario Outline: validating the toast error message for scenario Primary Email Address already exists**

Passed: 5

Before**Then I enter following details on company page**

Email Address	\${hr.admin.id}
---------------	-----------------

And I wait for 2 sec**Then I click on "\${next.button.text}" button****And I wait for 3 sec****Then I verify following field level error message on company page**

Company Email	\${company.toast.message.primaryconatct.already.exists}
---------------	---

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to fill Company Name**

Passed: 4

Before**Then I navigate to "Company" screen****Given I generate random number and assign to variable "RANDOM_NUMBER"****Output**

Random number generated is :63

And I assign "TestCompany_\${RANDOM_NUMBER}" to variable "COMP_NAME"**Output**

Assigning value TestCompany_6312032314 to variable COMP_NAME

And I enter Company Name as "\${COMP_NAME}"**Output**

company name is: TestCompany_6312032314

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to fill Primary Contact details**

Passed: 3

Before**Given I generate random number and assign to variable "RANDOM_NUMBER"****Output**

Random number generated is :308

And I assign value to following variables

HR_FIRSTNAME	TestGivenName
HR_SURNAME	TestSurName
HR_EMAIL	testhrautomation_\${RANDOM_NUMBER}@mailinator.com
HR_CONTACT_MOBILE_NO	0187878787

Then I enter following details on company page

HR Given Name	\${HR_FIRSTNAME}
Surname	\${HR_SURNAME}
Email Address	\${HR_EMAIL}
Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to fill company details**

Passed: 2

Before**Given I assign value to following variables**

HR_CONTACT_LANDLINE_NO	0272109678
HR_CONTACT_REGISTRATION_NO	123456789876
HR_CONTACT_FAX_NO	1234567898

Then I enter following details on company page

Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}
HR Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}
Contact Fax Number	\${HR_CONTACT_FAX_NO}

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to fill company address details**

Passed: 2	
Before	
Given I assign value to following variables	
COMPANY_ADDRESS_1	#02-2b,XYZ Bld
COMPANY_ADDRESS_2	test address line 1
COMPANY_ADDRESS_3	test address line 1
COMPANY_ADDRESS_4	test address line 1
COMPANY_TOWN_CITY	test City
COMPANY_STATE	\${state.dropdown.value.2}
COMPANY_ZIPCODE	45678
Then I enter following details on company page	
Address1	\${COMPANY_ADDRESS_1}
Address2	\${COMPANY_ADDRESS_2}
Address3	\${COMPANY_ADDRESS_3}
Address4	\${COMPANY_ADDRESS_4}
City	\${COMPANY_TOWN_CITY}
State	\${COMPANY_STATE}
Postcode	\${COMPANY_ZIPCODE}
After	
Back to Table of Contents	
Scenario: verify Agent should be able to fill Authorised signatory details	
Passed: 2	
Before	
Given I assign value to following variables	
AUTHORISED_SIGNATORY_NAME	authorisedName
AUTHORISED_SIGNATORY_TITLE	authoriseTitle
Then I enter following details on company page	
Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}
Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}
After	
Back to Table of Contents	
Scenario: Verify all the information should persist when user return to company screen after clicking	
Passed: 5	
Before	
Then I navigate to "Members" screen	
Then verify the user is landed on "Employees" page	
Then I navigate to "Company" screen	
Then verify the user is landed on "Company" page	
And Verify all the previously entered details/default values are persistent/present on company pag	
Company Name	\${COMP_NAME}
Given Name	\${HR_FIRSTNAME}
Surname	\${HR_SURNAME}
Company Email	\${HR_EMAIL}

Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}
Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}
Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}
Contact Fax Number	\${HR_CONTACT_FAX_NO}
Address1	\${COMPANY_ADDRESS_1}
Address2	\${COMPANY_ADDRESS_2}
Address3	\${COMPANY_ADDRESS_3}
Address4	\${COMPANY_ADDRESS_4}
City	\${COMPANY_TOWN_CITY}
State	\${COMPANY_STATE}
Post Code	\${COMPANY_ZIPCODE}
Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}
Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}
Agent First Name	\${Agent_First_Name}
Agent Middle Name	\${Agent_Middle_Name}
Agent Surname	\${Agent_Surname}
Agent Code	\${Agent_Code}
Agent Email	\${Agent_Email}
Agent Phone	\${agent.phone}

After[Back to Table of Contents](#)**Scenario Outline: Verify Agent can add additional Signatory information on company page to maxim**

Passed: 4

Before

When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip}"	
Then I verify the field label text on company page	
2nd Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}
2nd Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}
And I verify following buttons are displayed on "Company page"	
\${company.signatory.delete.button}	
And I verify "\${company.add.signatory.link}" link count is 1 in Sales Company Page	

After[Back to Table of Contents](#)**Scenario Outline: Verify Agent can add additional Signatory information on company page to maxim**

Passed: 4

Before

When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip}"	
Then I verify the field label text on company page	
3rd Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}
3rd Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}
And I verify following buttons are displayed on "Company page"	
\${company.signatory.delete.button}	
And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page	

After[Back to Table of Contents](#)**Scenario: Verify Agent should be able to fill multiple authorised signatories and Title titles in company page**

Passed: 2

Before**Given I assign value to following variables**

AUTHORISED_SIGNATORY_NAME_2	authorisedName2
AUTHORISED_SIGNATORY_DESIGNATION_2	testdesignationTwo
AUTHORISED_SIGNATORY_NAME_3	authorisedName3
AUTHORISED_SIGNATORY_DESIGNATION_3	testdesignationThree

Then I enter following details on company page

Authorised Signatory Name 2	\${AUTHORISED_SIGNATORY_NAME_2}
Authorised Signatory Title 2	\${AUTHORISED_SIGNATORY_DESIGNATION_2}
Authorised Signatory Name 3	\${AUTHORISED_SIGNATORY_NAME_3}
Authorised Signatory Title 3	\${AUTHORISED_SIGNATORY_DESIGNATION_3}

After[Back to Table of Contents](#)**Scenario: Verify Agent can save and export the quote on company page**

Passed: 4

Before**Then I click on "\${saveQuote.button.text}" button****And I wait for 2 sec****Then I verify following information is displayed on page footer**

\${lastSavedMessage.static.text}

Then I verify the presence of export quote button**After**[Back to Table of Contents](#)**Scenario: Verify pop up message is displayed when we delete added signatory**

Passed: 6

Before**Given I scroll the page till authorised signatory field is displayed on company page****Then I verify 3 "\${company.signatory.delete.button}" buttons are displayed on "Company Page"****When I click on delete button for "2nd Authorised Signatory Title" signatory****Then I verify following text is displayed on "popup window on Signatory" page** \${signatory.delete.popup.message1}
 \${signatory.delete.popup.message2}**Then I verify following buttons are displayed on "delete popup"** \${signatory.delete.popup.cancel.button}
 \${signatory.delete.popup.delete.button}**Then I click on "\${signatory.delete.popup.cancel.button}" button****After**[Back to Table of Contents](#)

Scenario: Confirm delete of added signatory				
Passed: 4				
Before				
<p>When I click on delete button for "2nd Authorised Signatory Title" signatory And I click on "\${signatory.delete.popup.delete.button}" button And I verify following buttons are displayed on "Company page" \${company.signatory.delete.button} And I verify 2 "\${company.signatory.delete.button}" buttons are displayed on "Company Page"</p>				
After				
Back to Table of Contents				
Scenario: Verify Signatory added are displayed in Submit page to add documents				
Passed: 3				
Before				
<p>When I navigate to "Submit" screen And verify the user is landed on "Submit" page Then I verify following text is displayed on "Submit" page \${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME} \${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME_3}</p>				
After				
Back to Table of Contents				
Scenario: Close Sales Portal				
Passed: 1				
Before				
And I close sales portal				
After				
Back to Table of Contents				
Feature: Verify the Submit page for page verification and various document uploads				
Passed: 30				
Scenario: Login to Sales portal and go to New Quote page				
Passed: 6				
Before				
<p>Given Launch sales portal Output https://dev-pamb-sales-eb.pru.intranet.asia/</p>				
And I assign value to following variables				
<table border="1"> <tr> <td>Agent_Email</td> <td>\${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td>\${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}			
Agent_Password	\${agent.password}			
When I Login to Sales Portal with below details				
User Name \${Agent_Email}				

	Password \${Agent_Password}		
And I enter the verification code if page appears for agent "\${Agent_Email}"			
Then I verify "\${welcome.to.prudential}" screen is displayed			
Given I assign "/testdata/my/submit_document" to variable "testdata.path"			
Output <pre>Assigning value /testdata/my/submit_document to variable testdata.path</pre>			
After			
Back to Table of Contents			
Scenario: Verify the text and buttons on Submit page			
Passed: 9			
Before			
When I click on Create Quote Link When I navigate to "Submit" screen And verify the user is landed on "Submit" page And I verify following text is displayed on "Submit Page" page <table border="1"> <tr><td> \${estimatedAnnualPremium.button.text}</td></tr> <tr><td> \${newQuote.static.text}</td></tr> </table>		\${estimatedAnnualPremium.button.text}	\${newQuote.static.text}
\${estimatedAnnualPremium.button.text}			
\${newQuote.static.text}			
Then I verify following buttons are displayed on top right corner of the screen			
<table border="1"> <tr><td> Save Quote \${saveQuote.button.text}</td></tr> </table>		Save Quote \${saveQuote.button.text}	
Save Quote \${saveQuote.button.text}			
Then verify "Summary of Benefit" heading is visible on the screen			
And I verify the presence of following table headers on summary table			
<table border="1"> <tr><td> Group Plan - Group Term Life (GTL)</td></tr> <tr><td> Benefit per member</td></tr> </table>		Group Plan - Group Term Life (GTL)	Benefit per member
Group Plan - Group Term Life (GTL)			
Benefit per member			
Then I verify the presence of following items on page footer			
<table border="1"> <tr><td> \${previous.button.text}</td></tr> <tr><td> \${confirm.submit.button}</td></tr> </table>		\${previous.button.text}	\${confirm.submit.button}
\${previous.button.text}			
\${confirm.submit.button}			
And I verify "\${previous.button.text}" button is "enabled"			
After			
Back to Table of Contents			
Scenario: Verify the upload for signed proposal document section			
Passed: 6			
Before			
And I assign "Signed_Proposal.png" to variable "FILE_NAME" Output <pre>Assigning value Signed_Proposal.png to variable FILE_NAME</pre>			
Then verify "\${submit.signed.proposal.text}" heading is visible on the screen			

Then I verify following static text on "Submit" page
\${submit.signed.proposal}
Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.sig}
And I upload the Signed Proposal file "\${testdata.path}/\${FILE_NAME}"

After[Back to Table of Contents](#)**Scenario: verify delete popup window on submit page**

Passed: 9

Before

And I verify delete button is present for attached document "\${FILE_NAME}"

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I verify following text is displayed on "popup window on submit" page

\${submit.delete.popup.message1}

\${submit.delete.popup.message2}

Then I verify following buttons are displayed on "delete popup"

\${submit.delete.popup.cancel.button}

\${submit.delete.popup.delete.button}

Then I click on "\${submit.delete.popup.cancel.button}" button

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then I verify following static text on "Submit" page

\${submit.signed.proposal}

After[Back to Table of Contents](#)**Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types**

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpg"

Then I verify the upload of file "FileType.jpg" by the uploaded document name

After[Back to Table of Contents](#)**Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types**

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpeg"

Then I verify the upload of file "FileType.jpeg" by the uploaded document name

After

[Back to Table of Contents](#)

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.pdf"

Then I verify the upload of file "FileType.pdf" by the uploaded document name

After

[Back to Table of Contents](#)

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.PNG"

Then I verify the upload of file "FileType.PNG" by the uploaded document name

After

[Back to Table of Contents](#)

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xls"

Then I verify the upload of file "FileType.xls" by the uploaded document name

After

[Back to Table of Contents](#)

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.doc"

Then I verify the upload of file "FileType.doc" by the uploaded document name

After

[Back to Table of Contents](#)**Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types**

Passed: 5

Before

- When I click on Create Quote Link
- When I navigate to "Submit" screen
- And verify the user is landed on "Submit" page
- And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.docx"
- Then I verify the upload of file "FileType.docx" by the uploaded document name

After[Back to Table of Contents](#)**Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types**

Passed: 5

Before

- When I click on Create Quote Link
- When I navigate to "Submit" screen
- And verify the user is landed on "Submit" page
- And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xlsx"
- Then I verify the upload of file "FileType.xlsx" by the uploaded document name

After[Back to Table of Contents](#)**Scenario: Verify uploading invalid file format is throwing error on UI**

Passed: 18

Before

- When I click on Create Quote Link
- When I navigate to "Submit" screen
- And verify the user is landed on "Submit" page
- And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.txt"
- And I wait for 6 sec
- When I click on Bank Transfer button
- And I upload the payment proof file "\${testdata.path}/filetype/FileType.txt"
- And I wait for 6 sec
- And I upload the copy NRIC file "\${testdata.path}/filetype/FileType.txt"
- And I wait for 6 sec
- And I upload the Authorised Signatory file "\${testdata.path}/filetype/FileType.txt"
- And I wait for 6 sec
- And I upload the direct credit file "\${testdata.path}/filetype/FileType.txt"
- And I wait for 6 sec
- And I upload the Form 49 file "\${testdata.path}/filetype/FileType.txt"
- And I wait for 6 sec
- And I upload the Form 24 file "\${testdata.path}/filetype/FileType.txt"
- Then I verify invalid file type error message "\${submit.invalid.file.format.text}" for following field

Proposal Form

Form 24
Form 49
Direct Credit
Authorised Signatory
Copy NRIC
Payment proof

After[Back to Table of Contents](#)**Scenario: Verify the upload for Form 8 document**

Passed: 13

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "General_Information_Sheet.png" to variable "FILE_NAME"****Output**

Assigning value General_Information_Sheet.png to variable FILE_NAME

Then verify "\${submit.upload.relevant.doc.text}" heading is visible on the screen**Then I verify following text is displayed on "Submit" page****\${submit.file.size.text}****Then verify file label is displayed as "\${submit.form.8.text}"****Then I verify following static text on "Submit" page****\${submit.drop.document.here.text}****Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the Form 8 file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****After**[Back to Table of Contents](#)**Scenario: Verify the upload for Form 24 document**

Passed: 11

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Articles_Bylaws.png" to variable "FILE_NAME"****Output**

Assigning value Articles_Bylaws.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.form.24.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"

And I upload the Form 24 file "\${testdata.path}/\${FILE_NAME}"

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE_NAME}"

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.form.24.text}"

After

[Back to Table of Contents](#)

Scenario: Verify the upload for Form 49 document

Passed: 11

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.form.49.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"

And I upload the Form 49 file "\${testdata.path}/\${FILE_NAME}"

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE_NAME}"

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.form.49.text}"

After

[Back to Table of Contents](#)

Scenario: Verify the upload for Direct Credit document

Passed: 11

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.direct.credit.text}"
 Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drcd...}
 And I upload the direct credit file "\${testdata.path}/\${FILE_NAME}"
 Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name
 And I verify delete button is present for attached document "\${FILE_NAME}"
 When I click on delete doc button for "\${FILE_NAME}" on submit page
 Then I click on "\${submit.delete.popup.delete.button}" button
 Then verify file label is displayed as "\${submit.direct.credit.text}"

After[Back to Table of Contents](#)**Scenario: Verify the upload for Schedule of assurance document**

Passed: 11

Before

When I click on Create Quote Link
 When I navigate to "Submit" screen
 And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

```
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
```

Then verify file label is displayed as "\${submit.schedule.assurance.text}"
 Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drcd...}
 And I upload the schedule assurance file "\${testdata.path}/\${FILE_NAME}"
 Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name
 And I verify delete button is present for attached document "\${FILE_NAME}"
 When I click on delete doc button for "\${FILE_NAME}" on submit page
 Then I click on "\${submit.delete.popup.delete.button}" button
 Then verify file label is displayed as "\${submit.schedule.assurance.text}"

After[Back to Table of Contents](#)**Scenario: Verify the upload for GHS schedule of benefits document**

Passed: 11

Before

When I click on Create Quote Link
 When I navigate to "Submit" screen
 And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
Then verify file label is displayed as "\${submit.ghs.benefit.text}"
Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc}
And I upload the ghs benefit file "\${testdata.path}/\${FILE_NAME}"
Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name
And I verify delete button is present for attached document "\${FILE_NAME}"
When I click on delete doc button for "\${FILE_NAME}" on submit page
Then I click on "\${submit.delete.popup.delete.button}" button
Then verify file label is displayed as "\${submit.ghs.benefit.text}"
After
Back to Table of Contents
Scenario: Verify the upload for Authorized Signatory document 1 document
Passed: 13
Before
When I click on Create Quote Link
When I navigate to "Submit" screen
And I assign "General_Information_Sheet.png" to variable "FILE_NAME"
Output
Assigning value General_Information_Sheet.png to variable FILE_NAME
Then verify "\${submit.authorized.personal.text}" heading is visible on the screen
Then I verify following text is displayed on "Submit" page
 \${submit.authorized.signatory}
Then verify file label is displayed as "\${submit.authorized.declaration.text}"
Then I verify following static text on "Submit" page
 \${submit.drop.document.here.text}
Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc}
And I upload the Authorised Signatory file "\${testdata.path}/\${FILE_NAME}"
Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name
And I verify delete button is present for attached document "\${FILE_NAME}"
When I click on delete doc button for "\${FILE_NAME}" on submit page
Then I click on "\${submit.delete.popup.delete.button}" button
After
Back to Table of Contents
Scenario: Verify the upload for Copy of NRIC document
Passed: 11
Before
When I click on Create Quote Link
When I navigate to "Submit" screen

And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.copy.nric.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc}

And I upload the copy NRIC file "\${testdata.path}/\${FILE_NAME}"

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE_NAME}"

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.copy.nric.text}"

After

[Back to Table of Contents](#)

Scenario: Verify the upload for Copy of Memos document

Passed: 13

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

And I verify following text is displayed on "Submit" page

\${submit.memo.max.text}

Then verify file label is displayed as "\${submit.memo.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc}

And I upload the memos file "\${testdata.path}/\${FILE_NAME}"

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE_NAME}"

Then I verify following buttons are displayed on "Submit page"

\${submit.upload.another.file.text}

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.memo.text}"

After

[Back to Table of Contents](#)

Scenario: Verify the select payment method Bank transfer section

Passed: 12

Before**Then verify "\${submit.payment.method.text}" heading is visible on the screen****Then I verify following text is displayed on "Submit" page**

\${submit.bank.transfer.text}
\${submit.cheque.text}

When I click on Bank Transfer button**And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"****Output**

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the payment proof file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.upload.payment.proof.text}"****After**[Back to Table of Contents](#)**Scenario: Verify the select payment method Bank transfer section**

Passed: 12

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****When I click on Cheque button****And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"****Output**

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the payment proof file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.upload.payment.proof.text}"**

After		
Back to Table of Contents		
Scenario: Add quote for Group term life for all 5 categories		
Passed: 6		
Before		
Given I generate random number and assign to variable "RANDOM_NUMBER"		
Output		
Random number generated is :842		
Then I assign "Dummy_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"		
Output		
Assigning value Dummy_Quote_84212032336 to variable Company_Name		
When I click on Create Quote Link		
Then I navigate to "Select Plan" screen		
Then I enter Company Name as "\${Company_Name}"		
Output		
company name is: Dummy_Quote_84212032336		
Then I enter following details on select plan page		
<table border="1"><tr><td>No. of Members</td><td>10</td></tr></table>	No. of Members	10
No. of Members	10	
After		
Back to Table of Contents		
Scenario Outline: Verify Summary of benefit table display data selected in select plan page and getting it into file		
Passed: 9		
Before		
Then I navigate to "Select Plan" screen		
And I click on PAMB GHS "\${selectplan.ghs.no.button}" button		
When I navigate to "Submit" screen		
And verify the user is landed on "Submit" page		
Then I assign "Annual_Summary.csv" to variable "FILE_NAME"		
Output		
Assigning value Annual_Summary.csv to variable FILE_NAME		

And I assign "testdata/my/submit_document/summarydata/\${FILE_NAME}" to variable "summary.data.compareFile.path"

Output

Assigning value testdata/my/submit_document/summarydata/Annual_Summary.csv to variable summary.data.compareFile.path

Then I assign "SummaryTable" to variable "Table_Name"

Output

Assigning value SummaryTable to variable Table_Name

Then I verify details in summary table is matching with "\${summary.data.compareFile.path}" file

Output

UI data: {Death Benefit (due to ALL causes)={Benefit per member=RM5,000}, Total and Permanent Disability Benefit (TPD) - csvData: {Death Benefit (due to ALL causes)={Benefit per member=RM5,000}, Total and Permanent Disability Benefit (TPD)}

And I verify following static text on "Summary Table" page

10
RM107.50
RM6.50
Total members
Annual Premium (Before Tax)
Service Tax 6%

After

[Back to Table of Contents](#)

Scenario Outline: Verify Summary of benefit table display data selected in select plan page and getting summary table

Passed: 9

Before

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

Then I assign "Annual_WithGHS.csv" to variable "FILE_NAME"

Output

Assigning value Annual_WithGHS.csv to variable FILE_NAME

And I assign "testdata/my/submit_document/summarydata/\${FILE_NAME}" to variable "summary.data.compareFile.path"

Output

```
Assigning value testdata/my/submit_document/summarydata/Annual_WithGHS.csv to variable summary.data.compareFile.path
```

Then I assign "SummaryTable" to variable "Table_Name"**Output**

```
Assigning value SummaryTable to variable Table_Name
```

Then I verify details in summary table is matching with "\${summary.data.compareFile.path}" file**Output**

```
UI data: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)=[  
csvData: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)=
```

And I verify following static text on "Summary Table" page

10
RM2,667.50
RM160.10
Total members
Annual Premium (Before Tax, GHS Included)
Service Tax 6%

After

[Back to Table of Contents](#)

Scenario: Validating the error message When user clicks on Confirm and Submit button without entering any mandatory fields

Passed: 3

Before

When I click on Bank Transfer button

When I click on the Confirm and Submit button

Then I verify following field upload error message on submit page

Proposal Form	\${submit.error.proposal.form.mandatory}
Form 8	\${submit.error.form.8.mandatory}
Form 24	\${submit.error.form.24.mandatory}
Form 49	\${submit.error.form.49.mandatory}
Direct Credit	\${submit.error.direct.credit.mandatory}
Authorised Signatory	\${submit.error.authorised.signatory.mandatory}
Copy NRIC	\${submit.error.copy.nric.mandatory}
Payment proof	\${submit.error.payment.proof}

After

[Back to Table of Contents](#)**Scenario: Verify Agent can save and export the quote on submit page**

Passed: 3

Before

Then I click on "\${saveQuote.button.text}" button

Then I verify following information is displayed on page footer

`${lastSavedMessage.static.text}`

Then I verify the presence of export quote button

After[Back to Table of Contents](#)**Scenario: Close Sales Portal**

Passed: 1

Before

And I close sales portal

After[Back to Table of Contents](#)**Feature: Verify agent can see all the PLUK documents and can download them**

Passed: 27

Scenario: Verify default and documents on Documents Page

Passed: 7

Before

Given I get the project directory path to variable "project.path"

Given I assign "\${project.path}/src/test/resources/testdata/my/documentsstocompare/input" to variable "Input"

Output

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/src/test/resources/testdata/my/documentsstocompare/input to variable "Input"
```

Given Launch sales portal

Output

```
https://dev-pamb-sales-eb.pru.intranet.asia/
```

And I assign value to following variables

Agent_Email	<code> \${agent.email.id.global}</code>
Agent_Password	<code> \${agent.password}</code>

When I Login to Sales Portal with below details

UserName	<code> \${Agent_Email}</code>
Password	<code> \${Agent_Password}</code>

And I enter the verification code if page appears for agent " `${Agent_Email}`"

Then I verify " `${welcome.to.prudential}`" screen is displayed

After
Back to Table of Contents
Scenario: Verify documents table on document page
Passed: 3
Before
When I click on Documents link
Then I verify following text is displayed on "Documents" page
\${toggleBarItem.documents.label}
Then I verify the presence of following table headers on "Documents page"
\${document.table.header.document.name}
After
Back to Table of Contents
Scenario Outline: Verify "PRUEd Protect Leaflet" document download button is enabled
Passed: 1
Before
And I verify download button for "PRUEd Protect Leaflet" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Claim Form" document download button is enabled
Passed: 1
Before
And I verify download button for "Claim Form" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Medical Claim - Doctor's Statement" document download button is enabled
Passed: 1
Before
And I verify download button for "Medical Claim - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Personal Accident Claim - Doctor's Statement" document download button is enabled
Passed: 1
Before
And I verify download button for "Personal Accident Claim - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Personal Accident Claim - Healing Progress Form" document download button is enabled
Passed: 1
Before
And I verify download button for "Personal Accident Claim - Healing Progress Form" document is enabled
After

Back to Table of Contents
Scenario Outline: Verify "Total and Permanent Disability Claim - Doctor's Statement" document download button is enabled
Passed: 1
Before
And I verify download button for "Total and Permanent Disability Claim - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document download button is enabled
Passed: 1
Before
And I verify download button for "Total and Permanent Disability Instalment Benefit - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Death Claim - Doctor's Statement" document download button is enabled
Passed: 1
Before
And I verify download button for "Death Claim - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Consent To Release Information" document download button is enabled
Passed: 1
Before
And I verify download button for "Consent To Release Information" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Master Application Form" document download button is enabled
Passed: 1
Before
And I verify download button for "Master Application Form" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Application For Direct Credit Form" document download button is enabled
Passed: 1
Before
And I verify download button for "Application For Direct Credit Form" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Authorised Company Representative Declaration Form" document download button is enabled
Passed: 1
Before
And I verify download button for "Authorised Company Representative Declaration Form" document is enabled
After

[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "PRUEd Pro**

Passed: 7

Before**Given I assign "PRUEd Protect Leaflet" to variable "DOWNLOADED_FILE_NAME"****Output**

Assigning value PRUEd Protect Leaflet to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf to variable DOCUMENT_FILE_P

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists**When I click on download button for document "PRUEd Protect Leaflet"****Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"****Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf

And I verify "\${testdata.path}/PRUEd Protect Leaflet.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"**After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Claim Form"**

Passed: 7

Before**Given I assign "Claim Form" to variable "DOWNLOADED_FILE_NAME"****Output**

Assigning value Claim Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Claim Form.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Claim Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Claim Form.pdf

And I verify "\${testdata.path}/Claim Form.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Medical Claim - Doctor's Statement"

Passed: 7

Before

Given I assign "Medical Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Medical Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Medical Claim - Doctor's Statement"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Medical Claim - Doctor's Statement.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Personal Account"

Passed: 7

Before**Given I assign "Personal Accident Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"****Output**

```
Assigning value Personal Accident Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
```

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH
```

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists**When I click on download button for document "Personal Accident Claim - Doctor's Statement"****Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"****Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf
```

And I verify "\${testdata.path}/Personal Accident Claim - Doctor's Statement.pdf" pdf file is matched**After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Personal Acc**

Passed: 7

Before**Given I assign "Personal Accident Claim - Healing Progress Form" to variable "DOWNLOADED_FILE_NAME"****Output**

```
Assigning value Personal Accident Claim - Healing Progress Form to variable DOWNLOADED_FILE_NAME
```

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf to variable DOCUMENT_FILE_PATH
```

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Personal Accident Claim - Healing Progress Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf

And I verify "\${testdata.path}/Personal Accident Claim - Healing Progress Form.pdf" pdf file is not exist

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement.pdf" file is exist

Passed: 7

Before

Given I assign "Total and Permanent Disability Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Total and Permanent Disability Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Total and Permanent Disability Claim - Doctor's Statement"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Total and Permanent Disability Claim - Doctor's Statement.pdf" pdf file is exist

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement.pdf" file is exist

Passed: 7

Before

Given I assign "Total and Permanent Disability Instalment Benefit - Doctor's Statement" to variable "DOCUMENT_FILE_PATH"**Output**

```
Assigning value Total and Permanent Disability Instalment Benefit - Doctor's Statement to variable DOWNLOADED_FILE_NAME
```

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Instalment Benefit - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH
```

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists**When I click on download button for document "Total and Permanent Disability Instalment Benefit - Doctor's Statement"****Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"****Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Instalment Benefit - Doctor's Statement.pdf
```

And I verify "\${testdata.path}/Total and Permanent Disability Instalment Benefit - Doctor's Statement.pdf" is equal to "\${DOCUMENT_FILE_PATH}"**After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Death Claim - Doctor's Statement"****Passed: 7****Before****Given I assign "Death Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"****Output**

```
Assigning value Death Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
```

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

```
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Death Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH
```

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Death Claim - Doctor's Statement"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Death Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Death Claim - Doctor's Statement.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Consent To Release Information"

Passed: 7

Before

Given I assign "Consent To Release Information" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Consent To Release Information to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Consent To Release Information.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Consent To Release Information"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Consent To Release Information.pdf

And I verify "\${testdata.path}/Consent To Release Information.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Master Application Form"

Passed: 7

Before

Given I assign "Master Application Form" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Master Application Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Master Application Form.pdf to variable DOCUMENT_FILE

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Master Application Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Master Application Form.pdf

And I verify "\${testdata.path}/Master Application Form.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Application For Direct Credit Form"

Passed: 7

Before

Given I assign "Application For Direct Credit Form" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Application For Direct Credit Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Application For Direct Credit Form.pdf to variable DOCUMENT_FILE

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Application For Direct Credit Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Application For Direct Credit Form.pdf

And I verify "\${testdata.path}/Application For Direct Credit Form.pdf" pdf file is matching with '

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Authorised C

Passed: 7

Before

Given I assign "Authorised Company Representative Declaration Form" to variable "DOWNLOA

Output

Assigning value Authorised Company Representative Declaration Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration Form.pdf to

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Authorised Company Representative Declaration

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration Form.pdf

And I verify "\${testdata.path}/Authorised Company Representative Declaration Form.pdf" pdf fil

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify agent can search for saved quotes based on search criteria, filter options and take required actions

Passed: 50

Scenario: Create Draft quote and verify default and sample text of Quotes page

Passed: 9

Before**Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"**

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

Assigning value LifePlan.txt to variable FILE_NAME

And I generate "current date" and assign to variable "FILE_GENERATION_DATE" in "yyyyMMddHHmmss"**And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yyyy"****Given Launch sales portal**

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_ID	\${agent.id.global}
COMP_NAME_INFORCE	TestInforceQuote

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"**Then I verify "\${welcome.to.prudential}" screen is displayed****After**[Back to Table of Contents](#)**Scenario: Verify Table headers and fields on Quotes page**

Passed: 5

Before**When I click on Quotes link****Then I verify following text is displayed on "Quotes" page**

	`\${quote.page.text}`						
	And I verify Search text field is displayed and enabled with magnifying class and default text as Se						
	And I verify Filter image is displayed and enabled						
	Then I verify the presence of following table headers on "Quotes page"						
	<table border="1"> <tr><td>`\${quote.table.header.company.name}`</td></tr> <tr><td>`\${quote.table.header.reference.num}`</td></tr> <tr><td>`\${quote.table.header.last.updated}`</td></tr> <tr><td>`\${quote.table.header.quote.status}`</td></tr> <tr><td>`\${quote.table.header.action}`</td></tr> </table>	`\${quote.table.header.company.name}`	`\${quote.table.header.reference.num}`	`\${quote.table.header.last.updated}`	`\${quote.table.header.quote.status}`	`\${quote.table.header.action}`	
`\${quote.table.header.company.name}`							
`\${quote.table.header.reference.num}`							
`\${quote.table.header.last.updated}`							
`\${quote.table.header.quote.status}`							
`\${quote.table.header.action}`							
After							
Back to Table of Contents							
Scenario: Verify the filter option							
Passed: 3							
Before							
	<p>When I click on filter button</p> <p>Then I verify following filter options are displayed</p> <table border="1"> <tr><td>`\${quote.filter.option.draft}`</td></tr> <tr><td>`\${quote.filter.option.archived}`</td></tr> <tr><td>`\${quote.filter.option.submitted}`</td></tr> <tr><td>`\${quote.filter.option.in.force}`</td></tr> <tr><td>`\${quote.filter.option.denied}`</td></tr> <tr><td>`\${quote.filter.option.expired}`</td></tr> </table> <p>And I click on filter button</p>	`\${quote.filter.option.draft}`	`\${quote.filter.option.archived}`	`\${quote.filter.option.submitted}`	`\${quote.filter.option.in.force}`	`\${quote.filter.option.denied}`	`\${quote.filter.option.expired}`
`\${quote.filter.option.draft}`							
`\${quote.filter.option.archived}`							
`\${quote.filter.option.submitted}`							
`\${quote.filter.option.in.force}`							
`\${quote.filter.option.denied}`							
`\${quote.filter.option.expired}`							
After							
Back to Table of Contents							
Scenario: Create Draft Quote							
Passed: 16							
Before							
	<p>Given I generate random number and assign to variable "RANDOM_NUMBER"</p> <p>Output</p> <hr/> <p>Random number generated is :893</p> <hr/>						
	<p>And I assign "TestDraft_\${RANDOM_NUMBER}" to variable "COMP_NAME_DRAFT"</p> <p>Output</p> <hr/> <p>Assigning value TestDraft_89312032322 to variable COMP_NAME_DRAFT</p> <hr/>						
	<p>When I click on Create Quote Link</p> <p>Then I accept disclaimer if present for new quote</p>						

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_DRAFT}
No. of Employees	12

And I click on "\${saveQuote.button.text}" button

Then I wait for 2 sec

Then I click on Quotes link

Then I wait for 5 sec

When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page

And I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMB55WL4G

Then I verify quote reference number "\${REF_NUMBER}" should contain "\${quote.prefix}" pre

Output

Quote reference number is : PAMB55WL4G

And I verify number of characters in quote ref number "\${REF_NUMBER}" is as per design

Then I verify following information is displayed for company "\${COMP_NAME_DRAFT}" in quo

Reference Number	not null
Quote Status	Draft

After

[Back to Table of Contents](#)

Scenario: Create Archived Quote

Passed: 15

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :40

And I assign "TestArch_\${RANDOM_NUMBER}" to variable "COMP_NAME_ARCHIVE"

Output

Assigning value TestArch_4012032340 to variable COMP_NAME_ARCHIVE				
When I click on Create Quote Link				
Then I accept disclaimer if present for new quote				
Then I navigate to "Select Plan" screen				
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button				
And I enter following details on select plan page				
<table border="1"> <tr> <td>Company Name</td> <td> \${COMP_NAME_ARCHIVE}</td> </tr> <tr> <td>No. of Employees</td> <td>12</td> </tr> </table>	Company Name	\${COMP_NAME_ARCHIVE}	No. of Employees	12
Company Name	\${COMP_NAME_ARCHIVE}			
No. of Employees	12			
And I click on "\${saveQuote.button.text}" button				
Then I wait for 2 sec				
When I click on Quotes link				
Then I wait for 5 sec				
When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page				
And I click on Action button next to searched quote				
And I select "\${quote.action.archive}" option from Action menu				
Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in				
<table border="1"> <tr> <td>Reference Number</td> <td>not null</td> </tr> <tr> <td>Quote Status</td> <td>Draft</td> </tr> </table>	Reference Number	not null	Quote Status	Draft
Reference Number	not null			
Quote Status	Draft			
After				
Back to Table of Contents				
Scenario: Create Submitted Quote				
Passed: 50				
Before				
Given I generate random number and assign to variable "RANDOM_NUMBER"				
Output				
Random number generated is :539				
And I assign "TestSub_\${RANDOM_NUMBER}" to variable "COMP_NAME_SUBMITTED"				
Output				
Assigning value TestSub_53912032359 to variable COMP_NAME_SUBMITTED				
And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path				
Output				
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path				

And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployees.xlsm" to variable "EMPLOYEE_FILE"

Output

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE_FILE

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_SUBMITTED}

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_SUBMITTED}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 6 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact1-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1

	<table border="1"> <tr><td>City</td><td>test City</td></tr> <tr><td>State</td><td> \${state.dropdown.value.2}</td></tr> <tr><td>Postcode</td><td>25415</td></tr> <tr><td>Authorised Signatory Name</td><td>authorisedName One</td></tr> <tr><td>Authorised Signatory Title</td><td>authorisedTitle One</td></tr> </table>	City	test City	State	\${state.dropdown.value.2}	Postcode	25415	Authorised Signatory Name	authorisedName One	Authorised Signatory Title	authorisedTitle One	
City	test City											
State	\${state.dropdown.value.2}											
Postcode	25415											
Authorised Signatory Name	authorisedName One											
Authorised Signatory Title	authorisedTitle One											
	And I click on next button "\${next.button.text}" for company page											
	And I wait for 3 sec											
	And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"											
	Output											
	Assigning value /testdata/my/submit_document to variable testdata.path											
	When I click on Bank Transfer button											
	And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 6 sec											
	And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 6 sec											
	And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 6 sec											
	And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 6 sec											
	And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 6 sec											
	And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 6 sec											
	And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"											
	And I wait for 5 sec											
	And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"											
	And I wait for 6 sec											
	When I click on the Confirm and Submit button											
	Then I verify following text is displayed on "Submit popup" page											
	<table border="1"> <tr><td> \${submit.confirmandsubmit.message1}</td></tr> <tr><td> \${submit.confirmandsubmit.message2}</td></tr> </table>	\${submit.confirmandsubmit.message1}	\${submit.confirmandsubmit.message2}									
\${submit.confirmandsubmit.message1}												
\${submit.confirmandsubmit.message2}												
	Then I verify following buttons are displayed on "Submit popup"											
	<table border="1"> <tr><td> \${submit.confirmandsubmit.confirm.btn}</td></tr> <tr><td> \${submit.confirmandsubmit.cncl.btn}</td></tr> </table>	\${submit.confirmandsubmit.confirm.btn}	\${submit.confirmandsubmit.cncl.btn}									
\${submit.confirmandsubmit.confirm.btn}												
\${submit.confirmandsubmit.cncl.btn}												
	Then I click on "\${submit.confirmandsubmit.confirm.btn}" button											
	And I wait for 5 sec											
	Then I verify following static text on "Quote Submission" page											
	<table border="1"> <tr><td> Quote Submitted</td></tr> </table>	Quote Submitted										
Quote Submitted												
	And I verify following paragraph is displayed on "Quote Submission" page											
	<table border="1"> <tr><td> We look forward in helping your business grow</td></tr> </table>	We look forward in helping your business grow										
We look forward in helping your business grow												

When I click on Quotes link**Then I wait for 5 sec****When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page****Then I get the reference number for searched quote in variable "REF_NUMBER"****Output**

```
Reference number is: PAMBQP0GKX
```

Then I verify following information is displayed for company "\${COMP_NAME_SUBMITTED}"

Reference Number	not null
Quote Status	Submitted

After[Back to Table of Contents](#)**Scenario: Create In Force Quote**

Passed: 64

Before**Given I generate random number and assign to variable "RANDOM_NUMBER"****Output**

```
Random number generated is :525
```

And I assign "TestGtlForce_\${RANDOM_NUMBER}" to variable "COMP_NAME_INFORCE"**Output**

```
Assigning value TestGtlForce_52512032349 to variable COMP_NAME_INFORCE
```

And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path**Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path
```

And I assign "\${testdata.path}/uploadEmployeesMaxPosition.xls" to variable "INPUT_PATH"**Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployeesMaxPosition.xls to variable INPUT_PATH
```

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xlsm" to variable "EMPLOYEE_FILE"

Output

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xls to variable EMPLOYEE_FILE

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_INFORCE}

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_INFORCE}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact2-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25417
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"

Output

Assigning value /testdata/my/submit_document to variable testdata.path

When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"

And I wait for 6 sec

When I click on the Confirm and Submit button

And I click on "\${submit.confirmandsubmit.confirm.btn}" button

And I wait for 3 sec

Then I verify following static text on "Quote Submission" page

Quote Submitted

When I click on Quotes link

And I wait for 5 sec

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMB38V9Q2

Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in

Reference Number	not null
Quote Status	Submitted

Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable "QUOTE_FILE"

Output

Assigning value PAMB38V9Q2_TestGtlForce_52512032349_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE

Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPLOYEE

Output

Assigning value PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPLOYEE

And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_QUOTE" to variable AZURE_FILE_NAME_QUOTE

Output

Assigning value 1_Submitted_Quotations/PAMB38V9Q2_TestGtlForce_52512032349 to variable AZURE_SRC_FOLDER_NAME

And I assign "\${azure.storage.folder.ready.inforce.quotation}" to variable "AZURE_DEST_FOLDER_NAME"

Output

Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME

And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLOADED_FILE_PATH_QUOTE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exists

And I assign the downloaded file "\${AZURE_FILE_NAME_EMPLOYEE}" to variable "DOWNLOADED_FILE_PATH_EMPLOYEE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_EMPLOYEE}" if it already exists

When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder "\${AZURE_SRC_FOLDER_NAME}"

Output

Azure storage file name is PAMB38V9Q2_TestGtlForce_52512032349_QUOTATION.xlsx

Azure storage folder name is 1_Submitted_Quotations/PAMB38V9Q2_TestGtlForce_52512032349

File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB38V9Q2_TestGtlForce_52512032349_QUOTATION.xlsx

When I download azure storage file "\${AZURE_FILE_NAME_EMPLOYEE}" from storage folder "\${AZURE_SRC_FOLDER_NAME}"

Output

Azure storage file name is PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx

Azure storage folder name is 1_Submitted_Quotations/PAMB38V9Q2_TestGtlForce_52512032349

File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx

Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUOTE}"**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMB38V9Q2_TestGtlForce_52512032349_QUOTATION.xlsx
```

Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_EMP}"**Output**

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx
```

When I write to excel file "\${DOWNLOADED_FILE_PATH_QUOTE}" into below rows for column

Policy Status	APPROVED
Policy Number	68123456

When I write to excel file "\${DOWNLOADED_FILE_PATH_EMP}" into below rows for column

testEmpAutomation1-\${email.id}@mailinator.com	\${RANDOM_NUMBER}001
testEmpAutomation2-\${email.id}@mailinator.com	\${RANDOM_NUMBER}002
testEmpAutomation3-\${email.id}@mailinator.com	\${RANDOM_NUMBER}003
testEmpAutomation4-\${email.id}@mailinator.com	\${RANDOM_NUMBER}004
testEmpAutomation5-\${email.id}@mailinator.com	\${RANDOM_NUMBER}005
testEmpAutomation6-\${email.id}@mailinator.com	\${RANDOM_NUMBER}006
testEmpAutomation7-\${email.id}@mailinator.com	\${RANDOM_NUMBER}007
testEmpAutomation8-\${email.id}@mailinator.com	\${RANDOM_NUMBER}008
testEmpAutomation9-\${email.id}@mailinator.com	\${RANDOM_NUMBER}009
testEmpAutomation10-\${email.id}@mailinator.com	\${RANDOM_NUMBER}010

And I upload local file "\${AZURE_FILE_NAME_QUOTE}" to storage folder "\${AZURE_DESTINATION}"**Output**

```
Azure storage file name is PAMB38V9Q2_TestGtlForce_52512032349_QUOTATION.xlsx
```

```
Azure storage folder name is 2_Quotations_Ready_for_Processing
```

```
File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB38V9Q2_TestGtlForce_52512032349_QUOTATION.xlsx
```

And I upload local file "\${AZURE_FILE_NAME_EMPLOYEE}" to storage folder "\${AZURE_DESTINATION}"**Output**

```
Azure storage file name is PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx
```

```
Azure storage folder name is 2_Quotations_Ready_for_Processing
```

```
File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx
```

Then I wait for storage file "\${AZURE_FILE_NAME_EMPLOYEE}" to be processed from storage**Output**

Azure storage file name is PAMB38V9Q2_TestGtlForce_52512032349_MEMBERLIST.xlsx
Azure storage folder name is 2_Quotations_Ready_for_Processing

After

[Back to Table of Contents](#)

Scenario: Create Denied Quote

Passed: 57

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :700

And I assign "TestDenied_\${RANDOM_NUMBER}" to variable "COMP_NAME_DENIED"

Output

Assigning value TestDenied_7001203238 to variable COMP_NAME_DENIED

And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path

And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployees.xls"

Output

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xls to variable EMPLOYEE_FILE

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_DENIED}

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_DENIED}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primarycontact3-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"

Output

Assigning value /testdata/my/submit_document to variable testdata.path

When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 6 sec

And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"

And I wait for 6 sec

When I click on the Confirm and Submit button

And I click on "\${submit.confirmandsubmit.confirm.btn}" button

And I wait for 3 sec

Then I verify following static text on "Quote Submission" page

Quote Submitted

When I click on Quotes link

And I wait for 5 sec

When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMBXLK7S1

Then I verify following information is displayed for company "\${COMP_NAME_DENIED}" in qu

Reference Number	not null
Quote Status	Submitted

Given I assign "\${REF_NUMBER}_\${COMP_NAME_DENIED}_QUOTATION.xlsx" to variable AZURE_FILE_NAME_QUOTE

Output

Assigning value PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE

And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}

Output

Assigning value 1_Submitted_Quotations/PAMBXLK7S1_TestDenied_7001203238 to variable AZURE_SRC_FOLDER_NAME

And I assign "\${azure.storage.folder.ready.inforce.quotation}" to variable "AZURE_DEST_FOLDER_NAME"

Output

Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME

And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLOADED_FILE_PATH_QUOTE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exists

When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder "\${AZURE_DEST_FOLDER_NAME}"

Output

Azure storage file name is PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx

Azure storage folder name is 1_Submitted_Quotations/PAMBXLK7S1_TestDenied_7001203238

File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx

Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUOTE}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx

When I write to excel file "\${DOWNLOADED_FILE_PATH_QUOTE}" into below rows for column "Policy Status"

Policy Status	REJECTED
---------------	----------

And I upload local file "\${AZURE_FILE_NAME_QUOTE}" to storage folder "\${AZURE_DEST_FOLDER_NAME}"

Output

Azure storage file name is PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx

Azure storage folder name is 2_Quotations_Ready_for_Processing

File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx

Then I wait for storage file "\${AZURE_FILE_NAME_QUOTE}" to be processed from storage folder "\${AZURE_DEST_FOLDER_NAME}"

Output

Azure storage file name is PAMBXLK7S1_TestDenied_7001203238_QUOTATION.xlsx

Azure storage folder name is 2_Quotations_Ready_for_Processing

After
Back to Table of Contents
Scenario: Verify Archive quotes are not displayed when no filters are selected on quote page
Passed: 5
Before
<ul style="list-style-type: none"> Given I click on Quotes link And I wait for 5 sec Then I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page Then I verify search Result is empty in Quotes page Then I remove the search text
After
Back to Table of Contents
Scenario Outline: Verify search can be performed with "The exact company name"
Passed: 4
Before
<ul style="list-style-type: none"> When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page Then I wait for 5 sec Then I verify searched Quote count is 1 Then I remove the search text
After
Back to Table of Contents
Scenario Outline: Verify search can be performed with "Company name by regex pattern"
Passed: 4
Before
<ul style="list-style-type: none"> When I enter "\${RANDOM_NUMBER}" in search text field in Quotes page Then I wait for 5 sec Then I verify searched Quote count is 1 Then I remove the search text
After
Back to Table of Contents
Scenario Outline: Verify search can be performed with "Reference Number"
Passed: 4
Before
<ul style="list-style-type: none"> When I enter "\${REF_NUMBER}" in search text field in Quotes page Then I wait for 5 sec Then I verify searched Quote count is 1 Then I remove the search text
After
Back to Table of Contents
Scenario: Verify Search Quote functionality is working for Company Name
Passed: 3
Before

	<p>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</p> <p>Then I wait for 5 sec</p> <p>Then I verify Quote is present only for "\${COMP_NAME_DRAFT}" search criteria in "\${quote.t</p>
After	
Back to Table of Contents	
Scenario: Verify search with invalid search value	
Passed: 5	
Before	
	<p>When I enter "Test123456" in search text field in Quotes page</p> <p>Then I wait for 5 sec</p> <p>Then I verify search Result is empty in Quotes page</p> <p>Then I remove the search text</p> <p>And I wait for 2 sec</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft"	
Passed: 4	
Before	
	<p>And I select "\${quote.filter.option.draft}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat</p> <p>And I unselect "\${quote.filter.option.draft}" filter option in Quotes page</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Archived"	
Passed: 4	
Before	
	<p>And I select "\${quote.filter.option.archived}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat</p> <p>And I unselect "\${quote.filter.option.archived}" filter option in Quotes page</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Submitted"	
Passed: 4	
Before	
	<p>And I select "\${quote.filter.option.submitted}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Submitted" search criteria in "\${quote.table.header.quote</p> <p>And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status In Force"	

Passed: 4
Before
<p>And I select "\${quote.filter.option.in.force}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "In Force" search criteria in "\${quote.table.header.quote.s</p> <p>And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Denied"
Passed: 4
Before
<p>And I select "\${quote.filter.option.denied}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Denied" search criteria in "\${quote.table.header.quote.sta</p> <p>And I unselect "\${quote.filter.option.denied}" filter option in Quotes page</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes pa</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.c</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes p</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Denied"
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes pag</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.qu</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes p</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,Denie
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.denie</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.qu</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.de</p>

After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,In Force"
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.in.force}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.cell}"</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.in.force}" filter option in Quotes page</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted"
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.header.cell}"</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quotes page</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.header.cell}"</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived}" filter option in Quotes page</p>
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived;Denied;In Force"
Passed: 4
Before
<p>And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived};\${quote.filter.option.denied};\${quote.filter.option.in.force}" filter option in Quotes page</p> <p>And I verify quotes are loaded in the view</p> <p>Then I verify Quote is present only for "Draft;Submitted;Denied;In Force" search criteria in "\${quote.table.header.cell}"</p> <p>And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived};\${quote.filter.option.denied};\${quote.filter.option.in.force}" filter option in Quotes page</p>
After
Back to Table of Contents
Scenario Outline: Verify Action options for "Action option for status Draft" quotes
Passed: 6
Before
And I select "\${quote.filter.option.draft}" filter option in Quotes page

When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.edit};\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.a

And I unselect "\${quote.filter.option.draft}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Action options for "Action option for status Submitted" quotes

Passed: 6

Before

And I select "\${quote.filter.option.submitted}" filter option in Quotes page

When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.export.pdf};\${quote.action.view}" action options are displayed for st

And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Action options for "Action option for status Archived" quotes

Passed: 6

Before

And I select "\${quote.filter.option.archived}" filter option in Quotes page

When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.edit};\${quote.action.export.pdf};\${quote.action.Unarchive};\${quote.

And I unselect "\${quote.filter.option.archived}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Action options for "Action option for status InForce" quotes

Passed: 6

Before

And I select "\${quote.filter.option.in.force}" filter option in Quotes page

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.export.pdf};\${quote.action.archive};\${quote.action.view}" action op

And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Action options for "Action option for status Denied" quotes

Passed: 6

Before

And I select "\${quote.filter.option.denied}" filter option in Quotes page
 When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
 Then I wait for 2 sec
 And I click on Action button next to searched quote
 Then I verify "\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.action.archive}" action
 And I unselect "\${quote.filter.option.denied}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario: Verify Quote Action item Edit for Draft quote

Passed: 12

Before

When I select "\${quote.filter.option.draft}" filter option in Quotes page
 When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
 And I click on Action button next to searched quote
 And I select "\${quote.action.edit}" option from Action menu
 Then I wait for 2 sec
 Then verify the user is landed on "Select Plan" page
 Then I verify company name is displayed as entered on select plan page

Company Name	\${COMP_NAME_DRAFT}
--------------	---------------------

 Then I click on "\${saveQuote.button.text}" button
 Then I wait for 2 sec
 And I click on Quotes link
 Then I wait for 5 sec
 Then I verify following information is displayed for company "\${COMP_NAME_DRAFT}" in quotes

Reference Number	not null
------------------	----------

After

[Back to Table of Contents](#)

Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Draft quote"

Passed: 19

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output	
--------	--

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output	
--------	--

Assigning value LifePlan.txt to variable FILE_NAME

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.draft}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMB55WL4G

And I assign "\${COMP_NAME_DRAFT}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}."

Output

Assigning value TestDraft_89312032322_PAMB55WL4G_20210312.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_Q

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME_DRAFT}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.draft}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestDraft_89312032322_PAMB55WL4G_20210312.

After

[Back to Table of Contents](#)

Scenario Outline: **Quote Action item Export PDF : "Verify quote is exported to PDF for Submitted quote"**

Passed: 19

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

```
Assigning value /testdata/my/ExportQuote to variable testdata.path
```

And I assign "LifePlan.txt" to variable "FILE_NAME"**Output**

```
Assigning value LifePlan.txt to variable FILE_NAME
```

And I wait for 6 sec**And I click on Quotes link****And I scroll the page up****And I clear all filter options****And I select "\${quote.filter.option.submitted}" filter option in Quotes page****Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists****When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page****Then I wait for 4 sec****Then I get the reference number for searched quote in variable "REF_NUMBER"****Output**

```
Reference number is: PAMBQP0GKX
```

And I assign "\${COMP_NAME_SUBMITTED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}" to variable "EXPORT_QUOTE_PATH"**Output**

```
Assigning value TestSub_53912032359_PAMBQP0GKX_20210312.pdf to variable DOWNLOADED_FILENAME
```

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE_PATH"**And I assign value to following variables**

COMPANY_NAME	`\${COMP_NAME_SUBMITTED}`
QUOTE_REF	`\${REF_NUMBER}`
EFFECTIVE_DATE	`\${PDF_GENERATION_DATE_1}`
PDF_GENERATION_DATE	`\${PDF_GENERATION_DATE_1}`

And I click on Action button next to searched quote**And I select "\${quote.action.export.pdf}" option from Action menu****And I wait for 12 sec****And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page****Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"**

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestSub_53912032359_PAMBQP0GKX_20210312.p

After[Back to Table of Contents](#)**Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Archived qu****Passed: 19****Before****Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"****Output**

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"**Output**

Assigning value LifePlan.txt to variable FILE_NAME

And I wait for 6 sec**And I click on Quotes link****And I scroll the page up****And I clear all filter options****And I select "\${quote.filter.option.archived}" filter option in Quotes page****Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists****When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page****Then I wait for 4 sec****Then I get the reference number for searched quote in variable "REF_NUMBER"****Output**

Reference number is: PAMBT07WS3

And I assign "\${COMP_NAME_ARCHIVE}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}" to variable "DOWNLOADED_FILENAME"**Output**

Assigning value TestArch_4012032340_PAMBT07WS3_20210312.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE_PATH"

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME_ARCHIVE}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.archived}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestArch_4012032340_PAMBT07WS3_20210312.pdf
```

After

[Back to Table of Contents](#)

Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Inforce quote"

Passed: 19

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

```
Assigning value /testdata/my/ExportQuote to variable testdata.path
```

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

```
Assigning value LifePlan.txt to variable FILE_NAME
```

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.in.force}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMB38V9Q2

And I assign "\${COMP_NAME_INFORCE}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}" to variable "EXPORT_QUOTE_PATH"**Output**

Assigning value TestGtlForce_52512032349_PAMB38V9Q2_20210312.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE_PATH"**And I assign value to following variables**

COMPANY_NAME	 \${COMP_NAME_INFORCE}
QUOTE_REF	 \${REF_NUMBER}
EFFECTIVE_DATE	 \${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	 \${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote**And I select "\${quote.action.export.pdf}" option from Action menu****And I wait for 12 sec****And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page****Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"****Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestGtlForce_52512032349_PAMB38V9Q2_20210312.pdf

After**[Back to Table of Contents](#)****Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Denied quote"**

Passed: 19

Before**Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"****Output**

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"**Output**

Assigning value LifePlan.txt to variable FILE_NAME

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.denied}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMBXLK7S1

And I assign "\${COMP_NAME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}"

Output

Assigning value TestDenied_7001203238_PAMBXLK7S1_20210312.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_Q

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME_DENIED}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.denied}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestDenied_7001203238_PAMBXLK7S1_20210312.

After

[Back to Table of Contents](#)

Scenario Outline: 1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option

2. verify only archived quote is displayed when Archived filter option is selected

Passed: 24

Before**And I scroll the page up****When I select "\${quote.filter.option.draft}" filter option in Quotes page****When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page****Then I wait for 2 sec****And I click on Action button next to searched quote****And I select "\${quote.action.archive}" option from Action menu****Then I verify searched Quote count is 1****And I unselect "\${quote.filter.option.draft}" filter option in Quotes page****And I click on Documents link****And I click on Quotes link****Then I select "\${quote.filter.option.archived}" filter option in Quotes page****When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page****Then I wait for 2 sec****Then I verify searched Quote count is 1****And I click on Action button next to searched quote****And I select "\${quote.action.Unarchive}" option from Action menu****And I click on "\${quote.unarchive.popup.confirm.button}" button****And I click on Documents link****And I click on Quotes link****And I select "\${quote.filter.option.archived}" filter option in Quotes page****When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page****Then I verify search Result is empty in Quotes page****And I scroll the page up****And I unselect "\${quote.filter.option.archived}" filter option in Quotes page****After**[Back to Table of Contents](#)**Scenario Outline: 1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option****2. verify only archived quote is displayed when Archived filter option is selected**

Passed: 24

Before**And I scroll the page up****When I select "\${quote.filter.option.denied}" filter option in Quotes page****When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page****Then I wait for 2 sec****And I click on Action button next to searched quote****And I select "\${quote.action.archive}" option from Action menu****Then I verify searched Quote count is 1****And I unselect "\${quote.filter.option.denied}" filter option in Quotes page****And I click on Documents link****And I click on Quotes link**

Then I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 1
And I click on Action button next to searched quote
And I select "\${quote.action.Unarchive}" option from Action menu
And I click on "\${quote.unarchive.popup.confirm.button}" button
And I click on Documents link
And I click on Quotes link
And I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I verify search Result is empty in Quotes page
And I scroll the page up
And I unselect "\${quote.filter.option.archived}" filter option in Quotes page
After
Back to Table of Contents
Scenario Outline: 1. Verify "Inforce" quotes should return irrespective of isArchived flag for filter op
<i>2. verify only archived quote is displayed when Archived filter option is selected</i>
Passed: 24
Before
And I scroll the page up
When I select "\${quote.filter.option.in.force}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
And I select "\${quote.action.archive}" option from Action menu
Then I verify searched Quote count is 1
And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page
And I click on Documents link
And I click on Quotes link
Then I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 1
And I click on Action button next to searched quote
And I select "\${quote.action.Unarchive}" option from Action menu
And I click on "\${quote.unarchive.popup.confirm.button}" button
And I click on Documents link
And I click on Quotes link
And I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I verify search Result is empty in Quotes page
And I scroll the page up

And I unselect "\${quote.filter.option.archived}" filter option in Quotes page
After
Back to Table of Contents
Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.draft}"
Passed: 19
Before
And I click on Quotes link
And I scroll the page up
And I clear all filter options
When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
And I select "\${quote.action.duplicate}" option from Action menu
Then I wait for 2 sec
When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 2
Then I select "\${quote.filter.option.draft}" filter option in Quotes page
Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat}
Then I verify searched Quote count is 2
And I click on Action button next to searched quote
And I select "\${quote.action.edit}" option from Action menu
And I wait for 2 sec
Then I verify company name is displayed as entered on select plan page
Company Name \${COMP_NAME_DRAFT}
Then I verify the sample text of following fields on select plan page
No. of Employees 12
After
Back to Table of Contents
Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.denied}"
Passed: 19
Before
And I click on Quotes link
And I scroll the page up
And I clear all filter options
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
And I select "\${quote.action.duplicate}" option from Action menu
Then I wait for 2 sec
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 2

Then I select "\${quote.filter.option.draft}" filter option in Quotes page
Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stats}"
Then I verify searched Quote count is 1
And I click on Action button next to searched quote
And I select "\${quote.action.edit}" option from Action menu
And I wait for 2 sec
Then I verify company name is displayed as entered on select plan page
Company Name \${COMP_NAME_DENIED}
Then I verify the sample text of following fields on select plan page
No. of Employees 10

After[Back to Table of Contents](#)**Scenario: verify Delete popup window**

Passed: 10

Before

And I click on Quotes link
And I scroll the page up
Then I select "\${quote.filter.option.draft}" filter option in Quotes page
And I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
And I click on Action button next to searched quote
And I select "\${quote.action.delete}" option from Action menu
Then I verify following text is displayed on "popup window on quote" page
\${quote.delete.popup.message1}
\${quote.delete.popup.message2}
Then I verify following buttons are displayed on "delete popup"
\${quote.delete.popup.cancel.button}
\${quote.delete.popup.delete.button}
Then I click on "\${quote.delete.popup.cancel.button}" button
And verify the user is landed on "Quotes" page

After[Back to Table of Contents](#)**Scenario: Verify Draft Quote is deleted**

Passed: 12

Before

And I scroll the page up
When I select "\${quote.filter.option.draft}" filter option in Quotes page
And I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page
And I click on Action button next to searched quote
And I select "\${quote.action.delete}" option from Action menu
Then I click on "\${quote.delete.popup.delete.button}" button
And I click on Documents link
And I click on Quotes link
Then I wait for 3 sec

	<p>When I enter "\${COMP_NAME_DRAFT}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>Then I verify searched Quote count is 1</p>				
	<p>After</p>				
	<p>Back to Table of Contents</p>				
	<p>Scenario: Verify Quote Action item Edit for Archived quote</p>				
	<p>Passed: 17</p>				
	<p>Before</p>				
	<p>And I scroll the page up</p> <p>When I select "\${quote.filter.option.archived}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.edit}" option from Action menu</p> <p>Then verify the user is landed on "Select Plan" page</p> <p>And I wait for 3 sec</p> <p>Then I verify company name is displayed as entered on select plan page</p> <table border="1"><tr><td>Company Name</td><td> \${COMP_NAME_ARCHIVE}</td></tr></table> <p>Then I click on "\${saveQuote.button.text}" button</p> <p>Then I wait for 2 sec</p> <p>And I click on Quotes link</p> <p>Then I wait for 5 sec</p> <p>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.archive}" option from Action menu</p> <p>Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in</p> <table border="1"><tr><td>Reference Number</td><td>not null</td></tr></table>	Company Name	\${COMP_NAME_ARCHIVE}	Reference Number	not null
Company Name	\${COMP_NAME_ARCHIVE}				
Reference Number	not null				
	<p>After</p>				
	<p>Back to Table of Contents</p>				
	<p>Scenario: Verify Quote Action item Unarchive text and cancel function</p>				
	<p>Passed: 9</p>				
	<p>Before</p>				
	<p>And I click on Quotes link</p> <p>And I scroll the page up</p> <p>Given I select "\${quote.filter.option.archived}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.Unarchive}" option from Action menu</p> <p>Then I verify following text is displayed on "Unarchive quote pop-up" page</p> <table border="1"><tr><td> \${quote.unarchive.popup.message1}</td></tr></table> <p>Then I verify following buttons are displayed on "Unarchive quote pop-up"</p> <table border="1"><tr><td> \${quote.unarchive.popup.confirm.button}</td></tr><tr><td> \${quote.unarchive.popup.cancel.button}</td></tr></table>	\${quote.unarchive.popup.message1}	\${quote.unarchive.popup.confirm.button}	\${quote.unarchive.popup.cancel.button}	
\${quote.unarchive.popup.message1}					
\${quote.unarchive.popup.confirm.button}					
\${quote.unarchive.popup.cancel.button}					

Then I click on "\${quote.unarchive.popup.cancel.button}" button
After
Back to Table of Contents
Scenario: Verify Archived Quote is deleted
Passed: 9
Before
And I click on Quotes link
And I scroll the page up
When I select "\${quote.filter.option.archived}" filter option in Quotes page
And I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page
And I click on Action button next to searched quote
And I select "\${quote.action.delete}" option from Action menu
Then I click on "\${quote.delete.popup.delete.button}" button
When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page
Then I verify search Result is empty in Quotes page
After
Back to Table of Contents
Scenario: Verify Quote Action item View for Submitted quote
Passed: 14
Before
And I scroll the page up
And I clear all filter options
When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page
And I click on Action button next to searched quote
And I select "\${quote.action.view}" option from Action menu
Then I wait for 2 sec
Then verify the user is landed on "Select Plan" page
Then I verify company name is displayed as entered on select plan page
Company Name \${COMP_NAME_SUBMITTED}
And I verify following buttons are displayed and enabled
\${close.button}
When I navigate to "Submit" screen
Then I verify following buttons are not displayed
\${confirm.submit.button}
And I click on "\${close.button}" button
Then I wait for 2 sec
Then I verify following text is displayed on "Quotes" page
\${quote.page.text}
After
Back to Table of Contents
Scenario: Verify Quote Action item View for Inforce quote
Passed: 13
Before

	<p>And I scroll the page up</p> <p>When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.view}" option from Action menu</p> <p>Then I wait for 2 sec</p> <p>Then verify the user is landed on "Select Plan" page</p> <p>Then I verify company name is displayed as entered on select plan page</p> <table border="1"><tr><td>Company Name</td><td> \${COMP_NAME_INFORCE}</td></tr></table> <p>And I verify following buttons are displayed and enabled</p> <table border="1"><tr><td> \${close.button}</td></tr></table> <p>When I navigate to "Submit" screen</p> <p>Then I verify following buttons are not displayed</p> <table border="1"><tr><td> \${confirm.submit.button}</td></tr></table> <p>And I click on "\${close.button}" button</p> <p>Then I wait for 2 sec</p> <p>Then I verify following text is displayed on "Quotes" page</p> <table border="1"><tr><td> \${quote.page.text}</td></tr></table>	Company Name	\${COMP_NAME_INFORCE}	\${close.button}	\${confirm.submit.button}	\${quote.page.text}
Company Name	\${COMP_NAME_INFORCE}					
\${close.button}						
\${confirm.submit.button}						
\${quote.page.text}						
	<p>After</p>					
	<p>Back to Table of Contents</p>					
	<p>Scenario: Close Sales Portal</p>					
	<p>Passed: 1</p>					
	<p>Before</p>					
	<table border="1"><tr><td> And I close sales portal</td></tr></table>	And I close sales portal				
And I close sales portal						
	<p>After</p>					
	<p>Back to Table of Contents</p>					
	<p>Feature: Verify the Get Help page functionality</p>					
	<p>Passed: 5</p>					
	<p>Scenario: Verify agent should be navigated to Get Help page</p>					
	<p>Passed: 8</p>					
	<p>Before</p>					
	<table border="1"><tr><td> Given Launch sales portal</td></tr></table>	Given Launch sales portal				
Given Launch sales portal						
	<p>Output</p>					
	<p>https://dev-pamb-sales-eb.pru.intranet.asia/</p>					
	<p>And I assign value to following variables</p>					
	<table border="1"><tr><td>Agent_Email</td><td> \${agent.email.id.global}</td></tr><tr><td>Agent_Password</td><td> \${agent.password}</td></tr></table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	
Agent_Email	\${agent.email.id.global}					
Agent_Password	\${agent.password}					
	<p>When I Login to Sales Portal with below details</p>					
	<table border="1"><tr><td>UserName</td><td> \${Agent_Email}</td></tr><tr><td>Password</td><td> \${Agent_Password}</td></tr></table>	UserName	\${Agent_Email}	Password	\${Agent_Password}	
UserName	\${Agent_Email}					
Password	\${Agent_Password}					

	<p>And I enter the verification code if page appears for agent "\${Agent_Email}"</p> <p>And I toggle the language button as required</p> <p>Then I verify "\${welcome.to.prudential}" screen is displayed</p> <p>When I click on "Get Help" Link</p> <p>And verify the user is landed on "Get Help" page</p>
After	
Back to Table of Contents	
Scenario: Verify static text on Get Help page	
Passed: 3	
Before	
	<p>And I verify h1 header text is displayed on "Get Help" page</p> <p> \${toggleBarItem.support.label}</p> <p>Then I verify following text is displayed on "Get Help" page</p> <p> \${support.what.can.help.text}</p> <p> \${support.access.pru.service.desk.text}</p> <p> \${support.submit.ticket.text}</p> <p> \${support.feedback.text}</p> <p> \${support.application.help.text}</p> <p> \${support.freq.asked.ques.article.text}</p> <p> \${support.direct.support}</p> <p> \${support.email.text}</p> <p> \${support.phone.text}</p> <p> \${support.email.us.text}</p>
	<p>And I verify support phone number are as below</p> <p> \${support.phone.number.text1}</p> <p> \${support.phone.number.text2}</p>
After	
Back to Table of Contents	
Scenario: Submit a ticket on sales portal app	
Passed: 5	
Before	
	<p>And I get parent window handle</p> <p>When I click on "\${support.feedback.text}" support button</p> <p>And I wait for 15 sec</p> <p>Then I verify "\${support.submit.ticket.page.title}" link is opened in new browser tab</p> <p>And I switch to parent window</p>
After	
Back to Table of Contents	
Scenario: View Knowledge base	
Passed: 5	
Before	
	<p>And I scroll to the end of page</p> <p>When I click on "\${support.application.help.text}" support button</p>

	<p>And I wait for 15 sec</p> <p>Then I verify "\${support.application.page.title}" link is opened in new browser tab</p> <p>And I switch to parent window</p>		
	After		
	Back to Table of Contents		
	Scenario: Close from Sales Portal		
	Passed: 1		
	Before		
	<p>And I close sales portal</p>		
	After		
	Back to Table of Contents		
	Feature: Verify view mode for Submitted and InForce quotes		
	<p><i>1)Agent creates quote and submits</i></p> <p><i>2)PAS Inforce the policy by supplying the policy number and Approved status</i></p> <p><i>3)HR Admin gets email for on-boarding to HR portal</i></p>		
	Passed: 14		
	Scenario: Login to sales portal		
	Passed: 9		
	Before		
	<p>Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"</p>		
	<p>Output</p> <pre>Assigning value /testdata/my/ExportQuote to variable testdata.path</pre>		
	<p>And I assign "LifePlan.txt" to variable "FILE_NAME"</p>		
	<p>Output</p> <pre>Assigning value LifePlan.txt to variable FILE_NAME</pre>		
	<p>And I generate "current date" and assign to variable "FILE_GENERATION_DATE" in "YYYYMMDD"</p>		
	<p>And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" format</p>		
	<p>Given Launch sales portal</p>		
	<p>Output</p> <pre>https://dev-pamb-sales-eb.pru.intranet.asia/</pre>		
	<p>And I assign value to following variables</p>		
	<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> </table>	Agent_Email	 \${agent.email.id.global}
Agent_Email	 \${agent.email.id.global}		

		<table border="1"> <tr><td>Agent_Password</td><td> \${agent.password}</td></tr> <tr><td>Agent_ID</td><td> \${agent.id.global}</td></tr> <tr><td>COMP_NAME_INFORCE</td><td>TestInforceQuote</td></tr> </table>	Agent_Password	\${agent.password}	Agent_ID	\${agent.id.global}	COMP_NAME_INFORCE	TestInforceQuote	
Agent_Password	\${agent.password}								
Agent_ID	\${agent.id.global}								
COMP_NAME_INFORCE	TestInforceQuote								
When I Login to Sales Portal with below details									
<table border="1"> <tr><td>UserName</td><td> \${Agent_Email}</td><td></td></tr> <tr><td>Password</td><td> \${Agent_Password}</td><td></td></tr> </table>			UserName	\${Agent_Email}		Password	\${Agent_Password}		
UserName	\${Agent_Email}								
Password	\${Agent_Password}								
And I enter the verification code if page appears for agent "\${Agent_Email}"									
Then I verify "\${welcome.to.prudential}" screen is displayed									
After									
Back to Table of Contents									
Scenario: Agent creates GTL submitted quote									
Passed: 44									
Before									
Given I generate random number and assign to variable "RANDOM_NUMBER"									
Output									
Random number generated is :769									
And I assign "TestGtlForce_\${RANDOM_NUMBER}" to variable "COMP_NAME_INFORCE"									
Output									
Assigning value TestGtlForce_76912032322 to variable COMP_NAME_INFORCE									
And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path									
Output									
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path									
And I assign "\${testdata.path}/uploadEmployeesMaxPosition.xls" to variable "INPUT_PATH"									
Output									
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployeesMaxPosition.xls to variable INPUT_PATH									
And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"									
Output									

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xls" to variable uploadEmployeesMaxPosition

Output

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xls to variable EMPLOYEE_MAX_POSITION

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
COMP_NAME	\${COMP_NAME_INFORCE}

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_INFORCE}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	hrPrimaryContact-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit_document/" to variable "testdata.path"

Output

Assigning value /testdata/my/submit_document/ to variable testdata.path

And I assign "Articles_Bylaws.png" to variable "FILE_NAME"

Output

Assigning value Articles_Bylaws.png to variable FILE_NAME

When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}\${FILE_NAME}"

And I wait for 3 sec

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I upload the copy NRIC file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

And I upload the Authorised Signatory file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

And I upload the direct credit file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

And I upload the Form 49 file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

And I upload the Form 24 file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

And I upload the Form 8 file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

And I upload the Signed Proposal file "\${testdata.path}\${FILE_NAME}"

And I wait for 6 sec

When I click on the Confirm and Submit button

And I click on "\${submit.confirmandsubmit.confirm.btn}" button

And I wait for 3 sec

Then I verify following static text on "Quote Submission" page

Quote Submitted

After

[Back to Table of Contents](#)

Scenario: Get quote reference Number

Passed: 5

Before

When I click on Quotes link

And I wait for 5 sec

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

	Reference number is: PAMB3XE2T5																															
Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in .																																
Reference Number	not null																															
Quote Status	Submitted																															
After																																
Back to Table of Contents																																
Scenario: Verify Quote Action item View for Submitted quote																																
Passed: 23																																
Before																																
<p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.view}" option from Action menu</p> <p>Then I wait for 2 sec</p> <p>Then verify the user is landed on "Select Plan" page</p> <p>Then I verify company name is displayed as entered on select plan page</p> <table border="1"> <tr> <td>Company Name</td> <td>\${COMP_NAME_INFORCE}</td> </tr> </table> <p>And I verify following buttons are displayed and enabled</p> <table border="1"> <tr> <td> \${close.button}</td> </tr> </table> <p>Then I verify following elements are disabled on Select Plan page</p> <table border="1"> <tr> <td>Effective Date of Coverage</td> </tr> <tr> <td>No. of Members</td> </tr> <tr> <td>GHS Button</td> </tr> </table> <p>When I navigate to "Members" screen</p> <p>Then I verify following elements status on members page</p> <table border="1"> <tr> <td>PDPA Consent Requirement</td> <td>disabled</td> </tr> <tr> <td>Search Field</td> <td>enabled</td> </tr> <tr> <td>Add Member</td> <td>disabled</td> </tr> </table> <p>And I enter "testEmpAutomation1-\${email.id}@mailinator.com" in search text field in Members</p> <p>And I click on edit button next to the employee "First Name.01 Surname 1"</p> <p>When I click on profile button "\${quote.action.view}" on Add employee page</p> <p>Then I verify following header texts are displayed on "Members Page" page</p> <table border="1"> <tr> <td>View Member</td> </tr> </table> <p>Then I verify following elements status on members page</p> <table border="1"> <tr> <td>First Name</td> <td>disabled</td> </tr> <tr> <td>Surname</td> <td>disabled</td> </tr> <tr> <td>Date of Birth</td> <td>disabled</td> </tr> <tr> <td>Gender</td> <td>disabled</td> </tr> <tr> <td>Email Address</td> <td>disabled</td> </tr> <tr> <td>Coverage Start Date</td> <td>disabled</td> </tr> <tr> <td>NRIC no.</td> <td>disabled</td> </tr> <tr> <td>Address 1</td> <td>disabled</td> </tr> <tr> <td>Address 2</td> <td>disabled</td> </tr> </table>		Company Name	\${COMP_NAME_INFORCE}	\${close.button}	Effective Date of Coverage	No. of Members	GHS Button	PDPA Consent Requirement	disabled	Search Field	enabled	Add Member	disabled	View Member	First Name	disabled	Surname	disabled	Date of Birth	disabled	Gender	disabled	Email Address	disabled	Coverage Start Date	disabled	NRIC no.	disabled	Address 1	disabled	Address 2	disabled
Company Name	\${COMP_NAME_INFORCE}																															
\${close.button}																																
Effective Date of Coverage																																
No. of Members																																
GHS Button																																
PDPA Consent Requirement	disabled																															
Search Field	enabled																															
Add Member	disabled																															
View Member																																
First Name	disabled																															
Surname	disabled																															
Date of Birth	disabled																															
Gender	disabled																															
Email Address	disabled																															
Coverage Start Date	disabled																															
NRIC no.	disabled																															
Address 1	disabled																															
Address 2	disabled																															

	Address 3	disabled
	Address 4	disabled
	City	disabled
	Post Code	disabled

Then I click on "\${employee.addemp.close}" button

When I navigate to "Company" screen

Then I verify following elements status on company page

HR Given Name	disabled
Surname	disabled
Email Address	disabled
Contact Mobile Number	disabled
Company Registration Number	disabled
HR Contact Phone Number	disabled
Contact Fax Number	disabled
Address1	disabled
Address2	disabled
Address3	disabled
Address4	disabled
City	disabled
Postcode	disabled
Authorised Signatory Name	disabled
Authorised Signatory Title	disabled

And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page

When I navigate to "Submit" screen

Then I verify following buttons are not displayed

 \${confirm.submit.button}

And I click on "\${close.button}" button

Then I wait for 2 sec

Then I verify following text is displayed on "Quotes" page

 \${quote.page.text}

After

[Back to Table of Contents](#)

Scenario: PAS Inforce the submitted quote for create quote number and company

Passed: 17

Before

Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable AZURE_FILE_NAME_QUOTE

Output

Assigning value PAMB3XE2T5_TestGtForce_76912032322_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE

Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_MEMBERLIST

Output

Assigning value PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPLOYEE

And I assign "\${azure.storage.folder.submitted.quotations}/\${REF_NUMBER}_\${COMP_NAME}_Output

Assigning value 1_Submitted_Quotations/PAMB3XE2T5_TestGtlForce_76912032322 to variable AZURE_SRC_FOLDER_NAME

And I assign "\${azure.storage.folder.ready.inforce.quotations}" to variable "AZURE_DEST_FOLDER_NAME

Output

Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME

And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLOADED_FILE_PATH_QUOTE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exists

And I assign the downloaded file "\${AZURE_FILE_NAME_EMPLOYEE}" to variable "DOWNLOADED_FILE_PATH_EMPLOYEE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_EMPLOYEE}" if it already exists

When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder "\${AZURE_SRC_FOLDER_NAME}"

Output

Azure storage file name is PAMB3XE2T5_TestGtlForce_76912032322_QUOTATION.xlsx

Azure storage folder name is 1_Submitted_Quotations/PAMB3XE2T5_TestGtlForce_76912032322

File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB3XE2T5_TestGtlForce_76912032322_QUOTATION.xlsx

When I download azure storage file "\${AZURE_FILE_NAME_EMPLOYEE}" from storage folder "\${AZURE_SRC_FOLDER_NAME}"

Output

Azure storage file name is PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx

Azure storage folder name is 1_Submitted_Quotations/PAMB3XE2T5_TestGtlForce_76912032322

File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx

Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUOTE}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMB3XE2T5_TestGtlForce_76912032322_QUOTATION.xlsx

Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_EMPLOYEE}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx

When I write to excel file "\${DOWNLOADED_FILE_PATH_QUOTE}" into below rows for column

Policy Status	APPROVED
Policy Number	\${RANDOM_NUMBER}

When I write to excel file "\${DOWNLOADED_FILE_PATH_EMP}" into below rows for column

testEmpAutomation1-\${email.id}@mailinator.com	\${RANDOM_NUMBER}001
testEmpAutomation2-\${email.id}@mailinator.com	\${RANDOM_NUMBER}002
testEmpAutomation3-\${email.id}@mailinator.com	\${RANDOM_NUMBER}003
testEmpAutomation4-\${email.id}@mailinator.com	\${RANDOM_NUMBER}004
testEmpAutomation5-\${email.id}@mailinator.com	\${RANDOM_NUMBER}005
testEmpAutomation6-\${email.id}@mailinator.com	\${RANDOM_NUMBER}006
testEmpAutomation7-\${email.id}@mailinator.com	\${RANDOM_NUMBER}007
testEmpAutomation8-\${email.id}@mailinator.com	\${RANDOM_NUMBER}008
testEmpAutomation9-\${email.id}@mailinator.com	\${RANDOM_NUMBER}009
testEmpAutomation10-\${email.id}@mailinator.com	\${RANDOM_NUMBER}010

And I upload local file "\${AZURE_FILE_NAME_QUOTE}" to storage folder "\${AZURE_DESTINATION}"**Output**

Azure storage file name is PAMB3XE2T5_TestGtlForce_76912032322_QUOTATION.xlsx

Azure storage folder name is 2_Quotations_Ready_for_Processing

File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB3XE2T5_TestGtlForce_76912032322_QUOTATION.xlsx

And I upload local file "\${AZURE_FILE_NAME_EMPLOYEE}" to storage folder "\${AZURE_DESTINATION}"**Output**

Azure storage file name is PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx

Azure storage folder name is 2_Quotations_Ready_for_Processing

File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx

Then I wait for storage file "\${AZURE_FILE_NAME_EMPLOYEE}" to be processed from storage**Output**

Azure storage file name is PAMB3XE2T5_TestGtlForce_76912032322_MEMBERLIST.xlsx

Azure storage folder name is 2_Quotations_Ready_for_Processing

After

[Back to Table of Contents](#)**Scenario: Verify Quote file generated fields**

Passed: 1

Before**And I verify excel file "\${DOWNLOADED_FILE_PATH_QUOTE}" contains following values for**

Company Name	\${COMP_NAME_INFORCE}
Quote Number	\${REF_NUMBER}
No. of Members	10
LBU	\${salesChannel}
LBU Sales Channel	\${salesChannel}
Group Plan	GTL
Group Hospital Surgical Benefit (GHS)	NO
Agent Email Address	\${agent.email.id.global}
Primary Contact Email Address	hrPrimaryContact-\${email.id}@mailinator.com
Country	Malaysia
Company Registration Number	\${Company Registration Number}

After[Back to Table of Contents](#)**Scenario: Check quote is inforced**

Passed: 5

Before**When I click on Documents link****When I click on Quotes link****And I wait for 5 sec****When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page****Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in**

Reference Number	not null
Quote Status	In Force

After[Back to Table of Contents](#)**Scenario: Verify Quote Action item View for Inforced quote**

Passed: 23

Before**And I click on Action button next to searched quote****And I select "\${quote.action.view}" option from Action menu****Then I wait for 2 sec****Then verify the user is landed on "Select Plan" page****Then I verify company name is displayed as entered on select plan page**

Company Name	\${COMP_NAME_INFORCE}
--------------	-----------------------

And I verify following buttons are displayed and enabled

\${close.button}

Then I verify following elements are disabled on Select Plan page

Effective Date of Coverage

	No. of Members	
	GHS Button	
When I navigate to "Members" screen		
Then I verify following elements status on members page		
PDPA Consent Requirement	disabled	
Search Field	enabled	
Add Member	disabled	
And I enter "testEmpAutomation1-\${email.id}@mailinator.com" in search text field in Members		
And I click on edit button next to the employee "First Name.01 Surname 1"		
When I click on profile button "\${quote.action.view}" on Add employee page		
Then I verify following header texts are displayed on "Members Page" page		
View Member		
Then I verify following elements status on members page		
First Name	disabled	
Surname	disabled	
Date of Birth	disabled	
Gender	disabled	
Email Address	disabled	
Coverage Start Date	disabled	
NRIC no.	disabled	
Address 1	disabled	
Address 2	disabled	
Address 3	disabled	
Address 4	disabled	
City	disabled	
Post Code	disabled	
Then I click on "\${employee.addemp.close}" button		
When I navigate to "Company" screen		
Then I verify following elements status on company page		
HR Given Name	disabled	
Surname	disabled	
Email Address	disabled	
Contact Mobile Number	disabled	
Company Registration Number	disabled	
HR Contact Phone Number	disabled	
Contact Fax Number	disabled	
Address1	disabled	
Address2	disabled	
Address3	disabled	
Address4	disabled	
City	disabled	
Postcode	disabled	
Authorised Signatory Name	disabled	
Authorised Signatory Title	disabled	

<p>And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page</p>
<p>When I navigate to "Submit" screen</p>
<p>Then I verify following buttons are not displayed</p>
<p> \${confirm.submit.button}</p>
<p>And I click on "\${close.button}" button</p>
<p>Then I wait for 2 sec</p>
<p>Then I verify following text is displayed on "Quotes" page</p>
<p> \${quote.page.text}</p>
<p>After</p>
<p>Back to Table of Contents</p>
<p>Scenario: Close Sales Portal</p>
<p>Passed: 1</p>
<p>Before</p>
<p> And I close sales portal</p>
<p>After</p>
<p>Back to Table of Contents</p>
<p>Scenario: Verify HR Admin received the on-boarding email for Pru</p>
<p>Passed: 6</p>
<p>Before</p>
<p> Given I assign "hrPrimaryContact-\${email.id}@mailinator.com" to variable "Email_id"</p>
<p>Output</p>
<p> Assigning value hrPrimaryContact-76912032322@mailinator.com to variable Email_id</p>
<p> -----</p>
<p> Given I assign "TestGivenName" to variable "First_Name"</p>
<p>Output</p>
<p> Assigning value TestGivenName to variable First_Name</p>
<p> -----</p>
<p> And I wait for 15 sec</p>
<p> When I launch to mailinator email "\${Email_id}" on UI</p>
<p>Output</p>
<p> Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=hrPrimaryContact-76912032322</p>
<p> -----</p>
<p> And I wait for 10 sec</p>
<p> Then I verify following emails are received in mailinator</p>
<p> \${register.email.from} \${register.email.subject}</p>
<p>After</p>

Back to Table of Contents
Scenario: Close Sales Portal
Passed: 1
Before
And I close sales portal
After
Back to Table of Contents
Scenario: Verify member received the activation email for member sdk
Passed: 5
Before
Given I assign "testEmpAutomation2-\${email.id}@mailinator.com" to variable "Email_id"
Output
Assigning value testEmpAutomation2-76912032322@mailinator.com to variable Email_id
Given I assign "First Name.02" to variable "First_Name"
Output
Assigning value First Name.02 to variable First_Name
When I launch to mailinator email "\${Email_id}" on UI
Output
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=testEmpAutomation2-76912032322
And I wait for 10 sec
Then I verify following emails are received in mailinator
\${register.email.from} \${sdk.employee.activate.email}
After
Back to Table of Contents
Scenario: Verify content of activation email for employee
Passed: 2
Before
When I click on email with from "\${register.email.from}" and subject "\${sdk.employee.activate.er
Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/quote_infor
After
Back to Table of Contents
Scenario: Close Sales Portal

Passed: 1					
Before					
And I close sales portal					
After					
Back to Table of Contents					
Feature: Verify product plan by benefit table data is as per requirement					
Passed: 5					
Scenario: Login to Sales Portal					
Passed: 5					
Before					
Given Launch sales portal					
Output					
https://dev-pamb-sales-eb.pru.intranet.asia/					
And I assign value to following variables					
<table border="1"><tr><td>Agent_Email</td><td> \${agent.email.id.global}</td></tr><tr><td>Agent_Password</td><td> \${agent.password}</td></tr></table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	
Agent_Email	\${agent.email.id.global}				
Agent_Password	\${agent.password}				
When I Login to Sales Portal with below details					
<table border="1"><tr><td>UserName</td><td> \${Agent_Email}</td></tr><tr><td>Password</td><td> \${Agent_Password}</td></tr></table>	UserName	\${Agent_Email}	Password	\${Agent_Password}	
UserName	\${Agent_Email}				
Password	\${Agent_Password}				
And I enter the verification code if page appears for agent "\${Agent_Email}"					
Then I verify "\${welcome.to.prudential}" screen is displayed					
After					
Back to Table of Contents					
Scenario: Verify default state of Premium and Benefit page					
Passed: 6					
Before					
When I click on Create Quote Link					
Then I navigate to "Select Plan" screen					
And I click on Premium and Benefits button					
Then I verify following buttons are displayed and enabled					
<table border="1"><tr><td> \${close.button}</td></tr></table>	\${close.button}				
\${close.button}					
And I verify h1 header text is displayed on "Benefit Page" page					
<table border="1"><tr><td> \${group.plan.static.text}</td></tr></table>	\${group.plan.static.text}				
\${group.plan.static.text}					
And I verify following static text on "Benefit Page" page					
<table border="1"><tr><td> \${coverage.plan.static.text}</td></tr><tr><td> \${benefit.total.static.text}</td></tr><tr><td> \${benefit.ghs.text}</td></tr><tr><td> \${benefit.ghs.hospital.text}</td></tr><tr><td> \${benefit.ghs.surgical.text}</td></tr></table>	\${coverage.plan.static.text}	\${benefit.total.static.text}	\${benefit.ghs.text}	\${benefit.ghs.hospital.text}	\${benefit.ghs.surgical.text}
\${coverage.plan.static.text}					
\${benefit.total.static.text}					
\${benefit.ghs.text}					
\${benefit.ghs.hospital.text}					
\${benefit.ghs.surgical.text}					

	<p><code> \${benefit.ghs.non.surgical.text}</code></p> <p><code> \${benefit.ghs.other.text}</code></p> <p><code> \${benefit.ghs.Additional.text}</code></p> <p><code> \${select.plan.gtl.gadd.text}</code></p> <p>Annual Premium per Member (without GHS)</p> <p>Annual Premium per Member (with GHS)</p> <p>RM11.40</p> <p>RM282.76</p>	
--	--	--

After[Back to Table of Contents](#)**Scenario Outline: Compare plan by Annual benefit data for "\${select.plan.group.coverage.gtl.text}" [**

Passed: 1

Before**Then I verify "GTL_ANNUAL" csv file data matches with Plans By Benefits table "GroupTermL****Output**

```
UI Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100}
Test Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100}}
```

After[Back to Table of Contents](#)**Scenario: Close premium and benefit screen and logout**

Passed: 2

Before**When I click on "\${close.button}" button****And I Logout of the sales portal****After**[Back to Table of Contents](#)**Scenario: Close from Sales Portal**

Passed: 1

Before**And I close sales portal****After**[Back to Table of Contents](#)**Feature: Verify Quote is getting multiplied by number of employees and based on premium for selected plan**

Passed: 12

Scenario: Launch Sales portal and navigate to New Quote page

Passed: 5

Before**Given Launch sales portal****Output**

<https://dev-pamb-sales-eb.pru.intranet.asia/>

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

After

[Back to Table of Contents](#)

Scenario: Load Premium and modal factor csv file

Passed: 3

Before

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I assign value to following variables

ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX	11.40
ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX	282.76

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	1
------------------	---

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	1 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A}
------------------------------	--------------------------------------

Output

ESTIMATED_PREMIUM_ANNUALIZED=11.4

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"

Output

Actual Estimated Premium value on screen =11.40
Expected Estimated Premium value on screen =11.4

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$1 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER}$
-------------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=282.76

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"

Output

Actual Estimated Premium value on screen =282.76

Expected Estimated Premium value on screen =282.76

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "4"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	4
-------------------------	----------

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$4 * \${ANNUAL_PREMIUM_WITHOUT_GHS_AFTER}$
-------------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=45.6

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"

Output

Actual Estimated Premium value on screen =45.60

Expected Estimated Premium value on screen =45.6

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$4 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER}$
-------------------------------------	---

Output

```
ESTIMATED_PREMIUM_ANNUALIZED=1131.04
```

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"**Output**

Actual Estimated Premium value on screen =1131.04
 Expected Estimated Premium value on screen =1131.04

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5"****Passed: 7****Before****And I enter following details on select plan page**

No. of Employees	5
------------------	---

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$5 * \${ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX}$
------------------------------	--

Output

```
ESTIMATED_PREMIUM_ANNUALIZED=57.0
```

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"**Output**

Actual Estimated Premium value on screen =57.00
 Expected Estimated Premium value on screen =57.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$5 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX}$
------------------------------	---

Output

```
ESTIMATED_PREMIUM_ANNUALIZED=1413.8
```

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_ANNUALIZED_PREMIUM}"**Output**

Actual Estimated Premium value on screen =1413.80
 Expected Estimated Premium value on screen =1413.8

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "50"****Passed: 7****Before****And I enter following details on select plan page****No. of Employees** 50**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 50 * \${ANNUAL_PREMIUM_WITHOUT_GHS_AFTER}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=570.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_ANNUALIZED_PREMIUM}"**Output**

Actual Estimated Premium value on screen =570.00
 Expected Estimated Premium value on screen =570.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 50 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=14138.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_ANNUALIZED_PREMIUM}"**Output**

Actual Estimated Premium value on screen =14138.00
 Expected Estimated Premium value on screen =14138.0

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "100"**

Passed: 7

Before**And I enter following details on select plan page****No. of Employees** 100**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 100 * \${ANNUAL_PREMIUM_WITHOUT_GHS}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=1140.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"**Output**

Actual Estimated Premium value on screen =1140.00

Expected Estimated Premium value on screen =1140.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 100 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=28276.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"**Output**

Actual Estimated Premium value on screen =28276.00

Expected Estimated Premium value on screen =28276.0

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "200"**

Passed: 7

Before**And I enter following details on select plan page**

No. of Employees	200
------------------	-----

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$200 * \${ANNUAL_PREMIUM_WITHOUT_GHS}$
------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=2280.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"**Output**

Actual Estimated Premium value on screen =2280.00

Expected Estimated Premium value on screen =2280.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$200 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$
------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=56552.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"**Output**

Actual Estimated Premium value on screen =56552.00

Expected Estimated Premium value on screen =56552.0

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1000"**

Passed: 7

Before**And I enter following details on select plan page**

No. of Employees	1000
------------------	------

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$1000 * \${\text{ANNUAL_PREMIUM_WITHOUT_GHS}}$
-------------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=11400.0

Then I verify the the Estimated Annual Premium value on screen should match with " $\${\text{ESTIMATED_PREMIUM_WITHOUT_GHS}}$ "

Output

Actual Estimated Premium value on screen =11400.00
Expected Estimated Premium value on screen =11400.0

And I click on PAMB GHS " $\${\text{selectplan.ghs.yes.button}}$ " button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$1000 * \${\text{ANNUAL_PREMIUM_WITH_GHS_AFTER_YES}}$
-------------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=282760.0

Then I verify the the Estimated Annual Premium value on screen should match with " $\${\text{ESTIMATED_PREMIUM_WITH_GHS_AFTER_YES}}$ "

Output

Actual Estimated Premium value on screen =282760.00
Expected Estimated Premium value on screen =282760.0

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5000"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	5000
------------------	------

And I click on PAMB GHS " $\${\text{selectplan.ghs.no.button}}$ " button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$5000 * \${\text{ANNUAL_PREMIUM_WITHOUT_GHS}}$
-------------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=57000.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA

Output

Actual Estimated Premium value on screen =57000.00
Expected Estimated Premium value on screen =57000.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$5000 * \${ANNUAL_PREMIUM_WITH_GHS_AF}$
------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=1413800.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA

Output

Actual Estimated Premium value on screen =1413800.00
Expected Estimated Premium value on screen =1413800.0

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "10000"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	10000
------------------	-------

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$10000 * \${ANNUAL_PREMIUM_WITHOUT_GH$
------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=114000.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA

Output

Actual Estimated Premium value on screen =114000.00
 Expected Estimated Premium value on screen =114000.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	10000 * \${ANNUAL_PREMIUM_WITH_GHS_AI}
------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=2827600.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"

Output

Actual Estimated Premium value on screen =2827600.00
 Expected Estimated Premium value on screen =2827600.0

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify agent can download the quotes in pdf format and check all information is correct for GT

Passed: 9

Scenario: Login to sales portal

Passed: 5

Before

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}

	Agent_ID \${agent.email.id.agentcode}
When I Login to Sales Portal with below details	
UserName	\${Agent_Email}
Password	\${Agent_Password}
And I enter the verification code if page appears for agent "\${Agent_Email}"	
Then I verify "\${welcome.to.prudential}" screen is displayed	
After	
Back to Table of Contents	
Scenario: Assign value to variables and enter details on select plan page	
Passed: 7	
Before	
Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"	
Output	
Assigning value /testdata/my/ExportQuote to variable testdata.path	
And I assign "GTL_Annual.txt" to variable "FILE_NAME"	
Output	
Assigning value GTL_Annual.txt to variable FILE_NAME	
And I generate "current date" and assign to variable "PDF_GENERATION_DATE" in "yyyyMM"	
And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yyyy"	
And I generate random number and assign to variable "RANDOM_NUMBER"	
Output	
Random number generated is :492	
And I assign "Gtl_\${RANDOM_NUMBER}" to variable "COMP_NAME"	
Output	
Assigning value Gtl_49212033325 to variable COMP_NAME	
And I generate "future date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" for	
After	
Back to Table of Contents	
Scenario: Select plan and category	

Passed: 4

Before**When I click on Create Quote Link****Then verify the user is landed on "Select Plan" page****Then I enter following details on select plan page**

Company Name	\${COMP_NAME}
Select Coverage Date	\${COVERAGE_DATE}
No. of Employees	10

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**After**[Back to Table of Contents](#)**Scenario: Save Quote and get reference number from Quotes screen**

Passed: 11

Before**And I click on "\${saveQuote.button.text}" button****And I get the estimated premium value displayed on select plan page and assign to variable "ESTI****Then I wait for 5 sec****When I click on Quotes link****And I enter "\${COMP_NAME}" in search text field in Quotes page****Then I get the reference number for searched quote in variable "REF_NUMBER"****Output**

Reference number is: PAMBYDOQ10

And I click on Action button next to searched quote**And I select "\${quote.action.edit}" option from Action menu****And I assign "\${COMP_NAME}_\${REF_NUMBER}_\${PDF_GENERATION_DATE}.pdf" to variable "DOWNLOADED_FILENAME"****Output**

Assigning value Gtl_49212033325_PAMBYDOQ10_20210312.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_Q**And I assign value to following variables**

QUOTE_REF	\${REF_NUMBER}
TOTAL_PREMIUM_PER_YEAR	\${ESTIMATED_PREMIUM_VAL}

After[Back to Table of Contents](#)**Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey**

Passed: 7

Before

	<p>And I wait for 5 sec</p> <p>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</p> <p>When I navigate to "Select Plan" screen</p> <p>And I click on export quote button</p> <p>And I wait for 15 sec</p> <p>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</p>
	<p>Output</p> <pre>Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_49212033325_PAMBYDOQ10_20210312.pdf</pre>
	<p>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Export Quote is working in "Employees" page in sales Journey	
Passed: 7	
Before	
	<p>And I wait for 5 sec</p> <p>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</p> <p>When I navigate to "Employees" screen</p> <p>And I click on export quote button</p> <p>And I wait for 15 sec</p> <p>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</p>
	<p>Output</p> <pre>Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_49212033325_PAMBYDOQ10_20210312.pdf</pre>
	<p>And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Export Quote is working in "Company" page in sales Journey	
Passed: 7	
Before	
	<p>And I wait for 5 sec</p> <p>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</p> <p>When I navigate to "Company" screen</p> <p>And I click on export quote button</p> <p>And I wait for 15 sec</p> <p>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</p>
	<p>Output</p> <pre></pre>

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_49212033325_PAMBYDOQ10_20210312.pdf		
And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file		
After		
Back to Table of Contents		
Scenario Outline: Verify Export Quote is working in "Submit" page in sales Journey		
Passed: 7		
Before		
And I wait for 5 sec		
Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists		
When I navigate to "Submit" screen		
And I click on export quote button		
And I wait for 15 sec		
Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"		
Output		
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_49212033325_PAMBYDOQ10_20210312.pdf		
And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file		
After		
Back to Table of Contents		
Scenario: Close Sales Portal		
Passed: 1		
Before		
And I close sales portal		
After		
Back to Table of Contents		
Feature: Verify agent can download the quotes in pdf format and check all information is correct for GT		
Passed: 9		
Scenario: Login to sales portal		
Passed: 5		
Before		
Given Launch sales portal		
Output		
https://dev-pamb-sales-eb.pru.intranet.asia/		
And I assign value to following variables		
<table border="1"><tr><td>Agent_Email</td><td> \${agent.email.id.global}</td></tr></table>	Agent_Email	\${agent.email.id.global}
Agent_Email	\${agent.email.id.global}	

	<table border="1"> <tr> <td>Agent_Password</td><td>`\${agent.password}`</td></tr> <tr> <td>Agent_ID</td><td>`\${agent.email.id.agentcode}`</td></tr> </table>	Agent_Password	`\${agent.password}`	Agent_ID	`\${agent.email.id.agentcode}`	
Agent_Password	`\${agent.password}`					
Agent_ID	`\${agent.email.id.agentcode}`					
When I Login to Sales Portal with below details						
	<table border="1"> <tr> <td>UserName</td><td>`\${Agent_Email}`</td></tr> <tr> <td>Password</td><td>`\${Agent_Password}`</td></tr> </table>	UserName	`\${Agent_Email}`	Password	`\${Agent_Password}`	
UserName	`\${Agent_Email}`					
Password	`\${Agent_Password}`					
And I enter the verification code if page appears for agent "\${Agent_Email}"						
Then I verify "\${welcome.to.prudential}" screen is displayed						
After						
Back to Table of Contents						
Scenario: Assign value to variables and enter details on select plan page						
Passed: 7						
Before						
Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"						
<p>Output</p> <pre>Assigning value /testdata/my/ExportQuote to variable testdata.path</pre>						
And I assign "GTL_WithoutGHS.txt" to variable "FILE_NAME"						
<p>Output</p> <pre>Assigning value GTL_WithoutGHS.txt to variable FILE_NAME</pre>						
And I generate "current date" and assign to variable "PDF_GENERATION_DATE" in "yyyyMM"						
And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yyyy"						
And I generate random number and assign to variable "RANDOM_NUMBER"						
<p>Output</p> <pre>Random number generated is :0</pre>						
And I assign "Gtl_\${RANDOM_NUMBER}" to variable "COMP_NAME"						
<p>Output</p> <pre>Assigning value Gtl_01203339 to variable COMP_NAME</pre>						
And I generate "future date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" for						
After						
Back to Table of Contents						

Scenario: Select plan and category						
Passed: 4						
Before						
<p>When I click on Create Quote Link</p> <p>Then verify the user is landed on "Select Plan" page</p> <p>Then I enter following details on select plan page</p> <table border="1"> <tr> <td>Company Name</td> <td> \${COMP_NAME}</td> </tr> <tr> <td>Select Coverage Date</td> <td> \${COVERAGE_DATE}</td> </tr> <tr> <td>No. of Employees</td> <td> 10</td> </tr> </table> <p>And I click on PAMB GHS "\${selectplan.ghs.no.button}" button</p>	Company Name	\${COMP_NAME}	Select Coverage Date	\${COVERAGE_DATE}	No. of Employees	10
Company Name	\${COMP_NAME}					
Select Coverage Date	\${COVERAGE_DATE}					
No. of Employees	10					
After						
Back to Table of Contents						
Scenario: Save Quote and get reference number from Quotes screen						
Passed: 11						
Before						
<p>And I click on "\${saveQuote.button.text}" button</p> <p>And I get the estimated premium value displayed on select plan page and assign to variable "ESTI</p> <p>Then I wait for 5 sec</p> <p>When I click on Quotes link</p> <p>And I enter "\${COMP_NAME}" in search text field in Quotes page</p> <p>Then I get the reference number for searched quote in variable "REF_NUMBER"</p>						
Output						
Reference number is: PAMB83UAIP						
And I click on Action button next to searched quote						
And I select "\${quote.action.edit}" option from Action menu						
And I assign "\${COMP_NAME}_\${REF_NUMBER}_\${PDF_GENERATION_DATE}.pdf" to variable DOWNLOADED_FILENAME						
Output						
Assigning value Gtl_01203339_PAMB83UAIP_20210312.pdf to variable DOWNLOADED_FILENAME						
Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_Q						
And I assign value to following variables						
<table border="1"> <tr> <td>QUOTE_REF</td> <td> \${REF_NUMBER}</td> </tr> <tr> <td>TOTAL_PREMIUM_PER_YEAR</td> <td> \${ESTIMATED_PREMIUM_VAL}</td> </tr> </table>	QUOTE_REF	\${REF_NUMBER}	TOTAL_PREMIUM_PER_YEAR	\${ESTIMATED_PREMIUM_VAL}		
QUOTE_REF	\${REF_NUMBER}					
TOTAL_PREMIUM_PER_YEAR	\${ESTIMATED_PREMIUM_VAL}					
After						
Back to Table of Contents						
Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey						
Passed: 7						

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Select Plan" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_01203339_PAMB83UAIP_20210312.pdf
```

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in fil

After

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Employees" page in sales Journey

Passed: 7

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Employees" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_01203339_PAMB83UAIP_20210312.pdf
```

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in fil

After

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Company" page in sales Journey

Passed: 7

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Company" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_01203339_PAMB83UAIP_20210312.pdf

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file

After

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Submit" page in sales Journey

Passed: 7

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Submit" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_01203339_PAMB83UAIP_20210312.pdf

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)