Overview

| | Passed | Failed | Known | Undefined | Total | %Passed |
|-----------|--------|--------|-------|-----------|-------|---------|
| Features | 6 | 22 | 0 | 0 | 28 | 21% |
| Scenarios | 101 | 187 | 0 | 0 | 288 | 35% |
| Steps | 680 | 187 | 0 | 338 | 1,205 | 56% |

Overall Duration: 1h 51m 58s

Table of Contents

- 1. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify registration functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. verify the field label on registration screen
 - 3. verify the validation message for mandatory fields
 - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
 - 6. Verify the validation message when user enter already registered email id on registration page
 - 7. Verify the mobile number screen validation using "Continue with Email"
 - 8. Verify the Registration screen validation using "Continue with Email"
 - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Edit profile screen
 - 4. Verify User should be able to change the profile picture in edit profile screen
 - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
 - 6. Verify user can able to change the details in edit profile screen
 - 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
 - 8. verify the user details should be correctly on babylon screen
 - 9. navigate back to health screen
- 4. Verify the Babylon Registration via HRA journey
 - 1. User should be able to Register for Babylon HRA
 - 2. User should be able to Register for Babylon HRA
- 5. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"

- 3. User should be able to locate Hospitals using PruShoppe location
- 4. User can see details of listed hospitals in detail
- 5. User can see the details in speciality tab
- 6. User can see the details in doctor's tab
- 7. User can see the details in rooms tab
- 8. User can navigate out of the hospital details screen
- 9. User should be able to locate cli using PruShoppe location
- 10. User can verify the clinic page
- 11. User can view listed clinic details
- 12. User can view listed clinic info
- 13. User can view listed clinic info details
- 14. User can navigate back to clinics screen
- 6. Verify Medicine Reminder Positive Flow functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Verify User should be able to navigate to medical reminder page
 - 3. verify the static text on medicine reminder screen
 - 4. verify add medicine screen is launched and user can enter the required info on medical info screen
 - 5. verify user navigated to schedule screen and user can enter the required info
 - 6. Verify User should be able to navigate to More Setting page
 - 7. verify Add medicine screen is displayed when user click on add new reminder on success popup
 - 8. verify medicine reminder home screen is displayed when user click on not now button on success popun
 - 9. navigate to health screen
 - 10. Verify User should be able to navigate to calendar page
- 7. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 8. Verify My Health Content functionality on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Health page
 - 4. Verify User should be able to view the full page article post
 - 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 6. Verify User should be able to Like the post in full article view screen
 - 7. Verify User should be able to Share the post in full article view screen
 - 8. Verify User can navigate to Health homepage
- 9. Verify Notification Center functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
- 10. Verify My Challenges on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"

- 3. Verify My Challenges texts
- 4. Click on All challenges and and verify texts
- 11. Verify My Communities on One Pluse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
 - 4. Leave the community if already joined
 - 5. Verify the All Communities Post screen
 - 6. Verify the Likes and comments counts in All communities tab
 - 7. Verify the Share with Friends Functionality in All communities tab
 - 8. Verify the Post Functionality in All communities
 - 9. Verify the Category list and search feature
 - 10. User navigates back to the community screen
 - 11. Leave the community if already joined
- 12. Verify Private My Communities on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify the My communities screen
 - 4. Verify the Private Communities in communities screen
- 13. Verify legal and legacy on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen
 - 4. Verify the Legacy and Privacy should be displayed
 - 5. Verify the Terms and condition screen should be displayed
 - 6. Verify the Privacy screen should be displayed
 - 7. Verify the Regulator screen should be displayed
- 14. Verify My accounts options in Account screen
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen and verify all the options
 - 4. Verify wearable screen in Account tab
 - 5. navigate back to account screen from my wearable screen
 - 6. Navigate to account screen
 - 7. Verify reward screen in Account tab
 - 8. User access My Rewards FAQ
 - 9. Verify the FAQ on my rewards screen
 - 10. Verify the FAQ on my rewards screen
 - 11. Verify the FAO on my rewards screen
 - 12. Verify the FAO on my rewards screen
 - 13. Verify the FAO on my rewards screen
 - 14. Verify the FAQ on my rewards screen
 - 15. Verify the FAO on my rewards screen
 - 16. Verify the FAQ on my rewards screen
 - 17. navigate back to account screen from my rewards screen
 - 18. Verify Notification screen in Account tab
 - 19. navigate back to account screen from Notification screen
 - 20. Verify my feedback screen in Account tab
 - 21. Verify the submit functionality in My feedback screen
 - 22. Verify the Pulse Personalised tab

- 23. Save the consent with data privacy check
- 24. Save the consent without data privacy check
- 25. navigate back to account screen from pulse personalised screen
- 15. Verify MySettings functionality in Account screen
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen
 - 4. Verify my setting screen in Account tab
 - 5. navigate back to account screen from my setting screen
- 16. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the user can access My Wearables via Fitness
- 17. Verify the BabyLon HRA Report Nutrition, Body, Activity
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Babylon Health Risk Assessment Report
 - 4. Verify the HRA Activity Report
 - 5. Verify the HRA Activity Report
 - 6. Verify the HRA Nutrition Report
 - 7. Verify the HRA Report Keep It Up sub-section
 - 8. Verify the HRA Report Make a Change sub-section
 - 9. User should be able to access Babylon HRA Healthcheck Body
 - 10. navigate back to digital twin screen
 - 11. User should be able to access Babylon HRA Healthcheck Nutrition
 - 12. Navigate back to nutrition screen and validate the static text
 - 13. navigate back to digital twin screen
 - 14. User should be able to access Babylon HRA Healthcheck Activity
 - 15. Navigate back to Activity screen and validate the static text
 - 16. navigate back to digital twin screen
 - 17. User should be able to access Babylon HRA Healthcheck Mood
 - 18. navigate back to digital twin screen
- 18. Verify that user can access calendar under health section
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Calendar screen
- 19. Verify that user can access Chinese Medicine feature
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. User should be able to access Chinese Medicine screen
 - 3. Verify the carousel on Chinese Medicine journey
 - 4. Verify the carousel on Chinese Medicine journey
 - 5. verify the text and button on final assessment carousel
 - 6. User should be able to complete Chinese Medicine profile
 - 7. Verify the O&A on Chinese Medicine journey
 - 8. Verify the Q&A on Chinese Medicine journey
 - 9. Verify the O&A on Chinese Medicine journey
 - 10. Verify the O&A on Chinese Medicine journey
 - 11. Verify the O&A on Chinese Medicine journey
 - 12. Verify the O&A on Chinese Medicine journey
 - 13. Verify the Q&A on Chinese Medicine journey

- 14. Verify the O&A on Chinese Medicine journey
- 15. Verify the O&A on Chinese Medicine journey
- 16. Verify the Q&A on Chinese Medicine journey
- 17. Verify the Q&A on Chinese Medicine journey
- 18. Verify the O&A on Chinese Medicine journey
- 19. Verify the Q&A on Chinese Medicine journey
- 20. Verify the Q&A on Chinese Medicine journey
- 21. Verify the O&A on Chinese Medicine journey
- 22. Verify the O&A on Chinese Medicine journey
- 23. Verify the Q&A on Chinese Medicine journey
- 24. Verify the O&A on Chinese Medicine journey
- 25. Verify the O&A on Chinese Medicine journey
- 26. Verify the O&A on Chinese Medicine journey
- 27. Verify the O&A on Chinese Medicine journey
- 28. Verify the O&A on Chinese Medicine journey
- 29. Verify the Q&A on Chinese Medicine journey
- 30. Verify the O&A on Chinese Medicine journey
- 31. Verify the O&A on Chinese Medicine journey
- 32. Verify the O&A on Chinese Medicine journey
- 33. Verify the O&A on Chinese Medicine journey
- 34. Verify the O&A on Chinese Medicine journey
- 35. Verify the Q&A on Chinese Medicine journey
- 36. Verify the O&A on Chinese Medicine journey
- 37. Verify the O&A on Chinese Medicine journey
- 38. Verify the O&A on Chinese Medicine journey
- 39. Verify the O&A on Chinese Medicine journey
- 40. Verify the O&A on Chinese Medicine journey
- 41. Verify the O&A on Chinese Medicine journey
- 42. Verify the O&A on Chinese Medicine journey
- 43. Verify the O&A on Chinese Medicine journey
- 44. Verify the O&A on Chinese Medicine journey
- 45. Verify the O&A on Chinese Medicine journey
- 46. Verify the O&A on Chinese Medicine journey
- 47. Verify the O&A on Chinese Medicine journey
- 48. Verify the O&A on Chinese Medicine journey
- 49. Verify the O&A on Chinese Medicine journey
- 50. Verify the O&A on Chinese Medicine journey
- 51. Verify the O&A on Chinese Medicine journey
- 52. Verify the O&A on Chinese Medicine journey
- 53. Verify the O&A on Chinese Medicine journey
- 54. Verify the O&A on Chinese Medicine journey
- 55. Verify the O&A on Chinese Medicine journey
- 56. Verify the O&A on Chinese Medicine journey
- 57. Verify the O&A on Chinese Medicine journey
- 58. Verify the O&A on Chinese Medicine journey
- 59. Verify the Q&A on Chinese Medicine journey
- 60. Verify the Q&A on Chinese Medicine journey
- 61. Verify the Q&A on Chinese Medicine journey
- 62. Verify the Q&A on Chinese Medicine journey
- 63. Verify the Q&A on Chinese Medicine journey64. Verify the Q&A on Chinese Medicine journey

- 65. Verify the O&A on Chinese Medicine journey
- 66. Verify the O&A on Chinese Medicine journey
- 67. Verify the Q&A on Chinese Medicine journey
- 68. Verify the Q&A on Chinese Medicine journey
- 69. Verify the O&A on Chinese Medicine journey
- 70. Verify the Assessment completion screen
- 71. Verify the user can view the Assessment Record
- 72. Verify the Assessment Summary
- 73. Verify the "Constitution" Details of the Assessment
- 74. Verify the "Change In Tongue" Details of the Assessment
- 20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Select the expert type as doctor and navigate to next screen
 - 4. Verify User should be able to navigate to specialisation page
 - 5. Verify User should be able to navigate to Educational Details page
 - 6. Verify User should be able to navigate to Add experience page
 - 7. Verify User should be able to navigate to Services Offered page
 - 8. Verify User should be able to navigate to achievement and awards screen
 - 9. Verify User should be able to navigate to Seminar(s) Attended page
 - 10. Verify User should be able to navigate to linked clinic page
 - 11. Verify User should be able to navigate to Take a Picture page
 - 12. Verify User should be able to navigate to schedule Calendar page
- 21. Verify that user can manage events via the Family Vaccine Calendar feature
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. User should be able to access my family vaccination calendar
 - 3. Verify the user can Add Vaccine Information
 - 4. enter information on add vaccination popup
 - 5. Verify the added item displayed on the Vaccine Schedule screen
 - 6. Verify reminder options in vaccine schedule
 - 7. Verify change reminder functionality in vaccine schedule screen
- 22. Verify that user can access Dengue Alert feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the map can be expanded
 - 4. User should be able to vew the Dengue Outbreak Malaysia
 - 5. User should be able to vew the Dengue Cases Malaysia
- 23. Verify Pru infectious disease cover functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Navigate to PRU Shoppe screen
 - 3. Verify User should be able to see the infectious disease cover screen options
 - 4. Verify User should be able to see the infectious disease cover Screen options
 - 5. Verify User should be able to see the infectious disease cover term and condition
 - 6. Verify User should be able to see the infectious disease cover term and condition
 - 7. Verify User should be able to see the infectious disease cover term and condition
 - 8. Verify User should be able to see the infectious disease cover term and condition
 - 9. verify that user can see agreement and proceed button
- 24. Verify Pru Shoppe My Coverage functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu

- 2. login to the app with correct credentials using "Continue with Email"
- 3. Verify user can access his policies from Pru Shoppe My Policies screen
- 4. Click on Link policy and verify screen to add policy number
- 5. Verify the error message when the Policy Number is blank
- 6. Verify the error message when the Policy Number is invalid or incorrect
- 7. Verify the error message when the Cancel Button
- 25. Verify wealth channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to wealth page
 - 4. Verify User should be able to view the story post
 - 5. Verify User should be able to Like the post
 - 6. Verify User should be able to Share the post
 - 7. Verify User should be able to Comment the post
 - 8. Verify User should be able to view the full page article post
 - 9. <u>Verify User should be able to see the Like, Share, Comment options on full page article</u>
 - 10. Verify User should be able to Like the post in full article view screen
 - 11. Verify User should be able to Share the post in full article view screen
 - 12. Verify User should be able to Comment the post in full article view screen
 - 13. Verify User can navigate to wealth homepage
- 26. Verify Notification Center functionality on one pulse App
 - 1. Navigate to notification screen via home screen
 - 2. Verify User should be able to see the Notification screen texts
- 27. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 28. Verify share with friends functionality in OnePulse app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to share the link with Whatsapp
 - 4. Verify User should be able to share the link with Contacts app
 - 5. Verify User should be able to share the link with Messenger app
 - 6. Verify User should be able to share the link with Viber app
 - 7. Verify User should be able to share the link with Line app

Detailed Results Report

| Fe | Feature: Verify login functionality on One pulse App | | | | | | |
|-----|--|--|-----------|--|--------------|--------|-----------------|
| Pas | Passed: 4 Failed: 3 Undefined: 0 Duration: 441.16s | | | | | | |
| | Scenario: Launch the app and select the country as per specified lbu | | | | | | |
| | Passed: 8 | | Failed: 0 | | Undefined: 0 | | Duration: 50.0s |
| | Before | | | | | | 0.31s |
| | Given User has pulse app 13.47s | | | | | 13.47s | |
| | And I assign "\${login.email.id}" to variable "PULSE_EMAIL" 0.01s | | | | | 0.01s | |
| | And user click on "CONTINUE WITH EMAIL" with Email button 15.39s | | | | | 15.39s | |

| Then I change the coun | try as required on registration page | 12.06s | | |
|--|--|-------------------------|--|--|
| Then I wait for 2 sec | 2.01s | | | |
| Then I change the langu | Then I change the language as required on registration page | | | |
| And I click the Sign in l | 4.94s | | | |
| Then I verify below lan page | 1.81s | | | |
| After | | 0.00s | | |
| Back to Table of Contents | | <u>'</u> | | |
| Scenario: login to the app | with correct credentials using "Continue with Email" | | | |
| Passed: 6 | Failed: 0 Undefined: 0 | Duration: 48.6s | | |
| Before | | 0.00s | | |
| Given I select the langu | age option on toggle bar as required on login page | 2.33s | | |
| When user enters crede | | 11.13s | | |
| UserName \${PULSE | | | | |
| Password \${login.pa | | | | |
| And User clicks on sign | <u> </u> | 0.96s | | |
| And I wait for 5 sec | | 5.02s | | |
| | e pulse app for user email ''\${PULSE_EMAIL}'' | 13.85s | | |
| Then user should be lar | | 15.31s | | |
| After | neu to Home Bereen | 0.00s | | |
| Back to Table of Contents | | 0.005 | | |
| | id Email id in looin careen using "Continue with Email" | | | |
| Passed: 15 | id Email id in login screen using "Continue with Email" Failed: 0 Undefined: 0 | Duration: 67.25s | | |
| Before | raned: 0 Undefined: 0 | 0.00s | | |
| | | | | |
| Given User has pulse ap | pp | 11.60s | | |
| Then I wait for 2 sec | | 2.00s | | |
| | NTINUE WITH EMAIL" with Email button | 13.43s | | |
| | try as required on registration page | 12.10s | | |
| Then I wait for 2 sec | | 2.01s | | |
| And I click the Sign in l | link | 4.86s | | |
| Then I wait for 2 sec | | 2.02s | | |
| | ge option on toggle bar as required on login page | 2.33s | | |
| When user enters crede | entials T | 10.42s | | |
| UserName t@gmai Password Pas\$1234 | | | | |
| Password Pas\$1234 | | | | |
| Password Pas\$1234 | | 0.29s | | |
| Password Pas\$1234 And User clicks on sign | in button | 0.29s 0.73s | | |
| Password Pas\$1234 And User clicks on sign Then verify invalid ema | in button ail message ''Email is required'' | | | |
| Password Pas\$1234 And User clicks on sign Then verify invalid ema Then User clicks on For | in button ail message "Email is required" rgot Password button | 0.73s | | |
| Password Pas\$1234 And User clicks on sign Then verify invalid ema Then User clicks on For Then enter the email to | in button ail message ''Email is required'' | 0.73s 0.26s | | |
| Password Pas\$1234 And User clicks on sign Then verify invalid ema Then User clicks on For Then enter the email to Email t@gmai | in button ail message "Email is required" rgot Password button request the new password | 0.73s 0.26s 3.57s | | |
| Password Pas\$1234 And User clicks on sign Then verify invalid ema Then User clicks on For Then enter the email to Email t@gmai Then User clicks on Ser | in button ail message "Email is required" rgot Password button request the new password and button | 0.73s 0.26s 3.57s | | |
| Password Pas\$1234 And User clicks on sign Then verify invalid ema Then User clicks on For Then enter the email to Email t@gmai Then User clicks on Ser | in button ail message "Email is required" rgot Password button request the new password | 0.73s 0.26s 3.57s | | |

| | | l email in login screen using | "Continue with I | |
|---|---|---|---|--|
| ssed: 4 | Failed: 1 | Undefined: 12 | | Duration: 3 |
| efore | | | | 0.00s |
| Given I genera ''RANDOM_N | ite random number ai IUMBER'' | nd assign to variable | | 0.02s |
| And I assign va | alue to following varia | ables | | 0.00s |
| USER_NAN | ME taf-\${RAND | OOM_NUMBER}@mailina | tor.com | |
| USER_PAS | SSWORD Pas\$1234 | | | |
| Given User has | s pulse app | | <u> </u> | 11.28s |
| | | TH EMAIL" with Email by | utton | 10.59s |
| Then I change | the country as requir | red on registration page | | 17.24s |
| System info: ho os.version: '10. Driver info: io. Capabilities {a uat, autoDismi desired: {appA autoDismissAlmewCommand deviceManufadeviceScreenD javascriptEnalmewCommand platformName viewportRect: false} Session ID: 392**** Element in | sion: '3.12.0', revision ost: 'TM003LSIN', ip .0', java.version: '11.0 .appium.java_client.a .appium.java_client.a .appactivity: com.prudenti ssAlerts: true, automation trimeout: 10000, noRocturer: Google, device lensity: 440, deviceScroled: true, locationCo Timeout: 10000, noRoc: Android, platformV {height: 2015, left: 0, 2a1b42-b99c-415a-970 | indroid.AndroidDriver dential.pulse.MainAc, applationName: UiAutomator2, ial.pulse.MainAc, appPacinName: UiAutomator2, deviceset: true, platformName: aeModel: Pixel 5, deviceNamreenSize: 1080x2340, deviceontextEnabled: false, networkset: true, pixelRatio: 2.75, Version: 11, statBarHeight: top: 145, width: 1080}, war | 'Windows 10', os.a Package: com.pru , databaseEnabled kage: com.pruder iceName: Android android}, deviceA e: 0C241FDD400 EUDID: 0C241FDI rkConnectionEna platform: LINUX 145, takesScreens mings: {}, webSto | arch: 'amd udential.pu l: false, ntial.pulse.u d-Test, piLevel: 30 43P, D40043P, bled: true, |
| Method) | | lue=//android.widget.Spinn | | Vative |
| at java.base/jd | | | | Native |
| | k.internal.reflect.Nati | lue=//android.widget.Spinn iveConstructorAccessorIm iveConstructorAccessorIm | | Native |
| | k.internal.reflect.Nati k.internal.reflect.Nati uctorAccessorImpl.ja | lue=//android.widget.Spinn iveConstructorAccessorIm iveConstructorAccessorIm iva:62) | pl.newInstance | |
| | k.internal.reflect.Nati k.internal.reflect.Nati uctorAccessorImpl.ja k.internal.reflect.Dele | lue=//android.widget.Spinn iveConstructorAccessorIm iveConstructorAccessorIm iva:62) egatingConstructorAccesso | pl.newInstance | |
| | k.internal.reflect.Nati k.internal.reflect.Nati uctorAccessorImpl.ja k.internal.reflect.Dele nstructorAccessorImp | lue=//android.widget.Spinn iveConstructorAccessorIm iveConstructorAccessorIm iva:62) egatingConstructorAccesso pl.java:45) | pl.newInstance rImpl.newInstanc | |
| at java.base/ja at org.openqa. (W3CHttpRes | k.internal.reflect.Nati k.internal.reflect.Nati uctorAccessorImpl.ja k.internal.reflect.Dele nstructorAccessorImp va.lang.reflect.Constr selenium.remote.http. ponseCodec.java:187) | lue=//android.widget.Spinn iveConstructorAccessorIm iveConstructorAccessorIm iva:62) egatingConstructorAccesso pl.java:45) ructor.newInstance(Constru .W3CHttpResponseCodec.o) | pl.newInstance rImpl.newInstance actor.java:490) createException | |
| at java.base/ja at org.openqa. (W3CHttpRes) at org.openqa. (W3CHttpRes) | k.internal.reflect.NatiuctorAccessorImpl.jak.internal.reflect.DelenstructorAccessorImpl.jak.internal.reflect.DelenstructorAccessorImplya.lang.reflect.ConstructorAccessorImplya.lang.reflect.ConstructorSelenium.remote.http.ponseCodec.java:187)selenium.remote.http.ponseCodec.java:122) | lue=//android.widget.Spinn iveConstructorAccessorImp iva:62) egatingConstructorAccesso pl.java:45) ructor.newInstance(ConstructorAccesso .W3CHttpResponseCodec.o) | pl.newInstance rImpl.newInstance uctor.java:490) createException decode | |


| 158) | | | | | |
|--|---|--|--|--|--|
| at io.appium.java_client.remote.AppiumCommandExecutor.execute | | | | | |
| (AppiumCommandExecutor.java:231) | | | | | |
| at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | | | | |
| at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGener | icMobileDriver. | | | | |
| java:42) | | | | | |
| at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) | a.1) | | | | |
| at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.javaat org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb | | | | | |
| at io.appium.java_client.DefaultGenericMobileDriver.findElement | Diivei, java. 317) | | | | |
| (DefaultGenericMobileDriver.java:62) | | | | | |
| at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) | | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive | | | | | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Re | | | | | |
| java:419) | | | | | |
| $at\ io. appium. java_client. Default Generic Mobile Driver. find Element By XP athler at io. appium. java_client. Default Generic Mobile Driver. find Element By XP athler at io. appium. java_client. Default Generic Mobile Driver. find Element By XP athler at io. appium. java_client. Default Generic Mobile Driver. find Element By XP athler at io. appium. java_client. Default Generic Mobile Driver. find Element By XP athler at io. appium. java_client By XP athler att$ | | | | | |
| (DefaultGenericMobileDriver.java:152) | | | | | |
| at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive | | | | | |
| at io.appium.java_client.android.AndroidDriver.findElementByXPath(| coidDriver.java:1) | | | | |
| at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb | Drivon iovo (200) | | | | |
| at org.openqa.selemum.remote.Kemotewebbriver.ImdElement(Kemotewet at io.appium.java_client.DefaultGenericMobileDriver.findElement | Driver.java:309) | | | | |
| (DefaultGenericMobileDriver.java:58) | | | | | |
| at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) | | | | | |
| | | | | | |
| | r.java:1) | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command | | | | | |
| $at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver) and roid Driver (And roid Driver) and roid (And roid Driver) a$ | ls.java:141) | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) | ls.java:141) teCommand.java: | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 | ls.java:141) teCommand.java: | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa | ls.java:141) teCommand.java: | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) | ls.java:141) teCommand.java: 63) me | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh | ls.java:141) teCommand.java: 63) me | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) | ls.java:141) teCommand.java: 63) me eCountry | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse). | ls.java:141) teCommand.java: 63) me eCountry | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse). | ls.java:141) teCommand.java: 63) me eCountry | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsefeature:56) Then I wait for 2 sec | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsefeature:56) Then I wait for 2 sec And I click the Sign in link | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. 0.00s 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsefeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. 0.00s 0.00s 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. 0.00s 0.00s 0.00s 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. 0.00s 0.00s 0.00s 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME}} | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. 0.00s 0.00s 0.00s 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME} Password \${USER_PASSWORD} | ls.java:141) teCommand.java: 63) me eCountry eLoginTest. 0.00s 0.00s 0.00s 0.00s 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME} Password \${USER_PASSWORD} And I scroll down And User clicks on signin button | | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME} Password \${USER_PASSWORD} And I scroll down | S.java:141) teCommand.java: 63) me | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME}_ Password \${USER_PASSWORD}} And I scroll down And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}}" Then User clicks on Forgot Password button | 0.00s | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME} Password \${USER_NAME} Password \${USER_PASSWORD} And I scroll down And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}" | S.java:141) teCommand.java: 63) me | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrive at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:56) Then I wait for 2 sec And I click the Sign in link Then I wait for 2 sec And I select the language option on toggle bar as required on login page When user enters credentials UserName \${USER_NAME} Password \${USER_PASSWORD}} And I scroll down And User clicks on signin button Then verify invalid email message "\${invalid.credential.message}\" Then User clicks on Forgot Password button Then enter the email to request the new password | S.java:141) teCommand.java: 63) me | | | | |

| Then verify inv | | | 0.00s |
|--|--|---|------------------|
| After | | | 0.00s |
| Back to Table of Cont | ents | | |
| Scenario: User sho | ould be able to retrieve | the reset password using forget passw | ord link |
| Passed: 1 | Failed: 1 | Undefined: 6 | Duration: 12.63s |
| Before | | | 0.00s |
| And I assign ''\$ | {forgot.password.emai | il.id}'' to variable "PULSE_EMAIL" | 0.00s |
| Then enter the | email to request the ne | w password | 12.63s |
| Email \${PU | LSE_EMAIL} | | |
| //android.widge at com.prudent java:176) at com.prudent | et.EditText[contains(@ .ial.tap.appium.Appiun .ial.tap.appium.Appiun | eption: Not able to find element on scretext, 'pulsesgqa')]] nCommands.findElementNoWait(App nCommands.cleartext(AppiumCommatinScreen.enterEmailForgotPassword) | iumCommands. |

java:224) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterForgotPasswordEmail (LoginSteps.java:61)

at .Then enter the email to request the new password(features/PulseLoginTest.feature:77)

| Then User clicks on Send button | 0.00s |
|--|-------|
| And I read the otp for emailid ''\${PULSE_EMAIL}'' using mailsac api and store into a variable ''EMAIL_OTP'' | 0.00s |
| Then I wait for 5 sec | 0.00s |
| Then I enter "\${EMAIL_OTP}" reset code | 0.00s |
| Then I wait for 5 sec | 0.00s |
| Then Verify message: "\${password.reset.success.text}" for Reset Password | 0.00s |



| After | | | 0.00s | |
|--|------------------------|---------------------------------------|--------------------|--|
| Back to Table of Contents | | | | |
| Scenario: Verify Account s | should be locked after | r entering more than 7 times incorre | ct passwords | |
| Passed: 13 | Failed: 1 | Undefined: 6 | Duration: 139.61 s | |
| Before | | | 0.00s | |
| Given I generate random "RANDOM_NUMBER | | n to variable | 0.00s | |
| And I assign "pulse\${R "PULSE_EMAIL" | ANDOM_NUMBER | }@mailsac.com'' to variable | 0.00s | |
| And User has pulse app | | | 11.35s | |
| Then I wait for 2 sec | | | 2.02s | |
| And user click on "CO | NTINUE WITH EMA | AIL'' with Email button | 13.88s | |
| Then I change the coun | try as required on re | gistration page | 11.56s | |
| Then I wait for 5 sec | | | 5.02s | |
| Then I navigate to pulse click on continue with e | | nd select the lang on toggle bar then | 3.93s | |
| Then I wait for 2 sec | | | 2.00s | |
| When user enters regist | tration details | | 7.84s | |
| FirstName testAuton | nation | | | |
| LastName testAuton | nation | | | |
| | E_EMAIL} | | | |
| Password Pas\$1234 | | | | |
| And taps on continue " | | | 0.28s | |
| Then I wait for otp scre | | signup button | 4.20s | |
| | | email ''\${PULSE_EMAIL}'' | 31.46s | |
| Then I click skip buttor | | | 46.07s | |
| org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: | | | | |

```
false}
Session ID: 6c547d59-e770-4acd-b2b6-bafb6cb565f7
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Done')]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1123)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/PulseLoginTest.feature:108)
```

| Then user should be landed to "Home" screen | 0.00s |
|--|-------|
| Then I wait for 4 sec | 0.00s |
| And I click the Account icon in Home screen | 0.00s |
| And I click the sign out from pulse app | 0.00s |
| Then I wait for 2 sec | 0.00s |
| Then I enter invalid password on login screen and verify the error message | 0.00s |

| Pas\$123##\${invalid.credential.message} |
|--|
| Pas\$123##\${invalid.credential.message} |
| Pas\$123##\${account.locked.message} |



| After | | | 0.00s | |
|---|-----------------------|----------------------------|------------------|--|
| Back to Table of Conte | <u>nts</u> | | | |
| Scenario: Verify the Login Functionality using "Continue with Facebook" | | | | |
| Passed: 13 | Failed: 0 | Undefined: 0 | Duration: 83.95s | |
| Before | | | 0.00s | |
| Given User has j | pulse app | | 10.47s | |
| Then I wait for 2 | 2 sec | | 2.00s | |
| And user click o | n ''CONTINUE WITH | H EMAIL" with Email button | 13.71s | |
| Then I wait for 2 | Then I wait for 2 sec | | 1.99s | |
| Then I change the country as required on registration page | | 11.82s | | |
| Then I wait for 2 | 2 sec | | 2.00s | |
| | | | | |

| Then I navigate to pulse registration page and select the lang on toggle bar | 3.70s |
|--|---|
| Then I click on connect with facebook button | 0.22s |
| Then I wait for 2 sec | 2.01s |
| And I click the "Email" in Continue with Facebook | 2.78s |
| Emailid \${emailid.text} | |
| Password \${password.texts} | |
| Then I wait for 10 sec | 10.01s |
| Then user should be landed to "Home" screen | 14.01s |
| And I logout from onepulse app | 9.24s |
| After | 0.00s |
| Back to Table of Contents | |
| Feature: Verify registration functionality on one pulse App | |
| Passed: 6 Failed: 3 Undefined: 0 Duration: 477.08s | |
| | antinua with |
| Scenario: User should be able to register on app with correct credentials using "Co | ondine with |
| Passed: 6 Failed: 1 Undefined: 40 | Duration: 41.08s |
| Before | 0.00s |
| Given I generate random number and assign to variable | |
| "RANDOM NUMBER" | 0.00s |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | 0.00s |
| And User has pulse app | 10.81s |
| Then I wait for 2 sec | 2.00s |
| And user click on "CONTINUE WITH EMAIL" with Email button | 10.18s |
| Then I wait for 2 sec | 2.00s |
| Then I change the country as required on registration page | 16.10s |
| org.openqa.selenium.NoSuchElementException: An element could not be located using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12'. System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android newCommandTimeout: 10000, noReset: true, platformName: android}, device deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FI javascriptEnabled: true, locationContextEnabled: false, networkConnectionEn newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINU platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webSt | Z' s.arch: 'amd64', rudential.pulse. ed: false, ential.pulse.uat, oid-Test, ApiLevel: 30, 043P, 0D40043P, abled: true, [X, nshot: true, |
| false} | orașezhaniea. |

```
Session ID: 4b31cf85-2a3f-422c-8b67-b41bca84f23f
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.
feature:13)
```

| Then I wait for 2 sec | 0.00s |
|--|-------|
| When user enters registration details | 0.00s |
| FirstName testAutomation | |
| LastName testAutomation | |
| Email \${PULSE_EMAIL} | |
| Password Pas\$1234 | |
| And taps on continue "Sign_Up" button | 0.00s |
| Then I wait for otp screen after clicking on signup button | 0.00s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 0.00s |
| Then I wait for 2 sec | 0.00s |
| And I enter the "mobile number" in welcome to pulse | 0.00s |
| mobileNumber \${registration.mobile.number} | |
| And I choose my wellness goals under wellness plan screen | 0.00s |
| And I click the date in Date of Birth field | 0.00s |
| And I click the Done icon | 0.00s |
| And I click the continue button | 0.00s |
| And I select the Male icon | 0.00s |
| And I click the continue button | 0.00s |
| And I click on Calculate BMI button | 0.00s |
| And I click the continue button | 0.00s |
| And I select the "How active are you?" in doing exercise | 0.00s |
| And I click the continue button | 0.00s |
| And I select my favorite food dietary | 0.00s |
| And I click the continue button | 0.00s |
| And I answer as "\${option.yes.text}" to "Any Food allergies?" | 0.00s |
| And I click the continue button | 0.00s |
| And I verify that "Tracking your activity is trending" is displayed | 0.00s |
| And I click on connect Later button | 0.00s |
| And I enter the ''mobile number'' in welcome to pulse | 0.00s |
| mobileNumber \${registration.mobile.number} | _ |
| And I see that "Welcome to Pulse" text is displayed | 0.00s |
| And I see that fitness subscription exclusive offers screen is displayed | 0.00s |
| And I click on close icon | 0.00s |
| And I enter NRIC number last 4 digits "122F" | 0.00s |
| Then I click skip buttons | 0.00s |
| Then user should be landed to "Home" screen | 0.00s |
| Then I wait for 4 sec | 0.00s |
| And I click the Account icon in Home screen | 0.00s |
| And I click the sign out from pulse app | 0.00s |
| Then I wait for 4 sec | 0.00s |
| When user enters password credentials in sigin screen | 0.00s |
| Password Pas\$1234 | |
| And User clicks on signin button | 0.00s |
| Then I wait for 8 sec | 0.00s |

| Then user should be lan | nded to "Home" screen | 0.00s |
|--|--|------------------------|
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: verify the field l | abel on registration screen | |
| Passed: 9 | Failed: 0 Undefined: 0 | Duration: 51.69s |
| Before | | 0.00s |
| Given User has pulse a | pp | 13.60s |
| Then I wait for 2 sec | | 2.00s |
| And user click on "CO | NTINUE WITH EMAIL" with Email button | 13.47s |
| Then I wait for 2 sec | | 2.01s |
| Then I change the coun | ntry as required on registration page | 11.86s |
| Then I wait for 2 sec | | 2.01s |
| Then I navigate to puls click on continue with o | e registration page and select the lang on toggle bar then email button | 3.85s |
| Then I wait for 2 sec | | 2.00s |
| Then I verify following | field label should be displayed on registration screen | 0.90s |
| \${firstname.label.tex | xt} | |
| \${lastname.label.tex | <u>t}</u> | |
| \${email.text} | | |
| \${password.text} | | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: verify the valida | tion message for mandatory fields | |
| Passed: 2 | Failed: 0 Undefined: 0 | Duration: 1.85s |
| Before | | 0.00s |
| Given taps on continue | "Sign_Up" button | 0.26s |
| Then I verify the valida registration page | ation error message is displayed for following field on | 1.59s |
| FirstName \${firstna | me.mandatoryField.message} | |
| | me.mandatoryField.message} | |
| | nandatoryField.message} | |
| Password \${passwo | ord.validation.message} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario Outline: verify v | alidation message when user enters Invalid password: Pu | lse@1 on |
| Passed: 3 | Failed: 0 Undefined: 0 | Duration: 2.58s |
| Before | | 0.00s |
| When user enters regis | tration details | 1.53s |
| Password Pulse@1 | VA STORY OF THE PROPERTY OF TH | |
| And taps on continue " | Sign Un" button | 0.26s |
| | ation error message is displayed for following field on | |
| registration page | ation error message is displayed for following field off | 0.80s |
| | | |

| Password \${passwor | d.validation.message} | | |
|---|-------------------------|--------------------------------------|------------------------|
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario Outline: verify varegistration page | alidation message whe | n user enters Invalid password: Pul | lse123 on |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 3.34s |
| Before | | | 0.00s |
| When user enters regis | tration details | | 2.25s |
| Password Pulse123 | | | |
| And taps on continue " | Sign_Up'' button | | 0.31s |
| Then I verify the valida registration page | tion error message is (| displayed for following field on | 0.79s |
| Password \${passwor | d.validation.message} | | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the valida registration page | ntion message when us | er enter already registered email id | on |
| | Failed: 0 | Undefined: 0 | Duration: 59.12s |
| Before | | | 0.00s |
| Given User has pulse ap | pp | | 13.42s |
| Then I wait for 2 sec | | | 2.01s |
| And user click on "CO | NTINUE WITH EMA | IL'' with Email button | 13.53s |
| Then I wait for 2 sec | | | 2.00s |
| Then I change the coun | try as required on reg | istration page | 11.49s |
| Then I wait for 2 sec | | | 2.02s |
| Then I navigate to pulse click on continue with e | 1 0 | d select the lang on toggle bar then | 4.04s |
| Then I wait for 2 sec | | | 2.00s |
| When user enters regis | | | 7.28s |
| FirstName testAutor LastName testAutor Email \${login.er Password Pas\$1234 | nation mail.id} | | |
| And taps on continue " | Sign_Up'' button | | 0.32s |
| registration page | | displayed for following field on | 1.02s |
| Email \${user.exist.te | xt} | | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the mobil | e number screen valid | ation using "Continue with Email" | |
| Passed: 20 | Failed: 0 | Undefined: 0 | Duration: 117.19 |
| Before | | | 0.00s |
| | | | |

| Given I generate random "RANDOM NUMBER" | number and assign to variable | 0.00s |
|---|--|-------------------------|
| And I assign "pulse\${RAN" "PULSE_EMAIL" | NDOM_NUMBER}@mailsac.com" to variable | 0.00s |
| Given User has pulse app | | 12.34s |
| Then I wait for 2 sec | | 2.02s |
| And user click on "CONT | TINUE WITH EMAIL" with Email button | 13.46s |
| Then I wait for 2 sec | | 2.00s |
| Then I change the country | y as required on registration page | 11.40s |
| Then I wait for 2 sec | | 2.01s |
| Then I navigate to pulse reclick on continue with ema | egistration page and select the lang on toggle bar then ail button | 4.01s |
| Then I wait for 2 sec | | 2.00s |
| When user enters registra | tion details | 7.63s |
| LastName NewAutoma Email \${PULSE_E} Password Pas\$1234 | EMAIL} | In a |
| And taps on continue "Sig | | 0.31s |
| | after clicking on signup button | 4.03s |
| | ulse app for user email ''\${PULSE_EMAIL}'' | 31.43s |
| Then I wait for 10 sec | | 10.00s |
| screen | code should be displayed correctly on phone number | 0.19s |
| | umber" in welcome to pulse | 11.10s |
| mobileNumber 917670 | | |
| And I click the continue b | utton | 1.00s |
| Then I wait for 2 sec | | 2.00s |
| Then verify Again invalid | Mobile message '\\${invalid.mobile.text}'' | 0.24s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the Registra | tion screen validation using "Continue with Email" | |
| Passed: 3 Fai | iled: 1 Undefined: 25 | Duration: 10.81s |
| Before | | 0.00s |
| Given I enter the "mobile | number" in welcome to pulse | 6.70s |
| | tration.mobile.number} | |
| Then I wait for 1 sec | , | 1.01s |
| And I click the continue b | utton | 0.04s |
| | ssage "\${wellness.goal.alert.text}" on registration | 3.06s |
| java.lang.AssertionError: at org.testng.Assert.fail(As at org.testng.Assert.failNo at org.testng.Assert.assert | otEquals(Assert.java:513) | alse] |

| at .Then verify valid | ava:384) lation message ''\${wellness.go | oal.alert.text}" on registration v | vorkflow scree |
|-------------------------------------|---|------------------------------------|--------------------|
| | strationTest.feature:167) | difference of region with the | , 0111110 W SC1 CC |
| | llness goals under wellness pl | an screen | 0.00s |
| Then I wait for 1 se | | | 0.00s |
| And I click the cont | inue button | | 0.00s |
| Then verify validat screen | on message ''\${dob.alert.text} | " on registration workflow | 0.00s |
| | in Date of Birth field | | 0.00s |
| And I click the Don | | | 0.00s |
| And I click the cont | | | 0.00s |
| Then I wait for 1 se | | | 0.00s |
| And I click the cont | | | 0.00s |
| Then verify validat screen | on message ''\${gender.alert.to | ext}'' on registration workflow | 0.00s |
| And I select the Ma | e icon | | 0.00s |
| And I click the cont | | | 0.00s |
| Then I wait for 1 se | | | 0.00s |
| And I click the cont | | | 0.00s |
| | lidation message ''\${bmi.aler | t.text}'' on registration | 0.00s |
| And I click on Calc | llate BMI button | | 0.00s |
| And I click the cont | inue button | | 0.00s |
| Then I wait for 1 se | | | 0.00s |
| And I click the cont | inue button | | 0.00s |
| Then verify validat workflow screen | on message "\${activity.level.a | lert.text}" on registration | 0.00s |
| | ow active are you?" in doing o | exercise | 0.00s |
| And I click the cont | inue button | | 0.00s |
| Then I wait for 1 se | | | 0.00s |
| And I click the cont | inue button | | 0.00s |
| | on message ''\${diet.preferenc | e.alert.text}" on registration | 0.00s |
| ter | | | 0.00s |
| ck to Table of Contents | | | |
| | send OTP functionality on Fr | nter OTP Screen using "Contin | ue with Email |
| | | | Duration: 189.4 |
| ssed: 17 | Failed: 1 Und | defined: 0 | S |
| efore | | | 0.00s |
| Given I generate ra | ndom number and assign to v | ariable | 0.00s |
| | {RANDOM_NUMBER}@m | ailsac.com'' to variable | 0.00s |
| And User has pulse | ann | | 9.46s |
| Then I wait for 2 se | | | 2.01s |

| And user click on "CONTINUE WITH EMAIL" with Email button Then I wait for 2 sec Then I change the country as required on registration page | 13.95s |
|--|---|
| Then I change the country as required on registration page | |
| | 2.00s |
| T 1,000 | 12.39s |
| Then I wait for 2 sec | 2.01s |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 3.86s |
| Then I wait for 2 sec | 2.00s |
| | 9.51s |
| FirstName testAutomation | |
| LastName testAutomation | |
| Email \${PULSE_EMAIL} | |
| Password Pas\$1234 | |
| | 0.34s |
| Then I wait for otp screen after clicking on signup button | 5.28s |
| Then I wait for 90 sec | 90.00s |
| | 3.68s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 30.70s |
| And I wait for 2 sec | 2.00s |
| And I verify enter otp screen is not displayed | 0.23s |
| And I verify enter step sereen is not displayed | 0.238 |
| at org.testng.Assert.assertFalse(Assert.java:63) at org.testng.Assert.assertFalse(Assert.java:73) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.ValidateEnter (RegistrationSteps.java:196) at .And I verify enter otp screen is not displayed(features/PulseRegistrationTest.f | ·OtpScreen |
| THE PARTY OF THE PROPERTY OF T | Castura · 218) |
| | |
| After | 6eature:218) 0.00s |
| After Back to Table of Contents | |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app | |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s | |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu | |
| After Back to Table of Contents Geature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 | 0.00s Duration: 48.4s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu | 0.00s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 | 0.00s Duration: 48.4s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app | 0.00s Duration: 48.4s 0.00s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app | Duration: 48.4s 0.00s 10.50s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page | Duration: 48.4s 0.00s 10.50s 0.00s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button | Duration: 48.4s 0.00s 10.50s 0.00s 16.12s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page | Duration: 48.4s 0.00s 10.50s 0.00s 16.12s 11.87s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 5 sec | Duration: 48.4s 0.00s 10.50s 0.00s 16.12s 11.87s 5.01s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 5 sec And I click the Sign in link | Duration: 48.4s 0.00s 10.50s 0.00s 16.12s 11.87s 5.01s 4.90s |
| After Back to Table of Contents Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 1 Failed: 8 Undefined: 0 Duration: 76.71s Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Before Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page Then I wait for 5 sec And I click the Sign in link After | Duration: 48.4s 0.00s 10.50s 0.00s 16.12s 11.87s 5.01s 4.90s |

| When user enters cro UserName \${PUL Password \${pulse | | 0.00s 3.50s 10.00s |
|--|--|--|
| When user enters cro UserName \${PUL Password \${pulse | edentials | |
| When user enters cro UserName \${PUL Password \${pulse | edentials | 10.00s |
| Password \${pulse | SE EMAIL) | |
| Password \${pulse | | |
| | | |
| land User Clicks on s | ignin button | 0.28s |
| And I wait for 5 sec | | 5.01s |
| | one pulse app for user email ''\${PULSE_EMAIL}'' | 0.06s |
| | landed to "Home" screen | 5.10s |
| at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app (LoginSteps.java:92) | | |
| feature:21) And I wait for 5 sec | be landed to "Home" screen(features/editProfile/PulseE | 0.00s |
| ter | | |
| | | 0.00s |
| ck to Table of Contents | | |
| • | hould be able to navigate to Edit profile screen | - · · · · · · · · · · · · · · · · · · · |
| ssed: 1 | Failed: 1 Undefined: 1 | Duration: 2.07 |
| fore | | 0.00s |
| Given user navigate | 1 | 2.04s |
| And user click on Ed | lit profile link | 0.04s |
| processing the commorphic of the commorphism of the commorphic of the commorphism o | 3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1' "M003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', | emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.uat lroid-Test, ceApiLevel: 30, 40043P, |

```
Session ID: d5c053df-c92a-422f-abec-059a51013e62
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]
  /following::android.view.ViewGroup[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElement(AndroidDriver.jaya:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
  (PulseManageProfileScreen.java:180)
  at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
  (EditProfileSteps.java:37)
  at .And user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:27)
                                                                              0.00s
After
Back to Table of Contents
```

| | | Undefined: 1 | Duration: 2.09 |
|--|---|--|---|
| efore | | | 0.00s |
| Then I give man | nage profile camera pe | ermission | 2.09s |
| processing the control original error: Build info: versions system info: howeversion: '10.00 Driver info: io.a Capabilities {apuat, autoDismis desired: {appAcautoDismissAlenewCommandIdeviceManufact deviceScreenDejavascriptEnablenewCommandIplatformName: | command. Original errosocket hang up ion: '3.12.0', revision: st: 'TM003LSIN', ip: ')', java.version: '11.0.2 appium.java_client.and pActivity: com.prudential etivity: com.prudential etivity: com.prudential etivity: com.prudential etivity: devices climeout: 10000, noRes lurer: Google, devices led: true, locationCont limeout: 10000, noRes Android, platformVer | | to the remote server. d:04:26.12Z' lows 10', os.arch: 'amd64 ge: com.prudential.puls loaseEnabled: false, com.prudential.pulse.ua ne: Android-Test, d}, deviceApiLevel: 30, d:1FDD40043P, le OC241FDD40043P, nectionEnabled: true, rm: LINUX, lkesScreenshot: true, |
| false} Session ID: d5c(*** Element inf Photo')]} at jdk.internal.i | 053df-c92a-422f-abec- o: {Using=xpath, valu | | ontains(@text,'Change (Unknown Source) |
| at java.base/jav at org.openqa.se | | .java:45) ctor.newInstance(Constructor.ja V3CHttpResponseCodec.createI | |
| (W3CHttpResp at org.openqa.se | onseCodec.java:122) | V3CHttpResponseCodec.decode | |
| at org.openqa.so | elenium.remote.HttpC | commandExecutor.execute(Http | CommandExecutor.jav |
| (AppiumComm at org.openqa.so at io.appium.jav | andExecutor.java:231 elenium.remote.Remo | umCommandExecutor.execute) teWebDriver.execute(RemoteWricMobileDriver.execute(Defaul | |
| at io.appium.jav | va_client.android.And | er.execute(AppiumDriver.java: roidDriver.execute(AndroidDri teWebDriver.findElement(Remo | ver.java:1) |

```
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.allowCameraPermission
  (PulseManageProfileScreen.java:755)
  at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.iGiveCameraPermission
  (EditProfileSteps.java:182)
  at .Then I give manage profile camera permission(features/editProfile/PulseEditProfileTest.
  feature:31)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify the email, country code and COR fields are non-editable in edit profile screen
                        Failed: 1
                                               Undefined: 2
Passed: 0
                                                                                Duration: .05s
Before
                                                                                0.00s
                                                                                0.05s
  And verify email field is non-editable
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: d5c053df-c92a-422f-abec-059a51013e62
```

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Email']/following::
  android.widget.EditText[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java:201)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:592)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyEmailFields
  (PulseManageProfileScreen.java:193)
  at\ com. one pulse. app. step definitions. mobile steps. Edit Profile Steps. verify Non Editable Email Field
  (EditProfileSteps.java:65)
  at .And verify email field is non-editable(features/editProfile/PulseEditProfileTest.feature:35)
After
                                                                              0.00s
```

| s.version: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.puls at, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulse.M utoDismissAlerts: true, automationName: Ui | n unknown server-side error occurred while Id not proxy command to the remote server. S', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd IdroidDriver' se.MainAc, appPackage: com.prudential.pute: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pute: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.u |
|--|--|
| RANDOM_NUMBER'' Ind I assign value to following variables First Name Automation-\${RANDOM_NUMBER} Last Name Testing-\${RANDOM_NUMBER} Hen I update following profile details in edit processing the command. Original error: Couloriginal error: Socket hang upuild info: version: '3.12.0', revision: '7c6e0b3' ystem info: host: 'TM003LSIN', ip: '192.168. Soversion: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName: University of the command true out: 10000, noReset: true, ewCommand Timeout: 10000, noReset: true, | n unknown server-side error occurred while ld not proxy command to the remote server. ', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pu e: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.uAutomator2, deviceName: Android-Test, |
| First Name Automation-\${RANDOM_NUMBER Last Name Testing-\${RANDOM_NUMBER hen I update following profile details in edit processing the command. Original error: Couloriginal error: socket hang upuild info: version: '3.12.0', revision: '7c6e0b3 ystem info: host: 'TM003LSIN', ip: '192.168. s.version: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulse.MutoDismissAlerts: true, automationName: Ui.ewCommandTimeout: 10000, noReset: true, | n unknown server-side error occurred while d not proxy command to the remote server. S', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pue: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.uAutomator2, deviceName: Android-Test, |
| Last Name Testing-\${RANDOM_NUMBER hen I update following profile details in edit profile | n unknown server-side error occurred while ld not proxy command to the remote server. s', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pue: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.uAutomator2, deviceName: Android-Test, |
| Last Name Testing-\${RANDOM_NUMBER hen I update following profile details in edit profile | n unknown server-side error occurred while ld not proxy command to the remote server. s', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pue: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.uAutomator2, deviceName: Android-Test, |
| FirstName \${First Name} LastName \${Last Name} rg.openqa.selenium.WebDriverException: An rocessing the command. Original error: Couloriginal error: socket hang up uild info: version: '3.12.0', revision: '7c6e0b3 ystem info: host: 'TM003LSIN', ip: '192.168. s.version: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulse.MatoDismissAlerts: true, automationName: UilewCommandTimeout: 10000, noReset: true, | n unknown server-side error occurred while ld not proxy command to the remote server. b', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pue: UiAutomator2, databaseEnabled: false, lainAc, appPackage: com.prudential.pulse.uAutomator2, deviceName: Android-Test, |
| FirstName \${First Name} LastName \${Last Name} rg.openqa.selenium.WebDriverException: An rocessing the command. Original error: Couloriginal error: socket hang up uild info: version: '3.12.0', revision: '7c6e0b3 ystem info: host: 'TM003LSIN', ip: '192.168. s.version: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulse.MutoDismissAlerts: true, automationName: UilewCommandTimeout: 10000, noReset: true, | n unknown server-side error occurred while ld not proxy command to the remote server. S', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pue: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.uAutomator2, deviceName: Android-Test, |
| rg.openqa.selenium.WebDriverException: An rocessing the command. Original error: Could riginal error: socket hang up uild info: version: '3.12.0', revision: '7c6e0b3 ystem info: host: 'TM003LSIN', ip: '192.168. s.version: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulse.MutoDismissAlerts: true, automationName: UilewCommandTimeout: 10000, noReset: true, | Id not proxy command to the remote server. 5', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pu e: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.u Automator2, deviceName: Android-Test, |
| rocessing the command. Original error: Coulciginal error: socket hang up uild info: version: '3.12.0', revision: '7c6e0b3 ystem info: host: 'TM003LSIN', ip: '192.168. s.version: '10.0', java.version: '11.0.2' river info: io.appium.java_client.android.An apabilities {appActivity: com.prudential.pulsat, autoDismissAlerts: true, automationName esired: {appActivity: com.prudential.pulse.MutoDismissAlerts: true, automationName: UilewCommandTimeout: 10000, noReset: true, | Id not proxy command to the remote server. 5', time: '2018-05-08T14:04:26.12Z' 1.124', os.name: 'Windows 10', os.arch: 'amd droidDriver se.MainAc, appPackage: com.prudential.pu e: UiAutomator2, databaseEnabled: false, IainAc, appPackage: com.prudential.pulse.u Automator2, deviceName: Android-Test, |
| eviceScreenDensity: 440, deviceScreenSize: 1 avascriptEnabled: true, locationContextEnablewCommandTimeout: 10000, noReset: true, latformName: Android, platformVersion: 11 | 080x2340, deviceUDID: 0C241FDD40043P, oled: false, networkConnectionEnabled: true, pixelRatio: 2.75, platform: LINUX, statBarHeight: 145, takesScreenshot: true, width: 1080}, warnings: {}, webStorageEnable 13e62 oid.widget.TextView[contains(@text,"First lget.EditText[1]} accessor29.newInstance(Unknown Source) nstructorAccessorImpl.newInstance Instance(Constructor.java:490) ResponseCodec.createException ResponseCodec.decode |

```
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
  at com.onepulse.app.screens.PulseManageProfileScreen.updateProfileDetails
  (PulseManageProfileScreen.java:835)
  at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.updateUserProfileDetails
  (EditProfileSteps.java:235)
  at .Then I update following profile details in edit profile screen(features/editProfile
  /PulseEditProfileTest.feature:44)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify Details updated during pulse profile registration should be reflected in edit
profile screen
Passed: 0
                        Failed: 1
                                               Undefined: 1
                                                                                Duration: .03s
Before
                                                                                0.00s
  Given user click on Edit profile link
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d5c053df-c92a-422f-abec-059a51013e62
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]
/following::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink (PulseManageProfileScreen.java:180) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink (EditProfileSteps.java:37) at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55) 0.00sAfter **Back to Table of Contents** Scenario: verify the user details should be correctly on babylon screen Passed: 0 Failed: 1 **Undefined: 5 Duration: .04s** 0.00sBefore Given I navigate to Home page from edit profile screen 0.04sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: d5c053df-c92a-422f-abec-059a51013e62 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='My Profile'] /preceding::android.widget.TextView} at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.
  navigateToHomePageFromMyProfileScreen(PulseManageProfileScreen.java:946)
  at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
  navigateToHomeScreenFromEditProfile(EditProfileSteps.java:252)
  at .Given I navigate to Home page from edit profile screen(features/editProfile
  /PulseEditProfileTest.feature:64)
                                                                             0.00s
After
Back to Table of Contents
```

| ssed: 0 | Failed: 1 | Undefined: 1 | Duration: .04 |
|---|--|---|--|
| efore | | | 0.00s |
| Given I naviga | ite to health page from l | babylon registration screen | 0.04s |
| processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, autoDism desired: {app/autoDismissAlnewCommand deviceManufa deviceScreenLjavascriptEnanewCommand | command. Original errespondents of the control of t | | o the remote server. 04:26.12Z' ws 10', os.arch: 'amd6 e: com.prudential.puls seEnabled: false, om.prudential.pulse.us e: Android-Test, }, deviceApiLevel: 30, 1FDD40043P, 0C241FDD40043P, ectionEnabled: true, m: LINUX, |
| viewportRect: false} Session ID: d5 *** Element in /android.widg at jdk.internal at java.base/jd (DelegatingCo at java.base/ja at org.openqa | {height: 2015, left: 0, to c053df-c92a-422f-abec- nfo: {Using=xpath, value et.ImageView} .reflect.GeneratedCons lk.internal.reflect.DeleganstructorAccessorImplay | op: 145, width: 1080}, warnings: { 059a51013e62 e=//android.view.ViewGroup[@c tructorAccessor29.newInstance(U atingConstructorAccessorImpl.ne | ;}, webStorageEnabled ontent-desc=''home''] Unknown Source) ewInstance va:490) |
| at org.openqa. (W3CHttpRes at org.openqa. (W3CHttpRes | selenium.remote.http.W ponseCodec.java:122) selenium.remote.http.W ponseCodec.java:49) | V3CHttpResponseCodec.decode V3CHttpResponseCodec.decode ommandExecutor.execute(HttpC | 'ammandEvagutar igy |
| at io.appium.j (AppiumComat org.openqaat io.appium.j | ava_client.remote.AppionandExecutor.java:231 selenium.remote.Remot | umCommandExecutor.execute | bDriver.java:543) |
| at io.appium.j at org.openqa at io.appium.j | ava_client.android.And selenium.remote.Remot | er.execute(AppiumDriver.java:1) roidDriver.execute(AndroidDrive teWebDriver.findElement(Remot ricMobileDriver.findElement | er.java:1) |

| | | remote. Remote vved | ${\bf Driver. find Element By XPath (Remore Part of the Compact of $ | teWebDriver. |
|------|---|--|--|--|
| | java:419) | DefaultConorieMal | silaDwiyay findElamantDyVDath | |
| | (DefaultGenericMobileI | | pileDriver.findElementByXPath | |
| | | | ElementByXPath(AppiumDriver.ja | va:1) |
| | | | river.findElementByXPath(Android | The state of the s |
| | at org.openqa.selenium. | | | |
| | | | Driver.findElement(RemoteWebDr | iver.java:309) |
| | at io.appium.java_client | | oileDriver.findElement | |
| | (DefaultGenericMobileI | | Element(AppiumDriver.java:1) | |
| | | | river.findElement(AndroidDriver.ja | va:1) |
| | | | 15.executeCommand(Commands.ja | |
| | | | mand.executeCommand(ExecuteC | |
| | 19) | | | |
| | | | elickButton(TestBasePage.java:163) | |
| | at com.onepulse.app.scr | | onRegistrationScreen. Reg(BabylonRegistrationScreen.jav | ·a·282) |
| | at com.onepulse.app.ste | | | a.202) |
| | | | Reg(BabylonSteps.java:574) | |
| | | | ylon registration screen(features/ed | itProfile |
| | /PulseEditProfileTest.fe | ature:76) | | |
| | And I wait for 5 sec | | | 0.00s |
| _ | After | | | 0.00s |
| E | Back to Table of Contents | | | |
| Feat | ture: Verify the Babylon R | Registration via HRA | journey | |
| Pass | ed: 1 Failed: 1 | | | |
| | ranca. 1 | Undefined | : 0 Duration: 295.24s | |
| S | Scenario: User should be a | | | |
| | | | | Duration: 230.63 |
| P | Scenario: User should be a | ble to Register for B | abylon HRA | s |
| P | cenario: User should be al cassed: 18 Before | ble to Register for B Failed: 0 | abylon HRA Undefined: 0 | Duration: 230.63 s 0.00s |
| P | Scenario: User should be a | ble to Register for B Failed: 0 n number and assign | abylon HRA Undefined: 0 | s |
| P | Cassed: 18 | Failed: 0 math display="block" color="block" block by the color="block by the color="block" block by t | abylon HRA Undefined: 0 | s 0.00s |
| P | Cassed: 18 | Failed: 0 math display="block" color="block" block by the color="block by the color="block" block by t | undefined: 0 to variable | s 0.00s 0.00s |
| P | Cassed: 18 | Failed: 0 math display="block" color="block" block by the color="block by the color="block" block by t | undefined: 0 to variable | s 0.00s 0.00s 0.00s |
| P | Genario: User should be all cassed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA" "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec | Failed: 0 n number and assign ANDOM_NUMBER | undefined: 0 to variable | s 0.00s 0.00s 0.00s 10.44s |
| P | Genario: User should be all cassed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA" "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec | Failed: 0 n number and assign ANDOM_NUMBER | undefined: 0 to variable }@mailsac.com'' to variable | s 0.00s 0.00s 0.00s 10.44s 2.01s |
| P | Genario: User should be all Passed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA" "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CON | Failed: 0 n number and assign ANDOM_NUMBER | undefined: 0 to variable @mailsac.com'' to variable AIL'' with Email button | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s |
| P | Genario: User should be all cassed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA"PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONThen I wait for 2 sec | Failed: 0 n number and assign ANDOM_NUMBER | undefined: 0 to variable @mailsac.com'' to variable AIL'' with Email button | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s 2.01s |
| P | Genario: User should be all Passed: 18 Before Given I generate randor "RANDOM_NUMBER And I assign "pulse\${RA"PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONThen I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse | Failed: 0 Failed: 0 m number and assign ANDOM_NUMBER TINUE WITH EM Try as required on re | undefined: 0 to variable @mailsac.com'' to variable AIL'' with Email button | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s 2.01s 11.38s 2.01s |
| P | Genario: User should be all classed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA"PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONThen I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with en | Failed: 0 Failed: 0 m number and assign ANDOM_NUMBER TINUE WITH EM Try as required on re | Undefined: 0 In to variable (a) (a) (b) (c) (d) (e) (e) (e) (e) (e) (e) (e | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s 2.01s 11.38s 2.01s 4.02s |
| P | Genario: User should be all Passed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA" "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONThen I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with end Then I wait for 2 sec | Failed: 0 Tailed: 0 | Undefined: 0 In to variable (a) (a) (b) (c) (d) (e) (e) (e) (e) (e) (e) (e | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s 2.01s 11.38s 2.01s 4.02s 2.01s |
| P | Genario: User should be all classed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA"PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONThen I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with end I wait for 2 sec When user enters regist. | Failed: 0 n number and assign ANDOM_NUMBER Try as required on received and assign and | Undefined: 0 In to variable (a) (a) (b) (c) (d) (e) (e) (e) (e) (e) (e) (e | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s 2.01s 11.38s 2.01s 4.02s |
| P | Genario: User should be all Passed: 18 Before Given I generate randor "RANDOM_NUMBER" And I assign "pulse\${RA" "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONThen I wait for 2 sec Then I change the count Then I wait for 2 sec Then I navigate to pulse click on continue with end Then I wait for 2 sec | Failed: 0 Failed: 0 m number and assign ANDOM_NUMBER TINUE WITH EM Try as required on re registration page and mail button ration details nation | Undefined: 0 In to variable (a) (a) (b) (c) (d) (e) (e) (e) (e) (e) (e) (e | s 0.00s 0.00s 0.00s 10.44s 2.01s 13.42s 2.01s 11.38s 2.01s 4.02s 2.01s |

| | Email \$\{\text{PULSE}\} | C_EMAIL} | |
|----|--|---|---|
| | Password Pas\$1234 | | |
| | And taps on continue " | | 0.34s |
| | | en after clicking on signup button | 4.02s |
| | | e pulse app for user email "\${PULSE_EMAIL}" | 31.49s |
| | Then I wait for 2 sec | | 2.01s |
| | Then I click skip buttor | 1 | 119.70s |
| | Then user should be lar | | 13.58s |
| | Then I wait for 4 sec | | 4.00s |
| Aí | fter | | 0.00s |
| Ba | ck to Table of Contents | | |
| Sc | enario: User should be a | ible to Register for Babylon HRA | |
| - | ssed: 3 | Failed: 1 Undefined: 1 | Duration: 64.61s |
| Be | efore | | 0.00s |
| | When I clicks on Healtl | ı button | 11.31s |
| | | lon health Assessment and Accept TermsAndCondition | |
| | And I confirm the regis | * | 11.60s |
| | | Health Assessment Get Started button | 20.99s |
| | Original error: socket h Build info: version: '3.1 System info: host: 'TMo os.version: '10.0', java.v | 2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1, 003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', oversion: '11.0.2' | 2 Z ' |
| | Original error: socket f Build info: version: '3.1 System info: host: 'TMo os.version: '10.0', java.v Driver info: io.appium, Capabilities {appActivi uat, autoDismissAlerts: desired: {appActivity: o autoDismissAlerts: true newCommandTimeout deviceManufacturer: G deviceScreenDensity: 4 javascriptEnabled: true newCommandTimeout platformName: Androi | nang up 2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', | 2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P, FDD40043P, nabled: true, UX, enshot: true, |


```
(W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     158)
     at io.appium.java client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
     19)
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.
     clickHealthAssessmentGetStarted(BabylonHealthAssessmentScreen.java:67)
     at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.healthAssessmentGetStarted
     (BabylonSteps.java:324)
     at .And I click on Babylon Health Assessment Get Started button(features/health
     /BabylonHRA_Registration.feature:32)
                                                                                 0.00s
   After
  Back to Table of Contents
Feature: Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
Passed: 14
                                                              Duration: 260.02s
                   Failed: 0
                                      Undefined: 0
  Scenario: Launch the app and select the country as per specified lbu
```


| | Failed: 0 Undefined: 0 | Duration: 45.19s |
|--|--|--|
| Before | | 0.00s |
| Given User has pulse | арр | 9.27s |
| And I assign "\${login | .email.id}" to variable "PULSE_EMAIL" | 0.00s |
| And user click on "Co | 16.36s | |
| Then I change the cou | intry as required on registration page | 12.65s |
| Then I wait for 2 sec | | 2.01s |
| And I click the Sign in | ı link | 4.90s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: login to the ap | p with correct credentials using "Continue with Email" | |
| Passed: 6 | Failed: 0 Undefined: 0 | Duration: 43.04s |
| Before | | 0.00s |
| Given I select the lang | guage option on toggle bar as required on login page | 3.57s |
| When user enters cree | | 9.98s |
| UserName \${PULS | SE EMAIL} | |
| Password \${login. | | |
| And User clicks on sig | | 0.30s |
| And I wait for 5 sec | | 5.00s |
| | ne pulse app for user email ''\${PULSE_EMAIL}'' | 10.56s |
| | anded to ''Home'' screen | 13.63s |
| After | | 0.00s |
| Back to Table of Contents | | 10000 |
| | able to locate Hospitals using PruShoppe location | |
| Section 10. Ober Bildura ist | able to locate Hospitals using 11 ashope location | |
| | Failed: 0 Undefined: 0 | Duration: 72.41s |
| Passed: 6 | Failed: 0 Undefined: 0 | |
| Passed: 6 Before | | 0.00s |
| Passed: 6 Before When I clicks on Heal | th button | 0.00s 14.75s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Loca | th button tion button | 0.00s 14.75s 32.08s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Loca When I clicks on Sear | Ith button tion button tch here text field | 0.00s 14.75s 32.08s 6.24s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Local When I clicks on Sear And I clicks on "Hosp | Ith button tion button tch here text field bitals' under Pulse Search | 0.00s 14.75s 32.08s 6.24s 1.27s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Loca When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that | Ith button tion button tch here text field bitals' under Pulse Search e list of "Hospitals" near by to user's current location to Call, Navigate and See Details links are displayed under | 0.00s 14.75s 32.08s 6.24s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Loca When I clicks on Sear And I clicks on "Hosp Then User can see the | Ith button tion button tch here text field bitals' under Pulse Search e list of "Hospitals" near by to user's current location to Call, Navigate and See Details links are displayed under | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Local When I clicks on Sear And I clicks on "Hosp Then User can see thet "Hospitals" search re | Ith button tion button tch here text field bitals' under Pulse Search e list of "Hospitals" near by to user's current location to Call, Navigate and See Details links are displayed under | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Local When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that "Hospitals" search re After Back to Table of Contents | Ith button tion button The characteristic field The pitals under Pulse Search The list of "Hospitals" near by to user's current location The Call, Navigate and See Details links are displayed under sults | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Loca When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that "Hospitals" search re After Back to Table of Contents Scenario: User can see de | Ith button tion button tch here text field bitals'' under Pulse Search elist of "Hospitals" near by to user's current location t Call, Navigate and See Details links are displayed under sults etails of listed hospitals in detail | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Local When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that "Hospitals" search re After Back to Table of Contents | Ith button tion button The characteristic field The pitals under Pulse Search The list of "Hospitals" near by to user's current location The Call, Navigate and See Details links are displayed under sults | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s 0.00s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Local When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that "Hospitals" search re After Back to Table of Contents Scenario: User can see de Passed: 2 Before | Ith button tion button The characteristic field Ditals' under Pulse Search The list of "Hospitals" near by to user's current location The Call, Navigate and See Details links are displayed under sults The characteristic field The characteristic | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s 0.00s Duration: 21.03s 0.00s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Local When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that "Hospitals" search re After Back to Table of Contents Scenario: User can see de Passed: 2 Before When I clicks on See I Then I can see the "H | Ith button tion button tch here text field bitals'' under Pulse Search elist of "Hospitals" near by to user's current location t Call, Navigate and See Details links are displayed under sults etails of listed hospitals in detail | 0.00s 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s 0.00s |
| Passed: 6 Before When I clicks on Heal Then I clicks on Loca When I clicks on Sear And I clicks on "Hosp Then User can see the And User can see that "Hospitals" search re After Back to Table of Contents Scenario: User can see de Passed: 2 Before When I clicks on See I | Ith button tion button The characteristic test field Ditals' under Pulse Search The list of "Hospitals" near by to user's current location The Call, Navigate and See Details links are displayed under sults The characteristic test field The chara | 14.75s 32.08s 6.24s 1.27s 3.40s 14.66s 0.00s Duration: 21.03s 0.00s |

| Passed: 2 Fail | d: 0 Undefined: 0 | Duration: 9.91s |
|-------------------------------|---|------------------|
| Before | | 0.00s |
| When I clicks on "Special | ty'' tab | 0.50s |
| Then I verify the Speciali | z screen is displayed | 9.41s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User can see the de | ails in doctor's tab | |
| Passed: 2 Fail | d: 0 Undefined: 0 | Duration: 10.54s |
| Before | | 0.00s |
| When I clicks on "Doctor | '' tab | 1.35s |
| Then I verify the Doctors | creen is displayed | 9.20s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User can see the de | ails in rooms tab | |
| Passed: 2 Fail | d: 0 Undefined: 0 | Duration: 3.3s |
| Before | | 0.00s |
| When I clicks on "Rooms | tab | 0.63s |
| Then I verify the Rooms | | 2.68s |
| After | I v | 0.00s |
| Back to Table of Contents | | |
| | ut of the hospital details screen | |
| Passed: 1 Fail | | Duration: .57s |
| Before | | 0.00s |
| When I clicks on back bu | on in See Details screen | 0.57s |
| After | on in see Deans sereen | 0.00s |
| Back to Table of Contents | | 0.003 |
| | to locate cli using PruShoppe location | |
| Passed: 4 Fail | | Duration: 19.67s |
| Before Fair | enternet. v | 0.00s |
| And I clicks on back butt | n in "Hagnitals" garaan | 2.45s |
| When I clicks on Search I | • | 12.81s |
| And I clicks on "Clinics" | | 1.29s |
| | of "Clinics" near by to user's current location | 3.12s |
| After | chines hear by to user 5 current location | 0.00s |
| Back to Table of Contents | | 0.000 |
| Scenario: User can verify the | clinic page | |
| Passed: 1 Fail | | Duration: 11.75s |
| Before | ondenned, v | 0.00s |
| | Navigate and Cae Datails links are displayed are | |
| "Clinics" search results | , Navigate and See Details links are displayed un | 11.75s |
| | | |

| Back to Table of Con | tents | | | | |
|-------------------------------|--------------|---------------|----------------|------------------------------------|-----------------------|
| Scenario: User car | | ted clinic d | etails | | |
| Passed: 1 | | niled: 0 | | Undefined: 0 | Duration: 17.89s |
| Before | F | incu. v | | Ondermed. 0 | 0.00s |
| | C D . | 4 . 1 . 1 44 | TI | . 14 | + |
| When I clicks of | on See De | tails buttor | n on First res | SUIT | 17.89s |
| After | | | | | 0.00s |
| Back to Table of Con | | | | | |
| Scenario: User car | | | | | _ |
| Passed: 1 | Fa | niled: 0 | | Undefined: 0 | Duration: 1.27s |
| Before | | | | | 0.00s |
| Then I can see buttons | the "Clin | ic'' Inform | nation screen | with Navigate and Call Now | 1.27s |
| After | | | | | 0.00s |
| Back to Table of Con | tents | | | | |
| Scenario: User car | n view lis | ted clinic in | nfo details | | |
| Passed: 1 | Fa | niled: 0 | 1 | Undefined: 0 | Duration: .44s |
| Before | | | | | 0.00s |
| When I clicks of | on back b | utton in Se | e Details scr | een | 0.45s |
| After | | | | | 0.00s |
| Back to Table of Con | tents | | | | 0.000 |
| Scenario: User car | | o book to o | linios soroon | | |
| Passed: 1 | | niled: 0 | | Undefined: 0 | Duration: 3.0s |
| Before | F | ineu: v | | Ondermed: 0 | 0.00s |
| | 1 11 | | , | | |
| And I clicks on | back but | ton in "Cli | inic" screen | | 3.00s |
| After | | | | | 0.00s |
| Back to Table of Con | <u>tents</u> | | | | |
| eature: Verify Med | icine Ren | inder Posi | tive Flow fu | nctionality on one pulse App | |
| assed: 2 | Failed: 8 | | Undefined: 0 | Duration: 378.41s | |
| Scenario: User she Email'' | ould be al | ble to regis | ter on app w | vith correct credentials using "Co | ontinue with |
| Passed: 16 | | Failed: 0 | | Undefined: 0 | Duration: 223.75 |
| Before | | | | | 0.00s |
| Given I genera "RANDOM_N | | | and assign to | o variable | 0.00s |
| And I assign "¡ "PULSE_EMA | | ANDOM_N | NUMBER}@ | mailsac.com'' to variable | 0.00s |
| And User has p | | | | | 9.09s |
| And user click | on "CON | TINUE W | TH EMAIL | L'' with Email button | 15.84s |
| Then I wait for | · 2 sec | | | | 2.01s |
| Then I change | the count | ry as requi | ired on regis | tration page | 12.03s |
| Then I wait for | · 2 sec | | | | 2.00s |
| Then I navigat | e to pulse | registratio | on page and | select the lang on toggle bar then | |
| | | | | | |

| click off continue | with email button | | 3.89s |
|--|--|---|--|
| When user enter | s registration details | S | 8.08s |
| FirstName me | edicine | | |
| LastName rei | minder | | |
| Email \${1 | PULSE_EMAIL} | | |
| Password Pa | s\$1234 | | |
| And taps on cont | tinue "Sign_Up" but | tton | 0.30s |
| | p screen after clickii | | 2.13s |
| And I enter OTP | in one pulse app for | r user email ''\${PULSE_EMAIL}'' | 31.37s |
| Then I wait for 2 | 2 sec | | 2.00s |
| Then I click skip | button | | 117.39s |
| Then user should | d be landed to "Hom | ne'' screen | 13.62s |
| Then I wait for 4 | sec | | 4.00s |
| After | | | 0.00s |
| Back to Table of Conter | nts | | |
| | | navigate to medical reminder page | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 54.7s |
| Before | | | 0.00s |
| | the app on registrat | tion foilure | 0.00s |
| | Health icon in Home | | 13.15s |
| And I wait for 2 | | e screen | 2.00s |
| | lick here icon in med | dical Domindon | 37.56s |
| | | uicai Keiiiiidei | 2.01s |
| I I how I vyrout tow ? | | | |
| Then I wait for 2 | a sec | | |
| After | | | 0.00s |
| After Back to Table of Conter | nts | | |
| After Back to Table of Conter Scenario: verify the | nts static text on medic | | 0.00s |
| After Back to Table of Conter Scenario: verify the Passed: 0 | nts | ine reminder screen Undefined: 2 | 0.00s Duration: 25.36 |
| After Back to Table of Conter Scenario: verify the | nts static text on medic | | 0.00s |
| After Back to Table of Conter Scenario: verify the Passed: 0 Before | nts static text on medic Failed: 1 | | 0.00s Duration: 25.36 |
| After Back to Table of Conter Scenario: verify the Passed: 0 Before | static text on medic Failed: 1 | Undefined: 2 | 0.00s Duration: 25.36 0.00s |
| After Back to Table of Conter Scenario: verify the Passed: 0 Before And I verify follo | static text on medic Failed: 1 owing text displayed e.text} | Undefined: 2 | 0.00s Duration: 25.36 0.00s |
| After Back to Table of Content Scenario: verify the Passed: 0 Before And I verify follows: \$\{\text{no.medicine}\} \} | static text on medicing Failed: 1 Dowing text displayed e.text and e.text an | Undefined: 2 | 0.00s Duration: 25.36 0.00s |
| After Back to Table of Content Scenario: verify the Passed: 0 Before And I verify follows a series of the series o | static text on medic Failed: 1 owing text displayed e.text} nainder.text} | Undefined: 2 | 0.00s Duration: 25.30 0.00s |
| After Back to Table of Conter Scenario: verify the Passed: 0 Before And I verify follo \${no.medicine} \${Medicalrem} \${track.medic} \${important.d} java.lang.Asserti No medicine add Track the medici before for importat org.testng.asserti at com.onepulse java:885) at .And I verify follo | static text on medicing Failed: 1 Diving text displayed extext and extext alone. The following text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in early set of the following text displayed in early s | in Add medicine screen | Duration: 25.36 0.00s 25.36s se], te] but found [false d [false] dicine(MyDocStep |
| After Back to Table of Conter Scenario: verify the Passed: 0 Before And I verify follo \${no.medicine} \${medicalrem} \${track.medic} \${important.d} java.lang.Asserti No medicine add Track the medicibefore for importation org.testng.asserti at com.onepulse.java:885) at .And I verify f /MedicineRemine | static text on medicing Failed: 1 Diving text displayed extext and extext alone. The following text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in eard set reminder tant dose text is displayed in early set of the following text displayed in early s | in Add medicine screen ving asserts failed: on page expected [true] but found [false text is displayed on page expected [true] but found table (SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAddMedicine screen(features/hedicine) | Duration: 25.36 0.00s 25.36s se], te] but found [false d [false] dicine(MyDocStep |





| And I clicks on ''\$ | | | | | 0.00s |
|--|--|---|---|--|--|
| | ext icon in app screens | | | | 0.00s |
| ter | | | | | 0.00s |
| ck to Table of Content | | | | | |
| | r should be able to na | vigate to More S | etting page | | |
| ssed: 1 | Failed: 1 | Undefine | d: 2 | | Duration: 6.2 |
| fore | | | | | 0.00s |
| Given I wait for 2 | sec | | | | 2.02s |
| And I enter follow | ving details in add med | licine screen | | | 4.09s |
| Medication For | r <mark>fever</mark> | | | | |
| Medicine Stock | x 5 | | | | |
| uat, autoDismissA | Activity: com.prudent llerts: true, automatio | ial.pulse.MainA | | | |
| desired: {appActi autoDismissAlerts newCommandTin deviceManufactur deviceScreenDens javascriptEnabled newCommandTin platformName: A | llerts: true, automation vity: com.prudential.ps: true, automation Nameout: 10000, no Resetter: Google, device Moity: 440, device Screen l: true, location Contention to 10000, no Resette ndroid, platform Version true, platform Version Resetted to 10000, no Resetted to 10000, no Resetted to 10000, platform Version Resetted to 10000, platform Resetted to | ial.pulse.MainAonName: UiAutonoulse.MainAc, ame: UiAutomatonoulse. ViAutomatonoulse. Pixel 5, dev. Size: 1080x2340atEnabled: false, atrue, pixelRationoulse. | c, appPack mator2, dat appPackage or2, deviceN Name: andr iceName: 00 , deviceUDI , networkCo o: 2.75, plat Height: 145, | abaseEnable: com.prud lame: Android}, device C241FDD4 ID: 0C241F onnectionE form: LINI takesScree | eled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, DD40043P, nabled: true, UX, enshot: true, |
| desired: {appActivation} autoDismissAlerts newCommandTin deviceManufactur deviceScreenDens javascriptEnabled newCommandTin platformName: A viewportRect: {he false} | llerts: true, automation vity: com.prudential.ps: true, automation Nationeout: 10000, no Resetter: Google, device Moity: 440, device Screen l: true, location Contenteout: 10000, no Reset | ial.pulse.MainAonName: UiAutonulse.MainAc, ame: UiAutomatonulse.MainAc, ame: UiAutomatonulse. Pixel 5, device 1080x2340 atEnabled: false, attue, pixelRationic 11, statBarFic 145, width: 108 | c, appPack mator2, dat appPackage or2, deviceN Name: andr iceName: 00 , deviceUDI , networkCo o: 2.75, plat Height: 145, | abaseEnable: com.prud lame: Android}, device C241FDD4 ID: 0C241F onnectionE form: LINI takesScree | eled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, DD40043P, nabled: true, UX, enshot: true, |
| desired: {appActivation autoDismissAlerts newCommandTimdeviceManufactured deviceScreenDensignascriptEnabled newCommandTimplatformName: A viewportRect: {hefalse} Session ID: 5e263 *** Element info: taking this medica | clerts: true, automation vity: com.prudential.ps: true, automation Nationeout: 10000, no Reset ver: Google, device Moity: 440, device Screen l: true, location Context neout: 10000, no Reset ndroid, platform Versight: 2015, left: 0, top dab-dfb8-41df-ae45-54 {Using=xpath, value=ation for?']/following: | ial.pulse.MainAonName: UiAutonoulse.MainAc, and in Ac, and in Ac | c, appPackmator2, datappPackage or2, deviceName: andriceName: 00, deviceUDI, networkCo: 2.75, plateight: 145, 80}, warning | abaseEnable: com.prud (ame: Android), device (C241FDD4 (D: 0C241F (DinnectionE) form: LIN (takesScreets: {}, webS | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, fDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you |
| desired: {appActivation autoDismissAlerts newCommandTimdeviceManufacture deviceScreenDensignascriptEnabled newCommandTimplatformName: A viewportRect: {hefalse} Session ID: 5e263*** Element info: taking this medica at jdk.internal.refat java.base/jdk.in(DelegatingConstreams) | clerts: true, automation vity: com.prudential.ps: true, automation Nationeout: 10000, no Reset ver: Google, device Moity: 440, device Screen l: true, location Context neout: 10000, no Reset ndroid, platform Versight: 2015, left: 0, top dab-dfb8-41df-ae45-5 {Using=xpath, value=ation for?']/following: lect. Generated Construction for Accessor Impl.ja | ial.pulse.MainAonName: UiAutonoulse.MainAc, ame: UiAutomatonoulse.MainAc, ame: UiAutomatonoulse. True, platformidel: Pixel 5, dev. Size: 1080x2340 at Enabled: false, at true, pixelRation: 11, statBaric: 145, width: 10866633647e6f android.widget. auctorAccessor 2966 android.widget. | c, appPackmator2, datappPackage or2, deviceName: andriceName: 00, deviceUDI, networkCoo: 2.75, plateight: 145, 80}, warning t.TextView[EditText] onewInstan | abaseEnable: com.prud (ame: Android), device (C241FDD4 (D: 0C241F (DinectionE) form: LINI (takesScreets: {}, webS | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you |
| desired: {appActivation autoDismissAlerts newCommandTindeviceManufactured deviceScreenDensigavascriptEnabled newCommandTindeviceManufactured to the false} Session ID: 5e263/*** Element info: taking this medicat jdk.internal.refat java.base/jdk.in(DelegatingConstrat java.base/java.lat org.openqa.selegatingConstrat. | clerts: true, automation vity: com.prudential.ps: true, automation Nationeout: 10000, no Reset cer: Google, device Moity: 440, device Screen l: true, location Context neout: 10000, no Reset ndroid, platform Versicight: 2015, left: 0, top dab-dfb8-41df-ae45-52 {Using=xpath, value=ation for?']/following: lect. Generated Constructernal.reflect. Delegates | ial.pulse.MainAonName: UiAutonoulse.MainAc, ame: UiAutomatonoulse.MainAc, ame: UiAutomatonoulse. UiAutomatonoulse. Pixel 5, dev. Size: 1080x2340 at Enabled: false, at true, pixelRationic 11, statBark: 145, width: 10886683647e6f android.widget. autorAccessor2961 auc.45) or.newInstance(| c, appPackmator2, datappPackage or2, deviceName: andriceName: 00, deviceUDI, networkCo: 2.75, plateight: 145, 80}, warning t.TextView[EditText] OnewInstan AccessorImp | abaseEnable: com.prud (ame: Android), device (C241FDD4 (D: 0C241F) (D: 0C241F) (DinectionE) form: LING takesScreets: {}, webSite (@text='W) (ce(Unknown) pl.newInstater.java:490) | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you vn Source) ance |
| desired: {appActivation autoDismissAlerts newCommandTimeviceManufacture deviceScreenDensigavascriptEnabled newCommandTimeviceManufacture platformName: A viewportRect: {hefalse} Session ID: 5e263*** Element info: taking this medicate at jdk.internal.refat java.base/jdk.in(DelegatingConstrat java.base/java.lat org.openqa.sele(W3CHttpResponat org.openqa.sele(W3CHttpResponat) | clerts: true, automation vity: com.prudential.ps: true, automation Nationeout: 10000, no Reset ver: Google, device Moity: 440, device Screen l: true, location Context neout: 10000, no Reset ndroid, platform Versight: 2015, left: 0, top dab-dfb8-41df-ae45-52 (Using=xpath, value=ation for?']/following: lect. Generated Construction ternal.reflect. Delegate cuctor Accessor Impl.ja lang.reflect. Construction imm.remote.http.W3 (seCodec.java:187) (snium.remote.http.W3) (seCodec.java:122) | ial.pulse.MainAonName: UiAutonoulse.MainAc, ime: UiAutomato: true, platformidel: Pixel 5, dev. Size: 1080x2340 at Enabled: false, itrue, pixelRation: 11, statBari: 145, width: 108 android.widge android.widget.uctorAccessor29 ingConstructorAccessor29 ingConstructorAccessor29 ava:45) or.newInstance(CHttpResponse CHttpResponse | c, appPackmator2, datappPackage or2, deviceName: andriceName: occupation of the contraction of the contra | abaseEnable: com.prud lame: Android}, device C241FDD4 ID: 0C241F ID: 0C241F I | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you vn Source) ance |
| desired: {appActivautoDismissAlerts newCommandTim deviceManufactur deviceScreenDens javascriptEnabled newCommandTim platformName: A viewportRect: {he false} Session ID: 5e263 *** Element info: taking this medica at jdk.internal.ref at java.base/jdk.in (DelegatingConstrat java.base/java.l at org.openqa.sele (W3CHttpRespon at org.openqa.sele (W3CHttpRespon at org.openqa.sele (W3CHttpRespon | clerts: true, automation vity: com.prudential.ps: true, automationNation | ial.pulse.MainAonName: UiAutonoulse.MainAc, ime: UiAutomato itrue, platformidel: Pixel 5, dev. Size: 1080x2340 atEnabled: false, itrue, pixelRation: 11, statBark: 145, width: 10886633647e6f android.widget. uctorAccessor29 ingConstructorAccessor29 ingConstructorAccessor29 or.newInstance (CHttpResponse CHttpResponse CHttpResponse CHttpResponse CHttpResponse | c, appPackmator2, datappPackage or2, deviceName: andriceName: 00, deviceUDI, networkCo: 2.75, platelight: 145, 80}, warning t.TextView[EditText] OnewInstant AccessorIm] Constructor Codec.create Codec.decodecodecodec.decodecodecodecodecodecodecodecodecodeco | abaseEnable: com.prud (ame: Android), device (C241FDD4 (D: 0C241F) (D: 0C241F) (DinectionE) form: LING takesScreets: {}, webSites: {}, webSite | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you vn Source) ance |
| desired: {appActivautoDismissAlerts newCommandTim deviceManufactur deviceScreenDens javascriptEnabled newCommandTim platformName: A viewportRect: {he false} Session ID: 5e263 *** Element info: taking this medica at jdk.internal.ref at java.base/jdk.in (DelegatingConstrat java.base/java.la at org.openqa.sele (W3CHttpResponat org.openqa.sele (W3CHttpResponat org.openqa.sele (W3CHttpResponat org.openqa.sele) (W3CHttpResponat org.openqa.sele) (W3CHttpResponat org.openqa.sele) | clerts: true, automation vity: com.prudential.ps: true, automationNatineout: 10000, noReset cer: Google, deviceMoity: 440, deviceScreend: true, locationContext neout: 10000, noReset ndroid, platformVersight: 2015, left: 0, topedab-dfb8-41df-ae45-54 {Using=xpath, value=ation for?']/following: lect.GeneratedConstructernal.reflect.Delegate cuctorAccessorImpl.jateang.reflect.Constructernium.remote.http.W3 aseCodec.java:187) enium.remote.http.W3 aseCodec.java:122) enium.remote.http.W3 aseCodec.java:49) enium.remote.HttpConstructerniu | ial.pulse.MainAonName: UiAutonoulse.MainAc, ame: UiAutomato true, platformidel: Pixel 5, dev. Size: 1080x2340 atEnabled: false, true, pixelRation: 11, statBari: 145, width: 10886633647e6f android.widget. uctorAccessor29 ingConstructorAccessor29 ingConstructorAccessor29 ingConstructorAccessor29 ava:45) or.newInstance(CHttpResponse CHttpResponse CHttpResponse ChttpResponse mmandExecutor | c, appPackmator2, datappPackage or2, deviceN Name: andriceName: 06 , deviceUDI , networkCo o: 2.75, plat Height: 145, 30}, warning t.TextView EditText} OnewInstan AccessorIm Constructor Codec.creat Codec.deco c.execute(Ht | abaseEnable: com.prud (ame: Android), device (C241FDD4 (D: 0C241F) (D: 0C241F) (DinectionE) form: LINI (takesScreets: {}, webS (@text='W) (ce(Unknown) pl.newInstate (r.java:490) (teException) (de (de (tpComman) | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you vn Source) ance |
| desired: {appActirautoDismissAlerts newCommandTindeviceManufactural deviceScreenDens javascriptEnabled newCommandTindeviceScreenDens javascriptEnabled newCommandTindeviceScre | clerts: true, automation vity: com.prudential.ps: true, automationNation | ial.pulse.MainAonName: UiAutonoulse.MainAc, ame: UiAutomato true, platformidel: Pixel 5, dev. Size: 1080x2340 atEnabled: false, true, pixelRation: 11, statBari: 145, width: 10886633647e6f android.widget. uctorAccessor29 ingConstructorAccessor29 ingConstructorAccessor29 ingConstructorAccessor29 ava:45) or.newInstance(CHttpResponse CHttpResponse CHttpResponse ChttpResponse mmandExecutor | c, appPackmator2, datappPackage or2, deviceN Name: andriceName: 06 , deviceUDI , networkCo o: 2.75, plat Height: 145, 30}, warning t.TextView EditText} OnewInstan AccessorIm Constructor Codec.creat Codec.deco c.execute(Ht | abaseEnable: com.prud (ame: Android), device (C241FDD4 (D: 0C241F) (D: 0C241F) (DinectionE) form: LINI (takesScreets: {}, webS (@text='W) (ce(Unknown) pl.newInstate (r.java:490) (teException) (de (de (tpComman) | oled: false, dential.pulse.u coid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnable hat are you vn Source) ance |

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java;260)
  at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
  (PulseHealthScreen.java:395)
  at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
  enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
  at .And I enter following details in add medicine screen(features/health/MedicineReminder.
  feature:73)
After
                                                                               0.00s
Back to Table of Contents
Scenario: verify Add medicine screen is displayed when user click on add new reminder on
success popup
Passed: 0
                          Failed: 1
                                               Undefined: 9
                                                                                Duration: 6.12s
Before
                                                                               0.00s
  And I clicks on "${add.another.med}" in app screens
                                                                               6.12s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8225
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
```

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5e263dab-dfb8-41df-ae45-586e33647e6f
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.DieticianScreen.clickMedicalRemainder(DieticianScreen.java:
349)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickDietician(DieticianSteps.
java:159)
at .And I clicks on "${add.another.med}" in app screens(features/health/MedicineReminder.
```

| And I clicks on Ti | | | |
|---|---|--|--|
| | | | 0.00s |
| | After meal" in app sci | | 0.00s |
| | ext icon in app screen | | 0.00s |
| And I enter follow | ving details in add me | dicine screen | 0.00s |
| Medication For | Cold | | |
| Medicine Stock | 5 | | |
| And I clicks the D | one button in Add m | edicine screen | 0.00s |
| ter | | | 0.00s |
| k to Table of Content | <u>s</u> | | <u>.</u> |
| enario: verify med | icine reminder home | screen is displayed when user | click on not now butto |
| success popup | | | |
| sed: 0 | Failed: 1 | Undefined: 1 | Duration: 6. |
| fore | | | 0.00s |
| And I clicks on No | ot now icon in app scr | een | 6.18s |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {appa uat, autoDismissA | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and Activity: com.prudent lerts: true, automatic | tial.pulse.MainAc, appPacka onName: UiAutomator2, datab | ows 10', os.arch: 'amdo ge: com.prudential.pul paseEnabled: false, |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {app Auat, autoDismissAdesired: {appActiautoDismissAlertsnewCommandTindeviceManufactures. | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andr Activity: com.prudent derts: true, automatio vity: com.prudential.j s: true, automationNa neout: 10000, noResert cer: Google, deviceMo | 92.168.1.124', os.name: 'Windo roid.AndroidDriver tial.pulse.MainAc, appPacka | ge: com.prudential.pul gaseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {app Auat, autoDismiss Adesired: {app ActivatioDismiss Alerts new Command Tindevice Manufacture device Screen Density avascript Enabled new Command Timplatform Name: A | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andu Activity: com.prudent derts: true, automatio vity: com.prudential.] s: true, automationNa neout: 10000, noRese cer: Google, deviceMo ity: 440, deviceScreen l: true, locationConte neout: 10000, noRese ndroid, platformVers | 92.168.1.124', os.name: 'Windo coid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, datab pulse.MainAc, appPackage: o me: UiAutomator2, deviceNan t: true, platformName: androicodel: Pixel 5, deviceName: 0C2 | ge: com.prudential.pul ge: com.prudential.pul gaseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {app Auat, autoDismiss Adesired: {app ActirautoDismiss Alerts new Command Tindevice Manufactur device Screen Densigavas cript Enabled new Command Tindevice Manufactur device Screen Densigavas cript Enabled new Command Tindevice Manufactur device Screen Densigavas cript Enabled new Command Tindevice Manufactur device Screen Densigavas cript Enabled new Command Tindevice Manufactur device Screen Densigavas cript Enabled new Command Tindevice Manufactur device Screen Densigavas cript Enabled new Command Tindevice Manufactur device | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andr Activity: com.prudent lerts: true, automatic vity: com.prudential.j s: true, automationNa neout: 10000, noRese cer: Google, deviceMo ity: 440, deviceScreen l: true, locationConte neout: 10000, noRese ndroid, platformVers hight: 2015, left: 0, top dab-dfb8-41df-ae45-5 lect.GeneratedConstr nternal.reflect.Delegar cuctorAccessorImpl.j | 92.168.1.124', os.name: 'Windomoid.AndroidDriver tial.pulse.MainAc, appPackatonName: UiAutomator2, databoulse.MainAc, appPackage: Ome: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: android todel: Pixel 5, deviceName: 0C2 nSize: 1080x2340, deviceUDID xtEnabled: false, networkCombite true, pixelRatio: 2.75, platforition: 11, statBarHeight: 145, table: 145, width: 1080}, warnings: (86e33647e6f cuctorAccessor29.newInstance tingConstructorAccessorImpl. ava: 45) | ge: com.prudential.pul ge: com.prudential.pul gaseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, e{}, webStorageEnable |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {app Aut, autoDismiss Adesired: {app ActiautoDismiss Alerts new Command Tindevice Manufactur device Screen Dens javascript Enabled new Command Tinplatform Name: A viewport Rect: {hefalse} Session ID: 5e263 at jdk.internal.refat java.base/jdk.internal.refat java.base/java.lat org.openqa.sele(W3CHttpRespondar) | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andr Activity: com.prudent lerts: true, automatic vity: com.prudential.j s: true, automationNa neout: 10000, noRese cer: Google, deviceMo ity: 440, deviceScreen l: true, locationConte neout: 10000, noRese ndroid, platformVers sight: 2015, left: 0, top dab-dfb8-41df-ae45-5 lect.GeneratedConstruct nternal.reflect.Delegar cuctorAccessorImpl.j lang.reflect.Construct enium.remote.http.W. aseCodec.java:187) | 92.168.1.124', os.name: 'Windomoid.AndroidDriver tial.pulse.MainAc, appPackatonName: UiAutomator2, databoulse.MainAc, appPackage: titrue, platformName: androided: Pixel 5, deviceName: 0C2nSize: 1080x2340, deviceUDIDxtEnabled: false, networkConticture, pixelRatio: 2.75, platfortices in 11, statBarHeight: 145, table: 145, width: 1080}, warnings: (86e33647e6f cuctorAccessor29.newInstance tingConstructorAccessorImpl.ava:45) cor.newInstance(Constructor.j. 3CHttpResponseCodec.createl | ge: com.prudential.pul ge: com.prudential.pul gaseEnabled: false, com.prudential.pulse.u me: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, e{}, webStorageEnable (Unknown Source) newInstance |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {app Auat, autoDismissAdesired: {app ActiautoDismissAlerts newCommandTindeviceManufacturdeviceScreenDensigavascriptEnablednewCommandTinplatformName: AviewportRect: {hefalse} Session ID: 5e263at jdk.internal.refat java.base/jdk.internal.refat java.base/jdk.internal.refat java.base/java.lat org.openqa.sele(W3CHttpResponat org.openqa.sele(W3CHttpResponat) | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andn Activity: com.prudent lerts: true, automatic vity: com.prudential.j s: true, automationNa neout: 10000, noRese rer: Google, deviceMo ity: 440, deviceScreen l: true, locationConte neout: 10000, noRese ndroid, platformVers hight: 2015, left: 0, top dab-dfb8-41df-ae45-5 lect.GeneratedConstruct nternal.reflect.Delegar cuctorAccessorImpl.j lang.reflect.Construct enium.remote.http.W. seCodec.java:187) enium.remote.http.W. seCodec.java:122) | 92.168.1.124', os.name: 'Windomoid.AndroidDriver tial.pulse.MainAc, appPackar onName: UiAutomator2, databoulse.MainAc, appPackage: Ome: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: OC2nSize: 1080x2340, deviceUDID xtEnabled: false, networkContextrue, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, tabout 145, width: 1080}, warnings: (86e33647e6f cuctorAccessor29.newInstancetingConstructorAccessorImpl. ava: 45) sor.newInstance(Constructor.jc.3CHttpResponseCodec.createl.3CHttpResponseCodec.decode | ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u me: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, e{}, webStorageEnable (Unknown Source) newInstance |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {appActiant autoDismissAlerts newCommandTimer deviceManufactur deviceScreenDensiavascriptEnabled newCommandTimplatformName: A viewportRect: {hefalse} Session ID: 5e263 at jdk.internal.refat java.base/jdk.in (DelegatingConstrat java.base/java.lat org.openqa.sele (W3CHttpResponat org.openqa.sele (W3CHttpResponat) | 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andr Activity: com.prudent lerts: true, automatic vity: com.prudential.j s: true, automationNa neout: 10000, noRese cer: Google, deviceMo ity: 440, deviceScreen l: true, locationConte neout: 10000, noRese ndroid, platformVers sight: 2015, left: 0, top dab-dfb8-41df-ae45-5 lect.GeneratedConstruct enium.reflect.Delegar cuctorAccessorImpl.j lang.reflect.Construct enium.remote.http.W. seCodec.java:187) enium.remote.http.W. seCodec.java:122) enium.remote.http.W. | 92.168.1.124', os.name: 'Windomoid.AndroidDriver tial.pulse.MainAc, appPackatonName: UiAutomator2, databoulse.MainAc, appPackage: titrue, platformName: androided: Pixel 5, deviceName: 0C2nSize: 1080x2340, deviceUDIDxtEnabled: false, networkConticture, pixelRatio: 2.75, platfortices in 11, statBarHeight: 145, table: 145, width: 1080}, warnings: (86e33647e6f cuctorAccessor29.newInstance tingConstructorAccessorImpl.ava:45) cor.newInstance(Constructor.j. 3CHttpResponseCodec.createl | ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u me: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, e{}, webStorageEnable (Unknown Source) newInstance |

```
(AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.DieticianScreen.ClickNotNowbutton(DieticianScreen.java:510)
  at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickNotNowButton
  (DieticianSteps.java:248)
  at .And I clicks on Not now icon in app screen(features/health/MedicineReminder.feature:101)
                                                                                0.00s
After
Back to Table of Contents
Scenario: navigate to health screen
                          Failed: 1
Passed: 0
                                                Undefined: 0
                                                                                Duration: 4.11s
Before
                                                                                0.00s
  And I click the Back button in medical remainder
                                                                                4.11s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8225
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 5e263dab-dfb8-41df-ae45-586e33647e6f
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Medicine
  Reminder')]/preceding::android.widget.ImageView[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
```

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:421)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back MedicalRemainder
(DieticianSteps.java:197)
at .And I click the Back button in medical remainder(features/health/MedicineReminder.
feature: 106)
```

| 1000001000) | | | |
|-----------------------------|-----------------|-------------------------|------------------------|
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User shoul | d be able to na | vigate to calendar page | |
| Passed: 1 | Failed: 1 | Undefined: 2 | Duration: 4.05s |
| Before | | | 0.00s |
| Given I wait for 2 sec | | | 2.00s |
| When I scroll down | | | 2.05s |
| | | | |

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8225
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5e263dab-dfb8-41df-ae45-586e33647e6f
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .When I scroll down(features/health/MedicineReminder.feature:110)
```

| After | | | | 0.00s |
|----------------------|----------------------|------------------------------|-----------------------|------------------|
| Back to Table of Cor | <u>itents</u> | | | |
| eature: Verify MY | Event channel | functionality on one pul | lse App | |
| assed: 3 | Failed: 2 | Undefined: 0 | Duration: 172.11s | |
| Scenario: Launch | the app and s | elect the country as per s | specified lbu | |
| Passed: 6 | Failed: | 0 Undefin | ned: 0 | Duration: 46.27s |
| Before | | | | 0.00s |
| Given User ha | s pulse app | | | 9.89s |
| And I assign ' | \${onepulse.eve | ents.user}'' to variable ''l | PULSE_EMAIL'' | 0.00s |
| And user click | on "CONTIN | UE WITH EMAIL" wit | h Email button | 16.50s |
| Then I change | the country as | required on registration | n page | 12.95s |
| Then I wait fo | r 2 sec | | | 2.00s |
| And I click the | e Sign in link | | | 4.92s |
| After | | | | 0.00s |
| Back to Table of Cor | <u>itents</u> | | | |
| Scenario: login to | the app with o | correct credentials using | "Continue with Email" | |
| Passed: 6 | Failed: | 0 Undefin | ed: 0 | Duration: 45.61s |
| Before | | | | 0.00s |
| Given I select | the language o | ption on toggle bar as re | quired on login page | 3.61s |
| When user en | ters credentials | | | 10.19s |
| UserName | \${PULSE_EM | AIL} | | |
| Password | \${pulse.passwo | rd} | | |
| And User click | ks on signin bu | tton | | 0.28s |
| And I wait for | 5 sec | | | 5.02s |
| And I enter O | TP in one pulse | e app for user email ''\${I | PULSE_EMAIL}'' | 11.03s |
| Then user sho | uld be landed t | o "Home" screen | | 15.49s |
| After | | | | 0.00s |
| Back to Table of Cor | <u>itents</u> | | | |
| Scenario: Verify | MyEvent Func | tionality in Home screen | 1 | |
| Passed: 3 | Failed: | 0 Undefin | ned: 0 | Duration: 32.51s |
| Before | | | | 0.00s |
| And I click the | e MyEvent icor | ns | | 22.99s |
| And I wait for | 5 sec | | | 5.00s |
| And I verify fo | ollowing texts a | re displayed | | 4.52s |
| You do not | have any even | ts enrolled yet | | |
| Please choo | se from the op | en events and get started | ī | |
| After | | | | 0.00s |
| Back to Table of Cor | <u>itents</u> | | | |
| Scenario: Verify | Events Archive | tab | | |
| Passed: 1 | Failed: | | ned: 0 | Duration: 17.58s |
| Before | | | | 0.00s |
| And I click the | Events Archiv | ve icon | | 8.99s |
| | | | | |

And I verify following texts are displayed

8.58s

You do not have any events in your archive.

java.lang.AssertionError: The following asserts failed:

You do not have any events in your archive. text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/home/MyEvents.feature:31)



| After | | | 0.00s |
|---------------------------|-------------|--------------|------------------|
| Back to Table of Contents | | | |
| Scenario: Verify Open E | vents tab | | |
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 30.15s |
| Before | | | 0.00s |
| And I click the Open | Events icon | | 30.15s |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6da96530-4917-4585-baeb-7fd8fb7771f2
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Open
Events')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.CustomerConnectScreen.ClickMyOpenEvents (CustomerConnectScreen.java:1874) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyOpenEvents (CustomerConnectSteps.java:586) at .And I click the Open Events icon(features/home/MyEvents.feature:35) 12:48 G III III O . 0.00 0.00sAfter **Back to Table of Contents** Feature: Verify My Health Content functionality on One Pulse App Failed: 0 Undefined: 0 **Duration: 212.6s** Passed: 8 Scenario: Launch the app and select the country as per specified lbu Passed: 5 Failed: 0 Undefined: 0 **Duration: 44.13s** Before 0.00s9.83s Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button 14.97s Then I change the country as required on registration page 11.04s 3.01s Then I wait for 3 sec And I click the Sign in link 5.28s 0.00sAfter **Back to Table of Contents** Scenario: User should be able to login on app with correct credentials using "Continue with Email'' Undefined: 0 Passed: 7 Failed: 0 **Duration: 49.85s**

| Before | | 0.00s |
|---------------------------------|--|----------------------|
| And I assign "\${login.email.ic | l}" to variable "PULSE_EMAIL" | 0.00s |
| Given I select the language of | 3.59s | |
| When user enters credentials | 10.02s | |
| UserName \${PULSE_EMA | | |
| Password \${login.password | rd} | |
| And User clicks on signin but | ton | 0.27s |
| Then I wait for 10 sec | | 10.00s |
| And I enter OTP in one pulse | app for user email "\${PULSE_EMAIL}" | 11.58s |
| Then user should be landed t | o ''Home'' screen | 14.39s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be | able to navigate to Health page | |
| Passed: 5 Failed: (| Undefined: 0 | Duration: 53.71s |
| Before | | 0.00s |
| Given I wait for 2 sec | | 2.01s |
| Then I navigate to Health Co | ntent screen | 25.33s |
| Then I wait for 8 sec | | 8.01s |
| And I verify following texts a | re displayed | 0.44s |
| Health Channels | | |
| | ts "My Health Content" in Screen | 17.92s |
| Share Comment | | |
| After | | 0.00s |
| Back to Table of Contents | | <u> </u> |
| Scenario: Verify User should be | able to view the full page article post | |
| Passed: 2 Failed: (| Undefined: 0 | Duration: 18.12s |
| Before | | 0.00s |
| Then I click on "Health Char | nels" topic for details full view | 8.12s |
| Then I wait for 10 sec | | 10.00s |
| After | | 0.00s |
| Back to Table of Contents | | |
| | able to see the Like, Share, Comment options | on full page article |
| Passed: 1 Failed: 0 | Undefined: 0 | Duration: 13.89s |
| Before | | 0.00s |
| | 4- UM II14h C44U : C | |
| And I verify the following tex | ts "My Health Content" in Screen | 13.89s |
| And I verify the following tex | ts "My Health Content" in Screen | 13.89s |
| | ts "My Health Content" in Screen | 13.89s |
| Like | ts "My Health Content" in Screen | 13.89s |

| | | | 0.00s |
|---|--|---|--|
| Back to Table of Contents | | | |
| Scenario: Verify User sh | ould be able to Like tl | ne post in full article view screen | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 11.4s |
| Before | | | 0.00s |
| And I Like the post | | | 5.67s |
| And I Like the post | | | 5.73s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User sh | ould be able to Share | the post in full article view screen | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 16.94s |
| Before | | | 0.00s |
| And I share the post | | | 6.22s |
| Then I navigate back | o previous page | | 10.72s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User car | navigate to Health h | nomepage | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 4.56s |
| Before | | | 0.00s |
| Then I navigate to sto | v post page | | 4.56s |
| After | Y Para Pare | | |
| ALLCI | | | IU.UUS |
| | | | 0.00s |
| Back to Table of Contents | Conton from etion eliter | | U.UUS |
| Back to Table of Contents ature: Verify Notification | | | U.UUS |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: | Undefine | d: 0 Duration: 230.35s | |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: | Undefine | | |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email" | Undefine able to register on ap | d: 0 Duration: 230.35s op with correct credentials using "Co | |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: 0 Scenario: User should be | Undefine | d: 0 Duration: 230.35s | ntinue with |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email" | Undefine able to register on ap | d: 0 Duration: 230.35s op with correct credentials using "Co | ntinue with |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email'' Passed: 18 | Undefined able to register on appearance of the second sec | d: 0 Duration: 230.35s op with correct credentials using "Co Undefined: 0 | ntinue with Duration: 227.89 |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: Scenario: User should be Email'' Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ | Failed: 0 om number and assig | d: 0 Duration: 230.35s op with correct credentials using "Co Undefined: 0 | ntinue with Duration: 227.89 s 0.00s |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email'' Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL" | Failed: 0 om number and assig R'' RANDOM_NUMBER | Duration: 230.35s pp with correct credentials using "Co Undefined: 0 gn to variable | ntinue with Duration: 227.89 s 0.00s |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: Scenario: User should be Email'' Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ | Failed: 0 om number and assig R'' RANDOM_NUMBER | Duration: 230.35s pp with correct credentials using "Co Undefined: 0 gn to variable | ntinue with Duration: 227.89 s 0.00s 0.00s |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email'' Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL'' And User has pulse ap Then I wait for 2 sec | Failed: 0 om number and assig R'' RANDOM_NUMBER | Duration: 230.35s pp with correct credentials using "Co Undefined: 0 gn to variable | ntinue with Duration: 227.89 s 0.00s 0.00s 11.27s |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email'' Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL'' And User has pulse ap Then I wait for 2 sec | Failed: 0 om number and assig R'' RANDOM_NUMBER | Duration: 230.35s p with correct credentials using "Co Undefined: 0 gn to variable R}@mailsac.com" to variable | ntinue with Duration: 227.89 s 0.00s 0.00s 0.00s 11.27s 2.01s |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: 0 Scenario: User should be Email" Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "Co | Failed: 0 om number and assig R'' RANDOM_NUMBER P | Duration: 230.35s p with correct credentials using "Co Undefined: 0 gn to variable R}@mailsac.com" to variable [AIL" with Email button | ntinue with Duration: 227.89 s 0.00s 0.00s 0.00s 11.27s 2.01s 12.09s |
| Back to Table of Contents ature: Verify Notification sed: 3 Scenario: User should be Email" Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "Co Then I wait for 2 sec | Failed: 0 om number and assig R'' RANDOM_NUMBER P | Duration: 230.35s p with correct credentials using "Co Undefined: 0 gn to variable R}@mailsac.com" to variable [AIL" with Email button | ntinue with Duration: 227.89 s 0.00s 0.00s 0.00s 11.27s 2.01s 12.09s 2.00s |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: 9 Scenario: User should be Email" Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec | Failed: 0 om number and assig R'' RANDOM_NUMBER p ONTINUE WITH EM ntry as required on r se registration page a | Duration: 230.35s p with correct credentials using "Co Undefined: 0 gn to variable R}@mailsac.com" to variable [AIL" with Email button | ntinue with Duration: 227.89 s 0.00s 0.00s 0.00s 11.27s 2.01s 12.09s 2.00s 10.96s |
| Back to Table of Contents ature: Verify Notification sed: 3 Failed: 0 Scenario: User should be Email" Passed: 18 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${ "PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I navigate to put | Failed: 0 om number and assig R'' RANDOM_NUMBER p ONTINUE WITH EM ntry as required on r se registration page a | Duration: 230.35s p with correct credentials using "Co Undefined: 0 gn to variable R}@mailsac.com" to variable [AIL" with Email button egistration page | ntinue with Duration: 227.89 s 0.00s 0.00s 0.00s 11.27s 2.01s 12.09s 2.00s 10.96s 2.01s |

| FirstName testAut | tomation | | |
|--|----------------|---|------------------|
| LastName testAut | tomation | | |
| Email \${PUL | SE_EMAIL} | - | |
| Password Pas\$12 | 34 | | |
| And taps on continue | "Sign_Up" | button | 0.32s |
| And I wait for otp sci | reen after cli | cking on signup button | 4.16s |
| And I enter OTP in o | ne pulse app | for user email "\${PULSE_EMAIL}" | 30.91s |
| Then I wait for 2 sec | | | 2.01s |
| Then I click skip but | ton | | 118.27s |
| Then user should be | landed to "H | Iome'' screen | 13.71s |
| Then I wait for 4 sec | | | 4.01s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Navigate to no | tification sci | reen via home screen | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 2.26s |
| Before | | | 0.00s |
| Given I relaunch the | app on regis | tration failure | 0.00s |
| Given I navigate to n | otification sc | reen from home page | 0.26s |
| Then I wait for 2 sec | | | 2.00s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User sh | ould be able | to see the Notification screen texts | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: .21s |
| Before | | | 0.00s |
| And I verify following | g texts are di | isplayed | 0.21s |
| \${notification.msg | _ | - V | |
| After | 2 | | 0.00s |
| Back to Table of Contents | | | 0.00 |
| | | Dalas Ama | |
| Feature: Verify My Challer Passed: 3 Failed: | | | na |
| | | Undefined: 0 Duration: 141.0 the country as per specified lbu | J38 |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 45.02s |
| Before | raneu: 0 | Undermed: 0 | 0.00s |
| | | | |
| Given User has pulse | * * | WITH EMAIL" with Email button | 10.69s 15.44s |
| | | with EMAIL" with Email button uired on registration page | 15.44s 10.96s |
| Then I wait for 3 sec | untry as requ | un eu on registration page | 3.02s |
| And I click the Sign i | n link | | 4.91s |
| After | | | 0.00s |
| Back to Table of Contents | | | 0.008 |
| | o abla ta lasi | n on app with correct credentials using ' | Continuo with |
| Email" | e able to logi | n on app with correct credentials using | Continue with |
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 51.46s |
| - woodar / | I direct. 0 | Chucimou. V | Durumon, 01,405 |

| Before | | 0.00s |
|---|--|------------------|
| And I assign "\${login | .email.id}'' to variable ''PULSE_EMAIL'' | 0.00s |
| Given I select the lan | guage option on toggle bar as required on login page | 3.61s |
| When user enters cre | dentials | 10.07s |
| UserName \${PUL | | |
| Password \${login | | 0.05 |
| And User clicks on si | | 0.27s |
| Then I wait for 10 sec | | 10.01s |
| | ne pulse app for user email "\${PULSE_EMAIL}" | 12.19s |
| | anded to "Home" screen | 15.32s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify My Ch | allenges texts | |
| Passed: 3 | Failed: 0 Undefined: 0 | Duration: 17.56s |
| Before | | 0.00s |
| And I click on My Cl | nallenges tile on one pulse app | 12.13s |
| And I verify followin | g texts are displayed | 1.00s |
| \${my.challenges.te | | |
| \${do.not.have.cha | | |
| \${challenge.getsta | | |
| \${do.not.have.cha | | |
| | wing texts "My challenges" in Screen | 4.43s |
| \${all.challenges.te | | 11100 |
| After | | 0.00s |
| Back to Table of Contents | | 0.005 |
| | colleges and and resific tests | |
| | nallenges and and verify texts | D (1 06.00 |
| Passed: 2 | Failed: 1 Undefined: 1 | Duration: 26.99s |
| Before | | 0.00s |
| | l.challenges.text}" in app screen | 0.33s |
| And I verify the follo | wing texts "My challenges" in Screen | 8.61s |
| \${my.challenges.te | ext} | |
| \${all.challenges.te | xt} | |
| And I verify followin | g texts are displayed | 18.05s |
| \${no.challenges.av | ailable} | |
| \${notify.challenge | } | |
| No Challenges text is We will notify you for page expected [true] at org.testng.asserts. | rror: The following asserts failed: displayed on page expected [true] but found [false], r next Challenge. Meanwhile maintain good health. to but found [false] SoftAssert.assertAll(SoftAssert.java:43) stepdefinitions.mobilesteps.MyDocSteps.verifyTextsO | |
| (MyDocSteps.java:71 | | Miscreen |



| Password \${pulse | e.password} | | | | | |
|--|---|---------------------------------------|-------------------------|--|--|--|
| And User clicks on si | | | 0.28s | | | |
| Then I wait for 10 sec | <u> </u> | | 10.01s | | | |
| And I enter OTP in o | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | | | | |
| | landed to "Home" scre | | 13.70s | | | |
| After | | | 0.00s | | | |
| Back to Table of Contents | | | | | | |
| Scenario: User should b Email" and Verify the M | | vith correct credentials using "Conti | nue with | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 24.06s | | | |
| Before | | | 0.00s | | | |
| Then I wait for 6 sec | | | 6.01s | | | |
| And I click the MyCo | ommunities icon | | 2.57s | | | |
| Then I wait for 6 sec | | | 6.01s | | | |
| And I verify followin | g texts are displayed | | 0.30s | | | |
| \${icon.communitie | es} | | | | | |
| And I verify the follo | wing texts "All Comm | ınities'' in Screen | 9.18s | | | |
| \${my.communities | | | • | | | |
| \${All.Communitie | | | | | | |
| After | | | 0.00s | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Leave the com | nmunity if already joine | ed | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 11.37s | | | |
| Before | | | 0.00s | | | |
| And I clicks on ''\${m | y.communities.text}'' ii | 1 app screen | 0.26s | | | |
| Then I wait for 5 sec | | ** | 5.01s | | | |
| Then I leave all joine My communities scre | | ing on three dots menu icon on my | 6.10s | | | |
| After | | | 0.00s | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify the All | Communities Post scre | en | | | | |
| Passed: 9 | Failed: 0 | Undefined: 0 | Duration: 40.77s | | | |
| Before | | | 0.00s | | | |
| Then I wait for 5 sec | | | 5.00s | | | |
| | ll.Communities.text}" i | n app screen | 0.30s | | | |
| | outton in Communties t | | 4.57s | | | |
| And I click the static | Active icon in commun | ity screen | 5.48s | | | |
| And I click Edit icon | And I click Edit icon in stay Active icon 15.82s | | | | | |
| And Enter the post in | n community screen | | 3.08s | | | |
| POST TEST1 | | | | | | |
| And Enter the post in | n community large text | screen | 3.19s | | | |
| POST welcome | | | | | | |
| | con in create post scree | en | 0.91s | | | |
| | 1.00.000 | | | | | |


| Then I verify | the following text "TF | EST1" in post Screen | 2.43s |
|--|---|--|------------------|
| TEST1 | | | |
| welcome | | | |
| After | | | 0.00s |
| Back to Table of Co | <u>ntents</u> | | |
| Scenario: Verify | the Likes and comme | nts counts in All communities tab | |
| Passed: 8 | Failed: 0 | Undefined: 0 | Duration: 46.67s |
| Before | | | 0.00s |
| And I click th | e Post icon in My com | munities | 8.88s |
| And I wait for | r 5 sec | | 5.01s |
| And I click th | e like button in Post so | creen | 9.57s |
| And Verify th | e like count in Post sc | reen '' 1 Likes'' likes | 8.57s |
| And I click th | e Comment icon in fee | ed screen | 3.82s |
| | e comments in Feeds s | creen | 1.58s |
| Comments | TEST1 | | |
| And I click th | e submit icon in feeds | screen | 1.02s |
| And Verify th | e comments count in l | Feeds screen " 0 Comments" comments | 8.22s |
| After | | | 0.00s |
| Back to Table of Co | <u>ntents</u> | | |
| Scenario: Verify | the Share with Friend | ds Functionality in All communities tab | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 22.01s |
| Before | | | 0.00s |
| And I click th | e share icon in Post sc | ereen | 4.99s |
| And Verify th | ne pop up in ''Share wi | ith Friends'' | 4.11s |
| And I click th | e phone icon in share | with friends | 4.29s |
| And I give car | mera permission | | 8.63s |
| After | | | 0.00s |
| Back to Table of Co | ntents | | |
| Scenario: Verify | the Post Functionality | y in All communities | |
| Passed: 0 | Failed: 1 | Undefined: 11 | Duration: 16.08s |
| Before | | | 0.00s |
| Then I click s | kip button in feeds scr | een | 16.08s |
| using the give For documen /no_such_eler | n search parameters. tation on this error, pl nent.html | ntException: An element could not be local lease visit: http://seleniumhq.org/exception n: '7c6e0b3', time: '2018-05-08T14:04:26.1 | ns |

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 571ceac1-5075-49ce-b1f0-7555dde52f34
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
```

at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton (MyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton (MyCommunitiesSteps.java:208)

at .Then I click skip button in feeds screen(features/home/mycommunities/PulseMyCommunities.feature:75)

| 71 discivity Communices. reactiff (1.75) | |
|---|-------|
| Then I wait for 2 sec | 0.00s |
| And I click the Back icon in Stay Active screen | 0.00s |
| Then I wait for 3 sec | 0.00s |
| And I click Edit icon in stay Active icon | 0.00s |
| And I click the Camera icon in create post screen | 0.00s |
| And I click the Upload Image icon | 0.00s |
| And I give camera permission | 0.00s |
| Then I take picture from Camera | 0.00s |
| And Enter the post in community screen | 0.00s |
| POST TEST1 | |
| And Enter the post in community large text screen | 0.00s |
| POST welcome | |
| And I click the Destion in spects nest seven | 0.00~ |




| Af | ter | | | 0.00s | | |
|-----------|---------------------------|---|----------------|-------|--|--|
| <u>Ba</u> | Back to Table of Contents | | | | | |
| Sc | enario: Verify the Cat | egory list and s | search feature | | | |
| Pa | ssed: 1 | Failed: 1 Undefined: 4 Duration: 23.13s | | | | |
| Ве | efore | 0.00s | | | | |
| | Then I wait for 15 sec | 15.02s | | | | |
| | And I clicks on "\${ca | tegory.text}" ir | n app screen | 8.12s | | |

```
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 571ceac1-5075-49ce-b1f0-7555dde52f34
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
```

(DefaultGenericMobileDriver.java:152) at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "\${category.text}" in app screen(features/home/mycommunities /PulseMyCommunities.feature:93) 1:02 🕟 🗆 🚥 🚥 🔹 0.91 How was your Experience? Your Feedback help us provide better service

| | | | 0.00s | | | | |
|--|---|---|--|--|--|--|--|
| | | | | | | | |
| | Scenario: User navigates back to the community screen | | | | | | |
| assed: 1 | Failed: 0 | Undefined: 0 | Duration: .39s | | | | |
| Before | 0.00s | | | | | | |
| And I click the Back icon in Stay Active screen 0.39s | | | | | | | |
| After | | | 0.00s | | | | |
| ack to Table of Contents | | | - | | | | |
| cenario: Leave the con | nmunity if alread | ly ioined | | | | | |
| assed: 0 | Failed: 1 | Undefined: 3 | Duration: 8.05s | | | | |
| Before | T uncut I | Chachinean C | 0.00s | | | | |
| And I clicks on "\${m | | | 8.05s | | | | |
| Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlerts: to newCommandTimeodeviceManufacturerdeviceScreenDensity javascriptEnabled: to newCommandTimeodeviceManufacturerdeviceScreenDensity javascriptEnabled: to newCommandTimeodeviceManufacturerdeviceManufacturerdeviceScreenDensity javascriptEnabled: to newCommandTimeodeviceManufacturerdeviceManufa | ivity: com.prude ts: true, automat y: com.prudentia rue, automation out: 10000, noRes : Google, device : 440, deviceScre rue, locationCom out: 10000, noRes | tionName: UiAutomator2, da l.pulse.MainAc, appPacka Name: UiAutomator2, device set: true, platformName: and Model: Pixel 5, deviceName: enSize: 1080x2340, deviceUI | ge: com.prudential.pulse.uat, Name: Android-Test, lroid}, deviceApiLevel: 30, | | | | |
| viewportRect: {heightalse} Session ID: 571ceac1 | -5075-49ce-b1f0- | | OID: 0C241FDD40043P, ConnectionEnabled: true, atform: LINUX, 5, takesScreenshot: true, ngs: {}, webStorageEnabled: | | | | |

| AppiumCommandExecutor.java:231) | |
|---|--|
| at org.openqa.selenium.remote.RemoteWebDriver.execute | (RemoteWebDriver.java:543) |
| at io.appium.java_client.DefaultGenericMobileDriver.exec | |
| ava:42) | |
| t io.appium.java_client.AppiumDriver.execute(AppiumD | river.java:1) |
| nt io.appium.java_client.android.AndroidDriver.execute(A | |
| at org.openqa.selenium.remote.RemoteWebDriver.findEle | |
| nt io.appium.java_client.DefaultGenericMobileDriver.find | · · · · · · · · · · · · · · · · · · · |
| DefaultGenericMobileDriver.java:62) | |
| nt io.appium.java_client.AppiumDriver.findElement(Appi | |
| $\textbf{it io.appium.java_client.and} \textbf{roid.AndroidDriver.findElemonts} \textbf{and } \textbf{black} \textbf{and } \textbf{and } \textbf{black} \textbf{and } \textbf{and } \textbf{black} \textbf{and } \textbf{and } \textbf{black} \textbf{and } and$ | |
| t org.openqa.selenium.remote. RemoteWebDriver.findElemote | mentByXPath(RemoteWebDriver) |
| ava:419) | |
| $\textbf{t.io.appium.java_client.DefaultGeneric} \textbf{MobileDriver.find}$ | ElementByXPath |
| DefaultGenericMobileDriver.java:152) | |
| at io.appium.java_client.AppiumDriver.findElementByXP | |
| at io.appium.java_client.android.AndroidDriver.findElemo | |
| at org.openqa.selenium.By\$ByXPath.findElement(By.java | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElen | |
| tic annium jour client Default Conomic Mobile Driven tind | Element |
| at io.appium.java_client.DefaultGenericMobileDriver.find | |
| DefaultGenericMobileDriver.java:58) | |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appi | umDriver.java:1) |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appi at io.appium.java_client.android.AndroidDriver.findElemo | umDriver.java:1) ent(AndroidDriver.java:1) |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCom | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) |
| DefaultGenericMobileDriver.java:58) It io.appium.java_client.AppiumDriver.findElement(Appiut io.appium.java_client.android.AndroidDriver.findElement It com.prudential.tap.selenium.Commands\$15.executeControl It com.prudential.tap.selenium.ExecuteCommand.executeControl | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appiut io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCont at com.prudential.tap.selenium.ExecuteCommand.execute(19) | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appiut io.appium.java_client.android.AndroidDriver.findElement com.prudential.tap.selenium.Commands\$15.executeCont com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeContact at com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test at com.onepulse.app.screens.CustomerConnectScreen.click | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeContact com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test com.onepulse.app.screens.CustomerConnectScreen.clickava:1741) | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java stBasePage.java:163) xButton(CustomerConnectScreen. |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCom at com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test at com.onepulse.app.screens.CustomerConnectScreen.click ava:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectScreen. | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java stBasePage.java:163) xButton(CustomerConnectScreen. |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCom at com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test at com.onepulse.app.screens.CustomerConnectScreen.click ava:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerCoustomerConnectSteps.java:534) | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java stBasePage.java:163) xButton(CustomerConnectScreen. |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCom at com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test at com.onepulse.app.screens.CustomerConnectScreen.click ava:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectScreen. | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java stBasePage.java:163) xButton(CustomerConnectScreen. |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCom at com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test at com.onepulse.app.screens.CustomerConnectScreen.click ava:1741) at com.onepulse.app.stepdefinitions.mobilesteps.Customer(CustomerConnectSteps.java:534) at .And I clicks on ''\${my.communities.text}'' in app screen. | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java stBasePage.java:163) xButton(CustomerConnectScreen. |
| DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(Appium) at io.appium.java_client.android.AndroidDriver.findElement at com.prudential.tap.selenium.Commands\$15.executeCom at com.prudential.tap.selenium.ExecuteCommand.execute(19) at com.onepulse.app.screens.TestBasePage.clickButton(Test at com.onepulse.app.screens.CustomerConnectScreen.click ava:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerCustomerConnectSteps.java:534) at .And I clicks on ''\${my.communities.text}'' in app screen PulseMyCommunities.feature:108) | umDriver.java:1) ent(AndroidDriver.java:1) nmand(Commands.java:141) Command(ExecuteCommand.java stBasePage.java:163) xButton(CustomerConnectScreen. ConnectSteps.clickUploadIcon n(features/home/mycommunities |



When user enters credentials

UserName \${PULSE_EMAIL}
Password \${login.password}
And User clicks on signin button

| Duck to Tuble of Co | <u>III.CIII.S</u> | | | | |
|-----------------------------|-------------------|--------------------|-------------------|--------------------|-----------------|
| eature: Verify Pri | vate My Comm | unities on One l | Pulse App | | |
| assed: 4 | Failed: 0 | Undefined | 0 | Duration: 164.12s | |
| Scenario: Launc | th the app and s | select the countr | y as per specifie | d lbu | |
| Passed: 5 | Faile | ed: 0 | Undefined: 0 | | Duration: 46.56 |
| Before | | | | | 0.00s |
| Given User h | as pulse app | | | | 11.06s |
| And user clic | k on "CONTIN | UE WITH EMA | AIL'' with Emai | l button | 15.38s |
| Then I chang | e the country a | s required on re | gistration page | | 12.24s |
| Then I wait for 3 sec | | | | 3.00s | |
| And I click th | ne Sign in link | | | | 4.88s |
| After | | | | | 0.00s |
| Back to Table of Co | ontents | | | | |
| Scenario: User s Email'' | hould be able to | o login on app w | ith correct cred | entials using "Cor | tinue with |
| Passed: 7 | Faile | ed: 0 | Undefined: 0 | | Duration: 48.86 |
| Before | | | | | 0.00s |
| And I assign | ''\${mychannel. | private.user}'' to | variable ''PUL | SE_EMAIL'' | 0.00s |
| Given I select | the language o | ption on toggle | bar as required | on login page | 3.61s |
| | | | | | |

0.00s

9.51s

0.31s

| Then I wait for 10 sec | | | | 10.01s |
|---|------------------|-------------------|------------------------|-----------------|
| And I enter OTP in on | e pulse app for | user email "\${PU | JLSE_EMAIL}'' | 10.82s |
| Then user should be landed to "Home" screen | | | 14.60s | |
| After | | | | 0.00s |
| Back to Table of Contents | | | | |
| Scenario: Verify the My | communities sc | reen | | |
| Passed: 5 | Failed: 0 | Undefin | ed: 0 | Duration: 18.01 |
| Before | | | | 0.00s |
| And I click the MyCor | nmunities icon | | | 2.80s |
| Then I wait for 3 sec | | | | 3.00s |
| And I verify following | texts are displa | yed | | 0.42s |
| \${icon.communities | | • | | |
| And I verify the follow | ing texts "All (| Communities'' in | Screen | 8.80s |
| \${my.communities. | | | | |
| \${All.Communities. | | | | |
| Then I wait for 3 sec | | | | 2.99s |
| After | | | | 0.00s |
| Back to Table of Contents | | | | |
| Scenario: Verify the Priva | ate Communiti | es in communities | screen | |
| Passed: 12 | Failed: 0 | Undefine | | Duration: 50.7s |
| Before | Tancu. V | Chucini | .u. 0 | 0.00s |
| | U\$(All Comme | | 'annunun'i ag gangan | 4.78s |
| And I click the Private And I Enter the "e.g. I | | | | |
| screen | be Healthy Con | ent, Chanenges e | ic. in Test in nom | 3.60s |
| And I Enter the "e.g. I home new screen | Healthy content | , forum for celeb | rities etc." in "2020" | in 2.79s |
| And I clicks on "Take | a Picture'' in a | pp screen | | 0.31s |
| And I click the Upload | | · | | 4.27s |
| And I give camera per | | | | 10.23s |
| Then I take picture from | om Camera | | | 11.97s |
| Then I wait for 3 sec | | | | 3.00s |
| And I scroll down | | | | 4.34s |
| And I click the continu | ie button | | | 0.68s |
| Then I click skip butto | n in feeds scre | en | | 1.31s |
| And I clicks on "OK" | in app screen | | | 3.41s |
| After | | | | 0.00s |
| Back to Table of Contents | | | | |
| ature: Verify legal and leg | acy on One pu | se App | | |
| ssed: 7 Failed: 0 | | defined: 0 | Duration: 158.55s | S |
| Scenario: Launch the app | | | | |
| | Failed: 0 | Undefined | | Duration: 47.15 |
| Before | I dilett 0 | Chucimet | | 0.00s |
| | | | | _ |
| Given User has pulse a | ıpp | | | 10.11s |

| And Lassian "\$Inuled | legal priva | cy.login.id}" to variable "PULSE_EMAIL" | 0.00s |
|------------------------------|----------------|---|------------------|
| And user click on "Co | 15.49s | | |
| Then I change the cou | 11.65s | | |
| Then I wait for 5 sec | 5.00s | | |
| | 4.92s | | |
| And I click the Sign in link | | | |
| After | 0.00s | | |
| Back to Table of Contents | | | |
| | | ect credentials using "Continue with Email" | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 45.72s |
| Before | | | 0.00s |
| Given I select the lang | guage option | on toggle bar as required on login page | 3.60s |
| When user enters cre | dentials | | 10.51s |
| UserName \${PULS | SE_EMAIL} | | |
| Password \${pulse | .edit} | | |
| And User clicks on sig | gnin button | | 0.30s |
| And I wait for 5 sec | | | 5.01s |
| | | for user email "\${PULSE_EMAIL}" | 10.65s |
| Then user should be l | anded to "H | Iome'' screen | 15.66s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Navigate to ac | count screer | 1 | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 11.22s |
| Before | | | 0.00s |
| Given user navigate t | o account no | ana | 11.22s |
| After | account pa | | 0.00s |
| | | | 0.008 |
| Back to Table of Contents | 1 D : | | |
| | T . | vacy should be displayed | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 6.96s |
| Before | | | 0.00s |
| And I click the Legac | y and Priva | cy in Account screen | 3.81s |
| Then I verify following | ng texts are d | lisplayed in terms and condition screen | 3.15s |
| \${Terms.condition | s.text} | | |
| \${icon.privacyNoti | ice} | | |
| \${icon.regulatory} | | | |
| \${app.version.text | } | | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the Ter | ms and cond | lition screen should be displayed | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 18.52s |
| Before | | | 0.00s |
| | ms conditio | ns.text}" link in Account screen | 0.34s |
| And I click the pulse | | | 14.48s |
| And I chek the pulse | icon in Acco | unt set cen | 17.708 |
| | | | |

| And I click the Back icon in pulse screen | | | | 2.45s | |
|--|--|----------------|-------------------|---------------------|-------------------------|
| And I click the Back io | And I click the Back icon in Terms and conditions screen | | | | 1.25s |
| After | | | | | 0.00s |
| Back to Table of Contents | | | | | |
| Scenario: Verify the Priva | acy screen s | hould be dis | played | | |
| Passed: 4 | Passed: 4 Failed: 0 Undefined: 0 | | | | |
| Before | | | | | 0.00s |
| And I click the Privacy | v icon in lega | al screen | | | 2.40s |
| And I click the pulse icon in Account screen | | | | | 13.71s |
| And I click the Back io | | | | | 2.41s |
| And I click the Back io | con in Priva | cy Notice | | | 2.37s |
| After | | | | | 0.00s |
| Back to Table of Contents | | | | | |
| Scenario: Verify the Regu | lator screer | should be | displayed | | |
| Passed: 4 | Failed: 0 | | Undefined: 0 | | Duration: 8.1s |
| Before | | | | | 0.00s |
| Given I wait for 2 sec | | | | | 2.01s |
| And I click the Regula | tory icon in | legal screen | | | 0.36s |
| And I click the Babylo | <u>_</u> | | | | 1.67s |
| Then I verify following | | | | dition screen | 4.06s |
| \${clinicalSafety.tex | | | | | 10000 |
| \${ai.healthcare.text | | | | | |
| \${localisation.text} | | | | | |
| \${privacy.date.prot | ection.text} | | | | |
| \${concern.reporting | | | | | |
| After | | | | | 0.00s |
| Back to Table of Contents | | | | | |
| | a ontiona in | A coorrect con | 0.07 | | |
| Feature: Verify My accounts | s options in A | Account scr | een | | |
| 1)My wearable | | | | | |
| 2)My Rewards | | | | | |
| 3)My Notifications | | | | | |
| 4)My Feedback | | | | | |
| 5)Pulse Personalised | | TT 1 60 1 0 | | D 41 52 54 | |
| Passed: 1 Failed: 2 | | Undefined: 0 | | Duration: 52.71s | |
| Scenario: Launch the app | | the country | | <u>a ibu</u> | D 41 22 00 |
| Passed: 3 Before | Failed: 1 | | Undefined: 2 | | Duration: 33.99s |
| | | | | | 0.00s |
| Given User has pulse a | | | | W CD | 10.05s |
| And I assign "\${onepu | | | | | 0.00s |
| And user click on "CC | | | | I button | 10.03s |
| Then I change the cour | ntry as requ | ired on regi | stration page | | 13.92s |
| org.openqa.selenium.V | Veh Dri vor F | vcention: A | n unknown co | ver-side error ecc | irred while |
| org.openqasetemum. | CODITYCIE | лесрион. А | ii uiikiiuwii sei | ver-side error occi | irrea winie |

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

```
at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
  (PulseRegistrationScreen.java:1016)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
  (RegistrationSteps.java:306)
  at .Then I change the country as required on registration page(features/my/MyAccount
  /PulseMyAccount.feature:14)
After
                                                                                0.00s
Back to Table of Contents
Scenario: login to the app with correct credentials using "Continue with Email"
                        Failed: 1
Passed: 0
                                               Undefined: 5
                                                                                Duration: .02s
                                                                                0.00s
Before
  Given I select the language option on toggle bar as required on login page
                                                                                0.02s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
  (PulseRegistrationScreen.java:1067)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
  (RegistrationSteps.java:338)
  at .Given I select the language option on toggle bar as required on login page(features/my
  /MyAccount/PulseMyAccount.feature:19)
     UserName ${PULSE EMAIL
                                                                             0.00s
After
Back to Table of Contents
```

| Scenario: Navigate to | account scre | en and verify all the options | |
|---|-----------------|---|-------------------------------|
| Passed: 2 | Failed: 1 | Undefined: 0 | Duration: 4.36s |
| Before | | | 0.00s |
| | . 40. 00000004. | 200 | 2.03s |
| Given user navigate | | page | |
| Then I wait for 2 se | | | 2.01s |
| And user should ve | rify following | g options on account screen | 0.32s |
| \${my.wearable.t | ext} | | |
| \${my.rewards.te | ext} | | |
| \${my.notification | n.text} | | |
| \${icon.mySetting | gs} | | |
| \${my.feedback.t | ext} | | |
| \${icon.legal&Pri | | | |
| \${pulsePersonal} | • • | | |
| \${sign.out.button | | | |
| | ii.textj | | |
| \${logs.text} | | | |
| iovo lana Amart | Emmon. Th. 6 | allowing aggrets failed | |
| java.lang.Assertion expected [true] but | | following asserts failed: | |
| expected [true] but | | - / | |
| expected [true] but | | | |
| expected [true] but | found [false] | ĺ | |
| | | assertAll(SoftAssert.java:43) | |
| | | ${f ions. mobile steps. Manage Profile Step 1}$ | |
| • | _ | ${f count Screen} ({f Manage Profile Steps.}$ | |
| | • | ving options on account screen(fea | itures/my/MyAccount |
| /PulseMyAccount.f | eature:31) | | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify wears | able screen i | n Account tab | |
| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: .04s |
| Before | | | 0.00s |
| And I click on "\${n | ny wearable | text}" link in Account screen | 0.04s |
| ψ | ij in cal abic. | - In The Count Server | 0.0.15 |
| org.onenga.seleniui | m.WebDrive | rException: An unknown server-s | ide error occurred while |
| | | nal error: Could not proxy comma | |
| Original error: soci | | • | |
| Build info: version: | '3.12.0', rev | ision: '7c6e0b3', time: '2018-05-08 | T14:04:26.12Z' |
| System info: host: ' | TM003LSIN | ', ip: '192.168.1.124', os.name: 'W | indows 10', os.arch: 'amd64', |
| os.version: '10.0', ja | ava.version: | '11.0.2' | |
| | • | ent.android.AndroidDriver | |
| | | prudential.pulse.MainAc, appPa | |
| uat, autoDismissAlo | erts: true, au | tomationName: UiAutomator2, da | atabaseEnabled: false, |

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Wearable")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption (PulseManageProfileScreen.java:952) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption (ManageProfileSteps.java:81) at .And I click on "\${my.wearable.text}" link in Account screen(features/my/MyAccount /PulseMyAccount.feature:43) After 0.00s**Back to Table of Contents** Scenario: navigate back to account screen from my wearable screen Passed: 0 Failed: 1 Undefined: 1 Duration: .04s Before 0.00sAnd user navigate back to the Home screen from My Wearables screen 0.04sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 47063701-442c-49d5-b8ba-d115c10587b8 *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]} at idk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

| | | • | CHttpResponseCodec.crea | teException | | |
|------------|---|---------------------------------------|--|---------------------------------------|--------------|--|
| | (W3CHttpResponseCoat org.openga.selenium | | CHttpResponseCodec.deco | ade | | |
| | (W3CHttpResponseCo | | Tittpitesponse outclass. | uc | | |
| | at org.openqa.seleniun | n.remote.http.W3C | CHttpResponseCodec.deco | de | | |
| | (W3CHttpResponseCo | | | | | |
| | | n.remote.HttpCom | mandExecutor.execute(H | ttpCommandExecu | utor.java: | |
| | 158) | 4 marian | Ctow over | | | |
| | at 10.appium.java_clies (AppiumCommandEx | | CommandExecutor.execu | te | | |
| | | | /ebDriver.execute(Remote | WehDriver.java:5 | 43) | |
| | | | MobileDriver.execute(Defa | | 7 | |
| | java:42) | | | | | |
| | | | execute(AppiumDriver.jav | | | |
| | | | dDriver.execute(AndroidI | | 2470 | |
| | | | VebDriver.findElement(Re | | ava:317) | |
| | at 10.appium.java_clie (DefaultGenericMobile | | MobileDriver.findElement | | | |
| | | · · · · · · · · · · · · · · · · · · · | indElement(AppiumDrive | er iava·1) | | |
| | | | dDriver.findElement(And | | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. | | | | | |
| | java:419) | | | | | |
| | at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath | | | | | |
| | (DefaultGenericMobileDriver.java:152) | | | | | |
| | at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) | | | | | |
| | | | dDriver.iindElementByXi dElement(By.java:353) | atii(AliarolaDrive | r.java.1) | |
| | | | VebDriver.findElement(Re | emoteWebDriver.ja | ava:309) | |
| | | | MobileDriver.findElement | • | ,,,,, | |
| | (DefaultGenericMobile | eDriver.java:58) | | | | |
| | | * * | indElement(AppiumDrive | · · · · · · · · · · · · · · · · · · · | | |
| | | | dDriver.findElement(And | | | |
| | | | ds\$15.executeCommand(| · · · · · · · · · · · · · · · · · · · | | |
| | at com.prudential.tap. | selemum.executec | Command.executeCommand | 10(ExecuteCollina | inu.java: | |
| | | creens.TestBasePas | ge.clickButton(TestBasePa | age.iava:163) | | |
| | | | geProfileScreen.backNavig | | sHome | |
| | (PulseManageProfileS | | | | | |
| | | • | ilesteps.ManageProfileSte | <u>-</u> | | |
| | | | nageProfileSteps.java:235) | | | |
| | /MyAccount/PulseMyA | | screen from My Wearable | s screen(reatures/ii | ıy | |
| | And I wait for 2 sec | Account.icature.ss |) | 0.00 | la. | |
| Λf | ter | | | 0.00 | | |
| = | ck to Table of Contents | | | 0.00 |)S | |
| _ | enario: Navigate to acc | count cereen | | | | |
| | ssed: 2 | Failed: 0 | Undefined: 0 | Durs | ation: 4.06s | |
| _ | fore | raneu: 0 | Olidermed: 0 | 0.00 | | |
| B C | | , | | | | |
| | Given user navigate to | account page | | 2.06 | | |
| | Then I wait for 2 sec | | | 2.00 | S | |

| After | | | 0.00s |
|--|--|--|--|
| Back to Table of Contents | | | |
| Scenario: Verify reward | screen in Account | tab | |
| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: .04s |
| Before | | | 0.00s |
| And I click on "\${my. | rewards.text}'' lin | k in Account screen | 0.04s |
| processing the comma Original error: socket Build info: version: '3 System info: host: 'TM os.version: '10.0', java Driver info: io.appium Capabilities {appActivity: autoDismissAlerts: tri newCommandTimeou deviceManufacturer: deviceScreenDensity: javascriptEnabled: tri newCommandTimeou platformName: Andre viewportRect: {height false} Session ID: 47063701- *** Element info: {Usi Rewards'')]} at jdk.internal.reflect at java.base/jdk.intern (DelegatingConstruct at java.base/java.lang at org.openqa.selenium (W3CHttpResponseC at org.openqa.selenium at io.appium.java_clie at org.openqa.selenium at io.appium.java_clie | and. Original error hang up .12.0', revision: '76 // 1003LSIN', ip: '19 a.version: '11.0.2' a.java_client.androvity: com.prudentists: true, automation accom.prudential.pue, automation accomprudential.pue, automation | al.pulse.MainAc, appPackage nName: UiAutomator2, databas ulse.MainAc, appPackage: co me: UiAutomator2, deviceName true, platformName: android} del: Pixel 5, deviceName: 0C24 Size: 1080x2340, deviceUDID: 0 tEnabled: false, networkConnectrue, pixelRatio: 2.75, platform on: 11, statBarHeight: 145, take 145, width: 1080}, warnings: { 115c10587b8 //android.widget.TextView[connectorAccessor29.newInstance(UngConstructorAccessorImpl.nectorAccessorI | o the remote server. 04:26.12Z' vs 10', os.arch: 'amd64', e: com.prudential.pulse. seEnabled: false, om.prudential.pulse.uat, e: Android-Test, deviceApiLevel: 30, 1FDD40043P, 0C241FDD40043P, ectionEnabled: true, n: LINUX, esScreenshot: true, }, webStorageEnabled: tains(@text,"My Jnknown Source) ewInstance va:490) sception commandExecutor.java: bDriver.java:543) GenericMobileDriver. |

| (DefaultGenericMo | hileDriver.iava:62) | | |
|---------------------------------------|--|---|--|
| · · · · · · · · · · · · · · · · · · · | | r.findElement(AppiumDriver.java:1 | |
| | | oidDriver.findElement(AndroidDriv | |
| | | eWebDriver.findElementByXPath(R | |
| java:419) | | | |
| | | icMobileDriver.findElementByXPatl | n |
| (DefaultGenericMo | · · · · · · · · · · · · · · · · · · · | | |
| | | r.findElementByXPath(AppiumDriv | , |
| | | oidDriver.findElementByXPath(And indElement(By.java:353) | lroidDriver.java:1) |
| | | eWebDriver.findElement(RemoteWe | hDriver iava:309) |
| ~ <u>-</u> <u>-</u> | | icMobileDriver.findElement | DDIIVCI java.co) |
| (DefaultGenericMo | | | |
| at io.appium.java_c | client.AppiumDrive | r.findElement(AppiumDriver.java:1 | * |
| | | oidDriver.findElement(AndroidDriv | |
| | | ands\$15.executeCommand(Comman | |
| - | ap.selenium.Execut | eCommand.executeCommand(Execu | iteCommand.java: |
| 19) | n sereons TestRaseI | Page.clickButton(TestBasePage.java: | 163) |
| | • | ageProfileScreen.clickOnAccountOp | The state of the s |
| (PulseManageProfi | <u> </u> | | 701011 |
| | | obilesteps.ManageProfileSteps.clickC | OnAccountOption |
| (ManageProfileStep | | | |
| | | " link in Account screen(features/my | /MyAccount |
| /PulseMyAccount.fo | <u> </u> | | 0.00 |
| Then I wait for 2 se | | | 0.00s |
| | | splayed in My Rewards screen | 0.00s |
| \${myRewards.tit | | | |
| \${myRewards.ba | | | |
| \${myRewards.vo | | | |
| \${myRewards.di | | | |
| \${my.rewards.te | xt} | | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: User access l | My Rewards FAQ | | |
| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: .01s |
| Before | | | 0.00s |
| When I scroll down | | | 0.02s |
| | | | |
| org.openqa.seleniur | n.WebDriverExcep | tion: An unknown server-side error | occurred while |
| processing the com | mand. Original erro | or: Could not proxy command to the | |
| Original error: socl | | | |
| | | 7c6e0b3', time: '2018-05-08T14:04:20 | |
| • | and the second s | 192.168.1.124', os.name: 'Windows 10 |)', os.arch: 'amd64', |
| os.version: '10.0', ja | | roid.AndroidDriver | |
| | · · · | roid.AndroidDriver tial.pulse.MainAc, appPackage: co | m prudential pulse |
| | | onName: UiAutomator2, databaseEr | |
| | | pulse.MainAc, appPackage: com.p | |

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
  at .When I scroll down(features/my/MyAccount/PulseMyAccount.feature:73)
                                                                              0.00s
After
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
                       Failed: 1
Passed: 0
                                              Undefined: 3
                                                                              Duration: 1.52s
Before
                                                                              0.00s
  Then User verify following faqs and answers "${myRewards.faq.1}" are
                                                                              1.52s
  displayed in My Rewards screen
     ${myRewards.faq.1}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
```

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"1. What is
the My Rewards feature of the app?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1031)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.1}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
After
                                                                                0.00s
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
                        Failed: 1
Passed: 0
                                               Undefined: 3
                                                                                Duration: .04s
Before
                                                                                0.00s
  Then User verify following faqs and answers "${myRewards.faq.2}" are
                                                                               0.04s
  displayed in My Rewards screen
     ${mvRewards.faq.2}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
```

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"2. How
will I be able to use these points?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following fags and answers "${myRewards.fag.2}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
```

| ter ck to Table of Conter | | 1.2}'' in My Rewards screen | 0.00s |
|---|---|--|--|
| ck to Table of Conter | | | 0.00s |
| CIT TO THOSE OF CONTEST | <u>nts</u> | | |
| enario Outline: <mark>V</mark> | erify the FAQ on my | y rewards screen | |
| ssed: 0 | Failed: 1 | Undefined: 3 | Duration: .03 |
| efore | | | 0.00s |
| Then User verify displayed in My | | answers "\${myRewards.faq.3}" are | 0.03s |
| \${myRewards | s.faq.3} | | |
| Original error: s Build info: versio System info: hose os.version: '10.0' Driver info: io.ap Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufactu deviceScreenDen javascriptEnable newCommandTi platformName: A | ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0. opium.java_client.an oActivity: com.prude Alerts: true, automa ivity: com.prudentia ts: true, automation meout: 10000, noRe asity: 440, deviceScre ed: true, locationCom meout: 10000, noRe Android, platformVe leight: 2015, left: 0, t | cror: Could not proxy command to the restriction. Could not proxy command to the restriction. Could not proxy command to the restriction. Could not prove the country of th | .12Z' ', os.arch: 'amd6 'n.prudential.puls abled: false, rudential.pulse.ua droid-Test, iceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true, NUX, |

| at org.openqa.selenium.By\$B at org.openqa.selenium.remo at io.appium.java_client.Defa (DefaultGenericMobileDrive | roid.AndroidDriver.findElementByXPath ByXPath.findElement(By.java:353) te.RemoteWebDriver.findElement(Remo aultGenericMobileDriver.findElement r.java:58) iumDriver.findElement(AppiumDriver.ja | oteWebDriver.java:30 java:1) |
|--|--|---|
| at org.openqa.selenium.remo at io.appium.java_client.Defa (DefaultGenericMobileDrive | te.RemoteWebDriver.findElement(RemonultGenericMobileDriver.findElement r.java:58) | java:1) |
| (DefaultGenericMobileDrive | r.java:58) | |
| | | |
| | | dDuiman iama (1) |
| | roid.AndroidDriver.findElement(Android | |
| | m.Commands\$20.executeCommand(Com | · · · · · · · · · · · · · · · · · · · |
| at com.prudentiai.tap.seiemu 19) | m.ExecuteCommand.executeCommand(| (ExecuteCommand.ja |
| | TogtPagaPaga gatTayt(TogtPagaPaga jaya | (a.1 97) |
| | TestBasePage.getText(TestBasePage.java | |
| | PulseManageProfileScreen.verifyFAQTe | extOnKewardsScreen |
| (PulseManageProfileScreen.j | | |
| | nitions.mobilesteps.ManageProfileSteps. | |
| reanify TAOOn Darranda Canaar | (Managa Drofilo Stong iava 225) | |
| | n(ManageProfileSteps.java:225) g fags and answers "\${mvRewards fag 3} | |
| at .Then User verify following | g faqs and answers "\${myRewards.faq.3} | s}'' are displayed in M |
| at .Then User verify following Rewards screen(features/my/ | g faqs and answers ''\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79 | B}'' are displayed in M D) |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79 ards.faq.3}" in My Rewards screen | 3}" are displayed in M 0.00s |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen aqs and answers "\${myRewards.faq.3.ans | 3}'' are displayed in M 0) 0.00s |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79 ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen | 3}" are displayed in M 0,00s 0.00s 0.00s |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M \${myRewards.faq.3.ans.1} | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen aqs and answers "\${myRewards.faq.3.ans | 3}" are displayed in M 0.00s 0.00s wards.faq.3.ans.3} |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M \${myRewards.faq.3.ans.1} | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\$ | 3}" are displayed in M 0.00s 0.00s wards.faq.3.ans.3} |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\$ | 3}" are displayed in M 0.00s 0.00s wards.faq.3.ans.3} |
| at .Then User verify following Rewards screen(features/my/And I expand faq ''\${myRewards faq ''\${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans.##\${myRewards.faq.3.ans.4} And I expand faq ''\${myRewards.faq.3.ans.4} | g faqs and answers "\${myRewards.faq.3}{MyAccount/PulseMyAccount.feature:79}{ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ansy Rewards screen at the screen at th | 3}" are displayed in M 0) 0.00s 0.00s wards.faq.3.ans.3} Rewards.faq.3.ans.6} |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans | g faqs and answers "\${myRewards.faq.3}{MyAccount/PulseMyAccount.feature:79}{ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ansy Rewards screen at the screen at th | 0.00s 0.00s 0.00s wards.faq.3.ans.3} Rewards.faq.3.ans.6} |
| at .Then User verify following Rewards screen(features/my/ And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans knd I expand faq ''\${myRew er | g faqs and answers "\${myRewards.faq.3}{MyAccount/PulseMyAccount.feature:79} ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ansy Rewards screen arms.faq.3.ans.2}##\${myRewards.faq.3.ans.2}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3}" in My Rewards screen | 0.00s 0.00s 0.00s wards.faq.3.ans.3} Rewards.faq.3.ans.6} |
| at .Then User verify following Rewards screen(features/my/And I expand faq ''\${myRew Then User verify following fa subtext}'' are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans ##\${myRewards.faq.3.ans And I expand faq ''\${myRew er k to Table of Contents mario Outline: Verify the FA | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRew .4}##\${myRewards.faq.3.ans.5}##\${myRew .7} ards.faq.3}" in My Rewards screen Q on my rewards screen | 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s |
| at .Then User verify following Rewards screen(features/my/And I expand faq ''\${myRew Then User verify following fasubtext}'' are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans.##\${myRewards.faq.3.ans} And I expand faq ''\${myRewards.faq.3.ans} And ''\${myRewards.faq. | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRew .4}##\${myRewards.faq.3.ans.5}##\${myRew .7} ards.faq.3}" in My Rewards screen Q on my rewards screen | 0.00s |
| at .Then User verify following Rewards screen(features/my/And I expand faq "\${myRewards following fasubtext}" are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans.##\${myRewards.faq.3.ans} And I expand faq "\${myRewards.faq.3.ans} And I expand faq "\${myRewards.faq.3.ans | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRew .4}##\${myRewards.faq.3.ans.5}##\${myRew .7} ards.faq.3}" in My Rewards screen Q on my rewards screen | 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s |
| at .Then User verify following Rewards screen(features/my/And I expand faq ''\${myRewards faq ''\${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans.4} ##\${myRew | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79) ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRew .4}##\${myRewards.faq.3.ans.5}##\${myRew .7} ards.faq.3}" in My Rewards screen Q on my rewards screen Undefined: 3 | 0.00s |
| at .Then User verify following Rewards screen(features/my/And I expand faq ''\${myRew Then User verify following fasubtext}'' are displayed in M \${myRewards.faq.3.ans.1} ##\${myRewards.faq.3.ans.##\${myRewards.faq.3.ans} And I expand faq ''\${myRewards.faq.3.ans} And ''\${myRewards.faq.3.ans} And ''\${myRewards.faq.3.ans} And '' | g faqs and answers "\${myRewards.faq.3} MyAccount/PulseMyAccount.feature:79 ards.faq.3}" in My Rewards screen ags and answers "\${myRewards.faq.3.ans y Rewards screen ##\${myRewards.faq.3.ans.2}##\${myRew .4}##\${myRewards.faq.3.ans.5}##\${myRew .7} ards.faq.3}" in My Rewards screen Q on my rewards screen Undefined: 3 | 0.00s |

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"5. Where
can I view the points I have earned?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1031)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following faqs and answers "${myRewards.faq.5}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
   And I expand faq ''${myRewards.faq.5}'' in My Rewards screen
                                                                                0.00s
After
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
Passed: 0
                        Failed: 1
                                              Undefined: 3
                                                                                Duration: .09s
Before
                                                                                0.00s
  Then User verify following fags and answers "${myRewards.fag.6}" are
                                                                               0.09s
  displayed in My Rewards screen
     ${myRewards.faq.6}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"6. How
```

```
long will it take for points to be posted to my account?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following fags and answers "${myRewards.fag.6}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
```

| And I expand fac | ''\${myRewards.fac | q.6}'' in My Rewards screen | 0.00s |
|--|---|--|---|
| After | | | 0.00s |
| ack to Table of Conten | ts | | |
| cenario Outline: V | erify the FAQ on m | y rewards screen | |
| assed: 0 | Failed: 1 | Undefined: 3 | Duration: .03s |
| efore | | | 0.00s |
| displayed in My last squared s | Rewards screen .faq.7} ium.WebDriverExc | answers "\${myRewards.faq.7}" a eption: An unknown server-side e rror: Could not proxy command t | error occurred while |
| Original error: se Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: 47063*** Element info | cket hang up on: '3.12.0', revision: 'IM003LSIN', ip: java.version: '11.0. pium.java_client.ar Activity: com.prude Alerts: true, automativity: com.prudentia s: true, automation meout: 10000, noRe rer: Google, devices rer: Google, devices city: 440, deviceScro d: true, locationCor meout: 10000, noRe Android, platformVo eight: 2015, left: 0, to 3701-442c-49d5-b8b : {Using=xpath, value | : '7c6e0b3', time: '2018-05-08T14', '192.168.1.124', os.name: 'Windo'.2' ndroid.AndroidDriver ential.pulse.MainAc, appPackagationName: UiAutomator2, databal.pulse.MainAc, appPackage: cal.pulse.MainAc, appPackage: cal.pulse | :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.uat ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, c0C241FDD40043P, nectionEnabled: true, cm: LINUX, kesScreenshot: true, {}, webStorageEnabled: |
| at java.base/jdk.i (DelegatingConst at java.base/java. | flect.GeneratedCon nternal.reflect.Dele ructorAccessorImp lang.reflect.Constr | nstructorAccessor29.newInstance(gatingConstructorAccessorImpl.nol.java:45) uctor.newInstance(Constructor.jaw3CHttpResponseCodec.createE | newInstance ava:490) |
| (W3CHttpResponators.openqa.sel (W3CHttpResponators.openqa.sel | nseCodec.java:187) enium.remote.http. nseCodec.java:122) | W3CHttpResponseCodec.decode | |
| at org.openqa.sel 158) at io.appium.java (AppiumComma at org.openqa.sel | enium.remote.Http(_client.remote.App ndExecutor.java:23 enium.remote.Remo | CommandExecutor.execute(Http0 biumCommandExecutor.execute B1) oteWebDriver.execute(RemoteWe ericMobileDriver.execute(Default | ebDriver.java:543) |

```
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1031)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.7}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
                                                                               0.00s
After
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
                       Failed: 1
Passed: 0
                                              Undefined: 3
                                                                               Duration: .03s
                                                                               0.00s
Before
  Then User verify following fags and answers "${myRewards.fag.8}" are
                                                                               0.03s
  displayed in My Rewards screen
     ${myRewards.faq.8}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
```

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''8. Does it
cost anything to begin earning points?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
```

```
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1031)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.8}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
After
                                                                                0.00s
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
Passed: 0
                        Failed: 1
                                               Undefined: 3
                                                                                Duration: .03s
                                                                                0.00s
Before
  Then User verify following fags and answers "${myRewards.fag.9}" are
                                                                                0.03s
  displayed in My Rewards screen
     ${myRewards.faq.9}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"9. Can I
  transfer points to a friend?")]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1031)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.9}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
                                                                             0.00s
After
Back to Table of Contents
Scenario: navigate back to account screen from my rewards screen
```

| ssed: 0 | Failed: 1 | Undefined: 1 | Duration: .0: |
|--|--|---|---|
| efore | | | 0.00s |
| Then I click or | back button on my re | ward screen to navigate to acc | count screen 0.05s |
| org.openqa.sel processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufadeviceScreenDjavascriptEnalnewCommand platformName viewportRect: false} Session ID: 470 at jdk.internal | enium.WebDriverExce command. Original errors socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and ppActivity: com.prude ssAlerts: true, automate ctivity: com.prudential erts: true, automation Timeout: 10000, no Resecturer: Google, device Nensity: 440, device Screet led: true, location Contimeout: 10000, no Resecture: Android, platform Vereight: 2015, left: 0, to 1063701-442c-49d5-b8bareflect.Generated Constructions | ption: An unknown server-sicror: Could not proxy command '7c6e0b3', time: '2018-05-08T' 192.168.1.124', os.name: 'Wing' droid.AndroidDriver ntial.pulse.MainAc, appPactionName: UiAutomator2, datal.pulse.MainAc, appPackage ame: UiAutomator2, device Mate: true, platformName: androdel: Pixel 5, deviceName: 0 enSize: 1080x2340, deviceUD textEnabled: false, networkCotet: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, pp: 145, width: 1080}, warning a-d115c10587b8 | de error occurred while nd to the remote server. [14:04:26.12Z' ndows 10', os.arch: 'amdé ekage: com.prudential.pultabaseEnabled: false, e: com.prudential.pulse.u Name: Android-Test, coid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, takesScreenshot: true, gs: {}, webStorageEnable |
| at java.base/jd (DelegatingCoat java.base/ja at org.openqa. (W3CHttpRes | k.internal.reflect.DelegnstructorAccessorImpl va.lang.reflect.Constru selenium.remote.http.V ponseCodec.java:187) | atingConstructorAccessorIm | pl.newInstance r.java:490) teException |
| (W3CHttpResat org.openqa. | ponseCodec.java:122) | V3CHttpResponseCodec.deco | |
| at org.openqa. 158) | selenium.remote.HttpC | CommandExecutor.execute(H | |
| (AppiumComrat org.openqa. | nandExecutor.java:231 selenium.remote.Remo | umCommandExecutor.execute teWebDriver.execute(Remote ricMobileDriver.execute(Defa | eWebDriver.java:543) |
| at io.appium.ja at io.appium.ja at org.openqa. | va_client.android.And selenium.remote. | er.execute(AppiumDriver.jav roidDriver.execute(AndroidE erOptions\$RemoteWindow.go | Oriver.java:1) |
| at com.onepuls at com.onepuls (PulseManage at com.onepuls | se.app.screens.PulseMa ProfileScreen.java:969) se.app.stepdefinitions.m | ePage.scrollPageUP(TestBasel nageProfileScreen.clickOnMy nobilesteps.ManageProfileStep nageProfileSteps.java:122) | yRewardsBkBtn |

| | | | 0.00 |)S |
|--|---|---|--|---|
| After | | | 0.00 |)s |
| ack to Table of Contents | | | | |
| cenario: Verify Notifica | tion screen in Ac | count tab | | |
| assed: 0 | Failed: 1 | Undefined: 1 | Dur | ation: .03s |
| Before | | | 0.0 |)s |
| And I click on "\${my | notification.text} | " link in Account scree | 0.03 | Ss |
| processing the comma Original error: socke Build info: version: '3 System info: host: 'The os.version: '10.0', java Driver info: io.appiur Capabilities {appActivity autoDismissAlerts: transwCommandTimeor deviceManufacturer: deviceScreenDensity: javascriptEnabled: transwCommandTimeor platformName: AndriviewportRect: {height false} Session ID: 47063701 *** Element info: {Use Notifications'')]} at jdk.internal.reflect at java.base/jdk.inter (DelegatingConstruct at java.base/java.lang at org.openqa.seleniu (W3CHttpResponseConstruct) | and. Original error hang up .12.0', revision: '7 .1003LSIN', ip: '1 .version: '11.0.2' n.java_client.andivity: com.prudents: true, automatics com.prudential. ue, automationNatt: 10000, noRese Google, deviceMe 440, deviceScreente, locationContent: 10000, noRese oid, platformVerse: 2015, left: 0, top .442c-49d5-b8ba- ing=xpath, values .GeneratedConstruct nal.reflect.Delega orAccessorImpl.j .reflect.Construct m.remote.http.W. odec.java:187) m.remote.http.W. odec.java:122) | roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, dett: true, platformName: odel: Pixel 5, deviceNamesize: 1080x2340, devicextEnabled: false, network: true, pixelRatio: 2.75 sion: 11, statBarHeight: p: 145, width: 1080}, was dill5c10587b8 =//android.widget.Text* ructorAccessor29.newIntingConstructorAccessor3eva:45) tor.newInstance(ConstructorAccessor3eva:45) tor.newInstance(ConstructorAccessor3eva:45) | amand to the remote sections of the remote se | tial.pulse se, pulse.uat st, vel: 30, 43P, true, Enabled: |

```
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
  (PulseManageProfileScreen.java:952)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
  (ManageProfileSteps.java:81)
  at .And I click on "${mv.notification.text}" link in Account screen(features/mv/MvAccount
  /PulseMyAccount.feature:102)
                                                                               0.00s
After
Back to Table of Contents
Scenario: navigate back to account screen from Notification screen
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                                Duration: .04s
Before
                                                                                0.00s
   Then I click on back button on notification screen to navigate to account screen
                                                                               0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
```

```
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnNotificationBkBtn
(PulseManageProfileScreen.java:977)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
```

| | ec | | 0.00s |
|--|---|---|---|
| fter | | | 0.00s |
| ack to Table of Contents | <u>s</u> | | <u> </u> |
| cenario: Verify my | feedback screen in A | ecount tab | |
| nssed: 0 | Failed: 1 | Undefined: 3 | Duration: .02 |
| efore | | | 0.00s |
| And I click on "\${ | my.feedback.text}'' l | ink in Account screen | 0.02s |
| System info: host: os.version: '10.0', Driver info: io.app Capabilities {app Auat, autoDismissAdesired: {appActivautoDismissAlerts newCommandTimdeviceManufacturdeviceScreenDensigavascriptEnabled newCommandTim | 'TM003LSIN', ip: '1 java.version: '11.0.2' oium.java_client.and Activity: com.pruden lerts: true, automati vity: com.prudential. e: true, automationNati neout: 10000, noRese er: Google, deviceM ity: 440, deviceScree l: true, locationConto | roid.AndroidDriver tial.pulse.MainAc, appPackag onName: UiAutomator2, databa pulse.MainAc, appPackage: co ame: UiAutomator2, deviceNam t: true, platformName: android odel: Pixel 5, deviceName: 0C24 nSize: 1080x2340, deviceUDID: | ws 10', os.arch: 'amd64 ge: com.prudential.puls aseEnabled: false, om.prudential.pulse.ua ae: Android-Test, }, deviceApiLevel: 30, l1FDD40043P, |
| viewportRect: {he false} Session ID: 47063' | ndroid, platformVer ight: 2015, left: 0, to 701-442c-49d5-b8ba- | | ectionEnabled: true, m: LINUX, xesScreenshot: true, {}, webStorageEnabled |
| viewportRect: {he false} Session ID: 47063' *** Element info: Feedback'')]} at jdk.internal.reft at java.base/jdk.in (DelegatingConstr | ndroid, platformVer ight: 2015, left: 0, to 701-442c-49d5-b8ba- {Using=xpath, value lect.GeneratedConst tternal.reflect.Delega ructorAccessorImpl.j | t: true, pixelRatio: 2.75, platformation: 11, statBarHeight: 145, takes: 145, width: 1080}, warnings: d115c10587b8 =//android.widget.TextView[contructorAccessor29.newInstance() tingConstructorAccessorImpl.maya:45) | ectionEnabled: true, m: LINUX, xesScreenshot: true, {}, webStorageEnabled ntains(@text,''My Unknown Source) newInstance |
| viewportRect: {he false} Session ID: 47063' *** Element info: Feedback'')]} at jdk.internal.reflat java.base/jdk.in (DelegatingConstrat java.base/java.lat org.openqa.sele (W3CHttpResponat org.openqa.sele | ndroid, platformVer ight: 2015, left: 0, to 701-442c-49d5-b8ba- {Using=xpath, value lect.GeneratedConstaternal.reflect.Delegar ructorAccessorImpl.j ang.reflect.Constructium.remote.http.W seCodec.java:187) nium.remote.http.W | t: true, pixelRatio: 2.75, platformation: 11, statBarHeight: 145, takes: 145, width: 1080}, warnings: d115c10587b8 =//android.widget.TextView[contractorAccessor29.newInstance() tingConstructorAccessorImpl.newInstance() | ectionEnabled: true, m: LINUX, xesScreenshot: true, {}, webStorageEnabled ntains(@text,"My Unknown Source) newInstance va:490) |
| viewportRect: {he false} Session ID: 47063' *** Element info: Feedback'')]} at jdk.internal.reflat java.base/jdk.in (DelegatingConstrat java.base/java.lat org.openqa.sele (W3CHttpResponat org.openqa.sele (W3CHttpResponat org.openqa.sele (W3CHttpResponat org.openqa.sele) | ndroid, platformVeright: 2015, left: 0, toj 701-442c-49d5-b8ba- {Using=xpath, value} lect.GeneratedConstaternal.reflect.Delegary ang.reflect.Construction.remote.http.WiseCodec.java:187) nium.remote.http.WiseCodec.java:122) nium.remote.http.WiseCodec.java:122) | t: true, pixelRatio: 2.75, platformation: 11, statBarHeight: 145, take: 145, width: 1080}, warnings: d115c10587b8 =//android.widget.TextView[contructorAccessor29.newInstance(tingConstructorAccessorImpl.nava:45) tor.newInstance(Constructor.ja3CHttpResponseCodec.createEduction: d115c10587b8 | ectionEnabled: true, m: LINUX, xesScreenshot: true, {}, webStorageEnabled ntains(@text,''My Unknown Source) newInstance va:490) xception |

| at io.appium.java_ | client.AppiumDrive | er.execute(AppiumDriver.java:1) | |
|--|---|---|---|
| | | oidDriver.execute(AndroidDriver.java | |
| <u> </u> | | eWebDriver.findElement(RemoteWebl | Driver.java:317) |
| | | icMobileDriver.findElement | |
| · · · · · · · · · · · · · · · · · · · | obileDriver.java:62) | | |
| | | er.findElement(AppiumDriver.java:1) | . • 45 |
| | | oidDriver.findElement(AndroidDriver | · • |
| java:419) | num.remote.Kemote | eWebDriver.findElementByXPath(Ren | note webbriver. |
| ' | client DefaultGener | icMobileDriver.findElementByXPath | |
| | obileDriver.java:152 | · · · · · · · · · · · · · · · · · · · | |
| | • | er.findElementByXPath(AppiumDriver | :.java:1) |
| | | oidDriver.findElementByXPath(Andro | |
| at org.openqa.selei | nium.By\$ByXPath.fi | indElement(By.java:353) | |
| <u> </u> | | ${\bf eWebDriver.findElement(RemoteWeb)}$ | Driver.java:309) |
| | | icMobileDriver.findElement | |
| · · | obileDriver.java:58) | | |
| | | er.findElement(AppiumDriver.java:1) | |
| | | oidDriver.findElement(AndroidDriver | |
| _ | | ands\$15.executeCommand(Commands | |
| _ | tap.selenium.Execut | teCommand.executeCommand(Execute | eCommand.java: |
| 19) | n ganaang TagtDagaI | Daga aliah-Duttan/TagtDagaDaga iawa 14 | (2) |
| | • | Page.clickButton(TestBasePage.java:16 | |
| | | | on |
| at com.onepulse.ap | - | lager romescreemenckonAccountopu | |
| at com.onepulse.ap (PulseManageProf | ileScreen.java:952) | • | |
| at com.onepulse.ap (PulseManageProf at com.onepulse.ap | ileScreen.java:952) p.stepdefinitions.mo | obilesteps.ManageProfileSteps.clickOn | |
| at com.onepulse.ap (PulseManageProf at com.onepulse.ap (ManageProfileSte | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) | obilesteps.ManageProfileSteps.clickOn | AccountOption |
| at com.onepulse.ap (PulseManageProf at com.onepulse.ap (ManageProfileSte at .And I click on ' | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text | • | AccountOption |
| at com.onepulse.ap (PulseManageProf at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text Geature:111) | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/ | AccountOption MyAccount |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. Then User verify for | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} ceature:111) bllowing texts are di | obilesteps.ManageProfileSteps.clickOn | AccountOption |
| at com.onepulse.ap (PulseManageProf at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} ceature:111) bllowing texts are di | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/ | AccountOption MyAccount |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. Then User verify for | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} ceature:111) bllowing texts are dis | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/ | AccountOption MyAccount |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.s Then User verify for \${feedback.statis | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} ceature:111) bllowing texts are disc.text} rovement | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/ | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.s Then User verify for \${feedback.statis | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} ceature:111) bllowing texts are disc.text} rovement | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. Then User verify for \${feedback.staff \${feedback.imp} Then User verify for | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} ceature:111) bllowing texts are disc.text} rovement | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.a Then User verify for \${feedback.stating} Then User verify for the screen | ileScreen.java:952) op.stepdefinitions.mo ps.java:81) { {my.feedback.text} cature:111} bllowing texts are disc.text} rovement} bllowing feedback op | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. Then User verify for \${feedback.stating} Then User verify for screen \${aime.text} | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount. Then User verify for \${feedback.stations \${feedback.imp} Then User verify for screen \${aime.text} \${health.article.} \$ | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.at Then User verify for \${feedback.state \${feedback.imp} Then User verify for screen \${aime.text} \${health.article.} \${wrinkle.text} | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.t Then User verify for \${feedback.stating} Then User verify for screen \${aime.text} \${health.article.} \${wrinkle.text} \${health.assessreen} | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) {my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.i Then User verify fo \${feedback.stati} \${feedback.stati} \${feedback.imp} Then User verify for screen \${aime.text} \${health.article.} \${bmi.text.uppe} \${wrinkle.text} \${health.assessr} \${babylon.symp} | ileScreen.java:952) op.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) ollowing texts are disc.text} rovement} ollowing feedback op text} rcase} | obilesteps.ManageProfileSteps.clickOn }'' link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.at Then User verify for \${feedback.state \${feedback.state \${feedback.imp} Then User verify for screen \${aime.text} \${health.article \${bmi.text.upper \${wrinkle.text} \${health.assessr \${babylon.symp} Then I verify follow | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} ment.text ving edit box sample | obilesteps.ManageProfileSteps.clickOn '' link in Account screen(features/my/splayed in My feedback screen | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.t Then User verify for \${feedback.stating} Then User verify for screen \${aime.text} \${health.article.} \${wrinkle.text} \${health.assessing} Then I verify follow \${share.thoughter } \${share.thoughter } | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} ment.text ving edit box sample | obilesteps.ManageProfileSteps.clickOn }'' link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback | AccountOption MyAccount 0.00s 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.at Then User verify for \${feedback.state \${feedback.state \${feedback.imp} Then User verify for screen \${aime.text} \${health.article \${bmi.text.upper \${wrinkle.text} \${health.assessr \${babylon.symp} Then I verify follow | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} ment.text ving edit box sample | obilesteps.ManageProfileSteps.clickOn }'' link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback | AccountOption MyAccount 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.t Then User verify for \${feedback.stating} Then User verify for screen \${aime.text} \${health.article.} \${wrinkle.text} \${health.assessing} Then I verify follow \${share.thoughter } \${share.thoughter } | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} ment.text ving edit box sample | obilesteps.ManageProfileSteps.clickOn }'' link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback | AccountOption MyAccount 0.00s 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.i Then User verify for the User ver | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) ollowing texts are disc.text} rovement} ollowing feedback op text} rcase} ment.text ving edit box sample .text} | obilesteps.ManageProfileSteps.clickOn }'' link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback | AccountOption MyAccount 0.00s 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.i Then User verify for the User ver | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) \${my.feedback.text} cature:111) ollowing texts are disc.text} rovement} ollowing feedback op text} rcase} ment.text ving edit box sample .text} | obilesteps.ManageProfileSteps.clickOn }" link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback e text is displayed in account screen | AccountOption MyAccount 0.00s 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.t Then User verify for \${feedback.state \${feedback.state \${feedback.imp} Then User verify for screen \${aime.text} \${health.article \${bmi.text.uppe \${wrinkle.text} \${health.assesses \${babylon.symp} Then I verify follow \${share.thought} After Back to Table of Contents Scenario: Verify the series | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) {my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} ment.text} tom.checker} wing edit box sample .text} ubmit functionality | obilesteps.ManageProfileSteps.clickOn }" link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback e text is displayed in account screen in My feedback screen | AccountOption MyAccount 0.00s 0.00s 0.00s |
| at com.onepulse.ap (PulseManageProfi at com.onepulse.ap (ManageProfileSte at .And I click on ' /PulseMyAccount.i Then User verify for the User verify the User verify for the User verify | ileScreen.java:952) p.stepdefinitions.mo ps.java:81) {my.feedback.text} cature:111) bllowing texts are disc.text} rovement} bllowing feedback op text} rcase} ment.text} tom.checker} wing edit box sample .text} ubmit functionality | obilesteps.ManageProfileSteps.clickOn }" link in Account screen(features/my/splayed in My feedback screen ptions are displayed in My feedback e text is displayed in account screen in My feedback screen Undefined: 3 | AccountOption MyAccount 0.00s 0.00s 0.00s Duration: .03s |

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"5")]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.selectStarInFeedbackForm
  (PulseManageProfileScreen.java:1007)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  selectStarInFeedbackForm(ManageProfileSteps.java:181)
  at .Given I select "5" star in feedback screen(features/my/MyAccount/PulseMyAccount.
  feature:127)
     Feedback Test 1234
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify the Pulse Personalised tab
                        Failed: 1
Passed: 0
                                               Undefined: 3
                                                                                Duration: .03s
Before
                                                                                0.00s
  And I click on "${pulsePersonalised.text}" link in Account screen
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Pulse
```

```
Personalised'')]}
at idk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
(PulseManageProfileScreen.java:952)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
(ManageProfileSteps.java:81)
at .And I click on "${pulsePersonalised.text}" link in Account screen(features/my/MyAccount
/PulseMyAccount.feature:134)
```

| | Then I verify data and privacy conse | nt in pulse personalised screen 0.00s |
|----------|---|---|
| | \${pulse.personalised.consent.text1 | * * |
| | \${pulse.personalised.consent.text2 | |
| | \${pulse.personalised.consent.text3 | |
| | \${pulse.personalised.consent.text4 | |
| | \${pulse.personalised.consent.text5 | |
| | - XX X | 4 |
| | \${pulse.personalised.consent.text6 | |
| | \${pulse.personalised.consent.text7 | |
| \vdash | fter | 0.00s |
| Ba | ack to Table of Contents | |
| Sc | cenario: Save the consent with data pri | ivacy check |
| Pa | ssed: 0 Failed: 1 | Undefined: 4 Duration: .04s |
| Ве | efore | 0.00s |
| | Given I select the data privacy check | box 0.04s |
| | uat, autoDismissAlerts: true, automatesired: {appActivity: com.prudentia autoDismissAlerts: true, automationInewCommandTimeout: 10000, noReddeviceManufacturer: Google, deviceIndeviceScreenDensity: 440, deviceScreejavascriptEnabled: true, locationComnewCommandTimeout: 10000, noRedplatformName: Android, platformVeviewportRect: {height: 2015, left: 0, tfalse} Session ID: 47063701-442c-49d5-b8b8*** Element info: {Using=xpath, valu/following::android.widget.ImageVie at jdk.internal.reflect.GeneratedComat java.base/jdk.internal.reflect.Deleg(DelegatingConstructorAccessorImplat java.base/java.lang.reflect.Construat org.openqa.selenium.remote.http.V(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.V(W3CHttpResponseCodec.java:122) | chtial.pulse.MainAc, appPackage: com.prudential.pulse. tionName: UiAutomator2, databaseEnabled: false, al.pulse.MainAc, appPackage: com.prudential.pulse.uat, Name: UiAutomator2, deviceName: Android-Test, set: true, platformName: android}, deviceApiLevel: 30, Model: Pixel 5, deviceName: 0C241FDD40043P, tenSize: 1080x2340, deviceUDID: 0C241FDD40043P, textEnabled: false, networkConnectionEnabled: true, set: true, pixelRatio: 2.75, platform: LINUX, tersion: 11, statBarHeight: 145, takesScreenshot: true, op: 145, width: 1080}, warnings: {}, webStorageEnabled: a-d115c10587b8 ne=//android.widget.TextView[@text='Data Privacy'] w} structorAccessor29.newInstance(Unknown Source) gatingConstructorAccessorImpl.newInstance l.java:45) nctor.newInstance(Constructor.java:490) W3CHttpResponseCodec.decode |
| | at org.openqa.selenium.remote.http.V (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpC | W3CHttpResponseCodec.decode CommandExecutor.execute(HttpCommandExecutor.java: |
| | 158) | |

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementBvXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.selectDataPrivacyCheckBox
  (PulseManageProfileScreen.java:1016)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.dataPrivacyCheckbox
  (ManageProfileSteps.java:197)
  at .Given I select the data privacy checkbox(features/my/MyAccount/PulseMyAccount.feature:
  149)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Save the consent without data privacy check
                       Failed: 1
Passed: 0
                                              Undefined: 3
                                                                               Duration: .03s
                                                                              0.00s
Before
  Given I select the data privacy checkbox
                                                                              0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
```

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Data Privacy']
/following::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.selectDataPrivacyCheckBox
  (PulseManageProfileScreen.java:1016)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.dataPrivacyCheckbox
  (ManageProfileSteps.java:197)
  at .Given I select the data privacy checkbox(features/my/MyAccount/PulseMyAccount.feature:
  157)
After
                                                                                0.00s
Back to Table of Contents
Scenario: navigate back to account screen from pulse personalised screen
Passed: 0
                        Failed: 1
                                               Undefined: 1
                                                                                Duration: 8.05s
                                                                                0.00s
Before
  And I click the Back icon in pulse personalised screen
                                                                                8.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 47063701-442c-49d5-b8ba-d115c10587b8
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
```

(W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. iava:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377) at com.onepulse.app.screens.CustomerConnectScreen.BackbuttonpulsePersonalised (CustomerConnectScreen.java:867) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps. clickBackpersonalisedScreen(CustomerConnectSteps.java:255) at .And I click the Back icon in pulse personalised screen(features/my/MyAccount /PulseMvAccount.feature:165) 0.00sAfter **Back to Table of Contents** Feature: Verify MySettings functionality in Account screen Passed: 1 Failed: 4 Undefined: 0 **Duration: 39.63s** Scenario: Launch the app and select the country as per specified lbu Failed: 1 Undefined: 2 Passed: 3 Duration: 35.43s 0.00sBefore 10.35s Given User has pulse app And I assign "\${onepulse.login.edit.profile}" to variable "PULSE EMAIL" 0.00sAnd user click on "CONTINUE WITH EMAIL" with Email button 9.96s Then I change the country as required on registration page 15.12s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

```
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7dca8b35-f05c-405d-bf4c-19830ed4d565
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
```

| | | quired on registration page | e(features/my/MyAccount |
|---|--|--|---|
| /PulseMySettin | | | 0.00s |
| Then I wait for | | | |
| And I click the | Sign in link | | 0.00s |
| After | | | 0.00s |
| Back to Table of Con | <u>tents</u> | | |
| Scenario: login to | the app with correct | credentials using "Contin | ue with Email'' |
| Passed: 0 | Failed: 1 | Undefined: 5 | Duration: .06 |
| Before | | | 0.00s |
| Given I select t | he language option o | n toggle bar as required o | on login page 0.06s |
| Driver info: io. Capabilities {a} uat, autoDismi desired: {appA autoDismissAle newCommand' deviceManufac deviceScreenD javascriptEnak newCommand' platformName viewportRect: false} Session ID: 7dc *** Element in at jdk.internal. | ppActivity: com.prudessAlerts: true, automactivity: com.prudenterts: true, automation Timeout: 10000, noReturer: Google, device ensity: 440, deviceScoled: true, locationColorimeout: 10000, noRetard: Android, platform (height: 2015, left: 0, ca8b35-f05c-405d-bf4fo: {Using=xpath, valueflect.GeneratedColorimeout: Compage 10000 for the case of the colorior of the case | indroid.AndroidDriver lential.pulse.MainAc, ap ationName: UiAutomator ial.pulse.MainAc, appPanName: UiAutomator2, deset: true, platformName: eModel: Pixel 5, deviceName: eemSize: 1080x2340, devicentextEnabled: false, netwoeset: true, pixelRatio: 2.75 ersion: 11, statBarHeight top: 145, width: 1080}, was c-19830ed4d565 lue=//android.widget.TextenstructorAccessor29.newI | ceUDID: 0C241FDD40043P, orkConnectionEnabled: true, 5, platform: LINUX, t: 145, takesScreenshot: true, arnings: {}, webStorageEnabled tView[@text="EN"]} Instance(Unknown Source) |
| (DelegatingCon at java.base/jav at org.openqa.s (W3CHttpRes) | nstructorAccessorIm va.lang.reflect.Constr selenium.remote.http ponseCodec.java:187 | ructor.newInstance(Const.W3CHttpResponseCodec | ructor.java:490) c.createException |
| (W3CHttpRespat org.openqa.s) (W3CHttpResp | ponseCodec.java:122 selenium.remote.http ponseCodec.java:49) |) .W3CHttpResponseCodec | |
| at io.appium.ja (AppiumComm at org.openqa.s | nandExecutor.java:2 selenium.remote.Rem | noteWebDriver.execute(Re | execute emoteWebDriver.java:543) e(DefaultGenericMobileDriver. |

| at is annium ious ali | and Ammirum Duirea | an arraguta (Ammirum Duiruan iarra | .1) |
|---------------------------------------|---------------------------------------|---|---------------------------------------|
| | | er.execute(AppiumDriver.java | |
| | | oidDriver.execute(AndroidDr eWebDriver.findElement(Ren | |
| ~ <u>-</u> - | | evvendriver.imdElement icMobileDriver.findElement | iote wedDriver.java:517) |
| (DefaultGenericMobi | | | |
| | | er.findElement(AppiumDriver | iava·1) |
| | | oidDriver.findElement(Andro | |
| | | eWebDriver.findElementByX | |
| java:419) | | | t util (Remote Webbilver. |
| | ent.DefaultGener | icMobileDriver.findElementB | vXPath |
| (DefaultGenericMobi | | | J 122 WW1 |
| | · · | er.findElementByXPath(Appi | ımDriver.java:1) |
| | | oidDriver.findElementByXPa | |
| | | indElement(By.java:353) | , |
| | | eWebDriver.findElement(Ren | noteWebDriver.java:309) |
| at io.appium.java_cli | ent.DefaultGener | icMobileDriver.findElement | |
| (DefaultGenericMobi | · · · · · · · · · · · · · · · · · · · | | |
| | | er.findElement(AppiumDriver | |
| | | coidDriver.findElement(Andro | |
| _ | | ands\$15.executeCommand(Co | · · · · · · · · · · · · · · · · · · · |
| | .selenium.Execut | teCommand.executeCommand | l(ExecuteCommand.java: |
| 19) | (T) (D) | | 1(2) |
| | | Page.clickButton(TestBasePag | |
| (PulseRegistrationSci | | istrationScreen.selectTheLang | ,uage i oggie |
| | • | obilesteps.RegistrationSteps.so | electTheLangOntion |
| (RegistrationSteps.ja | | oblicateps. Registration at the | heet i neLang Option |
| | | on toggle bar as required on lo | gin nage(features/my |
| /MyAccount/PulseMy | | _ | g f g-(|
| When user enters cre | | | 0.00s |
| UserName \${PUL\$ | | | 30000 |
| | | | |
| Password \${pulse | | | 2.00 |
| And User clicks on sign | gnin button | | 0.00s |
| And I wait for 5 sec | | | 0.00s |
| | | user email ''\${PULSE_EMAII | L}'' 0.00s |
| Then user should be l | anded to ''Home' | '' screen | 0.00s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Navigate to ac | count screen | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 2.05s |
| Before | | | 0.00s |
| | | | 0.000 |
| Given user navigate t | o account page | | 2.05 |
| After | | | 2.05s |
| Back to Table of Contents | | | 2.05s 0.00s |
| | | | |
| Scenario: Verify my sett | ing screen in Acco | ount tab | |
| Scenario: Verify my sett Passed: 1 | ing screen in Acco | ount tab Undefined: 1 | 0.00s Duration: 2.05s |
| | T | | 0.00s |

| Given I wait for 2 sec | 2.01s |
|--|--|
| And I click on "\${icon.mySettings}" link in Account screen | 0.04s |
| | |
| org.openqa.selenium.WebDriverException: An unknown server-side error occur | red while |
| processing the command. Original error: Could not proxy command to the remo | |
| Original error: socket hang up | |
| Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z | • |
| System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. | arch: 'amd64', |
| os.version: '10.0', java.version: '11.0.2' | |
| Driver info: io.appium.java_client.android.AndroidDriver | |
| Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.pru | udential.pulse. |
| uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled | d: false, |
| desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, | itial.pulse.uat, |
| autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Androic | d-Test, |
| newCommandTimeout: 10000, noReset: true, platformName: android}, deviceA | |
| deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 | |
| deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD | |
| java script Enabled: true, location Context Enabled: false, network Connection Enabled: false, netw | |
| newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX | The state of the s |
| platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreens | * |
| viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webSto | rageEnabled: |
| false} | |
| Session ID: 7dca8b35-f05c-405d-bf4c-19830ed4d565 | |
| *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@te | xt,''My |
| Settings")]} | G |
| at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown | |
| at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstand | :e |
| (DelegatingConstructorAccessorImpl.java:45) | |
| at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException | |
| (W3CHttpResponseCodec.java:187) | |
| at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode | |
| (W3CHttpResponseCodec.java:122) | |
| at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode | |
| (W3CHttpResponseCodec.java:49) | |
| at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommand | Executor.iava: |
| 158) | anocator ija vat |
| at io.appium.java_client.remote.AppiumCommandExecutor.execute | |
| (AppiumCommandExecutor.java:231) | |
| at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.ja | ava:543) |
| at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericM | |
| java:42) | |
| at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) | |
| at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElement(| ver.java:317) |
| at io.appium.java_client.DefaultGenericMobileDriver.findElement | |
| (DefaultGenericMobileDriver.java:62) | |
| at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java | |
| $at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XP ath (Remote By AP) at the contract of the contract$ | eWebDriver. |
| java:419) | |
| | eWebDriver. |

```
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
  (PulseManageProfileScreen.java:952)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
  (ManageProfileSteps.java:81)
  at .And I click on "${icon.mySettings}" link in Account screen(features/my/MyAccount
  /PulseMySetting.feature:28)
                                                                                0.00s
After
Back to Table of Contents
Scenario: navigate back to account screen from my setting screen
Passed: 0
                        Failed: 1
                                               Undefined: 1
                                                                                Duration: .04s
Before
                                                                                0.00s
  Then I click on back button on my settings screen to navigate to account screen
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 7dca8b35-f05c-405d-bf4c-19830ed4d565
  *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     at io.appium.java client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     19)
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.PulseManageProfileScreen.clickOnMySettingBkBtn
     (PulseManageProfileScreen.java:982)
     at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
     clickBackButtonInMySettingScreen(ManageProfileSteps.java:132)
     at .Then I click on back button on my settings screen to navigate to account screen(features/my
     /MyAccount/PulseMySetting.feature:40)
  After
                                                                                 0.00s
  Back to Table of Contents
Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
                   Failed: 0
Passed: 3
                                      Undefined: 0
                                                              Duration: 114.74s
```

| Scenario: Launch th | e app and s | elect the country as | s per specified | l lbu | |
|-------------------------|--------------|-----------------------|-----------------|--|------------------|
| Passed: 6 | Failed: |) U | ndefined: 0 | | Duration: 47.7s |
| Before | | | | | 0.00s |
| Given User has p | ulse app | | | | 11.59s |
| | | d}'' to variable ''PU | JLSE EMAI | L'' | 0.00s |
| | | UE WITH EMAIL | | | 14.20s |
| Then I change th | e country as | required on regist | ration page | | 11.98s |
| Then I wait for 5 | sec | | | | 5.00s |
| And I click the Si | ign in link | | | | 4.92s |
| After | | | | | 0.00s |
| Back to Table of Conten | <u>its</u> | | | | |
| Scenario: login to th | e app with o | correct credentials | using "Conti | nue with Email" | |
| Passed: 6 | Failed: |) U | ndefined: 0 | | Duration: 46.26s |
| Before | | | | | 0.00s |
| Given I select the | language or | ption on toggle bar | as required o | on login page | 3.56s |
| When user enters | | | • | 0 1 0 | 10.61s |
| UserName \${F | PULSE EM | AIL} | | | - |
| Password \${le | | | | | |
| And User clicks of | | | | | 0.29s |
| And I wait for 5 s | | | | | 5.02s |
| And I enter OTP | in one pulse | app for user emai | l "\${PULSE_ | EMAIL}" | 12.08s |
| | | o "Home" screen | | | 14.71s |
| After | | | | | 0.00s |
| Back to Table of Conten | <u>its</u> | | | | |
| Scenario: Verify the | user can ac | cess My Wearables | s via Fitness | | |
| Passed: 4 | Failed: | | ndefined: 0 | | Duration: 20.79s |
| Before | | | | | 0.00s |
| When User clicks | s on Fitness | tah | | | 15.06s |
| | | tile on Fitness scre | e n | | 0.73s |
| \${fitness.myW | | | | | |
| \${fitness.myW | | scription} | | | |
| | | v button on Fitness | screen | | 1.21s |
| | | re displayed under | | les screen | 3.79s |
| \${wearables.ti | | | | | |
| \${wearables.si | | | | | |
| \${wearables.d | | | | | |
| \${wearables.fi | | | | | |
| \${wearables.g | arminText} | | | | |
| \${wearables.g | | | | | |
| After | | | | | 0.00s |
| Back to Table of Conten | ıts | | | | |
| Feature: Verify the Bal | hyLon HRA | Report - Nutrition | Rody Activ | ity | |
| | niled: 8 | Undefined: 0 | , Dody, Activ | Duration: 306.04s | |
| ra I'a | arcu. U | Chachinea. 0 | | 2 di di di di 1 di 1 di 1 di 1 di 1 di 1 | |

| Sc | enario: Launch the an | p and select the country | as per specified lbu | |
|-----|--|----------------------------|--------------------------------------|-----------------------|
| | ssed: 6 | Failed: 0 | Undefined: 0 | Duration: 50.47s |
| _ | efore | | Chatha v | 0.00s |
| | Given User has pulse a | | | 11.37s |
| | | ** | -LI- UDIU CE ENATUU | |
| | | | able "PULSE_EMAIL" | 0.00s |
| | | | IL" with Email button | 17.32s |
| | | ntry as required on reg | distration page | 11.85s |
| | Then I wait for 5 sec | | | 5.01s |
| | And I click the Sign in | l link | | 4.92s |
| | <u> </u> | | | 0.00s |
| | ck to Table of Contents | | | |
| Sc | enario: login to the app | with correct credentia | als using "Continue with Email" | |
| Pas | ssed: 8 | Failed: 0 | Undefined: 0 | Duration: 101.45 s |
| Be | efore | | | 0.00s |
| | Given I select the lang | uage option on toggle b | oar as required on login page | 3.63s |
| | When user enters cred | lentials | | 10.56s |
| ı | UserName \${PULS Password \${hra.pa | | | |
| | And User clicks on sig | nin button | | 0.25s |
| | And I wait for 5 sec | | | 5.01s |
| | And I enter OTP in or | ne pulse app for user en | nail "\${PULSE_EMAIL}" | 13.86s |
| | Then user should be la | anded to "Home" scree | n | 14.48s |
| | When I clicks on Heal | th button | | 13.36s |
| | And I navigate to Bab | ylon health Assessment | and Accept TermsAndCondition | 40.31s |
| Af | ter | | | 0.00s |
| Ba | ck to Table of Contents | | | • |
| Sc | enario: User should be | able to access Babylon | Health Risk Assessment Report | |
| Pas | ssed: 3 | Failed: 0 | Undefined: 0 | Duration: 16.23s |
| Be | efore | | | 0.00s |
| | When I click on "Ren | ort'' link on digital twir | ı screen | 5.40s |
| | And I wait for 5 sec | V1 V V1- V1-19 | | 5.01s |
| | | Results are displayed | | 5.82s |
| | \${babylon.hraRepo | | | 1.12.14 |
| | \${babylon.hraRepo | | | |
| | 1 | ort.report.percentage} | | |
| | | ort.report.statement1} | | |
| | | ort.report.statement2} | | |
| | | ort.report.statement3} | | |
| A f | eter | | | 0.00s |
| | ck to Table of Contents | | | 0.003 |
| | | A Activity Depart | | |
| | enario: Verify the HRA | Failed: 0 | Undefined: 0 | Dunation: 16 10 |
| Pa | ssed: 1 | raneu: 0 | Ondermed: 0 | Duration: 16.19s |

| | efore | | | 0.00s |
|-----------|--|---|---|------------------|
| | Then I verify the HI | RA Results are disp | layed | 16.20s |
| | \${babylon.hraRe | port.summary.title | .} | |
| | \${babylon.hraRe | port.summary.desc | cription} | |
| | \${babylon.hraRe | port.summary.dise | aseRisk} | |
| | \${babylon.hraRe | port.summary.dise | easeRiskDescription} | |
| | \${babylon.hraRe | port.summary.dise | easeRisk.statement1} | |
| | \${babylon.hraRe | port.summary.dise | easeRisk.statement2} | |
| | \${babylon.hraRe | port.summary.dise | easeRisk.statement3} | |
| | \${babylon.hraRe | port.summary.dise | easeRisk.statement4} | |
| | \${babylon.hraRe | port.summary.orga | an.title} | |
| | \${babylon.hraRe | port.summary.orga | anDescription} | |
| | \${babylon.hraRe | port.summary.orga | an.statement1} | |
| | \${babylon.hraRe | port.summary.orga | an.statement2} | |
| Aſ | fter | | | 0.00s |
| <u>Ba</u> | ck to Table of Contents | | | |
| Sc | enario: Verify the H | RA Activity Report | t en | |
| Pa | ssed: 1 | Failed: 0 | Undefined: 0 | Duration: 3.88s |
| Be | efore | | | 0.00s |
| | Then I verify the HI | RA Results are disp | olayed | 3.88s |
| | | port.activity.title} | | |
| | | port.activity.subTi | tle} | |
| | | port.activity.staten | | |
| | | port.activity.staten | | |
| Af | fter | | | 0.00s |
| Ba | ck to Table of Contents | | | |
| | enario: Verify the H | RA Nutrition Repo | rt | |
| | ssed: 1 | | | |
| Pa | SSEU: 1 | lFailed: 0 | Undefined: 0 | Duration: 16.76s |
| | | Failed: 0 | Undefined: 0 | |
| | efore | | | 0.00s |
| | Then I verify the HI | RA Results are disp | played | |
| | Then I verify the HI \${babylon.hraRe | RA Results are disp | played } | 0.00s |
| | Then I verify the HI \${babylon.hraRe \${babylon.hraRe} | RA Results are disperport.nutrition.title | Dlayed } Fitle} | 0.00s |
| | Then I verify the HI \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} | RA Results are disperport.nutrition.title | olayed } | 0.00s |
| | Then I verify the HI \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} | RA Results are disperort.nutrition.titlesport.nutrition.subTeport.nutrition.state | olayed } Fitle} ement1} ement2} | 0.00s |
| | Then I verify the HI \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} | RA Results are disperport.nutrition.title port.nutrition.subTriport.nutrition.state port.nutrition.state port.nutrition.state | Dlayed | |
| | Then I verify the HI \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} | RA Results are disperport.nutrition.titles report.nutrition.subTreport.nutrition.state report.nutrition.state report.nutrition.state report.nutrition.state | olayed Fitle} ement1} ement2} ement3} | 0.00s |
| | Then I verify the HI \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} \${babylon.hraRe} | RA Results are disperport.nutrition.title) port.nutrition.subTeport.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state | played } [Title] ement1] ement2] ement3] ement4] ement5] | 0.00s |
| | Then I verify the HI \${babylon.hraRe} | RA Results are disperport.nutrition.title port.nutrition.subTeport.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state | olayed Fitle} ement1} ement2} ement3} ement4} ement5} | 0.00s |
| | Then I verify the HI \${babylon.hraRe} | RA Results are disperport.nutrition.title) port.nutrition.subTeport.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state | played } Fitle} ement1} ement2} ement3} ement4} ement5} ement6} | 0.00s |
| | Then I verify the HI \${babylon.hraRe} | RA Results are disperport.nutrition.title) report.nutrition.subTreport.nutrition.state report.nutrition.state report.nutrition.state report.nutrition.state report.nutrition.state report.nutrition.state report.nutrition.state report.nutrition.state | played Fitle Ement 1 Ement 2 Ement 3 Ement 4 Ement 5 Ement 6 Ement 7 Ement 8 | 0.00s |
| Be | Then I verify the HI \${babylon.hraRe} | RA Results are disperport.nutrition.title) port.nutrition.subTeport.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state port.nutrition.state | played Fitle Ement 1 Ement 2 Ement 3 Ement 4 Ement 5 Ement 6 Ement 7 Ement 8 | 0.00s |

| | rio: verny me HKA | A Report - Keep It U | Jp sub-section | |
|----------------|---------------------------------------|----------------------------|----------------------------|------------------|
| Passed: | 1 | Failed: 0 | Undefined: 0 | Duration: 6.38s |
| Before | | | | 0.00s |
| The | en I verify the HRA | Results are display | red | 6.38s |
| 9 | \${babylon.hraRepo | ort.keepItUp} | | |
| | \${babylon.hraRepo | | | |
| 9 | \${babylon.hraRepo | ort.lowFat.description | on} | |
| 9 | \${babylon.hraRepo | ort.lowAlcohol} | | |
| 1 | \${babylon.hraRepo | ort.lowAlcohol.descr | ription} | |
| 9 | \${babylon.hraRepo | rt.redMeat} | | |
| 4 | \${babylon.hraRepo | ort.redMeat.descript | tion} | |
| After | | | | 0.00s |
| Back to | Table of Contents | | | |
| Scenar | rio: Verify the HRA | Report - Make a C | Change sub-section | |
| Passed: | | Failed: 0 | Undefined: 0 | Duration: 11.62s |
| Before | , | | | 0.00s |
| The | en I verify the HRA | Results are display | ved | 11.62s |
| 9 | \${babylon.hraRepo | ort.makeAChange} | | |
| . . | \${babylon.hraRepo | <u> </u> | | |
| <u> </u> | \${babylon.hraRepo | | | |
| _ | \${babylon.hraRepo | | | |
| _ | \${babylon.hraRepo | | | |
| 9 | \${babylon.hraRepo | ort.change5} | | |
| 9 | \${babylon.hraRepo | ort.change6} | | |
| After | | | | 0.00s |
| Back to | Table of Contents | | | |
| Scenar | rio: User should be | able to access Baby | lon HRA - Healthcheck - Bo | dy |
| Passed: | | Failed: 0 | Undefined: 0 | Duration: 12.87s |
| Before | <u> </u> | | | 0.00s |
| Wh | en I click on ''Heal | thcheck" link on di | gital twin screen | 5.80s |
| | | y'' link on digital tw | <u> </u> | 2.40s |
| | · · · · · · · · · · · · · · · · · · · | Results are display | | 0.44s |
| 9 | \${babylon.hraRepo | ort.bodyButtton} | | |
| | 1 | g text is displayed or | n HRA report | 4.22s |
| _ | \${babylon.hraRepo | <u> </u> | • | |
| _ | \${babylon.hraRepo | | | |
| | \${babylon.hraRepo | • | | |
| _ | \${babylon.hraRepo | • | | |
| After | | | | 0.00s |
| | Table of Contents | | | |
| | | o digital twin screer | 1 | |
| Scenar | | - January City and Del Cel | | |
| Scenar Passed: | | Failed: 0 | Undefined: 0 | Duration: 2.44s |

| fter | k'' link on digital twin sc | <u>reen </u> | 2.44s |
|--|--|--|--|
| | | | 0.00s |
| ck to Table of Contents | | | |
| enario: User should I | be able to access Babylon | HRA - Healthcheck - N | utrition |
| ssed: 3 | Failed: 1 | Undefined: 0 | Duration: 39.1s |
| efore | | | 0.00s |
| When I click on "N | ıtrition'' link on digital t | win screen | 2.75s |
| | RA Results are displayed | | 1.29s |
| \${babylon.hraRe | | | 1.273 |
| | port.nutrition} port.nutrition.description | <u> </u> | |
| | | | 22.02 |
| | etake Assessment'' link o | | 33.02s |
| - | RA Results are displayed | | 2.03s |
| \${babylon.hraRe | port.nutrition.retake} | | |
| uat, autoDismissAle desired: {appActivit autoDismissAlerts: t | rts: true, automationNan y: com.prudential.pulse. | ne: UiAutomator2, data | |
| deviceManufacturer deviceScreenDensity javascriptEnabled: newCommandTime platformName: And viewportRect: {heightalse} Session ID: 096093f. | out: 10000, noReset: true :: Google, deviceModel: la :: 440, deviceScreenSize: true, locationContextEna out: 10000, noReset: true lroid, platformVersion: 1 ht: 2015, left: 0, top: 145, 3-fda0-4e98-865f-fb5f3a3 | JiAutomator2, deviceNa e, platformName: androi Pixel 5, deviceName: 0C 1080x2340, deviceUDID abled: false, networkCon e, pixelRatio: 2.75, platfo 1, statBarHeight: 145, to width: 1080}, warnings | me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true, :: {}, webStorageEnabled: |
| deviceManufacturer deviceScreenDensity javascriptEnabled: inewCommandTime platformName: And viewportRect: {heighfalse} Session ID: 096093fat jdk.internal.reflect at java.base/jdk.internal.reflect at java.base/jdk.internat.java.base/java.lant org.openqa.seleni (W3CHttpResponset at org.openqa | out: 10000, noReset: true :: Google, deviceModel: I :: 440, deviceScreenSize: true, locationContextEna out: 10000, noReset: true lroid, platformVersion: 1 ht: 2015, left: 0, top: 145, ct.GeneratedConstructor ernal.reflect.DelegatingContextConstructor.ne um.remote.http.W3CHtt Codec.java:187) um.remote.http.W3CHtt Codec.java:122) um.remote.http.W3CHtt Codec.java:49) | JiAutomator2, deviceNa e, platformName: androi Pixel 5, deviceName: 0C2 1080x2340, deviceUDID abled: false, networkCon e, pixelRatio: 2.75, platfo 1, statBarHeight: 145, to make the constructor of the co | me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, unectionEnabled: true, orm: LINUX, akesScreenshot: true, :: {}, webStorageEnabled e(Unknown Source) .newInstance java:490) Exception e CommandExecutor.java |

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)

at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report. feature:115)

| After | | | 0.00s |
|---------------------------|----------------------------------|--------------------------|-----------------------|
| Back to Table of Contents | | | |
| Scenario: Navigate back | to nutrition screen and v | validate the static text | |
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 4.1s |
| Before | | | 0.00s |
| And I click on "Back" | ' link on digital twin scr | een | 4.10s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8231

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1

*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:119)
                                                                              0.00s
After
Back to Table of Contents
Scenario: navigate back to digital twin screen
                       Failed: 1
Passed: 0
                                              Undefined: 0
                                                                              Duration: 4.09s
Before
                                                                              0.00s
  And I click on "Back" link on digital twin screen
                                                                              4.09s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8231
```

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin (BabylonHealthAssessmentScreen.java:134)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350)

at .And I click on ''Back'' link on digital twin screen(features/my/health/BabylonHRA_Report. feature:125)

| After | | | 0.00s |
|---------------------------|--------------------|------------------------------|-----------------|
| Back to Table of Contents | | | |
| Scenario: User should be | able to access B | abylon HRA - Healthcheck - A | Activity |
| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: 4.08s |
| Before | | | 0.00s |
| When I click on "Acti | vity'' link on dig | ital twin screen | 4.08s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8231

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]} at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:126)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Activity" link on digital twin screen(features/my/health
  /BabylonHRA_Report.feature:129)
                                                                              0.00s
After
Back to Table of Contents
Scenario: Navigate back to Activity screen and validate the static text
                       Failed: 1
Passed: 0
                                              Undefined: 1
                                                                               Duration: 4.07s
                                                                              0.00s
Before
  And I click on "Back" link on digital twin screen
                                                                              4.07s
```

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8231
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:139)
                                                                                0.00s
After
Back to Table of Contents
Scenario: navigate back to digital twin screen
Passed: 0
                        Failed: 1
                                               Undefined: 0
                                                                                Duration: 4.09s
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                                4.09s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8231
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1
  *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:145)
                                                                              0.00s
After
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood
Passed: 0
                       Failed: 1
                                              Undefined: 3
                                                                              Duration: 4.09s
                                                                              0.00s
Before
```

```
When I click on "Mood" link on digital twin screen
                                                                            4.10s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8231
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at idk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
```

```
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:130)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Mood" link on digital twin screen(features/my/health
  /BabylonHRA_Report.feature:149)
                                                                                0.00s
After
Back to Table of Contents
Scenario: navigate back to digital twin screen
                        Failed: 1
                                                                                Duration: 4.13s
Passed: 0
                                               Undefined: 0
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                               4.13s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8231
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
```

```
false}
  Session ID: 096093f3-fda0-4e98-865f-fb5f3a356ac1
  *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
  at idk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA Report.
                                                                             0.00s
After
```

Back to Table of Contents

| Feature: Verify that user ca | access calendar under health section | |
|------------------------------|---|------------------|
| Passed: 2 Failed: 1 | Undefined: 0 Duration: 145.13s | |
| Scenario: Launch the app | and select the country as per specified lbu | |
| Passed: 6 | Failed: 0 Undefined: 0 | Duration: 43.4s |
| Before | | 0.00s |
| Given User has pulse a | ірр | 8.88s |
| And I assign "\${login. | email.id}" to variable "PULSE_EMAIL" | 0.00s |
| And user click on "CO | NTINUE WITH EMAIL" with Email button | 15.54s |
| Then I change the cou | ntry as required on registration page | 12.09s |
| Then I wait for 2 sec | | 2.01s |
| And I click the Sign in | link | 4.88s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: login to the app | with correct credentials using "Continue with Email" | |
| Passed: 6 | Failed: 0 Undefined: 0 | Duration: 45.24s |
| Before | | 0.00s |
| Given I select the lang | uage option on toggle bar as required on login page | 3.58s |
| When user enters cred | | 10.52s |
| UserName \${PULS | E_EMAIL} | |
| Password \${pulse. | password} | |
| And User clicks on sig | nin button | 0.23s |
| And I wait for 5 sec | | 4.99s |
| And I enter OTP in or | e pulse app for user email "\${PULSE_EMAIL}" | 11.01s |
| Then user should be la | nded to "Home" screen | 14.91s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be | able to access Calendar screen | |
| Passed: 5 | Failed: 1 Undefined: 2 | Duration: 56.5s |
| Before | | 0.00s |
| And I wait for 3 sec | | 3.00s |
| When I clicks on Heal | th button | 15.09s |
| And I scroll down | | 4.54s |
| And I click on Calend | ar tile | 14.71s |
| And I wait for 3 sec | | 3.00s |
| Then I verify followin | g texts are displayed | 16.17s |
| \${calendar.text} | | |
| \${no.events.text} | | |
| | ror: The following asserts failed: | |
| _ | yed on page expected [true] but found [false], is displayed on page expected [true] but found [false] | |
| | oftAssert.assertAll(SoftAssert.java:43) | |
| | tepdefinitions.mobilesteps.MyDocSteps.verifyTextsOn | Screen |
| | | |

| (MyDocSteps.java: | | ayed(features/my/health/Cale | ndar feature•31) |
|---|---|--|--|
| | ts dropdown button in | | 0.00s |
| | llowing texts "Calenda | | 0.00s |
| \${medicine.remi | | | |
| \${appointments. | | | |
| \${vaccination.tex | xt} | | |
| \${workout.text} | | | |
| \${pulse.tv.text} | | | |
| \${policy.remaind | ler.text} | | |
| Pulse V Peccrder Deviced | | | |
| | (a) | | |
| | _ | | 0.00s |
| After Back to Table of Contents | | | 0.00s |
| G ———————————————————————————————————— | can access Chinese M | | |
| After Back to Table of Contents ature: Verify that user sed: 0 Failed | can access Chinese M d: 74 Undefin | | 989.51s |
| After Back to Table of Contents Ature: Verify that user sed: 0 Failer Scenario: User should | can access Chinese M d: 74 Undefin | ned: 0 Duration: 9 | 089.51s using "Continue with |
| After Back to Table of Contents Ature: Verify that user sed: 0 Failed Scenario: User should Email" | can access Chinese M d: 74 Undefin be able to register on | ned: 0 Duration: 9 app with correct credentials 1 | 989.51s |
| After Back to Table of Contents Ature: Verify that user sed: 0 Failed Scenario: User should Email" Passed: 15 Before | can access Chinese M d: 74 Undefine be able to register on Failed: 1 ndom number and ass | ned: 0 Duration: 9 app with correct credentials to Undefined: 2 | 089.51s using "Continue with Duration: 187. |
| After Back to Table of Contents Iture: Verify that user sed: 0 Failed Scenario: User should Email" Passed: 15 Before Given I generate ra "RANDOM_NUMI | can access Chinese M d: 74 Undefin be able to register on Failed: 1 Indom number and ass BER'' | ned: 0 Duration: 9 app with correct credentials to Undefined: 2 | Duration: 187. s 0.00s 0.00s |
| After Back to Table of Contents Ature: Verify that user Sed: 0 Failer Scenario: User should Email" Passed: 15 Before Given I generate ra "RANDOM_NUMI And I assign "pulse | can access Chinese M d: 74 Undefin be able to register on Failed: 1 Indom number and ass BER'' \${RANDOM_NUMB} | ned: 0 Duration: 9 app with correct credentials v Undefined: 2 sign to variable | Duration: 187. s 0.00s 0.00s |

| And user click on "CONTINUE WITH EMAIL" with Email button | 13.30s |
|--|--|
| Then I wait for 2 sec | 2.01s |
| Then I change the country as required on registration page | 12.04s |
| Then I wait for 2 sec | 2.00s |
| Then I navigate to pulse registration page and select the lang on toggle bar the click on continue with email button | en 3.81s |
| Then I wait for 2 sec | 2.01s |
| When user enters registration details | 6.82s |
| FirstName testAutomation | 0.025 |
| LastName testAutomation | |
| Email \${PULSE_EMAIL} | |
| Password Pas\$1234 | |
| | 0.27- |
| And taps on continue "Sign_Up" button | 0.27s |
| And I wait for otp screen after clicking on signup button | 2.12s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 34.83s |
| Then I wait for 2 sec | 2.01s |
| Then I click skip button | 94.47 s |
| no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver | 2Z' os.arch: 'amd6 ² |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnakdesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudesired: {appActivity: {ap | 2Z' os.arch: 'amd64 prudential.puls pled: false, dential.pulse.ua |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnakdesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudeutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndrewCommandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 | 2Z' os.arch: 'amd64 prudential.puls oled: false, dential.pulse.ua roid-Test, eApiLevel: 30, |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.15 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudeutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndrewCommandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C2411 | 2Z' os.arch: 'amd64 prudential.puls pled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, FDD40043P, |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.15 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndrowCommandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C2411 javascriptEnabled: true, locationContextEnabled: false, networkConnectionE | os.arch: 'amd64 prudential.puls pled: false, dential.pulse.ua roid-Test, teApiLevel: 30, 10043P, FDD40043P, Cnabled: true, |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.16 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndrewCommandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C2411 javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN | 2Z' os.arch: 'amd64 prudential.puls oled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true, UX, |
| no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. nat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentia | 2Z' os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true, UX, enshot: true, |
| no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.nat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndrewCommandTimeout: 10000, noReset: true, platformName: android}, deviceleviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FavascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webstering to the properties of the platform of the | 2Z' os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true, UX, enshot: true, |
| Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.16 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. at, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndrowCommandTimeout: 10000, noReset: true, platformName: android}, deviceleviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C2411 avascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen in the context of the c | 2Z' os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true, UX, enshot: true, |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 Bystem info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. at, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudentioDismissAlerts: true, automationName: UiAutomator2, deviceName: AndroidewCommandTimeout: 10000, noReset: true, platformName: android}, deviceleviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241I avascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, websitalse} Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70 *** Element info: {Using=xpath, value=//android.view.ViewGroup[2]/android. | os.arch: 'amd64 prudential.puls pled: false, dential.pulse.ua roid-Test, teApiLevel: 30, 10043P, FDD40043P, Chabled: true, UX, enshot: true, StorageEnabled |
| no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.nat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentionSimissAlerts: true, automationName: UiAutomator2, deviceName: Android commandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241B davascriptEnabled: true, locationContextEnabled: false, networkConnectionEnawCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen in the command in the comman | 2Z' os.arch: 'amd64 prudential.puls oled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, EDD40043P, Chabled: true, UX, enshot: true, StorageEnabled |
| Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. at, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnablesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentiolismissAlerts: true, automationName: UiAutomator2, deviceName: AndrowCommandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241B davascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, websitalse} Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70 *** Element info: {Using=xpath, value=//android.view.ViewGroup[2]/android/android.view.ViewGroup/android.widget.ImageView} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown) | 2Z' os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, EDD40043P, Chabled: true, UX, enshot: true, StorageEnabled d.view.ViewGro |
| Ino_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. nat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnal desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudent | 2Z' os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, EDD40043P, Chabled: true, UX, enshot: true, StorageEnabled d.view.ViewGro |
| Ano_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnaldesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentia | os.arch: 'amd64 prudential.puls pled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true, UX, enshot: true, StorageEnabled d.view.ViewGro wn Source) ance |
| Ano_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnaldesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentia | os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, EDD40043P, Chabled: true, UX, enshot: true, StorageEnabled d.view.ViewGro wn Source) ance |
| Rousuch_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnaldesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudentioDismissAlerts: true, automationName: UiAutomator2, deviceName: Android, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: oC241FDD4deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: oC241FjavascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScrewiewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webfalse} Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70 **** Element info: {Using=xpath, value=//android.view.ViewGroup[2]/android/android.view.ViewGroup/android.widget.ImageView} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknovat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Constructor,java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createExceptionator. | os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, EDD40043P, Chabled: true, UX, enshot: true, StorageEnabled d.view.ViewGro wn Source) ance |
| For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnaldesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudutoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-mewCommandTimeout: 10000, noReset: true, platformName: android}, devicedeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241IjavascriptEnabled: true, locationContextEnabled: false, networkConnectionEnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreeviewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, websfalse} Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70 **** Element info: {Using=xpath, value=//android.view.ViewGroup[2]/android/android.view.ViewGroup/android.widget.ImageView} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknovat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode | os.arch: 'amd64 prudential.puls bled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 10043P, EDD40043P, Chabled: true, UX, enshot: true, StorageEnabled d.view.ViewGro wn Source) ance |


```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1152)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:377)
  at .Then I click skip button(features/my/health/ChineseMedicine.feature:27)
   Then user should be landed to "Home" screen
                                                                              0.00s
After
Back to Table of Contents
Scenario: User should be able to access Chinese Medicine screen
Passed: 1
                         Failed: 1
                                               Undefined: 2
                                                                              Duration: 43.34s
                                                                              0.00s
Before
  When I clicks on Health button
                                                                              28.54s
  And I click on Chinese Medicine button
                                                                              14.79s
  org.openga.selenium.NoSuchElementException: An element could not be located on the page
  using the given search parameters.
```

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Home"]
/preceding::android.widget.ImageView[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseHealthScreen.clickChineseMedicineButton (PulseHealthScreen.java:251) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. navigateToBabylonSymptomsPage(ChineseMedicineSteps.java:37) at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine.feature:33) Then User verify following texts are displayed in Chinese Medicine screen 1:23 (P III III (P · After 0.00s**Back to Table of Contents** Scenario Outline: Verify the carousel on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 2 **Duration: 8.27s** 0.00sBefore 8.27s Then User verify following texts are displayed in Chinese Medicine screen \${chineseMedicine.page1.text}

java.lang.AssertionError: The following asserts failed: the expected text is: Chinese Constitution research statistics have found that there is a correlation between certain constitutions and some diseases, so to maintain your body, you must first understand your own constitution condition. expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my /health/ChineseMedicine.feature:44) 1:23 (P m m (P · 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the carousel on Chinese Medicine journey Failed: 1 **Undefined: 2** Passed: 0 **Duration: 8.24s** Before 0.00sThen User verify following texts are displayed in Chinese Medicine screen 8.24s \${chineseMedicine.page2.text} java.lang.AssertionError: The following asserts failed: the expected text is: You can easily know your body constitution through AI big data analytics and get appropriate daily health related advice. If the result of the assessment turns out to be serious, it is recommended to improve your daily diets and lifestyle to prevent diseases. expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)at .Then User verify following texts are displayed in Chinese Medicine screen(features/my /health/ChineseMedicine.feature:44) 1:23 (P m m (P · 0.00sAfter **Back to Table of Contents** Scenario: verify the text and button on final assessment carousel Passed: 0 Failed: 1 **Undefined: 1 Duration: 8.18s** 0.00sBefore Then User verify following texts are displayed in Chinese Medicine screen 8.18s \${chineseMedicine.page3.text} java.lang.AssertionError: The following asserts failed: the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my /health/ChineseMedicine.feature:56)



```
false}
Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Start
Assessment'']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickStartAssessmentButton
(ChineseMedicineScreen.java:56)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
clickOnStartAssessment(ChineseMedicineSteps.java:76)
at .When I click on Start Assessment button on Chinese Medicine screen(features/my/health
/ChineseMedicine.feature:62)
```

| Then User verify following texts are displayed in Chinese Medicine screen | 0.00s |
|---|-----------------------|
| \${chineseMedicine.profile.title} | |
| \${chineseMedicine.profile.description} | |
| \${chineseMedicine.profile.mandatoryFields} | |
| Then change Chinese Medicine user profile details | 0.00s |
| City \${chineseMedicine.profile.cityValue} | |
| Smoking Habits \${chineseMedicine.profile.smokingHabitsValue} | |
| Drinking Habits \${chineseMedicine.profile.drinkingHabitsValue} | |
| Exercise Habits \${chineseMedicine.profile.exerciseHabitsValue} | |
| When I click on Next button on Chinese Medicine Profile screen | 0.00s |
| When User verify following texts are displayed in Chinese Medicine screen | 0.00s |
| \${chineseMedicine.question.1} | |
| \${chineseMedicine.statement.1} | |
| Then I verify following answer options are displayed on Chinese Medicine | 0.00- |
| screen | 0.00s |
| \${chineseMedicine.answer.option1} | |
| \${chineseMedicine.answer.option2} | |
| \${chineseMedicine.answer.option3} | |
| \${chineseMedicine.answer.option4} | |
| \${chineseMedicine.answer.option5} | |
| | |
| 1:24 ♀ ■ ■ • • • • • • • • • • • • • • • • • | |
| | |
| 1:24 ♥ Ⅲ □ • • • • • • • • • • • • • • • • • • | |
| G •; | |
| | |
| | |
| C Photos Keep Not YouTube Grast Clock | |
| | |
| Photos Reep Not YouTube Gmail Clock Androad - Applum - Calesdator Carrena | |
| Photos Keep Not YouTube Grast Clock | |
| Photos Keep Not YouTube Gmail Clock Android - Applum - Calkedator Carriera | |
| Photos Keep Not YouTube Gmail Clock Photos Keep Not YouTube Gmail Clock Android - Applam - Calculator Caferdar Camera Chrome Clock Contacts Deviced Doos | |
| Fhotise Keep Not YOuTube Gmail Clock Androad - Applum - Calculator Calredar Camera Choome Clock Contacts Deviceld Doos | |
| Photos Keep Not YouTube Gmail Clock Photos Keep Not YouTube Gmail Clock Android - Applam - Calculator Caferdar Camera Chrome Clock Contacts Deviced Doos | |
| Fhotise Keep Not YOuTube Gmail Clock Androad - Applum - Calculator Calredar Camera Choome Clock Contacts Deviceld Doos | |
| Photos Keep Not YouTube Grast Clock Photos Keep Not YouTube Grast Clock Android _ Applant _ Calleslator Cafendar Carnero Chosine Clock Contacts Deviced Docc Chive Duo Fées Grast Google | |
| G Photos Keep Not YouTube Gmail Clock Anabord - Agskam - Calcisator Cairentar Carrera Chisame Clock Contacts Deviceld Doos Chisame Clock Contacts Deviceld Cacc Chisame Clock Cacc Chisame Clock Contacts Deviceld Cacc Chisame Clock Cacc Chisame Cl | |
| G Photos Keep Not YouTube Grast Gook Androad Aggium Calculator Carens Chisme Clock Cortacts Deviced Doco Chisme Clock Tites Crast Coogle Chief Cup Tites Chast Coogle Ocogle C Coogle P Chay Hatte Keep Not | |
| G Photos Keep Not YouTube Gross Cook Archord - Applam - Calculator Calverdur Carnera Chiome Clock Contacts Deviceld Doos Chiome Clock Contacts Deviceld Doos Chiome Clock Contacts Calculator Calverdur Carnera Coogle Chiome Clock Contacts Calculator Carnera Coogle Chiome Clock Contacts Calculator Carnera Coogle Chiome Clock Contacts Carnera Coogle Chiome Chiome Clock Contacts Carnera Coogle Chiome | |
| G Protos Keep Not YouTube Grast Gook Androad Agplan Calendar Camera Chisme Clock Cortacts Deviced Doco Chisme Clock Cortacts Const Google Chie Duo Files Cnst Google Ocogle D Ocogle P OPay Hame Keep Nat | 0.00s |
| Coogle C. Coogle P. GPuy Home Keep Not. | 0.00s |
| Complete Contents Corporate Record Contents Corporate Record Contents | 0.00s |
| Frotes Kney Noz. YouTube Grast Clock Frotes Kney Noz. YouTube Grast Clock Androad - Agpkan - Calculator Cullendar Carness Chosen Clock Cortacts Deviceld Clock Chosen Clock Cortacts Deviceld Clock Chosen Clock Cortacts Coogle Chosen Clock Coogle P. GRy Home Nace Noz. Coogle Q. Coogle P. GRy Home Nace Noz. Place Flores | 0.00s Duration: 10.1 |

And user selects '\\${chineseMedicine.answer.1}'' for the question '\\${chineseMedicine.question.1}''

10.19s


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''Based on your experience in past 3 months'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.1}" for the question "\${chineseMedicine.question.1}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|-----------|--------------|-------------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.22s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine.question.2}" | | | 10.22s |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get fatigued or tired easily.'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA



at .And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine.question.2}"(features/my/health/ChineseMedicine.feature:88)



| After | 0.00s |
|-------|-------|
| | |

Back to Table of Contents

Scenario Outline: Verify the O&A on Chinese Medicine journey

| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.13s |
|---------------------------|------------------------|--------------------|-------------------------|
| Before | | | 0.00s |
| And user selects "\${chin | neseMedicine.answer.3} | ' for the question | 10 13s |

"\${chineseMedicine.question.3}"
iava.lang.AssertionError: Unable to find the Question //android.widget.TextView[contain

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I suffer from insomnia'')] and Answer //android.widget.TextView[contains(@text,'' Disagree'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine.question.3}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|-----------|--------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.29s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine.question.4}" | | | 10.29s |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I adapt quickly to changes in the weather or the surrounding environment.'')] and Answer //android.widget.TextView[contains(@text,''Strongly Disagree'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine.question.4}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|-----------|--------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.55s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.answer.5}" for the question "\${chineseMedicine.question.5}" 10.55s | | | 10.55s |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I am prone to catch a cold more often than most people.'')] and Answer //android.widget.TextView[contains(@text,''Strongly Agree'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.5}" for the question "\${chineseMedicine.question.5}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------|----------------|-------------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine.question.6}" 10.14s | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel tense in my torso or lower body.'')] and Answer //android.widget.TextView [contains(@text,''Agree'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine.question.6}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|--|--------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.19s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}" | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I cough or get asmethic symptoms due to changes in seasons'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.29s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I am allergic to drugs'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|-------------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.17s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I frequently catch a chill")] and Answer //android.widget.TextView[contains(@text," Occassionally")]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|----------------------|------------------|--|--|--|
| Back to Table of Contents | back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chin | ese Medicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.16s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine.question.10}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I can't stand feeling cold")] and Answer //android.widget.TextView[contains(@text,"Occassionally")]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine.question.10}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------|----------------|-------------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.24s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine.question.11}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel uncomfortable after consuming cold food or beverages.'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine.question.11}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.19s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine.question.12}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel my face'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.12}'' for the question '\\${chineseMedicine.question.12}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|-----------|--------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.23s | | | |
| Before | | | 0.00s | | | |
| And user selects '\\${chineseMedicine.answer.13}'' for the question '\\${chineseMedicine.question.13}'' | | | 10.23s | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')] at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------|----------------|-------------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.27s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel that I have a weak voice.'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:88)



| Af | ter | | | 0.00s | | | | |
|-----|---|----------------------|----------------|-------------------------|--|--|--|--|
| Ba | Back to Table of Contents | | | | | | | |
| Sc | enario Outline: Verify th | e Q&A on Chinese Med | licine journey | | | | | |
| Pas | ssed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.27s | | | | |
| Be | fore | | | 0.00s | | | | |
| | And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine.question.15}" 10.27s | | | | | | | |
| | | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''In general'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.15}'' for the question '\\${chineseMedicine.question.15}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|-----------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.89s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel that my skin and lips are dry.'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------|----------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.18s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine.question.17}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get bruises easily for no reason.'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.17}'' for the question '\\${chineseMedicine.question.17}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|--|-----------------|---------------------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chines | e Medicine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.15s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.que | | ver.18}" for the question | 10.15s |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have broken out in hives (outbreak of swollen'')] and Answer //android.widget.
TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|--|---------------------------|-----------------------|-------------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.25s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.que | |)}'' for the question | 10.25s | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get purple rashes on my skin (purple blood spots'')] and Answer //android.widget. TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine.question.19}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|--|------------------|---------------------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chinese | Medicine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.25s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.que | | er.20}'' for the question | 10.25s |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I easily get scratch marks on my skin.'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.20}'' for the question '\\${chineseMedicine.question.20}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | |
|--|---------------|----------------------|-----------------|--|--|
| Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chin | ese Medicine journey | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.83s | | |
| Before | | | 0.00s | | |
| And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}" 9.83s | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I tend to feel depressed and moody.'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|--|----------------|------------------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify | the Q&A on Chi | inese Medicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.21s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.q | 10.21s | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I easily forget things.'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.22}'' for the question '\\${chineseMedicine.question.22}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|---------------|------------------------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chir | nese Medicine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.18s |
| Before | | | 0.00s |
| And user selects ''\${chineseMedicine.que | | nswer.23}'' for the question | 10.18s |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I tend to feel tense and'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.23}'' for the question '\\${chineseMedicine.question.23}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|--|---------------|-----------------------|-------------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chir | nese Medicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.17s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.que | 10.17s | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I am sentimental and my feelings get hurt easily.'')] and Answer //android.widget. TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.24}'' for the question '\\${chineseMedicine.question.24}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|--|----------------------|---------------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Med | licine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.que | | }" for the question | 10.14s |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel fearful'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.25}'' for the question '\\${chineseMedicine.question.25}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | |
|---|---------------|----------------------|------------------|--|--|
| Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chin | ese Medicine journey | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.24s | | |
| Before | | | 0.00s | | |
| And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}" | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I sigh often for no reason.'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|-----------------|--------------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chines | e Medicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine.question.27}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get dizzy when changing posture.'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.27}'' for the question '\\${chineseMedicine.question.27}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|--|---------------------------|-----------------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Mo | edicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.16s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.que | | 8}'' for the question | 10.16s | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have a pale or anemic complexion.'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.28}'' for the question '\\${chineseMedicine.question.28}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|---------------|-----------------------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chir | nese Medicine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.22s |
| Before | | | 0.00s |
| And user selects ''\${chineseMedicine.que | | swer.29}'' for the question | 10.22s |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have rosy cheeks.'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.29}'' for the question '\\${chineseMedicine.question.29}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.19s | | | |
| Before | | | 0.00s | | | |
| And user selects '\\${chineseMedicine.answer.30}'' for the question '\\${chineseMedicine.question.30}'' | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have visible blood veins on my cheeks'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|--------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.12s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have a darker complexion and have pigmentation on my cheeks'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|----------------|-------------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.15s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.32}" for the question "\${chineseMedicine.question.32}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My nose and forehead frequently get oily'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.32}'' for the question '\\${chineseMedicine.question.32}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|-----------------|-------------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | edicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.16s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine.question.33}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get pimples easily'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.33}'' for the question '\\${chineseMedicine.question.33}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|----------------------|-------------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chin | ese Medicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.17s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get panda eyes (dark eye bags) easily'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My lip color is generally gloomy / purplish / blueish'')] and Answer //android.widget. TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|-----------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | edicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine.question.36}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My lip color is reddish'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.36}'' for the question '\\${chineseMedicine.question.36}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.83s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine.question.37}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My lip color is slightly pale or whiteish'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine.question.37}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|-----------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | edicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine.question.38}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have puffy eyelids'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.38}'' for the question '\\${chineseMedicine.question.38}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|-------------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.24s | | | |
| Before | 0.00s | | | | | |
| And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have dry eyes or blurry vision'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|----------------|-------------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.11s | | | |
| Before 0.00s | | | | | | |
| And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine.question.40}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I tend to sneeze even if I am not sick'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine.question.40}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|--------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.21s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My nose gets clooged or runny even if I am not sick'')] and Answer //android.widget. TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|---------------------------|----------------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chin | ese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.21s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}" | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have a dry tongue'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.42}'' for the question '\\${chineseMedicine.question.42}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|-----------------|------------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | edicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.15s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine.question.43}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have sticky saliva'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.43}'' for the question '\\${chineseMedicine.question.43}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|--|--------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.06s | | | | |
| Before | | | 0.00s | | | | |
| And user selects ''\${chingseMedicine.que | 10.06s | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I tend to have a bitter taste in my mouth'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | |
|---|---------------------|----------------|-------------------------|--|
| Back to Table of Contents | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.15s | |
| Before | | | 0.00s | |
| And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine.question.45}" | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''The surface of my tongue feels sticky'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine.question.45}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | |
|---|---------------------|----------------|-------------------------|--|
| Back to Table of Contents | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.19s | |
| Before | | | 0.00s | |
| And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}" | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I tend to have phlegm in my throat even if I am not sick'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|--------------------|------------------|------------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chinese l | Medicine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.17s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}" | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I tend to have throat irritating even if I am not sick'')] and Answer //android.widget. TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|--|--------------------------|---------------------|------------------------|--|--|--|--|--|
| Back to Table of Contents | ack to Table of Contents | | | | | | | |
| Scenario Outline: Verify th | ie Q&A on Chinese Me | dicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.95s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.que | | }" for the question | 9.95s | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have tightness in my chest'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.48}'' for the question '\\${chineseMedicine.question.48}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|---------------------------|-----------------|-----------------|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | edicine journey | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.2s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}" | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I have asthma or feel the need to occassionally take deep breaths'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | |
|---|--|--------------|------------------|--|--|--|
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.21s | | | |
| Before | | | 0.00s | | | |
| And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}" | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''l feel conscious of sudden heart palpitations or increased heartbeat'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|--|--------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.19s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}" | | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel pain at the side of my chest or breasts'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|---------------------------|----------------|-------------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Med | licine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.28s | | | | |
| Before | | | 0.00s | | | | |
| And user selects '\\${chineseMedicine.answer.52}'' for the question '\\${chineseMedicine.question.52}'' | | | | | | | |
| | | | / | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My stomach fat is tender'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.52}'' for the question '\\${chineseMedicine.question.52}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s |
|---|---------------------|----------------|-----------------|
| Back to Table of Contents | | | |
| Scenario Outline: Verify th | e Q&A on Chinese Me | dicine journey | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.3s |
| Before | | | 0.00s |
| And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}" | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My abdomen'')] and Answer //android.widget.TextView[contains(@text,'' Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.53}'' for the question '\\${chineseMedicine.question.53}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|--|--|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify the | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.16s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.que | 10.16s | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I frequently get diarhea or stomach pains after consuming cold food or beverages'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')] at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine.question.54}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|---|--|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.12s | | | | | |
| Before | | 0.00s | | | | | | |
| And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" | | | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I get constipations'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.55}'' for the question '\\${chineseMedicine.question.55}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|--|---------------------------|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.14s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.que | 10.14s | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel that my feces are sticky and not clean'')] and Answer //android.widget.TextView [contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|---|--|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.21s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine.question.57}" | | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''Apart from the first urination in the morning'')] and Answer //android.widget.

TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.57}'' for the question '\\${chineseMedicine.question.57}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|--|---------------------------|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.13s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.que | 10.13s | | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''I feel feverish on my hands'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.58}'' for the question '\\${chineseMedicine.question.58}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | | |
|---|--|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.09s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}" | | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My feet and hands get cold easily'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}"(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|---------------------------|----------------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chino | ese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.13s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}" | | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My body and limbs feel numb'')] and Answer //android.widget.TextView[contains (@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}"(features/my/health/ChineseMedicine.feature:88)




| After | | | 0.00s | | | | | |
|---|--|--------------|------------------|--|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.15s | | | | | |
| Before | | | 0.00s | | | | | |
| And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}" | | | | | | | | |

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My face'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')] at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.61}'' for the question '\\${chineseMedicine.question.61}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|---------------------------|----------------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | e Q&A on Chin | ese Medicine journey | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.08s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}" | | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My body feels pain easily'')] and Answer //android.widget.TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects '\\${chineseMedicine.answer.62}'' for the question '\\${chineseMedicine.question.62}''(features/my/health/ChineseMedicine.feature:88)



| After | | | 0.00s | | | | |
|---|--|--------------|------------------|--|--|--|--|
| Back to Table of Contents | Back to Table of Contents | | | | | | |
| Scenario Outline: Verify th | Scenario Outline: Verify the Q&A on Chinese Medicine journey | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.17s | | | | |
| Before | | | 0.00s | | | | |
| And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}" | | | | | | | |


java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,''My scrotum feels hot (Limited to men answer)'')] and Answer //android.widget.
TextView[contains(@text,''Occassionally'')]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}"(features/my/health/ChineseMedicine.feature:88)



| Af | fter | | | 0.00s | | |
|----|---|-------------------------|--------------------------------|------------------|--|--|
| Ba | ck to Table of Contents | i | | | | |
| Sc | enario: Verify the | Assessment completion | n screen | | | |
| Pa | ssed: 1 | Failed: 1 | Undefined: 0 | Duration: 37.17s | | |
| Be | efore | | | 0.00s | | |
| | Given I wait for 5 | sec | | 5.00s | | |
| | Then User verify f | ollowing texts are disp | played in Chinese Medicine scr | een 32.16s | | |
| | \${chineseMedic | ine.viewAssessment.h | leader} | | | |
| | \${chineseMedicine.viewAssessment.subTitle} | | | | | |
| | \${chineseMedic | | | | | |
| | \${chineseMedic | ine.viewAssessment.d | lescription2} | | | |

java.lang.AssertionError: The following asserts failed:

the expected text is: Great!! expected [true] but found [false],

the expected text is: You've completed the assessment expected [true] but found [false], the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false],


the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:158)



screen

| After | | | 0.00s | | | | |
|--|-----------|--------------|-----------------|--|--|--|--|
| Back to Table of Contents | | | | | | | |
| Scenario: Verify the user can view the Assessment Record | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 8.13s | | | | |
| Before | | | 0.00s | | | | |
| When user clicks on Vie | 8.13s | | | | | | |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f67c7dc7-857c-475d-92f4-619a2a419c70
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"View
Results")]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:70)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:121)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:166)
```



[false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:179)

When user clicks on View More button on Assessment Record screen

0.000



| After | 0.00s |
|-------|-------|

Back to Table of Contents

Scenario Outline: Verify the "Constitution" Details of the Assessment

| ŀ | Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 7.84s |
|---|-----------|-----------|--------------|-----------------|
| | Before | | | 0.00s |
| ı | | | | |

Then User verify Assessment Details for the "\${chineseMedicine.assessment.} details.constitution}" and "\${chineseMedicine.assessment.details.} 7.84s constitutionDescription}"

java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution.

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails

(ChineseMedicineScreen.java:196)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyAssessmentDetails(ChineseMedicineSteps.java:132)

at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.

constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"(features/my/health/ChineseMedicine.feature:186)

After 0.00s

| Passed: 0 | Failed: 1 | | Details of the Assessment Undefined: 0 | Duration: 8.14s |
|--|---|--|---|-----------------|
| Before | I unout I | | endermed v | 0.00s |
| | Tongue}'' and ''\$ | | {chineseMedicine.assessment.cine.assessment.details. | 8.14s |
| deficiency const at org.testng.As at com.onepulse (ChineseMedici at com.onepulse verifyAssessmen at .Then User ve changeInTongu | itution. sert.fail(Assert.jav e.app.screens.Chin neScreen.java:196 e.app.stepdefinition ntDetails(ChineseN erify Assessment D | va:94) eseMedicineS ns.mobilesteps MedicineSteps Details for the eMedicine.ass | "\${chineseMedicine.assessment.details.changeInTongue | letails. |
| After | | | | 0.00s |
| Back to Table of Conto | ents | | | |
| ature: Verify Dietic | ian Positive Flow | for Doctor fu | nctionality on one pulse App | |
| <u> </u> | Failed: 1 | Undefined: 0 | Duration: 370.02s | |
| | | | "Continue with Email" | |
| Passed: 16 | Failed: 0 | | Undefined: 0 | Duration: 227. |
| Before | | | | 0.00s |
| | Given I generate random number and assign to variable "RANDOM_NUMBER" | | | 0.00s |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | | | mailsac.com'' to variable | 0.00s |
| And User has p | | | | 11.00s |
| And user click of | on "CONTINUE V | VITH EMAII | L'' with Email button | 15.08s |
| Then I wait for | | | | 2.00s |
| | he country as requ | ired on regis | tration page | 12.05s |
| Then I wait for | | | | 2.02s |
| click on continu | e with email butto | n | select the lang on toggle bar then | 3.80s |
| | rs registration deta | ails | | 8.73s |
| FirstName Diet LastName Test | | | | |
| | | | | |
| Email \${PULSE_EMAIL} | | | | |
| Password Password | | | | |
| And taps on continue "Sign_Up" button | | | 0.32s | |
| | | | | |
| And I wait for o | tp screen after cli | cking on signu | | 5.21s |
| And I wait for o | tp screen after clic P in one pulse app | cking on signu | ip button il ''\${PULSE_EMAIL}'' | |

| Then I click skip button | | 116.14s |
|---|---|-----------------|
| Then user should be landed | o ''Home'' screen | 14.41s |
| Then I wait for 4 sec | | 4.01s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be | able to navigate to Dietician page | |
| Passed: 2 Faile | Undefined: 0 | Duration: 24.88 |
| Before | | 0.00s |
| Then I click the Health icon | n Home screen | 13.30s |
| Then I click the Dietician tal | for my in Health Screen | 11.58s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Select the expert type | as doctor and navigate to next screen | |
| Passed: 10 Faile | Undefined: 0 | Duration: 12.52 |
| Before | | 0.00s |
| Then I verify following text i | displayed in dietician screen | 2.30s |
| \${choose.expertise.text} | | |
| \${select.expert.type} | | |
| \${what.expert.text} | | |
| And I clicks on "\${doc.txt}" | n app screen | 0.20s |
| And I click the continue butt | | 0.41s |
| Then I wait for 2 sec | | 2.01s |
| Then I verify following text i | displayed in dietician screen | 0.54s |
| \${what.isyour.service.nun | .text} | |
| \${complete.details.text} | | |
| Then I verify following edit f | eld sample text in dietician screen | 0.97s |
| \${enterservice.num.text} | | |
| \${entername.of.institution | .text} | |
| And I assign value to following | ng variables | 0.00s |
| service num 05 | | |
| issuing org test org | | |
| And I enter following details | in dietician screen | 4.94s |
| \${service.num.text} \${service.num.text} | ice num} | |
| \${issuing.org.text} \${issu | ng org} | |
| \${valid.till.text} 01-01 | 2030 | |
| And I click on field label "\${ | valid.till.text}'' to close keyboard on dietician | 0.72s |
| screen | | |
| And I click the continue butt | on | 0.43s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be | able to navigate to specialisation page | |
| Passed: 9 Faile | Undefined: 0 | Duration: 9.22s |
| Before | | 0.00s |

| Then I verify following | text is displayed in dietician screen | 2.06s | |
|--|--|--|--|
| \${what.isyour.special | lisation} | | |
| \${specility.to.provide | 9} | | |
| \${choose.list.text} | | | |
| Then I verify following s | specialisation options are displayed in dietician screen | 0.96s | |
| \${mental.health.text} | | | |
| \${psychologist.text} | | | |
| \${general.physician.t | | | |
| | an.text}" speciality on specilisation screen And select | 2.39s | |
| "\${general.physician.tex | | 0.87s | |
| | ext is displayed in dietician screen | 0.95s | |
| \${enter.super.special | | 0.725 | |
| \${other.specialisation | | | |
| And I assign value to fol | | 0.00s | |
| specialisation Hypert | | | |
| And I enter following de | | 0.91s | |
| | isation.text} \${specialisation} | • | |
| | l ''\${enter.super.specialisation.text}'' to close keyboard | 0.72 | |
| on dietician screen | | 0.73s | |
| And I click the continue | button | 0.36s | |
| After 0.00s | | | |
| Atter | | 0.008 | |
| Back to Table of Contents | | 0.005 | |
| Back to Table of Contents Scenario: Verify User shou | ld be able to navigate to Educational Details page | | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 | ld be able to navigate to Educational Details page Failed: 0 Undefined: 0 | Duration: 9.6s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before | Failed: 0 Undefined: 0 | Duration: 9.6s 0.00s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to | Failed: 0 Undefined: 0 ext is displayed in dietician screen | Duration: 9.6s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te | Failed: 0 Undefined: 0 ext is displayed in dietician screen | Duration: 9.6s 0.00s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following ee | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen | Duration: 9.6s 0.00s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following eo \${enter.degree.name.} | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following eo \${enter.degree.name.} \${enter.field.of.study} | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} .text} | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following er \${enter.degree.name.} \${enter.field.of.study} \${institution.name.en | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} .text} .text} | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following extended to the should be shou | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} .text} etails in dietician screen | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following ec} \${enter.degree.name.} \${enter.field.of.study} \${institution.name.en} And I enter following de \${degree1.text} | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} text text etails in dietician screen BBS | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following extended to the should be shou | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} text etails in dietician screen BBS 01 | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following eo \${enter.degree.name.} \${enter.field.of.study} \${institution.name.en} And I enter following de \${degree1.text} MI \${year.text} 200 \${university.text} test | Failed: 0 Ext is displayed in dietician screen Ext } dit field sample text in dietician screen Etext } Etext : Ete | Duration: 9.6s 0.00s 1.05s 0.64s 4.56s | |
| Back to Table of Contents Scenario: Verify User shout Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text}\$ And I verify following extended \${enter.degree.name.} \${enter.field.of.study} \${institution.name.en} \${degree1.text} \$MF \${year.text} \$200 \${university.text} test | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext } dit field sample text in dietician screen text } text } etails in dietician screen BBS 1 university letails in edit text field in dietician screen | Duration: 9.6s 0.00s 1.05s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text}\$ And I verify following ed \${enter.degree.name.} \${enter.field.of.study} \${institution.name.en} \${degree1.text}\$ And I enter following de \${year.text}\$ Year.text 200 \${university.text}\$ test Then I enter following de \${enter.field.of.study} \${enter.field.of.study} \${and I click on field labet} | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext } dit field sample text in dietician screen text } text } etails in dietician screen BBS 1 university letails in edit text field in dietician screen | Duration: 9.6s 0.00s 1.05s 0.64s 4.56s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text} And I verify following extended to the standard of the standard | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} .text} .text} etails in dietician screen BBS 01 t university letails in edit text field in dietician screen .text} physician l ''\${education.details.text}'' to close keyboard on | Duration: 9.6s 0.00s 1.05s 0.64s 4.56s 2.07s | |
| Back to Table of Contents Scenario: Verify User shou Passed: 6 Before And I verify following to \${education.details.te} \${add.degree.text}\$ And I verify following ed \${enter.degree.name.} \${enter.field.of.study} \${institution.name.en} \${degree1.text}\$ And I enter following de \${year.text}\$ Year.text 200 \${university.text}\$ test Then I enter following de \${enter.field.of.study} \${enter.field.of.study} \${and I click on field labet} | Failed: 0 Undefined: 0 ext is displayed in dietician screen ext} dit field sample text in dietician screen text} .text} .text} etails in dietician screen BBS 01 t university letails in edit text field in dietician screen .text} physician l ''\${education.details.text}'' to close keyboard on | Duration: 9.6s 0.00s 1.05s 0.64s 4.56s | |

| Back to Table of Contents | | | | | | |
|---|---|-------------------------|--|--|--|--|
| Scenario: Verify User should be able to navigate to Add experience page | | | | | | |
| Passed: 10 | Failed: 0 Undefined: 0 | Duration: 12.35s | | | | |
| Before | | 0.00s | | | | |
| And I verify following to | ext is displayed in dietician screen | 1.20s | | | | |
| \${add.experience.txt} | | | | | | |
| \${share.experience.de | \${share.experience.details} | | | | | |
| And I verify following e | dit field sample text in dietician screen | 0.28s | | | | |
| \${enterHospital.text} | | | | | | |
| Then I enter following d | letails in edit text field in dietician screen | 1.41s | | | | |
| \${profile.title.text} To | | ' | | | | |
| And I enter following de | | 1.89s | | | | |
| \${experience1.text} T | | | | | | |
| | letails in edit text field in dietician screen | 1.84s | | | | |
| \${enterLocation.text} | | | | | | |
| | Date" in "10" in dynamic start date Experience screen | 1.85s | | | | |
| | Date" in "2010" in dynamic start years Experience | | | | | |
| screen | and in 2010 in agranic start years Emperionee | 1.85s | | | | |
| And I click on field labe screen | l ''\${add.experience.txt}'' to close keyboard on dietician | 0.76s | | | | |
| Then I click on checkbo | x next to text "\${currently.praticing.here}" in dietician | 0.21s | | | | |
| And I click the continue | button | 1.05s | | | | |
| After | | 0.00s | | | | |
| Back to Table of Contents | | <u> </u> | | | | |
| Scenario: Verify User shou | ld be able to navigate to Services Offered page | | | | | |
| Passed: 5 | Failed: 0 Undefined: 0 | Duration: 3.48s | | | | |
| Before | | 0.00s | | | | |
| And I verify following to | ext is displayed in dietician screen | 0.84s | | | | |
| \${public.profile.tex} | 1 | | | | | |
| And I assign value to fol | llowing variables | 0.00s | | | | |
| service offered MBBS DOCTOR | | | | | | |
| And I enter following de | | 0.83s | | | | |
| \${service.offered.text} \${service offered} | | | | | | |
| And I click on field label "\$(service offered text)" to close keyboard on | | | | | | |
| dietician screen | - 4 service cuite it to close ney board on | 1.39s | | | | |
| And I click the continue | button | 0.43s | | | | |
| After | | 0.00s | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify User should be able to navigate to achievement and awards screen | | | | | | |
| Passed: 5 | Failed: 0 Undefined: 0 | Duration: 6.26s | | | | |
| Before | John Common V | 0.00s | | | | |
| | evt is displayed in distinion screen | 0.95s | | | | |
| And I verify following to | ext is displayed in dietician screen | 0.738 | | | | |

| cenario: Verify User should be able to navigate to Seminar(s) Attended page assed: 5 | \${achievement.award | l.text} | | | | |
|--|---|---|---------------------------------------|-----------------|--|--|
| S{enter.title.award.text} Test Test | \${add.seminar.details.text} | | | | | |
| S{enter.org.name.text} Test | And I enter following de | tails in edit text | field in dietician screen | 2.69s | | |
| And I enter following details in dietician screen \$\sqrt{\text{year.text}}\right 2020 And I click on field label "\sqrt{\text{add.seminar.details.text}}" to close keyboard on dietician screen And I click the continue button 0.47s fter | | | | | | |
| \$\{\gar{\text{year.text}}\} \] 2020 | \${enter.org.name.tex | | | | | |
| And I click on field label "\${add.seminar.details.text}" to close keyboard on dietician screen And I click the continue button O.47s fter O.00s ack to Table of Contents cenario: Verify User should be able to navigate to Seminar(s) Attended page assed: 5 Failed: 0 Undefined: 0 Duration: O.00s And I verify following text is displayed in dietician screen I.07s {seminar.attended.text} {s{add.seminar.details}} And I enter following details in edit text field in dietician screen \${center.seminar.title} TEST seminar {s{enterLocation.text}} SINGAPORE And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen And I click the continue button O.76s fter O.00s Given I verify following text is displayed in dietician screen \${l.82s} \${l.82s} | And I enter following de | tails in dietician | screen | 1.32s | | |
| And I click on field label "\${add.seminar.details.text}" to close keyboard on dietician screen And I click the continue button O.47s fter O.00s ack to Table of Contents cenario: Verify User should be able to navigate to Seminar(s) Attended page assed: 5 Failed: 0 Undefined: 0 Duration: O.00s And I verify following text is displayed in dietician screen I.07s {seminar.attended.text} {s{add.seminar.details}} And I enter following details in edit text field in dietician screen \${center.seminar.title} TEST seminar {s{enterLocation.text}} SINGAPORE And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen And I click the continue button O.76s fter O.00s Given I verify following text is displayed in dietician screen \${l.82s} \${l.82s} | \${year.text} 2020 | | | | | |
| fiter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to Seminar(s) Attended page assed: 5 Failed: 0 Undefined: 0 Duration: efore 0.00s And I verify following text is displayed in dietician screen 1.07s \${seminar.attended.text}\$ \${seminar.attended.text}\$ \${sadd.seminar.details}\$ And I enter following details in edit text field in dietician screen 3.15s \${enter.seminar.itite} TEST seminar \${enter Location.text} SINGAPORE And I enter following details in dietician screen 1.82s \${year.text} 2020 And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen 0.76s dietician screen 0.42s fiter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: screen 0.00s Given I verify following text is displayed in dietician screen 0.92s \${linked.clinic.text} \${add.clinic.info.text} \${add.clinic.info.text} \${add.clinic.info.text} \${add.clinic.info.text} \${enter.name.of.clinic} \${enter.name.of.c | | l ''\${add.semina | r.details.text}" to close keyboard on | 0.83s | | |
| cenario: Verify User should be able to navigate to Seminar(s) Attended page assed: 5 | And I click the continue | button | | 0.47s | | |
| cenario: Verify User should be able to navigate to Seminar(s) Attended page assed: 5 | After | | | 0.00s | | |
| assed: 5 Failed: 0 Undefined: 0 Duration: 0.00s And I verify following text is displayed in dietician screen 1.07s {seminar.attended.text} {sadd.seminar.details} And I enter following details in edit text field in dietician screen 3.15s {enter.seminar.title} TEST seminar {senterLocation.text} SINGAPORE And I enter following details in dietician screen 1.82s {syear.text} 2020 And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen 0.76s And I click the continue button 0.42s fiter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 0.00s Given I verify following text is displayed in dietician screen 0.92s \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen 3.14s \${enter.name.of.clinic.} clinic. | Back to Table of Contents | | | | | |
| And I verify following text is displayed in dietician screen Seminar.attended.text | Scenario: Verify User shou | ld be able to nav | vigate to Seminar(s) Attended page | | | |
| And I verify following text is displayed in dictician screen \$\{\text{seminar.attended.text}\} \\$\{\text{add.seminar.details}\}\$\$ And I enter following details in edit text field in dictician screen \$\{\text{enter.seminar.title}\} \text{TEST seminar} \\$\{\text{enterLocation.text}\} \text{SINGAPORE}\$\$ And I enter following details in dictician screen \$\{\text{seminar.attended.text}\}'' to close keyboard on dictician screen And I click on field label "\{\text{seminar.attended.text}\}'' to close keyboard on dictician screen And I click the continue button 0.76s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 | Passed: 5 | | | Duration: 7.22s | | |
| \$\secondarrangle \text{seminar.attended.text} \\ \secondarrangle \text{seminar.details} \\ \text{And I enter following details in edit text field in dietician screen} \\ \text{3.15s} \\ \secondarrangle \text{seminar.details} \\ \text{And I enter following details in dietician screen} \\ \text{3.15s} \\ \text{\$\secondarrangle \text{seminar.details} \\ \text{SINGAPORE} \\ \text{And I enter following details in dietician screen} \\ \text{And I click on field label ''\secondarrangle \text{seminar.attended.text}'' to close keyboard on dietician screen} \\ \text{And I click the continue button} \\ \text{0.42s} \\ \text{fter} \\ \text{0.00s} \\ \text{ack to Table of Contents} \\ \text{cenario: Verify User should be able to navigate to linked clinic page} \\ \text{assed: 4} \\ \text{Failed: 0} \\ \text{Undefined: 0} \\ \text{Undefined: 0} \\ \text{Undefined: 0} \\ \text{0.00s} \\ \end{ack of the page} \\ \text{add.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnic1} \\ \secondarrangle \text{dilnic1} \\ \secondarrangle \text{dilnc1} \\ \secondarrangle \text{dilnic1} \\ \secondarrangle dilnic1 | Before | | | 0.00s | | |
| \$\secondarrangle \text{seminar.attended.text} \\ \secondarrangle \text{seminar.details} \\ \text{And I enter following details in edit text field in dietician screen} \\ \text{3.15s} \\ \secondarrangle \text{seminar.details} \\ \text{And I enter following details in dietician screen} \\ \text{3.15s} \\ \text{\$\secondarrangle \text{seminar.details} \\ \text{SINGAPORE} \\ \text{And I enter following details in dietician screen} \\ \text{And I click on field label ''\secondarrangle \text{seminar.attended.text}'' to close keyboard on dietician screen} \\ \text{And I click the continue button} \\ \text{0.42s} \\ \text{fter} \\ \text{0.00s} \\ \text{ack to Table of Contents} \\ \text{cenario: Verify User should be able to navigate to linked clinic page} \\ \text{assed: 4} \\ \text{Failed: 0} \\ \text{Undefined: 0} \\ \text{Undefined: 0} \\ \text{Undefined: 0} \\ \text{0.00s} \\ \end{ack of the page} \\ \text{add.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnked.clinic.text} \\ \secondarrangle \secondarrangle \text{dilnic1} \\ \secondarrangle \text{dilnic1} \\ \secondarrangle \text{dilnc1} \\ \secondarrangle \text{dilnic1} \\ \secondarrangle dilnic1 | And I verify following to | ext is displayed i | n dietician screen | 1.07s | | |
| \${add.seminar.details} And I enter following details in edit text field in dietician screen \${enter.seminar.title} TEST seminar \${enterLocation.text} SINGAPORE And I enter following details in dietician screen \${year.text} 2020 And I click on field label ''\${seminar.attended.text}'' to close keyboard on dietician screen And I click the continue button 0.76s And I click the continue button 0.42s fter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 | | | | | | |
| And I enter following details in edit text field in dietician screen \$\frac{\{\text{enter.seminar.title}\}}{\{\text{enterLocation.text}\}} \frac{\{\text{SINGAPORE}\}}{\{\text{Singapontar.text}\}} \frac{\{\text{Singapontar.text}\}}{\{\text{Singapontar.text}\}} \frac{\{\text{Singapontar.text}\}}{\{\text{seminar.attended.text}\}'' \to close keyboard on dietician screen And I click on field label ''\{\{\text{seminar.attended.text}\}'' \to close keyboard on dietician screen And I click the continue button 0.76s And I click the continue button 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 | <u>`</u> | | | | | |
| \${enterLocation.text} SINGAPORE And I enter following details in dietician screen 1.82s \${year.text} 2020 And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen 0.76s And I click the continue button 0.42s And I click the continue button 0.42s And I click the continue button 0.42s Security User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 0.00s Given I verify following text is displayed in dietician screen 0.92s \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen 3.14s \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen 0.73s And I click the continue button 0.43s | | | field in dietician screen | 3.15s | | |
| \$\{\text{enterLocation.text}\} \ SINGAPORE | | | | | | |
| And I enter following details in dietician screen \$\{\text{year.text}\} 2020\$ And I click on field label "\{\text{seminar.attended.text}\}" to close keyboard on dietician screen And I click the continue button 0.76s And I click the continue button 0.42s fter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 9 fore 0.00s Given I verify following text is displayed in dietician screen \$\{\text{linked.clinic.text}\}\} \$\{\text{add.clinic.info.text}\} And I enter following details in edit text field in dietician screen \$\{\text{senter.name.of.clinic}\} \clinic1 \$\{\text{enterLocation.text}\} \SINGAPORE And I click on field label "\{\text{linked.clinic.text}\}" to close keyboard on dietician screen And I click the continue button 0.73s | | | | | | |
| \$\{\text{year.text}\} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | screen | 1.82s | | |
| And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen And I click the continue button O.42s Iter O.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 4 Iefore O.00s Given I verify following text is displayed in dietician screen \${\text{linked.clinic.text}}\$ \${\text{add.clinic.info.text}}\$ And I enter following details in edit text field in dietician screen \${\text{enter.name.of.clinic}}\$ clinic1 \${\text{enterLocation.text}}\$ SINGAPORE And I click on field label "\${\text{linked.clinic.text}}" to close keyboard on dietician screen And I click the continue button 0.73s | | | | | | |
| fter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 4 fefore 0.00s Given I verify following text is displayed in dietician screen 0.92s \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen 3.14s \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen And I click the continue button 0.43s | And I click on field labe | And I click on field label "\${seminar.attended.text}" to close keyboard on | | | | |
| cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 3 efore 0.00s Given I verify following text is displayed in dietician screen 0.92s \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen 3.14s \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen and I click the continue button 0.43s | And I click the continue | button | | 0.42s | | |
| cenario: Verify User should be able to navigate to linked clinic page assed: 4 Failed: 0 Undefined: 0 Duration: 3 efore 0.00s Given I verify following text is displayed in dietician screen 0.92s \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen 3.14s \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen and I click the continue button 0.43s | After | | | 0.00s | | |
| Second S | Back to Table of Contents | | | | | |
| Second S | Scenario: Verify User shou | ld be able to nav | rigate to linked clinic page | | | |
| Given I verify following text is displayed in dietician screen \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen And I click the continue button 0.73s | Passed: 4 | | | Duration: 5.22s | | |
| \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen And I click the continue button 0.73s | Before | | | 0.00s | | |
| \${linked.clinic.text} \${add.clinic.info.text} And I enter following details in edit text field in dietician screen \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen And I click the continue button 0.73s | Given I verify following | text is displayed | l in dietician screen | 0.92s | | |
| \$\{\text{add.clinic.info.text}\}\$ And I enter following details in edit text field in dietician screen \$\{\text{enter.name.of.clinic}\} \clinic1 \$\{\text{enterLocation.text}\} \SINGAPORE And I click on field label "\$\{\text{linked.clinic.text}\}" to close keyboard on dietician screen And I click the continue button 0.73s | | | | | | |
| And I enter following details in edit text field in dietician screen \${enter.name.of.clinic} clinic1 \${enterLocation.text} SINGAPORE And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen And I click the continue button 0.73s | | , | | | | |
| \$\{\text{enter.name.of.clinic}\} \text{clinic1} \\ \$\{\text{enterLocation.text}\} \text{SINGAPORE} And I click on field label "\$\{\text{linked.clinic.text}\}" to close keyboard on dietician screen And I click the continue button 0.73s | And I enter following de | tails in edit text | field in dietician screen | 3.14s | | |
| And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen And I click the continue button 0.73s 0.43s | \${enter.name.of.clinic} clinic1 | | | | | |
| screen And I click the continue button 0.738 0.438 | | | | | | |
| And I click the continue button 0.43s | | φγιιτικ εα. ciiili(| cital, to close keyboard on diedela | 0.73s | | |
| | *************************************** | button | | 0.43s | | |
| TOTAL MANUA | After | | | 0.00s | | |
| ack to Table of Contents | | | | | | |
| cenario: Verify User should be able to navigate to Take a Picture page | | ld he able to nov | vigate to Take a Picture page | | | |

| Passed: 12 | Failed: 0 Undefined: 0 | Duration: 35.36s |
|---|--|---|
| Before | | 0.00s |
| Given I verify follow | ing text is displayed in dietician screen | 1.11s |
| \${about.you.text} | | |
| \${profile.photo.tex | xt} | |
| \${takephoto.instru | uction.text} | |
| Then I verify following | ng profile photo options are displayed in Dietician Screen | 0.44s |
| \${uploadfile.text} | | |
| \${takepicture.text | | |
| | nkepicture.text}'' in app screen | 0.27s |
| And I give camera pe | | 9.99s |
| Then I take picture f | | 9.91s |
| And I click the contin | nue button | 2.04s |
| Then I wait for 3 sec | | 3.00s |
| Then I verify following | ng text is displayed in dietician screen | 1.61s |
| \${confirmdetails.t | text} | |
| \${confirmdetails.t | text2} | |
| \${service num} | | |
| \${issuing org} | | |
| \${specialisation} | | |
| \${service offered} | | |
| And I scroll down | | 4.45s |
| Then I wait for 2 sec | | 2.00s |
| | tton "Terms and Conditions" confirm screen | 0.31s |
| And I clicks on "Ter | ms and Conditions" text in app screen | 0.23s |
| After | | 0.00s |
| | • | |
| Back to Table of Contents | | |
| | hould be able to navigate to schedule Calendar page | |
| Scenario: Verify User sl | hould be able to navigate to schedule Calendar page Failed: 1 Undefined: 0 | Duration: 16.19s |
| Scenario: Verify User sl Passed: 7 | | Duration: 16.19s 0.00s |
| Scenario: Verify User sl Passed: 7 | Failed: 1 Undefined: 0 | |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec | Failed: 1 Undefined: 0 | 0.00s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec | Failed: 1 Undefined: 0 In a serie of the series of the seri | 0.00s 5.00s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin | Failed: 1 Undefined: 0 Ing text is displayed in dietician screen story.text} | 0.00s 5.00s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.} | Failed: 1 Undefined: 0 Ing text is displayed in dietician screen story.text} | 0.00s 5.00s |
| Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.i} Then User verify foll | Failed: 1 Undefined: 0 In g text is displayed in dietician screen story.text} now.text} | 0.00s 5.00s 0.40s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.} Then User verify foll \${click.manage.yo} | Failed: 1 Undefined: 0 Ing text is displayed in dietician screen story.text} now.text lowing dynamic texts are displayed in Dietician screen | 0.00s 5.00s 0.40s |
| Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his}{no.appointmnt.} Then User verify foll \${click.manage.yo} And I clicks on ''\${sc | Failed: 1 Undefined: 0 Ing text is displayed in dietician screen story.text now.text lowing dynamic texts are displayed in Dietician screen our.availibility.text | 0.00s 5.00s 0.40s 0.19s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.} Then User verify foll \${click.manage.yo} And I clicks on "\${sc | Failed: 1 Undefined: 0 Ing text is displayed in dietician screen story.text} now.text} lowing dynamic texts are displayed in Dietician screen our.availibility.text} chedule.cal.text}'' in app screen | 0.00s 5.00s 0.40s 0.19s 0.24s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.his} Then User verify foll \${click.manage.yo} And I clicks on "\${sc And I verify followin | reg text is displayed in dietician screen story.text now.text lowing dynamic texts are displayed in Dietician screen our.availibility.text chedule.cal.text}" in app screen ng text is displayed in dietician screen | 0.00s 5.00s 0.40s 0.19s 0.24s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.} Then User verify foll \${click.manage.yo} And I clicks on "\${sc And I verify followin \${calendar.text}} And I Select the Date | reg text is displayed in dietician screen story.text now.text lowing dynamic texts are displayed in Dietician screen our.availibility.text chedule.cal.text}" in app screen ng text is displayed in dietician screen | 5.00s 0.40s 0.19s 0.24s 0.18s |
| Scenario: Verify User sl Passed: 7 Before Then I wait for 5 sec And I verify followin \${conversation.his} \${no.appointmnt.h} Then User verify foll \${click.manage.yo} And I clicks on "\${sc And I verify followin \${calendar.text}} And I Select the Date And I click the Select | rig text is displayed in dietician screen story.text} now.text} lowing dynamic texts are displayed in Dietician screen our.availibility.text} chedule.cal.text}'' in app screen ng text is displayed in dietician screen | 0.00s 5.00s 0.40s 0.19s 0.24s 0.18s 1.55s |

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8113aa67-a867-42e0-abf1-d750e4b2386c
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''10:00
AM'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "10:00 AM" in app screen(features/my/health/Dietician_Doctor.feature: **194**) 0.90 1:43 🕝 🔲 📟 🕶 🔹 0.00sAfter **Back to Table of Contents** Feature: Verify that user can manage events via the Family Vaccine Calendar feature Passed: 1 Failed: 6 Undefined: 0 Duration: 326.81s Scenario: User should be able to register on app with correct credentials using "Continue with Email'' Duration: 228.45 Passed: 18 Failed: 0 Undefined: 0 0.00sBefore Given I generate random number and assign to variable 0.00s"RANDOM NUMBER"

| | And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | 0.00s | | | |
|----|---|-------------------------|--|--|--|
| | And User has pulse app | 10.02s | | | |
| | Then I wait for 2 sec | 2.00s | | | |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 13.24s | | | |
| | Then I wait for 2 sec | | | | |
| | Then I change the country as required on registration page | 12.89s | | | |
| | Then I wait for 2 sec | 2.01s | | | |
| | Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 3.84s | | | |
| | Then I wait for 2 sec | 2.00s | | | |
| | When user enters registration details | 7.97s | | | |
| | FirstName testAutomation | | | | |
| | LastName testAutomation | | | | |
| | Email \${PULSE_EMAIL} | | | | |
| | Password Pas\$1234 | | | | |
| | And taps on continue "Sign_Up" button | 0.27s | | | |
| | And I wait for otp screen after clicking on signup button | 4.17s | | | |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 32.21s | | | |
| | Then I wait for 2 sec | 2.01s | | | |
| | Then I click skip button | 116.29s | | | |
| | Then user should be landed to "Home" screen | 13.53s | | | |
| | Then I wait for 4 sec | 4.00s | | | |
| Af | fter | 0.00s | | | |
| Ba | ck to Table of Contents | | | | |
| Sc | enario: User should be able to access my family vaccination calendar | | | | |
| Pa | ssed: 4 Undefined: 0 | Duration: 32.27s | | | |
| Ве | efore | 0.00s | | | |
| | Given I clicks on Health button | 11.39s | | | |
| | Then I wait for 2 sec | 2.00s | | | |
| | Then I click on vaccine calendar tile | 0.45s | | | |
| | Then I wait for 2 sec | | | | |
| | Then User verifies following texts are displayed in Vaccine Calendar screen | | | | |
| | \${vaccineCalendar.title} | | | | |
| | \${vaccineCalendar.description} | | | | |
| | java.lang.AssertionError: The following asserts failed: Vaccine Schedule is present as expected expected [true] but found [false], Check and track Vaccination schedules for your loved ones is present as expected expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.verifyVaccineCalText (VaccineCalendarSteps.java:38) at .Then User verifies following texts are displayed in Vaccine Calendar screen(features/my | | | | |
| | /health/FamilyVaccineCalendar.feature:34) | | | | |



| Af | ter | | | 0.00s | |
|---|-------------------------|-----------------|------------------------|----------------|--|
| Bac | ck to Table of Contents | | | | |
| Scenario: Verify the user can Add Vaccine Information | | | | | |
| Pas | ssed: 0 | Failed: 1 | Undefined: 3 | Duration: 8.7s | |
| Before 0.00s | | | | | |
| | When I click on Add mo | re button in Va | accine Calendar screen | 8.70s | |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 024d924f-46c3-453a-93c2-a4bb027d15d0

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text=''Add more'']}
at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickAddMoreBtn(PulseHealthScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.clickAddMoreBtn
(VaccineCalendarSteps.java:43)
at .When I click on Add more button in Vaccine Calendar screen(features/my/health
/FamilyVaccineCalendar.feature:40)
```



```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 024d924f-46c3-453a-93c2-a4bb027d15d0
*** Element info: {Using=xpath, value=(//android.widget.TextView[@text='Name']/following::
android.widget.EditText)[1]}
at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PulseHealthScreen.enterAddInformationForm (PulseHealthScreen.java:343) at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps. enterAddInformationDetails(VaccineCalendarSteps.java:50) at .Then I add following information in Vaccine Calendar add information screen(features/my /health/FamilyVaccineCalendar.feature:55) Semak dan pantau jadual vaksinasi untuk orang tersayang. After 0.00s**Back to Table of Contents** Scenario: Verify the added item displayed on the Vaccine Schedule screen Passed: 1 Failed: 1 **Undefined: 6** Duration: 18.22s 0.00sBefore 2.01s Given I wait for 2 sec Then User verifies following dynamic texts are displayed in Vaccine Calendar 16.22s {relation} \${name} java.lang.AssertionError: The following asserts failed: Child is present as expected expected [true] but found [false], testing_one is present as expected expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.

| | amilyVaccineCalendar.feature:64) | 0.00 |
|---|--|----------------------|
| | me} \${relation}'' button in Vaccine Calendar screen | 0.00s |
| | | 0.00s |
| Then I wait for 2 sec | | 0.00s |
| | lowing texts are displayed in Vaccine Calendar screen | 0.00s |
| \${vaccineCalendar | | |
| \${vaccine.text} | | |
| Then User verifies foll screen | lowing dynamic texts are displayed in Vaccine Calendar | 0.00s |
| \${name} | | |
| And I verify following | g texts are displayed | 0.00s |
| \${vaccine.bcg.text} \${vaccine.hep.text} | | |
| Jadual Vaksin Semak dan pantau jadual vaksinasi untuk or tersayang. | rang | |
| Semak dan pantau jadual vaksinasi untuk or | rang | |
| Semak dan pantau jadual vakainasi untuk or tersayang. Tambah lagil | rang | 0.00s |
| Semak dan pantau jadual vaksinasi untuk or tersayang. Tambah lagi | rang Time Time Time Time Time Time Time Time | 0.00s |
| Semak dan pantau jadual vaksinasi untuk or tersayang. Teruskan Teruskan | er options in vaccine schedule | 0.00s |
| Semak dan pantau jadual vakainasi untuk or tersayang. Teruskon Teruskon ter k to Table of Contents enario: Verify reminde | | 0.00s Duration: 8.0 |
| Semak dan pantau jadual vaksinasi untuk or tersayang. Teruskan Teruskan | er options in vaccine schedule | |
| Semak dan pantau jadual vaksinasi untuk or tersayang. Teruskan Teruskan ter k to Table of Contents enario: Verify reminder sed: 0 fore | er options in vaccine schedule | Duration: 8.0 |

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 024d924f-46c3-453a-93c2-a4bb027d15d0
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='BCG']/following::
android.view.ViewGroup[1]/android.view.ViewGroup[1]/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationIcon (PulseHealthScreen.java:434) at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps. iClickReminderIconForBCGVaccine(VaccineCalendarSteps.java:84) at .Then I click reminder icon for BCG vaccine(features/my/health/FamilyVaccineCalendar. feature:82) 1:48 🕝 🔳 💷 🔹 ıal Vaksin Semak dan pantau jadual vaksinasi untuk orang After 0.00s**Back to Table of Contents** Scenario: Verify change reminder functionality in vaccine schedule screen Failed: 1 Undefined: 0 Passed: 0 **Duration: 12.7s** Before 0.00s12.70s And I click Yes option org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 024d924f-46c3-453a-93c2-a4bb027d15d0
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='BCG']/following::
android.view.ViewGroup[1]/android.view.ViewGroup[1]/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationYesOption (PulseHealthScreen.java:443) at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.iClickYesOption (VaccineCalendarSteps.java:94) at .And I click Yes option(features/my/health/FamilyVaccineCalendar.feature:88) 1:49 🕝 🔲 📟 🔹 ıal Vaksin Semak dan pantau jadual vaksinasi untuk orang tersayang. 0.00sAfter **Back to Table of Contents** Feature: Verify that user can access Dengue Alert feature Failed: 5 **Undefined: 0** Passed: 0 Duration: 399.76s Scenario: Launch the app and select the country as per specified lbu Passed: 3 Failed: 1 Undefined: 2 **Duration: 37.34s** Before 0.00s10.94s Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" 0.00sAnd user click on "CONTINUE WITH EMAIL" with Email button 10.25s Then I change the country as required on registration page 16.15s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page

using the given search parameters.


```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 14e9001e-943a-42ef-a7c0-e86989f72f16
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/my/home/DengueAlert. feature:9) 1:49 😉 🖽 🖽 🐧 • 0.90 pulse' After 0.00s**Back to Table of Contents** Scenario: login to the app with correct credentials using "Continue with Email" Passed: 0 Failed: 1 Undefined: 5 **Duration: 7.84s** Before 0.00sGiven I select the language option on toggle bar as required on login page 7.84s org.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 14e9001e-943a-42ef-a7c0-e86989f72f16
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle (PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(features/my/home /DengueAlert.feature:14) UserName \${PULSE EMAII 0.00sAfter **Back to Table of Contents** Scenario: Verify the map can be expanded Passed: 1 Failed: 1 **Undefined: 2** Duration: 43.91s 0.00sBefore Given I clicks on Health button 30.32s 13.59s And I clicks on Dengue Alert tile org.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: Session ID: 14e9001e-943a-42ef-a7c0-e86989f72f16 *** Element info: {Using=xpath, value=(//android.widget.ScrollView)[2]/android.view.

```
ViewGroup[1]//android.view.ViewGroup[4]}
at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.DengueAlertScreen.clickDengueAlertTile(DengueAlertScreen.
at com.onepulse.app.stepdefinitions.mobilesteps.DengueAlertSteps.clickDengueAlertTile
(DengueAlertSteps.java:25)
at .And I clicks on Dengue Alert tile(features/my/home/DengueAlert.feature:42)
```



| | 0.00s |
|---|-------|
| \${dengueAlert.zonal.title} | |
| \${dengueAlert.zonal.country} | |
| Then I verify following texts are displayed | 0.00s |
| \${dengueAlert.zone1} | |
| \${dengueAlert.zone2} | |
| \${dengueAlert.zone3} | |
| \${dengueAlert.zone4} | |
| \${dengueAlert.zone5} | |
| \${dengueAlert.zone6} | |
| When I scroll down | 0.00s |
| Then I verify following texts are displayed | 0.00s |
| \${dengueAlert.zone7} | |
| \${dengueAlert.zone8} | |
| \${dengueAlert.zone9} | |
| \${dengueAlert.zone10} | |
| \${dengueAlert.zone11} | |
| \${dengueAlert.zone12} | |
| \${dengueAlert.zone13} | |
| \${dengueAlert.zone14} | |
| \${dengueAlert.zone15} | |
| \${dengueAlert.zone16} | |
| We are sorry Currently the Pulse application is not available in your region. Also please ensure you have an active internet connection! Your Device Id: 3f6e745edfb3o81c | |
| | |

| assed: 1 | Failed: 1 | Undefined: 7 | Duration: 170 |
|---|---|---|--|
| Sefore | | | 0.00s |
| When I scroll | up till ''\${dengue.aler | t.map}'' element displayed | 161.71s |
| | Cases" from outbreak | | 8.96s |
| using the given For documents /no_such_elem Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismit desired: {appA autoDismissAl newCommand deviceManufacticeScreenDiavascriptEnal | a search parameters. ation on this error, placent.html sion: '3.12.0', revision ost: 'TM003LSIN', ip o', java.version: '11.0 appium.java_client.a ppActivity: com.prud ssAlerts: true, automatic erts: true, automatic erts: true, automatic ativity: Google, device ensity: 440, deviceScroled: true, locationCo | ease visit: http://seleniumhq.org/exc n: '7c6e0b3', time: '2018-05-08T14:0 : '192.168.1.124', os.name: 'Window 0.2' indroid.AndroidDriver lential.pulse.MainAc, appPackage ationName: UiAutomator2, databas ial.pulse.MainAc, appPackage: con nName: UiAutomator2, deviceName eset: true, platformName: android} eModel: Pixel 5, deviceName: 0C241 reenSize: 1080x2340, deviceUDID: 0 intextEnabled: false, networkConne eset: true, pixelRatio: 2.75, platform | reptions 4:26.12Z' 7: 10', os.arch: 'amd64 8: com.prudential.pulse 8: Enabled: false, 9: m.prudential.pulse.ua 9: Android-Test, 9: deviceApiLevel: 30, 1FDD40043P, 1C241FDD40043P, 1ctionEnabled: true, |
| platformName viewportRect: false} Session ID: 14 *** Element in at jdk.internal at java.base/jd (DelegatingCo at java.base/ja at org.openqa. | : Android, platform V {height: 2015, left: 0, e9001e-943a-42ef-a7co fo: {Using=xpath, val .reflect.Generated Con k.internal.reflect.Delo nstructorAccessorImp va.lang.reflect.Constr | Version: 11, statBarHeight: 145, take top: 145, width: 1080}, warnings: { O-e86989f72f16 lue=//android.widget.TextView[@tenstructorAccessor19.newInstance(UegatingConstructorAccessorImpl.nepl.java:45) cuctor.newInstance(Constructor.jav.W3CHttpResponseCodec.createEx | esScreenshot: true, }, webStorageEnabled ext=''Outbreaks'']} Inknown Source) ewInstance a:490) |
| at org.openqa. (W3CHttpRes | selenium.remote.http. ponseCodec.java:122) | .W3CHttpResponseCodec.decode | |
| (W3CHttpRes at org.openqa. 158) | ponseCodec.java:49) selenium.remote.Http | CommandExecutor.execute(HttpC | ommandExecutor.jav |
| (AppiumComi at org.openqa. | nandExecutor.java:23 selenium.remote.Rem | piumCommandExecutor.execute 31) toteWebDriver.execute(RemoteWeb nericMobileDriver.execute(DefaultG | and the second of the second o |
| at io.appium.ja at io.appium.ja at org.openqa. at io.appium.ja (DefaultGener | ava_client.android.An selenium.remote.Rem | iver.execute(AppiumDriver.java:1) ndroidDriver.execute(AndroidDrive noteWebDriver.findElement(Remote nericMobileDriver.findElement 62) | |

| | • • • | | | | |
|---|--|--|--|--|--|
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidD | | | | | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath | (Remote WebDriver. | | | | |
| java:419) | | | | | |
| | at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath | | | | |
| (DefaultGenericMobileDriver.java:152) | | | | | |
| | at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) | | | | |
| at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) | | | | | |
| at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) | | | | | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElement(Remote | WebDriver.java:309) | | | | |
| at io.appium.java_client.DefaultGenericMobileDriver.findElement | | | | | |
| (DefaultGenericMobileDriver.java:58) | | | | | |
| at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) | | | | | |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) | | | | | |
| at com.prudential.tap.selenium.Commands\$15.executeCommand(Comm | and the second of the second o | | | | |
| at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Ex | ecuteCommand.java: | | | | |
| 19) | | | | | |
| at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.ja | | | | | |
| at com.onepulse.app.screens.DengueAlertScreen.selectFromOutBreakDi | ropdown | | | | |
| (DengueAlertScreen.java:55) | | | | | |
| at com.onepulse.app.stepdefinitions.mobilesteps.DengueAlertSteps. | | | | | |
| selectFromOutBreakDropdown(DengueAlertSteps.java:30) | | | | | |
| at .And I select "Cases" from outbreaks dropdown(features/my/home/De | engueAlert.feature:88) | | | | |
| Then I verify following dynamic static text is displayed in Dengue Alert S | Screen 0.00s | | | | |
| \${dengueAlert.cases.new} | | | | | |
| \${dengueAlert.outbreak.thisWeek} | | | | | |
| | | | | | |
| \${dengueAlert.cases.total} | | | | | |
| \${dengueAlert.outbreak.deaths} | | | | | |
| \${dengueAlert.outbreak.thisWeek} | | | | | |
| Then I verify following texts are displayed | 0.00s | | | | |
| \${dengueAlert.cases.total.title} | | | | | |
| | 0.00s | | | | |
| Then I verify following texts are displayed | 0.008 | | | | |
| \${dengueAlert.zonal.title} | | | | | |
| \${dengueAlert.zonal.country} | | | | | |
| When I scroll down | 0.00s | | | | |
| Then I verify following texts are displayed | 0.00s | | | | |
| \${dengueAlert.zone1} | | | | | |
| | | | | | |
| \${dengueAlert.zone2} | | | | | |
| \${dengueAlert.zone3} | | | | | |
| \${dengueAlert.zone4} | | | | | |
| \${dengueAlert.zone5} | | | | | |
| \${dengueAlert.zone6} | | | | | |
| When I scroll down | 0.00s | | | | |
| | | | | | |
| Then I verify following texts are displayed | 0.00s | | | | |
| \${dengueAlert.zone7} | | | | | |
| \${dengueAlert.zone8} | | | | | |
| \${dengueAlert.zone9} | | | | | |
| \${dengueAlert.zone10} | | | | | |
| o(deligherate tazone 10) | | | | | |

| \${dengueAlert.zone13} \${dengueAlert.zone14} \${dengueAlert.zone15} \${dengueAlert.zone16} **Tos O = **D ** We are sorry Currently the Pulse application is not available in your region. Also please ensure you have an active internet |
|--|
| S{dengueAlert.zone15} S{dengueAlert.zone16} tiss ♥ ■ ■ ● ・ ◆ ♥ ■ We are sorry Currently the Pulse application is not available in your region. |
| \${dengueAlert.zone16} State Continue Continue |
| S{dengueAlert.zone16} tiss ♥ ■ ■ • • • • ■ We are sorry Currently the Pulse application is not available in your region. |
| Tiss |
| We are sorry Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| Currently the Pulse application is not available in your region. |
| |
| connection! |
| Your Device ld: 3f6e745edfb3c81a |
| |
| |
| |
| |
| |
| |
| After 0.00s |
| Back to Table of Contents |
| Feature: Verify Pru infectious disease cover functionality on one pulse App |
| Passed: 1 Failed: 8 Undefined: 0 Duration: 87.7s |
| Scenario: User should be able to register on app with correct credentials using "Continue with |
| Continue with |
| Email" |
| |
| Email" |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s |
| Email'' Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" 0.00s |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" 0.00s And User has pulse app 10.05s |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" And User has pulse app 10.05s Then I wait for 2 sec 2.01s |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" 0.00s Then I wait for 2 sec 2.01s And user click on "CONTINUE WITH EMAIL" with Email button 13.13s |
| Email" Passed: 13 Before Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button Then I wait for 2 sec 2.01s Then I wait for 2 sec 2.01s |
| Email" Passed: 13 Failed: 1 Undefined: 4 Duration: 8 Before 0.00s Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" And User has pulse app 10.05s Then I wait for 2 sec 2.01s And user click on "CONTINUE WITH EMAIL" with Email button 13.13s Then I wait for 2 sec 2.01s Then I change the country as required on registration page 11.49s |
| Email" Passed: 13 Before Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button Then I wait for 2 sec 2.01s Then I wait for 2 sec 2.01s |

| Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}\$ Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button 3.385 And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.1.20', revision: '7.66e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: lo.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, ewCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: OC241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, devicePortensibed: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, riewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false, etworkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, bidget.Edif Text} at jdk.internal.reflect.Begraped.Pedensersors.Pedenserso | | 2.00 | | | | | |
|---|--|--|--|--|--|--|--|
| When user enters registration details FirstName testAutomation LastName testAutomation Email \$[PULSE_EMAIL] Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\$[PULSE_EMAIL]" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.1.2.0', revision: '7.66e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UAutomator2, databaseEnabled: false, desired: (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesSereenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8bc220dc-154f-4b55-9c9d-9e967888f006 **** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.Edif Text] at jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.base/java.lang.reflect.ConstructorAccessorImpl.newInstance(Unknown Source) | click on continue with email button | 3.80s | | | | | |
| FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button 3.85s And I wait for otp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java-version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: [appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: androidj, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: (height: 2015, left: 0, top: 145, width: 1080), warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor2pml.newInstance (Delegating ConstructorAccessorImpl.ava-45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (Delegating ConstructorAccessorImpl.ava-45) at org.openqa.selenium.remote.http.W3CHttpR | Then I wait for 2 sec | 2.01s | | | | | |
| LastName testAutomation Email \${PULSE_EMAIL}\$ Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}\$" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003L5IN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBar1feight: 145, takesScreenshot: true, viewportRect: (height: 2015, left: 0, top: 145, width: 1080), warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: (Using=xpath, value=/landroid.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EdifText} at jdk.internal.reflect.GeneratedConstructorAccessorImpl.newInstance (Unknown Source) at java.base/java.lang.reflect.Constructor.accessor2p.newIn | When user enters registration details | 6.79s | | | | | |
| Email \${PULSE_EMAIL} Password Pas\$1234 And I aps on continue "Sign_Up" button 0.33s And I wait for otp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TIM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities [appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceAplicevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, avascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} | FirstName testAutomation | | | | | | |
| Email \${PULSE_EMAIL} Password Pas\$1234 And I aps on continue "Sign_Up" button 0.33s And I wait for otp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TIM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities [appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceAplicevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, avascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} | LastName testAutomation | | | | | | |
| Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for ofp screen after clicking on signup button 3.85s And I wait for ofp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceOsceneDensity: 440, deviceScreenSize: 1080v.2340, deviceUDID: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080v.2340, deviceUDID: 0C241FDD40043P, deviceManulacturer: google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceOmmandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080), warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: (Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to']/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor1pn.newInstance (DelegatingConstructorAccessor1mpl.lava:45) at java.base | | | | | | | |
| And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button 3.85s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: (appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceCoreonDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportReet: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: (Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingC | | | | | | | |
| And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android), deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceCoreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportReet: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.newInstance (Delegating | | | | | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 29.61s org.openqa.sclenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '766e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApite! 30, deviceApite! 30, deviceAmufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor2p.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selen | | | | | | | |
| org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003JSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android], deviceApil.evel: 30, deviceCercenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[I]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor2p.neu/Instance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/jakalang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java | | 3.85s | | | | | |
| processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006 **** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.rem | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 29.61s | | | | | |
| (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) | org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the reme Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudet autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudet autoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndroinewCommandTimeout: 10000, noReset: true, platformName: android}, deviceA deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnanewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUJ platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreens viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStafalse} Session ID: 8be220dc-154f-4b55-9e9d-9e67888f006 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@tverification code to')]/following::android.view.ViewGroup[1]//android.widget.Eat jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpR | rred while ote server. Z' .arch: 'amd64', | | | | | |

| et ie ennium ieve elier | 4 Annium Drivon | .execute(AppiumDriver.java: | 1) | | | | | | |
|--|---|---|--|--|--|--|--|--|--|
| | | .execute(ApplumDriver.java: idDriver.execute(AndroidDri | | | | | | | |
| | | WebDriver.findElement(Rem | | | | | | | |
| | | cMobileDriver.findElement | | | | | | | |
| | (DefaultGenericMobileDriver.java:62) | | | | | | | | |
| at io.appium.java_clier | nt.AppiumDriver | .findElement(AppiumDriver. | java:1) | | | | | | |
| at io.appium.java_clier | nt.android.Andro | idDriver.findElement(Androi | idDriver.java:1) | | | | | | |
| ~ | at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. | | | | | | | | |
| | java:419) | | | | | | | | |
| | at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath | | | | | | | | |
| | (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) | | | | | | | | |
| | | .iindElementByXPath(Applu idDriver.findElementByXPat | | | | | | | |
| | | ndElement(By.java:353) | m(AndroidDiffer.java.1) | | | | | | |
| | | WebDriver.findElement(Rem | oteWebDriver.iava:309) | | | | | | |
| | | cMobileDriver.findElement | 3 , | | | | | | |
| (DefaultGenericMobile | | | | | | | | | |
| | | . find Element (Appium Driver.) | | | | | | | |
| | | idDriver.findElement(Androi | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | | nds\$16.executeCommand(Co | , | | | | | | |
| | seienium.Execute | Command.executeCommand | (ExecuteCommand.java: | | | | | | |
| 19) | | | | | | | | | |
| lat com onenuice ann co | at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java: | | | | | | | | |
| | reens.PulseRegis | trationScreen.enterOTP(Puls | | | | | | | |
| | reens.PulseRegis | trationScreen.enterOTP(Puls | eRegistrationScreen.java: | | | | | | |
| at com.onepulse.app.sc 311) | | trationScreen.enterOTP(Pulsbilesteps.RegistrationSteps.en | | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java | epdefinitions.mol a:294) | bilesteps.RegistrationSteps.en | terOTPInPulse | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in | epdefinitions.mol a:294) one pulse app for | bilesteps.RegistrationSteps.en | terOTPInPulse | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection | epdefinitions.mol a:294) one pulse app for | bilesteps.RegistrationSteps.en | terOTPInPulse | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec | epdefinitions.mol a:294) one pulse app for ousDiseaseCover. | bilesteps.RegistrationSteps.en | terOTPInPulse AIL}''(features/my/home 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto | epdefinitions.mol a:294) one pulse app for ousDiseaseCover. | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip button Then user should be la | epdefinitions.mol a:294) one pulse app for ousDiseaseCover. | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip button Then user should be land the I wait for 4 sec | epdefinitions.mol a:294) one pulse app for ousDiseaseCover. | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip button Then user should be la | epdefinitions.mol a:294) one pulse app for ousDiseaseCover. | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip button Then user should be land the I wait for 4 sec | epdefinitions.mol a:294) one pulse app for ousDiseaseCover. | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip button Then user should be land Then I wait for 4 sec | epdefinitions.mol a:294) one pulse app for ousDiseaseCover.i n nded to "Home" | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto Then user should be lat Then I wait for 4 sec After Back to Table of Contents | epdefinitions.mol a:294) one pulse app for ousDiseaseCover.i n nded to "Home" | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI | epdefinitions.mola:294) one pulse app for ousDiseaseCover.s n nded to "Home" | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) screen | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s 0.00s 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto Then user should be lated the I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRU Passed: 1 | epdefinitions.mola:294) one pulse app for ousDiseaseCover. n nded to "Home" U Shoppe screen Failed: 0 | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) screen Undefined: 0 | terOTPInPulse AIL}''(features/my/home 0.00s 0.00s 0.00s 0.00s 0.00s Duration: .03s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfectio Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before | epdefinitions.mola:294) one pulse app for ousDiseaseCover. n nded to "Home" U Shoppe screen Failed: 0 | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) screen Undefined: 0 | terOTPInPulse O.00s O.00s O.00s O.00s O.00s O.00s O.00s O.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before And I click on pru shop | epdefinitions.mola:294) one pulse app for ousDiseaseCover. n nded to "Home" U Shoppe screen Failed: 0 | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) screen Undefined: 0 | terOTPInPulse AIL}''(features/my/home 0.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfectio Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before And I click on pru shop After Back to Table of Contents | epdefinitions.mola:294) one pulse app for ousDiseaseCover. n nded to "Home" U Shoppe screen Failed: 0 | bilesteps.RegistrationSteps.en r user email ''\${PULSE_EMA feature:22) screen Undefined: 0 | Duration: .03s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfectio Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before And I click on pru shop After Back to Table of Contents | epdefinitions.mola:294) one pulse app for ousDiseaseCover. n nded to "Home" U Shoppe screen Failed: 0 | r user email "\${PULSE_EMA} feature:22) screen Undefined: 0 | Duration: .03s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before And I click on pru shop After Back to Table of Contents Scenario: Verify User shop | epdefinitions.mola:294) one pulse app for ousDiseaseCover n nded to "Home" U Shoppe screen Failed: 0 ppe button on the ould be able to see | bilesteps.RegistrationSteps.en r user email "\${PULSE_EMA feature:22) screen Undefined: 0 c home page | terOTPInPulse O.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfection Then I wait for 2 sec Then I click skip butto Then user should be lated to the second to t | epdefinitions.mola:294) one pulse app for ousDiseaseCover.son moded to "Home" U Shoppe screen Failed: 0 ppe button on the ould be able to see Failed: 1 | r user email "\${PULSE_EMA} feature:22) screen Undefined: 0 the infectious disease cover s Undefined: 11 | terOTPInPulse O.00s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfectio Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before And I click on pru shop After Back to Table of Contents Scenario: Verify User sho Passed: 0 Before | epdefinitions.mola:294) one pulse app for ousDiseaseCover.son moded to "Home" U Shoppe screen Failed: 0 ppe button on the ould be able to see Failed: 1 | r user email "\${PULSE_EMA} feature:22) screen Undefined: 0 the infectious disease cover s Undefined: 11 | Duration: .03s | | | | | | |
| at com.onepulse.app.sc 311) at com.onepulse.app.st (RegistrationSteps.java at .And I enter OTP in /prushopee/PruInfectio Then I wait for 2 sec Then I click skip butto Then user should be la Then I wait for 4 sec After Back to Table of Contents Scenario: Navigate to PRI Passed: 1 Before And I click on pru shop After Back to Table of Contents Scenario: Verify User sho Passed: 0 Before Then I click on Proceed | epdefinitions.mola:294) one pulse app for ousDiseaseCover.s n nded to "Home" U Shoppe screen Failed: 0 ppe button on the ould be able to see Failed: 1 | r user email "\${PULSE_EMA} feature:22) screen Undefined: 0 the infectious disease cover s Undefined: 11 | Duration: .03s | | | | | | |

```
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

| (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jat com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.jat com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCompand) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreat com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceed(PruShoppeSteps.java:101) at .Then I click on Proceed button on prushoppe screen(features/my/home/prustat.) | iava:141) Command.java) reen.java:143 eedBtn |
|---|---|
| PruInfectiousDiseaseCover.feature:32) | 0.00- |
| Then I wait for 5 sec Then I click on any infectious discoss cover tile on any shape garage. | 0.00s 0.00s |
| Then I click on pru infectious disease cover tile on prushoppe screen Then I wait for 5 sec | 0.00s |
| | 0.00s |
| And I verify following texts are displayed | 0.008 |
| \${infectious.disease.cover.text} | |
| \${infectious.disease.cover.info.1} | |
| \${infectious.disease.cover.info.2} | |
| \${infectious.disease.cover.info.3} | |
| \${infectious.disease.cover.info.4} | 0.00 |
| And user click on following button "\${show.more.text}" on prushoppe screen | 0.00s |
| And I verify following texts are displayed | 0.00s |
| \${infectious.disease.cover.info.5} | |
| \${infectious.disease.cover.info.6} | |
| And user click on following button "\${show.less.text}" on prushoppe screen | 0.00s |
| And I verify following texts are displayed | 0.00s |
| \${infectious.disease.disclosure.text.1} | |
| \${infectious.disease.disclosure.text.2} | |
| \${infectious.disease.disclosure.text.3} | |
| \${infectious.disease.disclosure.text.4} | |
| \${infectious.disease.disclosure.text.5} | |
| \${infectious.disease.disclosure.text.6} | |
| \${infectious.disease.disclosure.text.7} | |
| And I verify following texts are displayed | 0.00s |
| \${your.details.text} | |
| And I scroll down | 0.00s |
| And I verify following texts are displayed | 0.00s |
| | 0.003 |
| \${my.name.as.nric.text} | |
| \${infectious.disease.gender.text} | |
| \${infectious.disease.dob} | 0.00s |
| er | |

| | Failed: 1 | Undefined: 3 | Duration: .17 | |
|--|--|--|---|--|
| efore | | | 0.00s | |
| And I verify foll | owing texts are displa | ayed | 0.18s | |
| \${my.residen | tial.text} | | | |
| \${my.country | y.of.residence} | | | |
| \${my.reseden | ntial.status} | | | |
| \${email.text} | | | | |
| \${my.country | y.code} | | | |
| \${my.mobile.phone.number} | | | | |
| \${my.referral | l.code} | | | |
| Country Code to Mobile Phone N Referral code (o at org.testng.ass | ext is displayed on pa umber text is display ptional) text is displa erts.SoftAssert.assert app.stepdefinitions.r | ted [true] but found [false], ge expected [true] but found [fals ed on page expected [true] but for yed on page expected [true] but for All(SoftAssert.java:43) nobilesteps.MyDocSteps.verifyTe | und [false], ound [false] | |
| at .And I verify following texts are displayed(features/my/home/prushopee | | | | |
| /PruInfectiousD | | | | |
| And I scroll dow | | | 0.00s | |
| | owing texts are displa | ayed | 0.00s | |
| | immary.text} | | | |
| | premium.text} | | | |
| \${total.premi | , | | 0.00 | |
| 4 7 7 7 7 7 | y n | | 10 AMa | |
| And I scroll dow | | | 0.00s | |
| fter | | | 0.00s | |
| fter ck to Table of Conte | | | 0.00s | |
| fter ck to Table of Conte | Verify User should be | able to see the infectious disease | 0.00s | |
| ck to Table of Conte enario Outline: V | | able to see the infectious disease Undefined: 0 | 0.00s cover term and condit Duration: .03 | |
| fter ck to Table of Conte cenario Outline: V ssed: 0 cfore | Verify User should be Failed: 1 | Undefined: 0 | 0.00s cover term and condit Duration: .03 0.00s | |
| fter ack to Table of Contect cenario Outline: Value of the contect of the content of the contect of the content of the contect of the content of the conte | Failed: 1 | | 0.00s cover term and condit Duration: .03 0.00s | |
| fter ack to Table of Conte cenario Outline: \ assed: 0 efore | Failed: 1 | Undefined: 0 | 0.00s cover term and condit Duration: .03 0.00s | |
| cenario Outline: Vessed: 0 Given User acce infectious diseas | Failed: 1 opt the term and conit te cover Screen | Undefined: 0 ions ''\${infectious.disease.tnc.1}'' | 0.00s cover term and condit Duration: .03 0.00s in 0.03s | |
| cenario Outline: Vessed: 0 efore Given User acce infectious diseas org.openqa.seler | Failed: 1 pt the term and conit to cover Screen nium.WebDriverExce | Undefined: 0 | 0.00s cover term and condit Duration: .03 0.00s in 0.03s rror occurred while | |
| cenario Outline: Vessed: 0 efore Given User acce infectious diseas org.openqa.seler processing the cooriginal error: | Failed: 1 opt the term and conit the cover Screen nium.WebDriverExcentium.Original er socket hang up | Undefined: 0 cions ''\${infectious.disease.tnc.1}'' eption: An unknown server-side eror: Could not proxy command to | 0.00s cover term and condit Duration: .03 0.00s in 0.03s rror occurred while o the remote server. | |
| ck to Table of Contections Outline: Vessed: 0 efore Given User accessing the contection of the content of the contection of the content of the conten | Failed: 1 opt the term and conic e cover Screen nium.WebDriverExceommand. Original er socket hang up on: '3.12.0', revision: | Undefined: 0 ions ''\${infectious.disease.tnc.1}'' eption: An unknown server-side e ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14: | 0.00s cover term and condite Duration: .03 0.00s in 0.03s rror occurred while of the remote server. 04:26.12Z' | |
| cenario Outline: Vassed: 0 efore Given User acce infectious diseas org.openqa.seler processing the cooriginal error: Substitution of the cooriginal error: System info: hos | Failed: 1 pt the term and conit to cover Screen nium.WebDriverExcent non: '3.12.0', revision: '5: 'TM003LSIN', ip: | Undefined: 0 cions ''\${infectious.disease.tnc.1}'' eption: An unknown server-side e ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14: '192.168.1.124', os.name: 'Windo | 0.00s cover term and condite Duration: .03 0.00s in 0.03s rror occurred while of the remote server. 04:26.12Z' | |
| ck to Table of Contections Outline: Versions Out | Failed: 1 The pert the term and conic to the cover Screen The pert the term and cover S | Undefined: 0 cions ''\${infectious.disease.tnc.1}'' cption: An unknown server-side e ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14: '192.168.1.124', os.name: 'Windo' 2' | 0.00s cover term and condit Duration: .03 0.00s in 0.03s rror occurred while o the remote server. 04:26.12Z' | |
| ck to Table of Contections Outline: Versions Out | Failed: 1 spt the term and conit to cover Screen nium.WebDriverExceommand. Original er socket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.0 ppium.java_client.an | Undefined: 0 cions ''\${infectious.disease.tnc.1}'' eption: An unknown server-side e ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14: '192.168.1.124', os.name: 'Windo | o.00s cover term and condite Duration: .03 0.00s in 0.03s rror occurred while of the remote server. 04:26.12Z' ws 10', os.arch: 'amd6' | |

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am
aware that the product provides coverage/pays out RM1,000 upon diagnosis of Dengue Fever,
Malaria, Measles or Typhoid. This benefit is only payable once.")]/parent::android.view.
ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="
termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

```
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms (PruShoppeScreen.java:152)

at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.

acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)

at .Given User accept the term and conitions "\${infectious.disease.tnc.1}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

| | cover percent (reatures) in | ny/nome/prasmo | pec, i i dimectio dispise dise co | (Crifeutal Clob) | |
|-----------|--|------------------|-----------------------------------|-----------------------------|--|
| Af | ter | | | 0.00s | |
| Bac | Back to Table of Contents | | | | |
| Sco | enario Outline: <mark>Verify U</mark> | Jser should be a | ble to see the infectious disea | se cover term and condition | |
| Passed: 0 | | Failed: 1 | Undefined: 0 | Duration: .02s | |
| Before | | | | 0.00s | |
| | Given User accept the t infectious disease cover | | ns "\${infectious.disease.tnc.2 | 2}'' in 0.02s | |
| | | | | | |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Original error, socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am aware that the product does not provide coverage/pay out benefits within the first 15 days from the Commencement Date.'')]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc=''termsandcondition''][1]}

at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

```
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
```

| After | | 0.00s | | | |
|--|----------------------------|--|-----------------------|--|--|
| Back to Table of Contents | | | | | |
| Scenario Outline: Verify User should be able to see the infectious disease cover term and condition | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: .03s | | |
| Before | 0.00s | | | | |
| Given User accept the term and conitions "\${infectious.disease.tnc.3}" in infectious disease cover Screen | | | 0.03s | | |
| processing the comman Original error: socket l | d. Original err hang up | ption: An unknown server-side e for: Could not proxy command to '7c6e0b3', time: '2018-05-08T14: | o the remote server. | | |

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am
aware that if I change my mind, I have 15 days from the policy commencement date to cancel
my coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-
sibling::android.view.ViewGroup[@content-desc="termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

```
at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
  (PruShoppeScreen.java:152)
  at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
  acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
  at .Given User accept the term and conitions "${infectious.disease.tnc.3}" in infectious disease
  cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
After
                                                                                0.00s
Back to Table of Contents
Scenario Outline: Verify User should be able to see the infectious disease cover term and condition
Passed: 0
                         Failed: 1
                                               Undefined: 0
                                                                                 Duration: .03s
Before
                                                                                0.00s
  Given User accept the term and conitions "${infectious.disease.tnc.4}" in
                                                                                0.03s
  infectious disease cover Screen
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 8be220dc-154f-4b55-9e9d-9e967888f006
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my
  consent to Prudential Assurance Malaysia Berhad'')]/parent::android.view.ViewGroup
  //preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"][1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
  (PruShoppeScreen.java:152)
  at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
  acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
  at .Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease
  cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
                                                                              0.00s
After
Back to Table of Contents
Scenario: verify that user can see agreement and proceed button
Passed: 0
                        Failed: 1
                                             Undefined: 1
                                                                               Duration: .29s
Before
                                                                              0.00s
  Given I verify following texts are displayed
                                                                              0.29s
     {infectious.disease.tnc.3.1}
```

{ infectious.disease.tnc.4.1 }

| | \$\infect | ious dispose tn | | | | |
|---------------------------|--|--|--|--|--|---|
| | 1 2 | ious.disease.tn ious.disease.tn | , | | | |
| | 1 2 | ious.disease.tn | , | | | |
| | 1 2 | | greement.text.1} | | | |
| | | | reement.text.2} | | | |
| | | | greement.text.3} | | | |
| | | | greement.text.4} | | | |
| | 1 | | greement.text.5} | | | |
| | | | greement.text.6} | | | |
| | фішесь | 10us.uisease.ug | reementation | | | |
| | I am aware well as claim service at content expected [the PAMB text the insurer to release in page expected on the insurer to release in page expected in the insurer to release in the insurer t | e that if I am ums guide, I can customer.mys@ crue] but found t is displayed o text is display my personal da ted [true] but | n refer to the Produce of Produce | re details on exuct Materials ny for any other rue] but found ed [true] but for direct man | below. I may alger enquiries. text d [false], ound [false], rketing purpose | s and conditions as so reach customer at is displayed on page es. text is displayed on |
| | By clicking and fully upoclaration Product Market Privacy Polication at org.testnat com.one (MyDocSteat .Given I /PruInfection | ted [true] but it groceed, I acl inderstood the ins and text is displayed of licy and text is they are binding.asserts.Soft pulse.app.step eps.java:717) verify following.steseCov | knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ing texts are display ver.feature:92) | ormation proving page expected [true] expected [true] but found expect | ided is accurate ed [true] but found but found [false] e] but found [fa e] but found [fa e] but found [fa e] but found [fa eage expected [ta eage expected [ta eage] teps.verifyTexts my/home/prusho | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen |
| | By clicking and fully upoclaration Product Market Privacy Polication at org.testnat com.one (MyDocSteat .Given I /PruInfection | ted [true] but it groceed, I acl inderstood the ins and text is displayed of licy and text is they are binding.asserts.Soft pulse.app.step eps.java:717) verify following.steseCov | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles | ormation proving page expected [true] expected [true] but found expect | ided is accurate ed [true] but found but found [false] e] but found [fa e] but found [fa e] but found [fa e] but found [fa eage expected [ta eage expected [ta eage] teps.verifyTexts my/home/prusho | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen |
| | By clicking and fully upoclaration Product Market Privacy Policy I agree that at org.testnat com.one (MyDocSteat .Given I /PruInfection And I verification of the statement of t | ted [true] but it groceed, I acl nderstood the ns and text is daterials text is tis displayed of licy and text is they are binding asserts. Soft pulse app. step eps. java: 717) verify following ous Disease Cook proceed but | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles on texts are display ver.feature:92) | ormation proving page expected [true] expected [true] but found expect | ided is accurate ed [true] but found but found [false] e] but found [fa e] but found [fa e] but found [fa e] but found [fa eage expected [ta eage expected [ta eage] teps.verifyTexts my/home/prusho | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen |
| | By clicking and fully upoclaration Product Market Privacy Policy I agree that at org.testnat com.one (MyDocSteat .Given I /PruInfection And I verification of the statement of t | ted [true] but it groceed, I acl nderstood the ns and text is daterials text is tis displayed of licy and text is they are binding asserts. Soft pulse app. step eps. java: 717) verify following ous Disease Cook proceed but | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles on texts are display ver.feature:92) | ormation proving page expected [true] expected [true] but found expect | ided is accurate ed [true] but found but found [false] e] but found [fa e] but found [fa e] but found [fa e] but found [fa eage expected [ta eage expected [ta eage] teps.verifyTexts my/home/prusho | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen |
| Ba eatı | By clicking and fully upoclaration Product Market Privacy Politagree that at org.testn at com.one (MyDocSte at .Given I /PruInfection And I veriffer ack to Table of ure: Verify I | ted [true] but it groceed, I acl inderstood the ins and text is distributed attributed a | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t. s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles mg texts are display ver.feature:92) ton is displayed on | pru shoppe so | ided is accurate ed [true] but found] but found [false] e] but found [fa d [false], he] but found [fa dage expected [ta d3) teps.verifyTexts hy/home/prusho ereen | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee 0.00s |
| Ba eatu | By clicking and fully upoclaration Product Management Product Management Product Management Privacy Policy I agree that at org. testing at com. one (MyDocSte at .Given I /PruInfection And I verified I verified Product Table of the Ure: Verify I d: 0 | rted [true] but it g Proceed, I acl inderstood the ins and text is distributed attributed attribute | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ag texts are display ver.feature:92) ton is displayed on y Coverage function Undefined | ormation proving page expected [true] expected [true] but found expected [true] displayed on postAssert.java: steps.MyDocSived(features/mathemathemathemathemathemathemathemathe | ided is accurate ed [true] but four] but found [false] e] but found [false], te] but found [false] eage expected [true] teps.verifyTexts ty/home/prusho ereen pulse App Duration: 51. | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee 0.00s |
| eatu assec | By clicking and fully up Declaration Product Management Product Management Product Management Privacy Politagree that at org.testnat com.one (MyDocSteat .Given I /PruInfection And I veriffer ack to Table of the community of the product of the pro | g Proceed, I acl inderstood the ins and text is districted attributed of distributed of distribu | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t. s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ag texts are display ver.feature:92) ton is displayed on y Coverage functio Undefined and select the country | ormation proving page expected [true] expected [true] expected [true] but found expected [true] displayed on posteps. MyDocSived (features/myDocSived) pru shoppe some | ided is accurate ed [true] but found] but found [false] e] but found [fa d [false], ue] but found [fa d age expected [ta d d age expected [ta] d age expected [ta d d age expected [ta] d age expect | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee 0.00s 0.00s |
| eatu assec Sc Pa | By clicking and fully upoclaration Product Management Product Management Product Management Privacy Policy I agree that at org. testing at com. one (MyDocSte at .Given I /PruInfection And I veriffer Teck to Table of the Ure: Verify Ind: 0 cenario: Laurassed: 3 | g Proceed, I acl inderstood the ins and text is districted attributed of distributed of distribu | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ag texts are display ver.feature:92) ton is displayed on y Coverage function Undefined | ormation proving page expected [true] expected [true] but found expected [true] displayed on postAssert.java: steps.MyDocSived(features/mathemathemathemathemathemathemathemathe | ided is accurate ed [true] but found] but found [false] e] but found [fa d [false], ue] but found [fa d age expected [ta d d age expected [ta] d age expected [ta d d age expected [ta] d age expect | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee 0.00s 0.00s |
| eatu assec Sc Pa | By clicking and fully up Declaration Product Management Product Management Product Management Privacy Politagree that at org.testnat com.one (MyDocSteat .Given I /PruInfection And I veriffer ack to Table of the community of the product of the pro | g Proceed, I acl inderstood the ins and text is districted attributed of distributed of distribu | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t. s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ag texts are display ver.feature:92) ton is displayed on y Coverage functio Undefined and select the country | ormation proving page expected [true] expected [true] expected [true] but found expected [true] displayed on posteps. MyDocSived (features/myDocSived) pru shoppe some | ided is accurate ed [true] but found] but found [false] e] but found [fa d [false], ue] but found [fa d age expected [ta d d age expected [ta] d age expected [ta d d age expected [ta] d age expect | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee 0.00s 0.00s |
| eatu assec Sc Pa | By clicking and fully upoclaration Product Management Product Management Product Management Privacy Policy I agree that at org.testnat com.one (MyDocSteat .Given I /PruInfection And I verified I verify I d: 0 cenario: Laurassed: 3 efore | g Proceed, I acl inderstood the ins and text is districted attributed of distributed of distribu | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t. s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ag texts are display ver.feature:92) ton is displayed on y Coverage functio Undefined and select the counts iled: 1 | ormation proving page expected [true] expected [true] expected [true] but found expected [true] displayed on posteps. MyDocSived (features/myDocSived) pru shoppe some | ided is accurate ed [true] but found] but found [false] e] but found [fa d [false], ue] but found [fa d age expected [ta d d age expected [ta] d age expected [ta d d age expected [ta] d age expect | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee 0.00s 0.00s |
| eatu assec Sc Pa | By clicking and fully upoclaration Product Management Product Management Product Management Privacy Policy I agree that at org.testnat com.one (MyDocSteat.Given I /PruInfection And I veriffer Product I ack to Table of the User I wassed: 3 Product I assed: 3 Product I assed: 3 Product I assed: 3 Product I assed: 3 Product I assignment I assig | red [true] but it it it it is displayed of licy and text is it is displayed of licy and text is it they are binding asserts. Soft pulse app. step eps. java: 717) verify following ous Disease Cooky proceed but Failed: 7 The the app are the pulse app in "\$ login.em | found [false], knowledge the info text is displayed or lisplayed on page e displayed on page on page expected [t. s displayed on page ling on me. text is o Assert.assertAll(So definitions.mobiles ag texts are display ver.feature:92) ton is displayed on y Coverage functio Undefined and select the counts iled: 1 | ormation proving page expected [true] expected [true] expected [true] but found expected [true] displayed on postAssert.java: steps.MyDocSived(features/massert.java: pru shoppe some pru shop | ided is accurate ed [true] but found] but found [false] e] but found [false], ie] but found [false] age expected [true] teps.verifyTexts ay/home/prusho creen Duration: 51. | e and that I have read and [false], se], alse], rue] but found [false] sOnScreen opee |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page

Then I change the country as required on registration page

16.11s

```
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 35475610-4b35-41f6-88d0-2b609739a3cc
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1016) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/my/home/prushopee /PruShoppeCoverage.feature:8) 1:57 😉 🖽 🖽 💿 🔹 0.98 oulse' 0.00sAfter **Back to Table of Contents** Scenario: login to the app with correct credentials using "Continue with Email" Failed: 1 Undefined: 5 Passed: 0 **Duration: 8.05s** 0.00sBefore Given I select the language option on toggle bar as required on login page 8.05sorg.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 35475610-4b35-41f6-88d0-2b609739a3cc
*** Element info: {Using=xpath, value=//android.widget.TextView[@text=''EN'']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle (PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(features/my/home /prushopee/PruShoppeCoverage.feature:13) After 0.00s**Back to Table of Contents** Scenario: Verify user can access his policies from Pru Shoppe My Policies screen Passed: 2 Failed: 1 **Undefined: 2 Duration: 7.38s** Before 0.00sAnd I click on pru shoppe button on the home page 2.36s And I wait for 5 sec 5.01s And I click on my policies tile on prushoppe screen 0.02sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 35475610-4b35-41f6-88d0-2b609739a3cc

```
*** Element info: {Using=xpath, value=(//android.widget.ScrollView//following::android.
widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.jaya client.AppiumDriver.findElementByXPath(AppiumDriver.jaya:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnMyPoliciesTile(PruShoppeScreen.java:
98)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.navigateToMyPoliciesScreen
(PruShoppeSteps.java:46)
at .And I click on my policies tile on prushoppe screen(features/my/home/prushopee
/PruShoppeCoverage.feature:25)
```

| φ(C • 0 | | | | |
|--|---|--|--|---|
| \${myCoverage.info | | | | |
| \${myCoverage.Info | ormationDescription} | | | |
| After | | | | 0.00s |
| Back to Table of Contents | | | | |
| Scenario: Click on Link | nolicy and verify scre | en to add nolicy nur | nher | |
| Passed: 0 | Failed: 1 | Undefined: 3 | inder | Duration: .02s |
| Before | raneu: 1 | Ondermed: 3 | | 0.00s |
| | | | | |
| And I clicks on "\${my | Coverage.linkPolicyE | Button}'' in app scre | en | 0.02s |
| org.openqa.selenium.' processing the comma Original error: socket Build info: version: '3 System info: host: 'TM os.version: '10.0', java Driver info: io.appium Capabilities {appActiv uat, autoDismissAlert desired: {appActivity: autoDismissAlerts: tre newCommandTimeout deviceManufacturer: deviceScreenDensity: javascriptEnabled: tre newCommandTimeout platformName: Andro viewportRect: {height false} Session ID: 35475610- *** Element info: {Us Policy/Certificate'')]} at jdk.internal.reflect. at java.base/jdk.intern (DelegatingConstructe at java.base/java.lang at org.openqa.selenium (W3CHttpResponseC at org.openqa.selenium java_clie java:42) at io.appium.java_clie java:42) at io.appium.java_clie java:42) at io.appium.java_clie | nd. Original error: Chang up .12.0', revision: '7c6e0 .1003LSIN', ip: '192.10 .version: '11.0.2' n.java_client.android. vity: com.prudential.puse .t: true, automationName: .t: 10000, noReset: tru .Google, deviceModel: .440, deviceScreenSize .te, locationContextEn .t: 10000, noReset: tru .di, platformVersion: .2015, left: 0, top: 14 .4b35-41f6-88d0-2b60 .ing=xpath, value=//an .GeneratedConstructo .al.reflect.Delegating(.orAccessorImpl.java: .reflect.Constructor.n .remote.http.W3CH .odec.java:187)remote.http.W3CH .odec.java:122)remote.http.W3CHremote | ould not proxy composite of the constructor Accessor 29. new Inconstructor Accessor 45) ewInstance (Constructor Accessor 29. new Inconstructor Accessor 45) ewInstance (Constructor Accessor 45) ewI | mand to the remonstrate of the r | dential.pulse. d: false, d: false, d: Test, piLevel: 30, 43P, D40043P, bled: true, c, hot: true, rageEnabled: ext,''Link Source) ee |

```
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
  iava:1741)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
  (CustomerConnectSteps.java:534)
  at .And I clicks on "${myCoverage.linkPolicyButton}" in app screen(features/my/home
  /prushopee/PruShoppeCoverage.feature:33)
      {myCoverage.policyNumber.description1
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify the error message when the Policy Number is blank
Passed: 0
                        Failed: 1
                                              Undefined: 2
                                                                                Duration: .02s
Before
                                                                               0.00s
  Then I click on policy number save button on my policies screen
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 35475610-4b35-41f6-88d0-2b609739a3cc
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Save'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.PruShoppeScreen.clickPolicyNumSaveBtn(PruShoppeScreen. java:225) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickPolicyNumSaveBtn (PruShoppeSteps.java:151) at .Then I click on policy number save button on my policies screen(features/my/home /prushopee/PruShoppeCoverage.feature:42) After 0.00s**Back to Table of Contents** Scenario: Verify the error message when the Policy Number is invalid or incorrect Failed: 1 **Undefined: 4** Passed: 0 **Duration: .02s** Before 0.00sWhen I enter "1234" as the Policy number 0.02sorg.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 35475610-4b35-41f6-88d0-2b609739a3cc *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Policy Number'] /following::android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

| at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.mote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriv java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(CompiumJava:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AndroidDriver.java:3) at org.openqa.selenium.gy\$ByXPath.findElement(By.java:353) at org.openqa.selenium.semote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at org.openqa.selenium.semote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.ExecuteCommands:16.executeCommand(Commands.java:148) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruS | (AppiumCommanat org.openqa.seleat io.appium.javajava:42) at io.appium.javajat io.appium.javajat org.openqa.seleat io.appium.javajat io.appium.javajat io.appium.javajat io.appium.javajat org.openqa.seleatio.appium.javajat org.openqa.seleajava:419) | ndExecutor.java:231) enium.remote.RemoteWebDriver.execute(RemoteWebD_client.DefaultGenericMobileDriver.execute(DefaultGe_client.AppiumDriver.execute(AppiumDriver.java:1)_client.android.AndroidDriver.execute(AndroidDriver.enium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement(MobileDriver.java:62)_client.AppiumDriver.findElement(AppiumDriver.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement) | enericMobileDriver. java:1) WebDriver.java:317) |
|---|--|--|--|
| at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDrivjava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(RemoteWebDrivjava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AndroidDriver.java:3 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.DefaultGenericMobileDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.DefaultGenericMobileDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:148) at com.onepulse.app.screens.FrestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber(PruShoppeScreen.java:30 at Om.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber(PruShoppeScreen.java:30 at Om.onepulse.app.stepdefinitions.m | at org.openqa.sele at io.appium.java java:42) at io.appium.java at io.appium.java at org.openqa.sele at io.appium.java (DefaultGenericMat io.appium.java at io.appium.java at org.openqa.sele java:419) | enium.remote.RemoteWebDriver.execute(RemoteWebD_client.DefaultGenericMobileDriver.execute(DefaultGe_client.AppiumDriver.execute(AppiumDriver.java:1)_client.android.AndroidDriver.execute(AndroidDriver.enium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement(IobileDriver.java:62)_client.AppiumDriver.findElement(AppiumDriver.java_client.android.AndroidDriver.findElement(| enericMobileDriver. java:1) WebDriver.java:317) |
| at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:1) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(RemoteWebDriv java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(RemoteWebDriv java:419) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:3) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand,ja) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee //PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 0.008 Then I verify following texts are displayed {my/Coverage policyNumber.errorMessage} | at io.appium.java java:42) at io.appium.java at io.appium.java at org.openqa.sele at io.appium.java (DefaultGenericM at io.appium.java at org.openqa.sele java:419) | _client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.javaclient.android.AndroidDriver.findElement(AndroidDriver.findElement(DefaultGenericMobileDriver.findElement(DefaultG | enericMobileDriver. java:1) WebDriver.java:317) |
| java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriv java:419) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriv java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AndroidDriver.java:3) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at org.openqa.selenium.remote.RemoteWebDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands,java:148) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber (PruShoppeSteps.java:96) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 0.008 Then I click on policy number save button on my policies screen 1.008 1.00 | java:42) at io.appium.java at io.appium.java at org.openqa.sele at io.appium.java (DefaultGenericMat io.appium.java at io.appium.java at org.openqa.sele java:419) | _client.AppiumDriver.execute(AppiumDriver.java:1) _client.android.AndroidDriver.execute(AndroidDriver.enium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement _client.DefaultGenericMobileDriver.findElement IobileDriver.java:62) _client.AppiumDriver.findElement(AppiumDriver.java _client.android.AndroidDriver.findElement(AndroidDr | .java:1) WebDriver.java:317) n:1) |
| at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriv java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(RemoteWebDriver.java:3) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja) at com.onepulse.app.screens.FrestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyN | at io.appium.java at io.appium.java at org.openqa.sele at io.appium.java (DefaultGenericM at io.appium.java at io.appium.java at org.openqa.sele java:419) | _client.android.AndroidDriver.execute(AndroidDriver.enium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement_client.DefaultGenericMobileDriver.findElement | WebDriver.java:317) |
| at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:3 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriv.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.appiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.appiumDriver.findElementByXPath(AndroidDriver.java:30 at org.openqa.selenium.by\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands,java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:148) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee //PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard PruShoppeCoverage.feature:50 And I wait for 2 sec D.008 Then I click on policy number save button on my policies screen Sempton State St | at io.appium.java at org.openqa.sele at io.appium.java (DefaultGenericM at io.appium.java at io.appium.java at org.openqa.sele java:419) | _client.android.AndroidDriver.execute(AndroidDriver.enium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement_client.DefaultGenericMobileDriver.findElement | WebDriver.java:317) |
| at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(ByXPath(RemoteWebDriv java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AndroidDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee (PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen \$\text{And I wait for 2 sec}\$ | at io.appium.java (DefaultGenericM at io.appium.java at io.appium.java at org.openqa.sele java:419) | _client.DefaultGenericMobileDriver.findElement IobileDriver.java:62) _client.AppiumDriver.findElement(AppiumDriver.java _client.android.AndroidDriver.findElement(AndroidDr | ::1) |
| (DefaultGenericMobileDriver,java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver,java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver,java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriv java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver,java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver,java:1) at io.appium.java_client.AppiumDriver.findElementByXPath(AndroidDriver,java:1) at org.openqa.selenium.BySByXPath.findElement(By,java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver,java:30) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver,java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver,java:1) at io.appium.java_client.AppiumDriver.findElement(AndroidDriver,java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver,java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands,java:148) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage,java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps,java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee (PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Desarror desarror desage Desarror desarror desage Desarror desage Desarror desage Desarror desage Desag | (DefaultGenericMat io.appium.java at io.appium.java at org.openqa.sele java:419) | IobileDriver.java:62) _client.AppiumDriver.findElement(AppiumDriver.java _client.android.AndroidDriver.findElement(AndroidDr | |
| at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(ByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee (PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 1.00s Then I verify following texts are displayed \$\frac{\text{kmyCoverage.policyNumber.errorMessage}}{\text{kmyCoverage.policyNumber.errorMessage}}} | at io.appium.java at io.appium.java at org.openqa.sele java:419) | _client.AppiumDriver.findElement(AppiumDriver.java _client.android.AndroidDriver.findElement(AndroidDr | |
| at io.appium,java_client.android.AndroidDriver.findElementByXPath(RemoteWebDriver.java:419) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium,java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium,java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium,java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee //PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 0.00s Then I verify following texts are displayed 8(mvCoverage.policyNumber.errorMessage) | at io.appium.java at org.openqa.sele java:419) | $\underline{\hspace{0.1cm}}\textbf{client.} \textbf{android}. \textbf{AndroidDriver.} \textbf{findElement} (\textbf{AndroidDriver.} \textbf{findElement})$ | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDrivijava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:dorg.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.AppiumDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee //PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard D.00s Then I click on policy number save button on my policies screen D.00s Then I verify following texts are displayed \$\frac{\text{kmyCoverage.policyNumber.errorMessage}}{\text{kmyCoverage.policyNumber.errorMessage}} | at org.openqa.sele java:419) | | river iava·1) |
| java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By,java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 1.00s And I wait for 2 sec 1.00s Then I verify following texts are displayed \$\frac{\text{SimyCoverage, policyNumber, errorMessage}}{\text{SimyCoverage, policyNumber, errorMessage}} \$\text{SimyC | java:419) | | |
| (DefaultGenericMobileDriver,java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver,java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver,java:at org.openqa.selenium.By\$ByXPath.findElement(By,java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver,java:36) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver,java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver,java:1) at io.appium.java_client.AppiumDriver.findElement(AndroidDriver,java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands,java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 0.00s And I wait for 2 sec 0.00s Then I verify following texts are displayed S{myCoverage.policyNumber.errorMessage} | at io.annium.iava | | |
| at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen 0.00s Then I verify following texts are displayed \$\frac{\text{New Policy Number.errorMessage}}{\text{New Policy Number.errorMessage}} | * * | $oldsymbol{\cdot}$ | ath |
| at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java: at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:36 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee/PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard | | | • • • |
| at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java 138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard D.00s Then I click on policy number save button on my policies screen And I wait for 2 sec D.00s Then I verify following texts are displayed StmyCoverage.policyNumber.errorMessage | * * | | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:30 at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard | | and the contract of the contr | |
| at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec Then I verify following texts are displayed §{myCoverage.policyNumber.errorMessage} | | | WebDriver.java:309) |
| at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec D.00s Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}\$ | | | , |
| at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java 138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen D.00s And I wait for 2 sec D.00s Fhen I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}} | | | |
| at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java 138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec 0.00s Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}} | | | |
| at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.ja 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java 138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec 0.00s Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}} | * * | | |
| at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java 138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec 0.00s Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}\$ | • | | |
| at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:138) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec D.00s Then I verify following texts are displayed \$ {myCoverage.policyNumber.errorMessage} \$ } | • | stap selemum Paccute command execute command (Pac | Cute Command. Java. |
| at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec 0.00s Then I verify following texts are displayed \$\{\text{myCoverage.policyNumber.errorMessage}\}\] | | pp.screens.TestBasePage.setTextWithTab(TestBasePag | e.java:260) |
| at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec 0.00s Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}\$ | | | ,00,000 |
| (PruShoppeSteps.java:96) at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}\$ | | pp.screens.PruShoppeScreen.enterPolicyNumber(PruS | • |
| at .When I enter "1234" as the Policy number(features/my/home/prushopee /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec Then I verify following texts are displayed \$\{\text{myCoverage.policyNumber.errorMessage}\}\$ | · · · · · · · · · · · · · · · · · · · | | ShoppeScreen.java: |
| /PruShoppeCoverage.feature:50) And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen O.00s And I wait for 2 sec O.00s Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}} | at com.onepulse.a | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo | ShoppeScreen.java: |
| And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage}\$ 0.00s | at com.onepulse.a (PruShoppeSteps. | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) | ShoppeScreen.java: |
| And I wait for 2 sec Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage} 0.00s | at com.onepulse.a (PruShoppeSteps. at .When I enter ' | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop | ShoppeScreen.java: |
| Then I verify following texts are displayed \$\{\text{myCoverage.policyNumber.errorMessage}\} \end{aligned} | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) | hoppeScreen.java: olicyNumber pee |
| \${myCoverage.policyNumber.errorMessage} | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) dse app mobile keyboard | ShoppeScreen.java: olicyNumber pee 0.00s |
| | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) dlse app mobile keyboard blicy number save button on my policies screen | ChoppeScreen.java: DlicyNumber pee 0.00s 0.00s |
| PA | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po And I wait for 2 se | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) dse app mobile keyboard blicy number save button on my policies screen | choppeScreen.java: colicyNumber pee 0.00s 0.00s 0.00s |
| After 0.00s | at com.onepulse.a (PruShoppeSteps. at .When I enter '/PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follows: | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) dse app mobile keyboard olicy number save button on my policies screen ec | choppeScreen.java: colicyNumber pee 0.00s 0.00s 0.00s |
| ack to Table of Contents | at com.onepulse.a (PruShoppeSteps. at .When I enter '/PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follows: | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) dse app mobile keyboard olicy number save button on my policies screen ec | choppeScreen.java: colicyNumber pee 0.00s 0.00s 0.00s |
| cenario: Verify the error message when the Cancel Button | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follow \${myCoverage} ter | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPo .java:96) '1234'' as the Policy number(features/my/home/prushop rage.feature:50) dlse app mobile keyboard olicy number save button on my policies screen ec owing texts are displayed .policyNumber.errorMessage) | choppeScreen.java: colicyNumber pee 0.00s 0.00s 0.00s 0.00s |
| | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follo \${myCoverage} ter k to Table of Content | app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPoljava:96) '1234'' as the Policy number(features/my/home/prushopeage.feature:50) dise app mobile keyboard blicy number save button on my policies screen ec bwing texts are displayed policyNumber.errorMessage} | choppeScreen.java: colicyNumber pee 0.00s 0.00s 0.00s 0.00s |
| sefore 0.00s | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follo \${myCoverage} ter k to Table of Content enario: Verify the | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPojava:96) '1234'' as the Policy number(features/my/home/prushopage.feature:50) dlse app mobile keyboard olicy number save button on my policies screen ec owing texts are displayed .policyNumber.errorMessage) s error message when the Cancel Button | choppeScreen.java: colicyNumber pee 0.00s 0.00s 0.00s 0.00s |
| | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follo \${myCoverage} ter tex to Table of Content enario: Verify the sed: 0 | pp.stepdefinitions.mobilesteps.PruShoppeSteps.enterPojava:96) '1234'' as the Policy number(features/my/home/prushopage.feature:50) dlse app mobile keyboard olicy number save button on my policies screen ec owing texts are displayed .policyNumber.errorMessage) s error message when the Cancel Button | bhoppeScreen.java: olicyNumber pee 0.00s 0.00s 0.00s 0.00s 0.00s Duration: .02s |
| Then I click on policy number cancel button on my policies screen 0.02s | at com.onepulse.a (PruShoppeSteps. at .When I enter ' /PruShoppeCover And I hide one pu Then I click on po And I wait for 2 so Then I verify follo \${myCoverage} ter tex to Table of Content enario: Verify the sed: 0 fore | app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPoljava:96) '1234'' as the Policy number(features/my/home/prushopeage.feature:50) dise app mobile keyboard blicy number save button on my policies screen ec bwing texts are displayed policyNumber.errorMessage} s error message when the Cancel Button Failed: 1 Undefined: 1 | Duration: .02s |

```
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 35475610-4b35-41f6-88d0-2b609739a3cc
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Cancel'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

| at io.appium.java_clie at com.prudential.tap. at com.prudential.tap. 19) at com.onepulse.app.se at com.onepulse.app.se java:233) at com.onepulse.app.se (PruShoppeSteps.java at .Then I click on pole /prushopee/PruShoppe | nt.AppiumDriver.findElement(AppiumDriver.java:1) nt.android.AndroidDriver.findElement(AndroidDrive selenium.Commands\$15.executeCommand(Command selenium.ExecuteCommand.executeCommand(Execute creens.TestBasePage.clickButton(TestBasePage.java:1 creens.PruShoppeScreen.clickPolicyNumCancelBtn(Patendefinitions.mobilesteps.PruShoppeSteps.clickPolicy :156) icy number cancel button on my policies screen(feature eCoverage.feature:58) | s.java:141) eCommand.java: 63) ruShoppeScreen. NumCancelBtn |
|--|--|---|
| | inded to "Home" screen | |
| After | | 0.00s |
| Back to Table of Contents | | |
| | nel functionality on one pulse App | |
| Passed: 2 Failed: 1 | | |
| Scenario: Launch the app | and select the country as per specified lbu | |
| Passed: 6 | Failed: 0 Undefined: 0 | Duration: 52.43s |
| Before | | 0.00s |
| Given User has pulse a | ** | 9.88s |
| And I assign "\${login. | email.id}'' to variable ''PULSE_EMAIL'' | 0.00s |
| And user click on "CO | ONTINUE WITH EMAIL" with Email button | 15.92s |
| | ntry as required on registration page | 11.72s |
| Then I wait for 10 sec | | 10.01s |
| And I click the Sign in | link | 4.90s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: login to the app | with correct credentials using "Continue with Email" | 1 |
| Passed: 6 | Failed: 0 Undefined: 0 | Duration: 46.3s |
| Before | | 0.00s |
| Given I select the lang | uage option on toggle bar as required on login page | 3.55s |
| When user enters cred | entials | 10.46s |
| UserName \${PULS | E_EMAIL} | |
| Password \${pulse. | password} | |
| And User clicks on sig | nin button | 0.28s |
| And I wait for 5 sec | | 5.00s |
| And I enter OTP in or | e pulse app for user email "\${PULSE_EMAIL}" | 11.79s |
| Then user should be la | nded to "Home" screen | 15.22s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User sho | ould be able to navigate to wealth page | |
| Passed: 0 | Failed: 1 Undefined: 4 | Duration: 11.33s |
| Before | | 0.00s |

```
11.33s
And I click the Wealth Channel tile for Malaysia
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java;204)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTileForMalaysia
(WealthScreen.java:567)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.clickWealthChannelTileMalaysia
(WealthSteps.java:338)
```

| Then I verify fol | lowing texts are displ | layed | 0.00s |
|--|--|--|--|
| Wealth Chan | | | |
| | | displayed on wealth channel screen | 0.00s |
| Investing 123 | | | |
| Equip yourse | f with the basic inves | stment tools | |
| First Steps | | | |
| The importan | ce of investor educat | tion | |
| And I scroll dow | n | | 0.00s |
| Then I verify fol | lowing tile texts are d | displayed on wealth channel screen | 0.00s |
| Remove The | | | |
| Dispel investr | nent myths to achiev | e desired investment outcomes | |
| Mutual Fund | S | | |
| Make mutual | funds your first inve | estment stop | |
| ter | | | 0.00s |
| ck to Table of Conte | <u>ıts</u> | | |
| enario: Verify Us | er should be able to | view the story post | |
| ssed: 0 | Failed: 1 | Undefined: 4 | Duration: 5.07 |
| | | | 0.00 |
| Then I click on 'org.openqa.selen processing the co | mmand. Original er ocket hang up | eption: An unknown server-side error eror: Could not proxy command to the | remote server. |
| Then I click on 'org.openqa.selen processing the cooriginal error: s Build info: version System info: hos | ium.WebDriverExceommand. Original erocket hang upon: '3.12.0', revision: | eption: An unknown server-side error eror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 10 | 5.07s occurred while remote server. 6.12Z' |
| Then I click on 'org.openqa.selen processing the cooriginal error: s Build info: versio System info: hos os.version: '10.0' | ium.WebDriverExceommand. Original er ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 | eption: An unknown server-side error eror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20 '192.168.1.124', os.name: 'Windows 10 2' | 5.07s occurred while remote server. 6.12Z' |
| Then I click on 'org.openqa.selen processing the configural error: Suild info: version System info: hos os.version: '10.0' Driver info: io.a | ium.WebDriverExceommand. Original er ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.an | eption: An unknown server-side error eror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 10 | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64 |
| Then I click on 'org.openqa.selen processing the cooriginal error: Suild info: version System info: hos os.version: '10.0' Driver info: io.ap Capabilities {appuat, autoDismiss | ium.WebDriverExceommand. Original er ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.an oActivity: com.prude | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEr | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64 m.prudential.puls habled: false, |
| Then I click on 'org.openqa.selen processing the cooriginal error: Suild info: version System info: hos os.version: '10.0' Driver info: io.aj Capabilities {appuat, autoDismiss desired: {appAct | ium.WebDriverExceommand. Original er ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.an oActivity: com.prude Alerts: true, automativity: com.prudentia | eption: An unknown server-side error eror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEntl.pulse.MainAc, appPackage: com.p | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls habled: false, rudential.pulse.ua |
| Then I click on 'org.openqa.selen processing the coordinal error: substituting the coordinal error: substituting the coordinal error: substituting the coordinal error: substituting the coordinal error info: io.apabilities {appactantoDismiss desired: {appActantoDismissAler | ium.WebDriverExceommand. Original ercocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prudeAlerts: true, automatis: true, automatis: true, automatis: true, automatis: true, automatis: | eption: An unknown server-side error eror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnl.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64 m.prudential.puls nabled: false, rudential.pulse.ua ndroid-Test, |
| Then I click on 'org.openqa.selen processing the coorginal error: s Build info: version system info: hos os.version: '10.0' Driver info: io.ap Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTi | ium.WebDriverExceommand. Original ercocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentia ts: true, automation meout: 10000, noRes | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnl.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alset: true, platformName: android}, devicet true, platformName: android}, deviceName: Alset: true, platformName: android} | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.ua ndroid-Test, viceApiLevel: 30, |
| Then I click on 'org.openqa.selen processing the configural error: Suild info: version system info: hostos.version: '10.0' Driver info: io.apabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufacta | ium.WebDriverExceommand. Original er ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.an oActivity: com.prude Alerts: true, automativity: com.prudentia ts: true, automationN meout: 10000, noRes | eption: An unknown server-side error eror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnl.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, |
| Then I click on 'org.openqa.selen processing the configural error: Suild info: version system info: hoston os.version: '10.0' Driver info: io.apen Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactautoCommandTideviceScreenDerigavascriptEnables | ium.WebDriverExceptmand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, noResurer: Google, device Nativ: 440, device Screed: true, location Con | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alset: true, platformName: android}, devicet: true, platformName: android}, devicet: 1080x2340, deviceUDID: 0C24textEnabled: false, networkConnection | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, |
| Then I click on 'org.openqa.selen processing the configural error: Suild info: version system info: hostos.version: '10.0' Driver info: io.apabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactadeviceScreenDerjavascriptEnablenewCommandTideviceManufactadeviceScreenDerjavascriptEnablenewCommandTideviceManufactadeviceScreenDerjavascriptEnablenewCommandTideviceManufactadeviceScreenDerjavascriptEnablenewCommandTideviceManufactadeviceScreenDerjavascriptEnablenewCommandTideviceManufactadeviceManuf | ium.WebDriverExceptmand. Original ergocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, noResisty: 440, deviceScreed: true, locationConmeout: 10000, noResisty: 440, deviceScreed: 440, deviceScree | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.Model: Pixel 5, deviceName: 0C241FD eenSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnectionset: true, pixelRatio: 2.75, platform: L | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, |
| org.openqa.selen processing the co Original error: s Build info: versio System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: J | ium.WebDriverExceptionand. Original ergocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, no Resert; 440, deviceScreed: true, locationConmeout: 10000, no Resert of the property of the pr | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20'192.168.1.124', os.name: 'Windows 102' dtroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.True, platformName: android}, devicet: true, platformName: 0C241FD eenSize: 1080x2340, deviceUDID: 0C241extEnabled: false, networkConnectionset: true, pixelRatio: 2.75, platform: Lersion: 11, statBarHeight: 145, takesSc | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, creenshot: true, |
| org.openqa.selentrocessing the configural error: so Build info: version system info: hoston os.version: '10.0' Driver info: io.ap Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactudeviceScreenDerijavascriptEnablenewCommandTiplatformName: AviewportRect: {h | ium.WebDriverExceptionand. Original ergocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, no Resert; 440, deviceScreed: true, locationConmeout: 10000, no Resert of the property of the pr | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.Model: Pixel 5, deviceName: 0C241FD eenSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnectionset: true, pixelRatio: 2.75, platform: L | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, creenshot: true, |
| Then I click on 'org.openqa.selen processing the configural error: Suild info: version system info: hostos.version: '10.0' Driver info: io.apabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactadeviceScreenDerjavascriptEnable newCommandTiplatformName: AviewportRect: {bralse} | ium.WebDriverExceptionand. Original ergocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, no Resert; 440, deviceScreed: true, locationConmeout: 10000, no Resert of the property of the pr | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.Model: Pixel 5, deviceName: 0C241FD eenSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection set: true, pixelRatio: 2.75, platform: Lersion: 11, statBarHeight: 145, takesScop: 145, width: 1080}, warnings: {}, wordscape and content of the content of th | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, creenshot: true, |
| org.openqa.selen processing the co Original error: s Build info: versio System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {h false} Session ID: 8baa | ium.WebDriverExceptionand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, noRestrer: Google, device Nasity: 440, deviceScreed: true, locationCommeout: 10000, noRestrer: Google, device Nativity: com.platformVeneight: 2015, left: 0, to bc0a-3b9e-46c8-9ae3 | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.Model: Pixel 5, deviceName: 0C241FD eenSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection set: true, pixelRatio: 2.75, platform: Lersion: 11, statBarHeight: 145, takesScop: 145, width: 1080}, warnings: {}, wordscape and content of the content of th | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64 m.prudential.puls nabled: false, rudential.pulse.ua ndroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, creenshot: true, ebStorageEnabled |
| org.openqa.selemprocessing the cooriginal error: selemprocessing the cooriginal error: selemprocessing the cooriginal error: selempto the cooriginal error: | ium.WebDriverExceptmand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.anoActivity: com.prude Alerts: true, automativity: com.prudentiats: true, automation meout: 10000, noRestrer: Google, deviceNarity: 440, deviceScreed: true, locationConmeout: 10000, noRestrertal. PlatformVereight: 2015, left: 0, to bc0a-3b9e-46c8-9ae3eflect.GeneratedConstinternal.reflect.Delegon | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: co | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, creenshot: true, ebStorageEnabled nown Source) |
| org.openqa.selen processing the co Original error: s Build info: versio System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {h false} Session ID: 8baa at jdk.internal.re at java.base/jdk. (DelegatingCons | ium.WebDriverExceptmand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: , java.version: '11.0.2 opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiats: true, automativity: com.prudentiats: true, automation meout: 10000, noRestrer: Google, device Nativity: 440, deviceScreed: true, locationCommeout: 10000, noRestrer: 10000, noRestrer: Google, left: 0, to bc0a-3b9e-46c8-9ae3 offect.GeneratedConstructorAccessorImplest | eption: An unknown server-side error cror: Could not proxy command to the '7c6e0b3', time: '2018-05-08T14:04:20' 192.168.1.124', os.name: 'Windows 102' adroid.AndroidDriver ential.pulse.MainAc, appPackage: cotionName: UiAutomator2, databaseEnd.pulse.MainAc, appPackage: com.pName: UiAutomator2, deviceName: Alpulse.MainAc, appPackage: co | 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64' m.prudential.puls nabled: false, rudential.pulse.uandroid-Test, viceApiLevel: 30, D40043P, 41FDD40043P, nEnabled: true, INUX, creenshot: true, ebStorageEnabled nown Source) astance |

| | AND CHAIR D | C 1 | | |
|----|-------------------------|-----------------------|--|---|
| | (W3CHttpResponse | • | | |
| | | | 3CHttpResponseCodec.decode | |
| | (W3CHttpResponse | | 3CHttpResponseCodec.decode | |
| | (W3CHttpResponse | | 5CHupkesponseCodec.decode | |
| | 1 · | | ommandExecutor.execute(HttpCom | mandEvacutor java |
| | 158) | - | | manuexecutor.java: |
| | | | mCommandExecutor.execute | |
| | (AppiumCommandH | • | | |
| | | | eWebDriver.execute(RemoteWebDr | |
| | | ient.DefaultGener | icMobileDriver.execute(DefaultGen | ericMobileDriver. |
| | java:46) | | | |
| | | | er.execute(AppiumDriver.java:1) | 4) |
| | | | oidDriver.execute(AndroidDriver.ja | ava:1) |
| | at org.openqa.selenii | | rOntions Domoto Window act Cinc (D | amataWah Duiwan |
| | | Remote webDrive | rOptions\$RemoteWindow.getSize(R | demote wed Driver. |
| | java:804) | ganaang Tag4DagaI | Daga savallDagaLID/TagtDagaDaga ta | 277) |
| | | | Page.scrollPageUP(TestBasePage.jav | |
| | | | reen.clickWealthChannelTopic(WealthStangicClickOnWealthStangicClic | |
| | | • | obilesteps.WealthSteps.iClickOnWe | althChannel I opic |
| | (WealthSteps.java:59 | | alth about al tania (factures luculums) | lth /XV a alth Channal |
| | | Mutual Funds" We | ealth channel topic(features/my/wea | itn/ vv eaitnCnannei. |
| | feature:39) | | | 0.00 |
| | Then I wait for 2 sec | | _ | 0.00s |
| | Then I verify followi | ing texts are displa | yed | 0.00s |
| | Mutual Funds | | | |
| | Then I verify followi | ing tile texts are di | splayed on wealth channel screen | 0.00s |
| | | ds your first inves | | |
| | And I verify following | | | 0.00s |
| | | ig social cite option | ns are displayed | 0.008 |
| | Like | | | |
| | Share | | | |
| | Comment | | | |
| Af | ter | | | 0.00s |
| | ck to Table of Contents | | | 0000 |
| _ | | | ************************************** | |
| | enario: Verify User sl | | | |
| | ssed: 0 | Failed: 1 | Undefined: 3 | Duration: 13.06s |
| Be | efore | | | 0.00s |
| | And I read the "Mut | tual Funds'' post li | ike count | 13.06s |
| | | | | |
| | org.openga.selenium | .WebDriverExcen | otion: An unknown server-side error | occurred while |
| | | <u> </u> | or: Could not proxy command to the | |
| | Original error: sock | | | |
| | | ~ - | 7c6e0b3', time: '2018-05-08T14:04:2 | 26.12Z' |
| | | | 192.168.1.124', os.name: 'Windows 1 | |
| | os.version: '10.0', jav | | | , |
| | Driver info: io.appiu | | | |
| | | | | |
| | Capabilities {appAct | tivity: com.pruden | | om.prudential.pulse. |
| | | | itial.pulse.MainAc, appPackage: co onName: UiAutomator2, databaseE | |

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Mutual
Funds")]/following::android.widget.TextView[contains(@text, 'Likes')]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:188)
at\ com. one pulse. app. step definitions. mobile steps. We alth Steps. iRead The PostLike Count
```

| Then I verify "Mutural And I Like the post of the ack to Table of Contents cenario: Verify User stassed: 0 efore And I share the post org.openqa.selenium processing the commo Original error: socked Build info: version: 'System info: host: 'Tos.version: '10.0', jay Driver info: io.appiu Capabilities {appActuat, autoDismissAlendaria and info: appactuat, autoDismissAlendaria and info: appactuation and | Failed: 1 WebDriverExceptiand. Original error thang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.androivity: com.prudentic | ion: An unknown sor: Could not proxy c6e0b3', time: '2018'02.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | e remote server. 26.12Z' |
|--|--|---|---|--|
| ck to Table of Contents enario: Verify User states essed: 0 efore And I share the post org.openqa.selenium processing the comm Original error: socke Build info: version: 'System info: host: 'T os.version: '10.0', jav Driver info: io.appiu Capabilities {appAct uat, autoDismissAler | Failed: 1 WebDriverExceptiand. Original error thang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.androivity: com.prudentic | ion: An unknown sor: Could not proxy c6e0b3', time: '2018'02.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | Duration: 5.0 0.00s 5.04s r occurred while he remote server. 26.12Z' |
| ck to Table of Contents enario: Verify User states ssed: 0 efore And I share the post org.openqa.selenium processing the commoriginal error: socko Build info: version: 'System info: host: 'Tos.version: '10.0', jay Driver info: io.appiu Capabilities {appAct uat, autoDismissAlen | Failed: 1 WebDriverExceptiand. Original error thang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.androivity: com.prudentic | ion: An unknown sor: Could not proxy c6e0b3', time: '2018'02.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | Duration: 5.0 0.00s 5.04s r occurred while the remote server. 26.12Z' |
| enario: Verify User sissed: 0 efore And I share the post org.openqa.selenium processing the comm Original error: socko Build info: version: 'System info: host: 'T os.version: '10.0', jav Driver info: io.appiu Capabilities {appAct uat, autoDismissAler | Failed: 1 WebDriverExceptiand. Original error thang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.androivity: com.prudentic | ion: An unknown sor: Could not proxy c6e0b3', time: '2018'02.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | 0.00s 5.04s r occurred while the remote server. 26.12Z' |
| enario: Verify User sissed: 0 efore And I share the post org.openqa.selenium processing the comm Original error: socko Build info: version: 'System info: host: 'T os.version: '10.0', jav Driver info: io.appiu Capabilities {appAct uat, autoDismissAler | Failed: 1 WebDriverExceptiand. Original error thang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.androivity: com.prudentic | ion: An unknown sor: Could not proxy c6e0b3', time: '2018'02.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | 0.00s 5.04s r occurred while the remote server. 26.12Z' |
| And I share the post org.openqa.selenium processing the comm Original error: socke Build info: version: ' System info: host: 'T os.version: '10.0', jav Driver info: io.appiu Capabilities {appAct uat, autoDismissAler | Failed: 1 WebDriverExceptiand. Original error thang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.androivity: com.prudentic | ion: An unknown sor: Could not proxy c6e0b3', time: '2018'02.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | 0.00s 5.04s r occurred while the remote server. 26.12Z' |
| org.openqa.selenium processing the commoriginal error: socke Build info: version: 'System info: host: 'Tos.version: '10.0', jav Driver info: io.appiu Capabilities {appActuat, autoDismissAlen | WebDriverExcepti and. Original error t hang up 3.12.0', revision: '70 M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.andro ivity: com.prudenti | ion: An unknown sor: Could not proxy occeobs', time: '2018')2.168.1.124', os.nar | command to th 8-05-08T14:04:: me: 'Windows | 0.00s 5.04s r occurred while the remote server. 26.12Z' |
| org.openqa.selenium processing the commoriginal error: socko Build info: version: 'System info: host: 'Tos.version: '10.0', jav Driver info: io.appiu Capabilities {appActuat, autoDismissAlen | and. Original error et hang up 3.12.0', revision: '7c M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.andro ivity: com.prudenti | r: Could not proxy occeedb3', time: '2018 92.168.1.124', os.nar oid.AndroidDriver | command to th 8-05-08T14:04:: me: 'Windows | 5.04s r occurred while the remote server. 26.12Z' |
| org.openqa.selenium processing the commoriginal error: socko Build info: version: 'System info: host: 'Tos.version: '10.0', jav Driver info: io.appiu Capabilities {appActuat, autoDismissAlen | and. Original error et hang up 3.12.0', revision: '7c M003LSIN', ip: '19 a.version: '11.0.2' m.java_client.andro ivity: com.prudenti | r: Could not proxy occeedb3', time: '2018 92.168.1.124', os.nar oid.AndroidDriver | command to th 8-05-08T14:04:: me: 'Windows | r occurred while the remote server. |
| autoDismissAlerts: t newCommandTimed deviceManufacturer deviceScreenDensity javascriptEnabled: t newCommandTimed platformName: And viewportRect: {heightalse} Session ID: 8baabc0a *** Element info: {U | c: com.prudential.prue, automationNanut: 10000, noReset: Google, deviceMod 440, deviceScreenscue, locationContexut: 10000, noReset: roid, platformVersidt: 2015, left: 0, top: | nName: UiAutomatoulse.MainAc, appme: UiAutomator2, true, platformNamodel: Pixel 5, device Size: 1080x2340, dextEnabled: false, net true, pixelRatio: 2 ion: 11, statBarHeig: 145, width: 1080}, | appPackage: cotor2, databases pPackage: com., deviceName: Ame: Ame: android}, deviceUDID: 0C2 etworkConnection 2.75, platform: leght: 145, takes ame: {}, warnings: {}, v | Enabled: false, prudential.pulse.ua Android-Test, eviceApiLevel: 30, DD40043P, 241FDD40043P, onEnabled: true, LINUX, Screenshot: true, webStorageEnabled |
| at jdk.internal.reflect at java.base/jdk.inter (DelegatingConstruct at java.base/java.lant at org.openqa.seleniu (W3CHttpResponse | rnal.reflect.Delegati torAccessorImpl.jav g.reflect.Constructo m.remote.http.W30 | ingConstructorAcc va:45) or.newInstance(Con | essorImpl.newl | Instance 490) |
| at org.openqa.selenit (W3CHttpResponse) at org.openqa.selenit (W3CHttpResponse) | m.remote.http.W30 Codec.java:122) m.remote.http.W30 Codec.java:49) | | dec.decode | nmandExecutor.jav |

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  90)
  at .And I share the post(features/my/wealth/WealthChannel.feature:57)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to Comment the post
                        Failed: 1
                                               Undefined: 2
Passed: 0
                                                                               Duration: 5.03s
                                                                               0.00s
Before
  And I read the "Mutual Funds" post comment count
                                                                               5.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
```

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Mutual
Funds")]/following::android.widget.TextView[5]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:242)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount
(WealthSteps.java:100)
at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel.
feature:61)
```

| | | lth.topic.comment}'' | 0.00s |
|--|--|---|--|
| Then I verify "M | utual Funds'' post o | comment count is increased | 0.00s |
| fter | | | 0.00s |
| ack to Table of Conten | <u>ts</u> | | |
| cenario: Verify Use | r should be able to | view the full page article post | |
| ssed: 0 | Failed: 1 | Undefined: 0 | Duration: 5.06s |
| efore | | | 0.00s |
| Then I click on " | Mutual Funds'' topi | ic for details full view | 5.06s |
| processing the coloriginal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAdesired: {appActautoDismissAlert newCommandTindeviceManufactudeviceScreenDemijavascriptEnable newCommandTinplatformName: AviewportRect: {htfalse} Session ID: 8baal*** Element info Funds'')]//follow ViewGroup[2]} at jdk.internal.reat java.base/jdk.i (DelegatingConstat java.base/jdk.i (DelegatingConstat java.base/java.at org.openqa.sel (W3CHttpResporat org.ope | mmand. Original encket hang up n: '3.12.0', revisions: 'TM003LSIN', ip: java.version: '11.0. pium.java_client.an Activity: com.prude Alerts: true, automa vity: com.prudentials: true, automation neout: 10000, noRe rer: Google, deviceScree d: true, locationComeout: 10000, noRe android, platformVo eight: 2015, left: 0, to coa-3b9e-46c8-9ae flect.GeneratedCom nternal.reflect.Delegrateral.reflect.Delegrateral.reflect.Construe lang.reflect.Construe enium.remote.http. nseCodec.java:187) enium.remote.http. nseCodec.java:122) enium.remote.http. client.remote.Http. client.remote.Re | ential.pulse.MainAc, appPackagationName: UiAutomator2, databal.pulse.MainAc, appPackage: Qualipulse.MainAc, appPackage: Qualipulse.Ma | to the remote server. 2:04:26.12Z' bws 10', os.arch: 'amd64' ge: com.prudential.pulse baseEnabled: false, com.prudential.pulse.uat me: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, coC241FDD40043P, mectionEnabled: true, rm: LINUX, lkesScreenshot: true, {}, webStorageEnabled: bottains(@text,"Mutual ewGroup/android.view. (Unknown Source) mewInstance ava:490) Exception CommandExecutor.java |

```
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
  (WealthScreen.java:135)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
  iClickOnTopicForDetailsFullView(WealthSteps.java:64)
  at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth
  /WealthChannel.feature:66)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to see the Like, Share, Comment options on full page article
post
Passed: 1
                        Failed: 1
                                               Undefined: 0
                                                                                Duration: 13.1s
                                                                                0.00s
Before
  Then I wait for 3 sec
                                                                                3.01s
  And I verify following social cite options are displayed
                                                                                10.09s
     Like
     Share
     Comment
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
iava:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.
feature:70)
```

| After | | | 0.00s |
|---------------------------|-------------------|--|----------------|
| Back to Table of Contents | | | |
| Scenario: Verify User sho | ould be able to L | ike the post in full article view s | creen |
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: .05s |
| Before | | | 0.00s |
| And I Like the post | | | 0.05s |
| | - | otion: An unknown server-side e or: Could not proxy command t | |

```
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
  at .And I Like the post(features/my/wealth/WealthChannel.feature:76)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to Share the post in full article view screen
                        Failed: 1
Passed: 0
                                               Undefined: 1
                                                                                Duration: 5.05s
Before
                                                                                0.00s
                                                                                5.05s
  And I share the post
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  at .And I share the post(features/my/wealth/WealthChannel.feature:80)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify User should be able to Comment the post in full article view screen
                        Failed: 1
                                              Undefined: 0
Passed: 0
                                                                               Duration: 5.05s
Before
                                                                               0.00s
  And I comment in full view post article "\{\) (wealth.topic.comment\}"
                                                                               5.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
```

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.java:280)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle (WealthSteps.java:115)

at .And I comment in full view post article "\${wealth.topic.comment}"(features/my/wealth/WealthChannel.feature:84)

| After | | | 0.00s |
|------------------------|------------------------|---------------|-----------------|
| Back to Table of Conto | <u>ents</u> | | |
| Scenario: Verify U | ser can navigate to we | alth homepage | |
| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: 3.07s |
| Before | | | 0.00s |
| Then I povigete | to stowy nost nogo | | 2 07c |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512

*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')] /preceding::android.widget.ImageView}

at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java: 49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

```
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     iava:42)
     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openga.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165)
     at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage
     (WealthSteps.java:70)
     at .Then I navigate to story post page(features/my/wealth/WealthChannel.feature:87)
  After
                                                                                   0.00s
  Back to Table of Contents
Feature: Verify Notification Center functionality on one pulse App
Passed: 0
                    Failed: 2
                                      Undefined: 0
                                                               Duration: .06s
   Scenario: Navigate to notification screen via home screen
   Passed: 0
                           Failed: 1
                                                 Undefined: 1
                                                                                   Duration: .02s
  Before
                                                                                   0.00s
     Given I navigate to notification screen from home page
                                                                                  0.02s
     org.openga.selenium.WebDriverException: An unknown server-side error occurred while
     processing the command. Original error: Could not proxy command to the remote server.
     Original error: socket hang up
     Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
     System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
     os.version: '10.0', java.version: '11.0.2'
     Driver info: io.appium.java client.android.AndroidDriver
     Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
```

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 8baabc0a-3b9e-46c8-9ae3-39d521eec512
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at idk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

| | 19) | | |
|----------|---|---|---|
| | | screens.TestBasePage.clickButton(TestBasePage.java | :163) |
| | | screens.PulseManageProfileScreen. | , |
| | | on Screen From Home Page (Pulse Manage Profile Screen. | java:1049) |
| | | stepdefinitions.mobilesteps.ManageProfileSteps. | |
| | | onScreenFromHomePage(ManageProfileSteps.java:24 | |
| | at .Given I navigate t | to notification screen from home page(features/ph/Not | ificationCenter. |
| | | | 0.00s |
| ŀ | Then I wait for 2 sec | | |
| <u> </u> | After | | 0.00s |
| - 1 | Back to Table of Contents | | |
| - | • | hould be able to see the Notification screen texts | |
| - | Passed: 0 | Failed: 1 Undefined: 0 | Duration: .03s |
| | Before | | 0.00s |
| | And I verify followin | g texts are displayed | 0.03s |
| | \${notification.msg | g} | |
| | | 22 | |
| | java.lang.AssertionE | rror: The following asserts failed: | |
| | | ext is displayed on page expected [true] but found [fals | se] |
| | | SoftAssert.assertAll(SoftAssert.java:43) | |
| | | $\underline{step definitions.mobile steps. My Doc Steps. verify Texts Order \\ \underline{order}$ | nScreen |
| | (MyDocSteps.java:71 | | . |
| Ļ | | wing texts are displayed(features/ph/NotificationCente | |
| - 1 | After | | 0.00s |
|] | Back to Table of Contents | | |
| Fea | ature: Verify MY Event | channel functionality on one pulse App | |
| | | · · · · · · · · · · · · · · · · · · · | |
| | sed: 4 Failed: | | 4s |
| Pass | | Undefined: 0 Duration: 249.6 | 4s |
| Pass | | | 4s Duration: 45.88s |
| Pass | Scenario: Launch the a | Undefined: 0 Duration: 249.64 pp and select the country as per specified lbu | |
| Pass | Scenario: Launch the ap Passed: 6 Before | pp and select the country as per specified lbu Failed: 0 Undefined: 0 Undefined: 0 | Duration: 45.88s 0.00s |
| Pass | Scenario: Launch the ap Passed: 6 Before Given User has pulse | pp and select the country as per specified lbu Failed: 0 Undefined: 0 app | Duration: 45.88s 0.00s 11.67s |
| Pass | Scenario: Launch the appearance of Passed: 6 Before Given User has pulse And I assign "\${onep | pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app oulse.events.user}'' to variable "PULSE_EMAIL" | Duration: 45.88s 0.00s 11.67s 0.00s |
| Pass | Scenario: Launch the appearance of Passed: 6 Before Given User has pulse And I assign "\${oneparance on "Carter of the appearance of the ap | pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app culse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s |
| Pass | Scenario: Launch the appearance of Passed: 6 Before Given User has pulse And I assign "\${oneparance on "Control on | pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app oulse.events.user}'' to variable "PULSE_EMAIL" | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s |
| Pass | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${onepart And user click on "Control Then I change the control Then I wait for 2 seconds." | pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app culse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL'' with Email button cuntry as required on registration page | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s |
| ?ass | Scenario: Launch the appearance Passed: 6 Before Given User has pulse And I assign "\${oneparance And user click on "Compare Then I change the compare Then I wait for 2 second And I click the Sign in the second Passed P | pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app culse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL'' with Email button cuntry as required on registration page | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s |
| | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${onepart And user click on "Contact Then I change the contact Then I wait for 2 second I click the Sign in After | pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app culse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL'' with Email button cuntry as required on registration page | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s |
| | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${oney And user click on "Content I change the content I wait for 2 second I click the Sign in After Back to Table of Contents | pp and select the country as per specified lbu Failed: 0 Undefined: 0 app culse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button cuntry as required on registration page | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s |
| Pass 1 | Scenario: Launch the appearance of Passed: 6 Before Given User has pulse And I assign "\${oneparance And user click on "Carten I change the coarten I wait for 2 secand I click the Sign in After Back to Table of Contents Scenario: login to the appearance of the After | pp and select the country as per specified lbu Failed: 0 | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s |
| ?ass | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${oney And user click on "Content I change the content I wait for 2 second I click the Sign in After Back to Table of Contents | pp and select the country as per specified lbu Failed: 0 Undefined: 0 app culse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button cuntry as required on registration page | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s |
| | Scenario: Launch the appearance of Passed: 6 Before Given User has pulse And I assign "\${oneparance And user click on "Carten I change the coarten I wait for 2 secand I click the Sign in After Back to Table of Contents Scenario: login to the appearance of the After | pp and select the country as per specified lbu Failed: 0 | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s |
| | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${onepart And user click on "Cart Then I change the contact Then I wait for 2 sect And I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before | pp and select the country as per specified lbu Failed: 0 | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s |
| Pass | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${onepart And user click on "Cart Then I change the contact Then I wait for 2 sect And I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before | pp and select the country as per specified lbu Failed: 0 undefined: 0 app pulse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL'' with Email button untry as required on registration page in link pp with correct credentials using "Continue with Email Failed: 0 undefined: 0 undefined: 0 | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s Duration: 43.94s 0.00s |
| Pass | Scenario: Launch the appassed: 6 Before Given User has pulse And I assign "\${onepart And user click on "Carten I change the coarten I wait for 2 secand I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before Given I select the land | pp and select the country as per specified lbu Failed: 0 | Duration: 45.88s 0.00s 11.67s 0.00s 16.06s 11.26s 2.01s 4.89s 0.00s Duration: 43.94s 0.00s 3.61s |

| Password \${pulse | .password} | | |
|--|---|-------------------------------|------------------|
| And User clicks on sig | gnin button | | 0.26s |
| And I wait for 5 sec | | | 5.01s |
| And I enter OTP in o | ne pulse app for user ema | ail "\${PULSE_EMAIL}" | 10.01s |
| Then user should be l | anded to "Home" screen | | 14.57s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify MyEve | nt Functionality in Home | screen | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 62.08s |
| Before | | | 0.00s |
| And I click the MyEv | ent icons | | 21.54s |
| And I wait for 40 sec | | | 40.02s |
| And I verify following | texts are displayed | | 0.52s |
| | ny events enrolled yet | | |
| | the open events and get | started | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify Events | Archive tab | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 49.2s |
| Before | ancu v | | 0.00s |
| And I click the Event | A robivo icon | | 8.89s |
| And I wait for 40 sec | S ATCHIVE ICON | | 40.00s |
| And I wait for 40 sec | tovte are displayed | | 0.31s |
| | ny events in your archive | | 0.515 |
| | T events in your archive | • <u> </u> | 0.00s |
| After | | | 0.008 |
| Back to Table of Contents | | | |
| Scenario: Verify Open E | | | |
| Passed: 2 | Failed: 1 | Undefined: 0 | Duration: 48.55s |
| Before | | | 0.00s |
| And I click the Open | Events icon | | 8.51s |
| And I wait for 40 sec | | | 40.02s |
| | | events are displayed on scree | en 0.02s |
| There are no event | ts available at the momen | <u>t</u> | |
| Stay tuned for ever | nts on health and fitness | | |
| processing the comma Original error: socked Build info: version: '3 System info: host: 'The os.version: '10.0', java Driver info: io.appiur | and. Original error: Coult thang up 3.12.0', revision: '7c6e0b3 M003LSIN', ip: '192.168. | | remote server. |

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
     autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
     newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
     deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
     deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
     javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
     newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
     platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
     viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
     false}
     Session ID: fe2ae722-bc61-4675-9fd1-e38ec466791e
     at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     158)
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     iava:46)
     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.
     RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
     iava:804)
     at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
     at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java;204)
     at com.onepulse.app.screens.CustomerConnectScreen.verifyOpenEvents
     (CustomerConnectScreen.java:2046)
     at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
     verifyOpenEventsOnScreen(CustomerConnectSteps.java:672)
     at .And I verify either static text or available open events are displayed on screen(features/ph
     /home/MyEvents.feature:38)
                                                                                  0.00s
   After
  Back to Table of Contents
Feature: Verify share with friends functionality in OnePulse app
                   Failed: 6
                                      Undefined: 0
                                                               Duration: 59.38s
  Scenario: Launch the app and select the country as per specified lbu
  Passed: 8
                          Failed: 0
                                                 Undefined: 0
                                                                                  Duration: 47.54s
                                                                                  0.00s
   Before
     Given User has pulse app
                                                                                  11.47s
```

| And user click on "CC | | riable "PULSE_EMAIL | | 0.00s |
|--|--|--|--|---|
| The user chest on Co | NTINUE WITI | H EMAIL'' with Email b | outton | 15.57s |
| Then I change the cour | ntry as required | on registration page | | 11.87s |
| Then I wait for 2 sec | | | | 2.02s |
| Then I change the lang | guage as require | d on registration page | | 0.00s |
| And I click the Sign in | link | | | 4.90s |
| Then I verify below lar | nguage options (| on toggle bar as per spec | ified lbu on login | 1.72s |
| fter | | | | 0.00s |
| ack to Table of Contents | | | | <u> </u> |
| cenario: login to the app | with correct cr | edentials using "Continu | e with Email'' | |
| | Failed: 1 | Undefined: 4 | | Duration: 6.56s |
| efore | | | | 0.00s |
| | 19ge ention on t | oggle bar as required on | login page | 2.31s |
| When user enters cred | | oggie Dar as required on | Togin page | 4.25s |
| | | | | 4.238 |
| UserName \${PULS} | | | | |
| Password \${login.p | assworu} | | | |
| os.version: '10.0', java Driver info: io.appium Capabilities {appActiv | [003LSIN', ip: 'iversion: '11.0.2 .java_client.and ity: com.pruder | roid.AndroidDriver tial.pulse.MainAc, app | 'Windows 10', os.a pPackage: com.pru | arch: 'amd64 udential.pulso |
| os.version: '10.0', java. Driver info: io.appium Capabilities {appActivuat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeour deviceManufacturer: 0 deviceScreenDensity: 4 javascriptEnabled: tru | 1003LSIN', ip: 12 version: '11.0.2 .java_client.and ity: com.pruder : true, automati com.prudential e, automationN t: 10000, noReso Google, deviceM 140, deviceScree te, locationCont | 192.168.1.124', os.name: droid.AndroidDriver atial.pulse.MainAc, app onName: UiAutomator2 pulse.MainAc, appPac ame: UiAutomator2, dev et: true, platformName: dodel: Pixel 5, deviceNamenSize: 1080x2340, device extEnabled: false, netwo | 'Windows 10', os.a DPackage: com.pru d, databaseEnabled ekage: com.pruden viceName: Android android}, deviceAp ne: 0C241FDD4004 eUDID: 0C241FDI rkConnectionEnal | arch: 'amd64 udential.pulse l: false, ntial.pulse.uat d-Test, piLevel: 30, 43P, D40043P, bled: true, |
| os.version: '10.0', java. Driver info: io.appium Capabilities {appActivuat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeout deviceManufacturer: {odeviceScreenDensity: 4 javascriptEnabled: trunewCommandTimeout platformName: AndroviewportRect: {height: false} | too3LSIN', ip: '1.version: '11.0.2java_client.andity: com.pruder: true, automaticom.prudentiale, automationNt: 10000, noResolutionContt: 10000, noResolutionContt: 10000, noResolutionContt: 10000, noResolutionContt: 10000, noResolutionContt: 10000, noResolutionContt: 10000, noResolutionContticutionControl 2015, left: 0, to | droid.AndroidDriver atial.pulse.MainAc, apponName: UiAutomator2.pulse.MainAc, appPagame: UiAutomator2, devet: true, platformName: dodel: Pixel 5, deviceName: 1080x2340, device extEnabled: false, netwoet: true, pixelRatio: 2.75, esion: 11, statBarHeight: p: 145, width: 1080}, wa | 'Windows 10', os.a pPackage: com.pru d, databaseEnabled kage: com.pruden viceName: Android android}, deviceAp e: 0C241FDD4004 eUDID: 0C241FDI rkConnectionEnal platform: LINUX 145, takesScreens | arch: 'amd64 dential.pulse l: false, ntial.pulse.uar d-Test, piLevel: 30, 43P, D40043P, bled: true, hot: true, |
| os.version: '10.0', java. Driver info: io.appium Capabilities {appActivuat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeour deviceManufacturer: {odeviceScreenDensity: 4 javascriptEnabled: trunewCommandTimeour platformName: AndroviewportRect: {height: false} Session ID: bfdadd5c-oat java.base/jdk.internMethod) | too3LSIN', ip: '1.version: '11.0.2java_client.andity: com.pruder: true, automaticom.prudentiale, automationNt: 10000, noReso de, locationContt: 10000, noReso de, locationConttt: 1 | droid.AndroidDriver atial.pulse.MainAc, apponential.pulse.MainAc, ap | 'Windows 10', os.a pPackage: com.pru d, databaseEnabled ckage: com.pruden viceName: Android android}, deviceAp ne: 0C241FDD4004 eUDID: 0C241FDI rkConnectionEnable platform: LINUX 145, takesScreenst rnings: {}, webStor | arch: 'amd64 idential.pulse l: false, ntial.pulse.ua d-Test, piLevel: 30, 43P, D40043P, bled: true, c, hot: true, rageEnabled |
| os.version: '10.0', java. Driver info: io.appium Capabilities {appActivuat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeour deviceManufacturer: (deviceScreenDensity: 4 javascriptEnabled: trunewCommandTimeour platformName: AndroviewportRect: {height: false} Session ID: bfdadd5c-6 at java.base/jdk.intern Method) at java.base/jdk.intern (NativeConstructorActiveCons | too3LSIN', ip: 'aversion: '11.0.2'. java_client.andity: com.pruder: true, automaticom.prudentiale, automationNt: 10000, noReso Google, deviceM40, deviceScreete, locationContt: 10000, noReso id, platformVer 2015, left: 0, to bcc-4eb9-b77bal.reflect.Native cessorImpl.java al.reflect.DelegationColle | droid.AndroidDriver atial.pulse.MainAc, apponName: UiAutomator2.pulse.MainAc, appPagame: UiAutomator2, devet: true, platformName: dodel: Pixel 5, deviceNamenSize: 1080x2340, device extEnabled: false, netwoet: true, pixelRatio: 2.75, asion: 11, statBarHeight: p: 145, width: 1080}, was a a 32781d121ba e ConstructorAccessorImen (62) | "Windows 10", os.a pPackage: com.pru d, databaseEnabled ekage: com.pruden viceName: Android android}, deviceAp ne: 0C241FDD4004 eUDID: 0C241FDI rkConnectionEnal platform: LINUX 145, takesScreens rnings: {}, webStor | arch: 'amd64 Idential.pulse I: false, Itial.pulse.ua Id-Test, piLevel: 30, 43P, D40043P, bled: true, I, hot: true, rageEnabled |

| | penqa.selenium.remote.http.W3CHttpRottpRosponsoCodoc.jaya:122) | esponseCodec.decode | | | | | |
|------------------|---|--|--|--|--|--|--|
| | (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode | | | | | | |
| (W3CH | ttpResponseCodec.java:49) | | | | | | |
| at org.o 158) | penqa.selenium.remote.HttpCommandE | Executor.execute(HttpCommandExecutor.java: | | | | | |
| _ | pium.java_client.remote.AppiumComma | andExecutor.execute | | | | | |
| 1 | mCommandExecutor.java:231) | | | | | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. | | | | | | |
| java:42 | | of the first control of the fi | | | | | |
| at io.ap | pium.java_client.AppiumDriver.execute(| | | | | | |
| _ | pium.java_client.android.AndroidDriver | | | | | | |
| | | nent.execute(RemoteWebElement.java:276) Element.execute(DefaultGenericMobileElement. | | | | | |
| java:45 | | dement.execute(DefaultGenericivionnement) | | | | | |
| at io.ap | pium.java_client.MobileElement.execute | | | | | | |
| | pium.java_client.android.AndroidEleme | | | | | | |
| | | ment.sendKeys(RemoteWebElement.java:100) | | | | | |
| | at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: | | | | | | |
| 19) | | | | | | | |
| | onepulse.app.screens.TestBasePage.setTe | | | | | | |
| | onepulse.app.screens.PulseLoginScreen.e | enterLoginCredentials(PulseLoginScreen.java: | | | | | |
| 151) | ananulsa ann standafinitians mahilastans | .LoginSteps.userEntersCredentials(LoginSteps. | | | | | |
| java:52 | | .Loginsteps.userEntersCredentials(Loginsteps. | | | | | |
| 0 | , n user enters credentials(features/share/ | ShareWithFriends.feature:17) | | | | | |
| | er clicks on signin button | 0.00s | | | | | |
| And I e | nter OTP in one pulse app for user email | 1 ''\${PULSE_EMAIL}'' 0.00s | | | | | |
| | vait for 5 sec | 0.00s | | | | | |
| Then u | ser should be landed to "Home" screen | 0.00s | | | | | |
| After | | 0.00s | | | | | |
| Back to Tab | e of Contents | | | | | | |
| Scenario: | Verify User should be able to share the li | nk with Whatsapp | | | | | |
| Passed: 0 | Failed: 1 | ndefined: 0 Duration: .1s | | | | | |
| Before | | 0.00s | | | | | |
| Then I | verify the share with friends links | 0.10s | | | | | |
| | | | | | | | |
| | | unknown server-side error occurred while | | | | | |
| - | | not proxy command to the remote server. | | | | | |
| | Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' | | | | | | |
| | | 124', os.name: 'Windows 10', os.arch: 'amd64', | | | | | |
| | on: '10.0', java.version: '11.0.2' | | | | | | |
| | Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. | | | | | | |
| | | | | | | | |
| | oDismissAlerts: true, automationName: | U1Automator2, databaseEnabled: false, | | | | | |
| | Lonn A of writers come manual creation in the | inAc, appPackage: com.prudential.pulse.uat, | | | | | |

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: bfdadd5c-6bcc-4eb9-b77b-a32781d121ba
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.PulseLoginScreen.clickWhatsappIcon(PulseLoginScreen.java: 606) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheShareWithFriendsLinks (LoginSteps.java:294) at .Then I verify the share with friends links(features/share/ShareWithFriends.feature:27) 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to share the link with Contacts app Failed: 1 Undefined: 0 Passed: 0 Duration: .05s 0.00sBefore Then I verify the contacts share icon 0.05sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: bfdadd5c-6bcc-4eb9-b77b-a32781d121ba *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. iava:42)

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:621)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:299)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)
```

| After | | | 0.00s | | | | | |
|---|-----------|--------------|-----------------|--|--|--|--|--|
| Back to Table of Contents | | | | | | | | |
| Scenario: Verify User should be able to share the link with Messenger app | | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 5.05s | | | | | |
| Before | | | 0.00s | | | | | |
| Then I verify the fb | 5.05s | | | | | | | |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: bfdadd5c-6bcc-4eb9-b77b-a32781d121ba
  *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
  1146)
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
  (LoginSteps.java:415)
  at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:33)
                                                                             0.00s
After
```

| | | | cenario: Verify User should be able to share the link with Viber app | | | | | |
|--|---|---|--|--|--|--|--|--|
| sed: 0 fore | Failed: 1 | Undefined: 0 | Duration: .0 0.00s | | | | | |
| | | | | | | | | |
| Then I verify th | e Viber share icon | | 0.04s | | | | | |
| processing the control original error: Build info: versions yestem info: hososversion: '10.0 Driver info: io.a Capabilities {apuat, autoDismis desired: {appAcautoDismissAleanewCommandTdeviceManufactdeviceScreenDejavascriptEnablanewCommandTplatformName: | command. Original errosocket hang up ion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '10', java.version: '11.0.2' appium.java_client.and apActivity: com.prudential. activity: | | o the remote server. 104:26.12Z' 10ws 10', os.arch: 'amdo 10ge: com.prudential.pul 10ge: com.prudential.pulse.u 10ge: com.prudential.pulse.u 10ge: Android-Test, 11ge: Android-Test, 12ge: com.prudential.pulse.u 10ge: Android-Test, 11ge: Android-Test, 12ge: Com.prudential.pulse.u 10ge: Com.prudential.pulse | | | | | |
| | add5c-6bcc-4eb9-b77b- | | | | | | | |
| | | e=(//android.widget.TextView)[1 | | | | | | |
| | | tructorAccessor29.newInstance(| | | | | | |
| | | atingConstructorAccessorImpl.r | newInstance | | | | | |
| | structorAccessorImpl.j | | | | | | | |
| | | ctor.newInstance(Constructor.ja | | | | | | |
| 0 1 | onseCodec.java:187) | 3CHttpResponseCodec.createE | xcepuon | | | | | |
| | | 73CHttpResponseCodec.decode | | | | | | |
| | onseCodec.java:122) | | | | | | | |
| · — — — | | 3CHttpResponseCodec.decode | | | | | | |
| (W3CHttpResp | onseCodec.java:49) | | | | | | | |
| at org.openqa.so 158) | elenium.remote.HttpCo | ommandExecutor.execute(Http(| CommandExecutor.ja | | | | | |
| at io.appium.jav | va_client.remote.Appiu | mCommandExecutor.execute | | | | | | |
| (AppiumComm | andExecutor.java:231) |) | | | | | | |
| at org.openqa.se | elenium.remote.Remot | eWebDriver.execute(RemoteWe | ebDriver.java:543) | | | | | |
| | va client.DefaultGener | ${f ricMobileDriver.execute}({f Default}$ | Generic Mobile Driver | | | | | |
| java:42) | | | | | | | | |
| · · | | | | | | | | |
| at io.appium.jav | - va_client.AppiumDrive | er.execute(AppiumDriver.java:1 | | | | | | |
| at io.appium.jav at io.appium.jav | va_client.AppiumDrive va_client.android.Andr | roidDriver.execute(AndroidDriv | ver.java:1) | | | | | |
| at io.appium.jav at io.appium.jav at org.openqa.so | va_client.AppiumDrive va_client.android.Andr elenium.remote.Remote | roidDriver.execute(AndroidDrive eWebDriver.findElement(Remo | ver.java:1) | | | | | |
| at io.appium.jav at io.appium.jav at org.openqa.so at io.appium.jav | va_client.AppiumDrive va_client.android.Andr elenium.remote.Remote | roidDriver.execute(AndroidDriver) eWebDriver.findElement(RemoricMobileDriver.findElement | ver.java:1) | | | | | |

```
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:645)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:316)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:36)
```

| After | | | 0.00s | | | | |
|--|-----------|--------------|----------------|--|--|--|--|
| Back to Table of Contents | | | | | | | |
| Scenario: Verify User should be able to share the link with Line app | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: .04s | | | | |
| Before | | | 0.00s | | | | |
| Then I verify the Line share icon | | | 0.04s | | | | |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bfdadd5c-6bcc-4eb9-b77b-a32781d121ba

*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:639)
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
  (LoginSteps.java:311)
  at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39)
After
                                                                             0.00s
Back to Table of Contents
```