Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	7	17	0	0	24	29%
Scenarios	85	42	0	0	127	67%
Steps	563	42	0	277	882	64%

Overall Duration: 1h 12m 28s

Table of Contents

1. User should be able to access Babylon from Pulse app and perform Perianal lump workflow
6. Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected
   1. User should be able to access Babylon from Pulse app and perform Breast lump workflow
7. Verify the BabyLon Human Immune Virus workflow is working as expected
   1. User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow
8. Verify the BabyLon Groin Mass workflow is working as expected
   1. User should be able to access Babylon from Pulse app and perform Groin mass workflow
9. Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected
   1. User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed workflow
10. Verify the BabyLon Prostatic HyperPlasia workflow is working as expected
    1. User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow
11. Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation
    1. Launch the app and select the country as per specified lbu
    2. User should be able to access Babylon from Pulse app and perform Rib Fracture workflow
12. Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. User should be able to locate Hospitals using PruShoppe location
    4. User should be able to locate cli using PruShoppe location
13. Verify MY Event channel functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify MyEvent Functionality in Home screen
    4. Verify Open Events tab
    5. Verify Events Archive tab
14. Verify My Health Content functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"
    3. Verify User should be able to navigate to Health page
    4. Verify User should be able to view the full page article post
    5. Verify User should be able to see the Like, Share, Comment options on full page article post
    6. Verify User should be able to Like the post in full article view screen
    7. Verify User should be able to Share the post in full article view screen
    8. Verify User can navigate to Health homepage
15. Verify My Challenges on One Pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"
    3. Verify My Challenges texts
    4. Click on All challenges and and verify texts
16. Verify My Communities on One Pluse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Gmail"
    3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
    4. Leave the community if already joined

5. **Verify the All Communities Post screen**
6. **Verify the Likes and comments counts in All communities tab**
7. **Verify the Share with Friends Functionality in All communities tab**
8. **Verify the Post Functionality in All communities**
9. **Verify the Category list and search feature**
10. **Leave the community if already joined**

17. **Verify Private My Communities on One Pluse App**
    1. **Launch the app and select the country as per specified lbu**
    2. **User should be able to login on app with correct credentials using "Continue with Gmail"**
    3. **User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen**
    4. **Verify the Private Communities in communities screen**

18. **Verify legal and legacy on One pulse App**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Navigate to account screen**
    4. **Verify the Legacy and Privacy should be displayed**
    5. **Verify the Terms and condition screen should be displayed**
    6. **Verify the Privacy screen should be displayed**
    7. **Verify the Regulator screen should be displayed**

19. **Verify My accounts options in Account screen**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Navigate to account screen and verify all the options**
    4. **Verify wearable screen in Account tab**
    5. **navigate back to account screen from my wearable screen**
    6. **Navigate to account screen**
    7. **Verify reward screen in Account tab**
    8. **User access My Rewards FAQ**
    9. **Verify the FAQ on my rewards screen**
    10. **Verify the FAQ on my rewards screen**
    11. **Verify the FAQ on my rewards screen**
    12. **Verify the FAQ on my rewards screen**
    13. **Verify the FAQ on my rewards screen**
    14. **Verify the FAQ on my rewards screen**
    15. **Verify the FAQ on my rewards screen**
    16. **Verify the FAQ on my rewards screen**
    17. **Verify the FAQ on my rewards screen**
    18. **navigate back to account screen from my rewards screen**
    19. **Verify Notification screen in Account tab**
    20. **navigate back to account screen from Notification screen**
    21. **Verify my feedback screen in Account tab**
    22. **Verify the submit functionality in My feedback screen**
    23. **Verify the Pulse Personalised tab**
    24. **Save the consent with data privacy check**
    25. **Save the consent without data privacy check**
    26. **navigate back to account screen from pulse personalised screen**

20. **Verify My wearable functionality via fitness tab on Pulse Health & Wealth app**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Verify the user can access My Wearables via Fitness**

Detailed Results Report

Feature: Verify login functionality on One pulse App			
Passed: 5	Failed: 2	Undefined: 0	Duration: 494.86s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 8	Failed: 0	Undefined: 0	Duration: 69.69s
Before			0.48s
Given User has pulse app			20.55s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			13.19s
Then I change the country as required on registration page			12.51s
Then I wait for 5 sec			5.00s
Then I change the language as required on registration page			10.95s
And I click the Sign in link			4.71s
Then I verify below language options on toggle bar as per specified lbu on login page			2.28s
After			0.00s
[Back to Table of Contents](#)			

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.3s

Before		**0.00s**
Given I select the language option on toggle bar as required on login page		**2.28s**
When user enters credentials		**18.83s**
UserName **${PULSE_EMAIL}**		
Password **${login.password}**		
And User clicks on signin button		**1.48s**
And I wait for 5 sec		**5.00s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		**7.91s**
Then user should be landed to "Home" screen		**7.80s**
After		**0.00s**

Scenario: Verify the Invalid Email id in login screen using "Continue with Email"			
Passed: 16	**Failed: 0**	**Undefined: 0**	**Duration: 96.99s**
Before			**0.00s**

Given User has pulse app	**14.39s**
Then I wait for 2 sec	**2.00s**
And user click on "CONTINUE WITH EMAIL" with Email button	**13.03s**
Then I change the country as required on registration page	**12.15s**
Then I wait for 5 sec	**5.00s**
Then I change the language as required on registration page	**11.17s**
And I click the Sign in link	**4.96s**
And I select the language option on toggle bar as required on login page	**3.98s**
When user enters credentials	**19.48s**

UserName	**t@gmai**
Password	**Pas$1234**

And I scroll down	**3.83s**
And User clicks on signin button	**0.44s**
Then verify invalid email message "Email is required"	**1.16s**
Then User clicks on Forgot Password button	**0.25s**
Then enter the email to request the new password	**3.13s**

Email	**t@gmai**

Then User clicks on Send button	**0.91s**
Then verify invalid email message "${email.invalid.text}"	**1.10s**
After	**0.00s**

Scenario: Verify the User not registerd email in login screen using "Continue with Email"			
Passed: 17	**Failed: 0**	**Undefined: 0**	**Duration: 95.76s**
Before			**0.00s**

Given I generate random number and assign to variable "RANDOM_NUMBER"	**0.05s**
And I assign value to following variables	**0.00s**

USER_NAME	**taf-${RANDOM_NUMBER}@mailinator.com**
USER_PASSWORD	**Pas$1234**

Given User has pulse app		15.49s
And user click on "CONTINUE WITH EMAIL" with Email button		12.68s
Then I change the country as required on registration page		11.67s
Then I wait for 5 sec		5.00s
Then I change the language as required on registration page		11.10s
And I click the Sign in link		4.63s
And I select the language option on toggle bar as required on login page		3.93s
When user enters credentials		18.78s

UserName	${USER_NAME}
Password	${USER_PASSWORD}

And I scroll down	4.14s
And User clicks on signin button	0.45s
Then verify invalid email message "${invalid.credential.message}"	1.28s
Then User clicks on Forgot Password button	0.23s
Then enter the email to request the new password	3.89s

Email	${USER_NAME}

Then User clicks on Send button	0.84s
Then verify invalid email message "${invalid.credential.message}"	1.60s
After	0.00s

Back to Table of Contents

Scenario: User should be able to retrieve the reset password using forget password link

Passed: 4	Failed: 1	Undefined: 3	Duration: 41.67s
Before			0.00s

And I assign "${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.00s
Then enter the email to request the new password	4.02s

Email	${PULSE_EMAIL}

Then User clicks on Send button	0.82s
Then I wait for 10 sec	10.00s
And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	26.83s

com.prudential.tap.exception.TapException: Not able to convert Json string to map
["message":"Too many API requests, upgrade or wait until Tue, 01 Jun 2021 00:00:00
GMT","requestId":"msfe_0cl72hKQwH058","responseTime":"12 ms","method":"GET","
path":"/api/addresses/testmyuser1-111@mailsac.com/messages","status":429]
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToMap(JsonReader.java:61)
at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.
java:68)
at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100)
at com.onepulse.app.screens.PulseRegistrationScreen.readOTP(PulseRegistrationScreen.java:
969)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.readOTP(RegistrationSteps.
java:299)
at .And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a
variable "EMAIL_OTP"(features/PulseLoginTest.feature:78)

Then I enter "${EMAIL_OTP}" reset code	0.00s

Then I wait for 7 sec	0.00s
Then Verify message: "${password.reset.success.text}" for Reset Password	0.00s

After	0.00s

Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords

Passed: 11	Failed: 1	Undefined: 7	Duration: 98.18s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	14.78s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.78s
Then I change the country as required on registration page	12.29s
Then I wait for 5 sec	5.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	8.00s
Then I wait for 2 sec	2.00s
When user enters registration details	7.75s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.76s

Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	32.82s

com.prudential.tap.exception.TapException: Not able to convert Json string to map
["message":"Too many API requests, upgrade or wait until Tue, 01 Jun 2021 00:00:00 GMT","requestId":"msfe_2ii1gj5euko7e","responseTime":"19 ms","method":"GET"," path":"/api/addresses/pulse20631054512@mailsac.com/messages","status":429]
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToMap(JsonReader.java:61)
at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi. java:68)
at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java: 257)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse (RegistrationSteps.java:294)
at .Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features /PulseLoginTest.feature:104)

Then I wait for 10 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 2 sec	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${account.locked.message}

After		0.00s

Scenario: **Verify the Login Functionality using "Continue with Google"**			
Passed: 4	Failed: 0	Undefined: 0	Duration: 49.28s
Before			0.00s

Given User has pulse app	14.53s
And user click on "CONTINUE WITH GOOGLE" with Google button	9.62s
And I click the "Email" in Continue with Gmail	15.21s

Emailid	${facebook.text}
Password	Pulse@123

Then user should be landed to "Home" screen	9.92s
After	0.00s

Feature: **Verify registration functionality on one pulse App**			
Passed: 5	Failed: 4	Undefined: 0	Duration: 530.66s

Scenario: **User should be able to register on app with correct credentials using "Continue with Email"**			
Passed: 12	Failed: 1	Undefined: 35	Duration: 91.94s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	15.02s
Then I wait for 2 sec	2.00s

And user click on "CONTINUE WITH EMAIL" with Email button	12.96s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	11.55s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.53s
Then I wait for 2 sec	2.00s
When user enters registration details	7.95s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.73s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	28.21s

com.prudential.tap.exception.TapException: Not able to convert Json string to map ["message":"Too many API requests, upgrade or wait until Tue, 01 Jun 2021 00:00:00 GMT","requestId":"msfe_5l112w1f2UYab","responseTime":"11 ms","method":"GET","path":"/api/addresses/pulse66931054541@mailsac.com/messages","status":429]
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToMap(JsonReader.java:61)
at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:68)
at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:257)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/PulseRegistrationTest.feature:23)

Then I wait for 2 sec	0.00s
And I enter the "mobile number" in welcome to pulse	0.00s

mobileNumber	${registration.mobile.number}

And I click the continue button	0.00s
And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s

And I click the continue button	0.00s
And I answer as "Yes" to "Any Food allergies?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click on connect Later button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I click the continue button	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s
When user enters password credentials in sigin screen	0.00s
Password Pas$1234	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s
After	**0.00s**

Scenario: verify the field label on registration screen			
Passed: 9	Failed: 0	Undefined: 0	Duration: 56.79s
Before			**0.00s**

Given User has pulse app	**15.28s**
Then I wait for 2 sec	**2.00s**
And user click on "CONTINUE WITH EMAIL" with Email button	**13.03s**
Then I wait for 2 sec	**2.00s**
Then I change the country as required on registration page	**11.77s**
Then I wait for 2 sec	**2.00s**
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	**7.48s**
Then I wait for 2 sec	**2.00s**
Then I verify following field label should be displayed on registration screen	**1.23s**
${firstname.label.text}	
${lastname.label.text}	
${email.text}	
${password.text}	
After	**0.00s**

Scenario: verify the validation message for mandatory fields			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.14s
Before			**0.00s**

Given taps on continue "Sign_Up" button	0.42s
Then I verify the validation error message is displayed for following field on registration page	1.72s

FirstName	${firstname.mandatoryField.message}
LastName	${lastname.mandatoryField.message}
Email	${email.mandatoryField.message}
Password	${password.validation.message}

After	0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 4.46s
Before			0.00s

When user enters registration details	2.03s

Password	Pulse@1

And taps on continue "Sign_Up" button	1.44s
Then I verify the validation error message is displayed for following field on registration page	0.99s

Password	${password.validation.message}

After	0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.7s
Before			0.00s

When user enters registration details	1.92s

Password	Pulse123

And taps on continue "Sign_Up" button	0.81s
Then I verify the validation error message is displayed for following field on registration page	0.97s

Password	${password.validation.message}

After	0.00s

Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 64.29s
Before			0.00s

Given User has pulse app	14.11s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.28s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	10.77s
Then I wait for 2 sec	2.00s

Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.36s
Then I wait for 2 sec		2.00s
When user enters registration details		8.61s

FirstName	testAutomation
LastName	testAutomation
Email	${login.email.id}
Password	Pas$1234

And taps on continue "Sign_Up" button		0.84s
Then I verify the validation error message is displayed for following field on registration page		1.32s

Email	${user.exist.text}

After		0.00s

Scenario: Verify the mobile number screen validation using "Continue with Email"

Passed: 12	Failed: 1	Undefined: 6	Duration: 92.39s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
Given User has pulse app		14.77s
Then I wait for 2 sec		2.00s
And user click on "CONTINUE WITH EMAIL" with Email button		12.94s
Then I wait for 2 sec		2.00s
Then I change the country as required on registration page		12.37s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.94s
Then I wait for 2 sec		2.00s
When user enters registration details		7.45s

FirstName	NewAutomation
LastName	NewAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button		0.73s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		28.19s

com.prudential.tap.exception.TapException: Not able to convert Json string to map ["message":"Too many API requests, upgrade or wait until Tue, 01 Jun 2021 00:00:00 GMT","requestId":"msfe_aefiFCXmzSA53","responseTime":"32 ms","method":"GET"," path":"/api/addresses/pulse58531054525@mailsac.com/messages","status":429]
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToMap(JsonReader.java:61)
at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:68)

at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:257)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/PulseRegistrationTest.feature:143)

Then I wait for 10 sec	0.00s
Then I verify the country code should be displayed correctly on phone number screen	0.00s
And I enter the "mobile number" in welcome to pulse	0.00s

mobileNumber	917670

And I click the continue button	0.00s
Then I wait for 10 sec	0.00s
Then verify Again invalid Mobile message "${invalid.mobile.text}"	0.00s

After		0.00s

Scenario: Verify the Gender screen validation using "Continue with Email"

Passed: 0	Failed: 1	Undefined: 30	Duration: 30.15s
Before			0.00s

Given I enter the "mobile number" in welcome to pulse	30.15s

mobileNumber	${registration.mobile.number}

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 00ffb539-aa61-4e81-be98-e5fb90083bcb
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Please start by entering your mobile phone number')]/following::android.widget.EditText[2]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)
at com.onepulse.app.screens.PulseRegistrationScreen.enterMobileNumber
(PulseRegistrationScreen.java:476)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterMobileNumber
(RegistrationSteps.java:162)
at .Given I enter the "mobile number" in welcome to pulse(features/PulseRegistrationTest.
feature:153)

And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${wellness.goal.alert.text}" on registration	

workflow screen	0.00s
And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${dob.alert.text}" on registration workflow screen	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${gender.alert.text}" on registration workflow screen	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${bmi.alert.text}" on registration workflow screen	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${activity.level.alert.text}" on registration workflow screen	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${diet.preference.alert.text}" on registration workflow screen	0.00s
After	0.00s

Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

Passed: 14	Failed: 1	Undefined: 2	Duration: 184.8s
Before		0.00s	

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	15.60s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.02s
Then I wait for 2 sec	2.00s

Then I change the country as required on registration page	10.92s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.57s
Then I wait for 2 sec	2.00s
When user enters registration details	8.80s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.74s
Then I wait for 90 sec	90.00s
Then I click the Resend button in OTP screen	3.63s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	26.52s

com.prudential.tap.exception.TapException: Not able to convert Json string to map ["message":"Too many API requests, upgrade or wait until Tue, 01 Jun 2021 00:00:00 GMT","requestId":"msfe_f1hmn75OyFUe6","responseTime":"14 ms","method":"GET","path":"/api/addresses/pulse37231054529@mailsac.com/messages","status":429]
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToMap(JsonReader.java:61)
at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:68)
at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:257)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/PulseRegistrationTest.feature:207)

And I wait for 8 sec	0.00s
And I verify enter otp screen is not displayed	0.00s
After	0.00s

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 3	Failed: 7	Undefined: 0	Duration: 209.4s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 49.59s

Before	0.00s

Given User has pulse app	15.67s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.90s
Then I change the country as required on registration page	11.65s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.37s
After	0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 43.38s
Before			0.00s

Given I select the language option on toggle bar as required on login page		3.86s
When user enters credentials		18.56s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	0.38s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.96s
Then user should be landed to "Home" screen	7.62s

After			0.00s

Scenario: Verify User should be able to navigate to Edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 14.92s
Before			0.00s

Given user navigate to account page	4.79s
And user click on Edit profile link	5.13s
Then I wait for 5 sec	5.00s

After			0.00s

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 1	Failed: 1	Undefined: 0	Duration: 29.71s
Before			0.00s

Then I give manage profile camera permission	21.69s
Then I take picture from Camera	8.02s

org.openqa.selenium.UnsupportedCommandException: Unknown mobile command "tap".
Only shell,execEmuConsoleCommand,dragGesture,flingGesture,longClickGesture,
pinchCloseGesture,pinchOpenGesture,swipeGesture,scrollGesture,scrollBackTo,scroll,
viewportScreenshot,viewportRect,deepLink,startLogsBroadcast,stopLogsBroadcast,
acceptAlert,dismissAlert,batteryInfo,deviceInfo,getDeviceTime,changePermissions,
getPermissions,performEditorAction,startScreenStreaming,stopScreenStreaming,
getNotifications,listSms,type,sensorSet,deleteFile,startService,stopService,getContexts
commands are supported.
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,

deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)
at com.prudential.tap.appium.AppiumCommands.tap(AppiumCommands.java:148)
at com.prudential.tap.appium.AppiumCommands.clickElementByCoordinateforBothXY (AppiumCommands.java:986)
at com.onepulse.app.screens.PulseManageProfileScreen.editProfileTakePicture (PulseManageProfileScreen.java:1294)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.iTakePictureFromCamera (EditProfileSteps.java:326)
at .Then I take picture from Camera(features/editProfile/PulseEditProfileTest.feature:30)

After		0.00s

Scenario: **Verify the email,country code and COR fields are non-editable in edit profile screen**			
Passed: 0	Failed: 1	Undefined: 2	Duration: 14.75s
Before			0.00s

And verify email field is non-editable	14.75s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Email']/following:: android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java:201)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:579)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyEmailFields (PulseManageProfileScreen.java:196)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.verifyNonEditableEmailField (EditProfileSteps.java:65)
at .And verify email field is non-editable(features/editProfile/PulseEditProfileTest.feature:33)

And verify country code field is non-editable and country code is "${country. code}"	0.00s
And verify country of Residence is "${country.name}" and non-editable	0.00s

After		0.00s

Scenario: **Verify user can able to change the details in edit profile screen**			
Passed: 2	Failed: 1	Undefined: 1	Duration: 18.33s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s
And I assign value to following variables		0.00s

First Name	Automation-${RANDOM_NUMBER}
Last Name	Testing-${RANDOM_NUMBER}

Then I update following profile details in edit profile screen	18.33s

FirstName	${First Name}
LastName	${Last Name}

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,

deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"First Name / Given Name")]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)
at com.onepulse.app.screens.PulseManageProfileScreen.updateProfileDetails (PulseManageProfileScreen.java:1343)

at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.updateUserProfileDetails
(EditProfileSteps.java:374)
at .Then I update following profile details in edit profile screen(features/editProfile
/PulseEditProfileTest.feature:42)

And I click on update button in edit profile screen	0.00s

After		0.00s

Scenario: **Verify Details updated during pulse profile registration should be reflected in edit profile screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.5s
Before			0.00s

Given user click on Edit profile link	8.50s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]/following::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink (PulseManageProfileScreen.java:183)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink

(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:52)

Then I verify following values in edit profile screen		0.00s
FirstName	${First Name}	
LastName	${Last Name}	
Email	${onepulse.login.edit.profile}	
Gender	${pulse.edit.gender}	
PhoneNumber	${pulse.edit.number}	

| Retry | OK |
| III | ☐ | ‹ |

After		0.00s

[Back to Table of Contents](#)

Scenario: verify the user details should be correctly on babylon screen

Passed: 0	Failed: 1	Undefined: 5	Duration: 8.15s
Before		0.00s

Given I navigate to Home page from edit profile screen		8.16s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='My Profile'] /preceding::android.widget.TextView}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseManageProfileScreen.

navigateToHomePageFromMyProfileScreen(PulseManageProfileScreen.java:1454)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
navigateToHomeScreenFromEditProfile(EditProfileSteps.java:391)
at .Given I navigate to Home page from edit profile screen(features/editProfile
/PulseEditProfileTest.feature:61)

Then I navigate to Babylon health Assessment and Accept TermsAndCondition	0.00s
Then I wait for 2 sec	0.00s
Then I verify the default values in babylon registration page is updated as below	0.00s

Gender	${pulse.edit.gender}
FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

And verify email field is non-editable	0.00s
And verify country of Residence is "${country.name}" and non-editable	0.00s

Retry   OK

III   ◯   ‹

After		0.00s

[Back to Table of Contents](#)

Scenario: navigate back to health screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.52s
Before			0.00s

Given I navigate to health page from babylon registration screen	8.52s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="home"] /android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigateBackToHealthScreenFromBabylonReg(BabylonRegistrationScreen.java:273)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.navigateBackToHealthScreenFromBabylonReg(BabylonSteps.java:570)
at .Given I navigate to health page from babylon registration screen(features/editProfile/PulseEditProfileTest.feature:73)

And I wait for 5 sec	0.00s

Retry   OK

III   ◯   ‹

After		0.00s

Scenario: **Verify User should not be able to edit email and country of residence fields on myDoc registration page once the user submitted their gender and DOB in edit profile**			
Passed: 0	Failed: 1	Undefined: 3	Duration: 13.54s
Before			0.00s

Given I navigate to MyDoc registration screen	13.54s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 822babf0-8b39-418a-a633-cf2e709afe0a
*** Element info: {Using=xpath, value=(//android.widget.ScrollView//android.widget.
ImageView)[4]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
**(DefaultGenericMobileDriver.java:58)**
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseHealthScreen.navigateToMyDocRegistrationScreen(PulseHealthScreen.java:197)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.navigateToMyDocRegScreen(MyDocUiSteps.java:180)
at .Given I navigate to MyDoc registration screen(features/editProfile/PulseEditProfileTest.feature:78)

Then I verify the default values in myDoc registration page is updated as below		0.00s

FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

And verify email field is non-editable	0.00s
And verify country of Residence is "${country.name}" and non-editable	0.00s

Retry   OK

III   O   <

After	0.00s

[Back to Table of Contents](#)

Feature: Verify the BabyLon Emergency call flow on Pulse Health & Wealth app			
Passed: 1	Failed: 0	Undefined: 0	Duration: 151.81s

Scenario: User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified			
Passed: 19	Failed: 0	Undefined: 0	Duration: 151.81s
Before			0.00s
Given User has pulse app			16.69s

And I assign "${Babylon.call}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.98s
Then I change the country as required on registration page	11.73s
Then I wait for 10 sec	10.00s
Then I change the language as required on registration page	11.34s
And I click the Sign in link	4.92s
And I select the language option on toggle bar as required on login page	3.87s
When user enters credentials	18.55s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.52s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.15s
Then user should be landed to "Home" screen	7.09s
And I navigate to Babylon Symptoms Page	7.61s
Then I enter "${babylon.suicidal.thoughts.text}" symptoms on Babylon screen And select "${babylon.suicidalThoughts.description}"	25.81s
Then I wait for 2 sec	2.00s
Then I verify following conditions are displayed	0.56s

${babylon.call.immediately}
${babylon.call.number}

Then I close the babylon symptoms checker screen	0.57s
Then user views chat history	4.43s
After		0.00s

[Back to Table of Contents](#)

Feature: Verify the BabyLon Perianal lump workflow is working as expected

Following condition should meet to run this script:
Age:48
Sex:Male
Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 110.76s

Scenario: User should be able to access Babylon from Pulse app and perform Perianal lump workflow

Passed: 12	Failed: 1	Undefined: 11	Duration: 110.76 s

Before		0.00s

Given User has pulse app	14.75s
And I assign "${Babylon.AnalLump}" to variable "PULSE_EMAIL"	0.00s
Then I wait for 5 sec	5.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.86s
Then I change the country as required on registration page	12.14s
Then I wait for 5 sec	5.00s
And I click the Sign in link	3.98s

And I select the language option on toggle bar as required on login page	3.76s
When user enters credentials	18.35s

UserName	${PULSE_EMAIL}	
Password	${Password.text}	

And User clicks on signin button	0.27s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.77s
And I navigate to Babylon Symptoms Page	16.88s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 1fd1e94e-853d-4b49-b3e1-18c9357a6a7a
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen
(BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonSymptomsPage(BabylonSteps.java:47)
at .And I navigate to Babylon Symptoms Page(features/health/BabylonAnalLump.feature:24)

Then I enter "${babylon.symptom.anallump}" symptoms on Babylon screen And select "${babylon.symptom.anallump.choose}"	0.00s
Then I click on Ok button after noting the caseid:	0.00s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon "AnalLump" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
text ${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
${babylon.symptom.anallump.possiblecause.piles} ${babylon.symptom.differential.potentiallyserious}	
When I select on "${babylon.symptom.anallump.possiblecause.piles}" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s
${babylon.symptom.anallump.possiblecause.piles} ${babylon.symptom.differential.why.title} ${babylon.symptom.differential.why.subtitle} ${babylon.symptom.differential.why.strainwithpoo} ${babylon.symptom.differential.why.bloodystool} ${babylon.symptom.differential.why.lumpyanus} ${babylon.symptom.differential.why.itchyanus}	
And I click on back button to move back to possible causes screen	0.00s

When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report	0.00s
Then I verify following conditions are displayed	0.00s

${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.differential.why.changedbowelhabits}	
${babylon.symptom.differential.why.strainwithpoo}	
${babylon.symptom.differential.why.bloodystool}	
${babylon.symptom.differential.why.lumpyanus}	
${babylon.symptom.differential.why.itchyanus}	

After	0.00s

[Back to Table of Contents](#)

Feature: Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected

Following condition should meet to run this script:
Age:54
Sex:Female
Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 125.48s

Scenario: User should be able to access Babylon from Pulse app and perform Breast lump workflow			
Passed: 13	Failed: 1	Undefined: 11	Duration: 125.48s
Before			0.00s
Given I assign "${pulse.babylon.breastlump.username}" to variable			

"PULSE_EMAIL"	**0.00s**
And User has pulse app	**15.22s**
Then I wait for 5 sec	**5.00s**
And user click on "CONTINUE WITH EMAIL" with Email button	**12.90s**
Then I change the country as required on registration page	**12.37s**
Then I wait for 5 sec	**5.00s**
Then I change the language as required on registration page	**12.32s**
And I click the Sign in link	**4.66s**
And I select the language option on toggle bar as required on login page	**4.26s**
When user enters credentials	**18.73s**

UserName	**${PULSE_EMAIL}**
Password	**${Password.text}**

And User clicks on signin button	**0.50s**
Then I wait for 10 sec	**10.00s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	**7.72s**
And I navigate to Babylon Symptoms Page	**16.81s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 778504f8-e306-4322-ae39-c30656b8024f
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)

at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen(BabylonRegistrationScreen.java:98)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.navigateToBabylonSymptomsPage(BabylonSteps.java:47)

at .And I navigate to Babylon Symptoms Page(features/health/BabylonBreastLump.feature:25)

Then I enter "${babylon.symptom.breastlump}" symptoms on Babylon screen And select "${babylon.symptom.breastlump.choose}"	0.00s
Then I click on Ok button after noting the caseid:	0.00s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon "BreastLump" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
text ${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
${babylon.symptom.differential.potentiallyserious} ${babylon.symptom.possiblecauses.breasrabcess}	
When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s

${babylon.symptom.differential.potentiallyserious}		
${babylon.symptom.differential.gp}		
${babylon.symptom.differential.why.title}		
${babylon.symptom.differential.why.subtitle}		
${babylon.symptom.possiblecause.lumpormass.armpit}		
${babylon.symptom.possiblecause.invrtdnipple}		
${babylon.symptom.possiblecause.bloodynippledischarge}		
${babylon.symptom.possiblecause.breastcancer.famhistory}		
${babylon.symptom.possiblecause.breastlump}		
And I click on back button to move back to possible causes screen	0.00s
When I select on "${babylon.symptom.possiblecauses.breasrabcess}" cause with offset 500 in report	0.00s
Then I verify following conditions are displayed	0.00s
${babylon.symptom.possiblecauses.breasrabcess}	
${babylon.symptom.differential.gp.urgent}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.possiblecause.lumpormass.armpit}	
${babylon.symptom.possiblecause.invrtdnipple}	
${babylon.symptom.possiblecause.bloodynippledischarge}	
${babylon.symptom.possiblecause.breastlump}	

After	0.00s

Feature: Verify the BabyLon Human Immune Virus workflow is working as expected

Following condition should meet to run this script:

Age:48
Sex:Male
Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 132.1s

Scenario: User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow

Passed: 13	Failed: 1	Undefined: 11	Duration: 132.1s

Before		0.00s

Given User has pulse app	22.81s
And I assign "${Babylon.virusrash}" to variable "PULSE_EMAIL"	0.01s
Then I wait for 5 sec	5.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.06s
Then I change the country as required on registration page	12.42s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	10.91s
And I click the Sign in link	4.62s
And I select the language option on toggle bar as required on login page	4.00s
When user enters credentials	19.01s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.47s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.68s
And I navigate to Babylon Symptoms Page	17.11s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 03e539c9-c562-4d02-b37a-a3bdb7090fe1
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen
(BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonSymptomsPage(BabylonSteps.java:47)
at .And I navigate to Babylon Symptoms Page(features/health/BabylonHumanImmVirusRash.
feature:24)

Then I enter ''${babylon.symptom.rash}'' symptoms on Babylon screen And select ''${babylon.symptom.rash.choose}''	0.00s
Then I click on Ok button after noting the caseid:	0.00s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon ''HumanImmVirusRash'' questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s

text ${babylon.symptom.closureSummary}		
Then I click on view results to see the possible causes	0.00s	
And Verify following possible causes are displayed	0.00s	
${babylon.symptom.rash.possiblecauses1}		
{babylon.symptom.rash.possiblecauses2}		
When I select on "${babylon.symptom.rash.possiblecauses1}" cause with offset 100 in report	0.00s	
Then I verify following conditions are displayed	0.00s	
${babylon.symptom.rash.possiblecauses1}		
${babylon.symptom.differential.gp}		
${babylon.symptom.differential.why.title}		
${babylon.symptom.differential.why.subtitle}		
${babylon.symptom.rash.differential.why.reason1}		
${babylon.symptom.rash.differential.why.reason2}		
${babylon.symptom.rash.differential.why.reason3}		
${babylon.symptom.rash.differential.why.reason4}		
${babylon.symptom.rash.differential.why.reason5}		
${babylon.symptom.rash.differential.why.reason6}		
And I click on back button to move back to possible causes screen	0.00s	
When I select on "${babylon.symptom.rash.possiblecauses2}" cause with offset 500 in report	0.00s	
Then I verify following conditions are displayed	0.00s	
${babylon.symptom.rash.possiblecauses2}		
${babylon.symptom.differential.er}		
${babylon.symptom.differential.why.title}		
${babylon.symptom.rash.differential.why.reason1}		
${babylon.symptom.rash.differential.why.reason2}		
${babylon.symptom.rash.differential.why.reason3}		
${babylon.symptom.rash.differential.why.reason4}		
${babylon.symptom.rash.differential.why.reason5}		
${babylon.symptom.rash.differential.why.fever}		
${babylon.symptom.rash.differential.why.reason6}		

After		0.00s

Feature: Verify the BabyLon Groin Mass workflow is working as expected

Following condition should meet to run this script:
Age:55
Sex:Male
Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 126.1s

Scenario: User should be able to access Babylon from Pulse app and perform Groin mass workflow

Passed: 13	Failed: 1	Undefined: 13	Duration: 126.1s
Before			0.00s

Given User has pulse app	18.44s
And I assign "${Babylon.hernia}" to variable "PULSE_EMAIL"	0.00s
Then I wait for 5 sec	5.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.42s
Then I change the country as required on registration page	11.80s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	10.18s
And I click the Sign in link	4.40s
And I select the language option on toggle bar as required on login page	3.76s
When user enters credentials	18.89s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.61s

Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.84s
And I navigate to Babylon Symptoms Page	16.77s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 26401074-2677-40cf-a6eb-1e6ee97a9c15
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen
(BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonSymptomsPage(BabylonSteps.java:47)
at .And I navigate to Babylon Symptoms Page(features/health/BabylonInguinalHernia.feature:
25)

Then I wait for 6 sec	0.00s
Then I enter ''${babylon.symptom.inguinalhernia}'' symptoms on Babylon screen And select ''${babylon.symptom.inguinalhernia.choose}''	0.00s
Then I click on Ok button after noting the caseid:	0.00s

| text | ${babylon.symptom.caseid.txt} |

Then verify user is landed to inguinal hernia consultation screen	0.00s
When I handle Babylon ''InguinalHernia'' questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s

| text | ${babylon.symptom.closureSummary} |

And I wait for 5 sec	0.00s
Then I click on view results to see the possible causes	0.00s
When I click on ''inguinal hernia'' cause	0.00s
Then I verify following conditions are displayed	0.00s

| ${babylon.symptom.possiblecauses.inguinalhernia} |
| ${babylon.symptom.differential.gp} |
| ${babylon.symptom.possiblecauses.reduced.groinmass} |
| ${babylon.symptom.possiblecauses.groinmass.lump} |

And I click on back button to move back to possible causes screen	0.00s
When I click on ''femoral hernia'' cause	0.00s
Then I verify following conditions are displayed	0.00s

| ${babylon.symptom.possiblecauses.femoralhernia} |
| ${babylon.symptom.differential.gp} |
| ${babylon.symptom.possiblecauses.reduced.groinmass} |
| ${babylon.symptom.possiblecauses.groinmass.lump} |

After		0.00s

Feature: Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected

Following condition should meet to run this script:
Age:74
Sex:Female
Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 114.19s

Scenario: User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed workflow

Passed: 13	Failed: 1	Undefined: 11	Duration: 114.19s
Before			0.00s

Given I assign "${pulse.babylon.postmenopause.username}" to variable "PULSE_EMAIL"	0.00s
And I assign "${parity.password}" to variable "USER_PASSWORD"	0.00s
Given User has pulse app	17.21s
Then I wait for 5 sec	5.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.95s
Then I change the country as required on registration page	12.44s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	0.48s
And I click the Sign in link	4.57s
And I select the language option on toggle bar as required on login page	3.96s

When I login into pulse app with below details	**18.39s**

UserName	${PULSE_EMAIL}
Password	${USER_PASSWORD}

Then I wait for 10 sec	**10.00s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	**8.26s**
And I navigate to Babylon Symptoms Page	**15.95s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5e273c9c-f25f-49de-8335-b31d24296a73
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen
(BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonSymptomsPage(BabylonSteps.java:47)
at .And I navigate to Babylon Symptoms Page(features/health/BabylonPostmenopausalBleed.
feature:25)
```

Then I enter "${babylon.symptom.postmenopausalbleeding}" symptoms on Babylon screen And select "${babylon.symptom.postmenopausalbleeding. choose}"	0.00s
Then I click on Ok button after noting the caseid:	0.00s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon "PostmenopausalBleed" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
text ${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
${babylon.symptom.possiblecause.endopolyp}	
${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.possiblecause.thinning.vaginalwall}	
When I select on "${babylon.symptom.possiblecause.endopolyp}" cause with offset 500 in report	0.00s
Then I verify following conditions are displayed	0.00s
${babylon.symptom.possiblecause.endopolyp}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.differential.why.subtitle}	
${babylon.symptom.possiblecause.vaginalbleeding}	
And I click on back button to move back to possible causes screen	0.00s
When I select on "${babylon.symptom.differential.potentiallyserious}" cause	

with offset 500 in report	0.00s
Then I verify following conditions are displayed	0.00s

${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.possiblecause.vaginalbleeding}	

After		0.00s

[Back to Table of Contents](#)

Feature: Verify the BabyLon Prostatic HyperPlasia workflow is working as expected

Following condition should meet to run this script:
Age:58
Sex:Male
Country:Singapore/Malaysia

Passed: 0	Failed: 1	Undefined: 0	Duration: 126.32s

Scenario: User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow

Passed: 14	Failed: 1	Undefined: 11	Duration: 126.32s

Before		0.00s

Given I assign "${pulse.babylon.prostatic.username}" to variable "PULSE_EMAIL"	0.00s
And I assign "${parity.password}" to variable "USER_PASSWORD"	0.00s
Given User has pulse app	17.06s
Then I wait for 5 sec	5.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.86s

Then I change the country as required on registration page	12.33s	
Then I wait for 5 sec	5.00s	
Then I change the language as required on registration page	11.19s	
And I click the Sign in link	4.15s	
And I select the language option on toggle bar as required on login page	4.37s	
When user enters credentials	19.03s	

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.66s	
Then I wait for 10 sec	10.00s	
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.33s	
And I navigate to Babylon Symptoms Page	16.34s	

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 7c972096-3cb2-4954-b1d4-886fec378b0e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen(BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.navigateToBabylonSymptomsPage(BabylonSteps.java:47)
at .And I navigate to Babylon Symptoms Page(features/health/BabylonProstaticHyperplasia.feature:27)

Then I enter "${babylon.ph.symptom}" symptoms on Babylon screen And select "${babylon.ph.symptomDescription}"	0.00s
Then I click on Ok button after noting the caseid:	0.00s

text	${babylon.symptom.caseid.txt}

Then I handle Babylon "ProstaticHyperplasia" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s

text	${babylon.symptom.closureSummary}

Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s

${babylon.symptom.differential.potentiallyserious}	
${babylon.ph.possiblecause.benign.hyperplasia}	

When I select on "${babylon.ph.cause1}" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s

${babylon.ph.possiblecause.benign.hyperplasia}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	

${babylon.symptom.differential.why.subtitle}	
${babylon.ph.possiblecause.urination.dfclty}	
${babylon.ph.possiblecause.increased.urination}	
${babylon.ph.possiblecause.urgentneed.urination}	
${babylon.ph.possiblecause.lowflow.urination}	
${babylon.ph.possiblecause.dribbling.urine}	
And I click on back button to move back to possible causes screen	0.00s
When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report	0.00s
Then I verify following conditions are displayed	0.00s
${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.differential.why.title}	
${babylon.ph.possiblecause.weightloss}	
${babylon.ph.possiblecause.urination.dfclty}	
${babylon.ph.possiblecause.increased.urination}	
${babylon.ph.possiblecause.urgentneed.urination}	
${babylon.ph.possiblecause.lowflow.urination}	
${babylon.ph.possiblecause.dribbling.urine}	
After	0.00s

Feature: Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation

Following condition should meet to run this script:

Age:39
Sex:Male
Country:Singapore

Passed: 1	Failed: 1	Undefined: 0	Duration: 120.76s

Scenario: Launch the app and select the country as per specified lbu

Passed: 13	Failed: 0	Undefined: 0	Duration: 103.97s

Before		0.00s

Given User has pulse app	15.91s
And I assign "${Babylon.rib}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.82s
Then I change the country as required on registration page	12.29s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	11.36s
And I click the Sign in link	4.22s
And I select the language option on toggle bar as required on login page	4.39s
Then I verify below language options on toggle bar as per specified lbu on login page	0.72s
When user enters credentials	18.55s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.72s
And I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.98s

After		0.00s

[Back to Table of Contents](#)

Scenario: User should be able to access Babylon from Pulse app and perform Rib Fracture workflow

Passed: 0	Failed: 1	Undefined: 10	Duration: 16.79s

Before		0.00s

And I navigate to Babylon Symptoms Page	16.79s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,

deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: a5048e21-673c-4e94-974c-99559b2a121c
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.navigatetoSympthomsscreen (BabylonRegistrationScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.

navigateToBabylonSymptomsPage(BabylonSteps.java:47) at .And I navigate to Babylon Symptoms Page(features/health/BabylonRibFracture.feature:29)	
Then I enter "${babylon.rib.symptom}" symptoms on Babylon screen And select "${babylon.rib.symptomDescription}"	0.00s
Then I click on Ok button after noting the caseid:	0.00s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon "RibFracture" questions and answers	0.00s
Then I verify the closure summary and click on continue button	0.00s
text ${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	0.00s
When I select on "${babylon.rib.cause.chestStrain}" cause with offset 0 in report	0.00s
Then I verify following conditions are displayed	0.00s
${babylon.symptom.differential.why.title}	
${babylon.symptom.differential.why.subtitle}	
${babylon.rib.possiblecause.injuredchestwall}	
${babylon.rib.possiblecause.painonribmovement}	
${babylon.rib.possiblecause.rightside.chestpain}	
${babylon.rib.possiblecause.dull.chestpain}	
${babylon.rib.possiblecause.painonchestpress}	
And I click on back button to move back to possible causes screen	0.00s
When I select on "${babylon.rib.cause.costochondritis}" cause with offset 0 in report	0.00s
Then I verify following conditions are displayed	0.00s
${babylon.rib.costochondritis.conditionTitle}	
${babylon.symptom.differential.why.title}	
${babylon.rib.possiblecause.injuredchestwall}	
${babylon.rib.possiblecause.rightside.chestpain}	
${babylon.rib.possiblecause.painonribmovement}	
${babylon.rib.possiblecause.dull.chestpain}	
${babylon.rib.possiblecause.painonchestpress}	

After		0.00s

Back to Table of Contents

Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature

Passed: 0	Failed: 4	Undefined: 0	Duration: 56.51s

Scenario: Launch the app and select the country as per specified lbu

Passed: 3	Failed: 1	Undefined: 2	Duration: 41.23s

Before		0.00s

Given User has pulse app	16.95s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.12s
Then I change the country as required on registration page	11.15s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8226
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2145ef5e-5a53-4127-a5c2-891806e9ab3d
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumCommands.java:876)
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.java:
392)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:949)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/health
/PruShoppeLocation.feature:9)

| Then I wait for 2 sec | 0.00s |
| And I click the Sign in link | 0.00s |

| After | | 0.00s |

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 0	Failed: 1	Undefined: 5	Duration: 2.16s
Before			0.00s

| Given I select the language option on toggle bar as required on login page | 2.16s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.

Original error: connect ECONNREFUSED 127.0.0.1:8226
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2145ef5e-5a53-4127-a5c2-891806e9ab3d
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:994)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:335)
at .Given I select the language option on toggle bar as required on login page(features/health
/PruShoppeLocation.feature:14)

When user enters credentials		0.00s
UserName	${PULSE_EMAIL}	
Password	Pas$1234	
And User clicks on signin button		0.00s
And I wait for 5 sec		0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		0.00s
Then user should be landed to "Home" screen		0.00s

After	0.00s

[Back to Table of Contents](#)

Scenario: User should be able to locate Hospitals using PruShoppe location			
Passed: 0	Failed: 1	Undefined: 14	Duration: 2.14s
Before			0.00s

When I clicks on Health button	2.14s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8226
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}

Session ID: 2145ef5e-5a53-4127-a5c2-891806e9ab3d
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseHealthScreen.clickHealthButton(PulseHealthScreen.java:60)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iClicksOnHealthButton (MyDocUiSteps.java:98)
at .When I clicks on Health button(features/health/PruShoppeLocation.feature:25)

Then I clicks on Location button	0.00s

When I clicks on Search here text field		0.00s
And I clicks on "Hospitals" under Pulse Search		0.00s
Then User can see the list of "Hospitals" near by to user's current location		0.00s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results		0.00s
When I clicks on See Details button on First result		0.00s
Then I can see the "Hospital" Information screen with Navigate and Call Now buttons		0.00s
When I clicks on "Speciality" tab		0.00s
Then I verify the Speciality screen is displayed		0.00s
When I clicks on "Doctors" tab		0.00s
Then I verify the Doctors screen is displayed		0.00s
When I clicks on "Rooms" tab		0.00s
Then I verify the Rooms screen is displayed		0.00s
When I clicks on back button in See Details screen		0.00s

After		0.00s

Scenario: **User should be able to locate cli using PruShoppe location**

Passed: 1	Failed: 1	Undefined: 7	Duration: 10.98s
Before			0.00s

And I clicks on back button in "Hospitals" screen		2.39s
When I clicks on Search here text field		8.59s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8226
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2145ef5e-5a53-4127-a5c2-891806e9ab3d
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Search here']}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.LocationScreen.clickSearchTextFieldInMaps(LocationScreen.java:64)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnSearchHereTextField (LocationSteps.java:35)
at .When I clicks on Search here text field(features/health/PruShoppeLocation.feature:57)

And I clicks on "Clinics" under Pulse Search	0.00s
Then User can see the list of "Clinics" near by to user's current location	0.00s
And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results	0.00s
When I clicks on See Details button on First result	0.00s
Then I can see the "Clinic" Information screen with Navigate and Call Now buttons	0.00s

When I clicks on back button in See Details screen		0.00s
And I clicks on back button in "Clinic" screen		0.00s
After		0.00s

[Back to Table of Contents](#)

Feature: Verify MY Event channel functionality on one pulse App			
Passed: 5	Failed: 0	Undefined: 0	Duration: 154.35s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 7	Failed: 0	Undefined: 0	Duration: 58.79s
Before			0.00s

Given User has pulse app	14.00s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.68s
Then I change the country as required on registration page	11.98s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	10.00s
And I click the Sign in link	5.13s

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 42.99s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.90s
When user enters credentials	18.16s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.81s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.96s
Then user should be landed to "Home" screen	7.16s

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify MyEvent Functionality in Home screen			
Passed: 3	Failed: 0	Undefined: 0	Duration: 28.38s
Before			0.00s

And I click the MyEvent icons	22.43s
And I wait for 5 sec	5.00s
And I verify following texts are displayed	0.94s

You do not have any events enrolled yet
Please choose from the open events and get started

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify Open Events tab			

Passed: 2	Failed: 0	Undefined: 0	Duration: 12.51s
Before			0.00s

And I click the Open Events icon	8.77s
And I verify following texts are displayed	3.75s

There are no events available at the moment
Stay tuned for events on health and fitness

After			0.00s

Scenario: **Verify Events Archive tab**

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.68s
Before			0.00s

And I click the Events Archive icon	8.99s
And I verify following texts are displayed	2.69s

You do not have any events in your archive.

After			0.00s

Feature: **Verify My Health Content functionality on one pulse App**

Passed: 8	Failed: 0	Undefined: 0	Duration: 215.83s

Scenario: **Launch the app and select the country as per specified lbu**

Passed: 8	Failed: 0	Undefined: 0	Duration: 57.91s
Before			0.00s

Given User has pulse app	13.85s
And Logout of pulse app if user is logged in	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.49s
Then I change the country as required on registration page	11.24s
Then I wait for 3 sec	3.00s
Then I change the language as required on registration page	10.54s
And I click the Sign in link	4.98s
Then I verify below language options on toggle bar as per specified lbu on login page	1.81s

After			0.00s

Scenario: **User should be able to login on app with correct credentials using "Continue with Email"**

Passed: 7	Failed: 0	Undefined: 0	Duration: 46.84s
Before			0.00s

And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	2.39s
When user enters credentials	18.20s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.69s
Then I wait for 10 sec	10.00s

And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		7.97s
Then user should be landed to "Home" screen		7.58s
After		0.00s

Scenario: Verify User should be able to navigate to Health page

Passed: 4	Failed: 0	Undefined: 0	Duration: 46.44s
Before			0.00s

Then I navigate to Health Content screen		20.48s
Then I wait for 5 sec		5.00s
And I verify following texts are displayed		0.93s
Health Channels		
And I verify the following texts "My Health Content" in Screen		20.03s
Category		
Like		
Share		
Comment		
After		0.00s

Scenario: Verify User should be able to view the full page article post

Passed: 2	Failed: 0	Undefined: 0	Duration: 17.5s
Before			0.00s

Then I click on "Health Channels" topic for details full view		7.50s
Then I wait for 10 sec		10.00s
After		0.00s

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 1	Failed: 0	Undefined: 0	Duration: 13.85s
Before			0.00s

And I verify the following texts "My Health Content" in Screen		13.85s
Like		
Share		
Comment		
After		0.00s

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.47s
Before			0.00s

And I Like the post		5.68s
And I Like the post		5.79s
After		0.00s

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 16.72s
Before			0.00s
And I share the post			5.77s
Then I navigate back to previous page			10.95s
After			0.00s

Scenario: Verify User can navigate to Health homepage

Passed: 1	Failed: 0	Undefined: 0	Duration: 5.11s
Before			0.00s
Then I navigate to story post page			5.11s
After			0.00s

Feature: Verify My Challenges on One Pulse App

Passed: 2	Failed: 2	Undefined: 0	Duration: 113.75s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 47.16s
Before			0.00s
Given User has pulse app			13.86s
And Logout of pulse app if user is logged in			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			12.95s
Then I change the country as required on registration page			12.33s
Then I wait for 3 sec			3.00s
And I click the Sign in link			5.01s
After			0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 49.82s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			3.87s
When user enters credentials			18.65s
UserName ${PULSE_EMAIL}			
Password ${pulse.password}			
And User clicks on signin button			1.31s
Then I wait for 10 sec			10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			8.52s
Then user should be landed to "Home" screen			7.46s
After			0.00s

Scenario: Verify My Challenges texts

Passed: 1	Failed: 1	Undefined: 1	Duration: 8.24s
Before			0.00s

And I click on My Challenges tile on one pulse app	0.24s
And I verify following texts are displayed	8.00s

${do.not.have.challenges}

java.lang.AssertionError: The following asserts failed:
You do not have any challenges yet. Please click below to select a challenge and get started text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/home/mychallenges/PulseMyChallenges. feature:25)

And I verify the following texts "My challenges" in Screen	0.00s

${all.challenges.text}

After		0.00s

Scenario: **Click on All challenges and and verify texts**

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.53s
Before			0.00s

And I clicks on "${all.challenges.text}" in app screen	8.54s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions

/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 36f79752-5f75-4d1a-9857-ea3fd258e888
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All Challenges")]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1717)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:533)
at .And I clicks on "${all.challenges.text}" in app screen(features/home/mychallenges /PulseMyChallenges.feature:33)

And I verify the following texts "My challenges" in Screen	0.00s
${my.challenges.text}	
${all.challenges.text}	

And I verify following texts are displayed	0.00s
${not.connected.wearable}	
${no.challenges.available}	
${notify.challenge}	

| And I clicks on "${back.home}" in app screen | 0.00s |

After	0.00s

[Back to Table of Contents]

Feature: Verify My Communities on One Pluse App

Passed: 4	Failed: 6	Undefined: 0	Duration: 240.65s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 46.81s
Before			0.00s
Given User has pulse app			13.66s
And Logout of pulse app if user is logged in			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			13.03s
Then I change the country as required on registration page			12.31s
Then I wait for 3 sec			3.00s
And I click the Sign in link			4.81s
After			0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 47.58s
Before			0.00s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			3.77s
When user enters credentials			17.56s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.69s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.04s
Then user should be landed to "Home" screen	7.52s
After	0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 28.54s
Before			0.00s
Then I wait for 6 sec			6.00s
And User should be verify "${my.communities.text}" tab in Home screen			7.10s
Then I wait for 6 sec			6.00s
And I verify following texts are displayed			0.51s

${icon.communities}

And I verify the following texts "All Communities" in Screen	8.93s

${my.communities.text}
${All.Communities.text}

After	0.00s

Scenario: Leave the community if already joined

Passed: 4	Failed: 0	Undefined: 0	Duration: 13.13s
Before			0.00s
And I clicks on "${my.communities.text}" in app screen			0.31s

And I scroll down	3.67s
When I click on joined community three dots menu icon	1.09s
And I click on leave button for joined community	8.06s
After	0.00s

Scenario: Verify the All Communities Post screen

Passed: 1	Failed: 1	Undefined: 7	Duration: 12.85s
Before			0.00s

Then I wait for 5 sec	5.00s
And I clicks on "${All.Communities.text}" in app screen	7.85s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 159b694f-2eda-4e26-9bdb-c66e45e7d28f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1717)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${All.Communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:42)

And I click the Join button in Communties tab	0.00s
And I click the static Active icon in community screen	0.00s
And I click Edit icon in stay Active icon	0.00s
And Enter the post in community screen	0.00s

POST	TEST1

And Enter the post in community large text screen	0.00s

POST	welcome

And I click the Post icon in create post screen	0.00s
Then I verify the following text "TEST1" in Screen	0.00s

TEST1
welcome

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify the Likes and comments counts in All communities tab**			
Passed: 0	Failed: 1	Undefined: 6	Duration: 23.83s
Before			0.00s

And I click the Post icon in My communities	23.84s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 159b694f-2eda-4e26-9bdb-c66e45e7d28f

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}

at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds (MyCommunitiesScreen.java:297)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons (MyCommunitiesSteps.java:106)
at .And I click the Post icon in My communities(features/home/mycommunities /PulseMyCommunities.feature:56)

| And I click the like button in Post screen | 0.00s |
| And Verify the like count in Post screen '' 1 Likes'' likes | 0.00s |

And I click the Comment icon in feed screen	0.00s
And Enter the comments in Feeds screen	0.00s

Comments	TEST1

And I click the submit icon in feeds screen	0.00s
And Verify the comments count in Feeds screen " 0 Comments" comments	0.00s

After		0.00s

Scenario: **Verify the Share with Friends Functionality in All communities tab**			
Passed: 0	Failed: 1	Undefined: 3	Duration: 21.04s
Before			0.00s

And I click the share icon in Post screen	21.04s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 159b694f-2eda-4e26-9bdb-c66e45e7d28f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon (MyCommunitiesScreen.java:528)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon

(MyCommunitiesSteps.java:173)
at .And I click the share icon in Post screen(features/home/mycommunities
/PulseMyCommunities.feature:66)

And Verify the pop up in "Share with Friends"	0.00s
And I click the phone icon in share with friends	0.00s
And I give camera permission	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify the Post Functionality in All communities**			
Passed: 0	Failed: 1	Undefined: 11	Duration: 16.16s
Before			0.00s

Then I click skip button in feeds screen	16.16s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 159b694f-2eda-4e26-9bdb-c66e45e7d28f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton (MyCommunitiesScreen.java:633)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton

(MyCommunitiesSteps.java:208)
at .Then I click skip button in feeds screen(features/home/mycommunities
/PulseMyCommunities.feature:73)

Then I wait for 2 sec	0.00s
And I click the Back icon in Stay Active screen	0.00s
Then I wait for 3 sec	0.00s
And I click Edit icon in stay Active icon	0.00s
And I click the Camera icon in create post screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s

After	**0.00s**
[Back to Table of Contents](#)	

Scenario: Verify the Category list and search feature			
Passed: 1	Failed: 1	Undefined: 5	Duration: 22.43s
Before			**0.00s**

Then I wait for 15 sec	**15.01s**
And I clicks on "${category.text}" in app screen	**7.42s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page

using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 159b694f-2eda-4e26-9bdb-c66e45e7d28f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1717)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${category.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:91)

And I verify the following texts "Category" in Screen	0.00s
COVID-19	
Fitness	
Global Awareness Days	
Mental Health	

And I clicks on "Mental Health" in app screen	0.00s
And I clicks on "${apply.button}" in app screen	0.00s
And I verify following texts are displayed	0.00s
${no.post.found.text}	
And I click the Back icon in Stay Active screen	0.00s

13:12
← Invited By

III   ⬜   ‹

After		0.00s

Back to Table of Contents

Scenario: Leave the community if already joined

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.28s
Before			**0.00s**

And I clicks on "${my.communities.text}" in app screen	8.28s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 159b694f-2eda-4e26-9bdb-c66e45e7d28f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1717)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon(CustomerConnectSteps.java:533)
at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:104)

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s

| After | | 0.00s |

Feature: Verify Private My Communities on One Pluse App

Passed: 0	Failed: 4	Undefined: 0	Duration: 57.47s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 1	Undefined: 0	Duration: 46.17s

Before		0.00s

Given User has pulse app	15.72s
And Logout of pulse app if user is logged in	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.82s
Then I change the country as required on registration page	12.03s
Then I wait for 3 sec	3.00s
And I click the Sign in link	2.59s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: java.lang.IllegalStateException: UiAutomation not connected!
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 82698d6c-e5d7-45a5-87fa-f51b7069845c
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:755)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp(LoginSteps.java:351)
at .And I click the Sign in link(features/home/mycommunities/PulseMyCommunities_private.feature:10)

After		0.00s

Back to Table of Contents

Scenario: **User should be able to login on app with correct credentials using "Continue with Gmail"**			
Passed: 1	Failed: 1	Undefined: 5	Duration: .06s
Before			0.00s

And I assign "pulse123456@mailsac.com" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	0.06s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 82698d6c-e5d7-45a5-87fa-f51b7069845c
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:994)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:335)
at .Given I select the language option on toggle bar as required on login page(features/home
/mycommunities/PulseMyCommunities_private.feature:14)

When user enters credentials		0.00s
UserName	${PULSE_EMAIL}	
Password	${pulse.password}	
And User clicks on signin button		0.00s
Then I wait for 10 sec		0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		0.00s
Then user should be landed to "Home" screen		0.00s
After		0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with

Gmail" and Verify the Mycommunities screen

Passed: 2	Failed: 1	Undefined: 0	Duration: 7.13s
Before			0.00s

And I click the MyCommunities icon	0.05s
Then I wait for 3 sec	3.00s
And I verify the following texts "Communities" in Screen	4.08s

${my.communities.text}

${All.Communities.text}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 82698d6c-e5d7-45a5-87fa-f51b7069845c
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.

java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:209)
at com.onepulse.app.screens.CustomerConnectScreen.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:176)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:87)
at .And I verify the following texts "Communities" in Screen(features/home/mycommunities
/PulseMyCommunities_private.feature:27)

After		0.00s

Back to Table of Contents

Scenario: **Verify the Private Communities in communities screen**			
Passed: 0	Failed: 1	Undefined: 11	Duration: 4.11s
Before			0.00s

And I click the Private "${All.Communities.text}" in Communties screen	4.12s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 82698d6c-e5d7-45a5-87fa-f51b7069845c
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickPrivateCommunities
(MyCommunitiesScreen.java:941)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.
Click_PrivateCommunties(MyCommunitiesSteps.java:288)
at .And I click the Private "${All.Communities.text}" in Communties screen(features/home
/mycommunities/PulseMyCommunities_private.feature:32)

And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen		0.00s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home screen		0.00s
And I clicks on "Take a Picture" in app screen		0.00s
And I click the Upload Image icon		0.00s
And I give camera permission		0.00s
Then I take picture from Camera		0.00s
Then I wait for 3 sec		0.00s
And I scroll down		0.00s
And I click the continue button		0.00s
Then I click skip button in feeds screen		0.00s
And I clicks on "OK" in app screen		0.00s
After		0.00s

Feature: Verify legal and legacy on One pulse App

Passed: 7	Failed: 0	Undefined: 0	Duration: 185.99s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 48.63s
Before			0.00s

Given User has pulse app	13.17s
And I assign "${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.86s
Then I change the country as required on registration page	12.80s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.81s

After			0.00s

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 45.07s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.78s
When user enters credentials	18.09s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	1.97s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.40s
Then user should be landed to "Home" screen	7.83s

After			0.00s

Scenario: **Navigate to account screen**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.49s
Before			0.00s

Given user navigate to account page	5.49s

After			0.00s

Scenario: **Verify the Legacy and Privacy should be displayed**			
Passed: 2	Failed: 0	Undefined: 0	Duration: 8.27s
Before			0.00s

And I click the Legacy and Privacy in Account screen	4.23s
Then I verify following texts are displayed in terms and condition screen	4.03s

${Terms.conditions.text}
${icon.privacyNotice}
${icon.regulatory}
${app.version.text}

After		0.00s

Scenario: Verify the Terms and condition screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 18.76s
Before			0.00s

And I click on "${Terms.conditions.text}" link in Account screen	0.40s
And I click the pulse icon in Account screen	14.20s
And I click the Back icon in pulse screen	2.30s
And I click the Back icon in Terms and conditions screen	1.86s

After		0.00s

Scenario: Verify the Privacy screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 22.46s
Before			0.00s

And I click the Privacy icon in legal screen	2.53s
And I click the pulse icon in Account screen	14.10s
And I click the Back icon in pulse screen	2.59s
And I click the Back icon in Privacy Notice	3.24s

After		0.00s

Scenario: Verify the Regulator screen should be displayed

Passed: 3	Failed: 0	Undefined: 0	Duration: 37.32s
Before			0.00s

And I click the Regulatory icon in legal screen	13.87s
And I click the Babylons icon in Account screen	20.81s
Then I verify following texts are displayed in terms and condition screen	2.65s

${clinicalSafety.text}
${ai.healthcare.text}
${localisation.text}
${privacy.date.protection.text}
${concern.reporting.text}

After		0.00s

Feature: Verify My accounts options in Account screen

1)My wearable
2)My Rewards
3)My Notifications
4)My Feedback
5)Pulse Personalised

Passed: 25	Failed: 1	Undefined: 0	Duration: 287.49s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 49.64s

Before		0.00s
Given User has pulse app		14.45s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		13.03s
Then I change the country as required on registration page		12.17s
Then I wait for 5 sec		5.00s
And I click the Sign in link		4.99s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 42.48s
Before			0.00s

Given I select the language option on toggle bar as required on login page		3.87s
When user enters credentials		18.05s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button		0.73s
And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		8.00s
Then user should be landed to "Home" screen		6.84s
After		0.00s

Scenario: Navigate to account screen and verify all the options

Passed: 3	Failed: 0	Undefined: 0	Duration: 13.13s
Before			0.00s

Given user navigate to account page		5.39s
Then I wait for 2 sec		2.00s
And user should verify following options on account screen		5.74s

${my.wearable.text}
${my.rewards.text}
${my.notification.text}
${icon.mySettings}
${my.feedback.text}
${icon.legal&Privacy}
${pulsePersonalised.text}
${sign.out.button.text}
${logs.text}

After		0.00s

Scenario: Verify wearable screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 5.42s
Before			0.00s

And I click on "${my.wearable.text}" link in Account screen		1.36s

Then I wait for 2 sec		2.00s
Then I verify following text are displayed under My Wearables screen		2.06s

${wearables.title}	
${wearables.subTitle}	
${wearables.description}	
${wearables.fitbit}	
${wearables.garmin}	
${wearables.googleFit}	

After		0.00s

Scenario: navigate back to account screen from my wearable screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 2.3s
Before			0.00s

And user navigate back to the Home screen from My Wearables screen		0.30s
And I wait for 2 sec		2.00s

After		0.00s

Scenario: Navigate to account screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 7.08s
Before			0.00s

Given user navigate to account page		5.08s
Then I wait for 2 sec		2.00s

After		0.00s

Scenario: Verify reward screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 9.16s
Before			0.00s

And I click on "${my.rewards.text}" link in Account screen		0.51s
Then I wait for 2 sec		2.00s
Then User verify following texts are displayed in My Rewards screen		6.65s

${myRewards.title}	
${myRewards.badges}	
${myRewards.vouchers}	
${myRewards.discover}	
${my.rewards.text}	

After		0.00s

Scenario: User access My Rewards FAQ

Passed: 3	Failed: 0	Undefined: 0	Duration: 6.03s
Before			0.00s

When I scroll down		3.66s
Then I wait for 2 sec		2.00s

Then User verify following texts are displayed in My Rewards screen		**0.37s**
${myRewards.faq.title}		
After		**0.00s**

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	**Failed: 0**	**Undefined: 0**	**Duration: 4.35s**
Before			**0.00s**

Then User verify following faqs and answers "${myRewards.faq.1}" are displayed in My Rewards screen	**1.83s**
${myRewards.faq.1}	
And I expand faq "${myRewards.faq.1}" in My Rewards screen	**0.65s**
Then User verify following faqs and answers "${myRewards.faq.1.ans}" are displayed in My Rewards screen	**1.26s**
${myRewards.faq.1.ans}	
And I expand faq "${myRewards.faq.1}" in My Rewards screen	**0.60s**
After	**0.00s**

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	**Failed: 0**	**Undefined: 0**	**Duration: 4.0s**
Before			**0.00s**

Then User verify following faqs and answers "${myRewards.faq.2}" are displayed in My Rewards screen	**1.13s**
${myRewards.faq.2}	
And I expand faq "${myRewards.faq.2}" in My Rewards screen	**0.26s**
Then User verify following faqs and answers "${myRewards.faq.2.ans}" are displayed in My Rewards screen	**2.07s**
${myRewards.faq.2.ans}	
And I expand faq "${myRewards.faq.2}" in My Rewards screen	**0.54s**
After	**0.00s**

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	**Failed: 0**	**Undefined: 0**	**Duration: 3.51s**
Before			**0.00s**

Then User verify following faqs and answers "${myRewards.faq.3}" are displayed in My Rewards screen	**1.26s**
${myRewards.faq.3}	
And I expand faq "${myRewards.faq.3}" in My Rewards screen	**1.55s**
Then User verify following faqs and answers "${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen	**0.47s**
${myRewards.faq.3.ans.1}##${myRewards.faq.3.ans.2}##${myRewards.faq.3.ans.3}##${myRewards.faq.3.ans.4}##${myRewards.faq.3.ans.5}##${myRewards.faq.3.ans.6}##${myRewards.faq.3.ans.7}	
And I expand faq "${myRewards.faq.3}" in My Rewards screen	**0.24s**

After		0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 0	Failed: 1	Undefined: 3	Duration: 1.77s

Before		0.00s

Then User verify following faqs and answers "${myRewards.faq.4.subtext}" are displayed in My Rewards screen	1.77s
${myRewards.faq.4.1}##${myRewards.faq.4.2}##${myRewards.faq.4.3}	

java.lang.AssertionError: The following asserts failed:
Actual text is: 4. I have completed Healthcheck and used Symptom Checker previously, will I earn points for those activities?expected text is:I have completed Healthcheck expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. verifyFAQOnRewardsScreen(ManageProfileSteps.java:291)
at .Then User verify following faqs and answers "${myRewards.faq.4.subtext}" are displayed in My Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

And I expand faq "${myRewards.faq.4.subtext}" in My Rewards screen	0.00s
Then User verify following faqs and answers "${myRewards.faq.4.ans}" are displayed in My Rewards screen	0.00s
${myRewards.faq.4.ans}	
And I expand faq "${myRewards.faq.4.subtext}" in My Rewards screen	0.00s

After		0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 3.59s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.5}" are displayed in My Rewards screen	0.55s
${myRewards.faq.5}	
And I expand faq "${myRewards.faq.5}" in My Rewards screen	0.51s
Then User verify following faqs and answers "${myRewards.faq.5.ans. subtext}" are displayed in My Rewards screen	1.96s
${myRewards.faq.5.ans.1}##${myRewards.faq.5.ans.2}##${myRewards.faq.5.ans.3} ##${myRewards.faq.5.ans.4}	
And I expand faq "${myRewards.faq.5}" in My Rewards screen	0.57s
After	0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 4.34s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.6}" are displayed in My Rewards screen	1.44s
${myRewards.faq.6}	
And I expand faq "${myRewards.faq.6}" in My Rewards screen	1.60s
Then User verify following faqs and answers "${myRewards.faq.6.ans}" are displayed in My Rewards screen	1.03s
${myRewards.faq.6.ans}	
And I expand faq "${myRewards.faq.6}" in My Rewards screen	0.27s
After	0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 3.85s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.7}" are displayed in My Rewards screen	1.32s
${myRewards.faq.7}	
And I expand faq "${myRewards.faq.7}" in My Rewards screen	0.60s
Then User verify following faqs and answers "${myRewards.faq.7.ans}" are displayed in My Rewards screen	1.28s
${myRewards.faq.7.ans}	
And I expand faq "${myRewards.faq.7}" in My Rewards screen	0.65s
After	0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 4.25s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.8}" are	

displayed in My Rewards screen			1.23s
${myRewards.faq.8}			
And I expand faq "${myRewards.faq.8}" in My Rewards screen			0.60s
Then User verify following faqs and answers "${myRewards.faq.8.ans. subtext}" are displayed in My Rewards screen			1.86s
${myRewards.faq.8.ans.1}##${myRewards.faq.8.ans.2}##${myRewards.faq.8.ans.3}			
And I expand faq "${myRewards.faq.8}" in My Rewards screen			0.56s
After			0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 3.96s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.9}" are displayed in My Rewards screen			1.48s
${myRewards.faq.9}			
And I expand faq "${myRewards.faq.9}" in My Rewards screen			0.49s
Then User verify following faqs and answers "${myRewards.faq.9.ans}" are displayed in My Rewards screen			1.50s
${myRewards.faq.9.ans}			
And I expand faq "${myRewards.faq.9}" in My Rewards screen			0.48s
After			0.00s

Scenario: navigate back to account screen from my rewards screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 40.02s
Before			0.00s
Then I click on back button on my reward screen to navigate to account screen			38.02s
And I wait for 2 sec			2.00s
After			0.00s

Scenario: Verify Notification screen in Account tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 3.49s
Before			0.00s
And I click on "${my.notification.text}" link in Account screen			0.61s
Then User verify following texts are displayed in My Notification screen			2.87s
${notification.msg}			
After			0.00s

Scenario: navigate back to account screen from Notification screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 2.42s
Before			0.00s
Then I click on back button on notification screen to navigate to account screen			0.42s
And I wait for 2 sec			2.00s

After		0.00s

Scenario: Verify my feedback screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 7.52s
Before			0.00s

And I click on "${my.feedback.text}" link in Account screen	0.76s
Then User verify following texts are displayed in My feedback screen	6.32s

${feedback.static.text}	
${feedback.improvement}	
${aime.text}	
${health.article.text}	
${bmi.text.uppercase}	
${wrinkle.text}	
${health.assessment.text}	
${babylon.symptom.checker}	

Then I verify following edit box sample text is displayed in account screen	0.44s
${share.thought.text}	

After		0.00s

Scenario: Verify the submit functionality in My feedback screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 11.66s
Before			0.00s

Given I select "5" star in feedback screen	0.67s
Then I enter feedback	3.29s
Feedback Test_12345	
And I click the Submit icon in Feedback Screen	5.70s
And I wait for 2 sec	2.00s

After		0.00s

Scenario: Verify the Pulse Personalised tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 10.45s
Before			0.00s

And I click the Pulse by Personalised icons	4.99s
And I wait for 2 sec	2.00s
Then User verify following texts are displayed in pulse personalised screen	1.32s
${pulsePersonalised.text}	
${data.privacy.text}	
Then I verify data and privacy consent in pulse personalised screen	2.14s
${pulse.personalised.consent.text1}	
${pulse.personalised.consent.text2}	
${pulse.personalised.consent.text3}	
${pulse.personalised.consent.text4}	
${pulse.personalised.consent.text5}	

${pulse.personalised.consent.text6} ${pulse.personalised.consent.text7}		
After		0.00s

Scenario: Save the consent with data privacy check

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.89s
Before			0.00s

Given I select the data privacy checkbox	0.47s
And I click the save button in pulse personalised icons	3.70s
Then User verify following texts are displayed in pulse personalised screen	2.57s
${consent.success.msg.text}	
And I click the Ok button in pulse personlised screen	9.15s
After	0.00s

Scenario: Save the consent without data privacy check

Passed: 4	Failed: 0	Undefined: 0	Duration: 16.57s
Before			0.00s

Given I select the data privacy checkbox	1.29s
And I click the save button in pulse personalised icons	4.75s
Then User verify following texts are displayed in pulse personalised screen	2.13s
${consent.success.msg.text}	
And I click the Ok button in pulse personlised screen	8.41s
After	0.00s

Scenario: navigate back to account screen from pulse personalised screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 10.6s
Before			0.00s

And I click the Back icon in pulse personalised screen	8.60s
And I wait for 2 sec	2.00s
After	0.00s

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 3	Failed: 0	Undefined: 0	Duration: 106.58s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 47.63s
Before			0.00s

Given User has pulse app	14.41s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.91s
Then I change the country as required on registration page	10.33s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.98s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 44.08s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.90s
When user enters credentials	18.03s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	1.20s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.90s
Then user should be landed to "Home" screen	8.05s
After	0.00s

Scenario: Verify the user can access My Wearables via Fitness

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.86s
Before			0.00s

When User clicks on Fitness tab	4.71s
Then I verify My Wearables tile on Fitness screen	3.86s

${fitness.myWearables}
${fitness.myWearables.description}

When I click on Connect Now button on Fitness screen	1.08s
Then I verify following text are displayed under My Wearables screen	5.21s

${wearables.title}
${wearables.subTitle}
${wearables.description}
${wearables.fitbit}
${wearables.garmin}
${wearables.googleFit}

After		0.00s

Feature: Verify that user can access calendar under health section

Passed: 2	Failed: 1	Undefined: 0	Duration: 221.84s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 46.67s
Before			0.00s

Given User has pulse app	14.17s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.67s
Then I change the country as required on registration page	13.15s
Then I wait for 2 sec	2.00s
And I click the Sign in link	4.68s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 44.88s

Before		0.00s

Given I select the language option on toggle bar as required on login page		3.86s
When user enters credentials		19.31s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.85s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.22s
Then user should be landed to "Home" screen	7.64s

After		0.00s

Scenario: User should be able to access Calendar screen

Passed: 6	Failed: 1	Undefined: 0	Duration: 130.28s

Before		0.00s

When I clicks on Health button	4.69s
And I scroll down	3.76s
And I click on Calendar tile	13.38s
And I wait for 3 sec	3.00s
Then I verify following texts are displayed	3.78s

${calendar.text}
${no.events.text}

And I click on events dropdown button in calendar screen	0.87s
Then I verify the following texts "Calendar events" in Screen	100.81s

${medicine.reminders.text}
${appointments.text}
${vaccination.text}
${workout.text}
${pulse.tv.text}
${policy.remainder.text}

java.lang.AssertionError: The following asserts failed:
Policy Remainder text is displayed on page Calendar events expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:89)
at .Then I verify the following texts "Calendar events" in Screen(features/my/health/Calendar.
feature:34)

After		0.00s

[Back to Table of Contents](#)

Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App

Passed: 0	Failed: 4	Undefined: 0	Duration: 154.41s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 12	Failed: 1	Undefined: 4	Duration: 94.61s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	13.79s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.98s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	12.36s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.60s
Then I wait for 2 sec	2.00s
When user enters registration details	8.29s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}

Password	**Pas$1234**

And taps on continue "Sign_Up" button	**0.77s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	**30.81s**

com.prudential.tap.exception.TapException: Not able to convert Json string to map
["message":"Too many API requests, upgrade or wait until Tue, 01 Jun 2021 00:00:00
GMT","requestId":"msfe_8re5GKjmx44a7","responseTime":"10 ms","method":"GET","
path":"/api/addresses/pulse883105556@mailsac.com/messages","status":429]
at com.prudential.tap.filehandling.JsonReader.convertJsonStringToMap(JsonReader.java:61)
at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.
java:68)
at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
257)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/my/home
/prushopee/PruCovid19Protection.feature:21)

Then I wait for 2 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After	**0.00s**

Scenario: **Verify User should be able to see the PRU Shoppe screen**			
Passed: 0	Failed: 1	Undefined: 2	Duration: 9.29s
Before			**0.00s**

And I click on pru shoppe button on the home page	**9.29s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}

Session ID: 3734a7cf-1f79-4852-bfa7-99f15ea5aaec
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']/parent::
android.view.ViewGroup}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIConOnHomePage
(PruShoppeScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/my/home/prushopee
/PruCovid19Protection.feature:36)

And I verify following texts are displayed | 0.00s

${pru.shoppe.my.receiving.service.text}

${pru.shopee.privicy.policy.text}

${pru.shopee.term.conditions.text}

And I verify the following texts "Pru Shopee Screen" in Screen	0.00s

${myCoverage.policyNumber.cancelButton}

${prushoppe.proceed.txt}

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the PRUSafe COVIDCover screen options**			
Passed: 0	Failed: 1	Undefined: 8	Duration: 8.96s
Before			0.00s

Then I click on Proceed button on prushoppe screen	8.96s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 3734a7cf-1f79-4852-bfa7-99f15ea5aaec
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed"]}
at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:103)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn (PruShoppeSteps.java:100)
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushopee /PruCovid19Protection.feature:46)

Then I wait for 5 sec	0.00s
Then I click on pru covid19 campaign tile on prushoppe screen for malaysia	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s

${my.covid19.hospitalization.text}
${my.covid19.for.pru.malaysia.customer}
${my.covid.19.benefit.offered}
${my.covid19.hospital.assistence}

And I verify the following texts "Covid 19" in Screen	0.00s

${my.self.text}
${family.text}

And I verify following texts are displayed	0.00s

${my.covid19.disclosure.text.1}
${my.covid19.disclosure.text.2}
${my.covid19.disclosure.text.3}
${my.covid19.disclosure.text.4}
${my.covid19.disclosure.text.5}
${my.covid19.disclosure.text.6}
${my.covid19.disclosure.text.7}

And I scroll down	0.00s
And I verify following texts are displayed	0.00s

${my.name.as.nric.text}
${gender.text}
${my.covid19.dob}

After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 1	Failed: 1	Undefined: 3	Duration: 41.55s

Before		0.00s

And I scroll down	3.74s
And I verify following texts are displayed	37.81s

${my.residential.text}

${my.country.of.residence}

${my.resedential.status}

${email.text}

java.lang.AssertionError: The following asserts failed:
Residential address text is displayed on page expected [true] but found [false],
Country of Residence text is displayed on page expected [true] but found [false],
Residential status and Nationality text is displayed on page expected [true] but found [false],
Email text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/my/home/prushopee
/PruCovid19Protection.feature:75)

And I scroll down	0.00s
And I verify following texts are displayed	0.00s

${my.country.code}

${my.mobile.phone.number}

${my.referral.code}

${my.covid19.agreement.text}

And I verify the following texts "Covid 19" in Screen	0.00s

${prushoppe.proceed.capital.txt}

After		0.00s

[Back to Table of Contents](#)

Feature: **Verify Pru Shoppe My Coverage functionality on one pulse App**			
Passed: 7	Failed: 0	Undefined: 0	Duration: 143.51s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 49.23s
Before			0.00s

Given User has pulse app	14.09s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.99s
Then I change the country as required on registration page	11.95s
Then I wait for 5 sec	5.00s
And I click the Sign in link	5.20s
After	0.00s

[Back to Table of Contents](#)

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.58s
Before			0.00s

Given I select the language option on toggle bar as required on login page	4.35s
When user enters credentials	17.87s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	0.79s
And I wait for 5 sec	5.00s

And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		7.75s
Then user should be landed to "Home" screen		7.83s
After		0.00s

Scenario: Verify user can access his policies from Pru Shoppe My Policies screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.31s
Before			0.00s

And I click on pru shoppe button on the home page		0.98s
And I wait for 5 sec		5.00s
And I click on my policies tile on prushoppe screen		0.70s
And I verify following texts are displayed		8.64s
${myCoverage.title}		
${myCoverage.linkPolicyButton}		
${myCoverage.information}		
${myCoverage.InformationDescription}		
After		0.00s

Scenario: Click on Link policy and verify screen to add policy number

Passed: 4	Failed: 0	Undefined: 0	Duration: 6.5s
Before			0.00s

And I clicks on "${myCoverage.linkPolicyButton}" in app screen		0.42s
And I wait for 2 sec		2.00s
And I hide one pulse app mobile keyboard		1.91s
And I verify following texts are displayed		2.17s
${myCoverage.policyNumber.title}		
${myCoverage.policyNumber.description}		
${myCoverage.policyNumber.description1}		
After		0.00s

Scenario: Verify the error message when the Policy Number is blank

Passed: 3	Failed: 0	Undefined: 0	Duration: 5.15s
Before			0.00s

When I click on "${myCoverage.policyNumber.saveButton}" button on app		0.76s
When I click on "${myCoverage.policyNumber.saveButton}" button on app		1.42s
Then I verify following texts are displayed		2.97s
${myCoverage.policyNumber.errorMessage}		
After		0.00s

Scenario: Verify the error message when the Policy Number is invalid or incorrect

Passed: 3	Failed: 0	Undefined: 0	Duration: 8.72s
Before			0.00s

When I enter "1234" as the Policy number		1.83s

	When I click on "${myCoverage.policyNumber.saveButton}" button on app	2.06s
	Then I verify following texts are displayed	4.83s
	${myCoverage.policyNumber.errorMessage}	
After		0.00s

Scenario: Verify the error message when the Cancel Button

Passed: 2	Failed: 0	Undefined: 0	Duration: 15.03s
Before			0.00s

	When I click on "${myCoverage.policyNumber.cancelButton}" button on app	0.58s
	Then user should be landed to "Home" screen	14.45s
After		0.00s

Feature: Verify share with friends functionality in onepulse app

Passed: 7	Failed: 0	Undefined: 0	Duration: 168.07s

Scenario: Launch the app and select the country as per specified lbu

Passed: 7	Failed: 0	Undefined: 0	Duration: 45.47s
Before			0.00s

	Given User has pulse app	13.83s
	And Logout of pulse app if user is logged in	0.00s
	And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
	And user click on "CONTINUE WITH EMAIL" with Email button	12.98s
	Then I change the country as required on registration page	11.53s
	Then I wait for 2 sec	2.00s
	And I click the Sign in link	5.14s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 48.17s
Before			0.00s

	And I select the language option on toggle bar as required on login page	3.87s
	When user enters credentials	18.31s
	UserName ${PULSE_EMAIL}	
	Password ${login.password}	
	And User clicks on signin button	0.53s
	And I wait for 10 sec	10.00s
	And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	7.76s
	Then user should be landed to "Home" screen	7.70s
After		0.00s

Scenario: Verify User should be able to share the link with Whatsapp

Passed: 1	Failed: 0	Undefined: 0	Duration: 10.05s
Before			0.00s

Then I verify the share with friends links			10.05s
After			0.00s

Scenario: Verify User should be able to share the link with Contacts app

Passed: 1	Failed: 0	Undefined: 0	Duration: 10.03s
Before			0.00s
Then I verify the contacts share icon			10.03s
After			0.00s

Scenario: Verify User should be able to share the link with Messenger app

Passed: 1	Failed: 0	Undefined: 0	Duration: 7.36s
Before			0.00s
Then I verify the fb messenger share icon			7.36s
After			0.00s

Scenario: Verify User should be able to share the link with Viber app

Passed: 1	Failed: 0	Undefined: 0	Duration: 24.07s
Before			0.00s
Then I verify the Viber share icon			24.07s
After			0.00s

Scenario: Verify User should be able to share the link with Line app

Passed: 1	Failed: 0	Undefined: 0	Duration: 22.92s
Before			0.00s
Then I verify the Line share icon			22.92s
After			0.00s