## **Overview**

	Passed	Failed	Known	Undefined	Total	%Passed
Features	4	23	0	0	27	15%
Scenarios	73	214	0	0	287	25%
Steps	598	214	0	391	1,203	50%

Overall Duration: 1h 24m 56s

### **Table of Contents**

- 1. Verify login functionality on One pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify the Invalid Email id in login screen using "Continue with Email"
  - 4. Verify the User not registerd email in login screen using "Continue with Email"
  - 5. User should be able to retrieve the reset password using forget password link
  - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
  - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify registration functionality on one pulse App
  - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
  - 2. verify the field label on registration screen
  - 3. verify the validation message for mandatory fields
  - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
  - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
  - 6. Verify the validation message when user enter already registered email id on registration page
  - 7. Verify the mobile number screen validation using "Continue with Email"
  - 8. Verify the Registration screen validation using "Continue with Email"
  - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to navigate to Edit profile screen
  - 4. Verify User should be able to change the profile picture in edit profile screen
  - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
  - 6. Verify user can able to change the details in edit profile screen
  - 7. <u>Verify Details updated during pulse profile registration should be reflected in edit profile screen</u>
  - 8. verify the user details should be correctly on babylon screen
  - 9. navigate back to health screen
- 4. Verify the Babylon Registration via HRA journey
  - 1. User should be able to Register for Babylon HRA
  - 2. User should be able to Register for Babylon HRA
- 5. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"

- 3. User should be able to locate Hospitals using PruShoppe location
- 4. User can see details of listed hospitals in detail
- 5. User can see the details in speciality tab
- 6. User can see the details in doctor's tab
- 7. User can see the details in rooms tab
- 8. User can navigate out of the hospital details screen
- 9. User should be able to locate cli using PruShoppe location
- 10. User can verify the clinic page
- 11. User can view listed clinic details
- 12. User can view listed clinic info
- 13. User can view listed clinic info details
- 14. User can navigate back to clinics screen
- 6. Verify Medicine Reminder Positive Flow functionality on one pulse App
  - 1. User should be able to register on app with correct credentials using "Continue with Email"
  - 2. Verify User should be able to navigate to medical reminder page
  - 3. verify the static text on medicine reminder screen
  - 4. click on add reminder button
  - 5. verify add medicine screen is launched and user can enter the required info on medical info screen
  - 6. verify user navigated to schedule screen and user can enter the required info
  - 7. Verify User should be able to navigate to More Setting page
  - 8. verify Add medicine screen is displayed when user click on add new reminder on success popup
  - 9. verify medicine reminder home screen is displayed when user click on not now button on success popun
  - 10. navigate to health screen
  - 11. Verify User should be able to navigate to calendar page
- 7. Verify MY Event channel functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify MyEvent Functionality in Home screen
  - 4. Verify Events Archive tab
  - 5. Verify Open Events tab
- 8. Verify My Health Content functionality on One Pulse App
  - 1. Launch the app and select the country as per specified lbu
    - 2. User should be able to login on app with correct credentials using "Continue with Email"
    - 3. Verify User should be able to navigate to Health page
    - 4. Verify User should be able to view the full page article post
    - 5. Verify User should be able to see the Like, Share, Comment options on full page article post
  - 6. Verify User should be able to Like the post in full article view screen
  - 7. Verify User should be able to Share the post in full article view screen
  - 8. Verify User can navigate to Health homepage
- 9. Verify Notification Center functionality on one pulse App
  - 1. User should be able to register on app with correct credentials using "Continue with Email"
  - 2. Navigate to notification screen via home screen
  - 3. Verify User should be able to see the Notification screen texts
- 10. Verify My Challenges on One Pulse App
  - 1. Launch the app and select the country as per specified lbu

- 2. User should be able to login on app with correct credentials using "Continue with Email"
- 3. Verify My Challenges texts
- 4. Click on All challenges and and verify texts
- 11. Verify My Communities on One Pluse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 3. <u>User should be able to login on app with correct credentials using "Continue with Email"</u> and Verify the Mycommunities screen
  - 4. Leave the community if already joined
  - 5. Verify the All Communities Post screen
  - 6. Verify the Likes and comments counts in All communities tab
  - 7. Verify the Share with Friends Functionality in All communities tab
  - 8. Verify the Post Functionality in All communities
  - 9. Verify the Category list and search feature
  - 10. User navigates back to the community screen
  - 11. Leave the community if already joined
- 12. Verify Private My Communities on One Pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Email"
  - 3. Verify the My communities screen
  - 4. Verify the Private Communities in communities screen
- 13. Verify legal and legacy on One pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Navigate to account screen
  - 4. Verify the Legacy and Privacy should be displayed
  - 5. Verify the Terms and condition screen should be displayed
  - 6. Verify the Privacy screen should be displayed
  - 7. Verify the Regulator screen should be displayed
- 14. Verify My accounts options in Account screen
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Navigate to account screen and verify all the options
  - 4. Verify wearable screen in Account tab
  - 5. navigate back to account screen from my wearable screen
  - 6. Navigate to account screen
  - 7. Verify reward screen in Account tab
  - 8. User access My Rewards FAO
  - 9. Verify the FAO on my rewards screen
  - 10. Verify the FAO on my rewards screen
  - 11. Verify the FAQ on my rewards screen
  - 12. Verify the FAQ on my rewards screen
  - 13. Verify the FAQ on my rewards screen
  - 14. Verify the FAO on my rewards screen
  - 15. Verify the FAQ on my rewards screen
  - 16. Verify the FAQ on my rewards screen
  - 17. navigate back to account screen from my rewards screen
  - 18. Verify Notification screen in Account tab
  - 19. navigate back to account screen from Notification screen
  - 20. Verify my feedback screen in Account tab
  - 21. Verify the submit functionality in My feedback screen

- 22. Verify the Pulse Personalised tab
- 23. Save the consent with data privacy check
- 24. Save the consent without data privacy check
- 25. navigate back to account screen from pulse personalised screen
- 15. Verify MySettings functionality in Account screen
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Navigate to account screen
  - 4. Verify my setting screen in Account tab
  - 5. navigate back to account screen from my setting screen
- 16. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify the user can access My Wearables via Fitness
- 17. Verify the BabyLon HRA Report Nutrition, Body, Activity
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. User should be able to access Babylon Health Risk Assessment Report
  - 4. Verify the HRA Activity Report
  - 5. Verify the HRA Activity Report
  - 6. Verify the HRA Nutrition Report
  - 7. Verify the HRA Report Keep It Up sub-section
  - 8. Verify the HRA Report Make a Change sub-section
  - 9. User should be able to access Babylon HRA Healthcheck Body
  - 10. navigate back to digital twin screen
  - 11. User should be able to access Babylon HRA Healthcheck Nutrition
  - 12. Navigate back to nutrition screen and validate the static text
  - 13. navigate back to digital twin screen
  - 14. User should be able to access Babylon HRA Healthcheck Activity
  - 15. Navigate back to Activity screen and validate the static text
  - 16. navigate back to digital twin screen
  - 17. User should be able to access Babylon HRA Healthcheck Mood
  - 18. navigate back to digital twin screen
- 18. Verify that user can access calendar under health section
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. User should be able to access Calendar screen
- 19. Verify that user can access Chinese Medicine feature
  - 1. User should be able to register on app with correct credentials using "Continue with Email"
  - 2. User should be able to access Chinese Medicine screen
  - 3. Verify the carousel on Chinese Medicine journey
  - 4. Verify the carousel on Chinese Medicine journey
  - 5. verify the text and button on final assessment carousel
  - 6. <u>User should be able to complete Chinese Medicine profile</u>
  - 7. Verify the O&A on Chinese Medicine journey
  - 8. Verify the O&A on Chinese Medicine journey
  - 9. Verify the O&A on Chinese Medicine journey
  - 10. Verify the O&A on Chinese Medicine journey
  - 11. Verify the O&A on Chinese Medicine journey
  - 12. Verify the O&A on Chinese Medicine journey

- 13. Verify the O&A on Chinese Medicine journey
- 14. Verify the O&A on Chinese Medicine journey
- 15. Verify the Q&A on Chinese Medicine journey
- 16. Verify the Q&A on Chinese Medicine journey
- 17. Verify the O&A on Chinese Medicine journey
- 18. Verify the Q&A on Chinese Medicine journey
- 19. Verify the Q&A on Chinese Medicine journey
- 20. Verify the O&A on Chinese Medicine journey
- 21. Verify the O&A on Chinese Medicine journey
- 22. Verify the Q&A on Chinese Medicine journey
- 23. Verify the O&A on Chinese Medicine journey
- 24. We the decay of Chinese Medicine journey
- 24. Verify the Q&A on Chinese Medicine journey
- 25. Verify the Q&A on Chinese Medicine journey
- 26. Verify the Q&A on Chinese Medicine journey
- 27. Verify the Q&A on Chinese Medicine journey
- 28. Verify the Q&A on Chinese Medicine journey
- 29. Verify the Q&A on Chinese Medicine journey
- 30. Verify the Q&A on Chinese Medicine journey
- 31. Verify the Q&A on Chinese Medicine journey
- 32. Verify the Q&A on Chinese Medicine journey
- 33. Verify the **Q&A** on Chinese Medicine journey
- 34. Verify the Q&A on Chinese Medicine journey
- 35. Verify the Q&A on Chinese Medicine journey
- 36. Verify the Q&A on Chinese Medicine journey
- 37. Verify the Q&A on Chinese Medicine journey
- 38. Verify the Q&A on Chinese Medicine journey
- 39. Verify the Q&A on Chinese Medicine journey
- 40. <u>Verify the Q&A on Chinese Medicine journey</u>41. <u>Verify the Q&A on Chinese Medicine journey</u>
- 42. Verify the O&A on Chinese Medicine journey
- 43. Verify the O&A on Chinese Medicine journey
- 44. Verify the O&A on Chinese Medicine journey
- 45. Verify the O&A on Chinese Medicine journey
- 46. Verify the O&A on Chinese Medicine journey
- 47. Verify the O&A on Chinese Medicine journey
- 48. Verify the O&A on Chinese Medicine journey
- 49. Verify the O&A on Chinese Medicine journey
- 50. Verify the Q&A on Chinese Medicine journey
- 51. Verify the O&A on Chinese Medicine journey
- 52. Verify the O&A on Chinese Medicine journey
- 53. Verify the Q&A on Chinese Medicine journey
- 54. Verify the O&A on Chinese Medicine journey
- 55. Verify the O&A on Chinese Medicine journey
- 56. Verify the O&A on Chinese Medicine journey
- 57. Verify the O&A on Chinese Medicine journey
- 58. Verify the Q&A on Chinese Medicine journey
- 59. Verify the O&A on Chinese Medicine journey
- 60. Verify the O&A on Chinese Medicine journey
- 61. Verify the Q&A on Chinese Medicine journey
- 62. Verify the Q&A on Chinese Medicine journey63. Verify the Q&A on Chinese Medicine journey

- 64. Verify the O&A on Chinese Medicine journey
- 65. Verify the O&A on Chinese Medicine journey
- 66. Verify the Q&A on Chinese Medicine journey
- 67. Verify the Q&A on Chinese Medicine journey
- 68. Verify the Q&A on Chinese Medicine journey
- 69. Verify the Q&A on Chinese Medicine journey
- 70. Verify the Assessment completion screen
- 71. Verify the user can view the Assessment Record
- 72. Verify the Assessment Summary
- 73. Verify the "Constitution" Details of the Assessment
- 74. Verify the "Change In Tongue" Details of the Assessment

#### 20. Verify Dietician Positive Flow for Doctor functionality on one pulse App

- 1. Verify the Home screen validation using "Continue with Email"
- 2. Verify User should be able to navigate to Dietician page
- 3. Select the expert type as doctor and navigate to next screen
- 4. Verify User should be able to navigate to specialisation page
- 5. Verify User should be able to navigate to Educational Details page
- 6. Verify User should be able to navigate to Add experience page
- 7. Verify User should be able to navigate to Services Offered page
- 8. Verify User should be able to navigate to achievement and awards screen
- 9. Verify User should be able to navigate to Seminar(s) Attended page
- 10. Verify User should be able to navigate to linked clinic page
- 11. Verify User should be able to navigate to Take a Picture page
- 12. Verify User should be able to navigate to schedule Calendar page

#### 21. Verify that user can manage events via the Family Vaccine Calendar feature

- 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
- 2. User should be able to access my family vaccination calendar
- 3. Verify the user can Add Vaccine Information
- 4. enter information on add vaccination popup
- 5. Verify the added item displayed on the Vaccine Schedule screen
- 6. Verify reminder options in vaccine schedule
- 7. Verify change reminder functionality in vaccine schedule screen

#### 22. Verify that user can access Dengue Alert feature

- 1. Launch the app and select the country as per specified lbu
- 2. login to the app with correct credentials using "Continue with Email"
- 3. Verify the map can be expanded
- 4. User should be able to vew the Dengue Outbreak Malaysia
- 5. User should be able to vew the Dengue Cases Malaysia

#### 23. Verify Pru infectious disease cover functionality on one pulse App

- 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
- 2. Navigate to PRU Shoppe screen
- 3. Verify User should be able to see the infectious disease cover screen options
- 4. Verify User should be able to see the infectious disease cover Screen options
- 5. Verify User should be able to see the infectious disease cover term and condition
- 6. Verify User should be able to see the infectious disease cover term and condition
- 7. Verify User should be able to see the infectious disease cover term and condition
- 8. Verify User should be able to see the infectious disease cover term and condition
- 9. verify that user can see agreement and proceed button
- 24. Verify Pru Shoppe My Coverage functionality on one pulse App

- 1. Launch the app and select the country as per specified lbu
- 2. login to the app with correct credentials using "Continue with Email"
- 3. Verify user can access his policies from Pru Shoppe My Policies screen
- 4. Click on Link policy and verify screen to add policy number
- 5. Verify the error message when the Policy Number is blank
- 6. Verify the error message when the Policy Number is invalid or incorrect
- 7. Verify the error message when the Cancel Button
- 25. Verify wealth channel functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to navigate to wealth page
  - 4. Verify User should be able to view the story post
  - 5. Verify User should be able to Like the post
  - 6. Verify User should be able to Share the post
  - 7. Verify User should be able to Comment the post
  - 8. Verify User should be able to view the full page article post
  - 9. Verify User should be able to see the Like, Share, Comment options on full page article post
  - 10. Verify User should be able to Like the post in full article view screen
  - 11. Verify User should be able to Share the post in full article view screen
  - 12. Verify User should be able to Comment the post in full article view screen
  - 13. Verify User can navigate to wealth homepage
- 26. Verify MY Event channel functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify MyEvent Functionality in Home screen
  - 4. Verify Events Archive tab
  - 5. Verify Open Events tab
- 27. Verify share with friends functionality in OnePulse app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to share the link with Whatsapp
  - 4. Verify User should be able to share the link with Contacts app
  - 5. Verify User should be able to share the link with Messenger app
  - 6. Verify User should be able to share the link with Viber app
  - 7. Verify User should be able to share the link with Line app

# **Detailed Results Report**

Fe	ature: Verify login fund	ctionality on Or	ne pulse App				
Pas	ssed: 6 Failed	d: 1	Undefined: 0		Duration: 486.18s		
	Scenario: Launch the app and select the country as per specified lbu						
	Passed: 8	Failed: 0		Undefined: 0		<b>Duration: 46.27s</b>	
	Before					0.11s	
	Given User has puls	se app				10.31s	
	And I assign ''\${log	in.email.id}'' to	variable ''P	ULSE_EMAII	L''	0.00s	
	And user click on "	CONTINUE W	ITH EMAIL	'' with Email	button	15.69s	
	Then I change the c	ountry as requi	ired on regist	ration page		11.56s	

Then I wait for 2 sec			2.01s
Then I change the langu	age as required on reg	istration page	0.00s
And I click the Sign in li	4.91s		
Then I verify below lang page	guage options on toggle	bar as per specified lbu on login	1.69s
After			0.00s
Back to Table of Contents			
Scenario: login to the app v	vith correct credentials	s using "Continue with Email"	
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.71s
Before			0.00s
Given I select the langua	ge option on toggle ba	r as required on login page	2.28s
When user enters creden		and the second s	10.43s
UserName \${PULSE			
Password \${login.pa			
And User clicks on signi			0.26s
And I wait for 5 sec			5.01s
	pulse app for user ema	il ''\${PULSE_EMAIL}''	10.90s
Then user should be lan			14.83s
After			0.00s
Back to Table of Contents			
	d Email id in login scre	en using "Continue with Email"	
Passed: 15	Failed: 0	Undefined: 0	Duration: 63.62s
Before			0.00s
Given User has pulse ap	n		10.07s
Then I wait for 2 sec	<u>P</u>		2.00s
And user click on "CON	TINUE WITH EMAI	L'' with Email button	13.10s
Then I change the count			11.52s
Then I wait for 2 sec	<i>v</i> 1	1 0	2.00s
And I click the Sign in li	nk		4.92s
Then I wait for 2 sec			2.01s
And I select the languag	e option on toggle bar	as required on login page	2.31s
When user enters crede	ntials		9.87s
UserName t@gmai			
Password Pas\$1234			
And User clicks on signi	n button		0.33s
Then verify invalid ema	il message ''Email is re	quired''	0.64s
Then User clicks on For	got Password button		0.22s
Then enter the email to	request the new passw	ord	3.02s
Email t@gmai			
Then User clicks on Sen	d button		0.76s
Then verify invalid ema	il message ''\${email.inv	valid.text}''	0.85s
After			0.00s
Back to Table of Contents			

Scenario: Verify the User 1	not registerd email in login screen using "Continu	ue with Email''
Passed: 17	Failed: 0 Undefined: 0	Duration: 71.57s
Before		0.00s
Given I generate randon "RANDOM_NUMBER	m number and assign to variable	0.01s
And I assign value to for	llowing variables	0.00s
	taf-\${RANDOM_NUMBER}@mailinator.com	
USER_PASSWORD	Pas\$1234	
Given User has pulse ap		8.97s
	NTINUE WITH EMAIL" with Email button	17.55s
	try as required on registration page	11.79s
Then I wait for 2 sec		2.00s
And I click the Sign in l	ink	4.94s
Then I wait for 2 sec		2.01s
	ge option on toggle bar as required on login page	
When user enters crede		10.41s
UserName \${USER_		
Password \${USER_	PASSWORD}	
And I scroll down		4.56s
And User clicks on sign		0.29s
	il message ''\${invalid.credential.message}''	1.12s
Then User clicks on For		0.23s
	request the new password	3.09s
Email \${USER_NAM		
Then User clicks on Sen		0.73s
Then verify invalid ema	il message ''\${invalid.credential.message}''	1.59s
After		0.00s
Back to Table of Contents		
Scenario: User should be a	ble to retrieve the reset password using forget pa	nssword link
Passed: 8	Failed: 0 Undefined: 0	Duration: 42.5s
Before		0.00s
And I assign "\${forgot.}	password.email.id}" to variable "PULSE_EMAI	L'' 0.00s
Then enter the email to	request the new password	4.05s
Email \${PULSE_EM	[AIL]	
Then User clicks on Sen	nd button	0.79s
And I read the otp for e store into a variable "E.	mailid ''\${PULSE_EMAIL}'' using mailsac api a MAIL_OTP''	and 26.71s
Then I wait for 5 sec		5.01s
Then I enter "\${EMAII	L_OTP}'' reset code	0.32s
Then I wait for 5 sec		5.00s
Then Verify message: "	\${password.reset.success.text}'' for Reset Passwo	ord 0.62s
After		0.00s
Back to Table of Contents		

Sce	enario: Verify Account s	should be locke	ed after entering more than 7	times incorrect passwords
	sed: 13	Failed: 1	Undefined: 6	Duration: 137.1s
Bef	core			0.00s
	Given I generate randor "RANDOM_NUMBER		l assign to variable	0.00s
	And I assign "pulse\${R. "PULSE_EMAIL"	ANDOM_NUI	MBER}@mailsac.com'' to var	iable 0.00s
	And User has pulse app	)		8.84s
	Then I wait for 2 sec			2.01s
	And user click on "CON	NTINUE WIT	H EMAIL'' with Email buttor	13.41s
	Then I change the coun	try as required	l on registration page	10.20s
	Then I wait for 5 sec			5.01s
	Then I navigate to pulse click on continue with e	_	page and select the lang on tog	gle bar then 3.90s
	Then I wait for 2 sec			2.01s
	When user enters regist	tration details		7.44s
	FirstName testAuton			
	LastName testAuton			
		EMAIL}		
	Password Pas\$1234			
	And taps on continue "S		on	0.29s
		en atter clickii	ng an signun huttan	15 X I S
			ng on signup button	5.81s
		e pulse app for	ng on signup button r user email ''\${PULSE_EMA	
	Then I enter OTP in on Then I click skip button	e pulse app for	r user email ''\${PULSE_EMA	IL}" 29.94s 48.25s
	Then I enter OTP in on Then I click skip button	e pulse app for  SuchElement		IL}" 29.94s 48.25s
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search p	e pulse app for n oSuchElement parameters.	r user email ''\${PULSE_EMA	IL}" 29.94s 48.25s not be located on the page
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search procumentation on to such_element.html	e pulse app for SuchElement oarameters. This error, plea	r user email "\${PULSE_EMA  Exception: An element could in service serv	IL}" 29.94s 48.25s not be located on the page  //exceptions
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search p For documentation on t /no_such_element.html Build info: version: '3.1	e pulse app for DSuchElement Darameters. This error, plea 2.0', revision:	Exception: An element could is se visit: http://seleniumhq.org	IL}" 29.94s 48.25s not be located on the page  //exceptions 14:04:26.12Z'
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search p For documentation on t /no_such_element.html Build info: version: '3.1 System info: host: 'TMO	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: '	Exception: An element could a se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Win	IL}" 29.94s 48.25s not be located on the page  //exceptions 14:04:26.12Z'
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search proceedings on the commentation on the commentation on the commentation on the comment of th	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: 'version: '11.0.2	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Wing'	IL}" 29.94s 48.25s not be located on the page  //exceptions 14:04:26.12Z'
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search properties of the commentation on the commentation on the commentation on the commentation on the commentation of the commentation	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: 'version: '11.0.2  java_client.and	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Wing'	IL}"  29.94s  48.25s  not be located on the page  (/exceptions  14:04:26.12Z'  (dows 10', os.arch: 'amd64',
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search proceedings on the for documentation on the following the given search procedure info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.version: '10.0', jav	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: 'version: '11.0.2  java_client.and ty: com.prude	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPack	and the located on the page states and the located on the page states are states as a second of the page states ar
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search proceedings on the for documentation on the following the given search procedures are search procedures. The following search procedures in the following search procedures. The following search procedures in the following search procedures. The following search procedures in the following search procedures are search procedures. The following search procedures in the following search procedures are search procedures. The following search procedures in the following search procedures are search procedures. The following search procedures in the following search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures. The following search procedures are search procedures are search procedures are search procedures. The following search procedures are search procedures	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: 'version: '11.0.2  java_client.and ty: com.prudentue, automat	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Wing'	## 29.94s  48.25s  not be located on the page  #/exceptions  14:04:26.12Z'  ## dows 10', os.arch: 'amd64',  kage: com.prudential.pulse.  abaseEnabled: false,
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced from the search p	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: 'version: '11.0.2  java_client.and  ty: com.prudential  com.prudential	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackage lame: UiAutomator2, deviceName: UiAutomator2, devi	## 129.94s  ## 48.25s
	Then I enter OTP in on Then I click skip button org.openqa.selenium.No using the given search proceedings on the ford occumentation on the following the given search procedure info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.version: '10.0', ja	oSuchElement oarameters. chis error, plea 2.0', revision: 003LSIN', ip: ' version: '11.0.2 java_client.and ty: com.prudential true, automation c, automation at 10000, no Res	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Wing' droid.AndroidDriver intial.pulse.MainAc, appPackionName: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androider.	## 129.94s  ## 48.25s
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced from the search p	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: '  version: '11.0.2  java_client.and  ty: com.prudent  com.prudential  c, automation  10000, noRes  oogle, deviceM	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Wind' droid.AndroidDriver intial.pulse.MainAc, appPackionName: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: 00	## 129.94s  ## 48.25s
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced from the search p	oSuchElement oraneters. chis error, plea 2.0', revision: 003LSIN', ip: 'version: '11.0.2 java_client.and ty: com.prudential true, automate com.prudential e, automationNet 10000, noRes 10000, deviceNet	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackionName: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: 06enSize: 1080x2340, deviceUDI	age: com.prudential.pulse. abaseEnabled: false, com.prudential.pulse.uat, ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P,
	Then I enter OTP in on Then I click skip button org. openqa. selenium. No using the given search proceedings on the given search procede for documentation on the grand of the given search procede for the grand of	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip: '  version: '11.0.2  java_client.and  ty: com.prudential  chance automation  automation  10000, noRes  coogle, deviceN  40, deviceScree  chance app for  construction  construct	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackionName: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: 00enSize: 1080x2340, deviceUDI extEnabled: false, networkCo	age: com.prudential.pulse. abaseEnabled: false, com.prudential.pulse.abaseEnabled: false, com.prudential.pulse.abaseEnabled: false, com.prudential.pulse.uat, ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true,
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced from the produce	e pulse app for  SuchElement  Darameters.  Chis error, plea  2.0', revision:  003LSIN', ip:  version: '11.0.2  java_client.and  true, automat  com.prudential  c, automation  10000, noRes  coogle, deviceN  40, deviceScree  c, locationCont  10000, noRes	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackage lame: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: 00 enSize: 1080x2340, deviceUDI textEnabled: false, networkCoet: true, pixelRatio: 2.75, platform.	## 129.94s  ## 48.25s
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced from the produce	e pulse app for  Description  D	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackage lame: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: OcenSize: 1080x2340, deviceUDI extEnabled: false, networkCoet: true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145,	age: com.prudential.pulse. abaseEnabled: false, com.prudential.pulse
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced from the produce	e pulse app for  Description  D	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackage lame: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: 00 enSize: 1080x2340, deviceUDI textEnabled: false, networkCoet: true, pixelRatio: 2.75, platform.	age: com.prudential.pulse. abaseEnabled: false, com.prudential.pulse
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced for documentation on to no_such_element.html build info: version: '3.1 System info: host: 'TM(os.version: '10.0', java.vDriver info: io.appium.jCapabilities {appActivity: capabilities {appActivity: cautoDismissAlerts: true newCommandTimeout: deviceManufacturer: GdeviceScreenDensity: 42 javascriptEnabled: true newCommandTimeout: platformName: Androic viewportRect: {height: 25 false} Session ID: b670d401-6	e pulse app for a property of the parameters. This error, pleas 2.0', revision: 003LSIN', ip: 'version: '11.0.2' java_client.and ty: com.prudential true, automate automation of the property of the parameters of	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackage lame: UiAutomator2, datal.pulse.MainAc, appPackage lame: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: Officers (1080x2340, deviceUDI textEnabled: false, networkCoet: true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, pp: 145, width: 1080}, warning	age: com.prudential.pulse. abaseEnabled: false, com.prudential.pulse. abaseEnabled: false, com.prudential.pulse.uat, ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled:
	Then I enter OTP in on Then I click skip button org.openqa.selenium. No using the given search produced for documentation on to no_such_element.html build info: version: '3.1 System info: host: 'TM(os.version: '10.0', java.vDriver info: io.appium.jCapabilities {appActivity: capabilities {appActivity: cautoDismissAlerts: true newCommandTimeout: deviceManufacturer: GdeviceScreenDensity: 42 javascriptEnabled: true newCommandTimeout: platformName: Androic viewportRect: {height: 25 false} Session ID: b670d401-6	e pulse app for a property of the parameters. This error, pleas 2.0', revision: 003LSIN', ip: 'version: '11.0.2' java_client.and ty: com.prudential true, automate automation of the property of the parameters of	Exception: An element could is se visit: http://seleniumhq.org/7c6e0b3', time: '2018-05-08T 192.168.1.124', os.name: 'Windroid.AndroidDriver intial.pulse.MainAc, appPackionName: UiAutomator2, datal.pulse.MainAc, appPackionName: UiAutomator2, deviceNet: true, platformName: androidel: Pixel 5, deviceName: 00 enSize: 1080x2340, deviceUDI textEnabled: false, networkCoet: true, pixelRatio: 2.75, platforn: 11, statBarHeight: 145, pp: 145, width: 1080}, warning	age: com.prudential.pulse. abaseEnabled: false, com.prudential.pulse. abaseEnabled: false, com.prudential.pulse.uat, ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled:

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1116)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/PulseLoginTest.feature:108)
```

Then I wait for 2 sec	0.00s
	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s
Pas\$123##\${invalid.credential.message}	
Pas\$123##\${account.locked.message}	
What is your mobile number?  Please start by entering your mobile number  +60 Phone Number  Please enter Phone Number	
Continue	
	0.00s
fter	0.00s
After ack to Table of Contents	0.00s
After  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"	
After  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"	0.00s  Duration: 81.42 0.00s
Ifter  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"  assed: 13 Failed: 0 Undefined: 0	Duration: 81.42 0.00s
After  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"  assed: 13 Failed: 0 Undefined: 0  defore  Given User has pulse app	Duration: 81.42 0.00s 8.83s
Ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"  assed: 13 Failed: 0 Undefined: 0  defore  Given User has pulse app  Then I wait for 2 sec	Duration: 81.42 0.00s 8.83s 2.01s
Ifter  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook" assed: 13 Failed: 0 Undefined: 0  efore  Given User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button	Duration: 81.42 0.00s 8.83s 2.01s 13.77s
ffter  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"  assed: 13 Failed: 0 Undefined: 0  effore  Given User has pulse app  Then I wait for 2 sec  And user click on "CONTINUE WITH EMAIL" with Email button  Then I wait for 2 sec	Duration: 81.42 0.00s 8.83s 2.01s 13.77s 2.02s
Given User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button Then I wait for 2 sec Then I change the country as required on registration page	Duration: 81.42 0.00s 8.83s 2.01s 13.77s 2.02s 11.50s
ffter  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"  assed: 13 Failed: 0 Undefined: 0  Given User has pulse app  Then I wait for 2 sec  And user click on "CONTINUE WITH EMAIL" with Email button  Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec	Duration: 81.42 0.00s 8.83s 2.01s 13.77s 2.02s 11.50s 2.01s
After  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook" assed: 13 Failed: 0 Undefined: 0  defore  Given User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button Then I wait for 2 sec Then I change the country as required on registration page Then I wait for 2 sec Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar	Duration: 81.42 0.00s 8.83s 2.01s 13.77s 2.02s 11.50s 2.01s 3.71s
ffter  ack to Table of Contents  cenario: Verify the Login Functionality using "Continue with Facebook"  assed: 13 Failed: 0 Undefined: 0  Given User has pulse app  Then I wait for 2 sec  And user click on "CONTINUE WITH EMAIL" with Email button  Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec	Duration: 81.42 0.00s 8.83s 2.01s 13.77s 2.02s 11.50s 2.01s

	And I click the	e ''Email'	' in Contin	ue with Fac	ebook		2.66s
	Emailid \$	S{emailid.1	text}				
	Password \${password.texts}						
	Then I wait for 10 sec						10.00s
	Then user sho	uld be lan	ded to "He	ome" screei	1		13.36s
	And I logout f	rom onep	ulse app				9.28s
Af	ter						0.00s
Bac	ck to Table of Cor	<u>ntents</u>					
	re: Verify regi		unctionalit				
ssed		Failed: 3		Undefined: (		Duration: 610.4s	
	enario: User sl nail''	nould be a	ble to regis	ster on app	with correct cr	edentials using "Co	ontinue with
Pas	ssed: 17		Failed: 1		Undefined: 28		Duration: 148.33
Be	fore						0.00s
	Given I genera "RANDOM N			and assign	to variable		0.00s
		'pulse\${R		NUMBER}	@mailsac.com''	to variable	0.00s
	And User has		)				10.10s
	Then I wait fo						2.01s
	And user click	on "COI	NTINUE W	VITH EMA	IL'' with Email	button	14.93s
	Then I wait fo	or 2 sec					2.01s
	Then I change	the coun	try as requ	ired on regi	istration page		11.68s
	Then I wait fo	r 2 sec					1.99s
	Then I naviga click on contir				select the lang	on toggle bar then	3.79s
	Then I wait fo	or 2 sec					2.00s
	When user en	ters regist	ration deta	ails			6.24s
	FirstName	testAuton	nation				
	LastName	testAuton	nation				
	Email	\${PULSE	_EMAIL}				
	Password	Pas\$1234					
	And taps on co	ontinue ''	Sign_Up'' k	outton			0.26s
	Then I wait fo				gnup button		4.95s
	And I enter O	TP in one	pulse app	for user em	ail "\${PULSE_	EMAIL}"	29.94s
	Then I wait fo	or 2 sec					2.00s
	And I enter th				<del></del>		16.57s
	mobileNun	nber \${reg	gistration.n	nobile.numk	oer}		
	And I choose i	my wellne	ss goals un	der wellnes	s plan screen		8.34s
	And I click the	e date in I	Date of Birt	th field			31.55s
	And I choose I	my wellne e date in I lenium.No	ss goals un Date of Birt SuchElem	der wellnes th field entException	s plan screen	could not be locate	31.55s

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5ebd8196-9713-495a-9719-37a3d03eee93
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-
YYYY')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java at io.appium.java_client.android.AndroidDriver.findElement(AndroidD at com.prudential.tap.selenium.Commands\$15.executeCommand(Commat com.prudential.tap.selenium.ExecuteCommand.executeCommand(Ex 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.javat com.onepulse.app.screens.PulseRegistrationScreen.enterDateOfBirth (PulseRegistrationScreen.java:652) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterl (RegistrationSteps.java:110) at .And I click the date in Date of Birth field(features/PulseRegistrationT	oriver.java:1) nands.java:141) ecuteCommand.java: va:163) DateOfBirth
And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "\${option.yes.text}" to "Any Food allergies?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click on connect Later button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
And I enter NRIC number last 4 digits "122F"	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s
When user enters password credentials in sigin screen	0.00s
Password Pas\$1234	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
	0.00s
	0.000

Pas	ssed: 9	Failed: 0 Undefined: 0	Duration: 48.59s
Be	efore		0.00s
	Given User has pulse a	рр	10.04s
	Then I wait for 2 sec		2.01s
	And user click on "CO	NTINUE WITH EMAIL" with Email button	13.95s
	Then I wait for 2 sec		2.01s
	Then I change the cour	ntry as required on registration page	11.63s
	Then I wait for 2 sec		2.01s
	Then I navigate to puls click on continue with	se registration page and select the lang on toggle bar then	3.97s
	Then I wait for 2 sec		2.02s
	Then I verify following	field label should be displayed on registration screen	0.96s
	\${firstname.label.te		
	\${lastname.label.tex		
	\${email.text}		
	\${password.text}		
Af	cter		0.00s
Ba	ck to Table of Contents		
Sc	enario: verify the valida	ntion message for mandatory fields	
Pas	ssed: 2	Failed: 0 Undefined: 0	Duration: 1.83s
Be	efore		0.00s
	Given taps on continue	''Sign_Up'' button	0.28s
	Then I verify the validate registration page	ation error message is displayed for following field on	1.55s
	FirstName \${firstna	me.mandatoryField.message}	
	LastName \${lastnar	me.mandatoryField.message}	
	Email \${email.i	mandatoryField.message}	
	Password \${passwo	ord.validation.message}	
Af	ter		0.00s
Ba	ck to Table of Contents		
	enario Outline: verify v gistration page	alidation message when user enters Invalid password: Pul	se@1 on
	ssed: 3	Failed: 0 Undefined: 0	Duration: 3.09s
	efore		0.00s
	When user enters regis	tration details	2.01s
	Password Pulse@1		
	And taps on continue '	Sign_Up'' button	0.28s
		ation error message is displayed for following field on	0.80s
		rd.validation.message}	
Af	eter		0.00s
	ck to Table of Contents		
		alidation message when user enters Invalid password: Pul	se123 on

Passed: 3	Failed: 0	Undefined: 0	<b>Duration: 3.13s</b>
Before			0.00s
When user enters regist	ration datails		2.08s
Password Pulse123	ration uctains		2.008
And taps on continue "S	Sign Up'' butt	ton	0.26s
		ssage is displayed for following field on	0.79s
Password \${password	d.validation.m	nessage}	
After			0.00s
Back to Table of Contents			
Scenario: Verify the valida registration page	tion message v	when user enter already registered email io	l on
Passed: 11	Failed: 0	Undefined: 0	Duration: 54.91
Before			0.00s
Given User has pulse ap	op		8.90s
Then I wait for 2 sec			2.01s
And user click on "CON	TINUE WIT	H EMAIL'' with Email button	13.16s
Then I wait for 2 sec			2.01s
Then I change the coun	try as required	d on registration page	11.57s
Then I wait for 2 sec			2.01s
Then I navigate to pulse click on continue with e		page and select the lang on toggle bar then	3.92s
Then I wait for 2 sec			2.02s
When user enters regist	ration details		7.72s
FirstName testAuton	nation		
LastName testAuton	nation		
Email \${login.en	nail.id}		
Password Pas\$1234			
And taps on continue "S	Sign_Up'' butt	ton	0.29s
registration page		ssage is displayed for following field on	1.32s
Email \${user.exist.te	xt}		
After			0.00s
Back to Table of Contents			
Scenario: Verify the mobile	e number scre	en validation using "Continue with Email"	•
Passed: 19	Failed: 1	Undefined: 0	<b>Duration: 127.5</b>
Before			0.00s
Given I generate randon "RANDOM_NUMBER		l assign to variable	0.00s
And I assign "pulse\${R." "PULSE_EMAIL"	ANDOM_NU	MBER}@mailsac.com'' to variable	0.00s
Given User has pulse ap	р		9.07s
Then I wait for 2 sec			2.01s

And user click on "CO	NTINUE WITH EMAIL" with Email button	14.39s
Then I wait for 2 sec		2.01s
	ntry as required on registration page	11.76s
Then I wait for 2 sec		2.01s
Then I navigate to puls click on continue with 6	e registration page and select the lang on toggle bar then email button	3.84s
Then I wait for 2 sec		2.01s
When user enters regis	tration details	7.29s
FirstName NewAuto LastName NewAuto Email \${PULSF} Password Pas\$1234	omation E_EMAIL}	
And taps on continue "	Sign_Up" button	0.36s
	en after clicking on signup button	4.76s
And I enter OTP in one	e pulse app for user email "\${PULSE_EMAIL}"	30.11s
Then I wait for 10 sec		9.99s
Then I verify the count screen	ry code should be displayed correctly on phone number	0.13s
And I enter the "mobile	e number'' in welcome to pulse	17.01s
mobileNumber 9176	570	
And I click the continu	e button	0.45s
Then I wait for 2 sec		2.01s
Then verify Again inva	lid Mobile message "\${invalid.mobile.text}"	8.30s
at org.testng.Assert.fail at org.testng.Assert.fail at org.testng.Assert.ass at com.onepulse.app.sto (LoginSteps.java:328)	INotEquals(Assert.java:513) ertTrue(Assert.java:42) epdefinitions.mobilesteps.LoginSteps.verifyAgainInvalidN nvalid Mobile message "\${invalid.mobile.text}"(features	
After		0.00s
Back to Table of Contents		
Scenario: Verify the Regis	tration screen validation using "Continue with Email"	
Passed: 3	Failed: 1 Undefined: 25	Duration: 29.19s
Before		0.00s
Given I enter the "mob	ile number'' in welcome to pulse	16.53s
mobileNumber \${res	gistration.mobile.number}	
Then I wait for 1 sec	<u></u>	1.01s
And I click the continue	e button	0.40s
Then verify validation workflow screen	message "\${wellness.goal.alert.text}" on registration	11.24s
java.lang.AssertionErr	or: \${wellness.goal.alert.text} expected [true] but found [f	alse]


at org.testng.Assert.fa			
at org.testng.Assert.fa at org.testng.Assert.a	and the second s		
		.java.42) obilesteps.RegistrationSteps.vo	erifvInvalidMsg
(RegistrationSteps.ja		somesteps. Registration steps. W	
		wellness.goal.alert.text}" on re	egistration workflow scre
(features/PulseRegist	rationTest.featur	re:164)	
And I choose my well	ness goals under	wellness plan screen	0.00s
Then I wait for 1 sec			0.00s
And I click the contin	ue button		0.00s
Then verify validation screen	n message ''\${dol	o.alert.text}'' on registration w	orkflow 0.00s
And I click the date in	n Date of Birth fi	eld	0.00s
And I click the Done	icon		0.00s
And I click the contin			0.00s
Then I wait for 1 sec			0.00s
And I click the contin	ue button		0.00s
		nder.alert.text}" on registration	
And I select the Male	icon		0.00s
And I click the contin			0.00s
Then I wait for 1 sec			0.00s
And I click the contin	ue button		0.00s
		\${bmi.alert.text}'' on registrat	0.00s
And I click on Calcul	ate BMI button		0.00s
And I click the contin			0.00s
Then I wait for 1 sec			0.00s
And I click the contin	ue button		0.00s
Then verify validation workflow screen	n message ''\${act	ivity.level.alert.text}'' on regist	tration 0.00s
And I select the "Hoy	v active are vou?	'' in doing exercise	0.00s
And I click the contin			0.00s
Then I wait for 1 sec			0.00s
And I click the contin	ue button		0.00s
		t.preference.alert.text}" on reg	
er			0.00s
k to Table of Contents			
	end OTP function	nality on Enter OTP Screen us	ing "Continue with Emai
	na OTT Tunction		Duration: 193
sed: 18	Failed: 0	Undefined: 0	S S
ore			0.00s
Given I generate rand "RANDOM_NUMBI		assign to variable	0.00s
		MBER}@mailsac.com'' to vari	able


"PULSE_EMAIL"		0.00s			
And User has pulse ap	9.49s				
Then I wait for 2 sec	2.00s				
And user click on "CO	13.32s				
Then I wait for 2 sec	1.99s				
Then I change the cour	Then I change the country as required on registration page				
Then I wait for 2 sec		2.01s			
Then I navigate to pulse click on continue with	se registration page and select the lang on toggle bar then email button	4.47s			
Then I wait for 2 sec		2.01s			
When user enters regis	stration details	7.26s			
FirstName testAuto	omation				
LastName testAuto	omation				
Email \${PULS	E_EMAIL}				
Password Pas\$123	4				
And taps on continue '	''Sign_Up'' button	0.32s			
Then I wait for otp scr	reen after clicking on signup button	5.00s			
Then I wait for 90 sec		90.00s			
Then I click the Resen	d button in OTP screen	3.52s			
And I enter OTP in on	ne pulse app for user email "\${PULSE_EMAIL}"	29.76s			
And I wait for 2 sec		2.00s			
And I vorify onter oth	screen is not displayed	8.55s			
And I verify enter oup					
After		0.00s			
		0.00s			
After Back to Table of Contents	functionality on Pulse Health & Wealth app	0.00s			
After Back to Table of Contents Feature: Verify Edit Profile		0.00s			
After Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2		0.00s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app	Undefined: 0 Duration: 216.96s	0.00s  Duration: 47.85s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app	Undefined: 0 Duration: 216.96s  o and select the country as per specified lbu				
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Scenario: Launch the app Passed: 6  Before	Undefined: 0 Duration: 216.96s  o and select the country as per specified lbu  Failed: 0 Undefined: 0	Duration: 47.85s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a	Undefined: 0 Duration: 216.96s  o and select the country as per specified lbu  Failed: 0 Undefined: 0	Duration: 47.85s 0.00s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu	Undefined: 0 Duration: 216.96s  o and select the country as per specified lbu  Failed: 0 Undefined: 0	Duration: 47.85s 0.00s 9.09s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO	Undefined: 0 Duration: 216.96s  o and select the country as per specified lbu  Failed: 0 Undefined: 0  app  alse.login.edit.profile}'' to variable ''PULSE_EMAIL''  ONTINUE WITH EMAIL'' with Email button	Duration: 47.85s 0.00s 9.09s 0.00s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO	Undefined: 0 Duration: 216.96s  o and select the country as per specified lbu  Failed: 0 Undefined: 0  app alse.login.edit.profile}'' to variable ''PULSE_EMAIL''	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the countered t	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  App  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the coun	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  App  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the cour Then I wait for 5 sec And I click the Sign in	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  App  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the coun Then I wait for 5 sec And I click the Sign in After  Back to Table of Contents	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  Undefined: 0  App  Undefined: 0  Undefined: 0  Duration: 216.96s  Undefined: 0  Undefined: 0  Indefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the cour Then I wait for 5 sec And I click the Sign in After  Back to Table of Contents Scenario: login to the app	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  App  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the cour Then I wait for 5 sec And I click the Sign in After  Back to Table of Contents Scenario: login to the app	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  Undefined: 0  Undefined: 0  App  Use.login.edit.profile}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  Intry as required on registration page  Undefined: 0  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s 0.00s			
After  Back to Table of Contents  Feature: Verify Edit Profile Passed: 7  Failed: 2  Scenario: Launch the app Passed: 6  Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the counted Then I wait for 5 sec And I click the Sign in After  Back to Table of Contents Scenario: login to the app Passed: 7  Before	Undefined: 0  Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0  Undefined: 0  Undefined: 0  Undefined: 0  App  Use.login.edit.profile}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  Intry as required on registration page  Undefined: 0  Undefined: 0  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s 0.00s Duration: 49.03s 0.00s			
After Back to Table of Contents  Feature: Verify Edit Profile Passed: 7 Failed: 2  Scenario: Launch the app Passed: 6 Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the cour Then I wait for 5 sec And I click the Sign in After  Back to Table of Contents Scenario: login to the app Passed: 7 Before  Given I select the lange	Undefined: 0 Duration: 216.96s  p and select the country as per specified lbu  Failed: 0 Undefined: 0  App  Alse.login.edit.profile}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  Intry as required on registration page  A link  O with correct credentials using "Continue with Email"  Failed: 0 Undefined: 0  uage option on toggle bar as required on login page	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s 0.00s Duration: 49.03s 0.00s			
After Back to Table of Contents  Feature: Verify Edit Profile Passed: 7 Failed: 2 Scenario: Launch the app Passed: 6 Before  Given User has pulse a And I assign "\${onepu} And user click on "CO Then I change the coun Then I wait for 5 sec And I click the Sign in After  Back to Table of Contents Scenario: login to the app Passed: 7 Before	Undefined: 0 Duration: 216.96s  Dand select the country as per specified lbu  Failed: 0 Undefined: 0  App  Alse.login.edit.profile}'' to variable ''PULSE_EMAIL''  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page  A link  Description on toggle bar as required on login page  Undefined: 0  Undefined: 0  Undefined: 0	Duration: 47.85s 0.00s 9.09s 0.00s 17.03s 11.83s 5.01s 4.90s 0.00s Duration: 49.03s 0.00s			

Password \${pulse.	edit}				
And User clicks on sig	gnin button		0.26s		
And I wait for 5 sec			5.00s		
And I enter OTP in or	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				
Then user should be la	14.31s				
And I wait for 5 sec	5.02s				
After			0.00s		
Back to Table of Contents					
Scenario: Verify User sh	ould be able to navigate	e to Edit profile screen			
Passed: 3	Failed: 0	Undefined: 0	Duration: 21.82s		
Before			0.00s		
Given user navigate to	o account page		12.11s		
And user click on Edi	t profile link		4.70s		
Then I wait for 5 sec			5.00s		
After			0.00s		
Back to Table of Contents					
Scenario: Verify User sh	ould be able to change t	the profile picture in edit profile sci	een		
Passed: 2	Failed: 0	Undefined: 0	Duration: 31.72s		
Before			0.00s		
Then I give manage p	rofile camera permissio	on	21.72s		
Then I take picture fr			10.01s		
After			0.00s		
Back to Table of Contents					
	il.country code and CO	R fields are non-editable in edit pr	ofile screen		
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.58s		
Before			0.00s		
And verify email field	is non-editable		2.18s		
		and country code is "\${country.	0.70s		
	Residence is "\${countr	y.name}'' and non-editable	0.70s		
After		<u> </u>	0.00s		
Back to Table of Contents			0.005		
	n able to change the det	ails in edit profile screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 16.95s		
Before	L uneur v	Chathear v	0.00s		
	lom number and assign	to variable	0.00s		
And I assign value to			0.00s		
	ation-\${RANDOM_NU	MRFR)	<b>0.00</b> 5		
	g-\${RANDOM_NUMBI				
	ng profile details in edit		4.14s		
FirstName \${First		- F	1,172.17		
LastName \${Last 1					
<u>Σαστιαπο</u> φ(Σαστ 1	- turney				

And I click on	update button in edit p	rofile screen	12.81s
After			0.00s
Back to Table of Con	tents		
Scenario: Verify I profile screen	Details updated during	pulse profile registration should	be reflected in edit
Passed: 0	Failed: 1	Undefined: 1	Duration: 8.39s
Before			0.00s
Given user clic	k on Edit profile link		8.39s
using the given For documenta /no_such_elem Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {a} uat, autoDismi desired: {appA autoDismissAlo newCommand' deviceManufact deviceScreenD javascriptEnate newCommand' platformName viewportRect: false} Session ID: 7f4 *** Element in /following::and at jdk.internal at java.base/jd/ (DelegatingCon at java.base/jd/ (DelegatingCon at java.base/jd/ at org.openqa.s (W3CHttpRes) at org.openqa.s	search parameters.  ation on this error, pleasent.html  sion: '3.12.0', revision:  ost: 'TM003LSIN', ip: ' 0', java.version: '11.0.2 appium.java_client.and ppActivity: com.prudential erts: true, automationN Fimeout: 10000, noRese curer: Google, deviceN ensity: 440, deviceScree oled: true, locationCont Fimeout: 10000, noRese cheight: 2015, left: 0, to a4d3e-a86e-4e06-90a4- fo: {Using=xpath, value roid.view.ViewGroup[ reflect.GeneratedConsi k.internal.reflect.Delega structorAccessorImpl. va.lang.reflect.Construe selenium.remote.http.W conseCodec.java:187) selenium.remote.http.W conseCodec.java:122) selenium.remote.http.W conseCodec.java:22) selenium.remote.http.W conseCodec.java:122) selenium.remote.http.W conseCodec.java:231 selenium.remote.http.W conseCodec.java:231 selenium.remote.HttpC	droid.AndroidDriver intial.pulse.MainAc, appPackagionName: UiAutomator2, databal.pulse.MainAc, appPackage: clame: UiAutomator2, deviceNamet: true, platformName: android Iodel: Pixel 5, deviceName: 0C24 enSize: 1080x2340, deviceUDID: extEnabled: false, networkConnet: true, pixelRatio: 2.75, platforrsion: 11, statBarHeight: 145, talp: 145, width: 1080}, warnings: ec4632785495 e=//android.widget.TextView[constructorAccessor20.newInstance(atingConstructorAccessorImpl.r.java:45) ctor.newInstance(Constructor.java:45)	constance consta


11	elenium.remote.RemoteWebDri	er.execute(AndroidDrive iver.findElement(Remot	
	va_client.DefaultGenericMobile		ewenDiivei.java.317
	cMobileDriver.java:62)		
	va_client.AppiumDriver.findEle	ement(AppiumDriver.jav	va:1)
	va_client.android.AndroidDrive		
~	elenium.remote.RemoteWebDri	iver.findElementByXPat	h(RemoteWebDriver
ava:419)			
	va_client.DefaultGenericMobile	eDriver.findElementByX	Path
	cMobileDriver.java:152)		Duiman iawa (1)
	va_client.AppiumDriver.findElova_client.android.AndroidDrive		
	elenium.By\$ByXPath.findElem		marolaDiivei.java.
~	elenium.remote.RemoteWebDri		eWebDriver.java:309
~ -	va_client.DefaultGenericMobile		Ü
	cMobileDriver.java:58)		
t io.appium.jav	va_client.AppiumDriver.findEle	ement(AppiumDriver.jav	va:1)
	va_client.android.AndroidDrive		
<b>A A</b>	ial.tap.selenium.Commands\$15		
			· · · · · · · · · · · · · · · · · · ·
t com.prudenti	ial.tap.selenium.ExecuteComma	and.executeCommand(E	${f xecute Command.java}$
.9)			
		I.D. 44 (/T 4D D *	1(2)
-	e.app.screens.TestBasePage.clic		
t com opopulse	e.app.screens.PulseManageProfi	ileScreen.clickeditProfile	eLink
i comonicpuist	appider centric discivilating er i or		
<b>PulseManageP</b>	rofileScreen.java:181)		
PulseManageP at com.onepulse	rofileScreen.java:181) e.app.stepdefinitions.mobilestep		
<b>PulseManageP</b>	rofileScreen.java:181) e.app.stepdefinitions.mobilestep		
PulseManageP at com.onepulse EditProfileStep	rofileScreen.java:181) e.app.stepdefinitions.mobilestep os.java:37)	s.EditProfileSteps.clickE	EditProfileLink
PulseManageP at com.onepulse EditProfileStep at .Given user c	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content Then I verify for	rofileScreen.java:181) e.app.stepdefinitions.mobilestep os.java:37) lick on Edit profile link(feature llowing values in edit profile scr	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink
PulseManageP at com.onepulse EditProfileStep at .Given user c Then I verify fo FirstName	rofileScreen.java:181) e.app.stepdefinitions.mobilestep os.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user c Then I verify fo FirstName LastName	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user c Then I verify fo FirstName LastName Email	rofileScreen.java:181) e.app.stepdefinitions.mobilestep os.java:37) lick on Edit profile link(feature llowing values in edit profile sci \${First Name} \${Last Name} \${onepulse.login.edit.profile}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user c Then I verify fo FirstName LastName	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep os.java:37) lick on Edit profile link(feature llowing values in edit profile sci \${First Name} \${Last Name} \${onepulse.login.edit.profile}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)
PulseManageP at com.onepulse EditProfileStep at .Given user content I verify for FirstName LastName Email Gender	rofileScreen.java:181) e.app.stepdefinitions.mobilestep ps.java:37) lick on Edit profile link(feature llowing values in edit profile scr \${First Name} \${Last Name} \${onepulse.login.edit.profile} \${pulse.edit.gender}	s.EditProfileSteps.clickF s/editProfile/PulseEditP	EditProfileLink rofileTest.feature:55)





Then I change the country as required on registration page	12.36s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.99s
Then I wait for 2 sec	2.01s
When user enters registration details	8.25s
FirstName testAutomation	
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.26s
And I wait for otp screen after clicking on signup button	2.78s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.50s
Then I wait for 2 sec	2.00s
Then I click skip button	48.70s
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.pruat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.M	d: false, ntial.pulse.uat d-Test, piLevel: 30, 43P, D40043P, bled: true, K, shot: true,
Session ID: 028034d4-1383-4c9b-b739-2ff5b5b232ec  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@textYYYY')]}  at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)	Source)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	

	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommand	Executor.java:
	158) at io.appium.java_client.remote.AppiumCommandExecutor.execute	
	(AppiumCommandExecutor.java:231)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.ja	ava:543)
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericM	
	java:42)	
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
	$at\ io. appium. java\_client. and roid. And roidDriver. execute (And roidDriver. java: 1)$	
	$at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at the property of the$	ver.java:317)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	
	(DefaultGenericMobileDriver.java:62)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	. 1)
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.ja	
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remot java:419)	ewedDriver.
•	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
	(DefaultGenericMobileDriver.java:152)	
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.ja	va:1)
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(Android	
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	<b>y</b> /
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDri	ver.java:309)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	
	(DefaultGenericMobileDriver.java:58)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.ja	
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.ja	
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCo	mmand.java:
	19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)	
	at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton	
	(PulseRegistrationScreen.java:1116)	
	at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipBu	tton
	(RegistrationSteps.java:377)	
	at .Then I click skip button(features/health/BabylonHRA_Registration.feature:2	4)
	Then user should be landed to "Home" screen	0.00s
		0.00s



After			0.00s
Back to Table of Contents			
Scenario: User should be	able to Register	for Babylon HRA	
Passed: 1	Failed: 1	Undefined: 3	Duration: 102.68 s
Before	Before Sefore		0.00s
When I clicks on Health button			28.69s
And I navigate to Bab	Condition 73.99s		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

```
false}
Session ID: 028034d4-1383-4c9b-b739-2ff5b5b232ec
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Continue']
/preceding::android.view.ViewGroup[1]/android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.
navigateToBabylonHealthAssessment(BabylonRegistrationScreen.java:253)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigateToBabylonHealthAssessmentAndAcceptTermsAndCondition(BabylonSteps.java:319)
at .And I navigate to Babylon health Assessment and Accept TermsAndCondition(features
/health/BabylonHRA_Registration.feature:30)
```

And I click on Babylon Health Assessment Get Started button	0.00s
Then I verify following options are present for assessment	0.00s
Full Assessment	
Nutrition	
Activity	
Mood	
12:45 ② ■ ■ ₩ • ◆ ◇ ♡ □	
Phone Number	
What is your mobile number? Please start by entering your mobile number	
+60 Phone Number	
Please enter Phone Number	
His Pulsemated  Take control of your bookh. A health of seck is a great  act, and it also not take too long	
After	0.00s
Back to Table of Contents	
eature: Verify that user can locate near by Hospitals, clinics using PruShoppe Lo	cation feature
assed: 14 Failed: 0 Undefined: 0 Duration: 254.83	s
Scenario: Launch the app and select the country as per specified lbu	
Passed: 6 Failed: 0 Undefined: 0	Duration: 44.13s
Before	0.00s
Given User has pulse app	10.10s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.48s
Then I change the country as required on registration page	10.63s
Then I wait for 2 sec	2.01s
And I click the Sign in link	4.91s
After	0.00s
Back to Table of Contents	0.008
	11
Scenario: login to the app with correct credentials using "Continue with Email	
Passed: 6 Failed: 0 Undefined: 0	Duration: 45.9s
Before	0.00s

Given I select the lang	uage option	on toggle ba	ar as required on login page	3.59s			
When user enters cred	10.47s						
UserName \${PULS							
Password \${login.password}							
And User clicks on sig	And User clicks on signin button						
And I wait for 5 sec	And I wait for 5 sec						
And I enter OTP in or	12.22s						
Then user should be la	14.36s						
After				0.00s			
Back to Table of Contents							
Scenario: User should be	able to loca	te Hospitals	using PruShoppe location				
Passed: 6	Failed: 0		Undefined: 0	Duration: 68.91s			
Before				0.00s			
When I clicks on Heal	th button			14.37s			
Then I clicks on Locat				32.78s			
When I clicks on Sear		field		5.88s			
And I clicks on "Hosp			ch	1.27s			
			by to user's current location	3.01s			
	Call, Navig		Details links are displayed under	11.61s			
After				0.00s			
Back to Table of Contents				1111111			
Scenario: User can see de	etails of liste	d hospitals i	n detail				
Passed: 2	Failed: 0		Undefined: 0	Duration: 19.38s			
Before				0.00s			
When I clicks on See I	Details hutto	n on First r	ecult	18.14s			
			reen with Navigate and Call Now	1.24s			
After				0.00s			
Back to Table of Contents				34003			
Scenario: User can see th	e details in a	speciality to	h				
Passed: 2	Failed: 0	speciality ta	Undefined: 0	Duration: 10.42s			
Before	z uneu. U		- Chatemeur V	0.00s			
	ojolity!! tob			0.43s			
When I clicks on "Spe	<u>·</u>		1				
Then I verify the Spec	ianty screen	i is displayed	ı	9.99s			
After				0.00s			
Back to Table of Contents							
Scenario: User can see th		doctor's tab					
Passed: 2	Failed: 0		Undefined: 0	Duration: 9.91s			
Before				0.00s			
When I clicks on "Doo	ctors" tab			1.07s			
Then I verify the Doct	ors screen is	s displayed		8.83s			
After				0.00s			

Scenario: User can see t	he details in rooms to	ah	
Passed: 2	Failed: 0	Undefined: 0	Duration: 3.02s
Before			0.00s
When I clicks on "Ro	ooms'' tab		1.79s
Then I verify the Roo	oms screen is display	ed	1.23s
After			0.00s
Back to Table of Contents			<u> </u>
Scenario: User can navi	gate out of the hospit	tal details screen	
Passed: 1	Failed: 0	Undefined: 0	Duration: .48s
Before			0.00s
When I clicks on bac	k button in See Detai	ils screen	0.48s
After			0.00s
Back to Table of Contents			
Scenario: User should b	e able to locate cli us	ing PruShoppe location	
Passed: 4	Failed: 0	Undefined: 0	Duration: 18.25
Before			0.00s
And I clicks on back	hutton in "Hosnitals	di sereen	2.12s
When I clicks on Sea		Scient	12.40s
And I clicks on "Clin		arch	1.27s
		ar by to user's current location	2.46s
After			0.00s
Back to Table of Contents	-		100000
Scenario: User can verif	fy the clinic page		
Passed: 1	Failed: 0	Undefined: 0	Duration: 11.72
Before			0.00s
And User can see tha		See Details links are displayed under	11.72s
After			0.00s
Back to Table of Contents	•		
Scenario: User can view	listed clinic details		
Passed: 1	Failed: 0	Undefined: 0	Duration: 18.31
Before			0.00s
When I clicks on See	Details button on Fi	rst result	18.31s
After			0.00s
Back to Table of Contents			
Scenario: User can view	listed clinic info		
	Failed: 0	Undefined: 0	Duration: 1.5s
Passed: 1			
			0.00s
Passed: 1 Before	Clinic'' Information s	screen with Navigate and Call Now	1.50s

Passed: 1	view listed clinic		. 0	D
Passed: 1 Before	Failed: 0	Undefined	: 0	Duration: .41
				0.00s
	n back button in S	See Details screen		0.41s
After				0.00s
Back to Table of Conte				
Scenario: User can				
Passed: 1	Failed: 0	Undefined	: 0	Duration: 2.4
Before				0.00s
And I clicks on	back button in "C	Clinic'' screen		2.49s
After				0.00s
Back to Table of Conte	<u>ents</u>			
ture: Verify Medic	cine Reminder Pos	sitive Flow functionali	ity on one pulse App	
sed: 1	Failed: 10	Undefined: 0	Duration: 313.58s	
Scenario: User sho Email''	uld be able to regi	ister on app with corre	ect credentials using "C	ontinue with
Passed: 13	Failed: 1	Undefine	ed: 2	Duration: 14
Before				0.00s
Given I generate	e random number	and assign to variable		
"RANDOM_NU	UMBER''	and assign to variable	e	0.00s
	ulse\${RANDOM_	NUMBER}@mailsac.		0.00s 0.00s
And I assign "p "PULSE_EMA And User has pu	ulse\${RANDOM_ IL'' ulse app	NUMBER}@mailsac.	.com'' to variable	
And I assign "p "PULSE_EMA" And User has pu	ulse\${RANDOM_ IL'' ulse app		.com'' to variable	0.00s 10.52s 17.25s
And I assign "p "PULSE_EMA  And User has pu  And user click of Then I wait for	ulse\${RANDOM_ IL'' ulse app on ''CONTINUE V 2 sec	NUMBER}@mailsac.	.com'' to variable Email button	0.00s 10.52s 17.25s 2.01s
And I assign "p "PULSE_EMA" And User has pu And user click of Then I wait for Then I change to	ulse\${RANDOM_ IL'' ulse app on "CONTINUE V 2 sec he country as requ	NUMBER}@mailsac.	.com'' to variable Email button	0.00s 10.52s 17.25s 2.01s 11.50s
And I assign "p "PULSE_EMA" And User has pu And user click of Then I wait for Then I change to Then I wait for	ulse\${RANDOM_ IL'' ulse app on "CONTINUE V 2 sec he country as requ 2 sec	NUMBER}@mailsac. WITH EMAIL'' with l	com'' to variable  Email button  page	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s
And I assign "p "PULSE_EMA And User has pu And user click of Then I wait for Then I change to Then I wait for Then I navigate click on continu	ulse\${RANDOM_ IL'' ulse app on "CONTINUE V 2 sec he country as requ 2 sec to pulse registration	NUMBER}@mailsac. WITH EMAIL'' with luired on registration plane ion page and select the	.com'' to variable Email button	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s
And I assign "p "PULSE_EMA! And User has pu And user click of Then I wait for Then I change to Then I wait for Then I navigate click on continu When user enter	ulse\${RANDOM_ IL'' ulse app on ''CONTINUE V 2 sec he country as requ 2 sec to pulse registrati e with email buttors registration det	NUMBER}@mailsac. WITH EMAIL'' with luired on registration plane ion page and select the	com'' to variable  Email button  page	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s
And I assign "p "PULSE_EMA" And User has pu And user click of Then I wait for Then I change to Then I wait for Then I navigate click on continu When user enter	ulse\${RANDOM_ IL'' ulse app on "CONTINUE V 2 sec he country as requ 2 sec to pulse registrati e with email buttors registration det	NUMBER}@mailsac. WITH EMAIL'' with luired on registration plane ion page and select the	com'' to variable  Email button  page	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s
And I assign "p "PULSE_EMAL And User has pu And user click of Then I wait for Then I change to Then I navigate click on continu When user enter FirstName m LastName re	ulse\${RANDOM_IL'' ulse app on ''CONTINUE V 2 sec he country as requ 2 sec to pulse registrative with email buttours registration det edicine	NUMBER @ mailsac.  WITH EMAIL" with I  uired on registration p  ion page and select the	com'' to variable  Email button  page	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s
And I assign "p "PULSE_EMA" And User has pu And user click of Then I wait for Then I change to Then I wait for Then I navigate click on continu When user enter EirstName m LastName re Email \${	ulse\${RANDOM_IL'' ulse app on "CONTINUE V 2 sec he country as requ 2 sec to pulse registratice with email buttors registration det edicine eminder [PULSE_EMAIL]	NUMBER @ mailsac.  WITH EMAIL" with I  uired on registration p  ion page and select the	com'' to variable  Email button  page	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s
And I assign "p "PULSE_EMA! And User has pu And user click of Then I wait for Then I change to Then I navigate click on continu When user enter Eight Name m LastName re Email \${ Password Pa	ulse\${RANDOM_IL'' ulse app on ''CONTINUE V 2 sec he country as requ 2 sec to pulse registratic e with email buttors registration det redicine eminder [PULSE_EMAIL] as\$1234	NUMBER @ mailsac.  WITH EMAIL" with I  uired on registration p  ion page and select the on  tails	com'' to variable  Email button  page	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s 9.27s
And I assign "p "PULSE_EMA! And User has put And user click of Then I wait for Then I change to Then I navigate click on continut When user enter Email Password And taps on continut  FirstName m  LastName m  Email Password Password And taps on continut  FirstName m  LastName m  Email Password Password  And taps on continut  FirstName m  LastName m  Email Password Password  And taps on continut  FirstName m  LastName m  LastName m  Email Password  And taps on continut  FirstName m  LastName m  Email \${}  Password  FirstName m  Email \${}  FirstName m  Em	ulse\${RANDOM_IL'' ulse app on ''CONTINUE V 2 sec the country as requ 2 sec to pulse registratic e with email buttors registration det edicine eminder [PULSE_EMAIL] as\$1234	NUMBER @ mailsac.  WITH EMAIL" with I  uired on registration p  ion page and select the on  tails  button	com" to variable  Email button  Dage  e lang on toggle bar then	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s 9.27s
And I assign "p "PULSE_EMA And User has pu And user click of Then I wait for Then I change to Then I navigate click on continu When user enter  FirstName m LastName re Email \$8 Password Pa And taps on continu And I wait for o	ulse\${RANDOM_IL'' ulse app on "CONTINUE V 2 sec he country as requ 2 sec to pulse registratic e with email buttors registration det redicine eminder [PULSE_EMAIL] as\$1234 attinue "Sign_Up" of p screen after clients	NUMBER @ mailsac.  WITH EMAIL' with I  uired on registration p  ion page and select the on  tails  button  cking on signup buttor	com" to variable  Email button  Dage  e lang on toggle bar then	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s 9.27s  0.24s 5.00s
And I assign "p "PULSE_EMA! And User has pure and user click of then I wait for then I change to the I may be I may be the	ulse\${RANDOM_IL'' ulse app on ''CONTINUE V 2 sec he country as requ 2 sec to pulse registratic e with email buttors registration det edicine eminder [PULSE_EMAIL] as\$1234 atinue ''Sign_Up'' of p screen after clic P in one pulse app	NUMBER @ mailsac.  WITH EMAIL" with I  uired on registration p  ion page and select the on  tails  button	com" to variable  Email button  Dage  e lang on toggle bar then	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s 9.27s  0.24s 5.00s 30.96s
And I assign "p "PULSE_EMA And User has pu And user click of Then I wait for Then I change to Then I navigate click on continu When user enter Eight Name m LastName m LastName re Email \$8 Password Pa And taps on continu And I wait for o	ulse\${RANDOM_IL'' ulse app on "CONTINUE V 2 sec he country as requ 2 sec to pulse registratice with email buttors registration det redicine eminder [PULSE_EMAIL] as\$1234 atinue "Sign_Up" ofp screen after clic P in one pulse app 2 sec	NUMBER @ mailsac.  WITH EMAIL' with I  uired on registration p  ion page and select the on  tails  button  cking on signup buttor	com" to variable  Email button  Dage  e lang on toggle bar then	0.00s 10.52s 17.25s 2.01s 11.50s 2.00s 1 3.85s 9.27s  0.24s 5.00s

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: af178971-1eaa-444a-baa9-ac8ecef26da5
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-
YYYY')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton (PulseRegistrationScreen.java:1116) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton (RegistrationSteps.java:377) at .Then I click skip button(features/health/MedicineReminder.feature:23)					
	Then user should be lar Then I wait for 4 sec	ided to	Home screen			0.00s 0.00s
A 4	ter					0.00s
	ck to Table of Contents					0.008
		uld be el	ala ta mavigata t	o modical namin	dow no go	
SC	enario: Verify User shou	na be ar	ne to navigate t	o medicai remin	ider page	Duration: 166.55
Pa	ssed: 5	Failed: (	)	Undefined: 0		S
Ве	fore					0.00s
	Given I relaunch the ap	p on reg	gistration failur	e		0.00s
	Then I click the Health					28.99s
	And I wait for 2 sec					2.00s
	And I clicks on click he	re icon i	n medical Remi	nder		133.55s
	Then I wait for 2 sec					2.01s
Af	ter					0.00s
Ba	ck to Table of Contents					
Sc	enario: verify the static	text on r	medicine remino	ler screen		
Pa	ssed: 0	Failed: 1	1	Undefined: 0		Duration: .09s
Ве	fore					0.00s
	And I verify following t	ext disp	layed in Add m	edicine screen		0.09s
	\${no.medicine.text}					
	\${Medicalremainder	r.text}				
	\${track.medicine.tex					
	\${important.dose.tex	xt}				
	\$\frack.medicine.text}     \$\frack.medicine.text}     \$\frack.medicine.text}     \$\frack.medicine.text}     \$\frack.medicine.text}     \$\frack.medicine.text}     \$\frack.medicine.text     \$\frack.me					

After			0.00s
ack to Table of Cont	tents		
cenario: click on	add reminder button		
assed: 0	Failed: 1	Undefined: 1	Duration: .03s
efore			0.00s
And I clicks on	"\${add.new.reminder}	'' in app screens	0.03s
processing the Original error: Build info: versing System info: hoos.version: '10. Driver info: io. Capabilities {a} uat, autoDismist desired: {appA} autoDismistAle newCommand' deviceManufact deviceScreenDerigonial deviceScreenDe	command. Original errogsocket hang up sion: '3.12.0', revision: '5st: 'TM003LSIN', ip: '50', java.version: '11.0.2' appium.java_client.and ppActivity: com.prudent ssAlerts: true, automatictivity: com.prudential. erts: true, automationNatictivity: 440, deviceScree oled: true, locationConton automatictivity: 440, deviceScree oled: true, location automatictivity: 440, deviceScree oled: location automatictivity: 440, deviceScree oled: location automatictivity: 440, deviceScree oled: location au	roid.AndroidDriver tial.pulse.MainAc, appPacka onName: UiAutomator2, datab pulse.MainAc, appPackage: ame: UiAutomator2, deviceNane: ti true, platformName: androi odel: Pixel 5, deviceName: 0C2 nSize: 1080x2340, deviceUDID extEnabled: false, networkCon st: true, pixelRatio: 2.75, platfo sion: 11, statBarHeight: 145, ta p: 145, width: 1080}, warnings: ac8ecef26da5 ConstructorAccessorImpl.new constructorAccessorImpl.new ac8ecef26da5 ConstructorAccessorImpl.new constructorAccessorImpl.new constructorAccessorImpl.giava:45) tor.newInstance(Constructor.j 3CHttpResponseCodec.decode 3CHttpResponseCodec.decode commandExecutor.execute(Http	to the remote server.  4:04:26.12Z' ows 10', os.arch: 'amd64 age: com.prudential.puls baseEnabled: false, com.prudential.pulse.ua me: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, : {}, webStorageEnabled  Instance Instance ava:490) Exception

at io.appium.java_clien	t.android.Andr	oidDriver.execute(AndroidDi	river.java:1)
at org.openqa.selenium	.remote.		
	moteWebDrive	${f rOptions \$ RemoteWindow.get}$	Size(RemoteWebDriver.
java:804)		.C	
		Commands.swipe(AppiumCo Page.scrollPageDown(TestBas	
		Screen.clickMedicalRemainde	
351)			- (
	epdefinitions.mo	obilesteps.DieticianSteps.click	Dietician(DieticianSteps.
java:159)			
at .And I clicks on "\${a feature:43}	dd.new.remind	er}" in app screens(features/h	ealth/MedicineReminder.
And I wait for 2 sec			$0.00\mathrm{s}$
After			
			0.00s
Back to Table of Contents			
Scenario: verify add medicinfo screen	cine screen is lai	unched and user can enter the	e required into on medical
Passed: 0	Failed: 1	Undefined: 3	Duration: .08s
Before	raneu: 1	Ondermed: 5	0.00s
	1 1 1.	A 11	
And I verify following to	<del></del>	1 Add medicine screen	0.08s
\${medicine.info.field	<u> }</u>		
\${schedule.field}	Η .		
\${more.setting.field}			
java.lang.AssertionErr	or: The followin	ng asserts failed:	
		e expected [true] but found [fa	alse],
		ected [true] but found [false],	
		expected [true] but found [fal	se]
at org.testng.asserts.So		All(SoftAssert.java:43) obilesteps.MyDocSteps.Verify	AddMadiaina(MwDaaCtang
java:885)	epaerimuons.mo	obliesteps.MyDocsteps.verny	Addiviedicine(MyDocSteps.
	ng text displaye	d in Add medicine screen(feat	ures/health
/MedicineReminder.fea		`	
And I assign "Paraceta	mol'' to variabl	e ''Medicine_Info''	0.00s
And I enter following d	etails in add me	edicine screen	0.00s
Medicine Info \${Medicine Info	dicine_Info}		
Unit Table	t (unit)		
Quantity 2			
And I clicks on Next ico	on in app screen	ıs	0.00s
After			0.00s
Back to Table of Contents			
	gated to schedul	le screen and user can enter th	ne required info
Passed: 0	Failed: 1	Undefined: 4	Duration: .14s
Before			0.00s
	text displayed in	ı Add medicine screen	0.14s
\${frequency.text}	text displayed in	n Add medicine screen	0.14s

\${dosage.timing.text	<u>t}</u>	
\${start.date.text}		
\${end.date.text}	7	
\${dose.intake.text}	7	
	or: The following asserts failed:	
	ayed on page expected [true] but found	
	lisplayed on page expected [true] but fo	
	yed on page expected [true] but found   yed on page expected [true] but found [f	
	layed on page expected [true] but found	
	ftAssert.assertAll(SoftAssert.java:43)	. [
	$epdefinitions. mobile steps. My {\hbox{\it DocSteps.}} \\$	$\label{lem:verifyAddMedicine} We rify Add Medicine (MyDocSteps.$
java:885)		(8 , 8 14)
/MedicineReminder.fea	ng text displayed in Add medicine scree	en(features/health
	letails in add medicine screen	0.00s
Frequency Once	and memene sereen	0.303
	in Add modeine govern	0.00s
	in Add medcine screen	0.00s
	ore.meal.text}" in app screens	0.00s 0.00s
And I clicks on Next ice  After	on in app screens	0.00s
		0.008
Back to Table of Contents		
C		
	uld be able to navigate to More Setting	
Passed: 1	Failed: 1 Undefined: 2	Duration: 2.06s
Passed: 1 Before	T	Duration: 2.06s 0.00s
Passed: 1 Before Given I wait for 2 sec	Failed: 1 Undefined: 2	Duration: 2.06s 0.00s 2.01s
Passed: 1 Before Given I wait for 2 sec And I enter following d	Failed: 1 Undefined: 2  letails in add medicine screen	Duration: 2.06s 0.00s
Passed: 1 Before Given I wait for 2 sec And I enter following d Medication For feve	Failed: 1 Undefined: 2  letails in add medicine screen	Duration: 2.06s 0.00s 2.01s
Passed: 1 Before Given I wait for 2 sec And I enter following d	Failed: 1 Undefined: 2  letails in add medicine screen	Duration: 2.06s 0.00s 2.01s
Passed: 1 Before Given I wait for 2 sec And I enter following d Medication For feve Medicine Stock 5	Failed: 1 Undefined: 2  letails in add medicine screen	Duration: 2.06s 0.00s 2.01s 0.06s
Passed: 1  Before  Given I wait for 2 sec  And I enter following d  Medication For feve  Medicine Stock 5  org.openqa.selenium.W	Failed: 1 Undefined: 2  letails in add medicine screen  r  VebDriverException: An unknown serve	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while
Passed: 1  Before  Given I wait for 2 sec  And I enter following d  Medication For feve  Medicine Stock 5  org.openqa.selenium.W	Failed: 1  Letails in add medicine screen	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while
Passed: 1  Before  Given I wait for 2 sec  And I enter following description  Medication For feve  Medicine Stock 5  org.openqa.selenium.We processing the comman Original error: socket le Build info: version: '3.1	rebDriverException: An unknown served. Original error: Could not proxy conhang up 12.0', revision: '7c6e0b3', time: '2018-05	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z'
Passed: 1  Before  Given I wait for 2 sec  And I enter following d  Medication For feve  Medicine Stock 5  org.openqa.selenium.W  processing the comman  Original error: socket 1  Build info: version: '3.1  System info: host: 'TM	Failed: 1 Undefined: 2  letails in add medicine screen  r  debDriverException: An unknown serve ad. Original error: Could not proxy con hang up 12.0', revision: '7c6e0b3', time: '2018-05 003LSIN', ip: '192.168.1.124', os.name:	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z'
Passed: 1  Before  Given I wait for 2 sec  And I enter following description of the descr	Failed: 1 Undefined: 2  letails in add medicine screen  r  VebDriverException: An unknown serve ad. Original error: Could not proxy com hang up 12.0', revision: '7c6e0b3', time: '2018-05 003LSIN', ip: '192.168.1.124', os.name: version: '11.0.2'	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z'
Passed: 1  Before  Given I wait for 2 sec  And I enter following de Medication For feve Medicine Stock 5  org.openqa.selenium. We processing the comman Original error: socket I Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium.	rebDriverException: An unknown served. Original error: Could not proxy conhang up 12.0', revision: '7c6e0b3', time: '2018-05003LSIN', ip: '192.168.1.124', os.name: version: '11.0.2', java_client.android.AndroidDriver	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64',
Passed: 1  Before  Given I wait for 2 sec  And I enter following de Medication For feve Medicine Stock 5  org.openqa.selenium. We processing the comman Original error: socket I Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity	Failed: 1 Undefined: 2  letails in add medicine screen  r  VebDriverException: An unknown serve ad. Original error: Could not proxy com hang up 12.0', revision: '7c6e0b3', time: '2018-05 003LSIN', ip: '192.168.1.124', os.name: version: '11.0.2'	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64', pPackage: com.prudential.pulse.
Passed: 1  Before  Given I wait for 2 sec  And I enter following de Medication For feve Medicine Stock 5  org.openqa.selenium. We processing the comman Original error: socket 1 Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivituat, autoDismissAlerts:	rebDriverException: An unknown served. Original error: Could not proxy combang up 12.0', revision: '7c6e0b3', time: '2018-05', revision: '192.168.1.124', os.name: version: '11.0.2', java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, app	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while nmand to the remote server. 5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64', pPackage: com.prudential.pulse. 2, databaseEnabled: false,
Passed: 1  Before  Given I wait for 2 sec  And I enter following desired: {appActivity: dautoDismissAlerts: true	rebDriverException: An unknown served. Original error: Could not proxy combang up 12.0', revision: '7c6e0b3', time: '2018-05', revision: '192.168.1.124', os.name: version: '11.0.2' java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appeare, automationName: UiAutomator2, devenue, automatical.	Duration: 2.06s 0.00s 2.01s 0.06s er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64', pPackage: com.prudential.pulse. 2, databaseEnabled: false, ckage: com.prudential.pulse.uat, viceName: Android-Test,
Passed: 1  Before  Given I wait for 2 sec  And I enter following desired: {appActivity: autoDismissAlerts: true newCommandTimeout	rebDriverException: An unknown served. Original error: Could not proxy combang up 12.0', revision: '7c6e0b3', time: '2018-05003LSIN', ip: '192.168.1.124', os.name: version: '11.0.2' java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appeared to the com.prudential.pulse.MainAc, appeared automationName: UiAutomator2 dec., automationName: UiAutomator2, automationName: UiAutomator2, automationName: UiAut	Duration: 2.06s 0.00s  2.01s 0.06s  er-side error occurred while nmand to the remote server. 5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64', pPackage: com.prudential.pulse. 2, databaseEnabled: false, ckage: com.prudential.pulse.uat, viceName: Android-Test, android}, deviceApiLevel: 30,
Passed: 1  Before  Given I wait for 2 sec  And I enter following description of the Medication For fever Medicine Stock 5  org.openqa.selenium. We processing the comman Original error: socket I Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: dautoDismissAlerts: desired: {appActivity: dautoDismissAlerts: true newCommandTimeout deviceManufacturer: Capabilities {appActivity: dautoDismissAlerts: true newCommandTimeout deviceManufacturer: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts: dautoDismissAlerts:	rebDriverException: An unknown served. Original error: Could not proxy conhang up [2.0', revision: '7c6e0b3', time: '2018-05003LSIN', ip: '192.168.1.124', os.name: version: '11.0.2' java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appet true, automationName: UiAutomator2 com.prudential.pulse.MainAc, appPade, automationName: UiAutomator2, deviceName: UiAutomator2, deviceNodel; Pixel 5, deviceName: Google, deviceModel: Pixel 5, deviceName	Duration: 2.06s 0.00s 2.01s 0.06s  er-side error occurred while mand to the remote server. 5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64',  pPackage: com.prudential.pulse. 2, databaseEnabled: false, ckage: com.prudential.pulse.uat, viceName: Android-Test, android}, deviceApiLevel: 30, ne: 0C241FDD40043P,
Passed: 1  Before  Given I wait for 2 sec  And I enter following desired: {appActivity: autoDismissAlerts: true newCommandTimeout deviceManufacturer: Gederate and true and tr	rebDriverException: An unknown served. Original error: Could not proxy contang up 12.0', revision: '7c6e0b3', time: '2018-05', revision: '7c6e0b3', time: '2018-05', ijava_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appeared to automationName: UiAutomator 2 com.prudential.pulse.MainAc, appeared automationName: UiAutomator 2 com.prudential.pulse.MainAc, appeared automationName: UiAutomator 2, device 3 could be automationName: UiAutomator 3 could be automationName: UiAutomator 4 could be automationName: UiAutomator 5 could be automationName: UiAutomator 5 could be automationName: UiAutomator 6 could be automationName: UiAutomator 7 could be automationName: UiAutomator 8 could be automationName: UiAutomator 9 could be automatic 9 could b	Duration: 2.06s 0.00s  2.01s 0.06s  er-side error occurred while mand to the remote server.  5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64',  pPackage: com.prudential.pulse. 2, databaseEnabled: false, ckage: com.prudential.pulse.uat, viceName: Android-Test, android}, deviceApiLevel: 30, ne: 0C241FDD40043P, eUDID: 0C241FDD40043P,
Passed: 1  Before  Given I wait for 2 sec  And I enter following descripted in the processing of the comman original error: socket is build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: dautoDismissAlerts: desired: {appActivity: dautoDismissAlerts: true newCommandTimeout deviceManufacturer: Geven deviceScreenDensity: 4 javascriptEnabled: true	rebDriverException: An unknown served. Original error: Could not proxy conhang up [2.0', revision: '7c6e0b3', time: '2018-05003LSIN', ip: '192.168.1.124', os.name: version: '11.0.2' java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appet true, automationName: UiAutomator2 com.prudential.pulse.MainAc, appPade, automationName: UiAutomator2, deviceName: UiAutomator2, deviceNodel; Pixel 5, deviceName: Google, deviceModel: Pixel 5, deviceName	Duration: 2.06s 0.00s  2.01s 0.06s  er-side error occurred while nmand to the remote server.  5-08T14:04:26.12Z' 'Windows 10', os.arch: 'amd64',  pPackage: com.prudential.pulse. 2, databaseEnabled: false, ckage: com.prudential.pulse.uat, viceName: Android-Test, android}, deviceApiLevel: 30, ne: 0C241FDD40043P, eUDID: 0C241FDD40043P, orkConnectionEnabled: true,

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: af178971-1eaa-444a-baa9-ac8ecef26da5
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='What are vou
taking this medication for?']/following::android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:395)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
at .And I enter following details in add medicine screen(features/health/MedicineReminder.
feature:75)
```

		nedicine screen	0.00s
\${Medicine_Ii	wing texts are display		0.00s
	nfo} added successful	ly!	
fter			0.00s
ck to Table of Conter	<u>ds</u>		
enario: verify Ado	d medicine screen is d	lisplayed when user click on	add new reminder on
ccess popup			
ssed: 0	Failed: 1	Undefined: 9	Duration: .05
efore			0.00s
And I clicks on "	\${add.another.med}''	' in app screens	0.05s
Original error: se Build info: version System info: host os.version: '10.0'. Driver info: io.ap Capabilities {appuat, autoDismiss.desired: {appAct autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTi	ocket hang up on: '3.12.0', revision: ' t: 'TM003LSIN', ip: ' t, java.version: '11.0.2 opium.java_client.and oActivity: com.pruder Alerts: true, automativity: com.prudential ts: true, automationN meout: 10000, noRese or: Google, deviceM sity: 440, deviceScree od: true, locationCont meout: 10000, noRese Android, platformVer	droid.AndroidDriver ntial.pulse.MainAc, appParionName: UiAutomator2, da l.pulse.MainAc, appPackag lame: UiAutomator2, device et: true, platformName: and lodel: Pixel 5, deviceName: (enSize: 1080x2340, deviceUE textEnabled: false, networkCet: true, pixelRatio: 2.75, pla	TT14:04:26.12Z' indows 10', os.arch: 'amd6 ackage: com.prudential.puls atabaseEnabled: false, ge: com.prudential.pulse.us eName: Android-Test, droid}, deviceApiLevel: 30, 0C241FDD40043P, DID: 0C241FDD40043P, ConnectionEnabled: true,

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.screens.DieticianScreen.clickMedicalRemainder(DieticianScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickDietician(DieticianSteps. iava:159) at .And I clicks on "\${add.another.med}" in app screens(features/health/MedicineReminder. feature:85) Medicine Info \${Medicine Info} 0.00sAfter **Back to Table of Contents** Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup Passed: 0 **Undefined: 1 Duration: .05s** Failed: 1 0.00sBefore And I clicks on Not now icon in app screen 0.05sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java\_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

```
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: af178971-1eaa-444a-baa9-ac8ecef26da5
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.jaya:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.DieticianScreen.ClickNotNowbutton(DieticianScreen.java:513)
  at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickNotNowButton
  (DieticianSteps.java:248)
  at .And I clicks on Not now icon in app screen(features/health/MedicineReminder.feature:103)
After
                                                                               0.00s
Back to Table of Contents
Scenario: navigate to health screen
Passed: 0
                          Failed: 1
                                               Undefined: 0
                                                                               Duration: .03s
                                                                               0.00s
Before
  And I click the Back button in medical remainder
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
```

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: af178971-1eaa-444a-baa9-ac8ecef26da5
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Medicine
Reminder')]/preceding::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:424)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back MedicalRemainder
(DieticianSteps.java:197)
at .And I click the Back button in medical remainder(features/health/MedicineReminder.
feature:108)
```

Af	ter			0.00s
Ba	ck to Table of Contents			
Sc	enario: Verify User shou	ld be able to navigate to	o calendar page	
Pas	ssed: 1	Failed: 1	Undefined: 2	<b>Duration: 2.02s</b>
Be	efore			0.00s
	Given I wait for 2 sec			2.00s
	When I scroll down			0.02s

org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: af178971-1eaa-444a-baa9-ac8ecef26da5

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

at io.appium.java\_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52) at .When I scroll down(features/health/MedicineReminder.feature:112) 0.00sAfter **Back to Table of Contents** Feature: Verify MY Event channel functionality on one pulse App Passed: 0 Failed: 5 Undefined: 0 **Duration: 58.55s** Scenario: Launch the app and select the country as per specified lbu Passed: 3 Failed: 1 **Undefined: 2** Duration: 32.23s 0.00sBefore 9.38s Given User has pulse app And I assign "\${onepulse.events.user}" to variable "PULSE\_EMAIL" 0.00sAnd user click on "CONTINUE WITH EMAIL" with Email button 16.87s Then I change the country as required on registration page 5.98s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java\_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 4496422d-438b-43e2-be32-ce82cf4628f2
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1015)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/home/MyEvents.
feature:8)
```

fter			0.00s
			0.00s
ack to Table of Conte	nts		
cenario: login to t	he app with correct c	redentials using "Continue	with Email''
assed: 0	Failed: 1	Undefined: 5	Duration: .03s
efore			0.00s
Given I select th	e language option on	toggle bar as required on l	ogin page 0.03s
processing the cooriginal error: seluild info: versi System info: hose os.version: '10.0 Driver info: io.a Capabilities {appuat, autoDismiss desired: {appAcautoDismissAlemewCommandT deviceManufact deviceScreenDerijavascriptEnablemewCommandT platformName: viewportRect: {Ifalse} Session ID: 4496*** Element info at jdk.internal.rat java.base/jdk. (DelegatingConsat java.base/java at org.openqa.se (W3CHttpRespoat org.openqa.se	ommand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude talents: true, automate tivity: com.prudentia ts: true, automationN imeout: 10000, noRes urer: Google, deviceN nsity: 440, deviceScre ed: true, locationCom imeout: 10000, noRes Android, platformVe neight: 2015, left: 0, to talents. GeneratedCons internal.reflect.Deleg tructorAccessorImpl n.lang.reflect.Constru lenium.remote.http.V onseCodec.java:187) lenium.remote.http.V onseCodec.java:122) lenium.remote.http.V onseCodec.java:149)	droid.AndroidDriver ential.pulse.MainAc, appletionName: UiAutomator2, al.pulse.MainAc, appPackName: UiAutomator2, devices true, platformName: and Model: Pixel 5, deviceName enSize: 1080x2340, deviceUtextEnabled: false, networkset: true, pixelRatio: 2.75, persion: 11, statBarHeight: 1 op: 145, width: 1080}, ward 2-ce82cf4628f2 ne=//android.widget.TextVistructorAccessor34.newInstatingConstructorAccessor31.java:45) actor.newInstance(ConstructorAccessor34.newInstatingConstruc	pand to the remote server.  08T14:04:26.12Z' Windows 10', os.arch: 'amd64' Package: com.prudential.pulse databaseEnabled: false, sage: com.prudential.pulse.uatceName: Android-Test, ndroid}, deviceApiLevel: 30, e: 0C241FDD40043P, UDID: 0C241FDD40043P, kConnectionEnabled: true, platform: LINUX, at 5, takesScreenshot: true, nings: {}, webStorageEnabled:  [ew[@text="EN"]} tance(Unknown Source) [Impl.newInstance] ctor.java:490) reateException ecode ecode ecode ecode ecode

```
(DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
  (PulseRegistrationScreen.java:1066)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
  (RegistrationSteps.java:338)
  at .Given I select the language option on toggle bar as required on login page(features/home
  /MyEvents.feature:13)
      JserName ${PULSE EMAIL
      Password ${pulse.password}
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify MyEvent Functionality in Home screen
                        Failed: 1
Passed: 1
                                              Undefined: 2
                                                                                Duration: 10.13s
Before
                                                                                0.00s
  Given I wait for 2 sec
                                                                                2.01s
  And I click the MyEvent icons
                                                                                8.11s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
```

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  Session ID: 4496422d-438b-43e2-be32-ce82cf4628f2
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEvents
  (CustomerConnectScreen.java:947)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEvents
  (CustomerConnectSteps.java:277)
  at .And I click the MyEvent icons(features/home/MyEvents.feature:24)
                                                                              0.00s
After
Back to Table of Contents
Scenario: Verify Events Archive tab
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                              Duration: 8.11s
                                                                              0.00s
Before
```

```
8.11s
And I click the Events Archive icon
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 4496422d-438b-43e2-be32-ce82cf4628f2
at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive
(CustomerConnectScreen.java:1890)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive
(CustomerConnectSteps.java:590)
at .And I click the Events Archive icon(features/home/MyEvents.feature:31)
```

	ollowing texts are displa		0.00s
	have any events in you	r archive.	0.00
ter			0.00s
ck to Table of Cor			
enario: Verify	Open Events tab		
ssed: 0	Failed: 1	Undefined: 1	Duration: 8.
efore			0.00s
And I click the	e Open Events icon		8.06s
processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, autoDism desired: {applautoDismissAnewCommand deviceManufa deviceScreenIjavascriptEnanewCommand platformNameviewportRect: false} Session ID: 44 at jdk.internaat java.base/jd(DelegatingCoat java.base/java	command. Original eres socket hang up raion: '3.12.0', revision: '0.0', java.version: '11.0.0', java.version: '10.0', java.version: '11.0.0', java.version: '10.0', java.version: '10.	ential.pulse.MainAc, appPackationName: UiAutomator2, datable.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androio Model: Pixel 5, deviceName: 0C2 tenSize: 1080x2340, deviceUDID textEnabled: false, networkConset: true, pixelRatio: 2.75, platforersion: 11, statBarHeight: 145, tatop: 145, width: 1080}, warnings: 2-ce82cf4628f2 structorAccessor34.newInstance gatingConstructorAccessorImpl.	to the remote server.  4:04:26.12Z' ows 10', os.arch: 'amd age: com.prudential.pub aseEnabled: false, com.prudential.pulse.t me: Android-Test, d}, deviceApiLevel: 30 241FDD40043P, 1: 0C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, : {}, webStorageEnable c(Unknown Source) ava:490)
(W3CHttpRes at org.openqa	sponseCodec.java:187) .selenium.remote.http.V	W3CHttpResponseCodec.decode	•
` <u>-</u>	sponseCodec.java:122)	W3CHttpResponseCodec.decode	
	sponseCodec.java:49)	- Sentipicesponse codecide code	
` <u>-</u>	•	CommandExecutor.execute(Http	CommandExecutor.ja
		iumCommandExecutor.execute	
* * *	mandExecutor.java:23		
		oteWebDriver.execute(RemoteW	
at io.appium.j java:46)	ava_client.DefaultGene	ericMobileDriver.execute(Defaul	it Generic Wobile Driver
· ·	ava client.AppiumDriv	ver.execute(AppiumDriver.java:	1)
		droidDriver.execute(AndroidDri	
	.selenium.remote.		,
		erOptions\$RemoteWindow.getS	

ar ar ar ((	t com.onepulse.app.s t com.onepulse.app.s CustomerConnectSc	creens.TestB creens.Custo reen.java:187	asePage.scroll merConnectSo 73)	s.swipe(AppiumComman PageDown(TestBasePage creen.ClickMyOpenEven CustomerConnectSteps.c	e.java:204) ts
	CustomerConnectSte				
				ne/MyEvents.feature:36)	
A				ents are displayed on sci	ceen 0.00s
	There are no event				
	Stay tuned for ever	nts on health	and fitness		0.00
Afte					0.00s
Back	to Table of Contents				
Feature	e: Verify My Health	Content func	tionality on Or	ne Pulse App	
Passed: 1	Failed: '	7	Undefined: 0	Duration: 101.2	29s
	nario: Launch the ap			•	
Passe		Failed: 0	Un	defined: 0	Duration: 44.85s
Befo	ore				0.00s
G	Given User has pulse	арр			9.09s
A	and user click on "Co	ONTINUE W	ITH EMAIL"	with Email button	15.80s
T	hen I change the cou	ntry as requi	ired on registra	ation page	12.00s
T	Then I wait for 3 sec				3.01s
A	and I click the Sign in	link			4.95s
Afte	r				0.00s
Back	to Table of Contents				
Scen Ema		able to login	on app with c	orrect credentials using '	'Continue with
Passe	ed: 6	Failed: 1	Un	defined: 0	Duration: 28.9s
Befo	ore				0.00s
A	and I assign "\${login.	email.id}" to	variable ''PU	LSE_EMAIL''	0.00s
G	Given I select the lang	guage option (	on toggle bar a	s required on login page	3.52s
V	Vhen user enters cred	lentials			9.91s
	UserName \${PULS	E_EMAIL}			
	Password \${login.	password}			
A	and User clicks on sig	nin button			0.27s
T	hen I wait for 10 sec				10.00s
_				"\${PULSE_EMAIL}"	0.08s
T	hen user should be la	anded to "Ho	ome" screen		5.11s
a a a a a	ava.lang.AssertionEr t org.testng.Assert.fa t org.testng.Assert.fa t org.testng.Assert.as t org.testng.Assert.as t com.onepulse.app.s	il(Assert.java ilNotEquals( ssertTrue(Ass ssertTrue(Ass	a:94) Assert.java:51 sert.java:42) sert.java:52)		<b>Validation</b>

	After			0.00s
Given I wait for 2 sec  Then I navigate to Health Content screen  Org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled false}	ack to Table of Con	tents		<u> </u>
Given I wait for 2 sec  Then I navigate to Health Content screen  Org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled false}	cenario: Verify U	Jser should be able to	navigate to Health page	
Given I wait for 2 sec  Then I navigate to Health Content screen  8.11s  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled false}	assed: 1			Duration: 10.1
Then I navigate to Health Content screen  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled false}	Sefore			0.00s
Then I navigate to Health Content screen  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled false}	Given I wait fo	r 2 sec		2.01s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled false}	01.0111		creen	
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)	Original errors Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {a} uat, autoDismidesired: {appA autoDismissAlonewCommand' deviceManufacteviceScreenD javascriptEnalonewCommand' platformName viewportRect: false} Session ID: c37	socket hang up sion: '3.12.0', revision ost: 'TM003LSIN', ip: 0', java.version: '11.0 appium.java_client.arppActivity: com.prud ssAlerts: true, automaticity: com.prudentiatets: true, automaticity: com.prudentiatets: true, automation Timeout: 10000, noRecturer: Google, device ensity: 440, deviceScroled: true, locationConTimeout: 10000, noRecture: Android, platformV height: 2015, left: 0, 287d9a-e1a2-41db-8f8	a: '7c6e0b3', time: '2018-05-08T1 : '192.168.1.124', os.name: 'Wind 2.2' ndroid.AndroidDriver lential.pulse.MainAc, appPacka ationName: UiAutomator2, data al.pulse.MainAc, appPackage:	4:04:26.12Z' lows 10', os.arch: 'amd64 age: com.prudential.pulse baseEnabled: false, com.prudential.pulse.ua ame: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, prm: LINUX, akesScreenshot: true, s: {}, webStorageEnabled
				l.newInstance
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance		-		iava:400)
(DelegatingConstructorAccessorImpl.java:45)			· · · · · · · · · · · · · · · · · · ·	
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		•	• •	- F
(DelegatingConstructorAccessorImpl.java:45)		•	• •	e
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		•		
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	U .		wysChupkesponseCodec.decod	e
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		•	CommandExecutor.execute(Htt	pCommandExecutor.jav
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:	at io.appium.ja			
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute				V-LD.:
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)	~ -			
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		va_chent.DefaultGell	ici iciviobile Di ivei execute (Deiau	denerativionientiver.
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.	1,100,000			
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	at io.appium.ja	va_client.AppiumDri	iver.execute(AppiumDriver.java	:1)
(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.jav 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)	at io.appium.ja	va_client.android.An		

```
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.CustomerConnectScreen.ClickHealthContent
  (CustomerConnectScreen.java:923)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
  iNavigateToWealthScreenz(CustomerConnectSteps.java:272)
  at .Then I navigate to Health Content screen(features/home/MyHealthContent.feature:26)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to view the full page article post
                        Failed: 1
                                               Undefined: 1
Passed: 0
                                                                                Duration: 5.09s
Before
                                                                                0.00s
  Then I click on "Health Channels" topic for details full view
                                                                                5.10s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: c3787d9a-e1a2-41db-8f81-ced79f067a87
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Health
  Channels")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.
  ViewGroup[2]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
  (WealthScreen.java:135)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
  iClickOnTopicForDetailsFullView(WealthSteps.java:64)
  at .Then I click on "Health Channels" topic for details full view(features/home
  /MyHealthContent.feature:56)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify User should be able to see the Like, Share, Comment options on full page article
post
```

ssed: 0		Failed: 1	Undefined: 0	Duration: 4.0
efore				0.00s
And I v	erify the fo	ollowing texts "My	Health Content" in Screen	4.09s
Like		<u></u>		1007.0
Shar				
	ment			
0022				
process Origina Build in System os.versi Driver Capabi uat, aud desired autoDis newCon deviceN deviceN javascr newCon platforn	ing the conditional error: soon fo: version info: host: on: '10.0', info: io.applities {appActive appActive appActiv	nmand. Original ercket hang up  : '3.12.0', revision: 'TM003LSIN', ip: java.version: '11.0. pium.java_client.an Activity: com.prudential etts: true, automation! neout: 10000, noReser: Google, devices ity: 440, devicescre t: true, locationComeout: 10000, noReservices heout: 10000, noReservices heout: 10000, noReservices	eption: An unknown server-side extror: Could not proxy command to the county of the county command to the county command to the county command to the county command to the county county command to the county coun	o the remote server.  04:26.12Z' ws 10', os.arch: 'amd6' e: com.prudential.puls aseEnabled: false, om.prudential.pulse.ua e: Android-Test, }, deviceApiLevel: 30, a1FDD40043P, oC241FDD40043P, ectionEnabled: true, m: LINUX, tesScreenshot: true,
false} Session	ID: c3787c	d9a-e1a2-41db-8f81	1-ced79f067a87	
			structorAccessor34.newInstance(	
	•		gatingConstructorAccessorImpl.n	ewInstance
		cuctorAccessorImp		vo.400)
	•		uctor.newInstance(Constructor.ja W3CHttpResponseCodec.createEx	
_		seCodec.java:187)		Acception
at org.o	penqa.sele		W3CHttpResponseCodec.decode	
at org.o (W3CH	penqa.sele [ttpRespon	nium.remote.http.V seCodec.java:49)	W3CHttpResponseCodec.decode	
158)	•	•	CommandExecutor.execute(HttpC	CommandExecutor.jav
(Appiu	mComman	dExecutor.java:23		
	- pium.java_		oteWebDriver.execute(RemoteWe ericMobileDriver.execute(Default	
at io.ap	pium.java_	_client.android.And	ver.execute(AppiumDriver.java:1) droidDriver.execute(AndroidDriver.	
Remote	WebDrive	nium.remote. r\$RemoteWebDriv	verOptions\$RemoteWindow.getSiz	ze(RemoteWebDriver.
java:80	4)			

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.screens.CustomerConnectScreen. isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:187) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps. isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88) at .And I verify the following texts "My Health Content" in Screen(features/home /MyHealthContent.feature:60)

After			0.00s
Back to Table of Content	<u>ts</u>		
Scenario: Verify Use	er should be able to	Like the post in full article view	w screen
Passed: 0	Failed: 1	Undefined: 1	<b>Duration: .07s</b>
Before			0.00s
And I Like the no	net .		0 07s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c3787d9a-e1a2-41db-8f81-ced79f067a87

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
  75)
  at .And I Like the post(features/home/MyHealthContent.feature:66)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to Share the post in full article view screen
                        Failed: 1
Passed: 0
                                               Undefined: 1
                                                                                Duration: 5.06s
                                                                                0.00s
Before
  And I share the post
                                                                                5.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
```

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c3787d9a-e1a2-41db-8f81-ced79f067a87
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/home/MyHealthContent.feature:71)
```

Then I havigate be	ck to previous page			0.00s
fter				0.00s
ack to Table of Contents				
cenario: Verify User	can navigate to Hea	lth homepage		
assed: 0	Failed: 1	Undefined: 0		Duration: 3.12
efore				0.00s
	4			
Then I navigate to	story post page			3.12s
processing the comoriginal error: soon Build info: version System info: host: os.version: '10.0', j Driver info: io.app Capabilities {appAtuat, autoDismissAldesired: {appActivautoDismissAlerts newCommandTimdeviceManufacturdeviceScreenDensijavascriptEnabled newCommandTimplatformName: AnviewportRect: {heifalse} Session ID: c3787d*** Element info: /preceding::androiat jdk.internal.reflat java.base/jdk.in (DelegatingConstrat java.base/java.lat org.openqa.selet (W3CHttpResponsat org.openqa.selet org.	mand. Original errocket hang up : '3.12.0', revision: '7 'TM003LSIN', ip: '1 ava.version: '11.0.2' ium.java_client.anductivity: com.prudential.jetrue, automationNateout: 10000, noReserver: Google, deviceMety: 440, deviceScreenterue, locationContereout: 10000, noReserver: Google, deviceMety: 440, deviceScreenterue, locationContereout: 10000, noReserver: 6, left: 0, top.  19a-e1a2-41db-8f81-ceture flect.DelegatuctorAccessorImpl.jetrue, automationNateruelect.Construction.remote.http.W.  29a-e1a2-41db-8f81-ceturelect.Construction.remote.http.W.  29a-e1a2-41db-8f81-cetu	tial.pulse.MainAc, a onName: UiAutomator pulse.MainAc, apple ime: UiAutomator2, of the true, platformName odel: Pixel 5, deviceNewsize: 1080x2340, dev extEnabled: false, networks and the true, pixelRatio: 2.7 sion: 11, statBarHeighter: 145, width: 1080}, volume red79f067a87 =//android.view.Viewsizer ava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45) tor.newInstance(Constava:45)	ommand to the rem  05-08T14:04:26.127 ie: 'Windows 10', os  appPackage: com.pr  or2, databaseEnable Package: com.prude deviceName: Andro e: android}, deviceA ame: 0C241FD400 viceUDID: 0C241FD workConnectionEna 75, platform: LINU nt: 145, takesScreen warnings: {}, webSto  [contains(@text,'Fin wInstance(Unknown ssorImpl.newInstan structor.java:490) ec.createException ec.decode ec.decode cute(HttpCommand c.execute  RemoteWebDriver.j	cudential.pulsed: false, ential.pulsed: false, ential.pulse.uaid-Test, apiLevel: 30, 043P, 0D40043P, abled: true, X, shot: true, orageEnabled est Steps')]  Source)  Ce  (Executor.jav

	at io.appium.java_clie			eDriver.findElement	
	(DefaultGenericMobile	•		ement(AppiumDriver.java:1	<b>\</b>
				er.findElement(AndroidDriv	
				iver.findElementByXPath(R	
	java:419)			, , , , , , , , , , , , , , , , , , ,	
	· ·	nt.DefaultG	GenericMobile	eDriver.findElementByXPatl	h
	(DefaultGenericMobile	· ·			
				${f ementBy XPath}({f AppiumDriv})$	
				er.findElementByXPath(And	droidDriver.java:1)
	at org.openqa.seleniun				
	~			iver.findElement(RemoteWe	ebDriver.java:309)
	at io.appium.java_clie (DefaultGenericMobile			eDriver.iindElement	
		•		ement(AppiumDriver.java:1	)
				er.findElement(AndroidDriv	
				.executeCommand(Comman	
				and.executeCommand(Execu	
	19)				v
				${f kButton}({f TestBasePage.java:}$	
				kFullViewBackButton(Weal	· · · · · · · · · · · · · · · · · · ·
		tepdefinition	ns.mobilestep	${f s.We}$ alth ${f Steps.iNavigate To Steps.ion}$	StoryPostPage
	(WealthSteps.java:70)		<b>(8</b> )		. ==
	let Then I nevigete to	stary nast n	age(features/	home/MyHealthContent.feat	ture:75)
L		story post p	age (reason)		
_	fter	story post p	<b>ug</b> 0(100000105)		0.00s
_		story post p	ago(roataros)		0.00s
Ba	fter tek to Table of Contents				0.00s
Ba	fter  ck to Table of Contents  ure: Verify Notification	Center fun			
Ba eatu	fter  ock to Table of Contents  are: Verify Notification d: 0 Failed: 3	Center fund	ctionality on (	one pulse App  Duration: 155.44	4s
eatu assed	fter  ock to Table of Contents  are: Verify Notification d: 0 Failed: 3	Center fund	ctionality on (	one pulse App	4s
eatu assed Sc En	fter  ack to Table of Contents  are: Verify Notification d: 0 Failed: 3  cenario: User should be mail"	Center fundable to regi	ctionality on (	one pulse App  Duration: 155.44  with correct credentials using	4s
eatu assec Sc Ei	fter  ck to Table of Contents  are: Verify Notification d: 0 Failed: 3 cenario: User should be mail'  assed: 15	Center fund	ctionality on (	one pulse App  Duration: 155.44	4s g "Continue with  Duration: 138.71 s
eatu assec Sc Ei	fter  ack to Table of Contents  are: Verify Notification d: 0 Failed: 3  cenario: User should be mail"	Center fundable to regi	ctionality on (	one pulse App  Duration: 155.44  with correct credentials using	4s y ''Continue with
eatu assec Sc Ei	fter  lek to Table of Contents  lee: Verify Notification d: 0 Failed: 3 cenario: User should be mail' lessed: 15 efore  Given I generate rando	Center fundable to reginate Failed: 1	ctionality on © Undefined: 0 ster on app w	one pulse App  Duration: 155.44  with correct credentials using  Undefined: 2	Duration: 138.71 s 0.00s
eatu assec Sc Ei	fter  ck to Table of Contents  ure: Verify Notification d: 0 Failed: 3 cenario: User should be mail'' assed: 15 efore  Given I generate rando "RANDOM_NUMBE	Center fundable to regi Failed: 1 om number	Undefined: 0 ster on app w	one pulse App  Duration: 155.44  with correct credentials using  Undefined: 2  O variable	4s g "Continue with  Duration: 138.71 s
eatu assec Sc Ei	fter  ck to Table of Contents  ure: Verify Notification d: 0 Failed: 3 cenario: User should be mail'' assed: 15 efore  Given I generate rando "RANDOM_NUMBE	Center fundable to regi Failed: 1 om number	Undefined: 0 ster on app w	one pulse App  Duration: 155.44  with correct credentials using  Undefined: 2	Duration: 138.71 s 0.00s
eatu assec Sc Ei	fter  lek to Table of Contents  lire: Verify Notification d: 0 Failed: 3  cenario: User should be mail'' lessed: 15  efore  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${1 "PULSE_EMAIL"	Center fundable to reginate to	Undefined: 0 ster on app w	one pulse App  Duration: 155.44  with correct credentials using  Undefined: 2  O variable	Duration: 138.71 s 0.00s 0.00s 0.00s
eatu assec Sc Ei	fter  lek to Table of Contents  lire: Verify Notification d: 0 Failed: 3  cenario: User should be mail"  ssed: 15  efore  Given I generate rande "RANDOM_NUMBE! And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap	Center fundable to reginate to	Undefined: 0 ster on app w	one pulse App  Duration: 155.44  with correct credentials using  Undefined: 2  O variable	4s 3 "Continue with  Duration: 138.71 s 0.00s 0.00s 0.00s 9.03s
eatu assec Sc Ei	fter  lek to Table of Contents  let to Table of Contents  Failed: 3  renario: User should be mail''  assed: 15  let to Table of Contents  Failed: 3  renario: User should be mail''  assed: 15  let to Table of Contents  Failed: 3  renario: User should be mail''  assed: 15  let to Table of Contents  Failed: 3  renario: User should be mail''  I generate rando  "RANDOM_NUMBE!  And I assign "pulse\${I  "PULSE_EMAIL''  And User has pulse ap  Then I wait for 2 sec	Center fundable to reginate to	ctionality on ( Undefined: 0 ster on app w and assign to NUMBER) @	One pulse App  Duration: 155.44  with correct credentials using  Undefined: 2  O variable  Omailsac.com'' to variable	Duration: 138.71 s 0.00s 0.00s 0.00s 9.03s 2.01s
eatu assec Sc Ei	fter  lek to Table of Contents  lee Verify Notification d: 0 Failed: 3  cenario: User should be mail'' lessed: 15  efore  Given I generate rande "RANDOM_NUMBE! And I assign "pulse\${I "PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "CO	Center fundable to reginate to	ctionality on ( Undefined: 0 ster on app w and assign to NUMBER) @	One pulse App  Duration: 155.44  with correct credentials using  Undefined: 2  O variable  Omailsac.com'' to variable	## Continue with    Duration: 138.71
eatu assec Sc Ei	fter  lek to Table of Contents  let to Table of Contents  Failed: 3  cenario: User should be mail"  lessed: 15  efore  Given I generate rando "RANDOM_NUMBE!  And I assign "pulse\${1 "PULSE_EMAIL"  And User has pulse ap Then I wait for 2 sec  And user click on "CO Then I wait for 2 sec	Center fundable to reginate to	ctionality on ( Undefined: 0 ster on app we and assign to on the control of the c	One pulse App Duration: 155.44 with correct credentials using Undefined: 2 O variable Omailsac.com'' to variable L'' with Email button	Duration: 138.71 s 0.00s 0.00s 0.00s 0.00s 2.01s 13.35s 2.01s
eatu assec Sc Ei	fter  Ick to Table of Contents  Ire: Verify Notification Id: 0 Failed: 3  Icenario: User should be mail' Issed: 15  Icefore  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${I"PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "CO Then I wait for 2 sec Then I change the countered to the counter	Center fundable to reginate to	ctionality on ( Undefined: 0 ster on app we and assign to on the control of the c	One pulse App Duration: 155.44 with correct credentials using Undefined: 2 O variable Omailsac.com'' to variable L'' with Email button	Duration: 138.71 s 0.00s 0.00s 0.00s 0.00s 13.35s 2.01s 11.33s
eatu assec Sc Ei	fter  Ick to Table of Contents  Ire: Verify Notification Id: 0 Failed: 3  Genario: User should be mail"  Issed: 15  If Iter of the second of t	Center fundable to reginate to	ctionality on outlined: 0 Ster on app we and assign to NUMBER (@) WITH EMAIL	Duration: 155.44  with correct credentials using  Undefined: 2  O variable  Diration: 155.44  With correct credentials using  Undefined: 2  O variable  Diration: 155.44  O variable  Diration: 155.44  O variable  Diration: 155.44	Duration: 138.71 s 0.00s 0.00s 0.00s 0.00s 9.03s 2.01s 13.35s 2.01s 11.33s 2.00s
eatu assec Sc Ei	fter  Ick to Table of Contents  Ire: Verify Notification Id: 0 Failed: 3  Genario: User should be mail"  Issed: 15  If Iter of the second of t	Center fundable to reginate to	ctionality on a Undefined: 0 ster on app we and assign to NUMBER a UTH EMAIL wired on registion page and	One pulse App Duration: 155.44 with correct credentials using Undefined: 2 O variable Omailsac.com'' to variable L'' with Email button	Duration: 138.71 s 0.00s 0.00s 0.00s 0.00s 9.03s 2.01s 13.35s 2.01s 11.33s 2.00s
eatu assec Sc Ei	re: Verify Notification d: 0 Failed: 3 renario: User should be mail" resed: 15 refore  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${I"PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "CO Then I wait for 2 sec Then I change the courthen I wait for 2 sec Then I navigate to pulse	Center fundable to reginate to	ctionality on a Undefined: 0 ster on app we and assign to NUMBER a UTH EMAIL wired on registion page and	Duration: 155.44  with correct credentials using  Undefined: 2  O variable  Diration: 155.44  With correct credentials using  Undefined: 2  O variable  Diration: 155.44  O variable  Diration: 155.44  O variable  Diration: 155.44	Duration: 138.71 s 0.00s 0.00s 0.00s 0.00s 2.01s 13.35s 2.01s 11.33s 2.00s
eatu assec Sc Ei	re: Verify Notification d: 0 Failed: 3 renario: User should be mail" ressed: 15 refore  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "CO Then I wait for 2 sec Then I change the cour Then I wait for 2 sec Then I navigate to pulse click on continue with	Center fundable to region able to region number R'' RANDOM_  DNTINUE Vontry as required se registration and the control of the	ctionality on ( Undefined: 0 ster on app we have and assign to the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster of the	Duration: 155.44  with correct credentials using  Undefined: 2  O variable  Diration: 155.44  With correct credentials using  Undefined: 2  O variable  Diration: 155.44  O variable  Diration: 155.44  O variable  Diration: 155.44	Duration: 138.71 s 0.00s 0.00s 0.00s 0.00s 0.00s 2.01s 13.35s 2.01s 11.33s 2.00s then 3.99s
eatu assec Sc Ei	re: Verify Notification d: 0 Failed: 3 renario: User should be mail" ressed: 15 refore  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${I"PULSE_EMAIL" And User has pulse ap Then I wait for 2 sec And user click on "COThen I wait for 2 sec Then I change the court Then I wait for 2 sec	Center fundable to region able to region number R'' RANDOM_  p  ONTINUE V  ntry as required as registration details about to stration details.	ctionality on ( Undefined: 0 ster on app we have and assign to the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster on app we have a series of the ster of the	Duration: 155.44  with correct credentials using  Undefined: 2  O variable  Diration: 155.44  With correct credentials using  Undefined: 2  O variable  Diration: 155.44  O variable  Diration: 155.44  O variable  Diration: 155.44	Duration: 138.71 s 0.00s

LastName testAutomation Email \${PULSE_EMAIL}\$ Password Pas\$1234  And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button  org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptic/no_such_element.html	
And taps on continue "Sign_Up" button  And I wait for otp screen after clicking on signup button  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then I wait for 2 sec  Then I click skip button  org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exception	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then I wait for 2 sec  Then I click skip button  org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exception	0.28s
Then I wait for 2 sec Then I click skip button  org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exception	4.30s
Then I click skip button  org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exception	31.37s
org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptic	2.00s
using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception	47.19s
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10	ons .12Z'

os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: f7ecb4b4-03fc-43f7-a903-30da2241f57c

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-YYYY')]}

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.


java:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

```
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1116)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:377)
  at .Then I click skip button(features/home/NotificationCenter.feature:25)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Navigate to notification screen via home screen
                          Failed: 1
                                                Undefined: 1
Passed: 1
                                                                                Duration: 8.23s
                                                                                0.00s
Before
  Given I relaunch the app on registration failure
                                                                                0.00s
  Given I navigate to notification screen from home page
                                                                                8.23s
  org.openga.selenium.NoSuchElementException: An element could not be located on the page
  using the given search parameters.
  For documentation on this error, please visit: http://seleniumhq.org/exceptions
  /no such element.html
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
```

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: f7ecb4b4-03fc-43f7-a903-30da2241f57c
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.
```

navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1052) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240) at .Given I navigate to notification screen from home page(features/home/NotificationCenter. feature:32) 12:59 @ 84 = 0 . 0.90 Phone Numb What is your mobile number? Please start by entering your mobile +60 Phone Number Please enter Phone Number After 0.00s**Back to Table of Contents** Scenario: Verify User should be able to see the Notification screen texts Failed: 1 Undefined: 0 Passed: 0 Duration: 8.49s Before 0.00sAnd I verify following texts are displayed 8.50s **\$**{notification.msg} java.lang.AssertionError: The following asserts failed: Notification Center text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/NotificationCenter.feature:37)



After			0.00s
Back to Table of Cor	<u>ntents</u>		
eature: Verify My	Challenges on	One Pulse App	
ssed: 1	Failed: 3	Undefined: 0	Duration: 57.91s
Scenario: Launc	h the app and s	select the country as per spe	cified lbu
Passed: 5	Failed:	0 Undefined:	
Before			0.00s
Given User ha	as pulse app		10.39s
And user click	k on "CONTIN	NUE WITH EMAIL" with E	Email button 15.49s
Then I change	e the country as	s required on registration pa	age 12.11s
Then I wait fo	or 3 sec		3.00s
And I click the	e Sign in link		4.91s
After			0.00s
Back to Table of Cor	ntents		
Scenario: User sh Email''	nould be able to	login on app with correct (	credentials using "Continue with
Passed: 2	Failed:	1 Undefined:	4 Duration: 11.8
Before			0.00s
And I assign '	'\${login.email.i	id}" to variable "PULSE_E	MAIL'' 0.00s
Given I select	the language o	option on toggle bar as requi	ired on login page 3.47s
When user en	nters credentials	s	8.38s
	\${PULSE_EM. \${login.passwo		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 0b028665-2d22-400f-91db-db67ca4b0c0d
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc='container']
/android.widget.EditText[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.j at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.j at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.executeCommand(ExecuteCommand.executeCommand) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java at com.onepulse.app.screens.PulseLoginScreen.enterLoginCredentials(PulseLoginSp) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userEntersCredentials(PulseLoginSteps.userEntersCredentials(Puls	ava:148) Command.java: a:260) oginScreen.java: tials(LoginSteps.
And User clicks on signin button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s
After	0.00s
Back to Table of Contents	0.005
Scenario: Verify My Challenges texts	
Passed: 1 Failed: 1 Undefined: 1	Duration: .13s
Before	0.00s
And I click on My Challenges tile on one pulse app	0.02s
And I verify following texts are displayed	0.02s 0.11s
\${my.challenges.text}	0.118
\${do.not.have.challenges}	
φ(uo.not.nave.enanenges)	
\$[challenge getsterted]	
\${challenge.getstarted} \${do.not.have.challenges}	
java.lang.AssertionError: The following asserts failed: My Challenges text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false], Get Started text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSc (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/mychallenges/Pulsfeature:25) And I verify the following texts "My challenges" in Screen	get started text
\$\{\text{do.not.have.challenges}\}\]  java.lang.AssertionError: The following asserts failed: My Challenges text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false], Get Started text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSc (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/mychallenges/Puls) feature:25)  And I verify the following texts "My challenges" in Screen	get started text reen eMyChallenges.
java.lang.AssertionError: The following asserts failed: My Challenges text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false], Get Started text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSc (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/mychallenges/Pulsfeature:25) And I verify the following texts "My challenges" in Screen  \${all.challenges.text}  After	get started text reen eMyChallenges.
\$\{\text{do.not.have.challenges}\}\]  java.lang.AssertionError: The following asserts failed: My Challenges text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false], Get Started text is displayed on page expected [true] but found [false], You do not have any challenges yet. Please click below to select a challenge and is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSc (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/mychallenges/Puls feature:25)  And I verify the following texts "My challenges" in Screen	get started text reen eMyChallenges.

assed: 0	Failed: 1	Undefined: 2	Duration: .04s
efore			0.00s
And I clicks or	n ''\${all.challenges.text	t}'' in app screen	0.04s
org.openqa.se processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, autoDism desired: {appa autoDismissAnewCommand deviceManufa deviceScreenI javascriptEnanewCommand platformName viewportRect: false} Session ID: 0h*** Element io Challenges'')] at jdk.internaat java.base/jo(DelegatingCommand)	command. Original entries content hang up rision: '3.12.0', revision: '0.0', java.version: '11.0.0. appium.java_client.antrippActivity: com.prudential lerts: true, automation: Itimeout: 10000, noRecturer: Google, deviced bled: true, locationContent: 10000, noRecturer: HocationContent: 10000, noRecturer: 10000, noRec	ception: An unknown server-side error: Could not proxy command to the could not proxy command	cor occurred while the remote server.  4:26.12Z' s 10', os.arch: 'amd64' s com.prudential.pulse.ua eEnabled: false, m.prudential.pulse.ua Android-Test, deviceApiLevel: 30, FDD40043P, C241FDD40043P, CtionEnabled: true, : LINUX, sScreenshot: true, , webStorageEnabled ains(@text,''All mknown Source) wInstance
at org.openqa (W3CHttpRes at org.openqa (W3CHttpRes at org.openqa (W3CHttpRes	selenium.remote.http.'sponseCodec.java:187) selenium.remote.http.'sponseCodec.java:122) selenium.remote.http.'sselenium.remote.http.'sponseCodec.java:49)	W3CHttpResponseCodec.createExc W3CHttpResponseCodec.decode W3CHttpResponseCodec.decode	ception
at io.appium.j (AppiumComat org.openqa at io.appium.j java:42)	ava_client.remote.App mandExecutor.java:23 .selenium.remote.Remo ava_client.DefaultGeno	oteWebDriver.execute(RemoteWebl ericMobileDriver.execute(DefaultG	Driver.java:543)
at io.appium.j at org.openqa at io.appium.j (DefaultGenerat io.appium.j at io.appium.j	ava_client.android.Andselenium.remote.Remo ava_client.DefaultGeno ricMobileDriver.java:6 ava_client.AppiumDri ava_client.android.And	iver.execute(AppiumDriver.java:1) idroidDriver.execute(AndroidDriver. oteWebDriver.findElement(Remote) iericMobileDriver.findElement 62) iver.findElement(AppiumDriver.java idroidDriver.findElement(AndroidDoteWebDriver.findElement)	WebDriver.java:317 a:1) Priver.java:1)

java:419)					
	•	efaultGenericMob	oileDriver.findEl	ementByXPath	
	enericMobileDri	· · · · · · · · · · · · · · · · · · ·	ElamantDy.VDat	h(AnniumDuivan iar	ya.1)
				h(AppiumDriver.jav tByXPath(AndroidI	
		\$ByXPath.findEle			oriver gavari
	-	· · · · · · · · · · · · · · · · · · ·		ent(RemoteWebDriv	ver.java:309)
		efaultGenericMob	oileDriver.findEl	ement	
	enericMobileDri		Elaman4(Amminn	nDriven ieros 1)	
		ppiumDriver.find		nDriver.java:1) t(AndroidDriver.jav	<sub>7</sub> 9•1)
				nand(Commands.jav	
at com.pr				ommand(ExecuteCo	
19)					
				BasePage.java:163)	40
at com.on java:1741		ns.CustomerConn	ectScreen.clickB	utton(CustomerCon	mectScreen.
•		efinitions.mobiles	tens.CustomerCo	onnectSteps.clickUp	loadIcon
	rConnectSteps.ja			оппесь верменен ер	
at .And I	clicks on ''\${all.c	hallenges.text}" in	app screen(feat	ures/home/mychalle	nges
	Challenges.featu				
		texts "My challen	ges" in Screen		0.00s
	challenges.text}				
\${all.cl	hallenges.text}				
And I ver	ify following text	s are displayed			0.00s
\${not.c	connected.wearal	ole}			
After					0.00s
Back to Table of	of Contents				
Feature: Verify	My Communitie	es on One Pluse Ap	op		
Passed: 2	Failed: 9	Undefined	: 0	Duration: 137.57s	
Scenario: La	unch the app an	d select the countr	y as per specifie	d lbu	
Passed: 5	Failed	1: 0	Undefined: 0		Duration: 43.38s
Before					0.00s
Given Use	er has pulse app				8.04s
And user	click on "CONT	INUE WITH EMA	AIL" with Email	button	15.29s
	<u> </u>	as required on re	gistration page		12.08s
	ait for 3 sec				3.01s
And I clic	k the Sign in linl	<u> </u>			4.95s
After					0.00s
Back to Table of	of Contents				
Scenario: Us Gmail''	er should be ablo	to login on app w	ith correct credo	entials using "Contin	nue with
Passed: 7	Failed	1: 0	Undefined: 0		Duration: 49.55s
Before					0.00s
And I ass	ign ''\${onepulse.l	login.global.id}'' to	variable "PUL	SE_EMAIL''	0.00s
Given I se	elect the language	e option on toggle	har as required o	on login page	3.53s
GIVENTS	rece the language	option on toggic	our as required	on rogin page	0.000

vynen user enter	rs credentials	11.00s
UserName \${]	PULSE_EMAIL}	
Password \${J	pulse.password}	
And User clicks	on signin button	0.22s
Then I wait for 1	10 sec	10.01s
And I enter OTH	P in one pulse app for user email "\${PULSE_EMAIL}"	10.71s
Then user should	d be landed to "Home" screen	14.10s
After		0.00s
Back to Table of Conte	<u>nts</u>	
	uld be able to login on app with correct credentials using "Co the Mycommunities screen	ontinue with
Passed: 3	Failed: 1 Undefined: 1	Duration: 12.09s
Before		0.00s
Then I wait for 6	6 sec	6.02s
	MyCommunities icon	0.02s
Then I wait for 6		6.01s
And I verify follo	owing texts are displayed	0.05s
Communities tex at org.testng.asso at com.onepulse. (MyDocSteps.jav	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOn va:717)	Screen
java.lang.Asserti Communities tex at org.testng.asso at com.onepulse. (MyDocSteps.jav at .And I verify f	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOn	Screen 0.00s
java.lang.Asserti Communities tex at org.testng.asse at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOntva:717) following texts are displayed(features/home/mycommunities unities.feature:27) following texts "All Communities" in Screen inities.text}	
java.lang.Asserti Communities tex at org.testng.asse at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOn(va:717) following texts are displayed(features/home/mycommunities) unities.feature:27) following texts "All Communities" in Screen	
java.lang.Asserti Communities tex at org.testng.asso at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community After	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnva:717) following texts are displayed(features/home/mycommunities unities.feature:27) following texts "All Communities" in Screen nities.text} unities.text unities.text	0.00s
java.lang.Asserti Communities tex at org.testng.asse at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community} After Back to Table of Conter	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOne va:717) following texts are displayed(features/home/mycommunities unities.feature:27) following texts "All Communities" in Screen inities.text} inities.text  ints	0.00s
java.lang.Asserti Communities tex at org.testng.asse at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community} After Back to Table of Conter	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOn(va:717) following texts are displayed(features/home/mycommunities unities.feature:27) following texts "All Communities" in Screen mities.text} mities.text e community if already joined	0.00s 0.00s
java.lang.Asserti Communities tex at org.testng.asse at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \${All.Community Back to Table of Conter Scenario: Leave the	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOntva:717) following texts are displayed(features/home/mycommunities unities.feature:27) following texts "All Communities" in Screen mities.text} mities.text e community if already joined	0.00s
java.lang.Asserti Communities tex at org.testng.asse at com.onepulse. (MyDocSteps.jav at .And I verify f /PulseMyCommunity And I verify the \${my.community \$All.Community \$All.Community \$Scenario: Leave the Passed: 0 Before	ionError: The following asserts failed: xt is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOn(va:717) following texts are displayed(features/home/mycommunities unities.feature:27) following texts "All Communities" in Screen mities.text} mities.text e community if already joined	0.00s  0.00s  Duration: .04s

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6644a772-e3ba-4a66-a328-b33e9384e14f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "\${my.communities.text}" in app screen(features/home/mycommunities /PulseMyCommunities.feature:34) After 0.00s**Back to Table of Contents** Scenario: Verify the All Communities Post screen Passed: 1 Failed: 1 Undefined: 7 Duration: 5.07s Before 0.00sThen I wait for 5 sec 5.01s And I clicks on "\${All.Communities.text}" in app screen 0.06sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, iavascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 6644a772-e3ba-4a66-a328-b33e9384e14f \*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All Communities")]} at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
  iava:1741)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
  (CustomerConnectSteps.java:534)
  at .And I clicks on "${All.Communities.text}" in app screen(features/home/mycommunities
  /PulseMyCommunities.feature:43)
                                                                             0.00s
After
Back to Table of Contents
```

ssed: 0	Failed: 1	Undefined: 7	Duration: 8.1
efore			0.00s
And I click th	e Post icon in My com	munities	8.10s
processing the Original error Build info: version: 'I'Driver info: in Capabilities (aut, autoDismits AnewComman deviceManufadeviceScreen javascriptEnanewComman platformNam viewportRect false) Session ID: 66	e command. Original er: socket hang up orsion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11.0 o.appium.java_client.a appActivity: com.prudentialerts: true, automation dTimeout: 10000, noReacturer: Google, devices Density: 440, deviceScrabled: true, locationCodTimeout: 10000, noReacturer: Google, devices dTimeout: 10000, noReacturer: Google, dTimeout:	ndroid.AndroidDriver lential.pulse.MainAc, appPackationName: UiAutomator2, data lal.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: eset: true, platformName: androeModel: Pixel 5, deviceName: 0C reenSize: 1080x2340, deviceUDII ntextEnabled: false, networkContextEnabled: false, networkContextEnabled: 11, statBarHeight: 145, top: 145, width: 1080}, warnings	d to the remote server.  4:04:26.12Z' dows 10', os.arch: 'amd6  age: com.prudential.puls. baseEnabled: false, com.prudential.pulse.ua me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, takesScreenshot: true, s: {}, webStorageEnabled
Pulsemate!')] at jdk.interna at java.base/j (DelegatingC at java.base/j at org.openqa	} dl.reflect.GeneratedCondk.internal.reflect.Dele onstructorAccessorImpava.lang.reflect.Constr d.selenium.remote.http.	nstructorAccessor34.newInstancegatingConstructorAccessorImplol.java:45) ructor.newInstance(Constructor,	e(Unknown Source) l.newInstance java:490)
at org.openqa (W3CHttpRe	sponseCodec.java:122)	.W3CHttpResponseCodec.decod	
	sponseCodec.java:49) a.selenium.remote.Http	CommandExecutor.execute(Htt	pCommandExecutor.jav
(AppiumComat org.openqa	mandExecutor.java:23 .selenium.remote.Rem	oiumCommandExecutor.execute 31) oteWebDriver.execute(RemoteV nericMobileDriver.execute(Defau	VebDriver.java:543)
at io.appium, at org.openqa	java_client.android.An .selenium.remote.Rem	iver.execute(AppiumDriver.java droidDriver.execute(AndroidDr oteWebDriver.findElement(Ren dericMobileDriver.findElement	river.java:1)

```
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
  at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
  (MyCommunitiesScreen.java:311)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons
  (MyCommunitiesSteps.java:106)
  at .And I click the Post icon in My communities(features/home/mycommunities
  /PulseMyCommunities.feature:57)
     Comments TEST:
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify the Share with Friends Functionality in All communities tab
                       Failed: 1
                                             Undefined: 3
Passed: 0
                                                                                Duration: 4.06s
                                                                                0.00s
Before
  And I click the share icon in Post screen
                                                                                4.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
```

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6644a772-e3ba-4a66-a328-b33e9384e14f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508) at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon (MyCommunitiesScreen.java:556) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon (MyCommunitiesSteps.java:173) at .And I click the share icon in Post screen(features/home/mycommunities /PulseMyCommunities.feature:68) After 0.00s**Back to Table of Contents** Scenario: Verify the Post Functionality in All communities Failed: 1 Undefined: 11 Duration: .08s Before 0.00sThen I click skip button in feeds screen 0.08sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java\_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 6644a772-e3ba-4a66-a328-b33e9384e14f \*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]} at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

	ttpCommandExecutor.java
158) at io.appium.java_client.remote.AppiumCommandExecutor.execut	te.
AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(Remote	WebDriver.java:543)
$\textbf{at io.appium.java\_client.} \textbf{DefaultGenericMobileDriver.execute} (\textbf{DefaultGenericMobileDriver.execute}) \\$	nultGenericMobileDriver.
ava:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.jav	
at io.appium.java_client.android.AndroidDriver.execute(AndroidD at org.openqa.selenium.remote.RemoteWebDriver.findElement(Re	
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDrive	er.java:1)
${\bf at~io.appium.java\_client.android.AndroidDriver.findElement} ({\bf AndroidDriver.findElement})$	roidDriver.java:1)
${\bf at\ org.open qa. selenium. remote. Remote Web Driver. find Element By States and the property of the prop$	XPath(RemoteWebDriver.
ava:419)	D VD 4
at io.appium.java_client.DefaultGenericMobileDriver.findElement	ByXPath
DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(App	iumDrivar igyg•1)
at io.appium.java_client.appiumD11ve1.midElementByX1 atm(App at io.appium.java_client.android.AndroidDriver.findElementByXP	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	atii(Martia)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(Re	emoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:58)	
${\bf at~io.appium.java\_client. Appium Driver. find Element (Appium Driver)} \\$	
at io.appium.java_client.android.AndroidDriver.findElement(Andr	noid Duivrou iovo 1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Command)	Commands.java:141)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeComma	Commands.java:141)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.prudential.tap.selenium.ExecuteCommand.executeCommand.executeCommand)	Commands.java:141) nd(ExecuteCommand.java:
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand.executeCommand)  19)  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage)	Commands.java:141) nd(ExecuteCommand.java: nge.java:163)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand[9]) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePagetcom.onepulse.app.screens.TestBasePagetcom.onepulse.app.screens.TestBasePagetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart(TestBasetcom.onepulsetart	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand.executeCommand)  19)  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage)	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Content com.prudential.tap.selenium.ExecuteCommand.executeCommand(Part com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.clickButton(TestBasePage.com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.prudential.tap.selenium.ExecuteCommand.executeCo	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton
at com.prudential.tap.selenium.Commands\$15.executeCommand(Control of the com.prudential.tap.selenium.ExecuteCommand.executeCommand(Control of the com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.teom.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.teom.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click(MyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycommand)	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand[9]) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.tom.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.tom.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click(MyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesScreen.MyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycomm.PulseMyCommunities.feature:75)	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand[9]) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.tcom.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.tcom.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycommand:PulseMyCommunities.feature:75) Then I wait for 2 sec	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand[9]) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePaget com.onepulse.app.screens.TestBasePaget.popupstart(TestBasePaget com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click[MyCommunitiesScreen.java:662] at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSt[MyCommunitiesSteps.java:208] at .Then I click skip button in feeds screen(features/home/mycommandential.tap.selenium.ExecuteCommunitiesSteps.java:208) Then I wait for 2 sec  And I click the Back icon in Stay Active screen	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand[9])  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePaget com.onepulse.app.screens.TestBasePaget.popupstart(TestBasePaget com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunitiesScreen.java:662)  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesStyMyCommunitiesSteps.java:208)  at .Then I click skip button in feeds screen(features/home/mycommandentycommunitiesMyCommunities.feature:75)  Then I wait for 2 sec  And I click the Back icon in Stay Active screen  Then I wait for 3 sec	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand[9]) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.tcom.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.tcom.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click[MyCommunitiesScreen.java:662] at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesScreen.glava:208) at .Then I click skip button in feeds screen(features/home/mycommand.execute) at .Then I click skip button in feeds screen(features/home/mycommand.execute) by Communities.feature:75) by Communities.feature:75 by Communi	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(9)  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunitiesScreen.java:662)  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesScreen.GmyCommunitiesSteps.java:208)  at .Then I click skip button in feeds screen(features/home/mycomm.PulseMyCommunities.feature:75)  Then I wait for 2 sec  And I click the Back icon in Stay Active screen  Then I wait for 3 sec  And I click Edit icon in stay Active icon  And I click the Camera icon in create post screen	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand(9)  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.tcom.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.tcom.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickfMyCommunitiesScreen.java:662)  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSffMyCommunitiesSteps.java:208)  at .Then I click skip button in feeds screen(features/home/mycommingPulseMyCommunities.feature:75)  Then I wait for 2 sec  And I click the Back icon in Stay Active screen  Then I wait for 3 sec  And I click Edit icon in stay Active icon  And I click the Camera icon in create post screen  And I click the Upload Image icon	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cat com.prudential.tap.selenium.ExecuteCommand.executeCommand(9) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage) at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage) at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click[MyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSt[MyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycommand PulseMyCommunities.feature:75) Then I wait for 2 sec And I click the Back icon in Stay Active screen Then I wait for 3 sec And I click Edit icon in stay Active icon And I click the Camera icon in create post screen And I click the Upload Image icon And I give camera permission	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Content com.prudential.tap.selenium.ExecuteCommand.executeCommand(P) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePaget com.onepulse.app.screens.TestBasePage.popupstart(TestBasePaget com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesStMyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycommand PulseMyCommunities.feature:75) Then I wait for 2 sec And I click the Back icon in Stay Active screen Then I wait for 3 sec And I click Edit icon in stay Active icon And I click the Camera icon in create post screen And I click the Upload Image icon And I give camera permission Then I take picture from Camera	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.tcom.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click(MyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesScreen.MyCommunitiesScreen.java:208) at .Then I click skip button in feeds screen(features/home/mycommand(PulseMyCommunities.feature:75) Fhen I wait for 2 sec And I click the Back icon in Stay Active screen Fhen I wait for 3 sec And I click Edit icon in stay Active icon And I click the Camera icon in create post screen And I click the Upload Image icon And I give camera permission Fhen I take picture from Camera And Enter the post in community screen	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Content com.prudential.tap.selenium.ExecuteCommand.executeCommand(P) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePaget com.onepulse.app.screens.TestBasePage.popupstart(TestBasePaget com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickMyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesStMyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycommand PulseMyCommunities.feature:75) Then I wait for 2 sec And I click the Back icon in Stay Active screen Then I wait for 3 sec And I click Edit icon in stay Active icon And I click the Camera icon in create post screen And I click the Upload Image icon And I give camera permission Then I take picture from Camera	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.Commands\$15.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.prudential.tap.selenium.ExecuteCommand.executeCommand(Cont.com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.tcom.onepulse.app.screens.mydocui.MyCommunitiesScreen.Click(MyCommunitiesScreen.java:662) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesScreen.MyCommunitiesScreen.java:208) at .Then I click skip button in feeds screen(features/home/mycommand(PulseMyCommunities.feature:75) Fhen I wait for 2 sec And I click the Back icon in Stay Active screen Fhen I wait for 3 sec And I click Edit icon in stay Active icon And I click the Camera icon in create post screen And I click the Upload Image icon And I give camera permission Fhen I take picture from Camera And Enter the post in community screen	Commands.java:141) nd(ExecuteCommand.java: nge.java:163) ge.java:508) kSkipfeedbutton teps.clickSkipbutton nunities  0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

	icon in create pos	t screen	0.00s		
ter			0.00s		
ck to Table of Contents					
cenario: Verify the Category list and search feature					
sed: 1	Failed: 1	Undefined: 4	Duration: 15.0		
fore			0.00s		
Then I wait for 15 se	ec		15.01s		
And I clicks on "\${ca	ategory.text}" in a	app screen	0.08s		
processing the commoriginal error: socked Build info: version: 'System info: host: 'Tos.version: '10.0', jav Driver info: io.appiu Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlerts: tonewCommandTimeoriceManufacturer deviceScreenDensity javascriptEnabled: tonewCommandTimeoriceScreenDensity javascriptEnabled: tonewCommandTimeoriceScreenDensit	nand. Original erret hang up (3.12.0', revision: 'M003LSIN', ip: 'va.version: '11.0.2 m.java_client.and tivity: com.prudential rue, automationNout: 10000, noRese : Google, deviceNout: 10000, noRese rue, locationContout: 10000, noRese rue, locationContout: 10000, noRese rue, locationContout: 2015, left: 0, to 2-e3ba-4a66-a328 Using=xpath, value et.GeneratedConse rnal.reflect.Delege etorAccessorImpl. g.reflect.Constructum.remote.http.V	'7c6e0b3', time: '2018-0' '7c6e0b3', time: '2018-0' '192.168.1.124', os.name 'droid.AndroidDriver ntial.pulse.MainAc, ap tionName: UiAutomator l.pulse.MainAc, appPa tame: UiAutomator2, de et: true, platformName: flodel: Pixel 5, deviceNate et: true, pixel false, netwet: true, pixelRatio: 2.75 rsion: 11, statBarHeight op: 145, width: 1080}, width: 1080, width: 1080, width: tructorAccessor34.newl atingConstructorAccess .java:45) ctor.newInstance(Const	c: 'Windows 10', os.arch: 'amd62' cpPackage: com.prudential.pulse c2, databaseEnabled: false, ackage: com.prudential.pulse.ua eviceName: Android-Test, android}, deviceApiLevel: 30, me: 0C241FDD40043P, ceUDID: 0C241FDD40043P, corkConnectionEnabled: true, porkConnectionEnabled: true, st. 145, takesScreenshot: true, arnings: {}, webStorageEnabled tView[contains(@text,'' Instance(Unknown Source) sorImpl.newInstance		

	1		D ( 177 I D ) ( 04 F)
		moteWebDriver.findElement(	
	va_cnent.DefaultGe cMobileDriver.java	enericMobileDriver.findEleme	ent
N N	· · · · · · · · · · · · · · · · · · ·		ivon invol1)
		river.findElement(AppiumDr AndroidDriver.findElement(A)	
		moteWebDriver.findElementF	
java:419)	elemum, emote. Kei	mote vy eddi iver imalijementi	by Al athi(Remote WebDilver.
· · · · · · · · · · · · · · · · · · ·	va client DefaultGe	enericMobileDriver.findEleme	entRv <b>X</b> Path
	cMobileDriver.java		
	· · · · · · · · · · · · · · · · · · ·	river.findElementByXPath(A	nniumDriver.iava:1)
			XPath(AndroidDriver.java:1)
		th.findElement(By.java:353)	, · · · · · · · · · · · · · · · · · ·
		moteWebDriver.findElement(	RemoteWebDriver.java:309)
~		enericMobileDriver.findEleme	the contract of the contract o
(DefaultGeneri	cMobileDriver.java	:58)	
		river.findElement(AppiumDr	
		${\bf And roid Driver. find Element (And roid Driver. find Elem$	
_	_	mmands\$15.executeComman	
_	ial.tap.selenium.Exc	ecuteCommand.executeComn	nand(ExecuteCommand.java:
19)			2.0
		SasePage.clickButton(TestBase	
_	e.app.screens.Custo	merConnectScreen.clickButto	n(CustomerConnectScreen.
java:1741)	a ann atan dafinitian	a mahilastana CuatamanCann	ootCtong oli alvImlaadIoon
	e.app.stepdefinitions nectSteps.java:534)	s.mobilesteps.CustomerConno	ectsteps.cnckOpioaatcon
		t}'' in app screen(features/hon	no/mycommunities
	nunities.feature:93)		1e/mycommunities
	e following texts "Ca		0.00s
	l tonowing texts Ca	ategory in Serech	0.005
COVID-19			
Fitness			
Global Awa	reness Days		
Mental Heal	lth		
And I clicks on	"\${no.post.category	y}'' in app screen	0.00s
And I clicks on	"\${apply.button}"	in app screen	0.00s
	llowing texts are dis		0.00s
\${no.post.fo			
After			0.00s
			0.008
Back to Table of Cont			
Scenario: User na	vigates back to the c	community screen	
Passed: 0	Failed: 1	Undefined: 1	Duration: .08s
Before			0.00s
And I click the	Back icon in Stay A	ctive screen	0.08s
org.onenga.sele	enium.WebDriverEx	xception: An unknown server-	side error occurred while
		error: Could not proxy comm	
Original error:			
	bocket mang up		The state of the s
Build info: vers	<b>_</b>	on: '7c6e0b3', time: '2018-05-0	8T14:04:26.12Z'
	sion: '3.12.0', revisio		8T14:04:26.12Z' Windows 10', os.arch: 'amd64',

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6644a772-e3ba-4a66-a328-b33e9384e14f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

```
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
  at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
  (MyCommunitiesScreen.java:464)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
  (MyCommunitiesSteps.java:153)
  at .And I click the Back icon in Stay Active screen(features/home/mycommunities
  /PulseMyCommunities.feature:105)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Leave the community if already joined
Passed: 0
                       Failed: 1
                                             Undefined: 3
                                                                                Duration: .03s
Before
                                                                                0.00s
  And I clicks on "${my.communities.text}" in app screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 6644a772-e3ba-4a66-a328-b33e9384e14f
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
  Communities'')]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openga.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
     java:1741)
     at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
     (CustomerConnectSteps.java:534)
     at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities
     /PulseMyCommunities.feature:109)
  After
                                                                                 0.00s
  Back to Table of Contents
Feature: Verify Private My Communities on One Pulse App
Passed: 2
                   Failed: 2
                                      Undefined: 0
                                                              Duration: 109.47s
  Scenario: Launch the app and select the country as per specified lbu
                         Failed: 0
                                               Undefined: 0
  Passed: 5
                                                                                 Duration: 45.8s
  Before
                                                                                 0.00s
     Given User has pulse app
                                                                                 9.48s
```

	And ugon click on !!			
			VITH EMAIL" with Email button	16.34s
			nired on registration page	12.11s
	Then I wait for 3 sec			3.01s
	And I click the Sign	in link		4.86s
A	fter			0.00s
Ba	ack to Table of Contents			
		e able to logi	n on app with correct credentials using "Co	ntinue with
E	mail"			
Pa	assed: 7	Failed: 0	Undefined: 0	Duration: 49.37s
B	efore			0.00s
	And I assign "\${myc	hannel.privat	te.user}'' to variable "PULSE_EMAIL"	0.00s
	Given I select the lan	guage option	on toggle bar as required on login page	3.55s
	When user enters cro	edentials		10.45s
	UserName \${PUL	SE_EMAIL}		
	Password \${login			
	And User clicks on si			0.28s
	Then I wait for 10 se	<u> </u>		10.01s
	And I enter OTP in o	one pulse app	for user email "\${PULSE_EMAIL}"	10.76s
	Then user should be			14.32s
A	fter			0.00s
	ack to Table of Contents			0.000
_	cenario: Verify the My	z communities	scorpon	
	assed: 3	Failed: 1	Undefined: 1	Duration: 10.21s
	efore	ranca. 1	Ondermed, 1	0.00s
F	And I click the MyC	ommunities i	con	2.74s
	Then I wait for 3 sec		COII	3.02s
	Then I want for 3 sec			
	And I verify following	a toyte are di		0 36c
	And I verify following		spiayed	0.36s
	\${icon.communiti	es}		
	\${icon.communiti And I verify the follo	es} owing texts "A	All Communities'' in Screen	0.36s 4.09s
	\$\{\text{icon.communitie}}\] And I verify the followard for the following state of the foll	es} owing texts "As.text}		
	\${icon.communiti And I verify the follo	es} owing texts "As.text}		

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 7b96c322-c3c8-4ba0-b0f5-efcd79dddb55
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java;204)
  at com.onepulse.app.screens.CustomerConnectScreen.
  isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:187)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
  isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)
  at .And I verify the following texts "All Communities" in Screen(features/home
  /mycommunities/PulseMyCommunities_private.feature:31)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify the Private Communities in communities screen
Passed: 0
                       Failed: 1
                                            Undefined: 11
                                                                               Duration: 4.09s
Before
                                                                               0.00s
  And I click the Private "${All.Communities.text}" in Communities screen
                                                                              4.09s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
```

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7b96c322-c3c8-4ba0-b0f5-efcd79dddb55
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app at com.onepulse.app (MyCommunitiesSc at com.onepulse.app Click_PrivateComm at .And I click the P	np.selenium.Com np.selenium.Exectors.TestBa o.screens.TestBa o.screens.mydoctors. reen.java:994) o.stepdefinitions. nunties(MyComprivate ''\${All.Comprivate ''}}	ndroidDriver.findElement(AndroidDriver.ja nmands\$15.executeCommand(Commands.ja cuteCommand.executeCommand(ExecuteCommand.executeCommand(ExecuteCommand.executeCommand(ExecuteCommand.executeCommand.executeCommand.executeCommand.executeCommand.executeCommand.executeCommand.executeCommunitiesSteps.gava:508) cui.MyCommunitiesScreen.ClickPrivateCommandiesSteps.MyCommunitiesSteps. cumunitiesSteps.java:288) communities.text}'' in Communities screen(featities_private.feature:40)	ava:141) ommand.java: nmunities
		ontent, Challenges etc." in "Test" in home	0.00s
	g. Healthy conte	ent, forum for celebrities etc." in "2020" in	0.00s
And I clicks on "Tal	ke a Picture'' in	ann screen	0.00s
And I click the Uplo		арр зегеен	0.00s
And I give camera p			0.00s
Then I take picture			0.00s
Then I wait for 3 sec			0.00s
And I scroll down			0.00s
And I click the conti	hus button		0.00s
Then I click skip but			0.00s
And I clicks on "OK			0.00s
After	III app serees.		0.00s
			0.005
Back to Table of Contents			
<u>'eature: Verify legal and l</u>			
assed: 2 Failed		Undefined: 0 Duration: 79.9s	
		ne country as per specified lbu	
Passed: 6	Failed: 0	Undefined: 0	Duration: 45.92s
Before			0.00s
Given User has puls	e app		7.97s
Given eser has puis	1 1 .	login.id}" to variable "PULSE_EMAIL"	0.00s
	se.legal.privacy.		
And I assign "\${puls		ITH EMAIL" with Email button	15.50s
And I assign "\${puls And user click on "C	CONTINUE WI		15.50s 12.51s
And I assign "\${puls And user click on "C	CONTINUE WI ountry as requir	ITH EMAIL" with Email button	
And I assign "\${pulson And user click on "Control Then I change the control Then I change the change the control Then I change the c	CONTINUE WI ountry as requir	ITH EMAIL" with Email button	12.51s
And I assign "\${pulse And user click on "Control Then I change the control Then I wait for 5 seconds."	CONTINUE WI ountry as requir	ITH EMAIL" with Email button	12.51s 5.02s
And I assign "\${pulson And user click on "Control Then I change the control Then I wait for 5 second I click the Sign	CONTINUE WI ountry as requir	ITH EMAIL" with Email button	12.51s 5.02s 4.92s
And I assign "\${pulse And user click on "Contact Then I change the contact Then I wait for 5 section And I click the Sign After  Back to Table of Contents	CONTINUE WI ountry as requir c in link	TTH EMAIL" with Email button red on registration page	12.51s 5.02s 4.92s
And I assign "\${pulse And user click on "Contact Then I change the contact Then I wait for 5 section And I click the Sign After  Back to Table of Contents  Scenario: login to the a	CONTINUE WI ountry as requir c in link	ITH EMAIL" with Email button	12.51s 5.02s 4.92s 0.00s
And I assign "\${pulse And user click on "Carte Then I change the contact Then I wait for 5 section And I click the Sign After  Back to Table of Contents  Scenario: login to the a Passed: 5	continue wi ountry as requir c in link pp with correct	TH EMAIL" with Email button red on registration page  credentials using "Continue with Email"	12.51s 5.02s 4.92s 0.00s  Duration: 24.29s
And I assign "\${pulse And user click on "Content I change the content I wait for 5 second I click the Sign After  Back to Table of Contents  Scenario: login to the are Passed: 5  Before	continue wi ountry as requir c in link pp with correct Failed: 1	TTH EMAIL" with Email button red on registration page  credentials using "Continue with Email" Undefined: 0	12.51s 5.02s 4.92s 0.00s Duration: 24.29s 0.00s
And I assign "\${pulse And user click on "Content I change the content I wait for 5 second I click the Sign After  Back to Table of Contents  Scenario: login to the are Passed: 5  Before	continue wi ountry as required in link  pp with correct Failed: 1  nguage option of	TH EMAIL" with Email button red on registration page  credentials using "Continue with Email"	12.51s 5.02s 4.92s 0.00s  Duration: 24.29s

	UserName \${PULS	SE EMAIL}		
	Password \${pulse.			
	d User clicks on sig			0.26s
	nd I wait for 5 sec	<del>,</del>		5.00s
		ne pulse app	for user email "\${PULSE_EMAIL}"	0.05s
	en user should be l			5.09s
_			d [true] but found [false]	
	org.testng.Assert.fa			
	org.testng.Assert.fa org.testng.Assert.as	-		
	org.testing.Assert.as			
			ns.mobilesteps.LoginSteps.landingPageValida	ation
(Lo	oginSteps.java:92)			
		oe landed to	"Home" screen(features/my/MyAccount/Leg	galAndPrivacy.
	ture:21)			0.00
After				0.00s
	o Table of Contents			
	rio: Navigate to ac			
Passed:	<u> </u>	Failed: 0	Undefined: 0	Duration: 2.34s
Before	e			0.00s
Giv	ven user navigate to	o account pag	ge	2.34s
After				0.00s
Back to				
THE REAL PROPERTY.	o Table of Contents			
		acy and Priv	acy should be displayed	
	rio: Verify the Leg	acy and Priv	vacy should be displayed Undefined: 0	Duration: 3.22s
Scena	rio: Verify the Leg	1		Duration: 3.22s 0.00s
Scenar Passed: Before	rio: Verify the Leg : 1 e	Failed: 1	Undefined: 0	
Scenar Passed: Before	rio: Verify the Leg : 1 e d I click the Legac	Failed: 1 y and Privac		0.00s
Passed: Before An	rio: Verify the Leg : 1 e d I click the Legac	Failed: 1  y and Privacy g texts are di	Undefined: 0  y in Account screen	0.00s 3.06s
Scenar Passed: Before An	rio: Verify the Leg : 1 e ad I click the Legac en I verify followin	Failed: 1  y and Privac g texts are di s.text}	Undefined: 0  y in Account screen	0.00s 3.06s
Passed: Before  An The	rio: Verify the Leg : 1 e d I click the Legacy en I verify followin \${Terms.condition	Failed: 1  y and Privac g texts are di s.text}	Undefined: 0  y in Account screen	0.00s 3.06s
Scenar Passed: Before An The	rio: Verify the Leg : 1 e d I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti	y and Privac g texts are di s.text} ce}	Undefined: 0  y in Account screen	0.00s 3.06s
Scenar Passed: Before An The	rio: Verify the Leg : 1 e d I click the Legacy en I verify followin \${Terms.condition \${icon.privacyNoti \${icon.regulatory}	y and Privac g texts are di s.text} ce}	Undefined: 0  y in Account screen	0.00s 3.06s
Passed: Before  An The	rio: Verify the Leg : 1 e  Ind I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti} \${app.version.text}  va.lang.AssertionEr	y and Privace g texts are distertal celements.	y in Account screen isplayed in terms and condition screen lowing asserts failed:	0.00s 3.06s 0.16s
Passed: Before  An The	rio: Verify the Leg : 1  e  d I click the Legacy en I verify followin  \${Terms.condition}  \${icon.privacyNoti}  \${app.version.text}  va.lang.AssertionEr rms & Conditions to	y and Privacy g texts are dis.text} ce}	y in Account screen isplayed in terms and condition screen lowing asserts failed: yed on page expected [true] but found [false]	0.00s 3.06s 0.16s
Passed: Before  An The jav Ter Pri	rio: Verify the Leg : 1 e  d I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti} \${app.version.text} va.lang.AssertionEr rms & Conditions to ivacy Notice text is	y and Privace g texts are distance for the following text is displayed on	y in Account screen isplayed in terms and condition screen lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false],	0.00s 3.06s 0.16s
Passed: Before  An The  jav Ter Pri Reg	rio: Verify the Leg : 1 e  d I click the Legacy en I verify followin \${Terms.condition \${icon.privacyNoti \${app.version.text}  va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is disp	y and Privace g texts are distance to the state of the st	y in Account screen isplayed in terms and condition screen lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false], ge expected [true] but found [false],	0.00s 3.06s 0.16s
Passed: Before  An The jav Ter Pri Res	e d I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti} \${app.version.text} va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is disp op Version text is disp	y and Privace g texts are dissects.  Tror: The following displayed on page splayed on page spl	y in Account screen isplayed in terms and condition screen lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false],	0.00s 3.06s 0.16s
Passed: Before  An The  jav Ter Pri Reg Ap at o	rio: Verify the Leg : 1 e  d I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti} \${app.version.text}  va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is disp org.testng.asserts.S	y and Privace g texts are distance?  Tror: The follower is displayed on page grayed grayed on page grayed grayed on page grayed	Undefined: 0  y in Account screen isplayed in terms and condition screen  lowing asserts failed: yed on page expected [true] but found [false], page expected [true] but found [false], ge expected [true] but found [false], page expected [true] but found [false]	0.00s 3.06s 0.16s
Jav Ten Reg Ap at a (Di	e d I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti} \${app.version.text} va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is dispop Version text is dispop Version text is dispop version.sext.Secom.onepulse.app.seieticianSteps.java:2	y and Privace g texts are disserts. The followers is displayed on page played played played on page played played played on page played	y in Account screen isplayed in terms and condition screen lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false], ge expected [true] but found [false], hage expected [true] but found [false] sertAll(SoftAssert.java:43) hs.mobilesteps.DieticianSteps.VerifyTermsan	0.00s 3.06s 0.16s
jav Ter Res Ap at (  (Di at .	rio: Verify the Leg : 1 e  d I click the Legacy en I verify followin \${Terms.condition \${icon.privacyNoti} \${app.version.text}  va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is displayersion text is displayersion text is displayersion. op Version text is displayersion. op Version text is displayersion. op Version text is displayersion. onepulse.app.s ieticianSteps.java: 2 .Then I verify followersion.	y and Privace g texts are distance?  Tror: The following text is displayed on passisplayed on passisplayed on postasped on passisplayed on pas	Jundefined: 0  y in Account screen isplayed in terms and condition screen  lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false], ge expected [true] but found [false], bage expected [true] but found [false] sertAll(SoftAssert.java:43) as.mobilesteps.DieticianSteps.VerifyTermsan be displayed in terms and condition screen(feat	0.00s 3.06s 0.16s
Jav Ten Ap at co (Di at . /M	e d I click the Legacy en I verify followin \${Terms.condition} \${icon.privacyNoti} \${app.version.text} va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is dispop Version text is dispop Version text is dispop version.sext.Secom.onepulse.app.seieticianSteps.java:2	y and Privace g texts are distance?  Tror: The following text is displayed on passisplayed on passisplayed on postasped on passisplayed on pas	Jundefined: 0  y in Account screen isplayed in terms and condition screen  lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false], ge expected [true] but found [false], bage expected [true] but found [false] sertAll(SoftAssert.java:43) as.mobilesteps.DieticianSteps.VerifyTermsan be displayed in terms and condition screen(feat	0.00s 3.06s 0.16s  dCondition atures/my
Jav  Jav  Ter  Reg Ap at (  at (  )/M  After	rio: Verify the Leg : 1 e  d I click the Legacy en I verify followin \${Terms.condition \${icon.privacyNoti} \${app.version.text}  va.lang.AssertionEr rms & Conditions to ivacy Notice text is gulatory text is displayersion text is displayersion text is displayersion. op Version text is displayersion. op Version text is displayersion. op Version text is displayersion. onepulse.app.s ieticianSteps.java: 2 .Then I verify followersion.	y and Privace g texts are distance?  Tror: The following text is displayed on passisplayed on passisplayed on postasped on passisplayed on pas	Jundefined: 0  y in Account screen isplayed in terms and condition screen  lowing asserts failed: yed on page expected [true] but found [false], a page expected [true] but found [false], ge expected [true] but found [false], bage expected [true] but found [false] sertAll(SoftAssert.java:43) as.mobilesteps.DieticianSteps.VerifyTermsan be displayed in terms and condition screen(feat	0.00s 3.06s 0.16s

	Failed: 1	Undefined: 3	Duration: .03 0.00s
And I click on "\$	(T		10.008
	$oldsymbol{eta}$ 1 erms.conditions.te	ext}" link in Account screen	0.03s
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appAct autoDismissAlert newCommandTindeviceManufacture deviceScreenDent javascriptEnable	mmand. Original errocket hang up on: '3.12.0', revision: : 'TM003LSIN', ip: ' ; java.version: '11.0.2 opium.java_client.and Activity: com.prudential ivity: com.prudential	droid.AndroidDriver ntial.pulse.MainAc, appPackage: tionName: UiAutomator2, database l.pulse.MainAc, appPackage: com Name: UiAutomator2, deviceName: tet: true, platformName: android}, of Model: Pixel 5, deviceName: 0C2411 enSize: 1080x2340, deviceUDID: 0C textEnabled: false, networkConnec	he remote server.  :26.12Z' :10', os.arch: 'amd6'  com.prudential.pul Enabled: false, a.prudential.pulse.u. Android-Test, deviceApiLevel: 30, FDD40043P, C241FDD40043P, tionEnabled: true,
newCommandTi platformName: A viewportRect: {h false} Session ID: b813'	meout: 10000, noRes Android, platformVe eight: 2015, left: 0, to 7308-dc6d-4683-bb2f	set: true, pixelRatio: 2.75, platform: rsion: 11, statBarHeight: 145, takes op: 145, width: 1080}, warnings: {},	LINUX, Screenshot: true, webStorageEnable
at java.base/jdk.i (DelegatingConst at java.base/java at org.openqa.sel	nternal.reflect.Deleg ructorAccessorImpl lang.reflect.Constru enium.remote.http.V	structorAccessor34.newInstance(UngatingConstructorAccessorImpl.new.java:45) ctor.newInstance(Constructor.javaV3CHttpResponseCodec.createExce	vInstance :490)
at org.openqa.sel (W3CHttpResponat org.openqa.sel	nseCodec.java:122) enium.remote.http.V	V3CHttpResponseCodec.decode	
	nseCodec.java:49) enium.remote.HttpC	CommandExecutor.execute(HttpCo	mmandExecutor.ja
(AppiumComma at org.openqa.sel	ndExecutor.java:231 enium.remote.Remo	umCommandExecutor.execute	
at io.appium.java at io.appium.java at org.openqa.sel at io.appium.java	client.android.And enium.remote.Remo	rer.execute(AppiumDriver.java:1) droidDriver.execute(AndroidDriver. teWebDriver.findElement(RemoteV ricMobileDriver.findElement	

```
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
  (PulseManageProfileScreen.java:955)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
  (ManageProfileSteps.java:81)
  at .And I click on "${Terms.conditions.text}" link in Account screen(features/my/MyAccount
  /LegalAndPrivacy.feature:35)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify the Privacy screen should be displayed
Passed: 0
                        Failed: 1
                                              Undefined: 3
                                                                                Duration: 2.05s
                                                                               0.00s
Before
  And I click the Privacy icon in legal screen
                                                                               2.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
```

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b8137308-dc6d-4683-bb2f-7eb68c131c34
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Privacy
Notice')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickPrivacyicon
(CustomerConnectScreen.java:680)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickprivacyIcon
(CustomerConnectSteps.java:185)
at .And I click the Privacy icon in legal screen(features/my/MyAccount/LegalAndPrivacy.
feature:41)
```

	the pulse icon in A					0.00s
	the Back icon in pu					0.00s
	the Back icon in Pr	rivacy Notice				0.00s
ter						0.00s
ck to Table of C	<u>Contents</u>					
enario: <mark>Veri</mark>	fy the Regulator sc	reen should be	displayed			
ssed: 1	Failed: 1		<b>Undefined: 2</b>	,		Duration: 2.0
efore						0.00s
Given I wai	t for 2 sec					2.01s
	the Regulatory icon	n in legal scree	n			0.04s
os.version: Driver info: Capabilities	: host: 'TM003LSI '10.0', java.version: io.appium.java_cl	: '11.0.2' ient.android.A				
desired: {ap autoDismiss newComma deviceScree javascriptE newComma platformNa viewportRe false} Session ID: *** Elemen (@text,'Reg at jdk.inter at java.base (Delegating at java.base at org.open (W3CHttpF at org.open (W3CHttpF at org.open	smissAlerts: true, a ppActivity: com.prusAlerts: true, auton andTimeout: 10000, afacturer: Google, onDensity: 440, devinabled: true, locationdTimeout: 10000, me: Android, platfect: {height: 2015, let b8137308-dc6d-468 t info: {Using=xpat	nutomationNamudential.pulse.InationName: Unit on Name: Uni	ne: UiAutom MainAc, ap JiAutomator p, platformNa Pixel 5, devic 1080x2340, o Jibled: false, r p, pixelRatio: 1, statBarHe p, width: 1080  C131c34  Iroid.widget.  Accessor34.1  OnstructorAct pResponseC  pResponseC	ator2, datopPackage, deviceName: andreeName: 0 deviceUD networkCe 2.75, plateight: 145, warnin TextViewnewInstantecessorImonstructoodec.crea	tabaseEna e: com.pru Name: And roid}, device C241FDD ID: 0C241 onnection Iform: LIN , takesScro gs: {}, web  [contains ace(Unkno pl.newInst r.java:490 teException ode	udential.pulse.ua droid-Test, dceApiLevel: 30, 040043P, IFDD40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance

java:42)					
· ·	iava client Ann	iumDriver.exec	ute(AppiumDri	ver iava·1)	
				iver.java.1) idroidDriver.java	a·1)
					Driver.java:317)
		aultGenericMob		· · · · · · · · · · · · · · · · · · ·	Diivei.java.517)
	ricMobileDrive		meDi ivei .iiiuE	dement	
			Flomont (Annius	mDriver.java:1)	
				nt(AndroidDrive	n iova.1)
					r.java:1) moteWebDriver.
java:419)	.seiemum.remo	ite.Kemote webl	river.imukiem	ientbyAFatn(Ke	mote webbriver.
· ·	iovo oliont Dofo	nultCanariaMah	iloDrivor findE	lomontDyVDoth	
	ricMobileDrive		neDriver.imae	lementByXPath	
			Tlomont Ry V Dot	th(AppiumDrive	r iovo 1)
					oidDriver.java:1)
					oluDriver.java:1
O .	•	ByXPath.findEle			Driver ieve 200)
~ -					Driver.java:309)
A A .	<del></del>	aultGenericMob	neDriver.iinaE	lement	
	ricMobileDrive		71		
			1	mDriver.java:1)	. •
				nt(AndroidDrive	
-	•			mand(Command	
-	ntial.tap.seleniu	m.ExecuteCom	mand.executeC	ommand(Execut	eCommand.java:
<b>19</b> )					
[19]					
	lse.app.screens.	TestBasePage.cl	ickButton(Test	BasePage.java:1	63)
at com.onepu				BasePage.java:1	63)
at com.onepu	lse.app.screens.	CustomerConne			63)
at com.onepu at com.onepu (CustomerCo	lse.app.screens. nnectScreen.jav	CustomerConne va:691)	ectScreen.clickI	Regulatory	
at com.onepulat com.onepul (CustomerCo at com.onepul	lse.app.screens. nnectScreen.jav lse.app.stepdefi	CustomerConne va:691) nitions.mobilest	ectScreen.clickI		
at com.onepulat com.onepul (CustomerCo at com.onepul (CustomerCo	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java	CustomerConners va:691) nitions.mobilest u:194)	ectScreen.clickI	Regulatory  connectSteps.clic	kRegulatory
at com.onepulat com.onepul (CustomerCo at com.onepul (CustomerCo at .And I click	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java	CustomerConners va:691) nitions.mobilest u:194)	ectScreen.clickI	Regulatory  connectSteps.clic	
at com.onepulat com.onepul (CustomerCo at com.onepul (CustomerCo at .And I click feature:48)	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java k the Regulatory	CustomerConne va:691) nitions.mobilest n:194) y icon in legal sc	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clic	kRegulatory egalAndPrivacy.
at com.onepulat com.onepul (CustomerCo at com.onepul (CustomerCo at .And I click feature:48)	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java k the Regulatory	CustomerConners va:691) nitions.mobilest u:194) y icon in legal sc	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat com.onepul (CustomerCo at com.onepul (CustomerCo at .And I click feature:48) And I click th Then I verify	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java the Regulatory e Babylons icon following texts	CustomerConne va:691) nitions.mobilest n:194) y icon in legal sc	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.
at com.onepulat com.onepul (CustomerCo at com.onepul (CustomerCo at .And I click feature:48) And I click th Then I verify	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java k the Regulatory	CustomerConners va:691) nitions.mobilest u:194) y icon in legal sc	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java the Regulatory e Babylons icon following texts	CustomerConners va:691) nitions.mobilest u:194) y icon in legal sc	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat com.onepulat com.onepulat com.onepulat com.onepulat com.onepulat com.onepulat .And I click feature:48)  And I click the Then I verify  \${clinicalS} \${ai.health}	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text	CustomerConners va:691) nitions.mobilest u:194) y icon in legal sc	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text ion.text	Customer Connerva: 691) nitions.mobilesten: 194) y icon in legal scan in Account screare displayed in	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat com.onepulat com.onepulat com.onepulat com.onepulat com.onepulat com.onepulat .And I click feature:48)  And I click the Then I verify  \${clinicalS} \${ai.health} \${privacy.onepulation	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection.	Customer Connerva: 691) nitions.mobilesten: 194) y icon in legal scan in Account screare displayed in	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text ion.text	Customer Connerva: 691) nitions.mobilesten: 194) y icon in legal scan in Account screare displayed in	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text} care.text} ion.text date.protection. reporting.text}	Customer Connerva: 691) nitions.mobilesten: 194) y icon in legal scan in Account screare displayed in	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text} care.text} ion.text date.protection. reporting.text}	Customer Connerva: 691) nitions.mobilesten: 194) y icon in legal scan in Account screare displayed in	ectScreen.clickI eps.CustomerC reen(features/n	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection. reporting.text	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection. reporting.text	Customer Connerva: 691) nitions.mobilesten: 194) y icon in legal scan in Account screare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection. reporting.text	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection. reporting.text	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat com.onepulat com.onepul (Customer Co at com.onepul (Customer Co at .And I click feature: 48) And I click the Then I verify  \${clinicalS} \${ai.health} \${localisati} \${privacy.o} \${concern.onepul (Customer Co at .And I click the I verify My)  **Example Concern.onepul (Customer Co at .And I click the I verify My)  **Wearable of Concern.onepul (Customer Co at .And I click the I verify My)  **Wearable Rewards**	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection. reporting.text	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	Ise.app.screens. nnectScreen.jav Ise.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text date.protection. reporting.text	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java the Regulatory e Babylons icon following texts afety.text} care.text} ion.text} date.protection. reporting.text} ntents accounts option	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java the Regulatory e Babylons icon following texts afety.text} care.text} ion.text} date.protection. reporting.text}  ntents  accounts option	Customer Conner va: 691) nitions.mobileston: 194) y icon in legal scon in Account screare displayed in text}	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java the Regulatory e Babylons icon following texts afety.text} care.text} ion.text} date.protection. reporting.text} ntents accounts option	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory  connectSteps.clicl  ny/MyAccount/L	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text ion.text date.protection. reporting.text accounts option	Customer Conner va: 691) nitions.mobileston: 194) y icon in legal scon in Account screare displayed in text}	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory ConnectSteps.clicl ny/MyAccount/L dition screen  Duration: 121.15s	kRegulatory egalAndPrivacy.  0.00s 0.00s
at com.onepulat co	lse.app.screens. nnectScreen.jav lse.app.stepdefi nnectSteps.java x the Regulatory e Babylons icon following texts afety.text care.text ion.text date.protection. reporting.text accounts option	Customer Connerva: 691) nitions.mobilester: 194) y icon in legal scare displayed in text}  undefined: clect the country	ectScreen.clickI eps.CustomerC reen(features/n een terms and cond	Regulatory ConnectSteps.clicl ny/MyAccount/L dition screen  Duration: 121.15s	kRegulatory egalAndPrivacy.  0.00s 0.00s

Given User has pulse		0.00s
Given eser has paise	арр	8.74s
And I assign "\${onepu	ulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "Co	ONTINUE WITH EMAIL" with Email button	16.53s
Then I change the cou	intry as required on registration page	11.51s
Then I wait for 5 sec		5.00s
And I click the Sign in	ı link	4.88s
After		0.00s
Back to Table of Contents		
Scenario: login to the ap	p with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 44.08
Before		0.00s
Given I select the lang	guage option on toggle bar as required on login page	3.51s
When user enters cree		10.41s
UserName \${PULS	SE EMAIL}	
Password \${pulse.		
And User clicks on sig		0.29s
		5.00s
And I wait for 5 sec		
	ne pulse app for user email "\${PULSE EMAIL}"	10.01s
And I enter OTP in or	ne pulse app for user email "\${PULSE_EMAIL}" anded to "Home" screen	10.01s 14.85s
And I enter OTP in or	ne pulse app for user email ''\${PULSE_EMAIL}'' anded to ''Home'' screen	10.01s 14.85s 0.00s
And I enter OTP in or Then user should be la		14.85s
And I enter OTP in or Then user should be least After	anded to "Home" screen	14.85s
And I enter OTP in on Then user should be lead to Table of Contents Scenario: Navigate to accompany to the state of the st	count screen and verify all the options	14.85s 0.00s
And I enter OTP in or Then user should be least to Table of Contents Scenario: Navigate to accepassed: 2	anded to "Home" screen	14.85s 0.00s Duration: 17.57
And I enter OTP in or Then user should be least to Table of Contents Scenario: Navigate to accessed: 2 Before	count screen and verify all the options Failed: 1 Undefined: 0	14.85s 0.00s Duration: 17.57 0.00s
And I enter OTP in or Then user should be leafter  Back to Table of Contents  Scenario: Navigate to accept assed: 2  Before  Given user navigate to	count screen and verify all the options Failed: 1 Undefined: 0	14.85s 0.00s Duration: 17.57 0.00s 11.07s
And I enter OTP in or Then user should be lead to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sec	count screen and verify all the options Failed: 1 Undefined: 0  o account page	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be leafter  Back to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sec  And user should verification.	count screen and verify all the options Failed: 1 Undefined: 0  o account page  Ty following options on account screen	14.85s 0.00s Duration: 17.57 0.00s 11.07s
And I enter OTP in or Then user should be It After  Back to Table of Contents  Scenario: Navigate to accept assed: 2  Before  Given user navigate to Then I wait for 2 sec  And user should veriff  \${my.wearable.tex}	count screen and verify all the options Failed: 1 Undefined: 0  o account page  cy following options on account screen t}	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be leafter  Back to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sec  And user should veriff  \${my.wearable.tex} \${my.rewards.text}	count screen and verify all the options Failed: 1 Undefined: 0  o account page  Ty following options on account screen  t}	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be It After  Back to Table of Contents  Scenario: Navigate to acceptassed: 2  Before  Given user navigate to Then I wait for 2 sector And user should veriff \$\{\text{my.wearable.tex}\}\{\text{my.rewards.text}\}\{\text{my.notification.t}\}	count screen and verify all the options Failed: 1 Undefined: 0  o account page  by following options on account screen  t}  ext}	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be leafter  Back to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sec  And user should veriff  \${my.wearable.tex} \${my.rewards.text} \${my.notification.t} \${icon.mySettings}	count screen and verify all the options Failed: 1 Undefined: 0  o account page  fy following options on account screen  t}  ext}	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be It After  Back to Table of Contents  Scenario: Navigate to accepta assed: 2  Before  Given user navigate to Then I wait for 2 sector and user should verification. The second assertion of the second assert	count screen and verify all the options Failed: 1 Undefined: 0  o account page  by following options on account screen  t}  ext  t	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be leafter  Back to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sec  And user should veriff  \${my.wearable.tex} \${my.rewards.text} \${my.rewards.text} \${my.notification.t} \${icon.mySettings} \${my.feedback.text} \${icon.legal&Priva}	count screen and verify all the options Failed: 1 Undefined: 0  o account page  cy following options on account screen  t}  ext}  ext}	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be la After  Back to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sector and user should verification. The sector and user should verificate and user s	anded to "Home" screen  count screen and verify all the options  Failed: 1 Undefined: 0  o account page  fy following options on account screen  t}  ext}  ct}  dty	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s
And I enter OTP in or Then user should be leafter  Back to Table of Contents  Scenario: Navigate to accessed: 2  Before  Given user navigate to Then I wait for 2 sec  And user should veriff  \${my.wearable.tex} \${my.rewards.text} \${my.rewards.text} \${my.notification.t} \${icon.mySettings} \${my.feedback.text} \${icon.legal&Priva}	anded to "Home" screen  count screen and verify all the options  Failed: 1 Undefined: 0  o account page  fy following options on account screen  t}  ext}  ct}  dty	14.85s 0.00s Duration: 17.57 0.00s 11.07s 2.00s

			0.00s
ack to Table of Contents			
cenario: Verify weara	ole screen in Accou	ınt tab	
assed: 0	Failed: 1	Undefined: 3	Duration: .03s
efore			0.00s
And I click on "\${m	v.wearable.text}'' li	ink in Account screen	0.03s
Original error: sock Build info: version: System info: host: 'Tos.version: '10.0', jay Driver info: io.appiu Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlertes: to newCommandTimed deviceManufacturer deviceScreenDensity jayascriptEnabled: to newCommandTimed platformName: And viewportRect: {heightalse} Session ID: 34785846	et hang up 3.12.0', revision: '7 'M003LSIN', ip: '19 'a.version: '11.0.2' m.java_client.andr.ivity: com.prudent ets: true, automation y: com.prudential.prue, automation out: 10000, noReset : Google, deviceMo : 440, deviceScreen rue, locationConter out: 10000, noReset rue, locationConter out: 2015, left: 0, top 6-a170-45d6-ad1a-k Jsing=xpath, value=	tial.pulse.MainAc, appPack onName: UiAutomator2, data pulse.MainAc, appPackages ime: UiAutomator2, deviceNa t: true, platformName: andro odel: Pixel 5, deviceName: 0C nSize: 1080x2340, deviceUDII xtEnabled: false, networkCon t: true, pixelRatio: 2.75, platfo io: 145, width: 1080}, warnings b217b1bbe935 =//android.widget.TextView[o	dows 10', os.arch: 'amd64' age: com.prudential.pulsabaseEnabled: false, com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, form: LINUX, takesScreenshot: true, s: {}, webStorageEnabled

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
  (PulseManageProfileScreen.java:955)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
  (ManageProfileSteps.java:81)
  at .And I click on "${my.wearable.text}" link in Account screen(features/my/MyAccount
  /PulseMvAccount.feature:43)
After
                                                                               0.00s
Back to Table of Contents
Scenario: navigate back to account screen from my wearable screen
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                               Duration: .03s
                                                                               0.00s
Before
  And user navigate back to the Home screen from My Wearables screen
                                                                               0.03s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
```

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseManageProfileScreen.backNavigationMyWearablesHome (PulseManageProfileScreen.java:1046) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. backNavigationMyWearablesHome(ManageProfileSteps.java:235) at .And user navigate back to the Home screen from My Wearables screen(features/my /MyAccount/PulseMyAccount.feature:55) After 0.00s**Back to Table of Contents** Scenario: Navigate to account screen Failed: 0 Undefined: 0 **Duration: 4.04s** Passed: 2 Before 0.00s2.03sGiven user navigate to account page Then I wait for 2 sec 2.01s After 0.00s**Back to Table of Contents** Scenario: Verify reward screen in Account tab Passed: 0 Failed: 1 Undefined: 2 **Duration: .16s** Before 0.00sAnd I click on "\${my.rewards.text}" link in Account screen 0.16sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935 \*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My Rewards'')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
(PulseManageProfileScreen.java:955)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
(ManageProfileSteps.java:81)
at .And I click on "${my.rewards.text}" link in Account screen(features/my/MyAccount
/PulseMyAccount.feature:63)
```

\${my.rewards.text			
			0.00s
ck to Table of Contents			00000
enario: User access M	v Rewards FAO		
ssed: 0	Failed: 1	Undefined: 2	Duration: .01s
fore			0.00s
When I scroll down			0.01s
processing the comma Original error: socker Build info: version: '3 System info: host: 'The os.version: '10.0', java Driver info: io.appiur Capabilities {appActivity autoDismissAlert desired: {appActivity autoDismissAlerts: transewCommandTimeor deviceScreenDensity: javascriptEnabled: transewCommandTimeor platformName: AndriviewportRect: {heightfalse} Session ID: 34785846	and. Original error thang up (12.0', revision: '76 (1003LSIN', ip: '19 (10.2') n.java_client.androvity: com.prudentics: true, automation (10000, no (1000), no (1000)	ial.pulse.MainAc, appPaclanName: UiAutomator2, datulse.MainAc, appPackageme: UiAutomator2, deviceNet true, platformName: andredel: Pixel 5, deviceName: 06 Size: 1080x2340, deviceUDI atEnabled: false, networkCoet true, pixelRatio: 2.75, platton: 11, statBarHeight: 145, 145, width: 1080}, warning 2217b1bbe935	id to the remote server.  14:04:26.12Z' idows 10', os.arch: 'amd64  kage: com.prudential.pulse. abaseEnabled: false, e: com.prudential.pulse.ual ame: Android-Test, roid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled

```
java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.jaya:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
  at .When I scroll down(features/my/MyAccount/PulseMyAccount.feature:73)
   Then User verify following texts are displayed in My Rewards screen
                                                                                0.00s
After
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
Passed: 0
                        Failed: 1
                                               Undefined: 3
                                                                                Duration: .03s
Before
                                                                                0.00s
  Then User verify following faqs and answers "${myRewards.faq.1}" are
                                                                                0.03s
  displayed in My Rewards screen
     ${myRewards.faq.1}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"1. What is
  the My Rewards feature of the app?")]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAOTextOnRewardsScreen
  (PulseManageProfileScreen.java:1034)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.1}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
                                                                              0.00s
After
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
Passed: 0
                       Failed: 1
                                             Undefined: 3
                                                                              Duration: .03s
Before
                                                                              0.00s
  Then User verify following fags and answers "${myRewards.fag.2}" are
                                                                              0.03s
  displayed in My Rewards screen
     ${myRewards.faq.2}
```

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"2. How
will I be able to use these points?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1034)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAOOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.2}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
After
                                                                                0.00s
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
                       Failed: 1
Passed: 0
                                              Undefined: 3
                                                                                Duration: .03s
Before
                                                                                0.00s
  Then User verify following fags and answers "${myRewards.fag.3}" are
                                                                               0.03s
  displayed in My Rewards screen
     ${myRewards.faq.3}
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
```

```
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"3. How do
I earn more points?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1034)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following fags and answers "${myRewards.fag.3}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
```

a.ans.4}##\${myla.ans.7}  Rewards.faq.3}  e FAQ on my realed: 1  Ing faqs and ansels screen  ebDriverException of the company o	ewards.faq.3.ans. yRewards.faq.3.ans. yRewards	ns.5}##\${myRods screen  as a sc	Dur 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	os os os while erver. : 'amdo atial.pul lse, pulse.u est, evel: 30,
e FAQ on my realied: 1  Ing faqs and ans is screen  EbDriverException of the control of the cont	tion: An unknown or: Could not projected. Android Drivitial.pulse. Main Acon Name: Ui Automato ulse. Main Ac	vards.faq.5}" a	Dur 0.00  error occurred to the remote so :04:26.12Z' ows 10', os.arch ge: com.pruden aseEnabled: fa com.prudential	while erver. : 'amdo atial.pullse, .pulse.uest, evel: 30
e FAQ on my realied: 1  Ing faqs and ans is screen  EbDriverException of the control of the cont	tion: An unknown or: Could not projected. Android Drivitial.pulse. Main Acon Name: Ui Automato ulse. Main Ac	vards.faq.5}" a	pur 0.03 error occurred to the remote so :04:26.12Z' ows 10', os.arch ge: com.pruden aseEnabled: fa com.prudential.	while erver.  cation: .0  os  so  so  so  so  so  so  so  so  s
ng faqs and ans ls screen  ebDriverExcepti l. Original error ang up 2.0', revision: '70 03LSIN', ip: '19 ersion: '11.0.2' ava_client.andro y: com.prudenti true, automation om.prudential.p	Undefined: aswers ''\${myRew or: An unknown or: Could not pro 7c6e0b3', time: '2' 92.168.1.124', os. roid.AndroidDriv tial.pulse.MainAc onName: UiAutor pulse.MainAc, a ame: UiAutomato	vards.faq.5}" a	pur 0.03 error occurred to the remote so :04:26.12Z' ows 10', os.arch ge: com.pruden aseEnabled: fa com.prudential.	while erver.  cation: .0  os  so  so  so  so  so  so  so  so  s
ng faqs and ans ls screen  ebDriverExcepti l. Original error ang up 2.0', revision: '70 03LSIN', ip: '19 ersion: '11.0.2' ava_client.andro y: com.prudenti true, automation om.prudential.p	Undefined: aswers ''\${myRew or: An unknown or: Could not pro 7c6e0b3', time: '2' 92.168.1.124', os. roid.AndroidDriv tial.pulse.MainAc onName: UiAutor pulse.MainAc, a ame: UiAutomato	vards.faq.5}" a	error occurred to the remote so the remote so the second s	os  while erver.  : 'amdo  ntial.pul lse, .pulse.u est, evel: 30
ng faqs and ans ls screen  ebDriverExcepti l. Original error ang up 2.0', revision: '70 03LSIN', ip: '19 ersion: '11.0.2' ava_client.andro y: com.prudenti true, automation om.prudential.p	Undefined: aswers ''\${myRew or: An unknown or: Could not pro 7c6e0b3', time: '2' 92.168.1.124', os. roid.AndroidDriv tial.pulse.MainAc onName: UiAutor pulse.MainAc, a ame: UiAutomato	vards.faq.5}" a	error occurred to the remote so the remote so the second s	os  while erver.  : 'amdo  ntial.pul lse, .pulse.u est, evel: 30
ng faqs and ans ls screen  ebDriverExcepti l. Original error ang up 2.0', revision: '70 03LSIN', ip: '19 ersion: '11.0.2' ava_client.andro y: com.prudenti true, automation om.prudential.p	swers ''\${myRew tion: An unknown or: Could not pro 7c6e0b3', time: '2' .92.168.1.124', os. roid.AndroidDriv tial.pulse.MainAc onName: UiAuton pulse.MainAc, a ame: UiAutomato	vards.faq.5}" a	error occurred to the remote so the remote so the second s	os  while erver.  : 'amdo  ntial.pui lse, .pulse.u est, evel: 30
ebDriverException.  I. Original error  ang up  2.0', revision: '70  03LSIN', ip: '19  ersion: '11.0.2'  ava_client.andro  y: com.prudention  om.prudential.p  automationNar	otion: An unknown or: Could not property of the could not property of the could not property of the could not pulse. Main Acount of the could not not pulse. Main Acount not not not not not not not not not n	on server-side eoxy command to 2018-05-08T14: name: 'Windo ver c, appPackag mator2, databaappPackage: c	error occurred to the remote so :04:26.12Z' ows 10', os.arch ge: com.pruden aseEnabled: facom.prudential	while erver. : 'amdo stial.pui lse, .pulse.u
I. Original error ang up 2.0', revision: '70 03LSIN', ip: '19 ersion: '11.0.2' ava_client.andro y: com.prudention true, automation automationNar	or: Could not pro 7c6e0b3', time: '2' .92.168.1.124', os. roid.AndroidDriv tial.pulse.MainAc onName: UiAutor pulse.MainAc, a ame: UiAutomato	exy command to the co	to the remote so :04:26.12Z' ows 10', os.arch ge: com.pruden aseEnabled: fa com.prudential	erver.  : 'amdo  ntial.pu lse, pulse.u est, evel: 30
I. Original error ang up 2.0', revision: '70 03LSIN', ip: '19 ersion: '11.0.2' ava_client.andro y: com.prudention true, automation automationNar	or: Could not pro 7c6e0b3', time: '2' .92.168.1.124', os. roid.AndroidDriv tial.pulse.MainAc onName: UiAutor pulse.MainAc, a ame: UiAutomato	exy command to the co	to the remote so :04:26.12Z' ows 10', os.arch ge: com.pruden aseEnabled: fa com.prudential	erver.  : 'amdo  ntial.pul lse, .pulse.u est, evel: 30
oogle, deviceMoo 0, deviceScreen 10cationContex 10000, noReset: 1, platformVersi 2015, left: 0, top:	odel: Pixel 5, devinSize: 1080x2340, extEnabled: false, t: true, pixelRationsion: 11, statBarHp: 145, width: 108	Name: android iceName: 0C24, deviceUDID: , networkConn o: 2.75, platfor Height: 145, tal	41FDD40043P, 0C241FDD400 nectionEnabled rm: LINUX, kesScreenshot:	043P, : true, true,
ave earned?")]} eneratedConstrut.reflect.Delegati AccessorImpl.ja flect.Constructoremote.http.W3 ec.java:187)	=//android.widge(  } ructorAccessor34 ttingConstructorA ava:45) tor.newInstance(0 3CHttpResponse	I.newInstance( AccessorImpl.r Constructor.ja Codec.createE Codec.decode	(Unknown SounewInstance nva:490)	
al re  d	al.reflect.Delega rAccessorImpl.j eflect.Construc .remote.http.W dec.java:187)	al.reflect.DelegatingConstructorAccessorImpl.java:45) reflect.Constructor.newInstance( .remote.http.W3CHttpResponse dec.java:187) .remote.http.W3CHttpResponse dec.java:122)	al.reflect.DelegatingConstructorAccessorImpl.r AccessorImpl.java:45) reflect.Constructor.newInstance(Constructor.ja .remote.http.W3CHttpResponseCodec.createE dec.java:187) .remote.http.W3CHttpResponseCodec.decode dec.java:122) .remote.http.W3CHttpResponseCodec.decode	reflect.Constructor.newInstance(Constructor.java:490) .remote.http.W3CHttpResponseCodec.createException dec.java:187) .remote.http.W3CHttpResponseCodec.decode dec.java:122)

		nCommandExecutor.execute	
	ndExecutor.java:231)		
		WebDriver.execute(RemoteWebDriver.execute(DefaultCore)	
java:42)	_chent.DefaultGenerio	cMobileDriver.execute(DefaultGener	riciviobileDriver.
	client.AppiumDriver	.execute(AppiumDriver.java:1)	
		oidDriver.execute(AndroidDriver.jav	va:1)
		WebDriver.findElement(RemoteWe	
at io.appium.java	_client.DefaultGenerio	cMobileDriver.findElement	
	MobileDriver.java:62)		
		:.findElement(AppiumDriver.java:1)	
		oidDriver.findElement(AndroidDrive	
~ <u>-</u> <u>-</u>	enium.remote.Remote	WebDriver.findElementByXPath(Re	emoteWebDriver.
java:419)	aliant DafaultCanaria	cMobileDriver.findElementByXPath	
	_chent.DefaultGehern IobileDriver.java:152)	· · · · · · · · · · · · · · · · · · ·	L
		, c.findElementByXPath(AppiumDrive	er.iava:1)
		oidDriver.findElementByXPath(And	,
A A .	—	ndElement(By.java:353)	<b>y</b> /
		WebDriver.findElement(RemoteWell	bDriver.java:309)
* *		cMobileDriver.findElement	
	MobileDriver.java:58)		
		:.findElement(AppiumDriver.java:1)	
		oidDriver.findElement(AndroidDrivends\$20.executeCommand(Command	
an componucienns	iaiaidaseieiiiiiiiia.Comma	masszu.execinet.ommanatt.ommana	
at com.prudentia		eCommand.executeCommand(Execu	
at com.prudentia 19)	l.tap.selenium.Execute	eCommand.executeCommand(Execu	teCommand.java:
at com.prudentia 19) at com.onepulse.a	l.tap.selenium.Execute app.screens.TestBasePa		teCommand.java:
at com.prudentia 19) at com.onepulse.a at com.onepulse.a	l.tap.selenium.Execute app.screens.TestBasePa	eCommand.executeCommand(Executage.getText(TestBasePage.java:187)	teCommand.java:
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a	l.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps.	teCommand.java:
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRe	l.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225)	teCommand.java: RewardsScreen
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are	teCommand.java: RewardsScreen
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRe at .Then User ver Rewards screen(f	l.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are at/PulseMyAccount.feature:79)	teCommand.java: RewardsScreen displayed in My
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccoun	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are nt/PulseMyAccount.feature:79) }'' in My Rewards screen	teCommand.java: RewardsScreen displayed in My  0.00s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRe at .Then User ver Rewards screen(for the Company of	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManagePa ify following faqs and deatures/my/MyAccount "\${myRewards.faq.5} following faqs and ans	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are nt/PulseMyAccount.feature:79) }'' in My Rewards screen swers ''\${myRewards.faq.5.ans.	teCommand.java: RewardsScreen displayed in My
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManagePa ify following faqs and ceatures/my/MyAccounties/myRewards.faq.53 following faqs and ans played in My Rewards	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are at/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans.	teCommand.java: RewardsScreen  displayed in My  0.00s  0.00s
at com.prudentia 19) at com.onepulse.: at com.onepulse.: (PulseManagePro at com.onepulse.: verifyFAQOnRe at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManagePa ify following faqs and ceatures/my/MyAccounties/myRewards.faq.53 following faqs and ans played in My Rewards	eCommand.executeCommand(Executage.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are nt/PulseMyAccount.feature:79) }'' in My Rewards screen swers ''\${myRewards.faq.5.ans.	teCommand.java: RewardsScreen  displayed in My  0.00s  0.00s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis \${myRewards} ##\${myRewards}	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccoun "\${myRewards.faq.5} following faqs and ans played in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are at/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans.	teCommand.java: RewardsScreen  displayed in My  0.00s  0.00s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis \${myRewards} ##\${myRewards}	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccoun "\${myRewards.faq.5} following faqs and ans played in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are at/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.faq.5.	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s  aq.5.ans.3}
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRe at .Then User ver Rewards screen(for the User verify subtext)" are dis \${myRewards} ##\${myRewards} And I expand factors	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccour "\${myRewards.faq.5} following faqs and ans olayed in My Rewards ds.faq.5.ans.1}##\${myRe ds.faq.5.ans.4} "\${myRewards.faq.5} "\${myRewards.faq.5}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are at/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.faq.5.	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 2aq.5.ans.3}
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis ##\${myRewards ##\${myRewards And I expand fact And I expand fact Back to Table of Contents	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccour "\${myRewards.faq.5} following faqs and ans olayed in My Rewards ds.faq.5.ans.1}##\${myRe ds.faq.5.ans.4} "\${myRewards.faq.5} "\${myRewards.faq.5}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are nt/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.faq.5.	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 2aq.5.ans.3}
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis ##\${myRewards ##\${myRewards And I expand fact And I expand fact Back to Table of Contents	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccoun "\${myRewards.faq.5} following faqs and ans played in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4} "\${myRewards.faq.5} "\${myRewards.faq.5}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are nt/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.faq.5.	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 2aq.5.ans.3}
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User verifyFAQOnRev at .Then User verify subtext}" are dis \${myRewards} ##\${myRewards} ##\${myRewards} And I expand face After Back to Table of Content Scenario Outline: V	I.tap.selenium.Execute app.screens.TestBasePa app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and eatures/my/MyAccour "\${myRewards.faq.5} following faqs and ans olayed in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4} ""\${myRewards.faq.5} ""\${myRewards.faq.5} ""\${myRewards.faq.5} ""\${myRewards.faq.5}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are nt/PulseMyAccount.feature:79) }'' in My Rewards screen swers ''\${myRewards.faq.5.ans.} screen ewards.faq.5.ans.2}##\${myRewards.fa }'' in My Rewards screen	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 0.00s 0.00s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand face Then User verify subtext}" are dis \${myRewards} ##\${myRewards} And I expand face After Back to Table of Content Scenario Outline: V Passed: 0 Before	I.tap.selenium.Execute  app.screens.TestBasePa  app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and ceatures/my/MyAccour "\${myRewards.faq.5} following faqs and ans played in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4} "\${myRewards.faq.5} "\$fmyRewards.faq.5} "\$fmyRewards.faq.5]  ts erify the FAQ on my re Failed: 1	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers ''\${myRewards.faq.5}'' are nt/PulseMyAccount.feature:79) }'' in My Rewards screen swers ''\${myRewards.faq.5.ans.} screen ewards.faq.5.ans.2}##\${myRewards.fa }'' in My Rewards screen	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 0.00s  0.00s  0.00s  0.00s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand face Then User verify subtext}" are dis \${myRewards} ##\${myRewards} And I expand face After Back to Table of Content Scenario Outline: V Passed: 0 Before	I.tap.selenium.Execute  app.screens.TestBasePa  app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP  ify following faqs and eatures/my/MyAccour  "\${myRewards.faq.5} following faqs and ans olayed in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4}  "\${myRewards.faq.5}  "\${myRewards.faq.5}  "\$failed: 1  following faqs and ans olayed in My Rewards faq.5.ans.4}	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are nt/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.fa }" in My Rewards screen  wards.faq.5.ans.2}##\${myRewards.fa }" in My Rewards screen	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 0.00s 0.00s 0.00s  Duration: .03s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User ver Rewards screen(f And I expand fact Then User verify subtext}" are dis \${myRewards} ##\${myRewards} And I expand fact ##\${myRewards} ##\${myRewards} And I expand fact Scenario Outline: V Passed: 0 Before Then User verify	I.tap.selenium.Execute  app.screens.TestBasePa  app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and ceatures/my/MyAccour "\${myRewards.faq.5} following faqs and ans played in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4} "\${myRewards.faq.5} "\$fmyRewards.faq.5} "\$fmyRewards.faq.5]  ts erify the FAQ on my re Failed: 1  following faqs and ans Rewards screen	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are nt/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.fa }" in My Rewards screen  wards.faq.5.ans.2}##\${myRewards.fa }" in My Rewards screen	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 0.00s  0.00s  0.00s  0.00s
at com.prudentia 19) at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a verifyFAQOnRev at .Then User verifyFAQOnRev at .Then User verify subtext}" are dis \${myRewards} ##\${myRewards} ##\${myRewards} And I expand face After Back to Table of Content Scenario Outline: V Passed: 0 Before Then User verify displayed in My I	I.tap.selenium.Execute  app.screens.TestBasePa  app.screens.PulseMana ofileScreen.java:1034) app.stepdefinitions.mol wardsScreen(ManageP ify following faqs and ceatures/my/MyAccour "\${myRewards.faq.5} following faqs and ans played in My Rewards faq.5.ans.1}##\${myRe ds.faq.5.ans.4} "\${myRewards.faq.5} "\$fmyRewards.faq.5} "\$fmyRewards.faq.5]  ts erify the FAQ on my re Failed: 1  following faqs and ans Rewards screen	age.getText(TestBasePage.java:187) ageProfileScreen.verifyFAQTextOnl bilesteps.ManageProfileSteps. ProfileSteps.java:225) answers "\${myRewards.faq.5}" are nt/PulseMyAccount.feature:79) }" in My Rewards screen swers "\${myRewards.faq.5.ans. screen ewards.faq.5.ans.2}##\${myRewards.fa }" in My Rewards screen  wards.faq.5.ans.2}##\${myRewards.fa }" in My Rewards screen	teCommand.java: RewardsScreen  displayed in My  0.00s 0.00s 0.00s  0.00s  0.00s  0.00s

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command, Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"6. How
long will it take for points to be posted to my account?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

```
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1034)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.faq.6}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
After
                                                                                0.00s
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
                       Failed: 1
                                              Undefined: 3
Passed: 0
                                                                                Duration: .03s
Before
                                                                                0.00s
  Then User verify following fags and answers "${myRewards.fag.7}" are
                                                                               0.03s
  displayed in My Rewards screen
     ${myRewards.faq.7}
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
```

```
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"7. Will my
points expire?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1034)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following fags and answers "${myRewards.fag.7}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
```

ny rewards l answers '	ds screen Undefined	1: 3		0.00s 0.00s Duration: .03 0.00s
ny rewards	ds screen Undefined	1: 3		0.00s  Duration: .03
l answers '	Undefined		.8}'' are	Duration: .03
l answers '	Undefined		.8}'' are	
l answers '	Undefined		.8}'' are	
			.8}'' are	
	"\${myRev	wards.faq	.8}'' are	0.00s
	"\${myRev	wards.faq.	.8}'' are	
				0.03s
				111111
ationName ial.pulse.Mame: Ui eset: true, eModel: Pi ontextEnableset: true, Version: 11 top: 145, value=//andrts?'')]}	me: UiAuto MainAc, JiAutomate, platform Pixel 5, dev 1080x2340 abled: false e, pixelRati 11, statBari 1, width: 10 1bbe935 droid.widge Accessor3 onstructor 5)	omator2, designation of the contract of the co	databaseEna age: com.pru eName: And droid}, devid : 0C241FDD DID: 0C241 :Connection latform: LIN 45, takesScro ings: {}, web	udential.pulse.ua droid-Test, iceApiLevel: 30, 040043P, IFDD40043P, Enabled: true, NUX, eenshot: true, bStorageEnabled (@text,''8. Does in own Source) stance
. <b>\</b> )			W3CHttpResponseCodec.de	W3CHttpResponseCodec.decode

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1034)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.8}" are displayed in My
  Rewards screen(features/mv/MvAccount/PulseMvAccount.feature:79)
After
                                                                               0.00s
Back to Table of Contents
Scenario Outline: Verify the FAQ on my rewards screen
                       Failed: 1
Passed: 0
                                                                               Duration: .04s
                                              Undefined: 3
                                                                               0.00s
Before
  Then User verify following faqs and answers "${myRewards.faq.9}" are
                                                                               0.04s
  displayed in My Rewards screen
     ${myRewards.faq.9}
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
```

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"9. Can I
transfer points to a friend?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:187)
  at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
  (PulseManageProfileScreen.java:1034)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
  at .Then User verify following fags and answers "${myRewards.fag.9}" are displayed in My
  Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)
After
                                                                                0.00s
Back to Table of Contents
Scenario: navigate back to account screen from my rewards screen
                        Failed: 1
Passed: 0
                                               Undefined: 1
                                                                                Duration: .05s
                                                                                0.00s
Before
  Then I click on back button on my reward screen to navigate to account screen
                                                                               0.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnMyRewardsBkBtn
  (PulseManageProfileScreen.java:972)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  clickBackButtonInRewardScreen(ManageProfileSteps.java:122)
  at .Then I click on back button on my reward screen to navigate to account screen(features/my
  /MvAccount/PulseMvAccount.feature:98)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify Notification screen in Account tab
Passed: 0
                        Failed: 1
                                                                               Duration: .04s
                                              Undefined: 1
Before
                                                                               0.00s
  And I click on "${my.notification.text}" link in Account screen
                                                                               0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
```

```
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Notifications")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
(PulseManageProfileScreen.java:955)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
(ManageProfileSteps.java:81)
at .And I click on "${my.notification.text}" link in Account screen(features/my/MyAccount
/PulseMyAccount.feature:102)
```

\${notification			0.00a
	,		0.00s
ack to Table of Conte		0 NT (****	
		een from Notification screen	
assed: 0	Failed: 1	Undefined: 1	Duration: .03s
efore			0.00s
Then I click on	back button on notif	ication screen to navigate to accou	ant screen 0.03s
processing the cooriginal error: Build info: versionsystem info: hose os.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismiss desired: {appAcautoDismissAlenewCommandT deviceManufact deviceScreenDejavascriptEnablenewCommandT platformName:	ommand. Original ensocket hang up on: '3.12.0', revision at: 'TM003LSIN', ip: ', java.version: '11.0 ppium.java_client.atpActivity: com.prudenticts: true, automativity: com.prudenticts: true, automation imeout: 10000, noReurer: Google, device cat: true, locationColimeout: 10000, noReureout: 10000,	ception: An unknown server-side of crror: Could not proxy command of cross could not could	to the remote server.  :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.uat ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, te OC241FDD40043P, nectionEnabled: true, cm: LINUX, kesScreenshot: true,
*** Element inf at jdk.internal.r at java.base/jdk (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespe	eflect.GeneratedCondinternal.reflect.DelestructorAccessorImpa.lang.reflect.Construction.remote.http.ionseCodec.java:187)	lue=(//android.widget.ImageView) nstructorAccessor34.newInstance( egatingConstructorAccessorImpl.) pl.java:45) ructor.newInstance(Constructor.ja .W3CHttpResponseCodec.createE	(Unknown Source) newInstance ava:490) Exception
(W3CHttpRespondarse at org.openqa.se (W3CHttpRespo	onseCodec.java:122) elenium.remote.http. onseCodec.java:49)	* ***	
at io.appium.jav (AppiumComm at org.openqa.se at io.appium.jav java:42) at io.appium.jav	andExecutor.java:23 elenium.remote.Remora_client.DefaultGen ra_client.AppiumDri	piumCommandExecutor.execute 31) toteWebDriver.execute(RemoteWebericMobileDriver.execute(Default iver.execute(AppiumDriver.java:1 idroidDriver.execute(AndroidDriver.	tGenericMobileDriver.  1)

```
(DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnNotificationBkBtn
  (PulseManageProfileScreen.java:980)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  clickBackButtonInNotificationScreen(ManageProfileSteps.java:127)
  at .Then I click on back button on notification screen to navigate to account screen(features/my
  /MyAccount/PulseMyAccount.feature:107)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify my feedback screen in Account tab
                        Failed: 1
Passed: 0
                                               Undefined: 3
                                                                                Duration: .03s
Before
                                                                               0.00s
  And I click on "${my.feedback.text}" link in Account screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
```

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Feedback")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
(PulseManageProfileScreen.java:955)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
(ManageProfileSteps.java:81)
at .And I click on "${my.feedback.text}" link in Account screen(features/my/MyAccount
/PulseMyAccount.feature:111)
```

			0.00s
\${feedback	static.text}		
\${feedback	improvement)		
Then User ver			0.00s
screen			0.005
\${aime.text	}		
\${health.ar	ticle.text}		
\${bmi.text.i	uppercase}		
\${wrinkle.t	ext}		
\${health.ass	sessment.text}		
\${babylon.s	symptom.checker}		
Then I verify f	following edit box samp	le text is displayed in account screen	0.00s
\${share.tho	ught.text}		<u> </u>
ter			0.00s
ck to Table of Con	itente		0:005
		y in My feedback screen	
ssed: 0	Failed: 1	Undefined: 3	Duration: .03
efore	rancu. 1	Ondenned. 3	0.00s
Given I select		MAAM	
org.openqa.sel	command. Original err	reen eption: An unknown server-side error oc ror: Could not proxy command to the re	
org.openqa.sel processing the Original error	enium.WebDriverExce command. Original er : socket hang up	eption: An unknown server-side error oc ror: Could not proxy command to the re	curred while emote server.
org.openqa.sel processing the Original error Build info: ver	enium.WebDriverExce command. Original er socket hang up sion: '3.12.0', revision:	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1	curred while emote server.
org.openqa.sel processing the Original error Build info: ver System info: h	enium.WebDriverExce command. Original er : socket hang up rsion: '3.12.0', revision: ost: 'TM003LSIN', ip: '	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10',	curred while emote server.
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10	enium.WebDriverExce command. Original er : socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: ' .0', java.version: '11.0.2	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2'	curred while emote server.
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io	enium.WebDriverExce command. Original er : socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: ' .0', java.version: '11.0.2 .appium.java_client.an	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver	curred while emote server. 2Z' os.arch: 'amd6
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a	enium.WebDriverExce command. Original er : socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: ' .0', java.version: '11.0.2 .appium.java_client.and	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com	curred while emote server. .2Z' os.arch: 'amd6
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismi	enium.WebDriverExce command. Original er : socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: ' .0', java.version: '11.0.2 .appium.java_client.and appActivity: com.prude issAlerts: true, automat	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appA	enium.WebDriverExce command. Original er : socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: ' .0', java.version: '11.0.2 .appium.java_client.and appActivity: com.prude issAlerts: true, automatactivity: com.prudentia	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com- tionName: UiAutomator2, databaseEnal	curred while mote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand	enium.WebDriverExce command. Original errors is socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2.appium.java_client.and ppActivity: com.prude issAlerts: true, automatactivity: com.prudentialerts: true, automation Timeout: 10000, no Res	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com- tionName: UiAutomator2, databaseEnal l.pulse.MainAc, appPackage: com.pru Name: UiAutomator2, deviceName: And set: true, platformName: android}, device	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u roid-Test,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appA autoDismissAl newCommand deviceManufa	enium.WebDriverExce command. Original errors is socket hang up resion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0.0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automate erts: true, automate erts: true, automate erts: true, automate erts: true, automation Timeout: 10000, no Resecturer: Google, device Note to the comment of the comment	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com. tionName: UiAutomator2, databaseEnal l.pulse.MainAc, appPackage: com.pru Name: UiAutomator2, deviceName: And set: true, platformName: android}, device Model: Pixel 5, deviceName: 0C241FDD4	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufa deviceScreenD	enium.WebDriverExce command. Original errors is socket hang up esion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automate erts: true, automate erts: true, automation l'Timeout: 10000, no Resecturer: Google, device lensity: 440, deviceScreen	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com- tionName: UiAutomator2, databaseEnal l.pulse.MainAc, appPackage: com.pru Name: UiAutomator2, deviceName: And set: true, platformName: android}, device Model: Pixel 5, deviceName: 0C241FDD4 tenSize: 1080x2340, deviceUDID: 0C2411	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 10043P, FDD40043P,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufadeviceScreenDjavascriptEnai	enium.WebDriverExce command. Original errors is socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2.appium.java_client.and appActivity: com.prude issAlerts: true, automation true; true, automation true; true, automation true; Google, device censity: 440, deviceScreebled: true, locationContentionCo	eption: An unknown server-side error octror: Could not proxy command to the restriction. Could not proxy continuous. Command not proxy command not pro	curred while emote server.  2Z' os.arch: 'amdo prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAl newCommand deviceManufadeviceScreenDjavascriptEnal newCommand	enium.WebDriverExce command. Original errors socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automate erts: true, automate erts: true, automate erts: true, automation appActivity: com.prudential erts: true, automation apparties: true	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com. tionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pru Name: UiAutomator2, deviceName: And set: true, platformName: android}, device Model: Pixel 5, deviceName: 0C241FDD4 eenSize: 1080x2340, deviceUDID: 0C2411 textEnabled: false, networkConnectionEset: true, pixelRatio: 2.75, platform: LIN	curred while emote server.  2Z' os.arch: 'amde bled: false, dential.pulse.uroid-Test, eApiLevel: 30, 40043P, FDD40043P, Enabled: true, IUX,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufadeviceScreenDjavascriptEnalnewCommand platformName	enium.WebDriverExce command. Original errors socket hang up resion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.pruderissAlerts: true, automation arts: true, device automation arts: true, location arts: Loudon, no arts: Android, platform Version:	eption: An unknown server-side error octror: Could not proxy command to the restriction. Could not proxy command: Windows 10', 2' droid. Android Driver ential. Pulse. Main Ac, app Package: competion Name: Ui Automator 2, database Enable 1. Pulse. Main Ac, app Package: com. pru Name: Ui Automator 2, device Name: And Set: true, platform Name: android 3, device Model: Pixel 5, device Name: 0C241FDD 4 den Size: 1080x2340, device UDID: 0C2411 dext Enabled: false, network Connection Exet: true, pixel Ratio: 2.75, platform: LIN ersion: 11, stat Bar Height: 145, takes Scre	curred while emote server.  2Z' os.arch: 'amdo prudential.pulse.uroid-Test, eApiLevel: 30, 10043P, EDD40043P, Enabled: true, UX, enshot: true,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceScreenDjavascriptEnalnewCommand platformName viewportRect:	enium.WebDriverExce command. Original errors socket hang up resion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.pruderissAlerts: true, automation arts: true, device automation arts: true, location arts: Loudon, no arts: Android, platform Version:	eption: An unknown server-side error oc ror: Could not proxy command to the re '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com. tionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pru Name: UiAutomator2, deviceName: And set: true, platformName: android}, device Model: Pixel 5, deviceName: 0C241FDD4 eenSize: 1080x2340, deviceUDID: 0C2411 textEnabled: false, networkConnectionEset: true, pixelRatio: 2.75, platform: LIN	curred while emote server.  2Z' os.arch: 'amdo prudential.pulse.uroid-Test, eApiLevel: 30, 10043P, EDD40043P, Enabled: true, UX, enshot: true,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufadeviceScreenDjavascriptEnalnewCommand platformNameviewportRect: false}	enium.WebDriverExce command. Original errors socket hang up resion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automate erts: true, automate erts: true, automate erts: true, automate erts: true, automation appActivity: com.prudential erts: true, automation apparties true, location complements; 440, deviceScreebled: true, location Complements; 10000, no Rese: Android, platform Ve {height: 2015, left: 0, to command the communication of the com	eption: An unknown server-side error octror: Could not proxy command to the restriction. Could not prove the could	curred while emote server.  2Z' os.arch: 'amdo prudential.pulse.uroid-Test, eApiLevel: 30, 10043P, EDD40043P, Enabled: true, UX, enshot: true,
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appA autoDismissAl newCommand deviceManufa deviceScreenDjavascriptEnal newCommand platformName viewportRect: false} Session ID: 34	enium.WebDriverExce command. Original errors socket hang up rision: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.pruderissAlerts: true, automation activity: com.prudential rets: true, automation activity: Google, device of the control of the	eption: An unknown server-side error octror: Could not proxy command to the restriction. Could not consider the could not consider the could not could not consider the could not co	curred while emote server.  2Z' os.arch: 'amdo prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 10043P, FDD40043P, Enabled: true, UX, enshot: true, StorageEnable
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceScreenDjavascriptEnanewCommand platformName viewportRect: false} Session ID: 34 *** Element in	enium.WebDriverExce command. Original errors socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2.appium.java_client.and appActivity: com.prude issAlerts: true, automatactivity: com.prudential erts: true, automation arts: true, location Contaction arts: 440, deviceScreen arts: 440, deviceScreen arts: 440, deviceScreen arts: 440, platformVersian arts: 440, left: 0, to 785846-a170-45d6-ad1anfo: {Using=xpath, value	eption: An unknown server-side error octror: Could not proxy command to the restriction. Could not consider the restriction. Could not conside	curred while emote server.  2Z' os.arch: 'amd6 prudential.pulled: false, dential.pulse.u roid-Test, eApiLevel: 30, 10043P, FDD40043P, Chabled: true, IUX, enshot: true, StorageEnable
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufadeviceScreenDjavascriptEnalnewCommand platformNameviewportRect: false} Session ID: 34 *** Element in at jdk.internal	enium.WebDriverExce command. Original errors socket hang up rision: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automata erts: true, automata erts: true, automation artimeout: 10000, noRest cturer: Google, device bled: true, locationConfering true, locat	eption: An unknown server-side error octror: Could not proxy command to the restriction. Could not prove the c	curred while emote server.  2Z' os.arch: 'amdo prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 40043P, FDD40043P, Enabled: true, UX, enshot: true, StorageEnable  @text,"5")]} wn Source)
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufa deviceScreenDjavascriptEnalnewCommand platformName viewportRect: false} Session ID: 34 *** Element in at jdk.internal at java.base/jd	enium.WebDriverExce command. Original errescore socket hang up rision: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2.appium.java_client.and appActivity: com.pruderissAlerts: true, automation activity: com.prudential rets: true, automation activity: com.prudential rets: true, automation activity: Google, device acturer: Google, device acturer	eption: An unknown server-side error octror: Could not proxy command to the restror: Could not proxy command: Could not could	curred while emote server.  2Z' os.arch: 'amdo prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 40043P, FDD40043P, Enabled: true, UX, enshot: true, StorageEnable @text,"5")]} wn Source)
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appA autoDismissAl newCommand deviceManufa deviceScreenD javascriptEnal newCommand platformName viewportRect: false} Session ID: 34 *** Element in at jdk.internal at java.base/jd (DelegatingCo	enium.WebDriverExce command. Original errors socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automation erts: erts: true, automation erts: true, au	eption: An unknown server-side error octror: Could not proxy command to the restror: Could not proxy command: Could not could	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u. roid-Test, eApiLevel: 30, 10043P, FDD40043P, Enabled: true, IUX, enshot: true, StorageEnable @text,"5")]} wn Source) ance
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufa deviceScreenDjavascriptEnalnewCommand platformName viewportRect: false} Session ID: 34 *** Element in at jdk.internal at java.base/jd (DelegatingCoat java.base/ja	enium.WebDriverExce command. Original errors socket hang up resion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automata erts: true, automata erts: true, automation artimeout: 10000, noRest cturer: Google, device bled: true, locationConta erts: 440, deviceScrebled: true, locationConta erts: 10000, noRest erts: 10000, noRest erts: 2015, left: 0, to 1000;	eption: An unknown server-side error octror: Could not proxy command to the restror: Could not proxy command: Could not could	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 10043P, FDD40043P, Enabled: true, UX, enshot: true, StorageEnable @text,"5")]} wn Source) ance
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufa deviceScreenDjavascriptEnalnewCommand platformName viewportRect: false} Session ID: 34 *** Element in at jdk.internal at java.base/jd (DelegatingCoat java.base/ja at org.openqa.	enium.WebDriverExce command. Original errors socket hang up resion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and appActivity: com.prude issAlerts: true, automata erts: true, automata erts: true, automation artimeout: 10000, noRest cturer: Google, device bled: true, locationConta erts: 440, deviceScrebled: true, locationConta erts: 10000, noRest erts: 10000, noRest erts: 2015, left: 0, to 1000;	eption: An unknown server-side error octror: Could not proxy command to the restror: Could not proxy command to the restror.  I set: I set: Could not proxy command to the restror.  I set: Line platform not platform	curred while emote server.  2Z' os.arch: 'amd6 prudential.pul bled: false, dential.pulse.u roid-Test, eApiLevel: 30, 10043P, FDD40043P, Enabled: true, UX, enshot: true, StorageEnable @text,"5")]} wn Source) ance

(W3CHttpResponseC	odec.java:122)					
		3CHttpResponseCodec.dec	code			
(W3CHttpResponseC	•					
	m.remote.HttpCo	mmandExecutor.execute(l	HttpCommandExecutor.java:			
158)		CommondErroundon orro	40			
(AppiumCommandEx		mCommandExecutor.exec	ute			
		eWebDriver.execute(Remo	teWehDriver iava·543)			
			faultGenericMobileDriver.			
java:42)						
,	nt.AppiumDrive	r.execute(AppiumDriver.ja	ava:1)			
at io.appium.java_clie	nt.android.Andro	oidDriver.execute(Android	Driver.java:1)			
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)					
		cMobileDriver.findElemen	nt			
(DefaultGenericMobil	· · · · · · · · · · · · · · · · · · ·	n findFlomont(AnniumDri	ron iova.1)			
		r.findElement(AppiumDri oidDriver.findElement(An				
			yXPath(RemoteWebDriver.			
java:419)		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	y === wo==(==============================			
at io.appium.java_clie	nt.DefaultGeneri	cMobileDriver.findElemen	ntByXPath			
(DefaultGenericMobil	· ·					
		r.findElementByXPath(Ap				
		· · · · · · · · · · · · · · · · · · ·	(Path(AndroidDriver.java:1)			
	· · · · · · · · · · · · · · · · · · ·	ndElement(By.java:353) WebDriver findFlement(B	RemoteWebDriver.java:309)			
		cMobileDriver.findElemen				
(DefaultGenericMobil						
		r.findElement(AppiumDri				
		oidDriver.findElement(An				
_		ands\$15.executeCommand				
at com.prudential.tap	.seienium.Execute	eCommand.executeComm	and(ExecuteCommand.java:			
	creens.TestRaseP	Page.clickButton(TestBasel	Page.java:163)			
		ageProfileScreen.selectSta				
(PulseManageProfileS						
	•	bilesteps.ManageProfileSt	eps.			
selectStarInFeedback						
at .Given I select "5" feature:127)	star in feedback s	screen(features/my/MyAcc	ount/PulseMyAccount.			
Then I enter feedback			0.00s			
	_		0.008			
Feedback Test_123			0.00			
And I click the Submi	t icon in Feedbac	k Screen	0.00s			
And I wait for 2 sec			0.00s			
After			0.00s			
Back to Table of Contents						
Scenario: Verify the Puls	1					
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s			
Before			0.00s			
And I click on "\${puls	sePersonalised.tex	xt}" link in Account screen	0.03s			

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Pulse
Personalised'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
  (PulseManageProfileScreen.java:955)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
  (ManageProfileSteps.java:81)
  at .And I click on "${pulsePersonalised.text}" link in Account screen(features/my/MyAccount
  /PulseMyAccount.feature:134)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Save the consent with data privacy check
Passed: 0
                        Failed: 1
                                               Undefined: 4
                                                                                Duration: .04s
                                                                                0.00s
Before
  Given I select the data privacy checkbox
                                                                                0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
```

```
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Data Privacy']
/following::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.selectDataPrivacyCheckBox
(PulseManageProfileScreen.java:1019)
```

(ManageProfile		
at Given I selec	et the data privacy checkbox(features/my/MyA	Account/PulseMyAccount.featur
149)		<u> </u>
And I click the	save button in pulse personalised icons	0.00s
Then User veri	y following texts are displayed in pulse person	nalised screen 0.00s
\${consent.su	ccess.msg.text}	
And I click the	Ok button in pulse personlised screen	0.00s
Then I wait for	2 sec	0.00s
fter		0.00s
ck to Table of Cont	e <u>nts</u>	
enario: Save the	consent without data privacy check	
ssed: 0	Failed: 1 Undefined: 3	Duration: .03
efore		0.00s
Given I select the	ne data privacy checkbox	0.03s
Capabilities {apuat, autoDismis	D', java.version: '11.0.2' appium.java_client.android.AndroidDriver apActivity: com.prudential.pulse.MainAc, apsAlerts: true, automationName: UiAutomator activity: com.prudential.pulse.MainAc, appPa	2, databaseEnabled: false,
Capabilities {apuat, autoDismisdesired: {appAautoDismissAlenewCommandIdeviceManufacdeviceScreenDejavascriptEnabnewCommandIplatformName:	appium.java_client.android.AndroidDriver opActivity: com.prudential.pulse.MainAc, aps sAlerts: true, automationName: UiAutomator	22, databaseEnabled: false, ackage: com.prudential.pulse.uaeviceName: Android-Test, android}, deviceApiLevel: 30, me: 0C241FDD40043P, ceUDID: 0C241FDD40043P, orkConnectionEnabled: true, 5, platform: LINUX, at 145, takesScreenshot: true,
Capabilities {apuat, autoDismis desired: {appAautoDismissAle newCommandI deviceManufac deviceScreenDe javascriptEnab newCommandI platformName: viewportRect: {false} Session ID: 347 *** Element in /following::and at jdk.internal.at java.base/jdk (DelegatingComat java.base/javat org.openqa.s (W3CHttpRespat org.openqa.s	appium.java_client.android.AndroidDriver opActivity: com.prudential.pulse.MainAc, apsAlerts: true, automationName: UiAutomatoretivity: com.prudential.pulse.MainAc, appParts: true, automationName: UiAutomator2, deTimeout: 10000, noReset: true, platformName turer: Google, deviceModel: Pixel 5, deviceNatorsity: 440, deviceScreenSize: 1080x2340, devided: true, locationContextEnabled: false, network true, platformVersion: 11, statBarHeight	22, databaseEnabled: false, ackage: com.prudential.pulse.uaeviceName: Android-Test, android}, deviceApiLevel: 30, me: 0C241FDD40043P, ceUDID: 0C241FDD40043P, orkConnectionEnabled: true, 5, platform: LINUX, at: 145, takesScreenshot: true, arnings: {}, webStorageEnabled: tview[@text='Data Privacy']  Instance(Unknown Source) SorImpl.newInstance ructor.java:490) c.createException

		iumCommandExecutor.execute	
(AppiumCommandE	•		· iova.542)
<b>O 1</b>		teWebDriver.execute(RemoteWebDriver ericMobileDriver.execute(DefaultGeneric	•
java:42)	iciit.DeiauitGene	Treviolite Priver execute (Default Generic	wioblicDiffer.
,	ient.AppiumDriv	ver.execute(AppiumDriver.java:1)	
		lroidDriver.execute(AndroidDriver.java:	
		te Web Driver. find Element (Remote Web Driver)	river.java:317)
		ericMobileDriver.findElement	
(DefaultGenericMob	·	zer.findElement(AppiumDriver.java:1)	
		lroidDriver.findElement(AndroidDriver.	iava:1)
		teWebDriver.findElementByXPath(Rem	
java:419)		•	
		ericMobileDriver.findElementByXPath	
(DefaultGenericMob	•		• 4
		ver.findElementByXPath(AppiumDriver, lroidDriver.findElementByXPath(Andro	•
		.findElement(By.java:353)	iuDriver.java:1
<b>O 1</b>		teWebDriver.findElement(RemoteWebD	river.java:309)
		ericMobileDriver.findElement	<b>3</b> ,
(DefaultGenericMob	oileDriver.java:58	8)	
	* *	ver.findElement(AppiumDriver.java:1)	
	ient.android.And	${f lroid Driver.find Element (Android Driver.find Element)}$	iava·1)
-	•	mands \$15. execute Command (Commands.)	java:141)
at com.prudential.ta	•		java:141)
at com.prudential.ta 19)	p.selenium.Execu	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand)	java:141) Command.java
at com.prudential.ta 19) at com.onepulse.app	p.selenium.Execu .screens.TestBase	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand) ePage.clickButton(TestBasePage.java:163	java:141) Command.java 3)
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app	p.selenium.Execu .screens.TestBase .screens.PulseMa	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand) ePage.clickButton(TestBasePage.java:163 anageProfileScreen.selectDataPrivacyCho	java:141) Command.java 3)
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand) ePage.clickButton(TestBasePage.java:163 anageProfileScreen.selectDataPrivacyCho	java:141) Command.java 3) eckBox
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197)	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand(ExecuteCommand)) ePage.clickButton(TestBasePage.java:163 anageProfileScreen.selectDataPrivacyChecology) nobilesteps.ManageProfileSteps.dataPrivacyChecology	java:141) Command.java 3) eckBox acyCheckbox
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197)	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand(ExecuteCommand(ExecuteCommand(ExecuteCommand)))	java:141) Command.java 3) eckBox acyCheckbox
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157)	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand(ExecuteCommand)) ePage.clickButton(TestBasePage.java:163 anageProfileScreen.selectDataPrivacyChe 9) nobilesteps.ManageProfileSteps.dataPriv eckbox(features/my/MyAccount/PulseMy	java:141) Command.java 3) eckBox acyCheckbox Account.featur
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.feature
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify follows	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse p	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteCommand(ExecuteCommand)) ePage.clickButton(TestBasePage.java:163 anageProfileScreen.selectDataPrivacyChe 9) nobilesteps.ManageProfileSteps.dataPriv eckbox(features/my/MyAccount/PulseMy	java:141) Command.java 3) eckBox acyCheckbox Account.featur
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success}	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse p lowing texts are d	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.feature 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success} And I click the Ok b	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse p lowing texts are d	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.feature 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success} And I click the Ok b	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse p lowing texts are d	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.featur 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success}	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse p lowing texts are d	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.feature 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success} And I click the Ok b ter tex to Table of Contents	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse pe lowing texts are d .msg.text)	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.feature 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success} And I click the Ok b ter tex to Table of Contents	p.selenium.Execu .screens.TestBase .screens.PulseMa eScreen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse pe lowing texts are d .msg.text)	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.feature 0.00s 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll  \${consent.success} And I click the Ok b ter the to Table of Contents enario: navigate backsed: 0	screens.TestBase .screens.PulseMa .screens.PulseMa .screen.java:1019 .stepdefinitions.n s.java:197) data privacy che button in pulse pelowing texts are d .msg.text) utton in pulse per	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java 3) eckBox acyCheckbox Account.featur 0.00s 0.00s 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success} And I click the Ok b ter ek to Table of Contents enario: navigate back	screens.TestBase screens.PulseMa eScreen.java:1019 stepdefinitions.n s.java:197) data privacy che button in pulse pelowing texts are d .msg.text] utton in pulse per to account screen Failed: 1	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteGePage.clickButton(TestBasePage.java:163mageProfileScreen.selectDataPrivacyChege) mobilesteps.ManageProfileSteps.dataPriveckbox(features/my/MyAccount/PulseMyersonalised iconscipling displayed in pulse personalised screen  undefined: 1	java:141) Command.java  3) eckBox acyCheckbox Account.feature  0.00s 0.00s 0.00s  0.00s  Duration: 8.06
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll  \${consent.success} And I click the Ok b ter  *k to Table of Contents enario: navigate back sed: 0 fore	screens.TestBase screens.PulseMa eScreens.pulseMa eScreen.java:1019 stepdefinitions.n s.java:197) data privacy che button in pulse pe lowing texts are d .msg.text] utton in pulse pe	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteGePage.clickButton(TestBasePage.java:163mageProfileScreen.selectDataPrivacyChege) mobilesteps.ManageProfileSteps.dataPriveckbox(features/my/MyAccount/PulseMyersonalised iconscipling displayed in pulse personalised screen  undefined: 1	java:141) Command.java  3) eckBox acyCheckbox Account.feature 0.00s 0.00s 0.00s  Duration: 8.06 0.00s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll  \${consent.success} And I click the Ok b ter  *k to Table of Contents enario: navigate back sed: 0 fore  And I click the Back	screens.TestBase screens.PulseMa eScreen.java:1019 stepdefinitions.n s.java:197) data privacy che button in pulse p lowing texts are d .msg.text) utton in pulse per to account screen Failed: 1	mands\$15.executeCommand(Commands.uteCommand.executeCommand(ExecuteGePage.clickButton(TestBasePage.java:163mageProfileScreen.selectDataPrivacyChege) mobilesteps.ManageProfileSteps.dataPriveckbox(features/my/MyAccount/PulseMyersonalised iconscipling displayed in pulse personalised screen  undefined: 1	java:141) Command.java  3) eckBox acyCheckbox Account.feature 0.00s 0.00s 0.00s  Duration: 8.06 0.00s  8.06s
at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app (PulseManageProfile at com.onepulse.app (ManageProfileSteps at .Given I select the 157) And I click the save Then User verify foll \${consent.success} And I click the Ok b ter tek to Table of Contents enario: navigate back sed: 0 fore And I click the Back org.openqa.selenium	screens.TestBase screens.PulseMa eScreen.java:1019 stepdefinitions.n s.java:197) data privacy che button in pulse pelowing texts are d msg.text) utton in pulse per to account screen Failed: 1	mands\$15.executeCommand(Commands.uteCommand.executeCommand(Execute	java:141) Command.java  3) eckBox acyCheckbox Account.feature  0.00s 0.00s  0.00s  Duration: 8.06 0.00s  8.06s  curred while

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
     System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
     os.version: '10.0', java.version: '11.0.2'
     Driver info: io.appium.java_client.android.AndroidDriver
     Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
     uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
     desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
     autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
     newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
     deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
     deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
     javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
     newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
     platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
     viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
     Session ID: 34785846-a170-45d6-ad1a-b217b1bbe935
     at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     158)
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:46)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.
     RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
     java:804)
     at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
     at com.onepulse.app.screens.CustomerConnectScreen.BackbuttonpulsePersonalised
     (CustomerConnectScreen.java:867)
     at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
     clickBackpersonalisedScreen(CustomerConnectSteps.java:255)
     at .And I click the Back icon in pulse personalised screen(features/my/MyAccount
     /PulseMyAccount.feature:165)
  After
                                                                                  0.00s
  Back to Table of Contents
Feature: Verify MySettings functionality in Account screen
```

sed: 1	Failed: 4	Undefined: 0	Duration: 28.48s	
		select the country as pe		
Passed: 3	Failed:	Unde	fined: 2	Duration: 24.3
Before				0.00s
Given User	has pulse app			8.93s
And I assig	gn ''\${onepulse.log	gin.edit.profile}'' to var	iable "PULSE_EMAIL"	0.00s
And user c	lick on "CONTIN	NUE WITH EMAIL'' w	rith Email button	15.31s
Then I cha	nge the country a	s required on registrat	ion page	0.11s
processing Original en Build info: System info os.version: Driver info Capabilitie uat, autoD desired: {a autoDismis newComm deviceMan deviceScre javascriptl newComm platformN viewportR false} Session ID *** Elemen at jdk.inten at java.bas (Delegating at java.bas at org.open (W3CHttp at org.open at io.appiu java:42) at io.appiu at io.appiu at io.appiu	the command. Of cror: socket hang version: '3.12.0', o: host: 'TM003L '10.0', java.versio: io.appium.java_es {appActivity: coismissAlerts: true, ppActivity: com.jssAlerts: true, aut andTimeout: 100 ufacturer: GoogleenDensity: 440, denabled: true, loc andTimeout: 100 ame: Android, placet: {height: 2015 ame: Android, placet: {height: Android, placet: {height: 2015 ame: Android, placet: {height: Androi	riginal error: Could no up revision: '7c6e0b3', tin SIN', ip: '192.168.1.124 on: '11.0.2' _client.android.Android om.prudential.pulse.Main automationName: UiAuto 00, noReset: true, platfe, deviceModel: Pixel 5 eviceScreenSize: 1080x ationContextEnabled: 00, noReset: true, pixel atformVersion: 11, state, left: 0, top: 145, width attended: 00 top: 145, width atten	Automator2, databaseEnabac, appPackage: com.prudmator2, deviceName: AndrormName: android}, device, deviceName: 0C241FDD4 2340, deviceUDID: 0C241Ffalse, networkConnectionERatio: 2.75, platform: LINBarHeight: 145, takesScree: 1080}, warnings: {}, webseting the second conseCodec.createException onseCodec.decode cutor.execute(HttpCommanExecutor.execute(HttpCommanExecutor.execute(PefaultGeneric ver.execute(DefaultGeneric consecodec.edecode)  Executor.execute  execute(RemoteWebDriver)  execute(RemoteWebDriver)  execute(RemoteWebDriver)	mote server.  2Z'  ps.arch: 'amd6a  prudential.pulse led: false, dential.pulse.ua roid-Test, eApiLevel: 30, 0043P, 'DD40043P, nabled: true, UX, enshot: true, storageEnabled  vn Source) unce  n  dexecutor.jav  .java:543) MobileDriver.

```
at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
  (PulseRegistrationScreen.java:1015)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
  (RegistrationSteps.java:306)
  at .Then I change the country as required on registration page(features/my/MyAccount
  /PulseMySetting.feature:9)
                                                                                0.00s
After
Back to Table of Contents
Scenario: login to the app with correct credentials using "Continue with Email"
Passed: 0
                        Failed: 1
                                               Undefined: 5
                                                                                Duration: .01s
Before
                                                                               0.00s
                                                                               0.02s
  Given I select the language option on toggle bar as required on login page
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
```

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 278c7f6e-8191-488d-8b92-4ea98fcfdeda
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.jaya client.AppiumDriver.findElementByXPath(AppiumDriver.jaya:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1066)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/my
/MyAccount/PulseMySetting.feature:14)
```

When user enter			0.00s
UserName \${}	PULSE_EMAIL}		
Password \${	pulse.edit}		
And User clicks	on signin button		0.00s
And I wait for 5	sec		0.00s
And I enter OTH	P in one pulse app for	user email "\${PULSE_EMAIL}	" 0.00s
Then user should	d be landed to ''Home	e'' screen	0.00s
After			0.00s
Sack to Table of Conte	<u>nts</u>		
Scenario: Navigate	to account screen		
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.05s
Before			0.00s
Given user navig	gate to account page		2.05s
After			0.00s
Back to Table of Conte	nts		
Scenario: Verify my	y setting screen in Ac	count tab	
Passed: 1	Failed: 1	Undefined: 1	Duration: 2.04s
Before			0.00s
C: I '4 f	2		2.01s
Given I wait for	2 sec		
And I click on "Some org.openqa.selen processing the co	\${icon.mySettings}" land.webDriverExce	ink in Account screen eption: An unknown server-side eror: Could not proxy command t	
And I click on "Some org.openqa.selen processing the configural error: some Build info: version of the configuration of the configurati	\${icon.mySettings}" l nium.WebDriverExce ommand. Original er socket hang up on: '3.12.0', revision:	eption: An unknown server-side or could not proxy command to '7c6e0b3', time: '2018-05-08T14	error occurred while to the remote server.
org.openqa.selen processing the co Original error: s Build info: version System info: hos	\${icon.mySettings}" land.WebDriverExcender ommand. Original errors ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip:	eption: An unknown server-side or ror: Could not proxy command t '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo	error occurred while to the remote server.
org.openqa.selen processing the co Original error: s Build info: versio System info: hos os.version: '10.0'	\${icon.mySettings}" l nium.WebDriverExce ommand. Original erro socket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ' ', java.version: '11.0.2	eption: An unknown server-side or ror: Could not proxy command t '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo	error occurred while to the remote server.
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.ay Capabilities {app	\${icon.mySettings}'' land in the second of t	eption: An unknown server-side or ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo 2' droid.AndroidDriver ential.pulse.MainAc, appPackag	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64'
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss	\${icon.mySettings}" land in the second in th	eption: An unknown server-side or ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo 2' droid.AndroidDriver ential.pulse.MainAc, appPackag tionName: UiAutomator2, datab	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false,
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct	\$\{\text{icon.mySettings}\'\\ \text{ium.WebDriverExce} ommand. Original errors ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ' java.version: '11.0.2 \text{ppium.java_client.and pActivity: com.prude tivity: com.prudentia	eption: An unknown server-side or cr: Could not proxy command to '7c6e0b3', time: '2018-05-08T14' 192.168.1.124', os.name: 'Windo' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databal.pulse.MainAc, appPackage: c	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat,
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAler	\$\{\text{icon.mySettings}\'\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	eption: An unknown server-side or ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databal.pulse.MainAc, appPackage: cName: UiAutomator2, deviceName: ViAutomator2, deviceNam	error occurred while to the remote server.  :04:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test,
org.openqa.selen processing the configural error: so Build info: version system info: host os.version: '10.0' Driver info: io.a Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufacta	\$\{\text{icon.mySettings}\'\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14' 192.168.1.124', os.name: 'Windo' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage tionName: UiAutomator2, databal.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: android Model: Pixel 5, deviceName: 0C24	error occurred while to the remote server.  304:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, 1}, deviceApiLevel: 30, 41FDD40043P,
org.openqa.selent processing the configural error: so Build info: version system info: host os.version: '10.0' Driver info: io.a; Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactadeviceScreenDeriver.	sity: 440, deviceScre	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databal.pulse.MainAc, appPackage: cName: UiAutomator2, deviceName: true, platformName: android Model: Pixel 5, deviceName: 0C24 enSize: 1080x2340, deviceUDID:	error occurred while to the remote server.  :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, 1}, deviceApiLevel: 30, 41FDD40043P, 0C241FDD40043P,
org.openqa.selen processing the co Original error: s Build info: versio System info: hos os.version: '10.0' Driver info: io.a; Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable	sium.WebDriverExcer mand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude talents: true, automate tivity: com.prudentiants: true, automate imeout: 10000, noResurer: Google, deviceNasity: 440, deviceScreed: true, locationCon	eption: An unknown server-side or ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databil.pulse.MainAc, appPackage: olipulse.MainAc, appPackage: olipul	error occurred while to the remote server.  :04:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, l}, deviceApiLevel: 30, 41FDD40043P, 0C241FDD40043P, nectionEnabled: true,
org.openqa.selen processing the configural error: selent processing the configuration of the	situm. WebDriverExcer ommand. Original errors ocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude sAlerts: true, automativity: com.prudentia ets: true, automationNimeout: 10000, noRes urer: Google, deviceNasity: 440, deviceScreed: true, locationContimeout: 10000, noRes	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackage tionName: UiAutomator2, databel.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: android etc: true, platformName: 0C2e enSize: 1080x2340, deviceUDID: textEnabled: false, networkConset: true, pixelRatio: 2.75, platfor	error occurred while to the remote server.  304:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, 1}, deviceApiLevel: 30, 41FDD40043P, 0C241FDD40043P, nectionEnabled: true, cm: LINUX,
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName:	sium.WebDriverExcendents. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.andpActivity: com.prudentiativity: com.prudentiativity: com.prudentiativity: com.prudentiativity: com.prudentiativity: deviceNew of the content of the c	eption: An unknown server-side or ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databil.pulse.MainAc, appPackage: olipulse.MainAc, appPackage: olipul	error occurred while to the remote server.  204:26.12Z' tws 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, al}, deviceApiLevel: 30, 41FDD40043P, 0C241FDD40043P, nectionEnabled: true, tm: LINUX, kesScreenshot: true,
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {ff false}	sium.WebDriverExcer mand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude sAlerts: true, automativity: com.prudentia tivity: com.prudentia ets: true, automationNimeout: 10000, noResiurer: Google, deviceNasity: 440, deviceScreed: true, locationContimeout: 10000, noResimeout: 1	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackage tionName: UiAutomator2, databel.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: et: true, platformName: android ete: true, platformName: 0C2e enSize: 1080x2340, deviceUDID: textEnabled: false, networkConset: true, pixelRatio: 2.75, platforersion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings:	error occurred while to the remote server.  204:26.12Z' tws 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, tom.prudential.pulse.uat, ne: Android-Test, al}, deviceApiLevel: 30, a1FDD40043P, toC241FDD40043P, thectionEnabled: true, tm: LINUX, kesScreenshot: true,
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {h false} Session ID: 278c	sium.WebDriverExcerommand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude tivity: com.prudentiativity: com.prudentiativity: com.prudentiativity: com.prudentiativity: deviceNeurer: Google, deviceNeurer: Google, deviceNeurer: Google, deviceNeurer: 10000, noRestandroid, platformVeneight: 2015, left: 0, to 7f6e-8191-488d-8b92	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databal.pulse.MainAc, appPackage: oName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: OC2e enSize: 1080x2340, deviceUDID: textEnabled: false, networkConsect: true, pixelRatio: 2.75, platfororsion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings: 6-4ea98fcfdeda	error occurred while to the remote server.  204:26.12Z' tws 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, tom.prudential.pulse.uat, ne: Android-Test, all, deviceApiLevel: 30, a1FDD40043P, toC241FDD40043P, thectionEnabled: true, true, true; true, tr
org.openqa.selen processing the concessing the concessing the concessing the concessing the concessing the concessing the concession or concession of the co	sium.WebDriverExcerommand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude tivity: com.prudentiativity: com.prudentiativity: com.prudentiativity: com.prudentiativity: deviceNeurer: Google, deviceNeurer: Google, deviceNeurer: Google, deviceNeurer: 10000, noRestandroid, platformVeneight: 2015, left: 0, to 7f6e-8191-488d-8b92	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackage tionName: UiAutomator2, databel.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: et: true, platformName: android ete: true, platformName: 0C2e enSize: 1080x2340, deviceUDID: textEnabled: false, networkConset: true, pixelRatio: 2.75, platforersion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings:	error occurred while to the remote server.  204:26.12Z' tws 10', os.arch: 'amd64' ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, 1}, deviceApiLevel: 30, 41FDD40043P, 0C241FDD40043P, nectionEnabled: true, em: LINUX, kesScreenshot: true, {}, webStorageEnabled:
org.openqa.selen processing the co Original error: s Build info: versions yestem info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {h false} Session ID: 278c *** Element info Settings'')]}	situm. WebDriverExce ommand. Original errocket hang up on: '3.12.0', revision: t: 'TM003LSIN', ip: ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude Alerts: true, automativity: com.prudentia ets: true, automativity: com.prudentia ets: true, automation imeout: 10000, no Resurer: Google, device and true, location Contineout: 10000, no Resurer: 440, device Screed: true, location Contineout: 10000, no Resurer: 440, device Screed: true, location Contineout: 10000, no Resure and true, location	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackage tionName: UiAutomator2, databel.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: et: true, platformName: android ete: true, platformName: 0C2e enSize: 1080x2340, deviceUDID: textEnabled: false, networkConset: true, pixelRatio: 2.75, platfor ersion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings: 4-4ea98fcfdeda	error occurred while to the remote server.  304:26.12Z' tws 10', os.arch: 'amd64' ge: com.prudential.pulse. aseEnabled: false, tom.prudential.pulse.uat, te: Android-Test, te:
org.openqa.selen processing the co Original error: s Build info: versio System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {h false} Session ID: 278c *** Element info Settings'')]} at jdk.internal.re	strue, automativity: com.prudentiality: 440, deviceScreed: true, locationComimeout: 10000, noResurer: Google, deviceNasity: 440, deviceScreed: true, locationComimeout: 10000, noResurer: 10000, noResurer: Google, deviceNasity: 440, deviceScreed: true, locationComimeout: 10000, noResurer: 10000,	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo'2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databal.pulse.MainAc, appPackage: oName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: OC2e enSize: 1080x2340, deviceUDID: textEnabled: false, networkConsect: true, pixelRatio: 2.75, platfororsion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings: 6-4ea98fcfdeda	error occurred while to the remote server.  204:26.12Z' tws 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, om.prudential.pulse.uat, ne: Android-Test, all, deviceApiLevel: 30, a1FDD40043P, oC241FDD40043P, nectionEnabled: true, m: LINUX, kesScreenshot: true, {}, webStorageEnabled: untains(@text,''My  Unknown Source)
org.openqa.selen processing the co Original error: s Build info: versions yestem info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {f false} Session ID: 278c *** Element info Settings'')]} at jdk.internal.re at java.base/jdk. (DelegatingCons	situential series serie	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14 '192.168.1.124', os.name: 'Windo2' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databel.pulse.MainAc, appPackage: Name: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: OC2enSize: 1080x2340, deviceUDID: textEnabled: false, networkConrect: true, pixelRatio: 2.75, platforersion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings: e-4ea98fcfdeda te=//android.widget.TextView[constructorAccessor34.newInstance(gatingConstructorAccessorImpl.)	error occurred while to the remote server.  304:26.12Z' tows 10', os.arch: 'amd64', ge: com.prudential.pulse. aseEnabled: false, tom.prudential.pulse.uat, ne: Android-Test, ne: Android-Test, ne: Android-Test, l}, deviceApiLevel: 30, 41FDD40043P, 0C241FDD40043P, nectionEnabled: true, true, true; l}, webStorageEnabled:  mtains(@text,''My  Unknown Source) newInstance

at org onenga sele	nium.remote.http.W3CHttpResponseCodec.createExcep	tion
U 1 1	seCodec.java:187)	
	nium.remote.http.W3CHttpResponseCodec.decode	
U 1 1	seCodec.java:122)	
	nium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpRespon		
at org.openqa.sele	nium.remote.HttpCommandExecutor.execute(HttpCom	mandExecutor.java:
158)		
at io.appium.java_	_client.remote.AppiumCommandExecutor.execute	
(AppiumComman	dExecutor.java:231)	
U 1 1	nium.remote.RemoteWebDriver.execute(RemoteWebDriver.execute)	
at io.appium.java_	$\underline{\hspace{0.1cm}} \textbf{client.} \textbf{DefaultGenericMobileDriver.execute} (\textbf{DefaultGenericMobileDriver.execute}) \\$	ericMobileDriver.
java:42)		
	_client.AppiumDriver.execute(AppiumDriver.java:1)	
	_client.android.AndroidDriver.execute(AndroidDriver.ja	
	nium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement)	ebDriver.java:317)
	_client.DefaultGenericMobileDriver.findElement	
	lobileDriver.java:62)	
	_client.AppiumDriver.findElement(AppiumDriver.java:1	
	_client.android.AndroidDriver.findElement(AndroidDriv	
O	nium.remote.RemoteWebDriver.findElementByXPath(R	temote webDriver.
java:419)	aliant Default Canania Mahila Drivan find Flamont Dry V Dat	h
	_client.DefaultGenericMobileDriver.findElementByXPat IobileDriver.java:152)	11
· · · · · · · · · · · · · · · · · · ·	_client.AppiumDriver.findElementByXPath(AppiumDriv	var java•1)
	_client.android.AndroidDriver.findElementByXPath(AndroidDriver.fin	
	nium.By\$ByXPath.findElement(By.java:353)	
	nium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement)	ebDriver.iava:309)
	_client.DefaultGenericMobileDriver.findElement	, , , , , , , , , , , , , , , , , , ,
	- lobileDriver.java:58)	
	_client.AppiumDriver.findElement(AppiumDriver.java:1	1)
at io.appium.java_	_client.android.AndroidDriver.findElement(AndroidDriv	ver.java:1)
at com.prudential	. tap. selenium. Commands \$15. execute Command (Command)	nds.java:141)
at com.prudential	. tap. selenium. Execute Command. execute Command (Execute Command)	uteCommand.java:
19)		
	pp.screens. Test Base Page. click Button (Test Base Page. java)	
-	${\tt pp.screens.Pulse Manage Profile Screen.click On Account Option Profile Screen.click O$	ption
	fileScreen.java:955)	
-	${\bf pp. step definitions. mobile steps. Manage Profile Steps. click Options and Step Step Step Step Step Step Step Step$	<b>OnAccountOption</b>
(ManageProfileSto		
	''\${icon.mySettings}'' link in Account screen(features/my	/MyAccount
/PulseMySetting.fe		
Then I wait for 2 s	sec	0.00s
After		0.00s
Back to Table of Content	S	
Scenario: navigate ba	ack to account screen from my setting screen	
Passed: 0	Failed: 1 Undefined: 1	Duration: .03s
Before	ranca, 1 Undernica, 1	0.00s
Then I click on ba	ck button on my settings screen to navigate to account sc	ereen 0.03s

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command, Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 278c7f6e-8191-488d-8b92-4ea98fcfdeda
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseManageProfileScreen.clickOnMySettingBkBtn (PulseManageProfileScreen.java:985) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. clickBackButtonInMySettingScreen(ManageProfileSteps.java:132) at .Then I click on back button on my settings screen to navigate to account screen(features/my /MyAccount/PulseMySetting.feature:40) After 0.00s**Back to Table of Contents** Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app Passed: 0 Failed: 3 Undefined: 0 Duration: 39.83s Scenario: Launch the app and select the country as per specified lbu Passed: 5 Failed: 1 Undefined: 0 Duration: 39.71s Before 0.00s8.02sGiven User has pulse app And I assign "\${login.email.id}" to variable "PULSE\_EMAIL" 0.00sAnd user click on "CONTINUE WITH EMAIL" with Email button 15.11s 11.55s Then I change the country as required on registration page Then I wait for 5 sec 5.01s And I click the Sign in link 0.01sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

```
false}
Session ID: 20320385-0218-4580-8737-277839e74b50
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
719)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns InSignUp
(LoginSteps.java:349)
at .And I click the Sign in link(features/my/fitness/MyWearable.feature:11)
```

After				0.00s	
Back to Table of Contents					
Scenario: login to the app with correct credentials using "Continue with Email"					
Passed: 0	Failed: 1	<b>Undefined: 5</b>		Duration: .03s	
Before				0.00s	
Given I select the langu	uage option on tog	ggle bar as required	on login page	0.03s	
org.openqa.selenium.W processing the comman Original error: socket I Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java.	nd. Original error hang up 12.0', revision: '70 1003LSIN', ip: '19	c6e0b3', time: '2018-	ommand to the rea	note server. 2Z'	
Driver info: io.appium. Capabilities {appActivi uat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: tru newCommandTimeout deviceManufacturer: C	.java_client.androity: com.prudentice: true, automation com.prudential.pe, automationNart: 10000, noReset:	ial.pulse.MainAc, a nName: UiAutomato ulse.MainAc, appF ne: UiAutomator2, o true, platformNamo	or2, databaseEnab Package: com.prud leviceName: Andr e: android}, device	led: false, lential.pulse.uat, oid-Test, eApiLevel: 30,	

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 20320385-0218-4580-8737-277839e74b50
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1066)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.iava:338)
```

When user enter	rs credentials	0.00s
	PULSE_EMAIL}	
	login.password}	
	on signin button	0.00s
And I wait for 5	sec	0.00s
And I enter OTI	P in one pulse app for user email ''\${PULSE_EMAIL}''	0.00s
Then user should	d be landed to ''Home'' screen	0.00s
fter		0.00s
ck to Table of Conte	<u>nts</u>	
enario: Verify th	e user can access My Wearables via Fitness	
ssed: 1	Failed: 1 Undefined: 2	Duration: .0
efore		0.00s
When User click	ss on Fitness tab	0.03s
Then I verify M	y Wearables tile on Fitness screen	0.06s
\${fitness.myV	Wearables}	
\${fitness.mvV	Wearables.description}	
the expected text the expected text [false] at org.testng.ass	ionError: The following asserts failed: t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40)	
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticText	OnFitnessScreer
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25)	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) The My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness/My Wearables tile	OnFitnessScreer
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Connect Now button on Fitness screen	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/M Connect Now button on Fitness screen llowing text are displayed under My Wearables screen	OnFitnessScreer
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/M  Connect Now button on Fitness screen llowing text are displayed under My Wearables screen title}	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  {\text{wearables.t}}	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/M  Connect Now button on Fitness screen llowing text are displayed under My Wearables screen title}	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  {\text{wearables.t}}	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description}	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${wearables.t} \${wearables.t} \${wearables.t}	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description}	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${wearables.t} \${wearables.t} \${wearables.t}	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description} litbitText} garminText}	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${we	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description} litbitText} garminText}	OnFitnessScreen  yWearable.featu  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${we	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description fitbitText} garminText} googleFit}	OnFitnessScreen  yWearable.featu  0.00s  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${we	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/M) Connect Now button on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description} litbitText} garminText} gargineText} googleFit}	OnFitnessScreen  yWearable.featu  0.00s  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${wearables.t} \${wearables.s} \${we	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/My Wearables tile on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description fitbitText} garminText} googleFit}	OnFitnessScreen  yWearable.featu  0.00s  0.00s  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${we	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTextersteps.java:40) My Wearables tile on Fitness screen(features/my/fitness/M) Connect Now button on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description} fitbitText} garminText} garminText} googleFit}  nts  abyLon HRA Report - Nutrition, Body, Activity Tailed: 17 Undefined: 0 Duration: 117.53	OnFitnessScreen  yWearable.featu  0.00s  0.00s  0.00s
the expected text the expected text [false] at org.testng.ass at com.onepulse. (OptionsInFoote at .Then I verify 25) When I click on Then I verify fol  \${wearables.t} \${we	t is: My Wearables expected [true] but found [false], t is: Track all your activities at the click of a button expecte erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.OptionsInFooterSteps.verifyStaticTexterSteps.java:40)  My Wearables tile on Fitness screen(features/my/fitness/M)  Connect Now button on Fitness screen llowing text are displayed under My Wearables screen title} subTitle} description} fitbitText} garminText} garminText} googleFit}  mts  abyLon HRA Report - Nutrition, Body, Activity	OnFitnessScreen  yWearable.featu  0.00s  0.00s  0.00s

And I assign "\${hra.re	eport.email.id}'' to var	iable "PULSE_EMAIL"	0.00s
	*	AIL" with Email button	15.26s
Then I change the cour			11.94s
Then I wait for 5 sec		1 0	5.00s
And I click the Sign in	link		4.88s
After			0.00s
Back to Table of Contents			00000
	with correct credenti	als using "Continue with En	nail"
	Failed: 1	Undefined: 0	Duration: 71.94s
Before	rancu. 1	Olucinicu. V	0.00s
	uaga antian an taggla	bar as required on login pag	
When user enters cred		oar as required on login pag	9.46s
			9.408
UserName \${PULS}			
Password \${hra.pa			0.00
And User clicks on sign	nin button		0.26s
And I wait for 5 sec			5.01s
		mail ''\${PULSE_EMAIL}''	11.41s
Then user should be la		e <b>n</b>	14.13s
When I clicks on Healt			14.13s
And I navigate to Baby	ylon health Assessmen	t and Accept TermsAndCon	dition 14.01s
Original error: socket Build info: version: '3. System info: host: 'TM os.version: '10.0', java. Driver info: io.appium Capabilities {appActiv uat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: tru newCommandTimeout deviceManufacturer: ( deviceScreenDensity: 4 javascriptEnabled: tru newCommandTimeout	hang up .12.0', revision: '7c6e0! 1003LSIN', ip: '192.16 .version: '11.0.2' .java_client.android.A .vity: com.prudential.pu s: true, automationNam com.prudential.pulse. ne, automationName: U t: 10000, noReset: true Google, deviceModel: 1 440, deviceScreenSize: ne, locationContextEna t: 10000, noReset: true	uld not proxy command to to 3', time: '2018-05-08T14:04 8.1.124', os.name: 'Windows androidDriver alse.MainAc, appPackage: me: UiAutomator2, database MainAc, appPackage: com JiAutomator2, deviceName: e, platformName: android}, opixel 5, deviceName: 0C241H 1080x2340, deviceUDID: 0Cabled: false, networkConnecte, pixelRatio: 2.75, platform:	com.prudential.pulse. eEnabled: false, n.prudential.pulse.uat, Android-Test, deviceApiLevel: 30, FDD40043P, C241FDD40043P, tionEnabled: true,
		11, statBarHeight: 145, takes, width: 1080}, warnings: {},	Screenshot: true,

```
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
iava:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.
navigateToBabylonHealthAssessment(BabylonRegistrationScreen.java:250)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
navigate To Babylon Health Assessment And Accept Terms And Condition (Babylon Steps. java: 319)\\
at .And I navigate to Babylon health Assessment and Accept TermsAndCondition(features/my
/health/BabylonHRA_Report.feature:23)
```

After			0.00s	
Back to Table of Contents				
Scenario: User should be able to access Babylon Health Risk Assessment Report				
Passed: 0	Failed: 1	Undefined: 2	Duration: .03s	
Before			0.00s	

When I click on "Report" link on digital twin screen

0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Report')]}
at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:109)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Report" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:26)
```

\${hahwlan h	raReport.report.per	rcentage}	
	raReport.report.stat		
	raReport.report.stat		
	raReport.report.stat	tement3}	la a a
ter			0.00s
ck to Table of Con			
	he HRA Activity Re	port	
ssed: 0	Failed: 1	Undefined: 0	Duration: .01s
fore			0.00s
Then I verify the	he HRA Results are	displayed	0.01s
	raReport.summary.		<u> </u>
	raReport.summary.		
	raReport.summary.	• •	
		diseaseRiskDescription}	
		diseaseRisk.statement1}	
	<u> </u>	· ·	
		diseaseRisk.statement2}	
		diseaseRisk.statement3}	
		diseaseRisk.statement4}	
	raReport.summary.		
\${babylon.h	raReport.summary.	organDescription}	
\${babylon.h	raReport.summary.	organ.statement1}	
\${babylon.h	raReport.summary.	organ.statement2}	
processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auto, autoDismidesired: {appAautoDismissAlonewCommand deviceManufacteviceScreenDiavascriptEnabnewCommand platformName	command. Original socket hang up sion: '3.12.0', revisionst: 'TM003LSIN', ip 0', java.version: '11. appium.java_client.appActivity: com.pru ssAlerts: true, automation ctivity: com.prudent erts: true, automation Fimeout: 10000, no eturer: Google, device cled: true, location Colled: true, location Colled: Android, platform	n: '7c6e0b3', time: '2018-05 p: '192.168.1.124', os.name: 0.2' android.AndroidDriver dential.pulse.MainAc, apparationName: UiAutomator2 tial.pulse.MainAc, apparationName: UiAutomator2, der Reset: true, platformName: reeModel: Pixel 5, deviceName reenSize: 1080x2340, device ontextEnabled: false, network Reset: true, pixelRatio: 2.75 Version: 11, statBarHeight:	pPackage: com.prudential.pulse 2, databaseEnabled: false, ckage: com.prudential.pulse.ua viceName: Android-Test, android}, deviceApiLevel: 30, ne: 0C241FDD40043P, eUDID: 0C241FDD40043P, orkConnectionEnabled: true,
false}			
	l0c653-d275-4000-a0 reflect.GeneratedCo	onstructorAccessor34.newI	nstance(Unknown Source)
•		legatingConstructorAccess	
	nstructorAccessorIm		
at java.base/jav			

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: at io.appium.java\_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA Report. feature:37) After 0.00s**Back to Table of Contents** Scenario: Verify the HRA Activity Report Passed: 0 Failed: 1 Undefined: 0 Duration: .02s Before 0.00sThen I verify the HRA Results are displayed 0.02s\${babylon.hraReport.activity.title} \${babylon.hraReport.activity.subTitle} \${babylon.hraReport.activity.statement1} \${babylon.hraReport.activity.statement2} org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (Delegating Constructor Accessor Impl. java: 45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: at io.appium.java client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. java:804) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. iava:610) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report. feature:52) After 0.00s**Back to Table of Contents** Scenario: Verify the HRA Nutrition Report Failed: 1 Passed: 0 Undefined: 0 Duration: .01s 0.00sBefore Then I verify the HRA Results are displayed 0.01s{babylon.hraReport.nutrition.title} \${babylon.hraReport.nutrition.subTitle} \${babylon.hraReport.nutrition.statement1} \${babylon.hraReport.nutrition.statement2} \${babylon.hraReport.nutrition.statement3} \${babylon.hraReport.nutrition.statement4} \${babylon.hraReport.nutrition.statement5} \${babylon.hraReport.nutrition.statement6} \${babylon.hraReport.nutrition.statement7} \${babylon.hraReport.nutrition.statement8} \${babylon.hraReport.nutrition.statement9}

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
  iava:610)
  at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
  feature:59)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify the HRA Report - Keep It Up sub-section
                       Failed: 1
Passed: 0
                                              Undefined: 0
                                                                                Duration: .01s
```

fore	0.00s
Then I verify the HRA Results are displayed	0.01s
\${babylon.hraReport.keepItUp}	
\${babylon.hraReport.lowFat}	
\${babylon.hraReport.lowFat.description}	
\${babylon.hraReport.lowAlcohol}	
\${babylon.hraReport.lowAlcohol.description}	
\${babylon.hraReport.redMeat}	
\${babylon.hraReport.redMeat.description}	
φ (Nun ji inininininin por vi curi zuun un seri prieni)	
org.openqa.selenium.WebDriverException: An unknown server- processing the command. Original error: Could not proxy comm Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-0 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Vos.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver	nand to the remote server. 08T14:04:26.12Z'
Capabilities {appActivity: com.prudential.pulse.MainAc, appFuat, autoDismissAlerts: true, automationName: UiAutomator2, desired: {appActivity: com.prudential.pulse.MainAc, appPack autoDismissAlerts: true, automationName: UiAutomator2, device mewCommandTimeout: 10000, noReset: true, platformName: ardeviceManufacturer: Google, deviceModel: Pixel 5, deviceName deviceScreenDensity: 440, deviceScreenSize: 1080x2340, device javascriptEnabled: true, locationContextEnabled: false, network newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platformName: Android, platformVersion: 11, statBarHeight: 1	databaseEnabled: false, tage: com.prudential.pulse.uceName: Android-Test, adroid}, deviceApiLevel: 30, c: 0C241FDD40043P, UDID: 0C241FDD40043P, kConnectionEnabled: true, blatform: LINUX,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warr false}	nings: {}, webStorageEnable
Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInst	tanca(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessor	
(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Construc	
$at\ org. open qa. selenium. remote. http. W3CHttpResponse Codec. crass and the constant of t$	reateException
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.do	ecode
(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.do	ooodo
at org.openqa.selemum.remote.nttp.wsCHttpResponseCodec.do (W3CHttpResponseCodec.java:49)	ecode
at org.openqa.selenium.remote.HttpCommandExecutor.execute	(HttpCommandExecutor.ia)
158)	u
at io.appium.java_client.remote.AppiumCommandExecutor.exe	ecute
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute)	
at io.appium.java_client.DefaultGenericMobileDriver.execute(D	DefaultGenericMobileDriver
10.7/0.1/16.1	
	iama.1)
java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver. at io.appium.java_client.android.AndroidDriver.execute(Androi	

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)

at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA\_Report. feature:74)

reature: 74)			
After			0.00s
Back to Table of Contents			
Scenario: Verify the HRA	A Report - Make a Cha	inge sub-section	
Passed: 0	Failed: 1	Undefined: 0	<b>Duration: .02s</b>
Before			0.00s
Then I verify the HRA	Results are displayed		0.02s
\${babylon.hraRepo	ort.makeAChange}		
\${babylon.hraRepo	ort.change1}		
\${babylon.hraRepo	ort.change2}		
\${babylon.hraRepo	ort.change3}		
\${babylon.hraRepo	ort.change4}		
\${babylon.hraRepo	ort.change5}		
\${babylon.hraRepo	ort.change6}		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

```
(W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
  iava:610)
  at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
  feature:86)
After
                                                                                0.00s
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Body
                        Failed: 1
                                              Undefined: 3
Passed: 0
                                                                                Duration: .02s
Before
                                                                                0.00s
  When I click on "Healthcheck" link on digital twin screen
                                                                               0.02s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains
  (@text,'Healthcheck')]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
```

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:113)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Healthcheck" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:96)
```

fter			0.00s
ack to Table of Cont	ents		
cenario: navigate	back to digital twin so	creen	
assed: 0	Failed: 1	Undefined: 0	Duration: .02s
efore			0.00s
And I click on !	Rack" link on digital	twin scroon	0.02s
and I click on 'org.openqa.sele processing the of Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismis desired: {appAdautoDismissAle newCommandI deviceManufact deviceScreenDejavascriptEnable newCommandI platformName: viewportRect: {false} Session ID: 104e*** Element infat jdk.internal.at java.base/jdk (DelegatingComat java.base/jdk (DelegatingComat java.base/javat org.openqa.se (W3CHttpRespat org.openqa.se (W3CHt	command. Original errosocket hang up ion: '3.12.0', revision: st: 'TM003LSIN', ip: b', java.version: '11.0.2 appium.java_client.and pActivity: com.prude sAlerts: true, automaticivity: com.prudentiarts: true, automation comment: 10000, no Resturer: Google, device nsity: 440, device Screled: true, location Comment: 10000, no Resturer: 10000, no Resturer: Google, device nsity: 440, device Screled: true, location Comment: 10000, no Resturer: 1000	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14' 192.168.1.124', os.name: 'Windo' 2' droid.AndroidDriver ntial.pulse.MainAc, appPackagtionName: UiAutomator2, databil.pulse.MainAc, appPackage: olionName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: OC2enSize: 1080x2340, deviceUDID: textEnabled: false, networkConset: true, pixelRatio: 2.75, platfor rsion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings: 0-b5ad4259c9e7  de=(//android.widget.ImageView) structorAccessor34.newInstance(gatingConstructorAccessorImpl.)	error occurred while to the remote server.  :04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.ua ne: Android-Test, il}, deviceApiLevel: 30, 41FDD40043P, a0C241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled o[1]} (Unknown Source) newInstance ava:490) Exception
at io.appium.jav	va_client.remote.Appi	umCommandExecutor.execute	
(AppiumComm	andExecutor.java:231	1)	
O .		teWebDriver.execute(RemoteWericMobileDriver.execute(Default	
at io.appium.jav at io.appium.jav at org.openqa.se	va_client.android.And elenium.remote.Remo va_client.DefaultGene	rer.execute(AppiumDriver.java:1 lroidDriver.execute(AndroidDriveteWebDriver.findElement(Remo ricMobileDriver.findElement	ver.java:1)

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:133)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA Report.
feature:107)
```

After			0.00s
Back to Table of Conto	<u>ents</u>		
Scenario: User sho	uld be able to access B	abylon HRA - Healthcheck - Nu	utrition
Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before			0.00s
When I click on	"Nutrition" link on d	igital twin screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
*** Element info: {Using=xpath, value=//android.widget.TextView[contains
(@text,'Nutrition')]}
at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:121)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Nutrition" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:110)
```

Then I verify the HRA \${babylon.hraRep			
			0.00s
er	ort.nutrition.reta	ake}	
			0.00s
k to Table of Contents			
nario: Navigate back	to nutrition scre	een and validate the static text	
sed: 0	Failed: 1	Undefined: 1	Duration: .0
<u>Core</u>			0.00s
And I click on "Back"	'' link on digital	twin screen	0.02s
os.version: '10.0', java Driver info: io.appiur Capabilities {appActi uat, autoDismissAlert desired: {appActivity autoDismissAlerts: tr newCommandTimeou deviceManufacturer: deviceScreenDensity:	a.version: '11.0.2 n.java_client.and vity: com.prudent ts: true, automat : com.prudential ue, automationN ut: 10000, noRes Google, deviceN 440, deviceScree tue, locationCont ut: 10000, noRes		nge: com.prudential.pubaseEnabled: false, com.prudential.pulse.ume: Android-Test, d}, deviceApiLevel: 30241FDD40043P, 0: 0C241FDD40043P,

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:133)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:119)
After
                                                                                0.00s
Back to Table of Contents
Scenario: navigate back to digital twin screen
                        Failed: 1
Passed: 0
                                               Undefined: 0
                                                                                Duration: .02s
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                               0.02s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
```

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
```

(BabylonHealthAssessmentScreen.java:133) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350) at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA\_Report. feature:125) 0.00sAfter **Back to Table of Contents** Scenario: User should be able to access Babylon HRA - Healthcheck - Activity Failed: 1 Undefined: 3 Passed: 0 **Duration: .02s** 0.00sBefore When I click on "Activity" link on digital twin screen 0.02sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7 \*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java\_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. iava:42)

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:125)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Activity" link on digital twin screen(features/my/health
  /BabylonHRA_Report.feature:129)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Navigate back to Activity screen and validate the static text
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                               Duration: .03s
Before
                                                                               0.00s
  And I click on "Back" link on digital twin screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
```

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin (BabylonHealthAssessmentScreen.java:133) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350) at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA\_Report. feature:139) After 0.00s**Back to Table of Contents** Scenario: navigate back to digital twin screen Failed: 1 Passed: 0 Undefined: 0 **Duration: .03s** Before 0.00sAnd I click on "Back" link on digital twin screen 0.03sorg.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java\_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7 \*\*\* Element info: {Using=xpath, value=(//android.widget.ImageView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:133)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA Report.
  feature:145)
                                                                              0.00s
After
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood
                       Failed: 1
                                              Undefined: 3
Passed: 0
                                                                               Duration: .02s
Before
                                                                              0.00s
  When I click on "Mood" link on digital twin screen
                                                                              0.02s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
```

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

```
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:129)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Mood" link on digital twin screen(features/my/health
  /BabylonHRA_Report.feature:149)
After
                                                                                0.00s
Back to Table of Contents
Scenario: navigate back to digital twin screen
                        Failed: 1
Passed: 0
                                               Undefined: 0
                                                                                 Duration: .02s
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                                0.02s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 1040c653-d275-4000-a070-b5ad4259c9e7
  *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     158)
     at io.appium.java client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     iava:42)
     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
     (BabylonHealthAssessmentScreen.java:133)
     at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
     (BabylonSteps.java:350)
     at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
     feature:159)
                                                                                 0.00s
  After
  Back to Table of Contents
Feature: Verify that user can access calendar under health section
Passed: 3
                   Failed: 0
                                      Undefined: 0
                                                              Duration: 156.95s
  Scenario: Launch the app and select the country as per specified lbu
  Passed: 6
                          Failed: 0
                                                Undefined: 0
                                                                                 Duration: 42.19s
  Before
                                                                                 0.00s
     Given User has pulse app
                                                                                 7.94s
```


And I assign "\${login.e	email.id}'' t	to variable ''P	ULSE EMAI	L''	0.00s
And user click on "CO					16.43s
Then I change the coun					10.90s
Then I wait for 2 sec	<i>J</i>		T. T		2.01s
And I click the Sign in	link				4.91s
After					0.00s
Back to Table of Contents					0.003
Scenario: login to the app	with come	ot anadantials	using !!Conti	nuo with Emoil!!	
	Failed: 0			nue with Eman	Duration: 43.69s
Passed: 6 Before	ranea: v		Undefined: 0		0.00s
					<u> </u>
Given I select the langu		on toggle ba	r as required o	on login page	3.58s
When user enters crede					10.47s
UserName \${PULSF		}			
Password \${pulse.p	oassword}				
And User clicks on sign	nin button				0.25s
And I wait for 5 sec					5.01s
And I enter OTP in one	e pulse app	for user ema	il "\${PULSE_	EMAIL}''	10.81s
Then user should be lan	nded to "H	Iome'' screen			13.57s
After					0.00s
Back to Table of Contents					
Scenario: User should be a	able to acc	ess Calendar	screen		
	Failed: 0		Undefined: 0		Duration: 71.07s
Before	t uncu. o		ondermed. v		0.00s
And I wait for 3 sec					3.01s
When I clicks on Healt	h hutton				14.78s
And I scroll down	n button				4.55s
	421 -				
And I click on Calenda	ir tile				14.68s
And I wait for 3 sec	4				3.01s
Then I verify following	texts are o	displayed			1.10s
\${calendar.text}					
\${no.events.text}					
And I click on events d					0.54s
Then I verify the follow		'Calendar eve	nts" in Screer	1	29.40s
\${medicine.reminde	rs.text}				
\${appointments.text	t}				
\${vaccination.text}					
\${workout.text}					
\${pulse.tv.text}					
\${policy.remainder.	text}				
After					0.00s
Back to Table of Contents					
	nanoga Ch	inogo Modicir	o footume		
Feature: Verify that user can			ie feature	Dunation, 261,44	
Passed: 0 Failed: 74	•	Undefined: 0		Duration: 361.44s	


ssed: 15	Failed: 1	Undefined: 2	Duration: 144.
efore			0.00s
Given I genera ''RANDOM_N	te random number and a UMBER''	ssign to variable	0.00s
And I assign "¡ "PULSE_EMA		BER}@mailsac.com'' to variabl	0.00s
And User has p	oulse app		10.49s
Then I wait for	· 2 sec		2.00s
And user click	on "CONTINUE WITH	EMAIL" with Email button	14.88s
Then I wait for	· 2 sec		2.00s
Then I change	the country as required o	on registration page	10.60s
Then I wait for	· 2 sec		2.00s
	e to pulse registration pa ue with email button	ge and select the lang on toggle	3.778
Then I wait for	· 2 sec		2.00s
When user ente	ers registration details		7.66s
FirstName t	estAutomation		
LastName t	estAutomation		
Email \$	6{PULSE_EMAIL}		
Password I	Pas\$1234		
And taps on co	ntinue "Sign_Up" buttoi	n	0.26s
And I wait for	otp screen after clicking	on signup button	6.35s
		ser email ''\${PULSE_EMAIL}''	31.49s
Then I wait for			2.01s
Then I click sk	ip button		48.96s
using the given For documenta /no_such_elem Build info: vers System info: ho os.version: '10.	search parameters. ation on this error, please ent.html sion: '3.12.0', revision: '7	e visit: http://seleniumhq.org/exc c6e0b3', time: '2018-05-08T14:0 92.168.1.124', os.name: 'Window	ceptions 04:26.12Z'
Capabilities {a; uat, autoDismidesired: {appA autoDismissAldnewCommanddeviceManufactericeScreenDjavascriptEnat	ppActivity: com.prudent ssAlerts: true, automatio ctivity: com.prudential.perts: true, automationNationNationNationNationNationNationNationNationNationCondensity: 440, deviceScreen bled: true, locationContending	ial.pulse.MainAc, appPackage inName: UiAutomator2, databas oulse.MainAc, appPackage: come: UiAutomator2, deviceName: true, platformName: android} odel: Pixel 5, deviceName: 0C24: Size: 1080x2340, deviceUDID: (ktEnabled: false, networkConnecture, pixelRatio: 2.75, platform	seEnabled: false, om.prudential.pulse.ua e: Android-Test, , deviceApiLevel: 30, 1FDD40043P, OC241FDD40043P, ectionEnabled: true,


```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 537bbb3f-bd78-498a-9601-75c1b5324f77
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-
YYYY')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1116)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/my/health/ChineseMedicine.feature:27)
```


Then I wait for 4 se	ec		0.00s
fter			0.00s
ack to Table of Contents			
enario: User should	be able to access C	hinese Medicine screen	
ssed: 1	Failed: 1	Undefined: 2	Duration: 45.7
efore			0.00s
When I clicks on H	lealth button		31.12s
And I click on Chir	nese Medicine butto	n	14.60s
using the given sear For documentation /no_such_element.l Build info: versions System info: host: os.version: '10.0', j; Driver info: io.appi Capabilities {appA uat, autoDismissAl desired: {appActive autoDismissAlerts: newCommandTime deviceManufacture deviceScreenDensit javascriptEnabled: newCommandTime platformName: An viewportRect: {heis false} Session ID: 537bbb *** Element info: { /preceding::android at jdk.internal.refle at java.base/jdk.int (DelegatingConstru at java.base/java.la at org.openqa.selen (W3CHttpRespons at org.openqa.selen	rch parameters. a on this error, please and this error, please at the control of	se visit: http://seleniumhq.or/ 7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'Warring and and a single selection of the selection of t	8T14:04:26.12Z' Vindows 10', os.arch: 'amd64 ackage: com.prudential.pulse latabaseEnabled: false, age: com.prudential.pulse.ua eName: Android-Test, droid}, deviceApiLevel: 30, 0C241FDD40043P, DID: 0C241FDD40043P, ConnectionEnabled: true, latform: LINUX, 45, takesScreenshot: true, ings: {}, webStorageEnabled ew[@text="Home"] ance(Unknown Source) mpl.newInstance tor.java:490) eateException code tode  HttpCommandExecutor.java cute

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:	1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD	*
at io.appium.java_client.DefaultGenericMobileDriver.findElement	11vc1.java.317)
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.j	iava:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.findE	
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.j	java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at org. open qa. selenium. remote Remote Web Driver. find Element (Remote Web Driver. find Element) at org. open qa. selenium. remote Remote Web Driver. find Element (Remote Web Driver. find Element) at org. open qa. selenium. remote Remote Web Driver. find Element (Remote Web Driver. find Element) at org. open qa. selenium. remote Remote Web Driver. find Element (Remote Web Driver. find Element) at org. open qa. selenium. The find Element (Remote Web Driver. find Element) at org. open qa. selenium. The find Element (Remote Web Driver. find Element) at org. open qa. selenium at org. $	river.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.j	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	Command.java:
19)	),
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163 at com.onepulse.app.screens.PulseHealthScreen.clickChineseMedicineButton	<b>)</b> )
(PulseHealthScreen.java:251)	
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.	
navigateToBabylonSymptomsPage(ChineseMedicineSteps.java:37)	
	ne.feature:33)
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine	ne.feature:33)
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine Then User verify following texts are displayed in Chinese Medicine screen	
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage}	
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine)  Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage}  \${chineseMedicine.statement}	
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage}  \${chineseMedicine.statement}  \${chineseMedicine.pruLife}	
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage}  \${chineseMedicine.statement}  \${chineseMedicine.pruLife}	
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine) Then User verify following texts are displayed in Chinese Medicine screen  \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement}  \${chineseMedicine.pruLife}  \${chineseMedicine.pruLife.research}	0.00s









After			0.00s
Back to Table of Contents			
Scenario: User should be al	ble to complete Chinese	Medicine profile	
Passed: 0	Failed: 1	Undefined: 6	<b>Duration: 11.12s</b>
Before			0.00s
When I click on Start As	ssessment button on Ch	inese Medicine screen	11.12s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 537bbb3f-bd78-498a-9601-75c1b5324f77

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text=''Start
Assessment'']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickStartAssessmentButton
(ChineseMedicineScreen.java:56)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
clickOnStartAssessment(ChineseMedicineSteps.java:76)
at .When I click on Start Assessment button on Chinese Medicine screen(features/my/health
/ChineseMedicine.feature:62)
```

Thon change Chinese M	profile.mandatoryFields}	
Their change Chinese W	Aedicine user profile details	0.00s
City \${cl	hineseMedicine.profile.cityValue}	
Smoking Habits \${cl	${\bf hinese Medicine. profile. smoking Habits Va}$	nlue}
Drinking Habits \${cl	${\bf hinese Medicine.profile.drinking Habits Va}$	alue}
Exercise Habits \${cl	hineseMedicine.profile.exerciseHabitsVa	lue}
When I click on Next by	utton on Chinese Medicine Profile screen	0.00s
When User verify follow	wing texts are displayed in Chinese Medi	cine screen 0.00s
\${chineseMedicine.q	uestion.1}	
\${chineseMedicine.st	tatement.1}	
Then I verify following screen		e Medicine 0.00s
\${chineseMedicine.a	nswer.option1}	
\${chineseMedicine.a	nswer.option2}	
\${chineseMedicine.a	nswer.option3}	
\${chineseMedicine.a	nswer.option4}	
\${chineseMedicine.a	nswer.option5}	
Please start by entering your mobile number		
rumber +60   Phone Number  Please enter Phone Number  Continue		0.00s
number +60   Phone Number  Please enter Phone Number  Continue		0.00s
Please enter Phone Number  Please enter Phone Number  Continue  ter  ck to Table of Contents	he Q&A on Chinese Medicine journey	0.00s
Continue  Contin	he Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	0.00s  Duration: 2.0
Please enter Phone Number  Continue  Cantinue  Ck to Table of Contents		

java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"Based on your experience in past 3 months")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.1}" for the question "\${chineseMedicine. question.1}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 Duration: 2.06s Before 0.00sAnd user selects "\${chineseMedicine.answer.2}" for the question 2.06s **"\${chineseMedicine.guestion.2}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get fatigued or tired easily.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine. question.2}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.03s** Before 0.00sAnd user selects "\${chineseMedicine.answer.3}" for the question 2.03s**'\${chineseMedicine.question.3}''** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I suffer from insomnia")] and Answer //android.widget.TextView[contains(@text," Disagree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine. question.3}"(features/my/health/ChineseMedicine.feature:88) After 0.00s

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06
Before			0.00s
	ts ''\${chineseMedicine.ansv licine.question.4}''	ver.4}'' for the question	2.06s
(@text,"I adap Answer //andro at org.testng.A at com.onepuls	ot quickly to changes in the oid.widget.TextView[containusert.fail(Assert.java:94)	the Question //android.widget.T weather or the surrounding envins(@text,''Strongly Disagree'') icineScreen.handleQnA(Chines	vironment.'')] and
(ChineseMedic	eineSteps.java:104)	lesteps.ChineseMedicineSteps.h	
	eatures/my/health/ChineseN	nswer.4}'' for the question ''\${c Medicine.feature:88)	mnesewiedicine.
After			0.00s
Back to Table of Con	<u>tents</u>		
cenario Outline:	Verify the Q&A on Chines	se Medicine journey	
assed: 0	Failed: 1	Undefined: 0	Duration: 2.06
Before			0.00s
	ts ''\${chineseMedicine.ansv licine.question.5}''	ver.5}'' for the question	<b>2.06</b> s
(@text,''I am p widget.TextVie		the Question //android.widget.Toften than most people.'')] and Ally Agree'')]	
at org.testng.A			
at com.onepuls	e.app.screens.ChineseMed	icineScreen.handleQnA(Chines	eMedicineScreen.jav
at com.onepuls			· ·
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se	se.app.stepdefinitions.mobil cineSteps.java:104)	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c	andleQnA
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se question.5}"(fe	se.app.stepdefinitions.mobil sineSteps.java:104) elects ''\${chineseMedicine.a	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c	andleQnA
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se question.5}"(fe	se.app.stepdefinitions.mobil cineSteps.java:104) elects ''\${chineseMedicine.a catures/my/health/ChineseM	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c	andleQnA hineseMedicine.
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se question.5}"(fe	se.app.stepdefinitions.mobil cineSteps.java:104) elects ''\${chineseMedicine.a catures/my/health/ChineseM	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c Medicine.feature:88)	andleQnA hineseMedicine.
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se question.5}"(fe	se.app.stepdefinitions.mobileineSteps.java:104) elects ''\${chineseMedicine.aeatures/my/health/ChineseMedicine.aeatures/my/health/chineseMedicine.aeatures/my/health/chineseMedicine.aeatures/my/health/chineseMedicine.aeatures/my/health/chineseMedicine.aeatures/my/health/chineseMedicine.aeatures/my/health/chineseMedicine.aeatures/my/health/chineseMedicine.aeaatures/my/health/chineseMedicine.aeaatures/my/health/chineseMedicine.aeaatures/my/health/chineseMedicine.aeaatures/my/health/chineseMedicine.aeaatures/my/health/chineseMedicine.aeaatures/my/health/chineseMedicine.aeaatures/my/health/chineseAeaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c Medicine.feature:88)	andleQnA hineseMedicine.  0.00s
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se question.5}"(fe	se.app.stepdefinitions.mobileineSteps.java:104) elects ''\${chineseMedicine.aeatures/my/health/ChineseMedic	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c Medicine.feature:88)  se Medicine journey	andleQnA hineseMedicine.  0.00s
at com.onepuls 168) at com.onepuls (ChineseMedic at .And user se question.5}"(fe	se.app.stepdefinitions.mobileineSteps.java:104) elects ''\${chineseMedicine.aeatures/my/health/ChineseMedic	lesteps.ChineseMedicineSteps.h nswer.5}'' for the question ''\${c} Medicine.feature:88)  se Medicine journey Undefined: 0	andleQnA hineseMedicine.  0.00s  Duration: 2.04

at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine. question.6}"(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.27s** Before 0.00sAnd user selects "\${chineseMedicine.answer.7}" for the question 2.27s **"\${chineseMedicine.guestion.7}"** java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I cough or get asmethic symptoms due to changes in seasons")] and Answer //android. widget.TextView[contains(@text."Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine. question.7}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the O&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.04s** Before 0.00sAnd user selects "\${chineseMedicine.answer.8}" for the question 2.04s **"\${chineseMedicine.guestion.8}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I am allergic to drugs")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **168**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine. question.8}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Failed: 1 Passed: 0 **Duration: 2.07s** Before 0.00s

φ(εππεσεινίεσιε	''\${chineseMedicine.answer.9}'' fo ine.question.9}''	or the question	2.07s
(@text,"I frequent Occassionally")] at org.testng.Assortestng.Asso	onError: Unable to find the Quest ntly catch a chill")] and Answer // ert.fail(Assert.java:94) app.screens.ChineseMedicineScre	android.widget.TextViven.handleQnA(ChinesehineseMedicineSteps.h	ew[contains(@text,'' eMedicineScreen.java: andleQnA
After	ures/my/nearth/enmeservicuremes	icatui c.00)	0.00s
Back to Table of Conter	its		
Scenario Outline: V	erify the Q&A on Chinese Medici	ne journey	
Passed: 0 Before	Failed: 1 Und	defined: 0	Duration: 2.07s 0.00s
	"\${chineseMedicine.answer.10}" ine.question.10}"	for the question	2.07s
at com.onepulse.: 168) at com.onepulse.: (ChineseMedicin at .And user selec	ert.fail(Assert.java:94) app.screens.ChineseMedicineScre app.stepdefinitions.mobilesteps.Cl eSteps.java:104) cts ''\${chineseMedicine.answer.10 atures/my/health/ChineseMedicine	hineseMedicineSteps.h )}'' for the question ''\${	andleQnA chineseMedicine.
A fton			0.00-
After	ts		0.00s
Back to Table of Conter		•	0.008
Back to Table of Conter Scenario Outline: V	erify the Q&A on Chinese Medici		
Back to Table of Conter Scenario Outline: V Passed: 0	erify the Q&A on Chinese Medici	ne journey defined: 0	Duration: 2.07s
Back to Table of Conter Scenario Outline: V Passed: 0 Before And user selects	erify the Q&A on Chinese Medici	defined: 0	

After		0.00s
Back to Table of Contents		
Scenario Outline: Veri	fy the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.07s
Before		0.00s
And user selects "\${ "\${chineseMedicine}	chineseMedicine.answer.12}" for the question equestion.12}"	<b>2.07</b> s
(@text,"I feel my fa Occassionally")] at org.testng.Assert. at com.onepulse.app 168) at com.onepulse.app (ChineseMedicineSt	p.screens.ChineseMedicineScreen.handleQnA(Chinese p.stepdefinitions.mobilesteps.ChineseMedicineSteps.ha	s(@text,'' eMedicineScreen.java
	res/my/health/ChineseMedicine.feature:88)	0.00s
Dools to Table of Contents		
back to Table of Contents		
	fy the Q&A on Chinese Medicine journey	
Back to Table of Contents Scenario Outline: Veril Passed: 0	fy the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.04s
Scenario Outline: Veri		Duration: 2.04s 0.00s
Scenario Outline: Veri Passed: 0 Before	Failed: 1 Undefined: 0 [chineseMedicine.answer.13]'' for the question	
And user selects "\${ "\${chineseMedicine}  java.lang.AssertionI (@text,"My hands a exercise.")] and Ans at org.testng.Assert. at com.onepulse.app 168) at com.onepulse.app (ChineseMedicineSt	Failed: 1 Undefined: 0  [chineseMedicine.answer.13]" for the question equestion.13]"  Error: Unable to find the Question //android.widget.T and legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occfail(Assert.java:94) o.screens.ChineseMedicineScreen.handleQnA(Chinese o.stepdefinitions.mobilesteps.ChineseMedicineSteps.hatteps.java:104)	0.00s  2.04s  extView[contains 'm not doing intense assionally")]  eMedicineScreen.jav andleQnA
Passed: 0  Before  And user selects "\${ "\${chineseMedicine}  java.lang.AssertionI (@text,"My hands a exercise.")] and Ans at org.testng.Assert. at com.onepulse.app 168) at com.onepulse.app (ChineseMedicineSt at .And user selects question.13}"(feature	Failed: 1  CchineseMedicine.answer.13}" for the question equestion.13}"  Error: Unable to find the Question //android.widget.T and legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occfail(Assert.java:94)  p.screens.ChineseMedicineScreen.handleQnA(Chinese  p.stepdefinitions.mobilesteps.ChineseMedicineSteps.ha	0.00s  2.04s  extView[contains of the most doing intense assionally]  eMedicineScreen.javandleQnA  chineseMedicine.
After  Scenario Outline: Verificassed: 0  Before  And user selects "\${     "\${chineseMedicine}      java.lang.AssertionI     (@text,"My hands a     exercise.")] and Ans     at org.testng.Assert.     at com.onepulse.app     (ChineseMedicineSt     at .And user selects     question.13}"(featureAfter	Failed: 1  [chineseMedicine.answer.13]" for the question e.question.13]"  Error: Unable to find the Question //android.widget.T and legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occ.fail(Assert.java:94) p.screens.ChineseMedicineScreen.handleQnA(Chinese p.stepdefinitions.mobilesteps.ChineseMedicineSteps.hatteps.java:104)  "\${chineseMedicine.answer.13}" for the question "\${	0.00s  2.04s  extView[contains 'm not doing intense assionally")]  eMedicineScreen.javandleQnA
Passed: 0 Before  And user selects "\${ "\${chineseMedicine}  java.lang.AssertionI (@text,"My hands a exercise.")] and Ans at org.testng.Assert. at com.onepulse.app 168) at com.onepulse.app (ChineseMedicineSt at .And user selects question.13}"(featur  After  Back to Table of Contents	Failed: 1  [chineseMedicine.answer.13]" for the question e.question.13]"  Error: Unable to find the Question //android.widget.T and legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occ.fail(Assert.java:94) p.screens.ChineseMedicineScreen.handleQnA(ChineseDest.java:104)  "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.answer.13}"	0.00s  2.04s  extView[contains of the most doing intense assionally of the most doing
And user selects "\${ "\${chineseMedicine}  java.lang.AssertionI (@text,"My hands a exercise.")] and Ans at org.testng.Assert. at com.onepulse.app (ChineseMedicineSt at .And user selects question.13}"(featur  After  Back to Table of Contents	Failed: 1  [chineseMedicine.answer.13]" for the question e.question.13]"  Error: Unable to find the Question //android.widget.T and legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occ.fail(Assert.java:94) p.screens.ChineseMedicineScreen.handleQnA(Chinese p.stepdefinitions.mobilesteps.ChineseMedicineSteps.hatteps.java:104)  "\${chineseMedicine.answer.13}" for the question "\${	0.00s  2.04s  extView[contains of the most doing intense assionally]  eMedicineScreen.javandleQnA  chineseMedicine.
And user selects "\${ "\${chineseMedicine}  java.lang.AssertionI (@text,"My hands a exercise.")] and Ans at org.testng.Assert. at com.onepulse.app (ChineseMedicineSt at .And user selects question.13}"(feature  After  Back to Table of Contents  Scenario Outline: Verification  Passed: 0	Failed: 1  [chineseMedicine.answer.13]" for the question e.question.13]"  Error: Unable to find the Question //android.widget.T and legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occ.fail(Assert.java:94) p.screens.ChineseMedicineScreen.handleQnA(ChineseDest.java:104)  "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.answer.13}"	0.00s  2.04s  ExtView[contains in not doing intense assionally"]]  eMedicineScreen.javandleQnA  chineseMedicine.  0.00s
Passed: 0 Before  And user selects "\${ "\${chineseMedicine}  java.lang.AssertionI (@text,"My hands a exercise.")] and Ans at org.testng.Assert. at com.onepulse.app 168) at com.onepulse.app (ChineseMedicineSt at .And user selects question.13}"(featur  After  Back to Table of Contents	Failed: 1 Undefined: 0  [chineseMedicine.answer.13]" for the question equestion.13]"  Error: Unable to find the Question //android.widget.Total legs sweat even if the weather is not hot or when I swer //android.widget.TextView[contains(@text,"Occupational option of the contains option opt	0.00s  2.04s  ExtView[contains 'm not doing intense assionally'')]  EMedicineScreen.jav andleQnA chineseMedicine.  0.00s

(@text,''I feel that I have a weak voice.'')] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine. question.14}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.15}" for the question 2.05s"\${chineseMedicine.guestion.15}" java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"In general")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine. question.15}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Passed: 0 Failed: 1 **Duration: 2.06s** 0.00sBefore And user selects "\${chineseMedicine.answer.16}" for the question 2.06s **"\${chineseMedicine.question.16}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my skin and lips are dry.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine. question.16}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.07s
Before			0.00s
	''\${chineseMedicine.acine.question.17}''	answer.17}" for the question	2.07s
(@text,''I get br (@text,''Occassi at org.testng.Ass	uises easily for no rea onally'')] ert.fail(Assert.java:94	ind the Question //android.widget.son.'')] and Answer //android.widget. 4) MedicineScreen.handleQnA(Chine	get.TextView[contains
at com.onepulse. (ChineseMedicinat .And user sele	neSteps.java:104) cts ''\${chineseMedici	ne.answer.17}" for the question "S	
question.17}''(fe   After	atures/my/health/Chi	neseMedicine.feature:88)	0.00s
	nta		U.UUS
Back to Table of Conte			
		inese Medicine journey	D (* 202
Passed: 0 Before	Failed: 1	Undefined: 0	Duration: 2.03s 0.00s
		answer.18}" for the question	0.008
at org.testng.Ass at com.onepulse. 168) at com.onepulse. (ChineseMedicin at .And user sele question.18}''(fe	app.stepdefinitions.m neSteps.java:104) cts ''\${chineseMedici	· · · · · · ·	handleQnA {chineseMedicine.
After			0.00s
Back to Table of Conte			
		inese Medicine journey	
Passed: 0 Before	Failed: 1	Undefined: 0	<b>Duration: 2.05s 0.00s</b>
	''\${chineseMedicine.acine.question.19}''	answer.19}" for the question	2.05s
(@text,''I get pu TextView[contai at org.testng.Ass	rple rashes on my ski ns(@text,''Occassiona ert.fail(Assert.java:94		ver //android.widget.

And user selects "\${chineseMedicine.answer.20}" for the question  "\${chineseMedicine.question.20}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")]  at org.testng.Assert.fail(Assert.java:94)  at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104)  at And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicineSteps.java:104})  at And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicineSteps.java:104})  After   0.00  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0   Failed: 1   Undefined: 0   Dura    Before   0.00  And user selects "\${chineseMedicine.answer.21}" for the question    "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"Occassionally")]  at org.testng.Assert.fail(Assert.java:94)  at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicin	ration: 2.00 0s 6s ntains		
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Dura Before 0.00  And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[cor(@text,"1 easily get scratch marks on my skin.")] and Answer //android.widget.TextView[cortains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.feature:88}  After 0.00  And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[cor(@text,"1 tend to feel depressed and moody.")] and Answer //android.widget.TextView[cor(@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextView[cor(getxt,"1 tend to feel depressed and moody.")] and Answer //android.widget.TextView[cortains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA((ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicineseMedicine.feature:88}  After 0.00  Arter	Os Os ntains	n Chinese Medicine journey	ick to Table of Collients
Passed: 0 Failed: 1 Undefined: 0 Durs Before	Os Os ntains		
And user selects "\${chineseMedicine.answer.20}" for the question  "\${chineseMedicine.question.20}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[cor(@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextV [contains(@text,"Occassionally")]  at org.testng.Assert.fail(Assert.java:94)  at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 168)  at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)  at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMed question.20}" (features/my/health/ChineseMedicine.feature:88)  After 0.00  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Dura  Before 0.00  And user selects "\${chineseMedicine.answer.21}" for the question  "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[cor(@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextView[cor(@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextView[cortains(@text,"Occassionally")]  at org.testng.Assert.fail(Assert.java:94)  at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104)  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the	os ntains	Undefined: 0	
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[cor (@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextView[cor (@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextView[cor (@text,"I easily get scratch marks on my skin.")] and Common the common the common through through through the common through the common through t	ntains	0	efore
(@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextV [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA ((ChineseMedicineSteps,java:104) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicineSteps.lava:104} at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.feature:88}  After			"\${chineseMedicine.question.20}"
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.20}" (features/my/health/ChineseMedicine.feature:88)  After		s on my skin.'')] and Answer //android.widget.Te    va:94)	(@text,"I easily get scratch marks of [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java at com.onepulse.app.screens.Chines
Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Dura  Before 0.000  And user selects "\${chineseMedicine.answer.21}" for the question  "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextVie [contains(@text,"Occassionally")]  at org.testng.Assert.fail(Assert.java:94)  at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104)  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104}  at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.21}" features/my/health/ChineseMedicine.feature:88)  After 0.000  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey	licine.	dicine.answer.20}" for the question "\${chineseM	at com.onepulse.app.stepdefinitions (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicineSteps.java:104}
Passed: 0 Failed: 1 Undefined: 0 Dura  Before 0.00  And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.feature:88}  After 0.00  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey	0s	0	fter
Passed: 0 Failed: 1 Undefined: 0 Dura  Before 0.00  And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextVie [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicineSeMedicine.21}" (features/my/health/ChineseMedicine.feature:88)  After 0.00  Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey			ck to Table of Contents
And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMediquestion.21}"(features/my/health/ChineseMedicine.feature:88)  After 0.00  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey		n Chinese Medicine journey	enario Outline: Verify the Q&A on
And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextVie [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.21}"(features/my/health/ChineseMedicine.feature:88)  After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	ration: 2.0		
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,''I tend to feel depressed and moody.'')] and Answer //android.widget.TextVie [contains(@text,''Occassionally'')] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects ''\${chineseMedicine.answer.21}'' for the question ''\${chineseMedicine.21}''(features/my/health/ChineseMedicine.feature:88)  After 0.00  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey	)s		
(@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextVie [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.seMedicine.feature:88}  After 0.00  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey	's		
168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.seMedicine.feature:88})  After  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey	ew	nd moody.'')] and Answer //android.widget.Text   	(@text,''I tend to feel depressed and [contains(@text,''Occassionally'')] at org.testng.Assert.fail(Assert.java
(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.enswer.21}" (features/my/health/ChineseMedicine.feature:88)  After    0.00	creen.ja		168)
After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	licine.	dicine.answer.21}" for the question "\${chineseM	(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicineSteps.java:104}
Scenario Outline: Verify the Q&A on Chinese Medicine journey	0s		
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
		1 Chinese Medicine journey	
Passed: 0 Failed: 1 Undefined: 0 Dura			ssed: 0 Failed: 1
Before 0.00	eation: 2.0		

java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I easily forget things.")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine. question.22}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 Duration: 2.04s Before 0.00sAnd user selects "\${chineseMedicine.answer.23}" for the question 2.04s "\${chineseMedicine.guestion.23}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to feel tense and")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine. question.23}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.08s** Before 0.00sAnd user selects "\${chineseMedicine.answer.24}" for the question 2.08s **'\${chineseMedicine.question.24}''** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I am sentimental and my feelings get hurt easily.")] and Answer //android.widget. TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine. question.24\"(features/my/health/ChineseMedicine.feature:88) After 0.00s

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.07s
Before			0.00s
	ts ''\${chineseMedicine.an licine.question.25}''	nswer.25}" for the question	2.07s
(@text,''I feel f Occassionally'' at org.testng.A	fearful'')] and Answer //a ')] ssert.fail(Assert.java:94)		@text,"
168)	• •	edicineScreen.handleQnA(Chinese bilesteps.ChineseMedicineSteps.ha	· ·
_	eineSteps.java:104)	mesteps.Cimesevieticmesteps.na	muleQIIA
at .And user se		e.answer.25}'' for the question ''\${oeseMedicine.feature:88}	chineseMedicine.
After			0.00s
Back to Table of Con	tents .		
Scenario Outline:	Verify the Q&A on Chir	nese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.07
Before			0.00s
	ts ''\${chineseMedicine.an licine.question.26}''	nswer.26}" for the question	2.07s
	often for no reason.")] an	nd the Question //android.widget.T nd Answer //android.widget.TextV	
	ssert.fail(Assert.java:94)		
-	e.app.screens.ChineseM	edicineScreen.handleQnA(Chinese	MedicineScreen.jav
168)	so ann standafinitians ma	bilesteps.ChineseMedicineSteps.ha	ndloOn A
of com ononule	cineSteps.java:104)	bnesteps.Chineselvieuremesteps.na	muleQnA
_	lects ''\${chineseMedicine	e.answer.26}" for the question "\${@eseMedicine.feature:88}	chineseMedicine.
(ChineseMedic at .And user se	teatures/my/nearth/Chine		0.00s
(ChineseMedic at .And user se question.26}"(f	teatures/my/neaitn/Cninc		0.003
(ChineseMedic at .And user se question.26}"(f			0.003
(ChineseMedic at .And user se question.26}"(1 After		nese Medicine journey	0.005
(ChineseMedic at .And user se question.26}"(1 After	tents	nese Medicine journey Undefined: 0	Duration: 2.07
(ChineseMedic at .And user se question.26}"(f	tents Verify the Q&A on Chir		
(ChineseMedic at .And user se question.26}"(for the control of the	tents  Verify the Q&A on Chir  Failed: 1		Duration: 2.07

at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine. question.27}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.09s** Before 0.00sAnd user selects "\${chineseMedicine.answer.28}" for the question 2.09s**"\${chineseMedicine.guestion.28}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have a pale or anemic complexion.")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine. question.28}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the O&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.04s** Before 0.00sAnd user selects "\${chineseMedicine.answer.29}" for the question 2.04s **"\${chineseMedicine.guestion.29}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have rosy cheeks.")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **168**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine. question.29}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Failed: 1 Passed: 0 **Duration: 2.07s** Before 0.00s

And user selects "\${chineseMedicine.answer.30}" for the question 2.07s**"\${chineseMedicine.question.30}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have visible blood veins on my cheeks")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine. question.30}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.04s** Before 0.00sAnd user selects "\${chineseMedicine.answer.31}" for the question 2.04s "\${chineseMedicine.question.31}" java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I have a darker complexion and have pigmentation on my cheeks")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine. question.31}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.06s** Before 0.00sAnd user selects "\${chineseMedicine.answer.32}" for the question 2.06s "\${chineseMedicine.guestion.32}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My nose and forehead frequently get oily")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **168**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

After		0.00s
Back to Table of Contents		
Scenario Outline: Verify	the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.07s
Before		0.00s
And user selects "\${chineseMedicine.qr	nineseMedicine.answer.33}" for the question uestion.33}"	2.07s
(@text,"I get pimples Occassionally")] at org.testng.Assert.fa at com.onepulse.app.se 168) at com.onepulse.app.se (ChineseMedicineStep	creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps.l	contains(@text," seMedicineScreen.jav
	s/my/health/ChineseMedicine.feature:88)	0.00s
Back to Table of Contents		
	the Q&A on Chinese Medicine journey	
Back to Table of Contents Scenario Outline: Verify Passed: 0	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.07s
Scenario Outline: Verify		Duration: 2.078 0.00s
Scenario Outline: Verify Passed: 0 Before	Failed: 1 Undefined: 0  nineseMedicine.answer.34}'' for the question	
And user selects "\${chineseMedicine.qr  java.lang.AssertionEr (@text,"I get panda ex [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.s	Failed: 1 Undefined: 0  nineseMedicine.answer.34}'' for the question uestion.34}''  ror: Unable to find the Question //android.widget. yes (dark eye bags) easily'')] and Answer //android assionally'')]	2.07s  TextView[contains l.widget.TextView]
Passed: 0  Before  And user selects "\${ch "\${chineseMedicine.qr}  java.lang.AssertionEr (@text,"I get panda ey [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.se 168) at com.onepulse.app.se (ChineseMedicineStep at .And user selects "\$	Failed: 1  Undefined: 0  nineseMedicine.answer.34}'' for the question uestion.34}''  ror: Unable to find the Question //android.widget. yes (dark eye bags) easily'')] and Answer //android assionally'')] nil(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps.los.java:104) 6{chineseMedicine.answer.34}'' for the question ''\$	2.07s  TextView[contains l.widget.TextView] seMedicineScreen.jav
Passed: 0  Before  And user selects "\${ch "\${chineseMedicine.qr}  java.lang.AssertionEr (@text,"I get panda ey [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.se 168) at com.onepulse.app.se (ChineseMedicineStep at .And user selects "\$	Failed: 1  Undefined: 0  nineseMedicine.answer.34}'' for the question uestion.34}''  ror: Unable to find the Question //android.widget. yes (dark eye bags) easily'')] and Answer //android assionally'')] nil(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps.los.java:104)	2.07s  TextView[contains l.widget.TextView] seMedicineScreen.java
After  Scenario Outline: Verify Passed: 0  Before  And user selects "\${ch "\${chineseMedicine.qr}  java.lang.AssertionEr (@text,"I get panda ey [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.sc (ChineseMedicineStep at .And user selects "\$ question.34}"(features	Failed: 1  Undefined: 0  nineseMedicine.answer.34}'' for the question uestion.34}''  ror: Unable to find the Question //android.widget. yes (dark eye bags) easily'')] and Answer //android assionally'')] nil(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps.los.java:104) 6{chineseMedicine.answer.34}'' for the question ''\$	2.07s  TextView[contains l.widget.TextView] seMedicineScreen.javandleQnA 6{chineseMedicine.
And user selects "\${ch "\${chineseMedicine.qr  java.lang.AssertionEr (@text,"I get panda ey [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.se 168) at com.onepulse.app.se (ChineseMedicineStep at .And user selects "\$ question.34}"(features  After  Back to Table of Contents	Failed: 1  Undefined: 0  nineseMedicine.answer.34}'' for the question uestion.34}''  ror: Unable to find the Question //android.widget. yes (dark eye bags) easily'')] and Answer //android assionally'')] ill(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps. bs.java:104) 6{chineseMedicine.answer.34}'' for the question ''\$ s/my/health/ChineseMedicine.feature:88)	2.07s  TextView[contains l.widget.TextView] seMedicineScreen.javandleQnA 6{chineseMedicine.
Passed: 0 Before  And user selects "\${ch "\${chineseMedicine.qp}  java.lang.AssertionEr (@text,"I get panda ey [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.se 168) at com.onepulse.app.se (ChineseMedicineStep at .And user selects "\$ question.34}"(features  After Back to Table of Contents Scenario Outline: Verify	Failed: 1  Undefined: 0  nineseMedicine.answer.34}'' for the question uestion.34}''  ror: Unable to find the Question //android.widget. yes (dark eye bags) easily'')] and Answer //android assionally'')] nil(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps.los.java:104) 6{chineseMedicine.answer.34}'' for the question ''\$	2.07s  TextView[contains l.widget.TextView] seMedicineScreen.javandleQnA 6{chineseMedicine.
Passed: 0  Before  And user selects "\${ch "\${chineseMedicine.qr}  java.lang.AssertionEr (@text,"I get panda ey [contains(@text,"Occa at org.testng.Assert.fa at com.onepulse.app.se 168) at com.onepulse.app.se (ChineseMedicineStep at .And user selects "\$ question.34}"(features  After  Back to Table of Contents	ror: Unable to find the Question //android.widget. yes (dark eye bags) easily")] and Answer //android assionally")] il(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chine tepdefinitions.mobilesteps.ChineseMedicineSteps. os.java:104) {chineseMedicine.answer.34}" for the question "\$ s/my/health/ChineseMedicine.feature:88)  the Q&A on Chinese Medicine journey	2.07s  TextView[contains l.widget.TextView] seMedicineScreen.jav handleQnA 6{chineseMedicine.  0.00s

Detailed Results Report (@text,''My lip color is generally gloomy / purplish / blueish'')] and Answer //android.widget. TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **168**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\{chineseMedicine.answer.35}" for the question "\{chineseMedicine. question.35}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.08s** Before 0.00sAnd user selects "\${chineseMedicine.answer.36}" for the question 2.08s "\${chineseMedicine.guestion.36}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My lip color is reddish")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine. question.36}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.07s** 0.00sBefore And user selects "\${chineseMedicine.answer.37}" for the question 2.07s**"\${chineseMedicine.question.37}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My lip color is slightly pale or whiteish")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java:

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine. question.37}''(features/my/health/ChineseMedicine.feature:88)

0.00sAfter

## **Back to Table of Contents**

Scenario Outline: Verify the Q&A on Chinese Medicine journey

D 0	Failed: 1	Undefined: 0	Duration: 2.08
Before			0.00s
	s ''\${chineseMedicine.a cine.question.38}''	nnswer.38}" for the question	2.08s
(@text,"I have p Occassionally") at org.testng.Ass	puffy eyelids'')] and Ar ] sert.fail(Assert.java:94		ontains(@text,"
168) at com.onepulse	app.stepdefinitions.m	IedicineScreen.handleQnA(Chineso         obilesteps.ChineseMedicineSteps.ha	· ·
at .And user sele	•	ne.answer.38}" for the question "\${ neseMedicine.feature:88)	chineseMedicine.
After			0.00s
Back to Table of Conte	ents		
Scenario Outline: \	Verify the Q&A on Ch	inese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05
Before			0.00s
java.lang.Assert (@text,"I have o (@text,"Occassi at org.testng.Ass at com.onepulse	dry eyes or blurry visio ionally'')] sert.fail(Assert.java:94	and the Question //android.widget.Ton'')] and Answer //android.widget.	
(ChineseMedicinat .And user selequestion.39)"(fe	neSteps.java:104) ects ''\${chineseMedicir	obilesteps.ChineseMedicineSteps.hane.answer.39}'' for the question ''\${ neseMedicine.feature:88)	andleQnA chineseMedicine.
at com.onepulse (ChineseMedicin at .And user sele question.39}"(fe	neSteps.java:104) ects ''\${chineseMedicir eatures/my/health/Chir	ne.answer.39}'' for the question ''\${	andleQnA
at com.onepulse (ChineseMedicin at .And user sele question.39}"(fe	neSteps.java:104) ects ''\${chineseMedicireatures/my/health/Chireatures/my/health/chireatures/my/health/chireatures/my/health/chireatures/my/health/chireat	ne.answer.39}'' for the question ''\${ neseMedicine.feature:88)	andleQnA chineseMedicine.
at com.onepulse (ChineseMedicinat .And user sele question.39}"(fe	neSteps.java:104) ects ''\${chineseMedicireatures/my/health/Chireatures/my/health/chireatures/my/health/chireatures/my/health/chireatures/my/health/chireat	ne.answer.39}'' for the question ''\${	andleQnA chineseMedicine.  0.00s
at com.onepulse (ChineseMedicin at .And user sele question.39}"(fe  After Back to Table of Conte Coenario Outline: No Before  And user selects	neSteps.java:104) ects ''\${chineseMedicireatures/my/health/Chireat	ne.answer.39}" for the question "\${ neseMedicine.feature:88)  inese Medicine journey	andleQnA chineseMedicine.  0.00s  Duration: 2.07

After	question.40} (1e	atures/my/health/ChineseMedicin	0}" for the question "\${chineseMedicine.ne.feature:88)
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration:  Befor	After		
Passed: 0 Failed: 1 Undefined: 0 Duration:  Before	Back to Table of Conte	nts .	
And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My nose gets clooged or runny even if I am not sick"]] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}" (features/my/health/ChineseMedicine.feature:88)  After	Scenario Outline: <b>V</b>	erify the Q&A on Chinese Medic	cine journey
And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My nose gets clooged or runny even if 1 am not sick")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testing.Assert.fail(Assert.java:94) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineScreen.168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.duestion.41}" (features/my/health/ChineseMedicine.feature:88)  After	Passed: 0	Failed: 1	ndefined: 0 Duration: 2.
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contain: (@text,"My nose gets clooged or runny even if I am not sick")] and Answer //android.widget.TextView[contains: (@text,"Occassionally")] at org.testing.Assert.fail(Assert.java:)44) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA ((ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}" (features/my/health/ChineseMedicine.feature:88)  After	Before		0.00s
(@text,"My nose gets clooged or runny even if I am not sick")] and Answer //android.widgTextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA ((ChineseMedicineSteps,java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"(features/my/health/ChineseMedicine.feature:88)  After			for the question 2.05s
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps,java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}" (features/my/health/ChineseMedicine.feature:88)  After	(@text,''My nose TextView[contain at org.testng.Ass	e gets clooged or runny even if I a ns(@text,''Occassionally'')] ert.fail(Assert.java:94)	nm not sick'')] and Answer //android.widge
Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration:  Before 0.000s  And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)  After 0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s	at com.onepulse. (ChineseMedicir at .And user sele	neSteps.java:104) cts ''\${chineseMedicine.answer.4	1}" for the question "\${chineseMedicine.
Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration:  Before 0.000s  And user selects "\${chineseMedicine.answer.42}" for the question  "\${chineseMedicine.question.42}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains(@text," Occassionally")]  at org.testng.Assert.fail(Assert.java:94)  at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168)  at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA  (ChineseMedicineSteps.java:104)  at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)  After 0.000s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration:  Before 0.000s	After		0.00s
Passed: 0 Failed: 1 Undefined: 0 Duration:  Before 0.008  And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains (@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)  After 0.008  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.008	Back to Table of Conte	<u>nts</u>	
And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}" (features/my/health/ChineseMedicine.feature:88)  After 0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s	Scenario Outline: <mark>V</mark>	erify the Q&A on Chinese Medic	cine journey
And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"  java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}" (features/my/health/ChineseMedicine.feature:88)  After 0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s	Passed: 0	Failed: 1	ndefined: 0 Duration: 2.
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains (@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)  After 0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration:  Before 0.00s	Before		0.00s
(@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)  After 0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s			for the question 2.06s
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects ''\${chineseMedicine.answer.42}'' for the question ''\${chineseMedicine.question.42}''(features/my/health/ChineseMedicine.feature:88)  After  0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0 Failed: 1 Undefined: 0 Duration:  Before  0.00s	(@text,''I have a Occassionally'')] at org.testng.Ass	dry tongue")] and Answer //and	roid.widget.TextView[contains(@text,"
(ChineseMedicineSteps.java:104) at .And user selects ''\${chineseMedicine.answer.42}'' for the question ''\${chineseMedicine.question.42}''(features/my/health/ChineseMedicine.feature:88)  After  0.00s  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0  Failed: 1  Undefined: 0  Duration:  Before	168)		
After 0.00s  Back to Table of Contents  Scenario Outline: Verify the Q&A on Chinese Medicine journey  Passed: 0	(ChineseMedicir at .And user sele	neSteps.java:104) cts ''\${chineseMedicine.answer.4	2}" for the question "\${chineseMedicine.
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s	7 .		
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s			
Passed: 0 Failed: 1 Undefined: 0 Duration: Before 0.00s	Back to Table of Conte	<u>118</u>	
			rine journey
LE TO STANDAR COLOGE CUNTO DE CONTROL	Scenario Outline: V	erify the Q&A on Chinese Medic	ndefined: 0 Duration: 2.
And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine.question.43}"	Scenario Outline: V Passed: 0 Before	Failed: 1 Un	ndefined: 0 Duration: 2. 0.00s

java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I have sticky saliva")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine. question.43}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 Duration: 2.06s Before 0.00sAnd user selects "\${chineseMedicine.answer.44}" for the question 2.06s **"\${chineseMedicine.guestion.44}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to have a bitter taste in my mouth")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine. question.44}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.07s** Before 0.00sAnd user selects "\${chineseMedicine.answer.45}" for the question 2.07s**'\${chineseMedicine.question.45}''** iava.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"The surface of my tongue feels sticky")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\{chineseMedicine.answer.45}" for the question "\{chineseMedicine. question.45}''(features/my/health/ChineseMedicine.feature:88) After 0.00s

	Failed: 1	Undefined: 0	Duration: 2.08
Before			0.00s
	s ''\${chineseMedicine.ar	nswer.46}'' for the question	2.08s
(@text,"I tend widget.TextVie at org.testng.As at com.onepulse 168) at com.onepulse (ChineseMedici	to have phlegm in my the w[contains(@text,"Occassert.fail(Assert.java:94) e.app.screens.ChineseMe.app.stepdefinitions.moineSteps.java:104)	edicineScreen.handleQnA(Chinesobilesteps.ChineseMedicineSteps.ha	answer //android. eMedicineScreen.jav
· · · · · · · · · · · · · · · · · · ·	lects ''\${chineseMedicin eatures/my/health/Chin	e.answer.46}" for the question "\${ eseMedicine.feature:88)	chineseMedicine.
After			0.00s
Back to Table of Cont	tents		
Scenario Outline:	Verify the Q&A on Chi	nese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.07
Before			0.00s
	-	nswer.47}'' for the question	2.07s
"\${chineseMed java.lang.Asser (@text,"I tend	tionError: Unable to fir to have throat irritating	nd the Question //android.widget.T even if I am not sick'')] and Answ	
java.lang.Asser (@text,''I tend TextView[conta at org.testng.As at com.onepulse 168) at com.onepulse (ChineseMedica at .And user sel	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicine	nd the Question //android.widget.T even if I am not sick'')] and Answ [ly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${	extView[contains er //android.widget. eMedicineScreen.jav
java.lang.Asser (@text,''I tend TextView[conta at org.testng.As at com.onepulse 168) at com.onepulse (ChineseMedici at .And user sel question.47}''(f	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104)	nd the Question //android.widget.T even if I am not sick'')] and Answ [ly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${	extView[contains er //android.widget. eMedicineScreen.jav andleQnA chineseMedicine.
java.lang.Asser (@text,''I tend TextView[conta at org.testng.As at com.onepulse 168) at com.onepulse (ChineseMedica at .And user sel question.47}''(f	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicine features/my/health/Chine	nd the Question //android.widget.T even if I am not sick'')] and Answ [ly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${	extView[contains er //android.widget. eMedicineScreen.jav
java.lang.Asser (@text,''I tend TextView[conta at org.testng.As at com.onepulse (ChineseMedica at .And user sel question.47}''(f	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicine ceatures/my/health/Chine	nd the Question //android.widget.T even if I am not sick'')] and Answ [ly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${ eseMedicine.feature:88)	extView[contains er //android.widget. eMedicineScreen.jav andleQnA chineseMedicine.
java.lang.Asser (@text,''I tend TextView[conta at org.testng.As at com.onepulse (ChineseMedic at .And user sel question.47}''(f	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicine features/my/health/Chine	nd the Question //android.widget.T even if I am not sick'')] and Answ [ly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${ eseMedicine.feature:88)	extView[contains er //android.widget. eMedicineScreen.jav andleQnA chineseMedicine.
"\${chineseMed  java.lang.Asser (@text,"I tend TextView[conta at org.testng.As at com.onepulse (ChineseMedica at .And user sel question.47}"(f	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicine ceatures/my/health/Chine tents	nd the Question //android.widget.T even if I am not sick'')] and Answ lly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${ eseMedicine.feature:88)	extView[contains er //android.widget. eMedicineScreen.javandleQnA chineseMedicine.
"\${chineseMed  java.lang.Asser (@text,"I tend TextView[conta at org.testng.As at com.onepulse (ChineseMedica at .And user sel question.47}"(f	tionError: Unable to fir to have throat irritating ains(@text,''Occassional ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicine ceatures/my/health/Chine	nd the Question //android.widget.T even if I am not sick'')] and Answ [ly'')] edicineScreen.handleQnA(Chineso bilesteps.ChineseMedicineSteps.ha e.answer.47}'' for the question ''\${ eseMedicine.feature:88)	extView[contains er //android.widg eMedicineScreen, andleQnA chineseMedicine.

at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine. question.48}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.49}" for the question 2.05s**"\${chineseMedicine.guestion.49}"** java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I have asthma or feel the need to occassionally take deep breaths")] and Answer //android.widget.TextView[contains(@text."Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine. question.49}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the O&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.06s** Before 0.00sAnd user selects "\${chineseMedicine.answer.50}" for the question 2.06s **"\${chineseMedicine.guestion.50}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"| feel conscious of sudden heart palpitations or increased heartbeat") and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **168**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine. question.50}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Failed: 1 Passed: 0 **Duration: 2.04s** Before 0.00s

	'\${chineseMedicine.a ine.question.51}''	nnswer.51}'' for the question	2.04s
java.lang.Assertic (@text,''I feel pai [contains(@text,' at org.testng.Asse at com.onepulse.a 168) at com.onepulse.a (ChineseMedicine	onError: Unable to fin at the side of my cheror: Unable to fin at the side of my chero. (Cocassionally'')] ert.fail(Assert.java:94 app.screens.ChineseMapp.stepdefinitions.meeSteps.java:104)	MedicineScreen.handleQnA(Chinesobilesteps.ChineseMedicineSteps.h	lroid.widget.TextView eMedicineScreen.java: andleQnA
		ne.answer.51}'' for the question ''\${ neseMedicine.feature:88)	chineseMedicine.
After			0.00s
Back to Table of Conten			
	<del>-                                    </del>	inese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before		nnswer.52}'' for the question	0.00s
java.lang.Assertice (@text,''My stome Occassionally'')] at org.testng.Assertice at com.onepulse.at (ChineseMedicine at .And user select question.52}''(feat  After  Back to Table of Content	ert.fail(Assert.java:94 app.screens.ChineseMapp.stepdefinitions.maeSteps.java:104) ets ''\${chineseMedicintures/my/health/Chin	MedicineScreen.handleQnA(Chines hobilesteps.ChineseMedicineSteps.h he.answer.52}'' for the question ''\${ heseMedicine.feature:88)	Tiew[contains(@text," seMedicineScreen.java:
	_ • _ •	inese Medicine journey	
Passed: 0 Before	Failed: 1	Undefined: 0	Duration: 2.07s 0.00s
And user selects "\${chineseMedic  java.lang.Assertic (@text,"My abdo Occassionally")]	onError: Unable to fiomen")] and Answer	ind the Question //android.widget.7 //android.widget.TextView[contain	2.07s  FextView[contains
at com.onepulse.a	npp.stepdefinitions.m	4) AedicineScreen.handleQnA(Chines obilesteps.ChineseMedicineSteps.h	

After		0.00s
Back to Table of Contents		
Scenario Outline: Verify t	the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.06s
Before		0.00s
And user selects '\\${chi '\\${chineseMedicine.qu	ineseMedicine.answer.54}" for the question testion.54}"	2.06s
(@text,"I frequently go and Answer //android. at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps	creens.ChineseMedicineScreen.handleQnA(Chinesepdefinitions.mobilesteps.ChineseMedicineSteps.l	food or beverages'')] )] seMedicineScreen.java handleQnA
question.54}''(features/	/my/health/ChineseMedicine.feature:88)	0.00s
Back to Table of Contents		
Scenario Outline: Verify t	the Q&A on Chinese Medicine journey	
Scenario Outline: Verify to Passed: 0	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.07s
<u>_</u>		Duration: 2.078 0.00s
Passed: 0 Before	Failed: 1 Undefined: 0 ineseMedicine.answer.55}'' for the question	
Passed: 0  Before  And user selects "\${chi "\${chineseMedicine.qu}  java.lang.AssertionErr (@text,"I get constipat Occassionally")] at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\$	Failed: 1  Undefined: 0  ineseMedicine.answer.55}'' for the question nestion.55}''  or: Unable to find the Question //android.widget.cions'')] and Answer //android.widget.TextView[col(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.ChineseMedicineSteps.lepdefinitions.mobilesteps.chineseMedicineSteps.lepdefinitions.mobilesteps.lepdefinitions.mobilesteps.lepdefinitions.mobilesteps.chineseMedicineseMedicineseMedicineseMedicineseMedicineseMedicineseMedici	0.00s  2.07s  TextView[contains ontains(@text,"  seMedicineScreen.javandleQnA
Passed: 0  Before  And user selects "\${chi "\${chineseMedicine.qu}  java.lang.AssertionErr (@text,"I get constipat Occassionally")] at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\$	Failed: 1  Undefined: 0  ineseMedicine.answer.55}'' for the question nestion.55}''  or: Unable to find the Question //android.widget. cions'')] and Answer //android.widget.TextView[constant of the constant	2.07s  TextView[contains ontains(@text,"  seMedicineScreen.java
Passed: 0  Before  And user selects "\${chi "\${chineseMedicine.qu}  java.lang.AssertionErr (@text,"I get constipat Occassionally")] at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\${ question.55}"(features/	Failed: 1  Undefined: 0  ineseMedicine.answer.55}'' for the question nestion.55}''  or: Unable to find the Question //android.widget. cions'')] and Answer //android.widget.TextView[constant of the constant	2.07s  TextView[contains ontains(@text,"  seMedicineScreen.java handleQnA {chineseMedicine.
Passed: 0  Before  And user selects "\${chi "\${chineseMedicine.qu}  java.lang.AssertionErr (@text,"I get constipat Occassionally")] at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\${ question.55}"(features/ After  Back to Table of Contents	Failed: 1  Undefined: 0  ineseMedicine.answer.55}'' for the question nestion.55}''  or: Unable to find the Question //android.widget. cions'')] and Answer //android.widget.TextView[constant of the constant	2.07s  TextView[contains ontains(@text,"  seMedicineScreen.java handleQnA {chineseMedicine.
Passed: 0  Before  And user selects "\${chi "\${chineseMedicine.qu}  java.lang.AssertionErr (@text,"I get constipat Occassionally")] at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\${ question.55}"(features/ After Back to Table of Contents Scenario Outline: Verify temps  And user selects "\${ }	Failed: 1  Undefined: 0  ineseMedicine.answer.55}'' for the question lestion.55}''  or: Unable to find the Question //android.widget.  cions'')] and Answer //android.widget.TextView[constant]  l(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chinesepdefinitions.mobilesteps.ChineseMedicineSteps.ls.java:104) {chineseMedicine.answer.55}'' for the question ''\$ /my/health/ChineseMedicine.feature:88)	2.07s  TextView[contains ontains(@text,"  seMedicineScreen.java handleQnA {chineseMedicine.
Passed: 0  Before  And user selects "\${chi "\${chineseMedicine.qu}  java.lang.AssertionErr (@text,"I get constipat Occassionally")] at org.testng.Assert.fai at com.onepulse.app.sc 168) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\${ question.55}"(features/ After  Back to Table of Contents	ineseMedicine.answer.55}" for the question lestion.55}"  or: Unable to find the Question //android.widget.ions")] and Answer //android.widget.TextView[coll(Assert.java:94)] creens.ChineseMedicineScreen.handleQnA(Chinesepdefinitions.mobilesteps.ChineseMedicineSteps.ls.java:104) {chineseMedicine.answer.55}" for the question "\$/my/health/ChineseMedicine.feature:88)	2.07s  TextView[contains ontains(@text,"  seMedicineScreen.jav. handleQnA {chineseMedicine.  0.00s

Detailed Results Report (@text,''I feel that my feces are sticky and not clean'')] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\{chineseMedicine.answer.56}" for the question "\{chineseMedicine. question.56}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.07s** Before 0.00sAnd user selects "\${chineseMedicine.answer.57}" for the question 2.07s"\${chineseMedicine.guestion.57}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"Apart from the first urination in the morning")] and Answer //android.widget. TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine. question.57}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.06s** 0.00sBefore And user selects "\${chineseMedicine.answer.58}" for the question 2.06s **"\${chineseMedicine.question.58}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel feverish on my hands")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA

(ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine. question.58}"(features/my/health/ChineseMedicine.feature:88)

0.00sAfter

## **Back to Table of Contents**

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s
	''\${chineseMedicine.cine.question.59}''	.answer.59}" for the question	2.06s
(@text,"My feet (@text,"Occassion at org.testng.Ass at com.onepulse. 168)	and hands get cold end on ally")] sert.fail(Assert.java:9 .app.screens.Chinesel	find the Question //android.widget.easily'')] and Answer //android.widget.  94)  MedicineScreen.handleQnA(Chine mobilesteps.ChineseMedicineSteps.	get.TextView[contains seMedicineScreen.java
at .And user sele	~	ine.answer.59}'' for the question ''\$ ineseMedicine.feature:88)	{chineseMedicine.
After	atures/my/nearm/em	meservicuremeneature.oo)	0.00s
Back to Table of Conte	nts		0.003
		hinese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
	''\${chineseMedicine.cine.question.60}''	answer.60}'' for the question	2.03s
at com.onepulse. 168) at com.onepulse. (ChineseMedicir	sert.fail(Assert.java:9 .app.screens.Chinesel .app.stepdefinitions.n neSteps.java:104)	MedicineScreen.handleQnA(Chine nobilesteps.ChineseMedicineSteps.	handleQnA
		ine.answer.60}'' for the question ''\$ ineseMedicine.feature:88)	{cnineselviedicine.
After	J. J		0.00s
Back to Table of Conte	nts		
Scenario Outline: <b>V</b>	erify the Q&A on Cl	hinese Medicine journey	
Passed: 0 Before	Failed: 1	Undefined: 0	Duration: 2.05 0.00s
	''\${chineseMedicine.cine.question.61}''	.answer.61}" for the question	2.05s
java.lang.Assert		find the Question //android.widget.	TextView[contains

After			0.00s
Back to Table of Content	ts		0.003
	erify the Q&A on Chir	ese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04
Before			0.00s
And user selects ' "\${chineseMedici	~	swer.62}" for the question	2.04s
(@text,''My body Occassionally'')] at org.testng.Asse at com.onepulse.a 168) at com.onepulse.a (ChineseMedicine at .And user selec	rfeels pain easily")] and ert.fail(Assert.java:94) app.screens.ChineseMeapp.stepdefinitions.moleSteps.java:104) ets "\${chineseMedicinese	d the Question //android.widget.T d Answer //android.widget.TextV edicineScreen.handleQnA(Chinese bilesteps.ChineseMedicineSteps.h e.answer.62}'' for the question ''\${	iew[contains(@text,' eMedicineScreen.jav andleQnA
question.62}''(fea	tures/my/health/Chine	seMedicine.feature:88)	0.00s
Back to Table of Content	<u>ts</u>		
Scenario Outline: Vo	erify the Q&A on Chir	ese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04
Before			0.00s
Jeiore .			0.003
	- 1 C	swer.63}" for the question	2.04s
And user selects ' "\${chineseMedici java.lang.Assertic (@text,"My scrot TextView[contain at org.testng.Asse at com.onepulse.a 168) at com.onepulse.a	onError: Unable to fincum feels hot (Limited as(@text,"Occassionall ert.fail(Assert.java:94) app.screens.ChineseMonpp.stepdefinitions.mo	d the Question //android.widget.T to men answer)'')] and Answer //a	2.04s extView[contains android.widget.e
And user selects ' "\${chineseMedici java.lang.Assertic (@text,''My scrot TextView[contain at org.testng.Asse at com.onepulse.a 168) at com.onepulse.a (ChineseMedicine at .And user select	onError: Unable to fin tum feels hot (Limited as (@text,''Occassionall ert.fail(Assert.java:94) app.screens.ChineseMe app.stepdefinitions.mol eSteps.java:104) ets ''\${chineseMedicine	d the Question //android.widget.T to men answer)'')] and Answer //a ly'')] edicineScreen.handleQnA(Chineso	2.04s  extView[contains android.widget.eMedicineScreen.jav
And user selects ' "\${chineseMedici java.lang.Assertic (@text,''My scrot TextView[contain at org.testng.Asse at com.onepulse.a 168) at com.onepulse.a (ChineseMedicine at .And user selec question.63}"(fea	onError: Unable to fin tum feels hot (Limited as (@text,''Occassionall ert.fail(Assert.java:94) app.screens.ChineseMe app.stepdefinitions.mol eSteps.java:104) ets ''\${chineseMedicine	d the Question //android.widget.T to men answer)")] and Answer //a ly")] edicineScreen.handleQnA(Chinese) bilesteps.ChineseMedicineSteps.h	2.04s  extView[contains android.widget.eMedicineScreen.jav
And user selects ' "\${chineseMedici java.lang.Assertio (@text,"My scrot TextView[contain at org.testng.Asse at com.onepulse.a 168) at com.onepulse.a (ChineseMedicine at .And user selec question.63}"(fea	onError: Unable to fingum feels hot (Limited as (@text,''Occassionallert.fail(Assert.java:94) app.screens.ChineseMeanp.stepdefinitions.molesteps.java:104) ets ''\${chineseMedicinestures/my/health/ChineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/he	d the Question //android.widget.T to men answer)")] and Answer //a ly")] edicineScreen.handleQnA(Chinese) bilesteps.ChineseMedicineSteps.h	2.04s  extView[contains android.widget.eMedicineScreen.javandleQnA chineseMedicine.
And user selects ' "\${chineseMedici java.lang.Assertic (@text,''My scrot TextView[contain at org.testng.Asse at com.onepulse.a (ChineseMedicine at .And user selec question.63}"(fea	onError: Unable to fingum feels hot (Limited as (@text,''Occassionallert.fail(Assert.java:94) app.screens.ChineseMeanp.stepdefinitions.molesteps.java:104) ets ''\${chineseMedicinestures/my/health/ChineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/health/chineseMedicinestures/my/he	d the Question //android.widget.T to men answer)")] and Answer //a ly")] edicineScreen.handleQnA(Chinese bilesteps.ChineseMedicineSteps.h e.answer.63}" for the question "\${ eseMedicine.feature:88)	2.04s  extView[contains android.widget.eMedicineScreen.javandleQnA chineseMedicine.
And user selects ' "\${chineseMedici java.lang.Assertic (@text,''My scrot TextView[contain at org.testng.Asse at com.onepulse.a (ChineseMedicine at .And user selec question.63}"(fea  After Back to Table of Content Scenario: Verify the	onError: Unable to fine turn feels hot (Limited as (@text,"Occassional ert.fail(Assert.java:94) app.screens.ChineseMonesteps.java:104) ets "\${chineseMedicine tures/my/health/Chine	d the Question //android.widget.T to men answer)")] and Answer //a ly")] edicineScreen.handleQnA(Chinese bilesteps.ChineseMedicineSteps.h e.answer.63}" for the question "\${ eseMedicine.feature:88)	2.04s  extView[contains android.widget.eMedicineScreen.javandleQnA chineseMedicine.
And user selects ' "\${chineseMedici java.lang.Assertic (@text,"My scrot TextView[contain at org.testng.Asse at com.onepulse.a (ChineseMedicine at .And user selec question.63}"(fea	onError: Unable to fine tum feels hot (Limited as (@text,"Occassionall ert.fail(Assert.java:94) app.screens.ChineseMonp.stepdefinitions.molesteps.java:104) ets "\${chineseMedicine tures/my/health/Chine	d the Question //android.widget.T to men answer)")] and Answer //a ly")] edicineScreen.handleQnA(Chinese) bilesteps.ChineseMedicineSteps.h e.answer.63}" for the question "\${ eseMedicine.feature:88)	2.04s  extView[contains android.widget.]  eMedicineScreen.jav  andleQnA  chineseMedicine.

\${chineseMedicine.viewAssessment.header}

\${chineseMedicine.viewAssessment.subTitle}

\${chineseMedicine.viewAssessment.description1}

\${chineseMedicine.viewAssessment.description2}

java.lang.AssertionError: The following asserts failed:

the expected text is: Great!! expected [true] but found [false],

the expected text is: You've completed the assessment expected [true] but found [false], the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false],

the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:158)

Af	fter			0.00s			
Ba	Back to Table of Contents						
Sc	cenario: Verify the user ca	an view the Assessment	Record				
Pas	ssed: 0	Undefined: 1	Duration: .02s				
Be	Before 0.00s						
	When user clicks on Viewscreen	w Results button on Ch	inese Medicine Assessment	0.02s			

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: 537bbb3f-bd78-498a-9601-75c1b5324f77
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"View
Results")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:71)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:122)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:166)
```

	dicine.assessment.subHeader}	
\${chineseMed	licine.assessment.status}	
	licine.assessment.subStatus}	
\${chineseMed	licine.assessment.status1}	
\${chineseMed	licine.assessment.status2}	
\${chineseMed	licine.assessment.status3}	
\${chineseMed	licine.assessment.constitution.advice}	
After		0.00s
Back to Table of Conte	nts	
Scenario: Verify the	e Assessment Summary	
Passed: 0	Failed: 1 Undefined	d: 1 Duration: .05s
Before		0.00s
_	y following texts are displayed in Chines	
1 40		rinciple of warmth, and you should eat
habit of medium seasons, so that y [false] at org.testng.asso at com.onepulse. verifyFollowing	cice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts. Soft Assert. assert All (Soft Assert. java app. step definitions. mobile steps. Chinese Texts Displayed In Chinese Med Screen (Cherify following texts are displayed in Chinese	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49)
habit of medium seasons, so that y [false] at org.testng.ass at com.onepulse. verifyFollowing at .Then User ve	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts. Soft Assert. assert All (Soft Assert. java app. step definitions. mobile steps. Chinese Texts Displayed In Chinese Med Screen (Chinese Med Screen)	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49)
habit of medium seasons, so that y [false] at org.testng.assat com.onepulse.verifyFollowing] at .Then User ve/health/ChineseN	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts. Soft Assert. assert All (Soft Assert. java app. stepdefinitions. mobile steps. Chinese Fexts Displayed In Chinese Med Screen (Cherify following texts are displayed in Chinese	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my
habit of medium seasons, so that y [false] at org.testng.assat com.onepulse.verifyFollowing] at .Then User ve/health/ChineseN	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts. Soft Assert. assert All (Soft Assert. java app. step definitions. mobile steps. Chinese Texts Displayed In Chinese Med Screen (Cherify following texts are displayed in Chine deficine. feature: 179)	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my
habit of medium seasons, so that y [false] at org.testng.ass at com.onepulse, verifyFollowing at .Then User ve /health/ChineseMWhen user clicks	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts.SoftAssert.assertAll(SoftAssert.java.app.stepdefinitions.mobilesteps.Chinese TextsDisplayedInChineseMedScreen(Cherify following texts are displayed in Chimedicine.feature:179)  s on View More button on Assessment Research	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my  Record screen 0.00s
habit of medium seasons, so that y [false] at org.testng.ass at com.onepulse. verifyFollowing at .Then User ve /health/ChineseMWhen user clicks  After  Back to Table of Conte	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts.SoftAssert.assertAll(SoftAssert.java.app.stepdefinitions.mobilesteps.Chinese TextsDisplayedInChineseMedScreen(Cherify following texts are displayed in Chimedicine.feature:179)  s on View More button on Assessment Research	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my  Record screen    0.00s
habit of medium seasons, so that y [false] at org.testng.asso at com.onepulse. verifyFollowing at .Then User ve /health/ChineseMWhen user clicks  After  Back to Table of Conte	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body coerts.SoftAssert.assertAll(SoftAssert.java.app.stepdefinitions.mobilesteps.ChineseTextsDisplayedInChineseMedScreen(Chorify following texts are displayed in Chimedicine.feature:179)  s on View More button on Assessment Reports	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my  Record screen  0.00s  0.00s  Assessment d: 0  Duration: .03s
habit of medium seasons, so that y [false] at org.testng.ass at com.onepulse. verifyFollowing at .Then User ve /health/ChineseM When user clicks  After  Back to Table of Contest Cont	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body corrects. Soft Assert. assert All (Soft Assert. java app. step definitions. mobile steps. Chinese Texts Displayed In Chinese Med Screen (Charify following texts are displayed in Chine Medicine. feature: 179)  s on View More button on Assessment Residual of the Assert Medicine. Interest Texts Displayed In Chinese Medicine. In the Medicine Medicine. In the Medicine Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine. In the Medicine Interest Texts Displayed In Chinese Medicine Interest Displayed In Chinese Medicine Interest Displayed In Chinese Medicine Interest Displayed Interest Disp	r foods, maintain the long-term regular and acupoint care matching with four constitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my  Record screen 0.00s  0.00s  Assessment d: 0 Duration: .03s 0.00s
habit of medium seasons, so that y [false] at org.testng.asso at com.onepulse. verifyFollowing at .Then User ve /health/ChineseM When user clicks  After Back to Table of Contest Scenario Outline: Versed: 0 Before  Then User verify details.constituticonstitutionDescenses	rice, black beans, yams, ginger and other intensity exercise, and have daily care a you can gradually improve your body co erts.SoftAssert.assertAll(SoftAssert.java app.stepdefinitions.mobilesteps.Chinese TextsDisplayedInChineseMedScreen(Charify following texts are displayed in Chi Medicine.feature:179) s on View More button on Assessment R  Terify the "Constitution" Details of the A Failed: 1 Undefined  y Assessment Details for the "\${chineseMedicine.assessment}  y Assessment Details for the "\${chineseMedicine.asse	r foods, maintain the long-term regular and acupoint care matching with four onstitution. expected [true] but found a:43) eMedicineSteps. hineseMedicineSteps.java:49) inese Medicine screen(features/my  Record screen

After		0.00s		
Back to Table of Contents		<u> </u>		
Scenario Outline: Verify tl	he "Change In Tongue" Details of the Assessment			
Passed: 0	Failed: 1 Undefined: 0	<b>Duration: .03s</b>		
Before		0.00s		
· · · · · · · · · · · · · · · · · · ·	sment Details for the "\${chineseMedicine.assessment.e}" and "\${chineseMedicine.assessment.details.ption}"	0.03s		
java.lang.AssertionError: Unable to find the Condition Change in the tongue of deficiency constitution. at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails (ChineseMedicineScreen.java:197) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyAssessmentDetails(ChineseMedicineSteps.java:133) at .Then User verify Assessment Details for the ''\${chineseMedicine.assessment.changeInTongue}'' and ''\${chineseMedicine.assessment.details.changeInTongue}				
After	ineseMedicine.feature:186)			
AILLI		0.00s		
Back to Table of Contents		0.00s		
Back to Table of Contents	itivo Elem for Dector functionality on one make Ann	0.00s		
Back to Table of Contents ature: Verify Dietician Pos	itive Flow for Doctor functionality on one pulse App	0.00s		
Back to Table of Contents  ature: Verify Dietician Positions of the Failed: 12	Undefined: 0 Duration: 130.58s	0.00s		
Back to Table of Contents  ature: Verify Dietician Posised: 0  Failed: 12  Scenario: Verify the Home		Duration: 116.		
Back to Table of Contents  ature: Verify Dietician Posised: 0  Failed: 12  Scenario: Verify the Home	Undefined: 0 Duration: 130.58s e screen validation using "Continue with Email"			
Back to Table of Contents  ature: Verify Dietician Positive Sed: 0  Scenario: Verify the Home  Passed: 13  Before	Undefined: 0 Duration: 130.58s e screen validation using "Continue with Email" Failed: 1 Undefined: 2 m number and assign to variable	Duration: 116.		
hture: Verify Dietician Positive: Verify Dietician Positive: 12 Scenario: Verify the Home Passed: 13 Before  Given I generate random "RANDOM_NUMBER"	Undefined: 0 Duration: 130.58s e screen validation using "Continue with Email" Failed: 1 Undefined: 2 m number and assign to variable	Duration: 116. s 0.00s		
Back to Table of Contents  ature: Verify Dietician Posts sed: 0 Failed: 12  Scenario: Verify the Home Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL" And User has pulse app	Undefined: 0  Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1  Undefined: 2  m number and assign to variable  ANDOM_NUMBER}@mailsac.com" to variable	Duration: 116. s 0.00s 0.00s 0.00s 9.14s		
rature: Verify Dietician Posised: 0 Failed: 12 Scenario: Verify the Home Passed: 13 Before Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL" And User has pulse app And user click on "COI	Undefined: 0  Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1  Undefined: 2  m number and assign to variable  ""  ANDOM_NUMBER}@mailsac.com" to variable	Duration: 116. s 0.00s 0.00s 0.00s 9.14s 15.28s		
rature: Verify Dietician Positions of Passed: 0  Scenario: Verify the Home Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL" And User has pulse app And user click on "COM Then I wait for 2 sec	Undefined: 0  Excreen validation using "Continue with Email"  Failed: 1  Undefined: 2  Immorphish mail assign to variable and assign to v	Duration: 116. s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s		
rature: Verify Dietician Posised: 0 Failed: 12 Scenario: Verify the Home Passed: 13 Before Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL" And User has pulse app And user click on "COME Then I wait for 2 sec Then I change the coun	Undefined: 0  Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1  Undefined: 2  m number and assign to variable  ANDOM_NUMBER}@mailsac.com" to variable	Duration: 116. s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s 11.75s		
Back to Table of Contents  ature: Verify Dietician Positive Sed: 0  Failed: 12  Scenario: Verify the Home  Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL"  And User has pulse app And user click on "CONThen I wait for 2 sec  Then I change the counter Then I wait for 2 sec	Undefined: 0  Excreen validation using "Continue with Email"  Failed: 1  Undefined: 2  Immorphish number and assign to variable and assig	Duration: 116. s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s		
Back to Table of Contents  ature: Verify Dietician Positive: Sed: 0  Failed: 12  Scenario: Verify the Home  Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL"  And User has pulse app And user click on "CONThen I wait for 2 sec  Then I change the counter Then I wait for 2 sec	Undefined: 0 Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1 Undefined: 2  m number and assign to variable  ""  ANDOM_NUMBER}@mailsac.com" to variable  NTINUE WITH EMAIL" with Email button  try as required on registration page e registration page and select the lang on toggle bar then	Duration: 116.s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s 11.75s		
Back to Table of Contents  Iture: Verify Dietician Positions  Sed: 0 Failed: 12  Scenario: Verify the Home  Passed: 13  Before  Given I generate randor "RANDOM_NUMBER  And I assign "pulse\${R "PULSE_EMAIL"  And User has pulse app  And user click on "CONTENT Then I wait for 2 sec  Then I change the counter I wait for 2 sec  Then I navigate to pulse	Undefined: 0 Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1 Undefined: 2  Immorphish number and assign to variable and assign to	Duration: 116.s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s 11.75s 2.01s		
Back to Table of Contents  ature: Verify Dietician Positive Sed: 0  Failed: 12  Scenario: Verify the Home  Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL"  And User has pulse app And user click on "CONTENT Then I wait for 2 sec  Then I change the countent Then I wait for 2 sec  Then I navigate to pulse click on continue with expenses.	Undefined: 0 Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1 Undefined: 2  Immorphish number and assign to variable and assign to	Duration: 116.s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s 11.75s 2.01s 3.79s		
Back to Table of Contents  ature: Verify Dietician Posised: 0  Scenario: Verify the Home Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL" And User has pulse app And user click on "COM Then I wait for 2 sec Then I change the coun Then I wait for 2 sec Then I navigate to pulse click on continue with e When user enters regist	Undefined: 0 Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1 Undefined: 2  Immorphish number and assign to variable and assign to	Duration: 116.s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s 11.75s 2.01s 3.79s		
Back to Table of Contents  ature: Verify Dietician Positive Seed: 0  Scenario: Verify the Home Passed: 13  Before  Given I generate randor "RANDOM_NUMBER And I assign "pulse\${R "PULSE_EMAIL" And User has pulse app And user click on "COME Then I wait for 2 sec Then I change the counter Then I wait for 2 sec Then I navigate to pulse click on continue with etc.  When user enters register FirstName Diet LastName Test	Undefined: 0 Duration: 130.58s  e screen validation using "Continue with Email"  Failed: 1 Undefined: 2  Immorphish number and assign to variable and assign to	Duration: 116.s 0.00s 0.00s 0.00s 9.14s 15.28s 2.01s 11.75s 2.01s 3.79s		

And taps on continue "Sign_Up" button	0.27s
And I wait for otp screen after clicking on signup button	4.43s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.93s
Then I wait for 2 sec	2.01s
Then I click skip button	26.87s

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: f031fcf7-bf1d-4c59-b494-1cfeca86e5ba

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text="Continue" or @text="Connect Later"]}

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:62)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

```
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.jaya client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1114)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:377)
  at .Then I click skip button(features/my/health/Dietician_Doctor.feature:23)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to navigate to Dietician page
                         Failed: 1
Passed: 0
                                              Undefined: 1
                                                                                Duration: 8.11s
Before
                                                                                0.00s
   Then I click the Health icon in Home screen
                                                                                8.11s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
```

	Session ID: f031fcf7-bf1d-4c59-b494-1cfeca86e5ba				
	at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknow				
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance				
	(DelegatingConstructorAccessorImpl.java:45)				
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)				
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException				
	(W3CHttpResponseCodec.java:187)				
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode				
	(W3CHttpResponseCodec.java:122)				
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode				
	(W3CHttpResponseCodec.java:49)				
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpComman 158)	dExecutor.java:			
	at io.appium.java_client.remote.AppiumCommandExecutor.execute				
	(AppiumCommandExecutor.java:231)				
	at org.openqa.selenium.remote.RemoteWebDriver.execute(	iava•543)			
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver				
	java:46)	violic Direct.			
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)				
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:	1)			
	at org.openqa.selenium.remote.	-)			
	RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remo	teWebDriver.			
	java:804)				
	at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.ja	ava:432)			
		*			
	at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)				
	at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.				
	at com.onepulse.app.screens.CustomerConnectScreen.Healthlcons(CustomerCjava:1370)	ConnectScreen.			
	java:1370)				
	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl	hicons			
	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412)	hicons			
	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_D	hicons			
Af	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_D 28)	hicons Doctor.feature:			
	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen	hicons  Ooctor.feature:  0.00s			
Ba	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen Eter ck to Table of Contents	hicons  Ooctor.feature:  0.00s			
Ba Sc	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Cter  Ck to Table of Contents enario: Select the expert type as doctor and navigate to next screen	hicons  Octor.feature:  0.00s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Ster  ck to Table of Contents enario: Select the expert type as doctor and navigate to next screen ssed: 0  Failed: 1  Undefined: 9	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Cter  Ck to Table of Contents enario: Select the expert type as doctor and navigate to next screen	hicons  Octor.feature:  0.00s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Ster  ck to Table of Contents enario: Select the expert type as doctor and navigate to next screen ssed: 0  Failed: 1  Undefined: 9	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Ster  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen ssed: 0  Failed: 1  Undefined: 9	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E28)  Then I click the Dietician tab for my in Health Screen  Eter  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Cter  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E28)  Then I click the Dietician tab for my in Health Screen  Eter  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  ter  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28)  Then I click the Dietician tab for my in Health Screen  Ter  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen ssed: 0	hicons  Octor.feature:  0.00s  0.00s  Duration: .13s  0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Eter  Ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen ssed: 0	Duration: .13s 0.00s 0.00s 0.00s 0.00s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28) Then I click the Dietician tab for my in Health Screen  Seter  Ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen ssed: 0	Duration: .13s 0.00s 0.00s 0.00s 0.13s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28)  Then I click the Dietician tab for my in Health Screen  Ster  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	Duration: .13s 0.00s 0.00s 0.00s 0.13s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28)  Then I click the Dietician tab for my in Health Screen  Ster  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	Duration: .13s 0.00s 0.00s 0.00s 0.13s			
Ba Sc Pas	java:1370) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healtl (CustomerConnectSteps.java:412) at .Then I click the Health icon in Home screen(features/my/health/Dietician_E 28)  Then I click the Dietician tab for my in Health Screen  Ster  ck to Table of Contents  enario: Select the expert type as doctor and navigate to next screen  ssed: 0	Duration: .13s 0.00s 0.00s 0.00s 0.13s			

		alth
/Dietician_Doctor.feature:33) And I clicks on ''\${doc.txt}'' in ap	p screen	0.00s
And I click the continue button	<u> </u>	0.00s
Then I wait for 2 sec		0.00s
Then I verify following text is disp	played in dietician screen	0.00s
\${what.isyour.service.num.text		
\${complete.details.text}		
Then I verify following edit field s	sample text in dietician screen	0.00s
\${enterservice.num.text}		
\${entername.of.institution.text}	}	
And I assign value to following va	riables	0.00s
service num 05		
issuing org test org		
And I enter following details in di	etician screen	0.00s
\${service.num.text} \${service n	um}	
\${issuing.org.text} \${issuing or		
<b>\${valid.till.text}</b> 01-01-2030		
		0.00s
screen		
And I click the continue button		0.00s
er		0.00s
k to Table of Contents		
	to navigate to specialisation page	
sed: 0 Failed: 1	Undefined: 8	Duration: .09
ore		0.00s
	played in dietician screen	0.09s
<u> </u>		
\${what.isyour.specialisation}		
\${what.isyour.specialisation} \${specility.to.provide}		
\${what.isyour.specialisation}		
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}		
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  ava.lang.AssertionError: The following		ad [Coloo]
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text} java.lang.AssertionError: The followhat is your specialisation? text i	is displayed on page expected [true] but four	
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  ava.lang.AssertionError: The followhat is your specialisation? text is important to know your specialisation.	is displayed on page expected [true] but four ality to provide you appropriate patients. te	
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text} java.lang.AssertionError: The followhat is your specialisation? text in the important to know your special page expected [true] but found [fage expected second	is displayed on page expected [true] but four ality to provide you appropriate patients. te alse],	xt is displayed
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text} ava.lang.AssertionError: The foll What is your specialisation? text i It's important to know your special page expected [true] but found [factorial contents of the list. text is dispersion]	is displayed on page expected [true] but four ality to provide you appropriate patients. te alse], played on page expected [true] but found [fa	xt is displayed
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  java.lang.AssertionError: The following the second se	is displayed on page expected [true] but four ality to provide you appropriate patients. tendse], played on page expected [true] but found [fasertAll(SoftAssert.java:43) ns.mobilesteps.DieticianSteps.	xt is displayed
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  java.lang.AssertionError: The followhat is your specialisation? text is lit's important to know your special page expected [true] but found [fator choose from the list. text is displated to restroy the list. sext is displated to restroy. SoftAssert. assert com.one pulse. app. step definition of the list is list. Text in Dietician Screen	is displayed on page expected [true] but four ality to provide you appropriate patients. tendse], played on page expected [true] but found [fasertAll(SoftAssert.java:43) ns.mobilesteps.DieticianSteps. n(DieticianSteps.java:265)	xt is displayed
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  gava.lang.AssertionError: The following text is displayed by the specialisation and the specialisation are the special spec	is displayed on page expected [true] but four ality to provide you appropriate patients. tendse], played on page expected [true] but found [fasertAll(SoftAssert.java:43) ns.mobilesteps.DieticianSteps.	xt is displayed
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  java.lang.AssertionError: The following text is important to know your special page expected [true] but found [fator or choose from the list. text is dispat or g.testng.asserts.SoftAssert.assert com.onepulse.app.stepdefinition VerifyStaticTextInDieticianScreen at .Then I verify following text is of Dietician_Doctor.feature:57)	is displayed on page expected [true] but four ality to provide you appropriate patients. tendse], played on page expected [true] but found [fasertAll(SoftAssert.java:43) ns.mobilesteps.DieticianSteps. n(DieticianSteps.java:265) displayed in dietician screen(features/my/heads)	xt is displayed alse]
\${what.isyour.specialisation} \${specility.to.provide} \${choose.list.text}  java.lang.AssertionError: The following text is the sum of the special section of the section of	is displayed on page expected [true] but four ality to provide you appropriate patients. tendse], played on page expected [true] but found [fasertAll(SoftAssert.java:43) ns.mobilesteps.DieticianSteps. n(DieticianSteps.java:265)	xt is displayed alse]

		0.00s
And I click the continue bu		0.00s
	is displayed in dietician screen	0.00s
\${enter.super.specialisat		0.008
\${other.specialisation.te		
And I assign value to follow		0.00s
specialisation Hypertens		0.005
And I enter following detai		0.00s
	ion.text} \${specialisation}	0.005
	ion.text <sub>f</sub> φ <sub>l</sub> specialisation.fext}'' to close keyboar	d
		0.00s
And I click the continue bu	tton	0.00s
er		0.00s
k to Table of Contents		
	oe able to navigate to Educational Details page	
sed: 0 Faile		Duration: .0
ore		0.00s
And I wanify fallowing toxt	is displayed in dietician screen	0.05s
\${education.details.text} \${add.degree.text} java.lang.AssertionError: 7 Educational Details text is 6	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected	,
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: The second continuous second c	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265)	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: Teducational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepdetails.And I verify following to	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. discreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepded VerifyStaticTextInDietician at .And I verify following to 7Dietician_Doctor.feature:7	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. discreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepded VerifyStaticTextInDietician at .And I verify following to 7Dietician_Doctor.feature:7	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAstat com.onepulse.app.stepded VerifyStaticTextInDietician at .And I verify following to Dietician_Doctor.feature:7 And I verify following edit	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is 6 Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepde VerifyStaticTextInDietician at .And I verify following to /Dietician_Doctor.feature:7 And I verify following edit \${enter.degree.name.tex}	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen t  t	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepded VerifyStaticTextInDietician at .And I verify following to 7/Dietician_Doctor.feature: 7 And I verify following edit \${enter.degree.name.tex} \${enter.field.of.study.tex} \${institution.name.enter}	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen t t t t t t t t t t t t t t t t t t	, l [true] but foi
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepded VerifyStaticTextInDietician at .And I verify following to 7/Dietician_Doctor.feature: 7 And I verify following edit \${enter.degree.name.tex} \${enter.field.of.study.tex} \${institution.name.enter}	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen  t} t t t t t t t t t t t t t t t t t	l [true] but for
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAstat com.onepulse.app.stepde VerifyStaticTextInDietician at .And I verify following to 7 Dietician_Doctor.feature: 7 And I verify following edit \${enter.degree.name.text senter.degree.name.text senter.field.of.study.text senter.field	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen  t} t t t t t t t t t t t t t t t t t	l [true] but for
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAstat com.onepulse.app.stepdetails.And I verify following to [Dietician_Doctor.feature:7] And I verify following edit \${enter.degree.name.tex} \${enter.field.of.study.tex} \${institution.name.enter} And I enter following details \${degree1.text} MBBS	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen  t} t} ts in dietician screen	l [true] but for
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAstat com.onepulse.app.stepde VerifyStaticTextInDietician at .And I verify following to 7 Dietician_Doctor.feature: 7 And I verify following edit \${enter.degree.name.text} \${enter.field.of.study.text} \${institution.name.enter} And I enter following detait \${degree1.text} \${year.text} \$2001 \${university.text} test university.text}	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen  t} t} ts in dietician screen	l [true] but for
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: 7 Educational Details text is of Add your degree, diploma, [false] at org.testng.asserts.SoftAstat com.onepulse.app.stepde VerifyStaticTextInDietician at .And I verify following to 7 Dietician_Doctor.feature: 7 And I verify following edit \${enter.degree.name.text} \${enter.field.of.study.text} \${institution.name.enter} And I enter following detait \${degree1.text} \${year.text} \$2001 \${university.text} test university.text}	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen  t} t} ts it dietician screen iversity ils in edit text field in dietician screen	l [true] but for 0.00s
\${education.details.text} \${add.degree.text}  java.lang.AssertionError: Teducational Details text is one Add your degree, diploma, [false] at org.testng.asserts.SoftAs at com.onepulse.app.stepdetails.And I verify following to the Toletician Doctor.feature: The And I verify following edit   \${enter.degree.name.text} \${enter.field.of.study.text} \${university.text} MBBS \${year.text} MBBS \${year.text} test university.text}  Then I enter following details \${enter.field.of.study.text} \${enter.field.of.study.te	The following asserts failed: displayed on page expected [true] but found [false] certificates here text is displayed on page expected sert.assertAll(SoftAssert.java:43) finitions.mobilesteps.DieticianSteps. aScreen(DieticianSteps.java:265) ext is displayed in dietician screen(features/my/hea 8) field sample text in dietician screen  t} t} ts it dietician screen iversity ils in edit text field in dietician screen	l [true] but for 0.00s

fter ack to Table of Contents			0.00s
	uld be able to	navigate to Add experience page	
assed: 0	Failed: 1	Undefined: 9	Duration: .05s
efore	T WILCON I	ondermed y	0.00s
And I verify following	text is displaye	ed in dietician screen	0.05s
\${add.experience.tx			10000
\${share.experience.	-		
Please share with us yo found [false] at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDied at .And I verify following	displayed on pour experience oftAssert.assert epdefinitions.n ticianScreen(D ng text is displ	ing asserts failed: page expected [true] but found [false], details. text is displayed on page expected [ tAll(SoftAssert.java:43) nobilesteps.DieticianSteps. ieticianSteps.java:265) ayed in dietician screen(features/my/health	
/Dietician_Doctor.featu	,	In Anna Continue de la Continue de l	0.00-
	_	le text in dietician screen	0.00s
\${enterHospital.tex		tout field in dictionar gaveen	0.00s
		text field in dietician screen	U.UUS
\${profile.title.text}\] And I enter following of		ion govern	0.00s
\${experience1.text}			0.008
		text field in dietician screen	0.00s
\${enterLocation.tex			0.008
		' in dynamic start date Experience screen	0.00s
		0" in dynamic start years Experience	
screen			0.00s
And I click on field lab	el ''\${add.expe	erience.txt}'' to close keyboard on dietician	0.00s
screen			0.008
			0.00s
screen And I click the continu	e hutton		0.00s
fter	o Buttoll		0.00s
ick to Table of Contents			0.005
	uld be able to	navigate to Services Offered page	
assed: 0	Failed: 1	Undefined: 4	Duration: .03s
efore			0.00s
And I verify following	text is displaye	ed in dietician screen	0.03s
\${public.profile.tex}	7		101000
	4		
java.lang.AssertionErr			

And I assign value to following variables	0.00s
service offered MBBS DOCTOR	0.00
And I enter following details in dietician screen	0.00s
\$\{\service.offered.text\} \$\{\service offered\}	
And I click on field label ''\${service.offered.text}'' to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s
ter	0.00s
ck to Table of Contents	
enario: Verify User should be able to navigate to achievement and awards so	reen
sed: 0 Failed: 1 Undefined: 4	Duration: .04
fore	0.00s
And I verify following text is displayed in dietician screen	0.04s
java.lang.AssertionError: The following asserts failed: Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false]	
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)	text is displayed
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)	text is displayed
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen	text is displayed
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} TEST award	text is displayed
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} TEST award \${enter.org.name.text} Test	text is displayed ealth 0.00s
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} TEST award	text is displayed
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} TEST award	ealth  0.00s
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text}   TEST award	ealth  0.00s
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} TEST award \${enter.org.name.text} Test  And I enter following details in dietician screen  \${year.text} 2020  And I click on field label "\${add.seminar.details.text}" to close keyboard or dietician screen	ealth  0.00s  0.00s
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/h/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} TEST award	ealth  0.00s  0.00s  0.00s  0.00s
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text}	ealth  0.00s  0.00s  0.00s  0.00s
Achievements & Awards text is displayed on page expected [true] but found Add seminar details whether you attended as a participant or as a speaker. page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/ho/Dietician_Doctor.feature:123)  And I enter following details in edit text field in dietician screen  \${enter.title.award.text} Test  And I enter following details in dietician screen  \${year.text} 2020  And I click on field label ''\${add.seminar.details.text}'' to close keyboard or dietician screen  And I click the continue button  ter  **to Table of Contents*	ealth  0.00s  0.00s  0.00s  0.00s

Seminar(s) Attended Add seminar details page expected [true] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI	SoftAssert.assertAll(SoftAssert.java:43) ostepdefinitions.mobilesteps.DieticianSteps. DieticianScreen(DieticianSteps.java:265) owing text is displayed in dietician screen(features/my/healt)	is displayed on
And I enter following	g details in edit text field in dietician screen	0.00s
	itle} TEST seminar text} SINGAPORE	
And I enter following	g details in dietician screen	0.00s
\${year.text} 2020		
And I click on field dietician screen	abel ''\${seminar.attended.text}'' to close keyboard on	0.00s
And I click the cont	nue button	0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify User	hould be able to navigate to linked clinic page	
Passed: 0	Failed: 1 Undefined: 3	Duration: .06s
Before		0.00s
Before	ving text is displayed in dietician screen	0.00s 0.06s
Before	xt}	
Given I verify follow \$\{\text{linked.clinic.te}}\{\text{add.clinic.info.}\]  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify followician_Doctor.fe	text}  Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faispitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) bistepdefinitions.mobilesteps.DieticianSteps. bieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heaiature:147)	0.06s  lse], expected [true]
Given I verify follow \$\{\text{linked.clinic.te}}\{\text{add.clinic.info.}\]  java.lang.Assertionl Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify fol /Dietician_Doctor.fe And I enter following	Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faspitals details where you practice text is displayed on page expected. SoftAssert.assertAll(SoftAssert.java:43) bistepdefinitions.mobilesteps.DieticianSteps. DieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heaature:147) g details in edit text field in dietician screen	0.06s lse], expected [true]
Given I verify follow \$\{\text{linked.clinic.te}\$}\{\text{add.clinic.info.}\]  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify fol /Dietician_Doctor.fe And I enter followin \$\{\text{enter.name.of.}\]	Error: The following asserts failed:  oitals text is displayed on page expected [true] but found [faispitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) ostepdefinitions.mobilesteps.DieticianSteps. oieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heaiature:147) g details in edit text field in dietician screen clinic   clinic1	0.06s  lse], expected [true]
Given I verify follow  \${linked.clinic.te} \${add.clinic.info.}  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify following And I enter following \${enter.name.of.c} \${enterLocation.}	Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faspitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) bistepdefinitions.mobilesteps.DieticianSteps. DieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heatature:147) g details in edit text field in dietician screen elinic   clinic   clinic   text   SINGAPORE	0.06s  lse], expected [true]
Given I verify follow  \${linked.clinic.te} \${add.clinic.info.}  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify following \${enter.name.of.c} \${enterLocation.}	Error: The following asserts failed:  oitals text is displayed on page expected [true] but found [faispitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) ostepdefinitions.mobilesteps.DieticianSteps. oieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heaiature:147) g details in edit text field in dietician screen clinic   clinic1	0.06s  lse], expected [true]
Given I verify follow \$\{\text{linked.clinic.te}}\{\text{add.clinic.info.}\]  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify fol /Dietician_Doctor.fet And I enter followin \$\{\text{enterLocation.}}\} And I click on field	Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faspitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) b.stepdefinitions.mobilesteps.DieticianSteps. bieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heasture:147) g details in edit text field in dietician screen blinic   clinic   clinic	lse], expected [true]
Given I verify follow  \${linked.clinic.te} \${add.clinic.info.}  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify for /Dietician_Doctor.fe And I enter followin  \${enter.name.of.} \${enterLocation.}  And I click on field screen	Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faspitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) b.stepdefinitions.mobilesteps.DieticianSteps. bieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heasture:147) g details in edit text field in dietician screen blinic   clinic   clinic	lse], expected [true]  lth  0.00s
Given I verify follow \$\{\text{linked.clinic.te}}\{\text{add.clinic.info.}\]  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify for /Dietician_Doctor.fet And I enter followin \$\{\text{enterLocation.}}\} And I click on field screen And I click the cont	Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faspitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) b.stepdefinitions.mobilesteps.DieticianSteps. bieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heasture:147) g details in edit text field in dietician screen blinic   clinic   clinic	0.06s  lse], expected [true]  0.00s  0.00s  0.00s
Given I verify follow \$\{\text{linked.clinic.te}}\{\text{add.clinic.info.}\]  java.lang.Assertion! Linked Clinics/Hosp Add Clinics and Ho but found [false] at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .Given I verify for /Dietician_Doctor.fet And I enter followin \$\{\text{enter.name.of.}}\{\text{enterLocation.}}\]  And I click on field screen And I click the cont  After  Back to Table of Contents	Error: The following asserts failed: bitals text is displayed on page expected [true] but found [faspitals details where you practice text is displayed on page expected [softAssert.assertAll(SoftAssert.java:43) b.stepdefinitions.mobilesteps.DieticianSteps. bieticianScreen(DieticianSteps.java:265) lowing text is displayed in dietician screen(features/my/heasture:147) g details in edit text field in dietician screen blinic   clinic   clinic	0.06s  lse], expected [true]  0.00s  0.00s  0.00s


re 0.00s then I wait for 5 sec 5.01s	0.00s	
Stakephoto.instruction.text   Stakephoto.instruction.text	yed in dietician screen 0.09s	
Stakephoto.instruction.text		
tva.lang.AssertionError: The following asserts failed: bout You text is displayed on page expected [true] but found [false], rofile Photo text is displayed on page expected [true] but found [false], lease take/upload your profile photo text is displayed on page expected [true] but found latse] t org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43) t com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.  erifyStaticTextInDieticianScreen(DieticianSteps, java:265) t. Given I verify following text is displayed in dietician screen(features/my/health- Dietician_Doctor.feature:157) hen I verify following profile photo options are displayed in Dietician Screen    0.00s		
bout You text is displayed on page expected [true] but found [false], rofile Photo text is displayed on page expected [true] but found [false], lease take/upload your profile photo text is displayed on page expected [true] but found lase] t org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) t com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps, 'crifyStaticTextInDieticianScreen(DieticianSteps, java:265) t. Given I verify following text is displayed in dietician screen(features/my/health Dietician_Doctor.feature:157) hen I verify following profile photo options are displayed in Dietician Screen [\$\text{Uploadfile.text}\] \{\text{Stakepicture.text}\} \text{Men I verify following profile photo options are displayed in Dietician Screen [\$\text{Uploadfile.text}\} \{\text{Stakepicture.text}\} \text{Men I text for 3 sec [\$\text{Uploadfile.text}\} \text{Stakepicture.text}\} \text{Men I wait for 3 sec [\$\text{Uploadfile.text}\} \{\text{Stakepicture.text}\} \{\text{Sconfirmdetails.text}\} \{\text{Stonfirmdetails.text}\} \{\text{Stonfirmdetails.text}\} \{\text{Stonfirmdetails.text}\} \{\text{Stonfirmdetails.text}\} \{\text{Stervice offered}\} \text{nd I click son "Terms and Conditions" confirm screen [\$\text{Uploadfile.text}\} \{\text{Storfirmdetails.text}\} \{Storfirmdetails.t		
Dietician_Doctor.feature:157    Chen I verify following profile photo options are displayed in Dietician Screen   0.00s	expected [true] but found [false], ge expected [true] but found [false], to text is displayed on page expected [true] but found tAll(SoftAssert.java:43) mobilesteps.DieticianSteps. gieticianSteps.java:265)	d
Suploadfile.text   Stakepicture.text   Stake	played in dietician screen(features/my/health	
Stuploadfile.text   Stakepicture.text   In app screen   D.00s     In	ontions are displayed in Dietician Screen 0.00s	
Stakepicture.text	options are displayed in Dietician Scient 5.005	
nd I clicks on "\${takepicture.text}" in app screen		
hen I take picture from Camera 0.00s hen I take picture from Camera 0.00s hen I wait for 3 sec 0.00s hen I wait for 3 sec 0.00s hen I wait for 3 sec 0.00s  \${confirmdetails.text}\$ \${confirmdetails.text2}\$ \${service num}\$ \${issuing org}\$ \${specialisation}\$ \${service offered}\$  and I scroll down 0.00s hen I wait for 2 sec 0.00s and I click Agree button "Terms and Conditions" confirm screen 0.00s and I clicks on "Terms and Conditions" text in app screen 0.00s to Table of Contents arrio: Verify User should be able to navigate to schedule Calendar page d: 1 Failed: 1 Undefined: 6 Duratio re 0.00s hen I wait for 5 sec 5.01s	in app screen 0.00s	
hen I take picture from Camera 0.00s  Ind I click the continue button 0.00s  I wait for 3 sec 0.00s  I verify following text is displayed in dietician screen 0.00s  \${confirmdetails.text} \${confirmdetails.text2} \${service num} \${issuing org} \${specialisation} \${service offered}  Ind I scroll down 0.00s  I click Agree button "Terms and Conditions" confirm screen 0.00s  Ind I click Agree button "Terms and Conditions" text in app screen 0.00s  Ind I clicks on "Terms and Conditions" text in app screen 0.00s  I clicks of Contents  I ario: Verify User should be able to navigate to schedule Calendar page  I d: 1 Failed: 1 Undefined: 6 Duration 0.00s  I wait for 5 sec 5.01s		
nd I click the continue button  hen I wait for 3 sec  hen I verify following text is displayed in dietician screen  \$ {confirm details.text}		
hen I wait for 3 sec  hen I verify following text is displayed in dietician screen  \$ {confirmdetails.text} \$ { {confirmdetails.text2} } { {service num} } { {service num} } { {service offered} } { {md I scroll down} } { {down} } {		
Seconfirm   Seco		
\$\{\confirmdetails.text2\}\\$\{\confirmdetails.text2\}\\$\{\service num\}\\$\{\service num\}\\$\{\service num\}\\$\{\service offered\}\\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	red in dietician screen 0.00s	
nd I scroll down hen I wait for 2 sec nd I click Agree button "Terms and Conditions" confirm screen nd I clicks on "Terms and Conditions" text in app screen nd I cli		
hen I wait for 2 sec  nd I click Agree button "Terms and Conditions" confirm screen  nd I clicks on "Terms and Conditions" text in app screen  0.00s  to Table of Contents  ario: Verify User should be able to navigate to schedule Calendar page  d: 1 Failed: 1 Undefined: 6 Duratio are  then I wait for 5 sec  5.01s	0.00s	
nd I click Agree button "Terms and Conditions" confirm screen  nd I clicks on "Terms and Conditions" text in app screen  0.00s  to Table of Contents  ario: Verify User should be able to navigate to schedule Calendar page d: 1		
to Table of Contents tario: Verify User should be able to navigate to schedule Calendar page d: 1	1 Conditions' confirm screen 0.00s	
to Table of Contents  ario: Verify User should be able to navigate to schedule Calendar page d: 1	ns'' text in app screen 0.00s	
d: 1 Failed: 1 Undefined: 6 Duration of then I wait for 5 sec 5.01s	0.00s	
d: 1		
re 0.00s then I wait for 5 sec 5.01s	navigate to schedule Calendar page	
then I wait for 5 sec 5.01s	Undefined: 6 Duration	on: 5
	0.00s	
	5.01s	
nd I verify following text is displayed in dietician screen 0.10s	ed in dietician screen 0.10s	

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.javar.43) at com.one.pubs.app.stepdefinitions.mobilesteps.DieticianSteps. VerityStatic TextInDieticianSteps.javar.265) at And I verify following text is displayed in dietician screen(features/my/health //Dietician_Doctor.featurer.184)  Then tyser verify following dynamic texts are displayed in Dietician screen  [click manage.yone.availibility.text]  And I clicks on "Stschedule.cal.text]" in app screen  And I verify following text is displayed in dietician screen  [click manage.yone.availibility.text]  And I Solect the Date in calendar field  And I verify following text is displayed in dietician screen  [click manage.yone.availibility.text]  And I clicks on "Stschedule.cal.text]" in app screen  And I clicks on "10:00 AM" in app screen  And I clicks on "10:00 AM" in app screen  And I clicks on "10:00 AM" in app screen  Dougs  After  [click in Table of Contents  [caturer: Verify that user can manage events via the Family Vaccine Calendar feature isseed: 0  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15  Failed: 1  Undefined: 2  Duration: 142.3  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15  Failed: 1  Undefined: 2  Duration: 142.3  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15  Failed: 1  Undefined: 2  Duration: 142.3  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  The I wait for 2 sec  And I assign "pulse\$(RANDOM_NUMBER)@mailsac.com" to variable  "PULSE_EMAIL"  And user has pulse app  Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec  Then I wait for 2 sec  Then I wait for 2 sec  Then I wa	Conversat	ion History tex	t is displayed o	• •	l [true] but found [false], ed [true] but found [false]			
verifyStaticTextInDieticianScreen(DieticianSteps_java:265) at .And I verify following text is displayed in dietician screen(features/my/health Dietician_Doctor_feature:184)  Then User verify following dynamic texts are displayed in Dietician screen  [click.manage.your.availibility.text]  And I clicks on "S[schedule.cal.text]" in app screen [d.00s] And I verify following text is displayed in dietician screen [d.00s] [d.1catendar.text]  And I click son "S[schedule.cal.text]" in app screen [d.00s] And I click the Setect Your Availability from in calendar screen [d.00s] And I click the Setect Your Availability from in calendar screen [d.00s] And I click the Setect Your Availability from in calendar screen [d.00s] After [d.00s] [d.1catendar.text]  And I click son "10:00 AM" in app screen [d.00s] After [d.00s] [d.1catendar.text]  And I click the Setect Your Availability from in calendar screen [d.00s] After [d.00s] [d.1catendar.text]  And I click the Setect Your Availability from in calendar screen [d.00s] After [d.00s] [d.1catendar.text]  And I click the Setect Your Availability from in calendar screen [d.00s] After [d.00s] [d.1catendar.text] [d.00s] After [d.00s] [d.1catendar.text] [d.00s] [d.1catendar.text] [d.00s] And I click the Setect Your Availability from in calendar screen [d.00s] After [d.00s] [d.00s] [d.1catendar.text] [d.00s] [d.00s] [d.1catendar.text] [d.00s] [d.1catendar.text] [d.00s] [d.00s] [d.1catendar.text] [d.00s] [d.00s] [d.1catendar.text] [d.00s]	at org.test	ng.asserts.SoftA	Assert.assertAl	l(SoftAssert.jav	a:43)	'		
Dietician Doctor.feature:1849   Henr User verify following dynamic texts are displayed in Dietician screen   1.00s	VerifyStat	VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)						
Then User verify following dynamic texts are displayed in Dictician screen   1.008								
Scelect manage your availability text								
And I clicks on "S[schedulecal.text]" in app screen  And I verify following text is displayed in dictician screen  S[calendar.text]  And I click the Date in calendar field And I click the Select Your Availability icon in calendar screen And I click the Select Your Availability icon in calendar screen And I click the Select Your Availability icon in calendar screen And I click son "10:00 AM" in app screen  After  0.00s  Back to Table of Centents  cature: Verify that user can manage events via the Family Vaccine Calendar feature  sseed: 0 Failed: 7 Undefined: 0 Duration: 229.4s  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15 Failed: 1 Undefined: 2 Duration: 142.3 s  Before  0.00s  Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign "pulses[RANDOM_NUMBER]@mailsac.com" to variable "PULSE_EMAIL" And User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button  14.16s Then I wait for 2 sec Then I change the country as required on registration page Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec When user enters registration details  FirstName[testAutomation LastName testAutomation Email s[PULSE_EMAIL] Password Pass[1234]  And taps on continue "Sign_Up" button  0.031s								
And I select the Date in calendar field   0.00s						0.00s		
Stealendar.text    Ind     Select the Date in calendar field					en			
And I Select the Date in calendar field And I click the Select Your Availability icon in calendar screen And I clicks on "10:00 AM" in app screen  O.008  After O.008  Back to Table of Contents  cature: Verify that user can manage events via the Family Vaccine Calendar feature issed: 0  Failed: 7  Undefined: 0  Duration: 229.4s  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15  Failed: 1  Undefined: 2  Duration: 142.3  Before  Given I generate random number and assign to variable "RANDOM_NUMBER" And I assign "pulses{RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" And User has pulse app  Then I wait for 2 sec  And user click on "CONTINUE WITH EMAIL" with Email button  14.16s Then I wait for 2 sec  Then I change the country as required on registration page  Then I avait for 2 sec  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  Undefined: 2  2.01s  Then I wait for 2 sec  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  Then I wait for 2 sec  2.00s  When user enters registration details  FirstName testAutomation LastName testAutomation LastName testAutomation Email s{PULSE_EMAIL}}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.00s								
After   0.00s  After   0.00s  Back to Table of Contents  seature: Verify that user can manage events via the Family Vaccine Calendar feature  seed: 0   Failed: 7   Undefined: 0   Duration: 229.4s  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15   Failed: 1   Undefined: 2   Duration: 142.3   Second on the continue of the continue with Email of the continue wi			alendar field			0.00s		
After   0.00s  Back to Table of Contents  eature: Verify that user can manage events via the Family Vaccine Calendar feature  assed: 0				icon in calendar	r screen			
Back to Table of Contents  eature: Verify that user can manage events via the Family Vaccine Calendar feature  assed: 0 Failed: 7 Undefined: 0 Duration: 229.4s  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15 Failed: 1 Undefined: 2 Duration: 142.3  Before 0.000s  Given I generate random number and assign to variable "RANDOM_NUMBER"  And I assign "pulses{RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"  And User has pulse app 9.02s  Then I wait for 2 sec 2.01s  And user click on "CONTINUE WITH EMAIL" with Email button 14.16s  Then I wait for 2 sec 2.01s  Then I wait for 2 sec 2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec 2.00s  When user enters registration details 7.92s  FirstName testAutomation LastName testAutomation  Email \${PULSE_EMAIL}{Password Pas\$1234}  And taps on continue "Sign_Up" button 0.31s								
Back to Table of Contents  eature: Verify that user can manage events via the Family Vaccine Calendar feature  assed: 0 Failed: 7 Undefined: 0 Duration: 229.4s  Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15 Failed: 1 Undefined: 2 Duration: 142.3  Before 0.000s  Given I generate random number and assign to variable "RANDOM_NUMBER"  And I assign "pulses{RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"  And User has pulse app 9.02s  Then I wait for 2 sec 2.01s  And user click on "CONTINUE WITH EMAIL" with Email button 14.16s  Then I wait for 2 sec 2.01s  Then I wait for 2 sec 2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec 2.00s  When user enters registration details 7.92s  FirstName testAutomation LastName testAutomation  Email \${PULSE_EMAIL}{Password Pas\$1234}  And taps on continue "Sign_Up" button 0.31s						0.00s		
Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15 Failed: 1 Undefined: 2 Duration: 142.3 s  Before 0.000s  Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s  "RANDOM_NUMBER" 0.00s  "PULSE_EMAIL" 0.00s  Then I wait for 2 sec 2.01s  And user click on "CONTINUE WITH EMAIL" with Email button 14.16s  Then I wait for 2 sec 2.01s  Then I wait for 2 sec 2.00s  When user enters registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec 2.00s  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}\$  Password Pas\$1234  And taps on continue "Sign_Up" button 0.31s	Back to Table of	f Contents						
Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15 Failed: 1 Undefined: 2 Duration: 142.3 s  Before 0.000s  Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s  "RANDOM_NUMBER" 0.00s  "PULSE_EMAIL" 0.00s  Then I wait for 2 sec 2.01s  And user click on "CONTINUE WITH EMAIL" with Email button 14.16s  Then I wait for 2 sec 2.01s  Then I wait for 2 sec 2.00s  When user enters registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec 2.00s  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}\$  Password Pas\$1234  And taps on continue "Sign_Up" button 0.31s	eature Verify	that user can m	anage events v	via the Family V	accine Calendar feature			
Scenario: User should be able to register on app with correct credentials using "Continue with Email"  Passed: 15  Failed: 1  Undefined: 2  Duration: 142.3 s s o.0.00s  Given I generate random number and assign to variable "RANDOM_NUMBER"  And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"  And User has pulse app								
Email"  Passed: 15  Failed: 1  Undefined: 2  Duration: 142.3  Before  0.00s  Given I generate random number and assign to variable "RANDOM_NUMBER"  And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"  And User has pulse app  9.02s  Then I wait for 2 sec  2.01s  And user click on "CONTINUE WITH EMAIL" with Email button  14.16s  Then I wait for 2 sec  2.01s  Then I change the country as required on registration page  11.09s  Then I wait for 2 sec  2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  FirstName testAutomation  LastName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s						ntinue with		
Before 0.00s  Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s  And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" 0.00s  Then I wait for 2 sec 2.01s  And user click on "CONTINUE WITH EMAIL" with Email button 14.16s  Then I wait for 2 sec 2.01s  Then I change the country as required on registration page 11.09s  Then I wait for 2 sec 2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec 2.00s  When user enters registration details 7.92s  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}\$  Password Pas\$1234  And taps on continue "Sign_Up" button 0.31s		JI SHOULD SE U.S.	to regions.	ar app with corr.	ct ti tucitatio using	illinat with		
Given I generate random number and assign to variable  "RANDOM_NUMBER"  And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable  "PULSE_EMAIL"  And User has pulse app  9.02s  Then I wait for 2 sec  2.01s  And user click on "CONTINUE WITH EMAIL" with Email button  14.16s  Then I wait for 2 sec  2.01s  Then I change the country as required on registration page  11.09s  Then I wait for 2 sec  2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  FirstName testAutomation  LastName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.031s	Passed · 15							
"RANDOM_NUMBER"  And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"  And User has pulse app  9.02s  Then I wait for 2 sec  2.01s  And user click on "CONTINUE WITH EMAIL" with Email button  14.16s  Then I wait for 2 sec  2.01s  Then I change the country as required on registration page  11.09s  Then I wait for 2 sec  2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Labbea. 15							
"PULSE_EMAIL"  And User has pulse app  Then I wait for 2 sec  And user click on "CONTINUE WITH EMAIL" with Email button  14.16s  Then I wait for 2 sec  2.01s  Then I change the country as required on registration page  11.09s  Then I wait for 2 sec  2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  7.92s  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}\$  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s		Î	aneu. 1	Onderme	d: 2	0.00s		
Then I wait for 2 sec  And user click on "CONTINUE WITH EMAIL" with Email button  14.16s  Then I wait for 2 sec  2.01s  Then I change the country as required on registration page  11.09s  Then I wait for 2 sec  2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  7.92s  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Before Given I ge "RANDO	nerate random M_NUMBER''	number and a	ssign to variable	e			
And user click on "CONTINUE WITH EMAIL" with Email button  Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  Then I wait for 2 sec  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Given I ge "RANDO! And I assis	nerate random M_NUMBER'' gn ''pulse\${RA' EMAIL''	number and a	ssign to variable	e	0.00s 0.00s		
Then I wait for 2 sec  Then I change the country as required on registration page  Then I wait for 2 sec  Then I wait for 2 sec  2.01s  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  7.92s  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}\$  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Given I ge "RANDO! And I assis "PULSE_! And User!	nerate random M_NUMBER'' gn ''pulse\${RA EMAIL'' has pulse app	number and a	ssign to variable	e	0.00s 0.00s 9.02s		
Then I change the country as required on registration page  Then I wait for 2 sec  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Given I ge "RANDO! And I assis "PULSE_! And User! Then I wa	nerate random M_NUMBER'' gn ''pulse\${RA} EMAIL'' has pulse app it for 2 sec	number and a	ssign to variable	e com'' to variable	0.00s 0.00s 9.02s 2.01s		
Then I wait for 2 sec  Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Given I ge "RANDO! And I assis "PULSE_! And User! Then I was	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec	number and a	ssign to variable	e com'' to variable	0.00s 0.00s 9.02s 2.01s 14.16s		
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button  Then I wait for 2 sec  2.00s  When user enters registration details  7.92s  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}\$  Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Given I ge "RANDO! And I assig "PULSE_! And User! Then I was And user of	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT	number and a	SSIGN to variable BER}@mailsac. EMAIL'' with I	e com'' to variable Email button	0.00s 0.00s 9.02s 2.01s 14.16s 2.01s		
click on continue with email button  Then I wait for 2 sec  When user enters registration details  FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}  Password Pas\$1234  And taps on continue "Sign_Up" button  4.538  7.92s  7.92s	Given I ge "RANDO! And I assis "PULSE_! And User! Then I was And user of Then I was Then I cha	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec	number and a	SSIGN to variable BER}@mailsac. EMAIL'' with I	e com'' to variable Email button	0.00s 0.00s 9.02s 2.01s 14.16s 2.01s 11.09s		
When user enters registration details  FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234  And taps on continue "Sign_Up" button  7.92s  7.92s	Given I ge "RANDO! And I assig "PULSE_! And User! Then I was And user of Then I was Then I cha	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr	number and a NDOM_NUMI  ΓΙΝUΕ WITH  y as required α	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s 0.00s 9.02s 2.01s 14.16s 2.01s 11.09s		
FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234  And taps on continue "Sign_Up" button  0.31s	Given I ge "RANDO! And I assis "PULSE_! And User! Then I was Then I cha Then I was Then I may	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse i	number and a  NDOM_NUMI  FINUE WITH  Ty as required of the registration page	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s 0.00s 9.02s 2.01s 14.16s 2.01s 11.09s 2.01s		
LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234  And taps on continue "Sign_Up" button 0.31s	Given I ge "RANDO! And I assig "PULSE_I And User I Then I was Then I was Then I cha Then I was Then I may click on co	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse a ontinue with em	number and a  NDOM_NUMI  FINUE WITH  Ty as required of the registration page.	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s 0.00s 9.02s 2.01s 14.16s 2.01s 11.09s 2.01s 4.53s		
Email \${PULSE_EMAIL} Password Pas\$1234  And taps on continue "Sign_Up" button 0.31s	Given I ge "RANDO! And I assig "PULSE_! And User! Then I was And user of Then I cha Then I cha Then I may click on co Then I was	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse a portinue with em it for 2 sec	number and a  NDOM_NUMI  FINUE WITH  Ty as required of the second	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s  0.00s  9.02s  2.01s  14.16s  2.01s  11.09s  2.01s  4.53s  2.00s		
Password Pas\$1234 And taps on continue "Sign_Up" button 0.31s	Given I ge "RANDO! And I assig "PULSE_! And User Then I was And user of Then I cha Then I cha Then I nav click on co Then I was When user	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse a portinue with em it for 2 sec r enters registra	number and a  NDOM_NUMI  FINUE WITH  y as required of the registration page at the registration	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s  0.00s  9.02s  2.01s  14.16s  2.01s  11.09s  2.01s  4.53s  2.00s		
And taps on continue "Sign_Up" button 0.31s	Given I ge "RANDO! And I assis "PULSE_I And User I Then I was And user of Then I was Then I cha Then I may click on co Then I was When user	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse re ontinue with em it for 2 sec r enters registra	number and a  NDOM_NUMI  FINUE WITH  Ty as required of the second	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s  0.00s  9.02s  2.01s  14.16s  2.01s  11.09s  2.01s  4.53s  2.00s		
	Given I ge "RANDO! And I assis "PULSE_! And User ! Then I was Then I cha Then I was Then I nav click on co Then I was When user  FirstNa LastNa	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse re ontinue with em it for 2 sec r enters registra me testAutoma me testAutoma	number and a  NDOM_NUMI  FINUE WITH  The second of the sec	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s  0.00s  9.02s  2.01s  14.16s  2.01s  11.09s  2.01s  4.53s  2.00s		
And I wait for otp screen after clicking on signup button 5.72s	Given I ge "RANDO! And I assig "PULSE_I And User I Then I was And user of Then I was Then I cha Then I was Then I may click on co Then I was When user FirstNa LastNa Email	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse re ontinue with em it for 2 sec r enters registra me testAutoma #{PULSE_1	number and a  NDOM_NUMI  FINUE WITH  The second of the sec	BER}@mailsac.  EMAIL'' with I	e com'' to variable Email button	0.00s  0.00s  9.02s  2.01s  14.16s  2.01s  11.09s  2.01s  4.53s  2.00s		
	Given I ge "RANDO! And I assig "PULSE_I And User I Then I was Then I was Then I was Then I nav click on co Then I was When user FirstNa LastNa Email Passwo And taps of	nerate random M_NUMBER" gn "pulse\${RA} EMAIL" has pulse app it for 2 sec click on "CONT it for 2 sec ange the countr it for 2 sec vigate to pulse re it for 2 sec vigate to pulse re it for 2 sec renters registra me testAutoma me testAutoma #{PULSE_1 rd Pas\$1234 on continue "Si	number and a  NDOM_NUMI  FINUE WITH  Ty as required of the second	BER}@mailsac.  EMAIL'' with I on registration p ge and select the	e com'' to variable  Email button  age e lang on toggle bar then	0.00s  0.00s  9.02s  2.01s  14.16s  2.01s  11.09s  2.01s  4.53s  2.00s  7.92s		


And I enter OTP in one pulse app for user email ''\${PULSE_EMAIL}''	31.48s
Then I wait for 2 sec	2.01s
Then I click skip button	48.11s
org.openqa.selenium.NoSuchElementException: An element could not be locat	ed on the page
using the given search parameters.	
For documentation on this error, please visit: http://seleniumhq.org/exceptions	
/no_such_element.html	
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12	
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', o	s.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.p	
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabl	
desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prud	
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Andre	
newCommandTimeout: 10000, noReset: true, platformName: android}, device	
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40	
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241Fi javascriptEnabled: true, locationContextEnabled: false, networkConnectionEn	
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINU	
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreen	
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webS	
false}	tor ageimableu.
Session ID: d5f3f96f-d177-4f0e-8c6d-cd694be068cd	
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@	text,'DD-MM-
YYYY')]}	
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknow	n Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInsta	nce
(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpComman	dExecutor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGeneric	viodileDriver.
java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	D
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD	
at io.appium.java_client.DefaultGenericMobileDriver.findElement	iivei.java.517)
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	

```
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1116)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:377)
  at .Then I click skip button(features/my/health/FamilyVaccineCalendar.feature:25)
After
                                                                                0.00s
Back to Table of Contents
Scenario: User should be able to access my family vaccination calendar
Passed: 2
                          Failed: 1
                                                Undefined: 2
                                                                                Duration: 41.14s
Before
                                                                                0.00s
  Given I clicks on Health button
                                                                                30.79s
  Then I wait for 2 sec
                                                                                2.01s
  Then I click on vaccine calendar tile
                                                                                8.34s
  org.openga.selenium.NoSuchElementException: An element could not be located on the page
  using the given search parameters.
  For documentation on this error, please visit: http://seleniumhq.org/exceptions
  /no such element.html
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
```

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d5f3f96f-d177-4f0e-8c6d-cd694be068cd
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Home"]
/preceding::android.widget.ImageView[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineCal(PulseHealthScreen.java:311)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
iClicksOnVaccineCalTile(VaccineCalendarSteps.java:27)
at .Then I click on vaccine calendar tile(features/my/health/FamilyVaccineCalendar.feature:
32)
```



```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d5f3f96f-d177-4f0e-8c6d-cd694be068cd
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Add more"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickAddMoreBtn(PulseHealthScreen.java:
328)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.clickAddMoreBtn
(VaccineCalendarSteps.java:43)
at .When I click on Add more button in Vaccine Calendar screen(features/my/health
/FamilyVaccineCalendar.feature:40)
```



```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: d5f3f96f-d177-4f0e-8c6d-cd694be068cd
*** Element info: {Using=xpath, value=(//android.widget.TextView[@text='Name']/following::
android.widget.EditText)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

Detailed Results Report (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PulseHealthScreen.enterAddInformationForm (PulseHealthScreen.java:343) at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps. enterAddInformationDetails(VaccineCalendarSteps.java:50) at .Then I add following information in Vaccine Calendar add information screen(features/my /health/FamilyVaccineCalendar.feature:55) 1:26 🕟 🔳 140 🕮 🔹 Phone Numb What is your mobile number? Please start by entering your mobile number +60 Phone Number Please enter Phone Number

After			0.00s
Back to Table of Contents			
Scenario: Verify the added	item displayed	on the Vaccine Schedule screen	
Passed: 1	Failed: 1	Undefined: 6	<b>Duration: 14.23s</b>
Before			0.00s
Given I wait for 2 sec			2.01s
Then User verifies follow screen	ving dynamic te	exts are displayed in Vaccine Calenda	r 12.22s
\${relation} \${name}			

java.lang.AssertionError: The following asserts failed: Child is present as expected expected [true] but found [false], testing_one is present as expected expected [true] but found [false]	
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)	
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.	
verifyDynamicTextOnVaccineCal(VaccineCalendarSteps.java:78) at .Then User verifies following dynamic texts are displayed in Vaccine CalendarSteps.java:78	dar screen
(features/my/health/FamilyVaccineCalendar.feature:64)	
Then I click on '\\${name} \${relation}'' button in Vaccine Calendar screen	0.00s
And I click on ''\${vaccineCalendar.continue.button}'' button in Vaccine	0.00s
Calendar screen	
Then I wait for 2 sec	0.00s
Then User verifies following texts are displayed in Vaccine Calendar screen	0.00s
\$\{vaccineCalendar.select.child.text}	
\$\{\text{vaccine.text}\}	
Then User verifies following dynamic texts are displayed in Vaccine Calendar screen	0.00s
\${name}	
And I verify following texts are displayed	0.00s
\${vaccine.bcg.text}	0.005
\${vaccine.beg.text}	
After	0.00s
Alter	0.008
Dook to Toklo of Contents	
Back to Table of Contents  Secondaries Marife remainder antique in receive selectule	
Scenario: Verify reminder options in vaccine schedule	Durestions 02g
Scenario: Verify reminder options in vaccine schedule Passed: 0 Failed: 1 Undefined: 2	Duration: .02s
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before	0.00s
Scenario: Verify reminder options in vaccine schedule Passed: 0 Failed: 1 Undefined: 2	
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine	0.00s 0.02s
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ	0.00s 0.02s curred while
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine	0.00s 0.02s curred while
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the resource or occupinal error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12	0.00s 0.02s curred while mote server. 2Z'
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the reformable organization of the command of the reformable of the command of the reformable of the command of the command in the command of the command in the command of the command of the command of the command in the command of the command of the command in the command of the	0.00s 0.02s curred while mote server. 2Z'
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occuprocessing the command. Original error: Could not proxy command to the resolution of the command of the resolution of the command in the	0.00s 0.02s curred while mote server. 2Z'
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the resolution of the command of the resolution of the command in the control of the command of the control of the command of the control of the	0.00s 0.02s curred while mote server. 2Z' os.arch: 'amd64',
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occuprocessing the command. Original error: Could not proxy command to the resolution of the command of the resolution of the command in the	0.00s 0.02s curred while mote server. 2Z' os.arch: 'amd64', prudential.pulse.
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the rest Original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudesired: {appActivity: com.prudential.pulse.MainAc, appActivity: {appActivity: com.prudential.pulse.MainAc, appActivity: {appActivity: com.prudential.pulse.MainAc, appActivity: {appActivity: com.prudential.pulse.MainAc, appActivity: {appActivity: com.prudential.p	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat,
Scenario: Verify reminder options in vaccine schedule  Passed: 0  Failed: 1  Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the resolution of the command of the processing the command. Original error: Could not proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the command of the proxy command to the resolution of the proxy command to the proxy command to the resolution of the proxy command to the proxy	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test,
Scenario: Verify reminder options in vaccine schedule  Passed: 0  Failed: 1  Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the result of the original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.p	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30,
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the result of the command of the properties of the command of	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 00043P,
Scenario: Verify reminder options in vaccine schedule  Passed: 0  Failed: 1  Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the result of the original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.p	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P, FDD40043P,
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the result of Original error: socket hang up  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential. autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: co	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P, EDD40043P, onabled: true,
Scenario: Verify reminder options in vaccine schedule  Passed: 0  Failed: 1  Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the reformable of the command of the reformable of th	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P, FDD40043P, habled: true, UX, enshot: true,
Scenario: Verify reminder options in vaccine schedule  Passed: 0 Failed: 1 Undefined: 2  Before  Then I click reminder icon for BCG vaccine  org.openqa.selenium.WebDriverException: An unknown server-side error occ processing the command. Original error: Could not proxy command to the result of the command of the properties of the command of the processing the command. Original error: Could not proxy command to the result of the processing the command. Original error: Could not proxy command to the result of the processing the processing the command to the result of the processing t	0.00s  0.02s  curred while mote server.  2Z' os.arch: 'amd64',  prudential.pulse. oled: false, dential.pulse.uat, roid-Test, eApiLevel: 30, 0043P, FDD40043P, habled: true, UX, enshot: true,

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='BCG']/following::
android.view.ViewGroup[1]/android.view.ViewGroup[1]/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationIcon
(PulseHealthScreen.java:444)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
iClickReminderIconForBCGVaccine(VaccineCalendarSteps.java:84)
at .Then I click reminder icon for BCG vaccine(features/my/health/FamilyVaccineCalendar.
feature:82)
```

ack to Table of Conten cenario: Verify cha			0.00s
renario: Verify cha	<u>ts</u>		
, , , , , , , , , , , , , , , , , , , ,	nge reminder function	nality in vaccine schedule screen	
assed: 0	Failed: 1	Undefined: 0	Duration: 4.0
efore			0.00s
And I click Yes o	ntion		4.04s
org.openqa.seleniprocessing the coroliginal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAlert autoDismissAlert newCommandTindeviceManufactur deviceScreenDenipavascriptEnable newCommandTinplatformName: A viewportRect: {hofalse} Session ID: d5f3f	ium.WebDriverExcept mmand. Original erro ocket hang up on: '3.12.0', revision: '7 : 'TM003LSIN', ip: '19 java.version: '11.0.2' opium.java_client.andre Activity: com.prudential.prices: true, automation ivity: com.prices: true, automation iv	tial.pulse.MainAc, appPackage onName: UiAutomator2, databas pulse.MainAc, appPackage: come: UiAutomator2, deviceName: true, platformName: android} odel: Pixel 5, deviceName: 0C24 nSize: 1080x2340, deviceUDID: 0xtEnabled: false, networkConnet: true, pixelRatio: 2.75, platform ion: 11, statBarHeight: 145, take: 145, width: 1080}, warnings: {	eror occurred while the remote server.  04:26.12Z' vs 10', os.arch: 'amd64 e: com.prudential.pulseseEnabled: false, om.prudential.pulse.ua e: Android-Test, o, deviceApiLevel: 30, 1FDD40043P, 0C241FDD40043P, ectionEnabled: true, n: LINUX, esScreenshot: true,

	(DefaultGenericMobil						
		ent.AppiumDriver.findElement(AppiumDriver.java:1					
		ent.android.AndroidDriver.findElement(AndroidDriv m.remote.RemoteWebDriver.findElementByXPath(R					
	java:419)	m.remote.Remote webDriver.mudlementbyArath(R	emote webbitvei.				
	<i>'</i>	ent.DefaultGenericMobileDriver.findElementByXPatl	h				
	(DefaultGenericMobil	$oldsymbol{\cdot}$					
		ent.AppiumDriver.findElementByXPath(AppiumDriv					
		${f ent.android.} {f Android Driver.find Element By XPath (Another the State of $	lroidDriver.java:1)				
		m.By\$ByXPath.findElement(By.java:353)	15 1 1 200				
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement						
	(DefaultGenericMobileDriver.java:58)						
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)						
		ent.android.AndroidDriver.findElement(AndroidDriv					
		.selenium.Commands\$15.executeCommand(Comman					
	_	. selenium. Execute Command. execute Command (Execute Command)	iteCommand.java:				
	19)		1(2)				
		screens.TestBasePage.clickButton(TestBasePage.java: screens.PulseHealthScreen.clickVaccineNotificationYo					
	(PulseHealthScreen.ja		esOpuon				
	`	step definitions. mobile steps. Vaccine Calendar Steps. iClications and the step should be a substitute of the step sho	ickYesOntion				
	(VaccineCalendarSter						
	-	tion(features/my/health/FamilyVaccineCalendar.featu	ıre:88)				
A	fter		0.00s				
_							
B	ack to Table of Contents						
	ure: Verify that user co	n access Dangue Alert feature					
eat	ure: Verify that user ca	n access Dengue Alert feature  Duration 227.76	la constant de la con				
eat asse	ure: Verify that user ca	0 Undefined: 0 Duration: 237.79	)s				
eat Passe	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the ap	Undefined: 0 Duration: 237.79 p and select the country as per specified lbu					
Passe	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the ap	0 Undefined: 0 Duration: 237.79	Duration: 51.4s				
eat asse S	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the ap assed: 6 efore	Undefined: 0 Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0	Duration: 51.4s 0.00s				
eat asse S	ure: Verify that user ca d: 5 Failed: 6 efore  Given User has pulse	Duration: 237.79  p and select the country as per specified lbu  Failed: 0  Undefined: 0  app	Duration: 51.4s 0.00s 8.97s				
Passe	ure: Verify that user cand: 5 Grailed: 6 Graine Given User has pulse and I assign "\${login.	Undefined: 0 Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  .email.id}'' to variable "PULSE_EMAIL"	Duration: 51.4s 0.00s 8.97s 0.00s				
eat asse S	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the appassed: 6 efore  Given User has pulse: And I assign "\${login. And user click on "CO	Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  cemail.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s				
Passe	ure: Verify that user ca d: 5 Failed: 6 cenario: Launch the appassed: 6 efore  Given User has pulse: And I assign "\${login. And user click on "Co	Undefined: 0 Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  email.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  intry as required on registration page	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s				
Passe	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the appassed: 6 efore  Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou	Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  email.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  intry as required on registration page	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s				
S Pa	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the appassed: 6 efore  Given User has pulse: And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 10 sec And I click the Sign in	Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  email.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  intry as required on registration page	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s				
S Pr	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the appassed: 6 efore  Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou	Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  email.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  intry as required on registration page	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s				
S Pa B	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the appassed: 6 efore  Given User has pulse: And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 10 sec And I click the Sign in	Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  email.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  intry as required on registration page	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s				
S Pa B	ure: Verify that user ca d: 5  Failed: 0  cenario: Launch the appassed: 6  efore  Given User has pulse a  And I assign "\${login.  And user click on "Co  Then I change the cou  Then I wait for 10 sec  And I click the Sign in  fter  ack to Table of Contents	Duration: 237.79  p and select the country as per specified lbu  Failed: 0 Undefined: 0  app  app  email.id}'' to variable "PULSE_EMAIL"  ONTINUE WITH EMAIL" with Email button  intry as required on registration page	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s				
S Pa B S S	ure: Verify that user ca d: 5  Failed: 0  cenario: Launch the appassed: 6  efore  Given User has pulse a  And I assign "\${login.  And user click on "Co  Then I change the cou  Then I wait for 10 sec  And I click the Sign in  fter  ack to Table of Contents	p and select the country as per specified lbu Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s				
Seat S P: B B S P: S P: S P: S P: S P: S P:	ure: Verify that user ca d: 5 Failed: 0 cenario: Launch the appassed: 6 efore  Given User has pulse: And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 10 sec And I click the Sign in fter ack to Table of Contents cenario: login to the app	p and select the country as per specified lbu Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s				
S Pa	ure: Verify that user ca d: 5  Failed: 6  cenario: Launch the appassed: 6  efore  Given User has pulse: And I assign "\${login. And user click on "Co Then I change the cou Then I wait for 10 sec And I click the Sign in  fter ack to Table of Contents cenario: login to the appassed: 6 efore	p and select the country as per specified lbu  Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s				
Seat S P: B B S P: S P: S P: S P: S P: S P:	ure: Verify that user ca d: 5 Failed: 6 cenario: Launch the appassed: 6 efore  Given User has pulse: And I assign "\${login. And user click on "Co Then I change the cou Then I wait for 10 sec And I click the Sign in fter ack to Table of Contents cenario: login to the appassed: 6 efore  Given I select the lang	p and select the country as per specified lbu  Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s  I'' Duration: 44.07s 0.00s 3.81s				
Feat S S P: B S S P:	ure: Verify that user ca d: 5  Failed: 0  cenario: Launch the applassed: 6  efore  Given User has pulse: And I assign "\${login. And user click on "CO Then I change the courant the courant to the sign in the courant term of the	p and select the country as per specified lbu  Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s				
Seat S P: B B S P: S P: S P: S P: S P: S P:	ure: Verify that user ca d: 5  Failed: 0  cenario: Launch the appassed: 6  efore  Given User has pulse a And I assign "\${login. And user click on "CO Then I change the cou Then I wait for 10 sec And I click the Sign in  fter  ack to Table of Contents  cenario: login to the appassed: 6  efore  Given I select the lang When user enters creat UserName \${PULS}	p and select the country as per specified lbu  Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s  I'' Duration: 44.07s 0.00s 3.81s				
S Pa	ure: Verify that user ca d: 5  Failed: 0  cenario: Launch the applassed: 6  efore  Given User has pulse: And I assign "\${login. And user click on "CO Then I change the courant the courant to the sign in the courant term of the	p and select the country as per specified lbu  Failed: 0	Duration: 51.4s 0.00s 8.97s 0.00s 15.49s 12.00s 10.01s 4.93s 0.00s  I'' Duration: 44.07s 0.00s 3.81s				

And User clicks on si	gnin button		0.27s
And I wait for 5 sec			5.01s
And I enter OTP in o	one pulse app for	user email ''\${PULSE_EMAIL}''	10.68s
Then user should be	landed to "Home	e'' screen	13.88s
After			0.00s
Back to Table of Contents			
Scenario: Verify the ma	p can be expande	ed	
Passed: 5	Failed: 0	Undefined: 0	Duration: 28.41
Before			0.00s
Given I wait for 2 sec	<u> </u>		2.00s
And I clicks on Healt			14.08s
And I clicks on Deng			9.04s
And I click on the ma			2.50s
And I click on map b	<u> </u>		0.80s
After			0.00s
Back to Table of Contents			
	e able to vew the	Dengue Outbreak - Malaysia	
Passed: 8	Failed: 0	Undefined: 0	Duration: 34.87
Before	T uneur o	Charlinear 6	0.00s
	arring toruta IIDan	and Alandii in Canaan	10.79s
Then I verify the follo	owing texts Den	gue Aiert in Screen	10.798
Malaysia Outbreaks			
Then I verify following	ng dynamic static	text is displayed in Dengue Alert Scree	n 3.63s
\${dengueAlert.out			
\${dengueAlert.out	tbreak.thisWeek}		
Then I verify following	ng texts are displa	ayed	0.59s
\${dengueAlert.out	tbreak.total.title}		
When I scroll down			4.51s
Then I verify following	ng texts are displa	ayed	1.19s
\${dengueAlert.zor			
\${dengueAlert.zor			
Then I verify following		ayed	4.36s
\${dengueAlert.zor			
S{dengueAlert.zor	1603		
\${dengueAlert.zor} When I scroll down	<u>  [e0]                                   </u>		4.45s

\${dengueAlert.zone	27}	
\${dengueAlert.zone		
\${dengueAlert.zone	215}	
\${dengueAlert.zone		
After		0.00s
Back to Table of Contents		
Scenario: User should be	able to vew the Dengue Cases - Malaysia	
Passed: 9	Failed: 0 Undefined: 0	Duration: 79.03s
Before		0.00s
	\${dengue.alert.map}'' element displayed	50.04s
	rom outbreaks dropdown	2.96s
	g dynamic static text is displayed in Dengue Alert Scree	
\${dengueAlert.case		
\${dengueAlert.outh		
\${dengueAlert.case		
\${dengueAlert.outh		
\${dengueAlert.outh		
Then I verify following		0.59s
\${dengueAlert.case		
Then I verify following		2.00s
\${dengueAlert.zona		
\${dengueAlert.zona		
When I scroll down		4.43s
Then I verify following	g texts are displayed	3.91s
\${dengueAlert.zone		
When I scroll down		4.36s
Then I verify following	g texts are displayed	6.21s
\${dengueAlert.zone		
, , , , , , , , , , , , , , , , , , , ,		

		\${dengueAle						
		\${dengueAle						
		\${dengueAle						
		\${dengueAle						
		\${dengueAle	ert.zone1	<u>6}</u>				
	Af	ter						0.00s
	Bac	ck to Table of Cont	<u>ents</u>					
Fe	atu	re: Verify Pru i	nfectious	s disease cov	ver function	ality on one p	ılse App	
Pa	ssed	:1	Failed: 8		Undefined: 0		Duration: 90.7s	
			ould be a	ble to regist	ter on app w	ith correct cr	edentials using "Cor	ntinue with
		nail"	<u> </u>	E 0 1 4	Ļ	T 3 00 3 4		D (1 00 02
	_	ssed: 13 fore		Failed: 1	Į	Indefined: 4		<b>Duration: 90.03s 0.00s</b>
	De							0.008
		Given I generat "RANDOM_N	UMBER	**				0.00s
		And I assign ''p ''PULSE_EMA		ANDOM_N	UMBER}@	mailsac.com"	to variable	0.00s
		And User has p	ulse app					9.14s
		Then I wait for	2 sec					2.00s
		And user click	on "CON	NTINUE W	ITH EMAII	L'' with Email	button	14.20s
		Then I wait for	2 sec					2.00s
		Then I change t		try as requi	red on regis	tration page		11.70s
		Then I wait for	2 sec					2.01s
		Then I navigate click on continu	-			select the lang	on toggle bar then	3.81s
		Then I wait for	2 sec					2.01s
		When user ente			ils			7.31s
		FirstName to	estAuton	nation				
		LastName to	estAuton	nation				
		Email \$	{PULSE	_EMAIL}				
		Password P	Pas\$1234					
		And taps on co						0.29s
		And I wait for o			<u> </u>			6.05s
		And I enter OT	P in one	pulse app f	for user ema	il ''\${PULSE_	EMAIL}''	29.51s
		processing the o Original error: Build info: vers	command socket hasion: '3.1	d. Original ang up 2.0', revisio	error: Coulon: '7c6e0b3'	d not proxy co , time: '2018-0	ver-side error occurommand to the remo	te server.
		•		· · · · · · · · · · · · · · · · · · ·		.124', os.namo	e: 'Windows 10', os.a	arch: 'amd64',
		os.version: '10.0				InoidDriver		
		uat, autoDismis desired: {appA	ppActivitssAlerts: ctivity: c	ty: com.pru true, auton om.prudent	dential.puls nationName tial.pulse.M	e.MainAc, a : UiAutomato ainAc, appP	ppPackage: com.pru r2, databaseEnabled ackage: com.pruden	l: false, ntial.pulse.uat,
		autodisiilissAle	rts: true	, automatio	myame: UlA	kutomatorz, d	eviceName: Android	u-Test,

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: dd558981-ad15-49c1-b746-9e1f7560ae22
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a
verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
```

(RegistrationStat.And I enter	OTP in one pulse app f	for user email ''\${PULSE_EMA	(Icatal coming mon
/prushopee/Pru	InfectiousDiseaseCove		
Then I wait for			0.00s
Then I click ski		!!	0.00s
	ld be landed to ''Home	Screen	0.00s
Then I wait for	4 sec		0.00s
fter			0.00s
ack to Table of Cont			
	e to PRU Shoppe screen		<u> </u>
assed: 1	Failed: 0	Undefined: 0	Duration: .03
efore			0.00s
	oru shoppe button on tl	he home page	0.03s
fter			0.00s
ack to Table of Cont	<u>ents</u>		
cenario: Verify U	ser should be able to so	ee the infectious disease cover s	creen options
assed: 0	Failed: 1	Undefined: 11	Duration: .03
efore			0.00s
org.openqa.sele	command. Original err	otion: An unknown server-side or: Could not proxy command	
org.openqa.sele processing the o Original error: Build info: vers	nium.WebDriverExcep command. Original err socket hang up ion: '3.12.0', revision: '	otion: An unknown server-side or: Could not proxy command '7c6e0b3', time: '2018-05-08T14	error occurred while to the remote server.
org.openqa.sele processing the o Original error: Build info: vers System info: ho	nium.WebDriverExcep command. Original err socket hang up ion: '3.12.0', revision: ' st: 'TM003LSIN', ip: '	ption: An unknown server-side for: Could not proxy command 7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Windo	error occurred while to the remote server.
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0	nium.WebDriverExcep command. Original err socket hang up ion: '3.12.0', revision: ' st: 'TM003LSIN', ip: '2 )', java.version: '11.0.2	ption: An unknown server-side for: Could not proxy command (7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Windo	error occurred while to the remote server.
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a	nium.WebDriverExcep command. Original err socket hang up ion: '3.12.0', revision: ' st: 'TM003LSIN', ip: '1 o', java.version: '11.0.2 appium.java_client.and	ption: An unknown server-side for: Could not proxy command (7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Windo	error occurred while to the remote server. 1:04:26.12Z' ows 10', os.arch: 'amd6
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis	nium.WebDriverExceptommand. Original errosocket hang uption: '3.12.0', revision: 'st: 'TM003LSIN', ip: '10', java.version: '11.0.2' appium.java_client.andopActivity: com.prudentsAlerts: true, automati	ption: An unknown server-side for: Could not proxy command '7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Winde' ' Iroid.AndroidDriver ntial.pulse.MainAc, appPacka ionName: UiAutomator2, datab	error occurred while to the remote server. d:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAo	nium.WebDriverExceptommand. Original errosocket hang up ion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '10', java.version: '11.0.2' appium.java_client.andopActivity: com.prudentsAlerts: true, automatictivity: com.prudential	otion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Windo' ' Iroid.AndroidDriver ntial.pulse.MainAc, appPacka ionName: UiAutomator2, datab .pulse.MainAc, appPackage:	error occurred while to the remote server. 1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u
org.openqa.sele processing the of Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismisdesired: {appAoautoDismissAle	nium.WebDriverExceptommand. Original errosocket hang upointion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '20', java.version: '11.0.20 appium.java_client.andopActivity: com.prudential etivity: com.prudential etivity: true, automationN	ption: An unknown server-side for: Could not proxy command (7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPacka ionName: UiAutomator2, datab pulse.MainAc, appPackage: ame: UiAutomator2, deviceNa	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAo autoDismissAle newCommandT	nium.WebDriverExceptommand. Original errosocket hang upoin: '3.12.0', revision: 'st: 'TM003LSIN', ip: '10', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential etivity: com.prudential erts: true, automationNotimeout: 10000, noResoc	ption: An unknown server-side or: Could not proxy command 77c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPackationName: UiAutomator2, datable pulse.MainAc, appPackage: ame: UiAutomator2, deviceName: true, platformName: androidet: true, platformName: androidet	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAo autoDismissAle newCommandT deviceManufac	nium.WebDriverExceptommand. Original errosocket hang up ion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '20', java.version: '11.0.2' appium.java_client.andopActivity: com.prudentsAlerts: true, automatictivity: com.prudential.orts: true, automationNameout: 10000, noResocturer: Google, deviceM	ption: An unknown server-side for: Could not proxy command (7c6e0b3', time: '2018-05-08T14 192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPacka ionName: UiAutomator2, datab pulse.MainAc, appPackage: ame: UiAutomator2, deviceNa	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 441FDD40043P,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAo autoDismissAle newCommandI deviceManufac deviceScreenDe	nium.WebDriverExceptommand. Original errosocket hang upion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '20', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential etivity: com.prude	otion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' Iroid.AndroidDriver of tial.pulse.MainAc, appPackationName: UiAutomator2, datable pulse.MainAc, appPackage: Game: UiAutomator2, deviceName: true, platformName: android todel: Pixel 5, deviceName: 0C2	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, : 0C241FDD40043P,
org.openqa.sele processing the of Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAo autoDismissAle newCommandT deviceManufac deviceScreenDe javascriptEnab newCommandT	nium.WebDriverExceptommand. Original errosocket hang up ion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '20', java.version: '11.0.2' appium.java_client.andopActivity: com.prudentsAlerts: true, automaticitivity: com.prudential.orts: true, automaticitivity: com.prudential.orts: true, automationNameout: 10000, noResocurer: Google, deviceMensity: 440, deviceScreelled: true, locationContec	otion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPackationName: UiAutomator2, datable pulse.MainAc, appPackate: true, platformName: android lodel: Pixel 5, deviceName: 0C2 enSize: 1080x2340, deviceUDID extEnabled: false, networkContet: true, pixelRatio: 2.75, platforer: Could not be supplied to the context of the could not be supplied to the could not be su	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAo autoDismissAle newCommandT deviceManufac deviceScreenDo javascriptEnab newCommandT platformName:	nium.WebDriverExceptommand. Original errosocket hang upoin: '3.12.0', revision: 'st: 'TM003LSIN', ip: '5', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential etivity: com.pruden	ption: An unknown server-side for: Could not proxy command 77c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Winde' Iroid.AndroidDriver atial.pulse.MainAc, appPackationName: UiAutomator2, datable.pulse.MainAc, appPackate: true, platformName: android lodel: Pixel 5, deviceName: 0C2 enSize: 1080x2340, deviceUDID extEnabled: false, networkContest: true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, ta	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAc autoDismissAle newCommandI deviceManufac deviceScreenDe javascriptEnab newCommandI platformName: viewportRect: {	nium.WebDriverExceptommand. Original errosocket hang upoin: '3.12.0', revision: 'st: 'TM003LSIN', ip: '5', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential etivity: com.pruden	otion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPackationName: UiAutomator2, datable pulse.MainAc, appPackate: true, platformName: android lodel: Pixel 5, deviceName: 0C2 enSize: 1080x2340, deviceUDID extEnabled: false, networkContet: true, pixelRatio: 2.75, platforer: Could not be supplied to the context of the could not be supplied to the could not be su	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true,
org.openqa.sele processing the of Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAc autoDismissAle newCommandT deviceManufac deviceScreenDe javascriptEnab newCommandT platformName: viewportRect: { false}	nium.WebDriverExceptommand. Original errosocket hang up ion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '10', java.version: '11.0.2' appium.java_client.and opActivity: com.prudentsAlerts: true, automaticativity: com.prudential erts: true, automationNameout: 10000, noResocurer: Google, deviceMensity: 440, deviceScreetled: true, locationContextimeout: 10000, noResocurerity: 440, deviceScreetled: 440, d	otion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPackationName: UiAutomator2, datable pulse.MainAc, appPackate: true, platformName: android lodel: Pixel 5, deviceName: 0C2 enSize: 1080x2340, deviceUDID extEnabled: false, networkContext true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, tap: 145, width: 1080}, warnings:	error occurred while to the remote server.  1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul paseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true,
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAc autoDismissAle newCommandT deviceManufac deviceScreenDe javascriptEnab newCommandT platformName: viewportRect: { false} Session ID: dd5	nium.WebDriverExceptommand. Original errosocket hang upion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '3', java.version: '11.0.2' appium.java_client.andopActivity: com.prudentsAlerts: true, automatictivity: com.prudential.rts: true, automatictivity: com.prudential.rts: true, automationNatimeout: 10000, noReseturer: Google, deviceMensity: 440, deviceScreetled: true, locationContellimeout: 10000, noReseture. Android, platformVerheight: 2015, left: 0, to	ption: An unknown server-side for: Could not proxy command 77c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' Iroid.AndroidDriver ptial.pulse.MainAc, appPackationName: UiAutomator2, datable.pulse.MainAc, appPackage: Game: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: 104. True, platformName: android 106el: Pixel 5, deviceName: 0C2 1080x2340, deviceUDID 106extEnabled: false, networkCommet: true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, tap: 145, width: 1080}, warnings: -9e1f7560ae22	error occurred while to the remote server.  2:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, at {}, webStorageEnable
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAc autoDismissAle newCommandT deviceManufac deviceScreenDe javascriptEnab newCommandT platformName: viewportRect: { false} Session ID: dd5	nium.WebDriverExceptommand. Original errosocket hang upion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '20', java.version: '11.0.2' appium.java_client.andopActivity: com.prudentsAlerts: true, automatictivity: com.prudentialerts: true, automatictivity: com.prudentialerts: true, automationNews. Timeout: 10000, noReseturer: Google, deviceMensity: 440, deviceScreetled: true, locationContemeout: 10000, noReseture. Height: 2015, left: 0, to 58981-ad15-49c1-b746. Co: {Using=xpath, value.	otion: An unknown server-side or: Could not proxy command 7c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' lroid.AndroidDriver ntial.pulse.MainAc, appPackationName: UiAutomator2, datable pulse.MainAc, appPackate: true, platformName: android lodel: Pixel 5, deviceName: 0C2 enSize: 1080x2340, deviceUDID extEnabled: false, networkContext true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, tap: 145, width: 1080}, warnings:	error occurred while to the remote server.  2:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, at {}, webStorageEnable
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAc autoDismissAle newCommandT deviceManufac deviceScreenDe javascriptEnab newCommandT platformName: viewportRect: { false} Session ID: dd5 *** Element inf @text="PROC; at jdk.internal.select	nium.WebDriverExceptommand. Original errosocket hang upion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '3.0', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential.rts: true, automatictivity: com.prudential.rts: true, automationNameout: 10000, noReseturer: Google, deviceMensity: 440, deviceScreetled: true, locationContellimeout: 10000, noReseture: 10000, noReseture: Google, deviceMensity: 440, deviceScreetled: true, locationContellimeout: 10000, noReseture: 10000, no	ption: An unknown server-side for: Could not proxy command 77c6e0b3', time: '2018-05-08T14192.168.1.124', os.name: 'Windo' Iroid.AndroidDriver atial.pulse.MainAc, appPackationName: UiAutomator2, datable.pulse.MainAc, appPackage: ame: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: android lodel: Pixel 5, deviceName: 0C2 enSize: 1080x2340, deviceUDID extEnabled: false, networkComet: true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, tap: 145, width: 1080}, warnings: -9e1f7560ae22	error occurred while to the remote server.  2:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, at {}, webStorageEnable betext="Proceed" or (Unknown Source)
org.openqa.sele processing the o Original error: Build info: vers System info: ho os.version: '10.6 Driver info: io.a Capabilities {ap uat, autoDismis desired: {appAc autoDismissAle newCommandT deviceManufac deviceScreenDe javascriptEnab newCommandT platformName: viewportRect: { false} Session ID: dd5 *** Element inf @text="PROC at jdk.internal.t at java.base/jdk	nium.WebDriverExceptommand. Original errosocket hang upion: '3.12.0', revision: 'st: 'TM003LSIN', ip: '3.0', java.version: '11.0.2' appium.java_client.andopActivity: com.prudential.rts: true, automatictivity: com.prudential.rts: true, automationNameout: 10000, noReseturer: Google, deviceMensity: 440, deviceScreetled: true, locationContellimeout: 10000, noReseture: 10000, noReseture: Google, deviceMensity: 440, deviceScreetled: true, locationContellimeout: 10000, noReseture: 10000, no	ption: An unknown server-side or: Could not proxy command or: Could not prove or c	error occurred while to the remote server.  2:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, akesScreenshot: true, at {}, webStorageEnable betext="Proceed" or (Unknown Source)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:144)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushopee
/PruInfectiousDiseaseCover.feature:32)
```

\${infectious} \${infectious} And user click And I verify for \${infectious} \${infectious}	ollowing texts are displa s.disease.cover.info.5} s.disease.cover.info.6}	ayed	0.000
\${infectious And user click And I verify fo \${infectious \${infectious}	s.disease.cover.info.6}		0.00s
And user click And I verify for \$\{\text{infectious}\}\{\text{infectious}\}\			
And I verify fo \${infectious \${infectious			
\${infectious \${infectious		\${show.less.text}'' on prushoppe sci	reen 0.00s
\${infectious	ollowing texts are displa	ayed	0.00s
	s.disease.disclosure.text	:.1}	
\${infectious	s.disease.disclosure.text	2.2}	
	s.disease.disclosure.text	:.3}	
	s.disease.disclosure.text		
	s.disease.disclosure.text		
	s.disease.disclosure.text		
\${infectious	s.disease.disclosure.text	1.7}	
	ollowing texts are displa	ayed	0.00s
\${your.deta	ails.text}		
And I scroll do	own		0.00s
And I verify fo	ollowing texts are displa	ayed	0.00s
\${my.name	e.as.nric.text}		
\${infectious	s.disease.gender.text}		
¢ (:¢4:-	s.disease.dob}		
\${Infectious			
			0.00s
ter	ntents		0.00s
ck to Table of Con		see the infectious disease cover Scr	<u> </u>
ck to Table of Con enario: Verify		see the infectious disease cover Screen	<u> </u>
ck to Table of Con enario: Verify l ssed: 0	User should be able to s		een options
ck to Table of Concenario: Verify lessed: 0	User should be able to s Failed: 1	Undefined: 3	een options  Duration: .19 0.00s
ck to Table of Conenario: Verify Ussed: 0 efore  And I verify for	User should be able to s  Failed: 1  ollowing texts are displa	Undefined: 3	een options  Duration: .19
ck to Table of Conenario: Verify lessed: 0  Efore  And I verify for \$\{\text{my.reside}\}	Failed: 1  ollowing texts are displaential.text}	Undefined: 3	een options  Duration: .19 0.00s
ck to Table of Conenario: Verify lessed: 0 efore  And I verify for \$\{\text{my.reside}\}\{\text{my.count}\}	Failed: 1  ollowing texts are displaential.text} try.of.residence}	Undefined: 3	een options  Duration: .19 0.00s
ck to Table of Conenario: Verify lessed: 0  fore  And I verify for \$\{\text{my.reside} \} \{\text{my.reside} \} \{\text{my.resede} \} \\ \} \{\text{my.resede} \} \\ \} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Failed: 1  ollowing texts are displayed and the status of	Undefined: 3	een options  Duration: .19 0.00s
ck to Table of Conenario: Verify lessed: 0 efore  And I verify for \$\{\text{my.reside} \}\{\text{my.resede} \}\{\text{my.resede} \}\{\text{email.text}\}	Failed: 1  collowing texts are displayed in the collowing texts.	Undefined: 3	een options  Duration: .19 0.00s
ck to Table of Concenario: Verify lessed: 0 efore  And I verify for \$\{\text{my.reside} \}\{\text{my.resede} \}\{\text{my.resede} \}\{\text{email.text} \}\{\text{my.count} \}\{\text{my.count} \}\{\text{my.count} \}\{\text{my.count} \}\{\text{my.count} \}	Failed: 1  collowing texts are displayed to see the second	Undefined: 3	een options  Duration: .19 0.00s
ck to Table of Concenario: Verify lessed: 0 efore  And I verify for \$\{\text{my.reside} \}\{\text{my.resede} \}\{\text{my.resede} \}\{\text{email.text} \}\{\text{my.count} \}\{\text{my.count} \}\{\text{my.count} \}\{\text{my.count} \}	Failed: 1  collowing texts are displayed and the second states are displayed at the se	Undefined: 3	een options  Duration: .19 0.00s

Given User accept the terinfectious disease cover Some org. openqa. selenium. We processing the command Original error: socket has Build info: version: '3.12 System info: host: 'TM00 os. version: '10.0', java. version: '10.0', java. version: '10.0', java. version: 'autoDismissAlerts: terue, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	ser should be a failed: 1  erm and conitication of the ser should	able to see the infectious dis  Undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-s or: Could not proxy comms '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'W	Duration: .0- 0.00s  nc.1}'' in 0.04s  side error occurred while and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amdo ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
Stotal.premium.text     And I scroll down     Steel	ser should be a failed: 1  erm and conitication of the series of the ser	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	puration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.04s    Duration: .0- 0.04s
Stotal.premium.text  And I scroll down  fter  ack to Table of Contents  cenario Outline: Verify Usessed: 0  efore  Given User accept the testinfectious disease cover Services assed: org.openqa.selenium.We processing the command Original error: socket has Build info: version: '3.12 System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity: uat, autoDismissAlerts: t desired: {appActivity: coautoDismissAlerts: true, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 446	ser should be a failed: 1  erm and conitication of the series of the ser	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	puration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.04s    Duration: .0- 0.04s
And I scroll down  fter  mek to Table of Contents  cenario Outline: Verify Usenssed: 0  efore  Given User accept the teninfectious disease cover Soversions and Original error: socket has Build info: version: '3.12  System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity uat, autoDismissAlerts: t desired: {appActivity: coautoDismissAlerts: true, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 446	ser should be a failed: 1  erm and conitication of the series of the ser	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	puration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.04s    Duration: .0- 0.04s
cenario Outline: Verify Usessed: 0  efore  Given User accept the teninfectious disease cover Socket has Build info: version: '3.12 System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity: uat, autoDismissAlerts: tue, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 446	railed: 1  crm and coniti Screen  cbDriverExcel  ch Original errang up  2.0', revision: ' 03LSIN', ip: ' ersion: '11.0.2 ava_client.and y: com.prudent true, automation 10000, noRese cogle, deviceM	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	puration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.00s    Duration: .0- 0.04s    Duration: .0- 0.04s
cenario Outline: Verify Usassed: 0  efore  Given User accept the teninfectious disease cover Society org. openqa. selenium. We processing the command Original error: socket has Build info: version: '3.12 System info: host: 'TM00 os. version: '10.0', java. ve Driver info: io. appium. ja Capabilities {appActivity: uat, autoDismissAlerts: tue, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	railed: 1  crm and coniti Screen  cbDriverExcel  ch Original errang up  2.0', revision: ' 03LSIN', ip: ' ersion: '11.0.2 ava_client.and y: com.prudent true, automation 10000, noRese cogle, deviceM	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	puration: .04 0.00s nc.1}'' in 0.04s side error occurred while and to the remote server. 8T14:04:26.12Z' Vindows 10', os.arch: 'amdé ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
cenario Outline: Verify Usassed: 0  efore  Given User accept the teninfectious disease cover Socket has build info: version: '3.12  System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity uat, autoDismissAlerts: tue, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	railed: 1  crm and coniti Screen  cbDriverExcel  ch Original errang up  2.0', revision: ' 03LSIN', ip: ' ersion: '11.0.2 ava_client.and y: com.prudent true, automation 10000, noRese cogle, deviceM	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	puration: .04 0.00s nc.1}'' in 0.04s side error occurred while and to the remote server. 8T14:04:26.12Z' Vindows 10', os.arch: 'amdé ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
cenario Outline: Verify Usassed: 0  efore  Given User accept the teninfectious disease cover Socket has build info: version: '3.12 System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity uat, autoDismissAlerts: t desired: {appActivity: coautoDismissAlerts: true, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	railed: 1  crm and coniti Screen  cbDriverExcel  ch Original errang up  2.0', revision: ' 03LSIN', ip: ' ersion: '11.0.2 ava_client.and y: com.prudent true, automation 10000, noRese cogle, deviceM	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	Duration: .0- 0.00s  nc.1}'' in 0.04s  side error occurred while and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amdo ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
assed: 0  efore  Given User accept the teninfectious disease cover Society org. openqa. selenium. We processing the command Original error: socket has Build info: version: '3.12 System info: host: 'TM00 os. version: '10.0', java. version: '10.0', java. version: '10.0', java. version: 'application os. ve	railed: 1  crm and coniti Screen  cbDriverExcel  ch Original errang up  2.0', revision: ' 03LSIN', ip: ' ersion: '11.0.2 ava_client.and y: com.prudent true, automation 10000, noRese cogle, deviceM	undefined: 0  ons ''\${infectious.disease.tn}  ption: An unknown server-seror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'We'  droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	Duration: .0- 0.00s  nc.1}'' in 0.04s  side error occurred while and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amdo ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
Given User accept the terinfectious disease cover Sorg. openqa.selenium. We processing the command Original error: socket has Build info: version: '3.12 System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity uat, autoDismissAlerts: t desired: {appActivity: coautoDismissAlerts: true, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	erm and coniti Screen ebDriverExcel d. Original err ang up 2.0', revision: 03LSIN', ip: ' ersion: '11.0.2 ava_client.and y: com.prudential y: com.prudential automationN 10000, noRese bogle, deviceM	ons ''\${infectious.disease.tn  ption: An unknown server-s  or: Could not proxy comma  '7c6e0b3', time: '2018-05-08  192.168.1.124', os.name: 'W  droid.AndroidDriver  ntial.pulse.MainAc, appPa ionName: UiAutomator2, d .pulse.MainAc, appPacka fame: UiAutomator2, device et: true, platformName: and	o.00s nc.1}" in 0.04s side error occurred while and to the remote server. 8T14:04:26.12Z' Vindows 10', os.arch: 'amdo ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
Given User accept the terinfectious disease cover Society org. openqa. selenium. We processing the command Original error: socket has Build info: version: '3.12 System info: host: 'TM00 os. version: '10.0', java. ve Driver info: io. appium. ja Capabilities {appActivity uat, autoDismissAlerts: tue, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	ebDriverExcell. Original errang up 2.0', revision: '03LSIN', ip: 'ersion: '11.0.2' ava_client.and y: com.prudential, automationN 10000, noResecogle, deviceM	ption: An unknown server-stor: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'Wallow of the common of the comm	side error occurred while and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amdo ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
org.openqa.selenium.We processing the command Original error: socket ha Build info: version: '3.12 System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity: coautoDismissAlerts: tue, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	ebDriverExcell. Original errang up 2.0', revision: '03LSIN', ip: 'ersion: '11.0.2' ava_client.and y: com.prudential, automationN 10000, noResecogle, deviceM	ption: An unknown server-stor: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'Wallow of the common of the comm	side error occurred while and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amdé ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
org.openqa.selenium.We processing the command Original error: socket ha Build info: version: '3.12 System info: host: 'TM00 os.version: '10.0', java.ve Driver info: io.appium.ja Capabilities {appActivity uat, autoDismissAlerts: t desired: {appActivity: coautoDismissAlerts: true, newCommandTimeout: deviceManufacturer: GodeviceScreenDensity: 440	ebDriverExcept. Original errang up 2.0', revision: '03LSIN', ip: '03LSIN', ip: '11.0.2 ava_client.and true, automation. 10000, noRescogle, deviceMarket.	ror: Could not proxy comma '7c6e0b3', time: '2018-05-08 192.168.1.124', os.name: 'Wall droid.AndroidDriver ntial.pulse.MainAc, appPa ionName: UiAutomator2, d lame: UiAutomator2, device et: true, platformName: and	side error occurred while and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amdo ackage: com.prudential.pul latabaseEnabled: false, age: com.prudential.pulse.u eName: Android-Test, droid}, deviceApiLevel: 30,
newCommandTimeout: deviceManufacturer: Go deviceScreenDensity: 44	10000, noReso pogle, deviceM	et: true, platformName: and	droid}, deviceApiLevel: 30,
newCommandTimeout: platformName: Android	, locationCont 10000, noReso l, platformVen	enSize: 1080x2340, deviceUlextEnabled: false, network(et: true, pixelRatio: 2.75, plesion: 11, statBarHeight: 14p: 145, width: 1080}, warni	DID: 0C241FDD40043P, ConnectionEnabled: true, latform: LINUX, 15, takesScreenshot: true,
aware that the product p Malaria, Measles or Typ ViewGroup//preceding-s termsandcondition"][1]} at jdk.internal.reflect.Ge at java.base/jdk.internal (DelegatingConstructor/at java.base/java.lang.ref	g=xpath, value provides cover phoid. This be sibling::andro } eneratedCons l.reflect.Delega AccessorImpl.	e=//android.widget.TextViewage/pays out RM1,000 upon nefit is only payable once.'') id.view.ViewGroup[@contextructorAccessor34.newInstatingConstructorAccessorIn	n diagnosis of Dengue Feve )]/parent::android.view. ent-desc='' ance(Unknown Source) mpl.newInstance tor.java:490)

```
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.1}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
```

After			0.00s
Back to Table of Contents			
Scenario Outline: Verify U	Jser should be	able to see the infectious disease c	over term and condition
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			0.00s
Given User accept the t infectious disease cover		ons "\${infectious.disease.tnc.2}"	0.04s
processing the comman Original error: socket l	nd. Original err hang up	ption: An unknown server-side er or: Could not proxy command to '7c6e0b3', time: '2018-05-08T14:0	the remote server.

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: dd558981-ad15-49c1-b746-9e1f7560ae22
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am
aware that the product does not provide coverage/pay out benefits within the first 15 days
from the Commencement Date.")]/parent::android.view.ViewGroup//preceding-sibling::
android.view.ViewGroup[@content-desc="termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

```
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

After 0.00s

Back to Table of Contents

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition
```

Back to Table of Contents			
Scenario Outline: Verify U	Jser should be a	ble to see the infectious diseas	se cover term and condition
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
Given User accept the t		ns "\${infectious.disease.tnc.3	}'' in 0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: dd558981-ad15-49c1-b746-9e1f7560ae22

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware that if I change my mind, I have 15 days from the policy commencement date to cancel my coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"][1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.3}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
```

Af	ter		0.00s				
Bac	Back to Table of Contents						
Sc	Scenario Outline: Verify User should be able to see the infectious disease cover term and condition						
Passed: 0		Failed: 1 Undefined: 0		<b>Duration: .03s</b>			
Before				0.00s			
	Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease cover Screen						

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command, Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: dd558981-ad15-49c1-b746-9e1f7560ae22
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my
consent to Prudential Assurance Malaysia Berhad'')]/parent::android.view.ViewGroup
//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms (PruShoppeScreen.java:153) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps. acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111) at .Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

After			0.00s				
Back to Table of Contents							
Scenario: verify that user can see agreement and proceed button							
Passed: 0	Failed: 1	<b>Undefined: 1</b>	<b>Duration: .31s</b>				
Before			0.00s				
Given I verify	following texts are disp	layed	0.31s				
\${infectious	s.disease.tnc.3.1}						
\${infectious	s.disease.tnc.4.1}						
\${infectious	s.disease.tnc.4.2}						
\${infectious	s.disease.tnc.4.3}						
\${infectious	s.disease.tnc.4.4}						
\${infectious	s.disease.agreement.text	<b>.1</b> }					
\${infectious	s.disease.agreement.text	<b>2</b> }					
\${infectious	s.disease.agreement.text	<b>3</b> }					
\${infectious	s.disease.agreement.text	<b>4</b> }					
\${infectious	s.disease.agreement.text	2.5}					
\${infectious	s.disease.agreement.text	<b>:.6</b> }					

java.lang.AssertionError: The following asserts failed:

I am aware that if I am unsure, and for more details on exclusions, terms and conditions as well as claims guide, I can refer to the Product Materials below. I may also reach customer service at customer.mys@prudential.com.my for any other enquiries. text is displayed on page expected [true] but found [false],

PAMB text is displayed on page expected [true] but found [false],

the insurer text is displayed on page expected [true] but found [false],

to release my personal data to third parties for direct marketing purposes. text is displayed on page expected [true] but found [false],

I can withdraw my consent at any time by letting PAMB know in writing. text is displayed on page expected [true] but found [false],

By clicking Proceed, I acknowledge the information provided is accurate and that I have read and fully understood the text is displayed on page expected [true] but found [false],

	Declarations and text is displayed on page expected [true] but found [false], Product Materials text is displayed on page expected [true] but found [false], PAMB text is displayed on page expected [true] but found [false], Privacy Policy and text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .Given I verify following texts are displayed(features/my/home/prushopee /PruInfectiousDiseaseCover.feature:92)					
	And I verify proceed button is displayed on pru shoppe screen					0.00s
	After					0.00s
	Back to Table of Contents					
Fe	ature: Verify Pru Shopp	e My Covera	ge functionalit	y on one puls	se App	
	ssed: 7 Failed:		Undefined: 0	<u> </u>	Duration: 172.85s	
	Scenario: Launch the ap	pp and select	the country as	per specified	l lbu	
	Passed: 6	Failed: 0	U	ndefined: 0		Duration: 45.92s
	Before					0.00s
	Given User has pulse	app				9.10s
	And I assign "\${logir		o variable ''PU	JLSE_EMAI	L''	0.00s
	And user click on "C					16.53s
	Then I change the co	untry as requ	ired on regist	ration page		10.44s
	Then I wait for 5 sec					5.00s
	And I click the Sign in link					4.86s
	After					0.00s
	Back to Table of Contents					
	Scenario: login to the ap	p with corre	ct credentials 1	using "Conti	nue with Email"	
	Passed: 6	Failed: 0		ndefined: 0		Duration: 44.3s
	Before					0.00s
	Given I select the lan	guage option	on toggle bar	as required o	on login page	3.54s
	When user enters cre	<u> </u>			100	10.03s
	UserName \${PULSE_EMAIL} Password \${login.password}					
	And User clicks on si	gnin button				0.27s
	And I wait for 5 sec					5.01s
	And I enter OTP in o			"\${PULSE_	EMAIL}''	11.22s
	Then user should be	landed to ''H	ome'' screen			14.23s
	After 0.00s					0.00s
	Back to Table of Contents					
	Scenario: Verify user can access his policies from Pru Shoppe My Policies screen					
	Passed: 5 Failed: 0 Undefined: 0					Duration: 50.32s
	Before					0.00s
	And I click on pru shoppe button on the home page 11.49s				11.49s	
	And I wait for 5 sec					5.00s

And I click on my po	olicies tile on prushoppe	e screen	30.87s		
And I wait for 2 sec					
And I verify following	And I verify following texts are displayed				
\${myCoverage.tit	\${myCoverage.title}				
\${myCoverage.in	\${myCoverage.information}				
\${myCoverage.InformationDescription}					
After			0.00s		
Back to Table of Contents			<u> </u>		
Scenario: Click on Link	policy and verify scre	en to add policy number			
Passed: 4	Failed: 0	Undefined: 0	Duration: 5.84s		
Before			0.00s		
And I clicks on "\${n	yCoverage.linkPolicyH	Button}'' in ann screen	0.31s		
And I wait for 2 sec	ij coveragemini enegr	m upp serven	2.00s		
	app mobile keyboard		1.98s		
	ng texts are displayed		1.55s		
	licyNumber.title}				
	olicyNumber.descriptio	n}			
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	licyNumber.descriptio				
After			0.00s		
Back to Table of Contents			10000		
Scenario: Verify the err	or message when the P	Policy Number is blank			
Passed: 3	Failed: 0	Undefined: 0	Duration: 2.89s		
Before	Tuneu. V	Chachica: V	0.00s		
I <u></u>	y number save button	on my nolicies seroen	0.35s		
	<u> </u>	· ·	0.83s		
Then I click on policy number save button on my policies screen 0.83s  Then I verify following texts are displayed 1.71s					
	olicyNumber.errorMess	lance	1.715		
		sagej	0.00a		
	After 0.00s				
Back to Table of Contents  Coordinate Worldwale or		Jolian Number in inc. 11.1			
		Policy Number is invalid or inco			
Passed: 5 Before	Failed: 0	Undefined: 0	Duration: 8.54s 0.00s		
	1 4 5 7				
	' as the Policy number		0.97s		
	app mobile keyboard	1	0.60s		
	y number save button	on my policies screen	1.07s		
And I wait for 2 sec	na touta ana diamba d		2.01s		
Then I verify following texts are displayed  [Sample of the content of the conten					
\$\{\text{myCoverage.policyNumber.errorMessage}\}					
After			0.00s		
Back to Table of Contents					
Scenario: Verify the error message when the Cancel Button					
Passed: 2	Failed: 0	Undefined: 0	Duration: 15.05s		

Before		0.00s		
Then I click on p	policy number cancel button on my policies screen	0.30s		
Then user shoul	d be landed to "Home" screen	14.76s		
After	After			
<b>Back to Table of Conte</b>				
eature: Verify wealth	channel functionality on one pulse App			
•	ailed: 8 Undefined: 0 Duration: 248	.67s		
Scenario: Launch t	he app and select the country as per specified lbu			
Passed: 6	Failed: 0 Undefined: 0	Duration: 52.16s		
Before		0.00s		
Given User has	oulse app	9.07s		
	login.email.id}" to variable "PULSE_EMAIL"	0.00s		
And user click o	n "CONTINUE WITH EMAIL" with Email button	15.84s		
Then I change th	ne country as required on registration page	12.36s		
Then I wait for I	10 sec	10.01s		
And I click the S	And I click the Sign in link			
After		0.00s		
Back to Table of Conte	<u>nts</u>			
Scenario: login to t	he app with correct credentials using "Continue with Em	ail''		
Passed: 6	Failed: 0 Undefined: 0	Duration: 44.22		
Before		0.00s		
Given I select th	e language option on toggle bar as required on login page	e 3.54s		
When user enter	's credentials	9.89s		
UserName \${	UserName \${PULSE_EMAIL}			
Password \${	pulse.password}			
And User clicks	on signin button	0.28s		
And I wait for 5	sec	5.01s		
	P in one pulse app for user email "\${PULSE_EMAIL}"	10.90s		
Then user shoul	d be landed to "Home" screen	14.61s		
After		0.00s		
Back to Table of Conte	nts			
Scenario: Verify Us	ser should be able to navigate to wealth page			
Passed: 5	Failed: 0 Undefined: 0	Duration: 57.3s		
Before		0.00s		
And I click the V	Wealth Channel tile for Malaysia	47.26s		
Then I verify fol	Then I verify following texts are displayed			
Wealth Channels				
Then I verify fol	Then I verify following tile texts are displayed on wealth channel screen			
Investing 123				
Equip yourself with the basic investment tools				
First Steps				
The importance of investor education				

And I scroll down			4.49s				
Then I verify follow	ving tile texts are o	displayed on wealth channel screen	1.27s				
Remove The We							
Dispel investment myths to achieve desired investment outcomes							
Mutual Funds							
Make mutual funds your first investment stop							
After			0.00s				
Back to Table of Contents							
Scenario: Verify User	should be able to	view the story post					
Passed: 5	Failed: 0	Undefined: 0	Duration: 23.17s				
Before			0.00s				
Then I click on "M	utual Funds'' wea	lth channel topic	5.70s				
Then I wait for 2 se		•	2.01s				
Then I verify follow	ving texts are disp	layed	0.53s				
Mutual Funds							
Then I verify follow	ving tile texts are o	displayed on wealth channel screen	2.87s				
Make mutual fu	nds your first inve	estment stop					
And I verify follow	<u>_</u>		12.07s				
Like	8	**************************************					
Share							
Comment							
After			0.00s				
Back to Table of Contents			0.000				
Scenario: Verify User	should be able to	Like the post					
Passed: 4	Failed: 0	Undefined: 0	Duration: 29.82s				
Before		e nacinioa v	0.00s				
And I read the "Mu	ıtual Funds'' nost	like count	13.52s				
And I Like the post		inc count	5.46s				
		ike count is increased	5.26s				
And I Like the post			5.57s				
After			0.00s				
Back to Table of Contents			17000				
Scenario: Verify User	should be able to	Share the post					
Passed: 0	Failed: 1	Undefined: 1	Duration: 5.55s				
Before	I uneu. I	endemical 1	0.00s				
	<u>,                                    </u>						
And I share the post  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'							

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

```
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.jaya:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  at .And I share the post(features/my/wealth/WealthChannel.feature:57)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to Comment the post
                        Failed: 1
Passed: 0
                                               Undefined: 2
                                                                                Duration: 5.03s
                                                                                0.00s
Before
  And I read the "Mutual Funds" post comment count
                                                                                5.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Mutual
  Funds'')]/following::android.widget.TextView[5]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
  at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:242)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount
  (WealthSteps.java:100)
  at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel.
  feature:61)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to view the full page article post
                        Failed: 1
                                              Undefined: 0
Passed: 0
                                                                                Duration: 5.08s
Before
                                                                                0.00s
  Then I click on "Mutual Funds" topic for details full view
                                                                                5.08s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
```

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Mutual
Funds")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.
ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
```

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps. iClickOnTopicForDetailsFullView(WealthSteps.java:64) at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth /WealthChannel.feature:66) 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post Undefined: 0 Passed: 1 Failed: 1 **Duration: 13.16s** 0.00sBefore Then I wait for 3 sec 3.01s And I verify following social cite options are displayed 10.15s Like Share Comment org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P. javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java\_client.remote.AppiumCommandExecutor.execute

```
Detailed Results Report
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
iava:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:
527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.
feature:70)
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
```

Af	ter			0.00s			
Bac	Back to Table of Contents						
Sc	Scenario: Verify User should be able to Like the post in full article view screen						
Pas	Passed: 0 Failed: 1 Undefined: 1 Duration: .04s						
Be	Before 0.00s						
	And I I ilso the nest			0.04α			

processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
  75)
  at .And I Like the post(features/my/wealth/WealthChannel.feature:76)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify User should be able to Share the post in full article view screen
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                              Duration: 5.05s
Before
                                                                              0.00s
  And I share the post
                                                                              5.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
```

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  90)
  at .And I share the post(features/my/wealth/WealthChannel.feature:80)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to Comment the post in full article view screen
                        Failed: 1
                                              Undefined: 0
Passed: 0
                                                                                Duration: 5.05s
Before
                                                                                0.00s
  And I comment in full view post article "${wealth.topic.comment}"
                                                                                5.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
```

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.
  iava:280)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle
  (WealthSteps.java:115)
  at .And I comment in full view post article "${wealth.topic.comment}"(features/my/wealth
  /WealthChannel.feature:84)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify User can navigate to wealth homepage
Passed: 0
                       Failed: 1
                                              Undefined: 2
                                                                               Duration: 3.05s
Before
                                                                               0.00s
                                                                               3.05s
  Then I navigate to story post page
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
```

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 5a280c60-5838-4437-9c0e-dbe0fb569428
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]
/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

(WealthSteps.jav		(features/my/wealth/WealthChann	el.feature:87)
	Mutual Funds'' back		0.00s
	Wealth Channels'' ba		0.00s
After			0.00s
Back to Table of Conten	t <u>s</u>		
ature: Verify MY Ev	ent channel function	nality on one pulse App	
ssed: 2 Fa	iled: 3	ndefined: 0 Duration: 16	64.81s
Scenario: Launch th	e app and select the	country as per specified lbu	
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.65
Before			0.00s
Given User has p	ulse app		9.23s
		" to variable "PULSE_EMAIL"	0.00s
		H EMAIL" with Email button	15.44s
Then I change the	country as required	d on registration page	11.99s
Then I wait for 2			2.01s
And I click the Si	gn in link		4.97s
After			0.00s
Back to Table of Conten	ts		
Scenario: login to th	e app with correct cr	redentials using "Continue with E	mail''
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.34
Before			0.00s
Given I select the	language option on	toggle bar as required on login pa	ge 3.50s
When user enters		1	10.41s
UserName \${P	ULSE_EMAIL}		
Password \${pulse.password}			
And User clicks on signin button			0.28s
And I wait for 5 s			5.00s
		user email "\${PULSE_EMAIL}"	
	be landed to "Home		13.75s
After			0.00s
Back to Table of Conten	ls		
Scenario: Verify My		in Home screen	
Passed: 2	Failed: 1	Undefined: 0	Duration: 61.58
			0.00s
Before			
	vEvent icons		21 449
And I click the M And I wait for 40	<u> </u>		21.44s 40.01s

## Please choose from the open events and get started

java.lang.AssertionError: The following asserts failed:

You do not have any events enrolled yet text is displayed on page expected [true] but found [false],

Please choose from the open events and get started text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/ph/home/MyEvents.feature:25)

After			0.00s
Back to Table of Conter	<u>1ts</u>		
Scenario: Verify Ev	ents Archive tab		
Passed: 0	Failed: 1	Undefined: 2	Duration: 8.1s
Before			0.00s
And I click the E	vents Archive icon		8.10s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 0f607896-f269-452f-947c-0e44276f488b

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive
  (CustomerConnectScreen.java:1890)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive
  (CustomerConnectSteps.java:590)
  at .And I click the Events Archive icon(features/ph/home/MyEvents.feature:30)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify Open Events tab
                       Failed: 1
Passed: 0
                                               Undefined: 2
                                                                                Duration: 8.14s
Before
                                                                               0.00s
  And I click the Open Events icon
                                                                               8.14s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 0f607896-f269-452f-947c-0e44276f488b
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
```

	(DelegatingConstructorAccessorImpl.java:45)	
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	
	(W3CHttpResponseCodec.java:187)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
	(W3CHttpResponseCodec.java:49)	
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandI	Executor.java:
	158)	
	at io.appium.java_client.remote.AppiumCommandExecutor.execute	
	(AppiumCommandExecutor.java:231)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.ja	The state of the s
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMo	obileDriver.
	java:46)	
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
	at org.openqa.selenium.remote.	W 1 D 1
	RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remote	WebDriver.
	java:804)	(2.422)
	at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.jav	
	at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:2 at com.onepulse.app.screens.CustomerConnectScreen.ClickMyOpenEvents	20 <b>4</b> )
	(CustomerConnectScreen.java:1873)	
	at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMy	OnenEvents
	(CustomerConnectSteps.java:586)	Openizvents
	at .And I click the Open Events icon(features/ph/home/MyEvents.feature:36)	
	And I wait for 40 sec	0.00s
	And I verify either static text or available open events are displayed on screen	
		0.00s
	There are no events available at the moment	
	There are no events available at the moment Stay tuned for events on health and fitness	0.00s
A	There are no events available at the moment Stay tuned for events on health and fitness	
	There are no events available at the moment Stay tuned for events on health and fitness  fter	0.00s
Ba	There are no events available at the moment Stay tuned for events on health and fitness  fter  ack to Table of Contents	0.00s
Ba 'eatı	There are no events available at the moment Stay tuned for events on health and fitness  fter  ack to Table of Contents  are: Verify share with friends functionality in OnePulse app	0.00s
Ba eatr	There are no events available at the moment Stay tuned for events on health and fitness  fter  uck to Table of Contents  ure: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s	0.00s
Ba eatr	There are no events available at the moment Stay tuned for events on health and fitness  fter  ack to Table of Contents  are: Verify share with friends functionality in OnePulse app	0.00s
Ba 'eatr	There are no events available at the moment Stay tuned for events on health and fitness  fter  uck to Table of Contents  ure: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s	0.00s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  ack to Table of Contents  are: Verify share with friends functionality in OnePulse app  d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu	0.00s 0.00s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  uck to Table of Contents  ure: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu ussed: 8 Failed: 0 Undefined: 0  efore	0.00s  0.00s  Duration: 46.21s 0.00s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  ck to Table of Contents  cre: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu cenario: Seed: 8 Failed: 0 Undefined: 0  Given User has pulse app	0.00s  0.00s  Duration: 46.21s 0.00s  8.96s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  ck to Table of Contents  cre: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu cessed: 8 Failed: 0 Undefined: 0  efore  Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s  0.00s  Duration: 46.21s 0.00s  8.96s 0.00s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  ck to Table of Contents  ure: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu assed: 8 Failed: 0 Undefined: 0  efore  Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button	0.00s  0.00s  Duration: 46.21s 0.00s  8.96s 0.00s 16.88s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  ck to Table of Contents  ure: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu ussed: 8 Failed: 0 Undefined: 0  efore  Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page	Duration: 46.21s 0.00s 8.96s 0.00s 16.88s 11.82s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter    Column	Duration: 46.21s 0.00s Duration: 46.21s 0.00s 8.96s 0.00s 16.88s 11.82s 2.01s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter  ck to Table of Contents  ure: Verify share with friends functionality in OnePulse app d: 3 Failed: 4 Undefined: 0 Duration: 109.76s  cenario: Launch the app and select the country as per specified lbu ussed: 8 Failed: 0 Undefined: 0  efore  Given User has pulse app And I assign "\${login.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page	Duration: 46.21s 0.00s 8.96s 0.00s 16.88s 11.82s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter    Column	Duration: 46.21s 0.00s Duration: 46.21s 0.00s 8.96s 0.00s 16.88s 11.82s 2.01s
eati assec	There are no events available at the moment Stay tuned for events on health and fitness  fter    Inck to Table of Contents	0.00s  0.00s  Duration: 46.21s 0.00s  8.96s 0.00s 16.88s 11.82s 2.01s 0.00s

After			0.00s
Back to Table of Contents			
Scenario: login to the app	with correct credentia	s using "Continue with Email"	
Passed: 6	Failed: 0	Undefined: 0	Duration: 44.57s
Before			0.00s
Given I select the lang	guage option on toggle b	ar as required on login page	2.30s
When user enters cred	dentials		9.99s
UserName \${PULS	E_EMAIL}		
Password \${login.}	password}		
And User clicks on sig	nin button		0.27s
And I enter OTP in or	ne pulse app for user em	ail ''\${PULSE_EMAIL}''	13.10s
And I wait for 5 sec			5.00s
Then user should be la	anded to "Home" screen	1	13.91s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sho	ould be able to share the	link with Whatsapp	
Passed: 1	Failed: 0	Undefined: 0	Duration: 13.71s
Before			0.00s
Then I verify the shar	e with friends links		13.71s
After			0.00s
Back to Table of Contents			
Back to Table of Contents Scenario: Verify User sho	ould be able to share the	link with Contacts ann	
Back to Table of Contents  Scenario: Verify User sho Passed: 0	ould be able to share the	link with Contacts app Undefined: 0	Duration: .07s
Scenario: Verify User sho			Duration: .07s 0.00s
Scenario: Verify User sho Passed: 0	Failed: 1		
Scenario: Verify User she Passed: 0  Before  Then I verify the contact org.openqa.selenium. I processing the comma Original error: socket Build info: version: '3  System info: host: 'The os.version: '10.0', java Driver info: io.appium Capabilities {appActivity: autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeout deviceManufacturer: deviceScreenDensity: javascriptEnabled: trunewCommandTimeout platformName: Andro	Failed: 1  acts share icon  WebDriverException: A and. Original error: Cou hang up .12.0', revision: '7c6e0b. M003LSIN', ip: '192.168 a.version: '11.0.2' a.java_client.android.An vity: com.prudential.pul s: true, automationNam com.prudential.pulse.M ue, automationName: Un t: 10000, noReset: true, Google, deviceModel: P 440, deviceScreenSize: 1 ue, locationContextEnal ut: 10000, noReset: true, oid, platformVersion: 11	n unknown server-side error occuld not proxy command to the remark, time: '2018-05-08T14:04:26.127.1.124', os.name: 'Windows 10', os	0.00s  0.07s  rred while ote server.  2' .arch: 'amd64', rudential.pulse. d: false, ntial.pulse.uat, id-Test, apiLevel: 30, 043P, 044043P, abled: true, X, shot: true,

```
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
  at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:622)
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
  (LoginSteps.java:299)
  at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)
                                                                              0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to share the link with Messenger app
Passed: 0
                       Failed: 1
                                              Undefined: 0
                                                                              Duration: 5.05s
Before
                                                                              0.00s
```

```
Then I verify the fb messenger share icon
                                                                            5.05s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6fe66511-9a7d-4003-bc02-f4a5c9799ccc
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
```

```
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
  (LoginSteps.java:415)
  at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:33)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to share the link with Viber app
                        Failed: 1
                                               Undefined: 0
Passed: 0
                                                                                Duration: .06s
Before
                                                                                0.00s
  Then I verify the Viber share icon
                                                                                0.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  Session ID: 6fe66511-9a7d-4003-bc02-f4a5c9799ccc
  *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:646)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
```

After			0.00s
Back to Table of Con	<u>tents</u>		
Scenario: Verify	User should be able to s	hare the link with Line app	
Passed: 0	Failed: 1	Undefined: 0	Duration: .07s
Before			0.00s
Then I verify t	he Line share icon		0.07s
org.openga.sel		ption: An unknown server-side cor: Could not proxy command	

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6fe66511-9a7d-4003-bc02-f4a5c9799ccc
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:640)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:311)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39)

After

0.00s

Back to Table of Contents