

Overview

| | Passed | Failed | Known | Undefined | Total | %Passed |
|-----------|--------|--------|-------|-----------|-------|---------|
| Features | 13 | 14 | 0 | 0 | 27 | 48% |
| Scenarios | 152 | 135 | 0 | 0 | 287 | 53% |
| Steps | 928 | 135 | 0 | 140 | 1,203 | 77% |

Overall Duration: 4h 37m 06s

Table of Contents

1. [Verify login functionality on One pulse App](#)
 1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify the Invalid Email id in login screen using "Continue with Email"](#)
 4. [Verify the User not registered email in login screen using "Continue with Email"](#)
 5. [User should be able to retrieve the reset password using forget password link](#)
 6. [Verify Account should be locked after entering more than 7 times incorrect passwords](#)
 7. [Verify the Login Functionality using "Continue with Facebook"](#)
2. [Verify registration functionality on one pulse App](#)
 1. [User should be able to register on app with correct credentials using "Continue with Email"](#)
 2. [verify the field label on registration screen](#)
 3. [verify the validation message for mandatory fields](#)
 4. [verify validation message when user enters Invalid password: Pulse@1 on registration page](#)
 5. [verify validation message when user enters Invalid password: Pulse123 on registration page](#)
 6. [Verify the validation message when user enter already registered email id on registration page](#)
 7. [Verify the mobile number screen validation using "Continue with Email"](#)
 8. [Verify the Registration screen validation using "Continue with Email"](#)
 9. [Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"](#)
3. [Verify Edit Profile functionality on Pulse Health & Wealth app](#)
 1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify User should be able to navigate to Edit profile screen](#)
 4. [Verify User should be able to change the profile picture in edit profile screen](#)
 5. [Verify the email,country code and COR fields are non-editable in edit profile screen](#)
 6. [Verify user can able to change the details in edit profile screen](#)
 7. [Verify Details updated during pulse profile registration should be reflected in edit profile screen](#)
 8. [verify the user details should be correctly on babylon screen](#)
 9. [navigate back to health screen](#)
4. [Verify the Babylon Registration via HRA journey](#)
 1. [User should be able to Register for Babylon HRA](#)
 2. [User should be able to Register for Babylon HRA](#)
5. [Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature](#)
 1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)

3. **User should be able to locate Hospitals using PruShoppe location**
 4. **User can see details of listed hospitals in detail**
 5. **User can see the details in speciality tab**
 6. **User can see the details in doctor's tab**
 7. **User can see the details in rooms tab**
 8. **User can navigate out of the hospital details screen**
 9. **User should be able to locate cli using PruShoppe location**
 10. **User can verify the clinic page**
 11. **User can view listed clinic details**
 12. **User can view listed clinic info**
 13. **User can view listed clinic info details**
 14. **User can navigate back to clinics screen**
6. **Verify Medicine Reminder Positive Flow functionality on one pulse App**
1. **User should be able to register on app with correct credentials using "Continue with Email"**
 2. **Verify User should be able to navigate to medical reminder page**
 3. **verify the static text on medicine reminder screen**
 4. **click on add reminder button**
 5. **verify add medicine screen is launched and user can enter the required info on medical info screen**
 6. **verify user navigated to schedule screen and user can enter the required info**
 7. **Verify User should be able to navigate to More Setting page**
 8. **verify Add medicine screen is displayed when user click on add new reminder on success popup**
 9. **verify medicine reminder home screen is displayed when user click on not now button on success popup**
 10. **navigate to health screen**
 11. **Verify User should be able to navigate to calendar page**
7. **Verify MY Event channel functionality on one pulse App**
1. **Launch the app and select the country as per specified lbu**
 2. **login to the app with correct credentials using "Continue with Email"**
 3. **Verify MyEvent Functionality in Home screen**
 4. **Verify Events Archive tab**
 5. **Verify Open Events tab**
8. **Verify My Health Content functionality on One Pulse App**
1. **Launch the app and select the country as per specified lbu**
 2. **User should be able to login on app with correct credentials using "Continue with Email"**
 3. **Verify User should be able to navigate to Health page**
 4. **Verify User should be able to view the full page article post**
 5. **Verify User should be able to see the Like, Share, Comment options on full page article post**
 6. **Verify User should be able to Like the post in full article view screen**
 7. **Verify User should be able to Share the post in full article view screen**
 8. **Verify User can navigate to Health homepage**
9. **Verify Notification Center functionality on one pulse App**
1. **User should be able to register on app with correct credentials using "Continue with Email"**
 2. **Navigate to notification screen via home screen**
 3. **Verify User should be able to see the Notification screen texts**
10. **Verify My Challenges on One Pulse App**
1. **Launch the app and select the country as per specified lbu**

2. User should be able to login on app with correct credentials using "Continue with Email"
 3. Verify My Challenges texts
 4. Click on All challenges and and verify texts
11. Verify My Communities on One Pluse App
1. Launch the app and select the country as per specified lbu
 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
 4. Leave the community if already joined
 5. Verify the All Communities Post screen
 6. Verify the Likes and comments counts in All communities tab
 7. Verify the Share with Friends Functionality in All communities tab
 8. Verify the Post Functionality in All communities
 9. Verify the Category list and search feature
 10. User navigates back to the community screen
 11. Leave the community if already joined
12. Verify Private My Communities on One Pulse App
1. Launch the app and select the country as per specified lbu
 2. User should be able to login on app with correct credentials using "Continue with Email"
 3. Verify the My communities screen
 4. Verify the Private Communities in communities screen
13. Verify legal and legacy on One pulse App
1. Launch the app and select the country as per specified lbu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen
 4. Verify the Legacy and Privacy should be displayed
 5. Verify the Terms and condition screen should be displayed
 6. Verify the Privacy screen should be displayed
 7. Verify the Regulator screen should be displayed
14. Verify My accounts options in Account screen
1. Launch the app and select the country as per specified lbu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen and verify all the options
 4. Verify wearable screen in Account tab
 5. navigate back to account screen from my wearable screen
 6. Navigate to account screen
 7. Verify reward screen in Account tab
 8. User access My Rewards FAQ
 9. Verify the FAQ on my rewards screen
 10. Verify the FAQ on my rewards screen
 11. Verify the FAQ on my rewards screen
 12. Verify the FAQ on my rewards screen
 13. Verify the FAQ on my rewards screen
 14. Verify the FAQ on my rewards screen
 15. Verify the FAQ on my rewards screen
 16. Verify the FAQ on my rewards screen
 17. navigate back to account screen from my rewards screen
 18. Verify Notification screen in Account tab
 19. navigate back to account screen from Notification screen
 20. Verify my feedback screen in Account tab
 21. Verify the submit functionality in My feedback screen

22. [Verify the Pulse Personalised tab](#)
23. [Save the consent with data privacy check](#)
24. [Save the consent without data privacy check](#)
25. [navigate back to account screen from pulse personalised screen](#)
15. **[Verify MySettings functionality in Account screen](#)**
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Navigate to account screen](#)
 4. [Verify my setting screen in Account tab](#)
 5. [navigate back to account screen from my setting screen](#)
16. **[Verify My wearable functionality via fitness tab on Pulse Health & Wealth app](#)**
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify the user can access My Wearables via Fitness](#)
17. **[Verify the BabyLon HRA Report - Nutrition, Body, Activity](#)**
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [User should be able to access Babylon Health Risk Assessment Report](#)
 4. [Verify the HRA Activity Report](#)
 5. [Verify the HRA Activity Report](#)
 6. [Verify the HRA Nutrition Report](#)
 7. [Verify the HRA Report - Keep It Up sub-section](#)
 8. [Verify the HRA Report - Make a Change sub-section](#)
 9. [User should be able to access Babylon HRA - Healthcheck - Body](#)
 10. [navigate back to digital twin screen](#)
 11. [User should be able to access Babylon HRA - Healthcheck - Nutrition](#)
 12. [Navigate back to nutrition screen and validate the static text](#)
 13. [navigate back to digital twin screen](#)
 14. [User should be able to access Babylon HRA - Healthcheck - Activity](#)
 15. [Navigate back to Activity screen and validate the static text](#)
 16. [navigate back to digital twin screen](#)
 17. [User should be able to access Babylon HRA - Healthcheck - Mood](#)
 18. [navigate back to digital twin screen](#)
18. **[Verify that user can access calendar under health section](#)**
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [User should be able to access Calendar screen](#)
19. **[Verify that user can access Chinese Medicine feature](#)**
1. [User should be able to register on app with correct credentials using "Continue with Email"](#)
 2. [User should be able to access Chinese Medicine screen](#)
 3. [Verify the carousel on Chinese Medicine journey](#)
 4. [Verify the carousel on Chinese Medicine journey](#)
 5. [verify the text and button on final assessment carousel](#)
 6. [User should be able to complete Chinese Medicine profile](#)
 7. [Verify the Q&A on Chinese Medicine journey](#)
 8. [Verify the Q&A on Chinese Medicine journey](#)
 9. [Verify the Q&A on Chinese Medicine journey](#)
 10. [Verify the Q&A on Chinese Medicine journey](#)
 11. [Verify the Q&A on Chinese Medicine journey](#)
 12. [Verify the Q&A on Chinese Medicine journey](#)

64. [Verify the Q&A on Chinese Medicine journey](#)
65. [Verify the Q&A on Chinese Medicine journey](#)
66. [Verify the Q&A on Chinese Medicine journey](#)
67. [Verify the Q&A on Chinese Medicine journey](#)
68. [Verify the Q&A on Chinese Medicine journey](#)
69. [Verify the Q&A on Chinese Medicine journey](#)
70. [Verify the Assessment completion screen](#)
71. [Verify the user can view the Assessment Record](#)
72. [Verify the Assessment Summary](#)
73. [Verify the "Constitution" Details of the Assessment](#)
74. [Verify the "Change In Tongue" Details of the Assessment](#)
20. **[Verify Dietician Positive Flow for Doctor functionality on one pulse App](#)**
1. [Verify the Home screen validation using "Continue with Email"](#)
 2. [Verify User should be able to navigate to Dietician page](#)
 3. [Select the expert type as doctor and navigate to next screen](#)
 4. [Verify User should be able to navigate to specialisation page](#)
 5. [Verify User should be able to navigate to Educational Details page](#)
 6. [Verify User should be able to navigate to Add experience page](#)
 7. [Verify User should be able to navigate to Services Offered page](#)
 8. [Verify User should be able to navigate to achievement and awards screen](#)
 9. [Verify User should be able to navigate to Seminar\(s\) Attended page](#)
 10. [Verify User should be able to navigate to linked clinic page](#)
 11. [Verify User should be able to navigate to Take a Picture page](#)
 12. [Verify User should be able to navigate to schedule Calendar page](#)
21. **[Verify that user can manage events via the Family Vaccine Calendar feature](#)**
1. [User should be able to register on app with correct credentials using "Continue with Email"](#)
 2. [User should be able to access my family vaccination calendar](#)
 3. [Verify the user can Add Vaccine Information](#)
 4. [enter information on add vaccination popup](#)
 5. [Verify the added item displayed on the Vaccine Schedule screen](#)
 6. [Verify reminder options in vaccine schedule](#)
 7. [Verify change reminder functionality in vaccine schedule screen](#)
22. **[Verify that user can access Dengue Alert feature](#)**
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify the map can be expanded](#)
 4. [User should be able to view the Dengue Outbreak - Malaysia](#)
 5. [User should be able to view the Dengue Cases - Malaysia](#)
23. **[Verify Pru infectious disease cover functionality on one pulse App](#)**
1. [User should be able to register on app with correct credentials using "Continue with Email"](#)
 2. [Navigate to PRU Shoppe screen](#)
 3. [Verify User should be able to see the infectious disease cover screen options](#)
 4. [Verify User should be able to see the infectious disease cover Screen options](#)
 5. [Verify User should be able to see the infectious disease cover term and condition](#)
 6. [Verify User should be able to see the infectious disease cover term and condition](#)
 7. [Verify User should be able to see the infectious disease cover term and condition](#)
 8. [Verify User should be able to see the infectious disease cover term and condition](#)
 9. [verify that user can see agreement and proceed button](#)
24. **[Verify Pru Shoppe My Coverage functionality on one pulse App](#)**

1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify user can access his policies from Pru Shoppe My Policies screen](#)
 4. [Click on Link policy and verify screen to add policy number](#)
 5. [Verify the error message when the Policy Number is blank](#)
 6. [Verify the error message when the Policy Number is invalid or incorrect](#)
 7. [Verify the error message when the Cancel Button](#)
25. [Verify wealth channel functionality on one pulse App](#)
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify User should be able to navigate to wealth page](#)
 4. [Verify User should be able to view the story post](#)
 5. [Verify User should be able to Like the post](#)
 6. [Verify User should be able to Share the post](#)
 7. [Verify User should be able to Comment the post](#)
 8. [Verify User should be able to view the full page article post](#)
 9. [Verify User should be able to see the Like, Share, Comment options on full page article post](#)
 10. [Verify User should be able to Like the post in full article view screen](#)
 11. [Verify User should be able to Share the post in full article view screen](#)
 12. [Verify User should be able to Comment the post in full article view screen](#)
 13. [Verify User can navigate to wealth homepage](#)
26. [Verify MY Event channel functionality on one pulse App](#)
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify MyEvent Functionality in Home screen](#)
 4. [Verify Events Archive tab](#)
 5. [Verify Open Events tab](#)
27. [Verify share with friends functionality in OnePulse app](#)
1. [Launch the app and select the country as per specified lbu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify User should be able to share the link with Whatsapp](#)
 4. [Verify User should be able to share the link with Contacts app](#)
 5. [Verify User should be able to share the link with Messenger app](#)
 6. [Verify User should be able to share the link with Viber app](#)
 7. [Verify User should be able to share the link with Line app](#)

Detailed Results Report

| Feature: Verify login functionality on One pulse App | | | |
|---|-----------|--------------|-------------------|
| Passed: 6 | Failed: 1 | Undefined: 0 | Duration: 1290.2s |
| Scenario: Launch the app and select the country as per specified lbu | | | |
| Passed: 8 | Failed: 0 | Undefined: 0 | Duration: 71.88s |
| Before | | | |
| Given User has pulse app | | | |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | |
| Then I change the country as required on registration page | | | |

| | | | | | | |
|--|--|---------------------------------|-----------------|----------|--------------------|--|
| | Then I wait for 2 sec | 2.01s | | | | |
| | Then I change the language as required on registration page | 0.00s | | | | |
| | And I click the Sign in link | 1.09s | | | | |
| | Then I verify below language options on toggle bar as per specified lbu on login page | 3.68s | | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | | | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 Duration: 102.45 s | | | | |
| Before | | | | | | |
| Given I select the language option on toggle bar as required on login page | | 3.74s | | | | |
| When user enters credentials | | 61.62s | | | | |
| <table border="1"> <tr><td>UserName</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td> \${login.password}</td></tr> </table> | | UserName | \${PULSE_EMAIL} | Password | \${login.password} | |
| UserName | \${PULSE_EMAIL} | | | | | |
| Password | \${login.password} | | | | | |
| And User clicks on signin button | | 1.71s | | | | |
| And I wait for 5 sec | | 5.01s | | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 12.54s | | | | |
| Then user should be landed to "Home" screen | | 17.83s | | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify the Invalid Email id in login screen using "Continue with Email" | | | | | | |
| Passed: 15 | Failed: 0 | Undefined: 0 Duration: 282.65 s | | | | |
| Before | | | | | | |
| Given User has pulse app | | 104.37s | | | | |
| Then I wait for 2 sec | | 2.01s | | | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | | 46.72s | | | | |
| Then I change the country as required on registration page | | 23.73s | | | | |
| Then I wait for 2 sec | | 2.00s | | | | |
| And I click the Sign in link | | 1.99s | | | | |
| Then I wait for 2 sec | | 2.00s | | | | |
| And I select the language option on toggle bar as required on login page | | 3.49s | | | | |
| When user enters credentials | | 60.54s | | | | |
| <table border="1"> <tr><td>UserName</td><td> t@gmai</td></tr> <tr><td>Password</td><td> Pas\$1234</td></tr> </table> | | UserName | t@gmai | Password | Pas\$1234 | |
| UserName | t@gmai | | | | | |
| Password | Pas\$1234 | | | | | |
| And User clicks on signin button | | 1.57s | | | | |
| Then verify invalid email message "Email is required" | | 1.17s | | | | |
| Then User clicks on Forgot Password button | | 1.48s | | | | |
| Then enter the email to request the new password | | 29.77s | | | | |
| <table border="1"> <tr><td>Email</td><td> t@gmai</td></tr> </table> | | Email | t@gmai | | | |
| Email | t@gmai | | | | | |
| Then User clicks on Send button | | 1.37s | | | | |
| Then verify invalid email message "\${email.invalid.text}" | | 0.43s | | | | |
| | | | | | | |

| | | | |
|--|--------------------------------------|--------------|-------------------|
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the User not registered email in login screen using "Continue with Email" | | | |
| Passed: 17 | Failed: 0 | Undefined: 0 | Duration: 181.27s |
| Before | | | 0.00s |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | | 0.02s |
| And I assign value to following variables | | | 0.00s |
| USER_NAME | taf-\${RANDOM_NUMBER}@mailinator.com | | |
| USER_PASSWORD | Pas\$1234 | | |
| Given User has pulse app | | | 6.74s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | 30.55s |
| Then I change the country as required on registration page | | | 20.72s |
| Then I wait for 2 sec | | | 2.00s |
| And I click the Sign in link | | | 1.85s |
| Then I wait for 2 sec | | | 2.01s |
| And I select the language option on toggle bar as required on login page | | | 3.43s |
| When user enters credentials | | | 66.33s |
| UserName | \${USER_NAME} | | |
| Password | \${USER_PASSWORD} | | |
| And I scroll down | | | 6.89s |
| And User clicks on signin button | | | 1.39s |
| Then verify invalid email message "\${invalid.credential.message}" | | | 1.52s |
| Then User clicks on Forgot Password button | | | 1.24s |
| Then enter the email to request the new password | | | 32.79s |
| Email | \${USER_NAME} | | |
| Then User clicks on Send button | | | 1.32s |
| Then verify invalid email message "\${invalid.credential.message}" | | | 2.49s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: User should be able to retrieve the reset password using forget password link | | | |
| Passed: 5 | Failed: 1 | Undefined: 2 | Duration: 133.02s |
| Before | | | 0.00s |
| And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL" | | | 0.00s |
| Then enter the email to request the new password | | | 61.31s |
| Email | \${PULSE_EMAIL} | | |
| Then User clicks on Send button | | | 2.82s |
| And I read the otp for emailid "\${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP" | | | 26.93s |
| Then I wait for 5 sec | | | 5.01s |
| Then I enter "\${EMAIL_OTP}" reset code | | | 34.79s |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.


For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
 Session ID: 0e741b7d-f4eb-4a3b-8c71-8350bdc66150
***** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name='Password Reset Code']//following-sibling::XCUIElementTypeOther//XCUIElementTypeTextField)[1]}**
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement

```
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithOutClear(TestBasePage.java:343)
at com.onepulse.app.screens.PulseLoginScreen.enterPasswordResetOTP(PulseLoginScreen.java:251)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterResetOTP(LoginSteps.java:107)
at .Then I enter "${EMAIL_OTP}" reset code(features/PulseLoginTest.feature:82)
```

Then I wait for 5 sec 0.00s

Then Verify message: "\${password.reset.success.text}" for Reset Password 0.00s



After 2.15s

[Back to Table of Contents](#)

Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords

| | | | |
|------------|-----------|--------------|--------------------|
| Passed: 20 | Failed: 0 | Undefined: 0 | Duration: 384.12 s |
|------------|-----------|--------------|--------------------|

Before 0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER" 0.01s

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" 0.00s

And User has pulse app 8.92s

Then I wait for 2 sec 2.01s

And user click on "CONTINUE WITH EMAIL" with Email button 32.67s

| | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--------------------------------------|--|
| | Then I change the country as required on registration page | 22.48s | | | | | | | | |
| | Then I wait for 5 sec | 5.01s | | | | | | | | |
| | Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 7.13s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | When user enters registration details | 27.44s | | | | | | | | |
| | <table border="1"> <tr><td>FirstName</td><td>testAutomation</td></tr> <tr><td>LastName</td><td>testAutomation</td></tr> <tr><td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td>Pas\$1234</td></tr> </table> | FirstName | testAutomation | LastName | testAutomation | Email | \${PULSE_EMAIL} | Password | Pas\$1234 | |
| FirstName | testAutomation | | | | | | | | | |
| LastName | testAutomation | | | | | | | | | |
| Email | \${PULSE_EMAIL} | | | | | | | | | |
| Password | Pas\$1234 | | | | | | | | | |
| | And taps on continue "Sign_Up" button | 1.72s | | | | | | | | |
| | Then I wait for otp screen after clicking on signup button | 5.57s | | | | | | | | |
| | Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 33.79s | | | | | | | | |
| | Then I click skip button | 118.28s | | | | | | | | |
| | Then user should be landed to "Home" screen | 15.61s | | | | | | | | |
| | Then I wait for 4 sec | 4.01s | | | | | | | | |
| | And I click the Account icon in Home screen | 1.98s | | | | | | | | |
| | And I click the sign out from pulse app | 12.69s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | Then I enter invalid password on login screen and verify the error message | 80.82s | | | | | | | | |
| | <table border="1"> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${invalid.credential.message}</td></tr> <tr><td>Pas\$123##\${account.locked.message}</td></tr> </table> | Pas\$123##\${invalid.credential.message} | Pas\$123##\${account.locked.message} | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${invalid.credential.message} | | | | | | | | | | |
| Pas\$123##\${account.locked.message} | | | | | | | | | | |
| After | | 0.00s | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | |
| Scenario: Verify the Login Functionality using "Continue with Facebook" | | | | | | | | | | |
| Passed: 13 | Failed: 0 | Duration: 134.81s | | | | | | | | |
| Before | | 0.00s | | | | | | | | |
| | Given User has pulse app | 6.87s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 29.94s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | Then I change the country as required on registration page | 21.29s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | Then I navigate to pulse registration page and select the lang on toggle bar | 5.73s | | | | | | | | |
| | Then I click on connect with facebook button | 1.04s | | | | | | | | |
| | Then I wait for 2 sec | 2.00s | | | | | | | | |
| | And I click the "Email" in Continue with Facebook | 19.34s | | | | | | | | |

| | | | |
|--|----------|--------------------|---------------|
| | EmailId | \${emailid.text} | |
| | Password | \${password.texts} | |
| Then I wait for 10 sec | | | 10.01s |
| Then user should be landed to "Home" screen | | | 18.72s |
| And I logout from onepulse app | | | 13.85s |
| After | | | |
| Back to Table of Contents | | | |

Feature: Verify registration functionality on one pulse App

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 8 | Failed: 1 | Undefined: 0 | Duration: 1119.8s |
|-----------|-----------|--------------|-------------------|

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

| | | | |
|---------------|-----------|--------------|--------------------|
| Passed: 46 | Failed: 0 | Undefined: 0 | Duration: 334.26 s |
| Before | | | 0.00s |

| | |
|---|---------------|
| Given I generate random number and assign to variable "RANDOM_NUMBER" | 0.00s |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | 0.00s |
| And User has pulse app | 7.04s |
| Then I wait for 2 sec | 2.01s |
| And user click on "CONTINUE WITH EMAIL" with Email button | 58.74s |
| Then I wait for 2 sec | 2.00s |
| Then I change the country as required on registration page | 21.66s |
| Then I wait for 2 sec | 2.01s |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 7.21s |
| Then I wait for 2 sec | 2.00s |
| When user enters registration details | 29.28s |

| | |
|-----------|-----------------|
| FirstName | testAutomation |
| LastName | testAutomation |
| Email | \${PULSE_EMAIL} |
| Password | Pas\$1234 |

| | |
|---|---------------|
| And taps on continue "Sign_Up" button | 2.34s |
| Then I wait for otp screen after clicking on signup button | 6.27s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 33.39s |
| Then I wait for 2 sec | 2.00s |
| And I enter the "mobile number" in welcome to pulse | 7.76s |
| mobileNumber \${registration.mobile.number} | |
| And I choose my wellness goals under wellness plan screen | 3.82s |
| And I click the date in Date of Birth field | 2.10s |
| And I click the Done icon | 1.62s |
| And I click the continue button | 1.49s |
| And I select the Male icon | 1.70s |
| And I click the continue button | 1.86s |


| | | | |
|---|-----------|--------------|--------------------|
| And I click on Calculate BMI button | 4.86s | | |
| And I click the continue button | 3.02s | | |
| And I select the "How active are you?" in doing exercise | 3.05s | | |
| And I click the continue button | 2.88s | | |
| And I select my favorite food dietary | 3.14s | | |
| And I click the continue button | 3.02s | | |
| And I answer as "\${option.yes.text}" to "Any Food allergies?" | 5.73s | | |
| And I click the continue button | 3.30s | | |
| And I verify that "Tracking your activity is trending" is displayed | 4.93s | | |
| And I click on connect Later button | 1.47s | | |
| And I see that "Welcome to Pulse" text is displayed | 4.06s | | |
| And I see that fitness subscription exclusive offers screen is displayed | 5.13s | | |
| And I click on close icon | 5.29s | | |
| And I enter NRIC number last 4 digits "122F" | 8.09s | | |
| Then I click skip buttons | 5.29s | | |
| Then user should be landed to "Home" screen | 19.51s | | |
| Then I wait for 4 sec | 4.01s | | |
| And I click the Account icon in Home screen | 1.88s | | |
| And I click the sign out from pulse app | 12.29s | | |
| Then I wait for 4 sec | 4.00s | | |
| When user enters password credentials in signin screen | 6.10s | | |
| Password Pas\$1234 | | | |
| And User clicks on signin button | 1.47s | | |
| Then I wait for 8 sec | 8.01s | | |
| Then user should be landed to "Home" screen | 17.44s | | |
| After | 0.00s | | |
| Back to Table of Contents | | | |
| Scenario: verify the field label on registration screen | | | |
| Passed: 9 | Failed: 0 | Undefined: 0 | Duration: 101.95 s |
| Before | | | 0.00s |
| Given User has pulse app | 6.82s | | |
| Then I wait for 2 sec | 2.01s | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | 53.79s | | |
| Then I wait for 2 sec | 2.00s | | |
| Then I change the country as required on registration page | 20.95s | | |
| Then I wait for 2 sec | 2.00s | | |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 7.07s | | |
| Then I wait for 2 sec | 2.01s | | |
| Then I verify following field label should be displayed on registration screen | 5.31s | | |
| \${firstname.label.text} | | | |
| \${lastname.label.text} | | | |
| \${email.text} | | | |

| | | | | | |
|---|--|---|-------------------|--|--|
| | <code>#{password.text}</code> | | | | |
| After | | 0.00s | | | |
| Back to Table of Contents | | | | | |
| Scenario: verify the validation message for mandatory fields | | | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 7.28s | | |
| Before | | 0.00s | | | |
| Given taps on continue "Sign_Up" button | | | 2.39s | | |
| Then I verify the validation error message is displayed for following field on registration page | | | 4.89s | | |
| FirstName | <code>#{firstname.mandatoryField.message}</code> | | | | |
| | <code>#{lastname.mandatoryField.message}</code> | | | | |
| | <code>#{email.mandatoryField.message}</code> | | | | |
| | <code>#{password.validation.message}</code> | | | | |
| After | | 0.00s | | | |
| Back to Table of Contents | | | | | |
| Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page | | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 9.87s | | |
| Before | | 0.00s | | | |
| When user enters registration details | | | 6.84s | | |
| Password | | <code>Pulse@1</code> | | | |
| And taps on continue "Sign_Up" button | | | 1.68s | | |
| Then I verify the validation error message is displayed for following field on registration page | | | 1.35s | | |
| Password | | <code>#{password.validation.message}</code> | | | |
| After | | 0.00s | | | |
| Back to Table of Contents | | | | | |
| Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page | | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 10.37s | | |
| Before | | 0.00s | | | |
| When user enters registration details | | | 6.50s | | |
| Password | | <code>Pulse123</code> | | | |
| And taps on continue "Sign_Up" button | | | 2.31s | | |
| Then I verify the validation error message is displayed for following field on registration page | | | 1.56s | | |
| Password | | <code>#{password.validation.message}</code> | | | |
| After | | 0.00s | | | |
| Back to Table of Contents | | | | | |
| Scenario: Verify the validation message when user enter already registered email id on registration page | | | | | |
| Passed: 11 | Failed: 0 | Undefined: 0 | Duration: 111.47s | | |

| | | |
|---|-----------|---------------------------------|
| Before | | 0.00s |
| Given User has pulse app | | 6.63s |
| Then I wait for 2 sec | | 2.01s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | 29.75s |
| Then I wait for 2 sec | | 2.00s |
| Then I change the country as required on registration page | | 22.74s |
| Then I wait for 2 sec | | 2.01s |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | | 7.40s |
| Then I wait for 2 sec | | 2.01s |
| When user enters registration details | | 32.06s |
| FirstName testAutomation | | |
| LastName testAutomation | | |
| Email \${login.email.id} | | |
| Password Pas\$1234 | | |
| And taps on continue "Sign_Up" button | | 2.19s |
| Then I verify the validation error message is displayed for following field on registration page | | 2.69s |
| Email \${user.exist.text} | | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the mobile number screen validation using "Continue with Email" | | |
| Passed: 20 | Failed: 0 | Undefined: 0 Duration: 179.58 s |
| Before | | 0.00s |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | 0.00s |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | | 0.00s |
| Given User has pulse app | | 6.87s |
| Then I wait for 2 sec | | 2.01s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | 33.71s |
| Then I wait for 2 sec | | 2.00s |
| Then I change the country as required on registration page | | 24.36s |
| Then I wait for 2 sec | | 2.00s |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | | 7.51s |
| Then I wait for 2 sec | | 2.01s |
| When user enters registration details | | 33.79s |
| FirstName NewAutomation | | |
| LastName NewAutomation | | |
| Email \${PULSE_EMAIL} | | |
| Password Pas\$1234 | | |
| And taps on continue "Sign_Up" button | | 2.50s |

| | |
|--|------------------|
| And I wait for otp screen after clicking on signup button | 5.23s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 34.94s |
| Then I wait for 10 sec | 10.01s |
| Then I verify the country code should be displayed correctly on phone number screen | 0.92s |
| And I enter the "mobile number" in welcome to pulse | 6.64s |
| mobileNumber 917670 | |
| And I click the continue button | 1.73s |
| Then I wait for 2 sec | 2.01s |
| Then verify Again invalid Mobile message "\${invalid.mobile.text}" | 1.35s |
| After | 0.00s |
| Back to Table of Contents | |
| Scenario: Verify the Registration screen validation using "Continue with Email" | |
| Passed: 29 | Failed: 0 |
| Undefined: 0 | Duration: 84.43s |
| Before | 0.00s |
| Given I enter the "mobile number" in welcome to pulse | 6.57s |
| mobileNumber \${registration.mobile.number} | |
| Then I wait for 1 sec | 1.00s |
| And I click the continue button | 2.96s |
| Then verify validation message "\${wellness.goal.alert.text}" on registration workflow screen | 4.04s |
| And I choose my wellness goals under wellness plan screen | 4.08s |
| Then I wait for 1 sec | 1.01s |
| And I click the continue button | 2.25s |
| Then verify validation message "\${dob.alert.text}" on registration workflow screen | 3.75s |
| And I click the date in Date of Birth field | 1.55s |
| And I click the Done icon | 1.66s |
| And I click the continue button | 2.39s |
| Then I wait for 1 sec | 1.00s |
| And I click the continue button | 2.49s |
| Then verify validation message "\${gender.alert.text}" on registration workflow screen | 3.97s |
| And I select the Male icon | 1.01s |
| And I click the continue button | 3.26s |
| Then I wait for 1 sec | 1.01s |
| And I click the continue button | 3.52s |
| Then verify BMI validation message "\${bmi.alert.text}" on registration workflow screen | 4.22s |
| And I click on Calculate BMI button | 3.36s |
| And I click the continue button | 4.20s |
| Then I wait for 1 sec | 1.00s |
| And I click the continue button | 4.36s |
| Then verify validation message "\${activity.level.alert.text}" on registration workflow screen | 4.12s |

| | | |
|---|---|--------------|
| | And I select the "How active are you?" in doing exercise | 1.40s |
| | And I click the continue button | 4.42s |
| | Then I wait for 1 sec | 1.00s |
| | And I click the continue button | 4.76s |
| | Then verify validation message "\${diet.preference.alert.text}" on registration workflow screen | 4.08s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email" | | |
| Passed: 17 | Failed: 1 | Undefined: 0 |
| Duration: 280.59 s | | |
| Before | | 0.00s |
| | Given I generate random number and assign to variable "RANDOM_NUMBER" | 0.01s |
| | And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | 0.00s |
| | And User has pulse app | 8.27s |
| | Then I wait for 2 sec | 2.00s |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 58.20s |
| | Then I wait for 2 sec | 2.01s |
| | Then I change the country as required on registration page | 23.54s |
| | Then I wait for 2 sec | 2.00s |
| | Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 7.92s |
| | Then I wait for 2 sec | 2.00s |
| | When user enters registration details | 33.46s |
| FirstName | testAutomation | |
| LastName | testAutomation | |
| Email | \${PULSE_EMAIL} | |
| Password | Pas\$1234 | |
| | And taps on continue "Sign_Up" button | 2.72s |
| | Then I wait for otp screen after clicking on signup button | 6.02s |
| | Then I wait for 90 sec | 90.01s |
| | Then I click the Resend button in OTP screen | 3.66s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 35.29s |
| | And I wait for 2 sec | 2.00s |
| | And I verify enter otp screen is not displayed | 0.55s |
| <pre>java.lang.AssertionError: expected [false] but found [true] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertFalse(Assert.java:63) at org.testng.Assert.assertFalse(Assert.java:73) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.ValidateEnterOtpScreen (RegistrationSteps.java:196) at .And I verify enter otp screen is not displayed(features/PulseRegistrationTest.feature:215)</pre> | | |



| | |
|-------|--------------|
| After | 0.95s |
|-------|--------------|

[Back to Table of Contents](#)

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 7 | Failed: 2 | Undefined: 0 | Duration: 413.18s |
|-----------|-----------|--------------|-------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 70.23s |
|-----------|-----------|--------------|------------------|

| | |
|--------|--------------|
| Before | 0.00s |
|--------|--------------|

| | |
|--------------------------|--------------|
| Given User has pulse app | 7.27s |
|--------------------------|--------------|

| | |
|--|--------------|
| And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" | 0.00s |
|--|--------------|

| | |
|---|---------------|
| And user click on "CONTINUE WITH EMAIL" with Email button | 34.16s |
|---|---------------|

| | |
|--|---------------|
| Then I change the country as required on registration page | 22.15s |
|--|---------------|

| | |
|-----------------------|--------------|
| Then I wait for 5 sec | 5.01s |
|-----------------------|--------------|

| | |
|------------------------------|--------------|
| And I click the Sign in link | 1.64s |
|------------------------------|--------------|

| | |
|-------|--------------|
| After | 0.00s |
|-------|--------------|

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 109.29s |
|-----------|-----------|--------------|-------------------|

| | |
|--------|--------------|
| Before | 0.00s |
|--------|--------------|

| | |
|--|--------------|
| Given I select the language option on toggle bar as required on login page | 5.29s |
|--|--------------|

| | |
|------------------------------|---------------|
| When user enters credentials | 62.57s |
|------------------------------|---------------|

| | |
|----------|-------------------------|
| UserName | \${PULSE_EMAIL} |
|----------|-------------------------|


| | |
|----------|------------------------|
| Password | \${pulse.edit} |
|----------|------------------------|


| | |
|----------------------------------|--------------|
| And User clicks on signin button | 1.26s |
|----------------------------------|--------------|

| | | |
|---|------------------------------|--------------|
| And I wait for 5 sec | | 5.00s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 10.75s |
| Then user should be landed to "Home" screen | | 19.42s |
| And I wait for 5 sec | | 5.00s |
| After | | |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to navigate to Edit profile screen | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | |
| Given user navigate to account page | | 28.83s |
| And user click on Edit profile link | | 20.49s |
| Then I wait for 5 sec | | 5.01s |
| After | | |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to change the profile picture in edit profile screen | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | |
| Then I give manage profile camera permission | | 27.84s |
| Then I take picture from Camera | | 3.89s |
| After | | |
| Back to Table of Contents | | |
| Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | |
| And verify email field is non-editable | | 5.46s |
| And verify country code field is non-editable and country code is "\${country.code}" | | 9.18s |
| And verify country of Residence is "\${country.name}" and non-editable | | 5.48s |
| After | | |
| Back to Table of Contents | | |
| Scenario: Verify user can able to change the details in edit profile screen | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | 0.01s |
| And I assign value to following variables | | 0.00s |
| First Name | Automation-\${RANDOM_NUMBER} | |
| Last Name | Testing-\${RANDOM_NUMBER} | |
| Then I update following profile details in edit profile screen | | 14.81s |
| FirstName | \${First Name} | |
| LastName | \${Last Name} | |
| And I click on update button in edit profile screen | | 10.35s |
| After | | |

| | | | |
|---|-----------|--------------|------------------|
| Back to Table of Contents | | | |
| Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen | | | |
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 11.11s |
| Before | | | |
| Given user click on Edit profile link | 0.00s | | |
| <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false} Session ID: d6ff4cdd-7f22-4a91-9dcf-21b30405cb35 *** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name, '+60')]/parent::XCUIElementTypeOther//following-sibling::XCUIElementTypeOther/XCUIElementTypeOther} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.</p> | | | |

```
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:181)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)
```


| | | | | | | | | | | | |
|---|---------------------------------|----------------|----------|---------------|-------|---------------------------------|--------|-----------------------|-------------|-----------------------|--|
| Then I verify following values in edit profile screen | 0.00s | | | | | | | | | | |
| <table border="1"> <tr><td>FirstName</td><td> \${First Name}</td></tr> <tr><td>LastName</td><td> \${Last Name}</td></tr> <tr><td>Email</td><td> \${onepulse.login.edit.profile}</td></tr> <tr><td>Gender</td><td> \${pulse.edit.gender}</td></tr> <tr><td>PhoneNumber</td><td> \${pulse.edit.number}</td></tr> </table> | FirstName | \${First Name} | LastName | \${Last Name} | Email | \${onepulse.login.edit.profile} | Gender | \${pulse.edit.gender} | PhoneNumber | \${pulse.edit.number} | |
| FirstName | \${First Name} | | | | | | | | | | |
| LastName | \${Last Name} | | | | | | | | | | |
| Email | \${onepulse.login.edit.profile} | | | | | | | | | | |
| Gender | \${pulse.edit.gender} | | | | | | | | | | |
| PhoneNumber | \${pulse.edit.number} | | | | | | | | | | |
|  | | | | | | | | | | | |
| After | 1.73s | | | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | |

| Scenario: verify the user details should be correctly on babylon screen | | | | | | | | | | | | | | | | | | | |
|--|-----------------------------------|--------------|------------------|--------|-------------------------|--|--|-----------|------------------|--|--|----------|-----------------|--|--|-------|-----------------------------------|--|--|
| Passed: 3 | Failed: 1 | Undefined: 2 | Duration: 81.47s | | | | | | | | | | | | | | | | |
| Before | | 0.00s | | | | | | | | | | | | | | | | | |
| Given I navigate to Home page from edit profile screen | | | 5.05s | | | | | | | | | | | | | | | | |
| Then I navigate to Babylon health Assessment and Accept TermsAndCondition | | | 70.64s | | | | | | | | | | | | | | | | |
| Then I wait for 2 sec | | | 2.01s | | | | | | | | | | | | | | | | |
| Then I verify the default values in babylon registration page is updated as below | | | 2.87s | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Gender</td> <td>`\${pulse.edit.gender}`</td> <td></td> <td></td> </tr> <tr> <td>FirstName</td> <td>`\${First Name}`</td> <td></td> <td></td> </tr> <tr> <td>LastName</td> <td>`\${Last Name}`</td> <td></td> <td></td> </tr> <tr> <td>Email</td> <td>`\${onepulse.login.edit.profile}`</td> <td></td> <td></td> </tr> </table> | | | | Gender | `\${pulse.edit.gender}` | | | FirstName | `\${First Name}` | | | LastName | `\${Last Name}` | | | Email | `\${onepulse.login.edit.profile}` | | |
| Gender | `\${pulse.edit.gender}` | | | | | | | | | | | | | | | | | | |
| FirstName | `\${First Name}` | | | | | | | | | | | | | | | | | | |
| LastName | `\${Last Name}` | | | | | | | | | | | | | | | | | | |
| Email | `\${onepulse.login.edit.profile}` | | | | | | | | | | | | | | | | | | |
| <pre>java.lang.AssertionError: actual value is Automation-58030068638 expected [Automation-961607679] but found [Automation-58030068638] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertEqualsImpl(Assert.java:135) at org.testng.Assert.assertEquals(Assert.java:116) at org.testng.Assert.assertEquals(Assert.java:190) at com.onepulse.app.screens.PulseManageProfileScreen. verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:535) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156) at .Then I verify the default values in babylon registration page is updated as below(features /editProfile/PulseEditProfileTest.feature:68)</pre> | | | | | | | | | | | | | | | | | | | |
| And verify email field is non-editable | | | 0.00s | | | | | | | | | | | | | | | | |
| And verify country of Residence is "\${country.name}" and non-editable | | | 0.00s | | | | | | | | | | | | | | | | |
|  | | | | | | | | | | | | | | | | | | | |

| | | | | |
|---|-----------------|-------------------------|--|--|
| After | | 0.90s | | |
| Back to Table of Contents | | | | |
| Scenario: navigate back to health screen | | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | | |
| Before | | | | |
| Given I navigate to health page from babylon registration screen | | 4.74s | | |
| And I wait for 5 sec | | 5.01s | | |
| After | | | | |
| Back to Table of Contents | | | | |
| Feature: Verify the Babylon Registration via HRA journey | | | | |
| Passed: 1 | Failed: 1 | Undefined: 0 | | |
| Duration: 526.6s | | | | |
| Scenario: User should be able to Register for Babylon HRA | | | | |
| Passed: 18 | Failed: 0 | Undefined: 0 | | |
| Before | | | | |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | 0.02s | | |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | | 0.00s | | |
| And User has pulse app | | 7.17s | | |
| Then I wait for 2 sec | | 2.00s | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | | 68.39s | | |
| Then I wait for 2 sec | | 2.00s | | |
| Then I change the country as required on registration page | | 27.05s | | |
| Then I wait for 2 sec | | 2.01s | | |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | | 7.41s | | |
| Then I wait for 2 sec | | 2.00s | | |
| When user enters registration details | | 34.15s | | |
| FirstName | testAutomation | | | |
| LastName | testAutomation | | | |
| Email | \${PULSE_EMAIL} | | | |
| Password | Pas\$1234 | | | |
| And taps on continue "Sign_Up" button | | 3.17s | | |
| And I wait for otp screen after clicking on signup button | | 5.95s | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 35.49s | | |
| Then I wait for 2 sec | | 2.00s | | |
| Then I click skip button | | 140.02s | | |
| Then user should be landed to "Home" screen | | 22.43s | | |
| Then I wait for 4 sec | | 4.00s | | |
| After | | 0.00s | | |
| Back to Table of Contents | | | | |
| Scenario: User should be able to Register for Babylon HRA | | | | |
| | | Duration: 161.34 | | |

| | | | | | | | |
|--|------------|--------------|------------------|-----------|----------|------|--|
| Passed: 4 | Failed: 1 | Undefined: 0 | s | | | | |
| Before | | | 0.00s | | | | |
| When I clicks on Health button | | | 38.96s | | | | |
| And I navigate to Babylon health Assessment and Accept TermsAndCondition | | | 72.46s | | | | |
| And I confirm the registration | | | 15.24s | | | | |
| And I click on Babylon Health Assessment Get Started button | | | 21.49s | | | | |
| Then I verify following options are present for assessment | | | 12.40s | | | | |
| <table border="1"> <tr><td>Full Assessment</td></tr> <tr><td>Nutrition</td></tr> <tr><td>Activity</td></tr> <tr><td>Mood</td></tr> </table> | | | Full Assessment | Nutrition | Activity | Mood | |
| Full Assessment | | | | | | | |
| Nutrition | | | | | | | |
| Activity | | | | | | | |
| Mood | | | | | | | |
| <p>java.lang.AssertionError: The following asserts failed:</p> <p>Full Assessment option is present for assessment expected [true] but found [false]</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyAssessmentOptions(BabylonSteps.java:335)</p> <p>at .Then I verify following options are present for assessment(features/health/BabylonHRA_Registration.feature:33)</p> | | | | | | | |
| | | | | | | | |
| After | | | 0.78s | | | | |
| Back to Table of Contents | | | | | | | |
| Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature | | | | | | | |
| Passed: 4 | Failed: 10 | Undefined: 0 | Duration: 441.4s | | | | |
| Scenario: Launch the app and select the country as per specified lbu | | | | | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 99.23s | | | | |
| Before | | | 0.00s | | | | |

| | | |
|--|----------------------------|---------------------|
| Given User has pulse app | | 7.02s |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | 0.01s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | 62.60s |
| Then I change the country as required on registration page | | 24.75s |
| Then I wait for 2 sec | | 2.01s |
| And I click the Sign in link | | 2.84s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | |
| Passed: 6 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Given I select the language option on toggle bar as required on login page | | 4.89s |
| When user enters credentials | | 56.80s |
| UserName | \${PULSE_EMAIL} | |
| Password | \${login.password} | |
| And User clicks on signin button | | 3.45s |
| And I wait for 5 sec | | 5.01s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 11.38s |
| Then user should be landed to "Home" screen | | 22.68s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to locate Hospitals using PruShoppe location | | |
| Passed: 5 | Failed: 1 | Undefined: 0 |
| Before | | 0.00s |
| When I clicks on Health button | | 41.34s |
| Then I clicks on Location button | | 19.18s |
| When I clicks on Search here text field | | 13.71s |
| And I clicks on "Hospitals" under Pulse Search | | 7.54s |
| Then User can see the list of "Hospitals" near by to user's current location | | 8.52s |
| And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results | | 2.01s |
| <p>java.lang.AssertionError: The following asserts failed:</p> <p>Near you Hospitals are not displayed</p> <p>at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)</p> <p>at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults(LocationSteps.java:51)</p> <p>at .And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results(features/health/Hospital_Clinic_Locator.feature:31)</p> | | |



| | | |
|-------|--|-------|
| After | | 1.31s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User can see details of listed hospitals in detail

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 0 | Duration: 27.44s |
| Before | 0.00s | | |

| | |
|---|--------|
| When I clicks on See Details button on First result | 2.28s |
| Then I can see the "Hospital" Information screen with Navigate and Call Now buttons | 24.34s |

java.lang.AssertionError: The following asserts failed:

Near you Hospitals are not displayed ,

Near you search results are not displayed ,

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.

iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)

at .Then I can see the "Hospital" Information screen with Navigate and Call Now buttons
(features/health/Hospital_Clinic_Locator.feature:35)



| | |
|--------------|--------------|
| After | 0.82s |
|--------------|--------------|

[Back to Table of Contents](#)

Scenario: User can see the details in speciality tab

| | | | |
|---------------|--------------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 8.82s |
| Before | 0.00s | | |

| | |
|--|--------------|
| When I clicks on "Speciality" tab | 8.23s |
|--|--------------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: cc922df7-044b-45de-a13f-ef1cffadf393

*** Element info: {Using=xpath, value=/XCUIElementTypeOther[@name='Speciality, tab, 2 of 4']}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Speciality" tab(features/health/Hospital_Clinic_Locator.feature:38)

```

Then I verify the Speciality screen is displayed

0.00s



| | | |
|--------------|--|--------------|
| After | | 0.58s |
|--------------|--|--------------|

[Back to Table of Contents](#)

Scenario: User can see the details in doctor's tab

| | | | |
|---------------|--------------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 10.07s |
| Before | 0.00s | | |

| | |
|---------------------------------------|--------------|
| When I clicks on "Doctors" tab | 9.38s |
|---------------------------------------|--------------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: cc922df7-044b-45de-a13f-ef1cffadf393

*** Element info: {Using=xpath, value=/XCUIElementTypeOther[@name='Doctors, tab, 3 of 4']}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Doctors" tab(features/health/Hospital_Clinic_Locator.feature:42)

```

Then I verify the Doctors screen is displayed

0.00s



| | | |
|--------------|--|--------------|
| After | | 0.70s |
|--------------|--|--------------|

[Back to Table of Contents](#)

Scenario: User can see the details in rooms tab

| | | | |
|---------------|--------------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 9.83s |
| Before | 0.00s | | |

| | |
|-------------------------------------|--------------|
| When I clicks on "Rooms" tab | 9.30s |
|-------------------------------------|--------------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: cc922df7-044b-45de-a13f-ef1cffadf393

*** Element info: {Using=xpath, value=/XCUIElementTypeOther[@name='Rooms, tab, 4 of 4']}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Rooms" tab(features/health/Hospital_Clinic_Locator.feature:46)

```

Then I verify the Rooms screen is displayed

0.00s



| | | |
|--------------|--|--------------|
| After | | 0.53s |
|--------------|--|--------------|

[Back to Table of Contents](#)

Scenario: User can navigate out of the hospital details screen

| | | | |
|---------------|--------------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.16s |
| Before | 0.00s | | |

| | |
|---|--------------|
| When I clicks on back button in See Details screen | 9.51s |
|---|--------------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: cc922df7-044b-45de-a13f-ef1cffadf393

*** Element info: {Using=xpath, value=/XCUIElementTypeOther[@name="Navigate"]]/.../preceding-sibling:: XCUIElementTypeOther[1]/XCUIElementTypeOther}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:
204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)
at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.
feature:50)
```



| | | |
|-------|--|-------|
| After | | 0.65s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User should be able to locate cli using PruShoppe location

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 3 | Failed: 1 | Undefined: 0 | Duration: 34.35s |
| Before | 0.00s | | |

| | |
|--|--------|
| And I clicks on back button in "Hospitals" screen | 3.72s |
| When I clicks on Search here text field | 13.96s |
| And I clicks on "Clinics" under Pulse Search | 7.34s |
| Then User can see the list of "Clinics" near by to user's current location | 8.69s |

java.lang.AssertionError: The following asserts failed:

Near you Hospitals are not displayed ,
 Near you search results are not displayed ,
 Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
 Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.LocationScreen.verifyHospitalScreenLaunch(LocationScreen.java:85)

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.

userCanSeeTheListOfNearByToUserSCurrentLocation(LocationSteps.java:46)

at .Then User can see the list of "Clinics" near by to user's current location(features/health/Hospital_Clinic_Locator.feature:57)



| | | |
|--------------|--|--------------|
| After | | 0.64s |
|--------------|--|--------------|

[Back to Table of Contents](#)

Scenario: User can verify the clinic page

| | | | |
|---------------|--------------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 2.59s |
| Before | 0.00s | | |

| | |
|---|--------------|
| And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results | 2.03s |
|---|--------------|

java.lang.AssertionError: The following asserts failed:

Near you Hospitals are not displayed ,

Near you search results are not displayed ,

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],

Near you Clinics are not displayed

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.

userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults
(LocationSteps.java:51)

at .And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results(features/health/Hospital_Clinic_Locator.feature:60)



| | | |
|-------|--|-------|
| After | | 0.56s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User can view listed clinic details

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 2.63s |
| Before | | | 0.00s |

When I clicks on See Details button on First result 2.63s

| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User can view listed clinic info

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 25.36s |
| Before | | | 0.00s |

Then I can see the "Clinic" Information screen with Navigate and Call Now buttons 24.91s

java.lang.AssertionError: The following asserts failed:

Near you Hospitals are not displayed ,

Near you search results are not displayed ,

Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],

hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],

Near you Clinics are not displayed ,

Near you search results are not displayed ,

Call Now button is not displayed for the firstClinic tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstClinic tile See Details screen expected [true] but found [false],
 hospital address is not displayed for the first Clinic tile See Details screen expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
 at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
 iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
 at .Then I can see the "Clinic" Information screen with Navigate and Call Now buttons
 (features/health/Hospital_Clinic_Locator.feature:66)



| | |
|-------|-------|
| After | 0.45s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: User can view listed clinic info details

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.01s |
| Before | | | 0.00s |

When I clicks on back button in See Details screen 8.31s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,

```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: cc922df7-044b-45de-a13f-ef1cffadf393
*** Element info: {Using=xpath, value=/XCUIElementTypeOther[@name="Navigate"]/../../preceding-sibling:: XCUIElementTypeOther[1]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)

```

at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.feature:69)



| | | |
|-------|--|-------|
| After | | 0.70s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User can navigate back to clinics screen

Passed: 1 Failed: 0 Undefined: 0 Duration: 4.08s

Before **0.00s**

And I clicks on back button in "Clinic" screen | 4.08s

After **0.00s**

[Back to Table of Contents](#)

Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App

Passed: 3 Failed: 8 Undefined: 0 Duration: 1049.16s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 16 **Failed: 0** **Undefined: 0** **Duration: 358.19 s**

Before **0.00s**

Given I generate random number and assign to variable "RANDOM_NUMBER" 0.02s

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL." 0.00s

And how has pulse app
7.125


| | |
|--|--------|
| And User has pulse app | 7.13\$ |
| And User click "CONTINUE WITH EMAIL" with Email id: 41 | 58.81 |

| | |
|---|--------|
| And user click on "CONTINUE WITH EMAIL" with Email button | 58.81s |
| The user wait for 2s | 2.01s |

| | |
|----------------------------------|-------|
| Then I wait for 2 sec | 2.01s |
| The LabVIEW timer is initialized | 25.64 |

| | | |
|---|--|--------------------------------|
| | Then I wait for 2 sec | 2.01s |
| | Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 8.53s |
| | When user enters registration details | 39.30s |
| | FirstName medicine | |
| | LastName reminder | |
| | Email \${PULSE_EMAIL} | |
| | Password Pas\$1234 | |
| | And taps on continue "Sign_Up" button | 2.07s |
| | And I wait for otp screen after clicking on signup button | 6.21s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 36.30s |
| | Then I wait for 2 sec | 2.01s |
| | Then I click skip button | 139.46s |
| | Then user should be landed to "Home" screen | 24.70s |
| | Then I wait for 4 sec | 4.00s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to navigate to medical reminder page | | |
| Passed: 5 | Failed: 0 | Undefined: 0 Duration: 122.59s |
| Before | | 0.00s |
| | Given I relaunch the app on registration failure | 0.00s |
| | Then I click the Health icon in Home screen | 2.02s |
| | And I wait for 2 sec | 2.00s |
| | And I clicks on click here icon in medical Reminder | 116.57s |
| | Then I wait for 2 sec | 2.00s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: verify the static text on medicine reminder screen | | |
| Passed: 0 | Failed: 1 | Undefined: 0 Duration: 42.42s |
| Before | | 0.00s |
| | And I verify following text displayed in Add medicine screen | 41.63s |
| | \${no.medicine.text} | |
| | \${Medicalremainder.text} | |
| | \${track.medicine.text} | |
| | \${important.dose.text} | |
| <pre>java.lang.AssertionError: The following asserts failed: No medicine added! text is displayed on page expected [true] but found [false], Medicine Reminder text is displayed on page expected [true] but found [false], Track the medicine and set reminder text is displayed on page expected [true] but found [false], before for important dose text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)</pre> | | |

at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:36)



| | | |
|-------|--|-------|
| After | | 0.79s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: click on add reminder button

| | | | |
|-----------|-----------|--------------|--------------------|
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 142.68 s |
|-----------|-----------|--------------|--------------------|

| | | |
|--------|--|-------|
| Before | | 0.00s |
|--------|--|-------|

And I clicks on "\${add.new.reminder}" in app screens

And I wait for 2 sec

| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: verify add medicine screen is launched and user can enter the required info on medical info screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: 34.46s |
|-----------|-----------|--------------|------------------|

| | | |
|--------|--|-------|
| Before | | 0.00s |
|--------|--|-------|

And I verify following text displayed in Add medicine screen

| |
|-------------------------|
| \${medicine.info.field} |
| \${schedule.field} |
| \${more.setting.field} |

java.lang.AssertionError: The following asserts failed:

Medicine Info text is displayed on page expected [true] but found [false],
 Schedule text is displayed on page expected [true] but found [false],
 More Setting text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)


at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:48)

| | |
|--|-------|
| And I assign "Paracetamol" to variable "Medicine_Info" | 0.00s |
|--|-------|

| | |
|--|-------|
| And I enter following details in add medicine screen | 0.00s |
|--|-------|

| | |
|---------------|-------------------|
| Medicine Info | \${Medicine_Info} |
| Unit | Tablet (unit) |
| Quantity | 2 |

| | |
|--|-------|
| And I clicks on Next icon in app screens | 0.00s |
|--|-------|



| | |
|-------|-------|
| After | 1.26s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: verify user navigated to schedule screen and user can enter the required info

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 4 | Duration: 51.69s |
|-----------|-----------|--------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|--------|
| And I verify following text displayed in Add medicine screen | 50.77s |
|--|--------|

| |
|------------------------|
| \${frequency.text} |
| \${dosage.timing.text} |
| \${start.date.text} |
| \${end.date.text} |
| \${dose.intake.text} |

java.lang.AssertionError: The following asserts failed:

Frequency text is displayed on page expected [true] but found [false],

Dosage Timing text is displayed on page expected [true] but found [false],

Start Date text is displayed on page expected [true] but found [false],

End Date text is displayed on page expected [true] but found [false],
Dose Intake text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:61)


| | |
|--|-------|
| And I enter following details in add medicine screen | 0.00s |
|--|-------|

| | |
|-----------|------|
| Frequency | Once |
|-----------|------|

| | |
|---|-------|
| And I clicks on Timing in Add medicine screen | 0.00s |
|---|-------|

| | |
|---|-------|
| And I clicks on "\${before.meal.text}" in app screens | 0.00s |
|---|-------|

| | |
|--|-------|
| And I clicks on Next icon in app screens | 0.00s |
|--|-------|



| | |
|-------|-------|
| After | 0.92s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to More Setting page

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 2 | Duration: 24.32s |
|-----------|-----------|--------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|------------------------|-------|
| Given I wait for 2 sec | 2.01s |
|------------------------|-------|

| | |
|--|--------|
| And I enter following details in add medicine screen | 20.24s |
|--|--------|

| | |
|----------------|-------|
| Medication For | fever |
| Medicine Stock | 5 |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 6d96cfec-7033-4d49-8261-19ba9871bfd3
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="What are you taking this medication for?"]/following::XCUIElementTypeTextField)[1]}
 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)
 at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
 at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
 (PulseHealthScreen.java:395)
 at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
 enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
 at .And I enter following details in add medicine screen(features/health/MedicineReminder.
 feature:75)

| | |
|---|-------|
| And I clicks the Done button in Add medicine screen | 0.00s |
|---|-------|

| | |
|--|-------|
| And I verify following texts are displayed | 0.00s |
|--|-------|

| |
|---------------------------------------|
| \${Medicine_Info} added successfully! |
|---------------------------------------|



| | |
|-------|-------|
| After | 2.07s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: verify Add medicine screen is displayed when user click on add new reminder on success popup

| | | | |
|-----------|-----------|--------------|--------------------|
| Passed: 2 | Failed: 1 | Undefined: 7 | Duration: 160.33 s |
|-----------|-----------|--------------|--------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|---------|
| And I clicks on "\${add.another.med}" in app screens | 139.50s |
|--|---------|

| | |
|---|-------|
| And I assign "cold" to variable "Medicine_Info" | 0.00s |
|---|-------|

| | |
|--|--------|
| And I enter following details in add medicine screen | 19.98s |
|--|--------|


| | |
|---------------|-------------------|
| Medicine Info | \${Medicine_Info} |
| Unit | Tablet (unit) |
| Quantity | 5 |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
 Session ID: 6d96cfe2-7033-4d49-8261-19ba9871bfd3
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="Medicine Info"]/following::XCUIElementTypeTextField)[1]}
 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)


| | | | | | | | |
|--|-----------|--------------|------------------|-------|----------------|---|--|
| at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen(PulseHealthScreen.java:369) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/MedicineReminder.feature:87) | | | | | | | |
| And I clicks on Next icon in app screens | | | 0.00s | | | | |
| And I enter following details in add medicine screen | | | 0.00s | | | | |
| <table border="1"> <tr> <td>Frequency</td> <td>Daily</td> </tr> </table> | | | Frequency | Daily | | | |
| Frequency | Daily | | | | | | |
| And I clicks on Timing in Add medicine screen | | | 0.00s | | | | |
| And I clicks on "After meal" in app screens | | | 0.00s | | | | |
| And I clicks on Next icon in app screens | | | 0.00s | | | | |
| And I enter following details in add medicine screen | | | 0.00s | | | | |
| <table border="1"> <tr> <td>Medication For</td> <td>Cold</td> </tr> <tr> <td>Medicine Stock</td> <td>5</td> </tr> </table> | | | Medication For | Cold | Medicine Stock | 5 | |
| Medication For | Cold | | | | | | |
| Medicine Stock | 5 | | | | | | |
| And I clicks the Done button in Add medicine screen | | | 0.00s | | | | |
|  | | | | | | | |
| After | | | 0.86s | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup | | | | | | | |
| Passed: 1 | Failed: 1 | Undefined: 0 | Duration: 62.61s | | | | |
| Before | | | 0.00s | | | | |
| And I clicks on Not now icon in app screen | | | 53.24s | | | | |

| | | | | |
|---|---|--------------|--|--|
| | And I verify following text displayed in Add medicine screen | 8.59s | | |
| | <code> \${Medicalremainder.text}</code> | | | |
| <p>java.lang.AssertionError: The following asserts failed: Medicine Reminder text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885) at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:104)</p>  | | | | |
| <p>After</p> | | | | |
| Back to Table of Contents | | 0.78s | | |
| Scenario: navigate to health screen | | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | | |
| Before | | 0.00s | | |
| | And I click the Back button in medical remainder | 9.73s | | |
| <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,}</p> | | | | |

```

newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 6d96cfe2-7033-4d49-8261-19ba9871bfd3
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="home"])[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:
419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:422)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back_MedicalReminder
(DieticianSteps.java:197)
at .And I click the Back button in medical remainder(features/health/MedicineReminder.
feature:108)

```



| | | |
|-------|--|-------|
| After | | 1.75s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to calendar page

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 2 | Failed: 1 | Undefined: 1 | Duration: 38.4s |
| Before | 0.00s | | |

| | |
|------------------------|-------|
| Given I wait for 2 sec | 2.01s |
|------------------------|-------|

| | |
|--------------------|-------|
| When I scroll down | 6.98s |
|--------------------|-------|

| | |
|-------------------------------|--------|
| Then I click on Calendar tile | 28.33s |
|-------------------------------|--------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: 6d96cfec-7033-4d49-8261-19ba9871bfd3

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Medicine Reminder Track and set reminder daily medicine. Click Here"])[1]/preceding::XCUIElementTypeOther[2]}


at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

```

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:
419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickCalendarTile(PulseHealthScreen.java:
295)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnCalendarButton
(LocationSteps.java:96)
at .Then I click on Calendar tile(features/health/MedicineReminder.feature:113)

```

| | |
|--|-------|
| And I verify following text displayed in Add medicine screen | 0.00s |
| <div style="border: 1px solid black; padding: 5px; width: fit-content;"> \${Medicalremainder.text} \${Medicine_Info} </div> | |
| | |

| | | |
|--|---|--------------|
| |  | |
| | After | 1.08s |
| | Back to Table of Contents | |

Feature: Verify MY Event channel functionality on one pulse App

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 287.37s |
|-----------|-----------|--------------|-------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 101.39s |
|-----------|-----------|--------------|-------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--------------------------|-------|
| Given User has pulse app | 9.36s |
|--------------------------|-------|

| | |
|---|-------|
| And I assign "\${onepulse.events.user}" to variable "PULSE_EMAIL" | 0.00s |
|---|-------|

| | |
|---|--------|
| And user click on "CONTINUE WITH EMAIL" with Email button | 63.09s |
|---|--------|

| | |
|--|--------|
| Then I change the country as required on registration page | 24.74s |
|--|--------|

| | |
|-----------------------|-------|
| Then I wait for 2 sec | 2.00s |
|-----------------------|-------|

| | |
|------------------------------|-------|
| And I click the Sign in link | 2.19s |
|------------------------------|-------|

| | |
|-------|-------|
| After | 0.00s |
|-------|-------|

| |
|---|
| Back to Table of Contents |
|---|

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 100.85s |
|-----------|-----------|--------------|-------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|-------|
| Given I select the language option on toggle bar as required on login page | 4.67s |
|--|-------|

| | |
|------------------------------|--------|
| When user enters credentials | 51.71s |
|------------------------------|--------|

| | |
|--------------------------|--|
| UserName \${PULSE_EMAIL} | |
|--------------------------|--|

| | |
|-----------------------------|--|
| Password \${pulse.password} | |
|-----------------------------|--|

| | |
|----------------------------------|-------|
| And User clicks on signin button | 2.38s |
|----------------------------------|-------|

| | | |
|---|---|---------------------|
| | And I wait for 5 sec | 5.01s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 14.45s |
| | Then user should be landed to "Home" screen | 22.63s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify MyEvent Functionality in Home screen | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Given I wait for 2 sec | 2.01s |
| | And I click the MyEvent icons | 9.45s |
| | And I wait for 5 sec | 5.00s |
| | And I verify following texts are displayed | 3.78s |
| | You do not have any events enrolled yet | |
| | Please choose from the open events and get started | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify Events Archive tab | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click the Events Archive icon | 32.84s |
| | And I verify following texts are displayed | 0.79s |
| | You do not have any events in your archive. | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify Open Events tab | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click the Open Events icon | 31.27s |
| | And I verify either static text or available open events are displayed on screen | 0.00s |
| | There are no events available at the moment | |
| | Stay tuned for events on health and fitness | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Feature: Verify My Health Content functionality on One Pulse App | | |
| Passed: 8 | Failed: 0 | Undefined: 0 |
| Duration: 343.42s | | |
| Scenario: Launch the app and select the country as per specified lbu | | |
| Passed: 5 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Given User has pulse app | 6.73s |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 54.33s |
| | Then I change the country as required on registration page | 29.97s |
| | Then I wait for 3 sec | 3.01s |

| | | | | | | | | | |
|---|--------------------|--------------|--------------------|-----------------|-------|----------|--------------------|--|--|
| And I click the Sign in link | | | 5.86s | | | | | | |
| After | | | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | | | |
| Scenario: User should be able to login on app with correct credentials using "Continue with Email" | | | | | | | | | |
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 110.77 s | | | | | | |
| Before | | | 0.00s | | | | | | |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | | 0.00s | | | | | | |
| Given I select the language option on toggle bar as required on login page | | | 9.20s | | | | | | |
| When user enters credentials | | | 52.11s | | | | | | |
| <table border="1"> <tr><td>UserName</td><td colspan="2">\${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td colspan="2"> \${login.password}</td></tr> </table> | | | UserName | \${PULSE_EMAIL} | | Password | \${login.password} | | |
| UserName | \${PULSE_EMAIL} | | | | | | | | |
| Password | \${login.password} | | | | | | | | |
| And User clicks on signin button | | | 1.80s | | | | | | |
| Then I wait for 10 sec | | | 10.01s | | | | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | | 13.19s | | | | | | |
| Then user should be landed to "Home" screen | | | 24.46s | | | | | | |
| After | | | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | | | |
| Scenario: Verify User should be able to navigate to Health page | | | | | | | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 46.79s | | | | | | |
| Before | | | 0.00s | | | | | | |
| Given I wait for 2 sec | | | 2.01s | | | | | | |
| Then I navigate to Health Content screen | | | 9.53s | | | | | | |
| Then I wait for 8 sec | | | 8.01s | | | | | | |
| And I verify following texts are displayed | | | 4.06s | | | | | | |
| <table border="1"> <tr><td>Health Channels</td></tr> </table> | | | Health Channels | | | | | | |
| Health Channels | | | | | | | | | |
| And I verify the following texts "My Health Content" in Screen | | | 23.19s | | | | | | |
| <table border="1"> <tr><td>Category</td></tr> <tr><td>Like</td></tr> <tr><td>Share</td></tr> <tr><td>Comment</td></tr> </table> | | | Category | Like | Share | Comment | | | |
| Category | | | | | | | | | |
| Like | | | | | | | | | |
| Share | | | | | | | | | |
| Comment | | | | | | | | | |
| After | | | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | | | |
| Scenario: Verify User should be able to view the full page article post | | | | | | | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 40.51s | | | | | | |
| Before | | | 0.00s | | | | | | |
| Then I click on "Health Channels" topic for details full view | | | 30.50s | | | | | | |
| Then I wait for 10 sec | | | 10.01s | | | | | | |
| After | | | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | | | |
| Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post | | | | | | | | | |

| | | | | | | | |
|--|--------------|--------------|---|---------------------------------------|---|--------------|--------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 15.57s | | | | |
| Before | 0.00s | | | | | | |
| And I verify the following texts "My Health Content" in Screen | | | 15.57s | | | | |
| <table border="1"> <tr><td>Like</td></tr> <tr><td>Share</td></tr> <tr><td>Comment</td></tr> </table> | | | Like | Share | Comment | | |
| Like | | | | | | | |
| Share | | | | | | | |
| Comment | | | | | | | |
| After | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: Verify User should be able to Like the post in full article view screen | | | | | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 14.44s | | | | |
| Before | 0.00s | | | | | | |
| <table border="1"> <tr><td>And I Like the post</td></tr> <tr><td>And I Like the post</td></tr> </table> | | | And I Like the post | And I Like the post | <table border="1"> <tr><td>6.55s</td></tr> <tr><td>7.89s</td></tr> </table> | 6.55s | 7.89s |
| And I Like the post | | | | | | | |
| And I Like the post | | | | | | | |
| 6.55s | | | | | | | |
| 7.89s | | | | | | | |
| After | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: Verify User should be able to Share the post in full article view screen | | | | | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 12.07s | | | | |
| Before | 0.00s | | | | | | |
| <table border="1"> <tr><td>And I share the post</td></tr> <tr><td>Then I navigate back to previous page</td></tr> </table> | | | And I share the post | Then I navigate back to previous page | <table border="1"> <tr><td>6.20s</td></tr> <tr><td>5.87s</td></tr> </table> | 6.20s | 5.87s |
| And I share the post | | | | | | | |
| Then I navigate back to previous page | | | | | | | |
| 6.20s | | | | | | | |
| 5.87s | | | | | | | |
| After | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: Verify User can navigate to Health homepage | | | | | | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 3.37s | | | | |
| Before | 0.00s | | | | | | |
| <table border="1"> <tr><td>Then I navigate to story post page</td></tr> </table> | | | Then I navigate to story post page | 3.37s | | | |
| Then I navigate to story post page | | | | | | | |
| After | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | |
| Feature: Verify Notification Center functionality on one pulse App | | | | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 370.22s | | | | |
| Scenario: User should be able to register on app with correct credentials using "Continue with Email" | | | | | | | |
| Passed: 18 | Failed: 0 | Undefined: 0 | Duration: 366.32s | | | | |
| Before | 0.00s | | | | | | |
| <table border="1"> <tr><td>Given I generate random number and assign to variable "RANDOM_NUMBER"</td></tr> </table> | | | Given I generate random number and assign to variable "RANDOM_NUMBER" | 0.02s | | | |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | | | | | | |
| <table border="1"> <tr><td>And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"</td></tr> </table> | | | And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | 0.00s | | | |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | | | | | | | |
| <table border="1"> <tr><td>And User has pulse app</td></tr> </table> | | | And User has pulse app | 8.21s | | | |
| And User has pulse app | | | | | | | |
| <table border="1"> <tr><td>Then I wait for 2 sec</td></tr> </table> | | | Then I wait for 2 sec | 2.01s | | | |
| Then I wait for 2 sec | | | | | | | |
| <table border="1"> <tr><td>And user click on "CONTINUE WITH EMAIL" with Email button</td></tr> </table> | | | And user click on "CONTINUE WITH EMAIL" with Email button | 64.07s | | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | | | | | |
| <table border="1"> <tr><td>Then I wait for 2 sec</td></tr> </table> | | | Then I wait for 2 sec | 2.01s | | | |
| Then I wait for 2 sec | | | | | | | |

| | | |
|--|--|------------------|
| | Then I change the country as required on registration page | 25.15s |
| | Then I wait for 2 sec | 2.01s |
| | Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 8.99s |
| | Then I wait for 2 sec | 2.01s |
| | When user enters registration details | 35.02s |
| | FirstName testAutomation | |
| | LastName testAutomation | |
| | Email \${PULSE_EMAIL} | |
| | Password Pas\$1234 | |
| | And taps on continue "Sign_Up" button | 2.28s |
| | And I wait for otp screen after clicking on signup button | 5.93s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 35.72s |
| | Then I wait for 2 sec | 2.01s |
| | Then I click skip button | 146.13s |
| | Then user should be landed to "Home" screen | 20.77s |
| | Then I wait for 4 sec | 4.01s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Navigate to notification screen via home screen | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | Duration: 3.29s |
| | Given I relaunch the app on registration failure | 0.00s |
| | Given I navigate to notification screen from home page | 1.29s |
| | Then I wait for 2 sec | 2.00s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to see the Notification screen texts | | |
| Passed: 1 | Failed: 0 | Undefined: 0 |
| Before | | Duration: .61s |
| | And I verify following texts are displayed | 0.61s |
| | \${notification.msg} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Feature: Verify My Challenges on One Pulse App | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Duration: 336.42s | | |
| Scenario: Launch the app and select the country as per specified lbu | | |
| Passed: 5 | Failed: 0 | Undefined: 0 |
| Before | | Duration: 96.88s |
| | Given User has pulse app | 0.00s |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 9.41s |
| | Then I change the country as required on registration page | 58.33s |
| | Then I wait for 3 sec | 24.27s |
| | | 3.01s |

| | | | | | | | |
|---|----------------------------|--------------|------------------------------------|------------------------------------|----------------------------------|------------------------------------|--|
| And I click the Sign in link | | | 1.86s | | | | |
| After | | | 0.00s | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: User should be able to login on app with correct credentials using "Continue with Email" | | | | | | | |
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 126.34s | | | | |
| Before | | | 0.00s | | | | |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | | 0.00s | | | | |
| Given I select the language option on toggle bar as required on login page | | | 4.84s | | | | |
| When user enters credentials | | | 72.44s | | | | |
| <table border="1"> <tr><td>UserName</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td> \${login.password}</td></tr> </table> | | | UserName | \${PULSE_EMAIL} | Password | \${login.password} | |
| UserName | \${PULSE_EMAIL} | | | | | | |
| Password | \${login.password} | | | | | | |
| And User clicks on signin button | | | 2.30s | | | | |
| Then I wait for 10 sec | | | 10.01s | | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | | 14.97s | | | | |
| Then user should be landed to "Home" screen | | | 21.79s | | | | |
| After | | | 0.00s | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: Verify My Challenges texts | | | | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 27.23s | | | | |
| Before | | | 0.00s | | | | |
| And I click on My Challenges tile on one pulse app | | | 6.46s | | | | |
| And I verify following texts are displayed | | | 9.90s | | | | |
| <table border="1"> <tr><td> \${my.challenges.text}</td></tr> <tr><td> \${do.not.have.challenges}</td></tr> <tr><td> \${challenge.getstarted}</td></tr> <tr><td> \${do.not.have.challenges}</td></tr> </table> | | | \${my.challenges.text} | \${do.not.have.challenges} | \${challenge.getstarted} | \${do.not.have.challenges} | |
| \${my.challenges.text} | | | | | | | |
| \${do.not.have.challenges} | | | | | | | |
| \${challenge.getstarted} | | | | | | | |
| \${do.not.have.challenges} | | | | | | | |
| And I verify the following texts "My challenges" in Screen | | | 10.87s | | | | |
| <table border="1"> <tr><td> \${all.challenges.text}</td></tr> </table> | | | \${all.challenges.text} | | | | |
| \${all.challenges.text} | | | | | | | |
| After | | | 0.00s | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: Click on All challenges and and verify texts | | | | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 85.96s | | | | |
| Before | | | 0.00s | | | | |
| And I clicks on "\${all.challenges.text}" in app screen | | | 36.17s | | | | |
| And I verify the following texts "My challenges" in Screen | | | 35.67s | | | | |
| <table border="1"> <tr><td> \${my.challenges.text}</td></tr> <tr><td> \${all.challenges.text}</td></tr> </table> | | | \${my.challenges.text} | \${all.challenges.text} | | | |
| \${my.challenges.text} | | | | | | | |
| \${all.challenges.text} | | | | | | | |
| And I verify following texts are displayed | | | 14.12s | | | | |
| <table border="1"> <tr><td> \${not.connected.wearable}</td></tr> </table> | | | \${not.connected.wearable} | | | | |
| \${not.connected.wearable} | | | | | | | |
| After | | | 0.00s | | | | |
| Back to Table of Contents | | | | | | | |

| Feature: Verify My Communities on One Pluse App | | | | | | |
|---|-----------|--------------|-------------------|--|--|--|
| Passed: 11 | Failed: 0 | Undefined: 0 | Duration: 798.3s | | | |
| Scenario: Launch the app and select the country as per specified lbu | | | | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 106.51s | | | |
| Before | | | | | | |
| Given User has pulse app | | | | | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | | | | |
| Then I change the country as required on registration page | | | | | | |
| Then I wait for 3 sec | | | | | | |
| And I click the Sign in link | | | | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" | | | | | | |
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 112.41s | | | |
| Before | | | | | | |
| And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL" | | | | | | |
| Given I select the language option on toggle bar as required on login page | | | | | | |
| When user enters credentials | | | | | | |
| UserName \${PULSE_EMAIL} | | | | | | |
| Password \${pulse.password} | | | | | | |
| And User clicks on signin button | | | | | | |
| Then I wait for 10 sec | | | | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | | | | | |
| Then user should be landed to "Home" screen | | | | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen | | | | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 24.75s | | | |
| Before | | | | | | |
| Then I wait for 6 sec | | | | | | |
| And I click the MyCommunities icon | | | | | | |
| Then I wait for 6 sec | | | | | | |
| And I verify following texts are displayed | | | | | | |
| \${icon.communities} | | | | | | |
| And I verify the following texts "All Communities" in Screen | | | | | | |
| \${my.communities.text} | | | | | | |
| \${All.Communities.text} | | | | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |

| Scenario: Leave the community if already joined | | | |
|---|-----------|--------------|-------------------|
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 42.69s |
| Before | | | 0.00s |
| And I clicks on "\${my.communities.text}" in app screen | | | 35.60s |
| Then I wait for 5 sec | | | 5.01s |
| Then I leave all joined communities by clicking on three dots menu icon on my My communities screen | | | 2.09s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the All Communities Post screen | | | |
| Passed: 9 | Failed: 0 | Undefined: 0 | Duration: 104.46s |
| Before | | | 0.00s |
| Then I wait for 5 sec | | | 5.01s |
| And I clicks on "\${All.Communities.text}" in app screen | | | 31.15s |
| And I click the Join button in Communities tab | | | 5.13s |
| And I click the static Active icon in community screen | | | 6.43s |
| And I click Edit icon in stay Active icon | | | 18.83s |
| And Enter the post in community screen | | | 7.65s |
| POST TEST1 | | | |
| And Enter the post in community large text screen | | | 7.80s |
| POST welcome | | | |
| And I click the Post icon in create post screen | | | 2.75s |
| Then I verify the following text "TEST1" in post Screen | | | 19.72s |
| TEST1 welcome | | | |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the Likes and comments counts in All communities tab | | | |
| Passed: 8 | Failed: 0 | Undefined: 0 | Duration: 54.79s |
| Before | | | 0.00s |
| And I click the Post icon in My communities | | | 4.14s |
| And I wait for 5 sec | | | 5.00s |
| And I click the like button in Post screen | | | 7.73s |
| And Verify the like count in Post screen " 1 Likes" likes | | | 9.60s |
| And I click the Comment icon in feed screen | | | 1.69s |
| And Enter the comments in Feeds screen | | | 5.38s |
| Comments TEST1 | | | |
| And I click the submit icon in feeds screen | | | 12.45s |
| And Verify the comments count in Feeds screen " 0 Comments" comments | | | 8.80s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the Share with Friends Functionality in All communities tab | | | |

| | | | |
|---|-----------|--------------|-------------------|
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 26.43s |
| Before | | | 0.00s |
| And I click the share icon in Post screen | | | 6.13s |
| And Verify the pop up in "Share with Friends" | | | 4.79s |
| And I click the phone icon in share with friends | | | 5.55s |
| And I give camera permission | | | 9.97s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the Post Functionality in All communities | | | |
| Passed: 12 | Failed: 0 | Undefined: 0 | Duration: 79.28s |
| Before | | | 0.00s |
| Then I click skip button in feeds screen | | | 12.06s |
| Then I wait for 2 sec | | | 2.01s |
| And I click the Back icon in Stay Active screen | | | 5.91s |
| Then I wait for 3 sec | | | 3.01s |
| And I click Edit icon in stay Active icon | | | 9.29s |
| And I click the Camera icon in create post screen | | | 4.00s |
| And I click the Upload Image icon | | | 2.59s |
| And I give camera permission | | | 10.10s |
| Then I take picture from Camera | | | 11.52s |
| And Enter the post in community screen | | | 5.03s |
| POST TEST1 | | | |
| And Enter the post in community large text screen | | | 9.55s |
| POST welcome | | | |
| And I click the Post icon in create post screen | | | 4.22s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the Category list and search feature | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 178.72s |
| Before | | | 0.00s |
| Then I wait for 15 sec | | | 15.00s |
| And I clicks on "\${category.text}" in app screen | | | 48.45s |
| And I verify the following texts "Category" in Screen | | | 30.18s |
| COVID-19 | | | |
| Fitness | | | |
| Global Awareness Days | | | |
| Mental Health | | | |
| And I clicks on "\${no.post.category}" in app screen | | | 42.41s |
| And I clicks on "\${apply.button}" in app screen | | | 39.57s |
| And I verify following texts are displayed | | | 3.12s |
| \${no.post.found.text} | | | |
| After | | | 0.00s |

| | | | |
|---|-----------|--------------|-------------------|
| Back to Table of Contents | | | |
| Scenario: User navigates back to the community screen | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 17.87s |
| Before | | | |
| And I click the Back icon in Stay Active screen | 12.87s | | |
| And I wait for 5 sec | 5.01s | | |
| After | 0.00s | | |
| Back to Table of Contents | | | |
| Scenario: Leave the community if already joined | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 50.39s |
| Before | 0.00s | | |
| And I clicks on "\${my.communities.text}" in app screen | 33.36s | | |
| And I scroll down | 6.94s | | |
| When I click on joined community three dots menu icon | 3.90s | | |
| And I click on leave button for joined community | 6.20s | | |
| After | 0.00s | | |
| Back to Table of Contents | | | |
| Feature: Verify Private My Communities on One Pulse App | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 354.54s |
| Scenario: Launch the app and select the country as per specified lbu | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 108.99s |
| Before | 0.00s | | |
| Given User has pulse app | 9.88s | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | 68.54s | | |
| Then I change the country as required on registration page | 24.87s | | |
| Then I wait for 3 sec | 3.01s | | |
| And I click the Sign in link | 2.69s | | |
| After | 0.00s | | |
| Back to Table of Contents | | | |
| Scenario: User should be able to login on app with correct credentials using "Continue with Email" | | | |
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 109.71s |
| Before | 0.00s | | |
| And I assign "\${mychannel.private.user}" to variable "PULSE_EMAIL" | 0.00s | | |
| Given I select the language option on toggle bar as required on login page | 3.90s | | |
| When user enters credentials | 57.77s | | |
| UserName \${PULSE_EMAIL} | | | |
| Password \${login.password} | | | |
| And User clicks on signin button | 2.15s | | |
| Then I wait for 10 sec | 10.01s | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 15.43s | | |

| | | | |
|--|-----------|--------------|-------------------|
| Then user should be landed to "Home" screen | | | 20.45s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the My communities screen | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 22.19s |
| Before | | | 0.00s |
| And I click the MyCommunities icon | | | 3.42s |
| Then I wait for 3 sec | | | 3.00s |
| And I verify following texts are displayed | | | 2.79s |
| \${icon.communities} | | | |
| And I verify the following texts "All Communities" in Screen | | | 9.98s |
| \${my.communities.text} | | | |
| \${All.Communities.text} | | | |
| Then I wait for 3 sec | | | 3.01s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify the Private Communities in communities screen | | | |
| Passed: 12 | Failed: 0 | Undefined: 0 | Duration: 113.65s |
| Before | | | 0.00s |
| And I click the Private "\${All.Communities.text}" in Communities screen | | | 1.10s |
| And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen | | | 12.55s |
| And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen | | | 7.50s |
| And I clicks on "Take a Picture" in app screen | | | 13.81s |
| And I click the Upload Image icon | | | 2.73s |
| And I give camera permission | | | 9.64s |
| Then I take picture from Camera | | | 7.55s |
| Then I wait for 3 sec | | | 3.01s |
| And I scroll down | | | 6.86s |
| And I click the continue button | | | 4.87s |
| Then I click skip button in feeds screen | | | 11.10s |
| And I clicks on "OK" in app screen | | | 32.93s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Feature: Verify legal and legacy on One pulse App | | | |
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 307.09s |
| Scenario: Launch the app and select the country as per specified lbu | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 116.65s |
| Before | | | 0.00s |
| Given User has pulse app | | | 11.36s |

| | | |
|--|---|---------------------|
| | And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" | 0.00s |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 71.33s |
| | Then I change the country as required on registration page | 26.28s |
| | Then I wait for 5 sec | 5.01s |
| | And I click the Sign in link | 2.67s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | |
| Passed: 6 | Failed: 0 | Undefined: 0 |
| Before | | |
| | Given I select the language option on toggle bar as required on login page | 4.63s |
| | When user enters credentials | 39.18s |
| | UserName \${PULSE_EMAIL} | |
| | Password \${pulse.edit} | |
| | And User clicks on signin button | 1.51s |
| | And I wait for 5 sec | 5.01s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 13.44s |
| | Then user should be landed to "Home" screen | 24.54s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Navigate to account screen | | |
| Passed: 1 | Failed: 0 | Undefined: 0 |
| Before | | |
| | Given user navigate to account page | 19.35s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the Legacy and Privacy should be displayed | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | |
| | And I click the Legacy and Privacy in Account screen | 5.69s |
| | Then I verify following texts are displayed in terms and condition screen | 15.81s |
| | \${Terms.conditions.text} | |
| | \${icon.privacyNotice} | |
| | \${icon.regulatory} | |
| | \${app.version.text} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the Terms and condition screen should be displayed | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | |
| | And I click on "\${Terms.conditions.text}" link in Account screen | 2.49s |
| | And I click the pulse icon in Account screen | 3.67s |

| | | |
|--|--|--------------|
| | And I click the Back icon in pulse screen | 7.64s |
| | And I click the Back icon in Terms and conditions screen | 1.52s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the Privacy screen should be displayed | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click the Privacy icon in legal screen | 4.12s |
| | And I click the pulse icon in Account screen | 2.60s |
| | And I click the Back icon in pulse screen | 11.24s |
| | And I click the Back icon in Privacy Notice | 2.77s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the Regulator screen should be displayed | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Given I wait for 2 sec | 2.01s |
| | And I click the Regulatory icon in legal screen | 1.00s |
| | And I click the Babylons icon in Account screen | 2.54s |
| | Then I verify following texts are displayed in terms and condition screen | 19.69s |
| | \${clinicalSafety.text} \${ai.healthcare.text} \${localisation.text} \${privacy.date.protection.text} \${concern.reporting.text} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Feature: Verify My accounts options in Account screen | | |
| 1)My wearable 2)My Rewards 3)My Notifications 4)My Feedback 5)Pulse Personalised | | |
| Passed: 25 | Failed: 0 | Undefined: 0 |
| Duration: 665.14s | | |
| Scenario: Launch the app and select the country as per specified lbu | | |
| Passed: 6 | Failed: 0 | Undefined: 0 |
| Duration: 114.69s | | |
| Before | | 0.00s |
| | Given User has pulse app | 9.38s |
| | And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" | 0.00s |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 69.38s |
| | Then I change the country as required on registration page | 29.24s |
| | Then I wait for 5 sec | 5.01s |

| | | |
|--|-------------------------------|---------------|
| And I click the Sign in link | | 1.69s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | |
| Passed: 6 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Given I select the language option on toggle bar as required on login page | | 5.72s |
| When user enters credentials | | 55.39s |
| UserName | <code> \${PULSE_EMAIL}</code> | |
| Password | <code> \${pulse.edit}</code> | |
| And User clicks on signin button | | 3.30s |
| And I wait for 5 sec | | 5.01s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 12.42s |
| Then user should be landed to "Home" screen | | 20.84s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Navigate to account screen and verify all the options | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Given user navigate to account page | | 22.02s |
| Then I wait for 2 sec | | 2.01s |
| And user should verify following options on account screen | | 32.57s |
| <code> \${my.wearable.text}</code> | | |
| <code> \${my.rewards.text}</code> | | |
| <code> \${my.notification.text}</code> | | |
| <code> \${icon.mySettings}</code> | | |
| <code> \${my.feedback.text}</code> | | |
| <code> \${icon.legal&Privacy}</code> | | |
| <code> \${pulsePersonalised.text}</code> | | |
| <code> \${sign.out.button.text}</code> | | |
| <code> \${logs.text}</code> | | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify wearable screen in Account tab | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| And I click on "\${my.wearable.text}" link in Account screen | | 1.70s |
| Then I wait for 2 sec | | 2.01s |
| Then I verify following text are displayed under My Wearables screen | | 12.45s |
| <code> \${wearables.title}</code> | | |
| <code> \${wearables.subTitle}</code> | | |
| <code> \${wearables.description}</code> | | |

| | | |
|--|--|---------------|
| | <p><code> \${wearables.fitbitText}</code></p> <p><code> \${wearables.garminText}</code></p> | |
| | And I verify following wearables are displayed as per the device | 2.07s |
| | <code> \${apple.health.text}##\${wearables.googleFit}</code> | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: navigate back to account screen from my wearable screen | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And user navigate back to the Home screen from My Wearables screen | 2.94s |
| | And I wait for 2 sec | 2.00s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Navigate to account screen | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Given user navigate to account page | 19.74s |
| | Then I wait for 2 sec | 2.01s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify reward screen in Account tab | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click on "\${my.rewards.text}" link in Account screen | 3.90s |
| | Then I wait for 2 sec | 2.01s |
| | Then User verify following texts are displayed in My Rewards screen | 18.96s |
| | <p><code> \${myRewards.title}</code></p> <p><code> \${myRewards.badges}</code></p> <p><code> \${myRewards.vouchers}</code></p> <p><code> \${myRewards.discover}</code></p> <p><code> \${my.rewards.text}</code></p> | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User access My Rewards FAQ | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | When I scroll down | 6.95s |
| | Then I wait for 2 sec | 2.01s |
| | Then User verify following texts are displayed in My Rewards screen | 1.72s |
| | <p><code> \${myRewards.faq.title}</code></p> | |
| After | | 0.00s |
| Back to Table of Contents | | |

| Scenario Outline: Verify the FAQ on my rewards screen | | | | | | |
|---|--------------|--------------|------------------|--|--|--|
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 16.65s | | | |
| Before | 0.00s | | | | | |
| Then User verify following faqs and answers "\${myRewards.faq.1}" are displayed in My Rewards screen | | | 5.78s | | | |
| \${myRewards.faq.1} | | | | | | |
| And I expand faq "\${myRewards.faq.1}" in My Rewards screen | | | 1.89s | | | |
| Then User verify following faqs and answers "\${myRewards.faq.1.ans}" are displayed in My Rewards screen | | | 5.92s | | | |
| \${myRewards.faq.1.ans} | | | | | | |
| And I expand faq "\${myRewards.faq.1}" in My Rewards screen | | | 3.08s | | | |
| After | 0.00s | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 17.46s | | | |
| Before | 0.00s | | | | | |
| Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen | | | 4.29s | | | |
| \${myRewards.faq.2} | | | | | | |
| And I expand faq "\${myRewards.faq.2}" in My Rewards screen | | | 5.11s | | | |
| Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen | | | 2.74s | | | |
| \${myRewards.faq.2.ans} | | | | | | |
| And I expand faq "\${myRewards.faq.2}" in My Rewards screen | | | 5.32s | | | |
| After | 0.00s | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 14.83s | | | |
| Before | 0.00s | | | | | |
| Then User verify following faqs and answers "\${myRewards.faq.3}" are displayed in My Rewards screen | | | 5.92s | | | |
| \${myRewards.faq.3} | | | | | | |
| And I expand faq "\${myRewards.faq.3}" in My Rewards screen | | | 1.74s | | | |
| Then User verify following faqs and answers "\${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen | | | 3.10s | | | |
| \${myRewards.faq.3.ans.1}##\${myRewards.faq.3.ans.2}##\${myRewards.faq.3.ans.3} ##\${myRewards.faq.3.ans.4}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.6} ##\${myRewards.faq.3.ans.7} | | | | | | |
| And I expand faq "\${myRewards.faq.3}" in My Rewards screen | | | 4.07s | | | |
| After | 0.00s | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 17.14s | | | |

| | | |
|--|-----------|--------------|
| Before | | 0.00s |
| Then User verify following faqs and answers "\${myRewards.faq.5}" are displayed in My Rewards screen | | 4.68s |
| \${myRewards.faq.5} | | |
| And I expand faq "\${myRewards.faq.5}" in My Rewards screen | | 3.22s |
| Then User verify following faqs and answers "\${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen | | 5.62s |
| \${myRewards.faq.5.ans.1}##\${myRewards.faq.5.ans.2}##\${myRewards.faq.5.ans.3} ##\${myRewards.faq.5.ans.4} | | |
| And I expand faq "\${myRewards.faq.5}" in My Rewards screen | | 3.62s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Then User verify following faqs and answers "\${myRewards.faq.6}" are displayed in My Rewards screen | | 2.59s |
| \${myRewards.faq.6} | | |
| And I expand faq "\${myRewards.faq.6}" in My Rewards screen | | 3.89s |
| Then User verify following faqs and answers "\${myRewards.faq.6.ans}" are displayed in My Rewards screen | | 3.36s |
| \${myRewards.faq.6.ans} | | |
| And I expand faq "\${myRewards.faq.6}" in My Rewards screen | | 4.14s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Then User verify following faqs and answers "\${myRewards.faq.7}" are displayed in My Rewards screen | | 3.43s |
| \${myRewards.faq.7} | | |
| And I expand faq "\${myRewards.faq.7}" in My Rewards screen | | 4.25s |
| Then User verify following faqs and answers "\${myRewards.faq.7.ans}" are displayed in My Rewards screen | | 3.26s |
| \${myRewards.faq.7.ans} | | |
| And I expand faq "\${myRewards.faq.7}" in My Rewards screen | | 4.23s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Then User verify following faqs and answers "\${myRewards.faq.8}" are displayed in My Rewards screen | | 4.94s |


| | | |
|---|---|---------------------|
| | \${{myRewards.faq.8}} | |
| | And I expand faq "\${{myRewards.faq.8}}" in My Rewards screen | 2.78s |
| | Then User verify following faqs and answers "\${{myRewards.faq.8.ans.subtext}}" are displayed in My Rewards screen | 3.70s |
| | \${{myRewards.faq.8.ans.1}}##\${{myRewards.faq.8.ans.2}}##\${{myRewards.faq.8.ans.3}} | |
| | And I expand faq "\${{myRewards.faq.8}}" in My Rewards screen | 3.73s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario Outline: Verify the FAQ on my rewards screen | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Then User verify following faqs and answers "\${{myRewards.faq.9}}" are displayed in My Rewards screen | 3.92s |
| | \${{myRewards.faq.9}} | |
| | And I expand faq "\${{myRewards.faq.9}}" in My Rewards screen | 5.00s |
| | Then User verify following faqs and answers "\${{myRewards.faq.9.ans}}" are displayed in My Rewards screen | 3.52s |
| | \${{myRewards.faq.9.ans}} | |
| | And I expand faq "\${{myRewards.faq.9}}" in My Rewards screen | 3.59s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: navigate back to account screen from my rewards screen | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Then I click on back button on my reward screen to navigate to account screen | 51.77s |
| | And I wait for 2 sec | 2.01s |
| After | | 0.01s |
| Back to Table of Contents | | |
| Scenario: Verify Notification screen in Account tab | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click on "\${{my.notification.text}}" link in Account screen | 2.84s |
| | Then User verify following texts are displayed in My Notification screen | 4.77s |
| | \${{notification.msg}} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: navigate back to account screen from Notification screen | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Then I click on back button on notification screen to navigate to account screen | 2.10s |
| | And I wait for 2 sec | 2.01s |
| After | | 0.00s |

| | | | | | | | | | | | | | | | | | | | | | |
|---|--------------|--------------|------------------|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Back to Table of Contents | | | | | | | | | | | | | | | | | | | | | |
| Scenario: Verify my feedback screen in Account tab | | | | | | | | | | | | | | | | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 30.84s | | | | | | | | | | | | | | | | | | |
| Before | 0.00s | | | | | | | | | | | | | | | | | | | | |
| And I click on "\${my.feedback.text}" link in Account screen | | | 3.24s | | | | | | | | | | | | | | | | | | |
| Then User verify following texts are displayed in My feedback screen | | | 9.63s | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td> </td><td> </td><td> </td></tr> </table> | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Then User verify following feedback options are displayed in My feedback screen | | | 16.56s | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td> </td><td> </td><td> </td></tr> </table> | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Then I verify following edit box sample text is displayed in account screen | | | 1.41s | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td> </td><td> </td><td> </td></tr> </table> | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| After | 0.00s | | | | | | | | | | | | | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | | | | | | | | | | | |
| Scenario: Verify the submit functionality in My feedback screen | | | | | | | | | | | | | | | | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 24.14s | | | | | | | | | | | | | | | | | | |
| Before | 0.00s | | | | | | | | | | | | | | | | | | | | |
| Given I select "5" star in feedback screen | | | 2.41s | | | | | | | | | | | | | | | | | | |
| Then I enter feedback | | | 6.02s | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td>Feedback</td><td>Test_12345</td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table> | | | Feedback | Test_12345 | | | | | | | | | | | | | | | | | |
| Feedback | Test_12345 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| And I click the Submit icon in Feedback Screen | | | 13.70s | | | | | | | | | | | | | | | | | | |
| And I wait for 2 sec | | | 2.01s | | | | | | | | | | | | | | | | | | |
| After | 0.00s | | | | | | | | | | | | | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | | | | | | | | | | | |
| Scenario: Verify the Pulse Personalised tab | | | | | | | | | | | | | | | | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 24.37s | | | | | | | | | | | | | | | | | | |
| Before | 0.00s | | | | | | | | | | | | | | | | | | | | |
| And I click on "\${pulsePersonalised.text}" link in Account screen | | | 3.12s | | | | | | | | | | | | | | | | | | |
| And I wait for 2 sec | | | 2.00s | | | | | | | | | | | | | | | | | | |
| Then User verify following texts are displayed in pulse personalised screen | | | 5.43s | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td> </td><td> </td><td> </td></tr> </table> | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Then I verify data and privacy consent in pulse personalised screen | | | 13.82s | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td> </td><td> </td><td> </td></tr> </table> | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|--|---|--------------|-------------------|
| | <p><code> \${pulse.personalised.consent.text5}</code></p> <p><code> \${pulse.personalised.consent.text6}</code></p> <p><code> \${pulse.personalised.consent.text7}</code></p> | | |
| After | | 0.00s | |
| Back to Table of Contents | | | |
| Scenario: Save the consent with data privacy check | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 15.13s |
| Before | | 0.00s | |
| <p>Given I select the data privacy checkbox</p> <p>And I click the save button in pulse personalised icons</p> <p>Then User verify following texts are displayed in pulse personalised screen</p> <p><code> \${consent.success.msg.text}</code></p> <p>And I click the Ok button in pulse personalised screen</p> <p>Then I wait for 2 sec</p> | | | |
| After | | 0.00s | |
| Back to Table of Contents | | | |
| Scenario: Save the consent without data privacy check | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 11.46s |
| Before | | 0.00s | |
| <p>Given I select the data privacy checkbox</p> <p>And I click the save button in pulse personalised icons</p> <p>Then User verify following texts are displayed in pulse personalised screen</p> <p><code> \${consent.success.msg.text}</code></p> <p>And I click the Ok button in pulse personalised screen</p> | | | |
| After | | 0.00s | |
| Back to Table of Contents | | | |
| Scenario: navigate back to account screen from pulse personalised screen | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 12.92s |
| Before | | 0.00s | |
| <p>And I click the Back icon in pulse personalised screen</p> <p>And I wait for 2 sec</p> | | | |
| After | | 0.00s | |
| Back to Table of Contents | | | |
| Feature: Verify MySettings functionality in Account screen | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 234.59s |
| Scenario: Launch the app and select the country as per specified lbu | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 103.94s |
| Before | | 0.00s | |
| <p>Given User has pulse app</p> <p>And I assign "<code> \${onepulse.login.edit.profile}</code>" to variable "PULSE_EMAIL"</p> <p>And user click on "CONTINUE WITH EMAIL" with Email button</p> | | | |

| | | | | | |
|---|--|--------------|-------------------|--|--|
| | Then I change the country as required on registration page | | 28.66s | | |
| | Then I wait for 5 sec | | 5.01s | | |
| | And I click the Sign in link | | 1.88s | | |
| After | | | 0.00s | | |
| Back to Table of Contents | | | | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 94.65s | | |
| Before | | | 0.00s | | |
| | Given I select the language option on toggle bar as required on login page | | 4.06s | | |
| | When user enters credentials | | 43.31s | | |
| | UserName \${PULSE_EMAIL} | | | | |
| | Password \${pulse.edit} | | | | |
| | And User clicks on signin button | | 1.51s | | |
| | And I wait for 5 sec | | 5.03s | | |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 16.82s | | |
| | Then user should be landed to "Home" screen | | 23.92s | | |
| After | | | 0.00s | | |
| Back to Table of Contents | | | | | |
| Scenario: Navigate to account screen | | | | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 22.53s | | |
| Before | | | 0.00s | | |
| | Given user navigate to account page | | 22.54s | | |
| After | | | 0.00s | | |
| Back to Table of Contents | | | | | |
| Scenario: Verify my setting screen in Account tab | | | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 7.35s | | |
| Before | | | 0.00s | | |
| | Given I wait for 2 sec | | 2.01s | | |
| | And I click on "\${icon.mySettings}" link in Account screen | | 3.34s | | |
| | Then I wait for 2 sec | | 2.00s | | |
| After | | | 0.00s | | |
| Back to Table of Contents | | | | | |
| Scenario: navigate back to account screen from my setting screen | | | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 6.11s | | |
| Before | | | 0.00s | | |
| | Then I click on back button on my settings screen to navigate to account screen | | 4.11s | | |
| | And I wait for 2 sec | | 2.01s | | |
| After | | | 0.00s | | |
| Back to Table of Contents | | | | | |
| Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app | | | | | |
| Passed: 2 | Failed: 1 | Undefined: 0 | Duration: 238.95s | | |
| | Scenario: Launch the app and select the country as per specified lbu | | | | |

| | | | | | | |
|--|--|--------------|--------------------|--|--|--|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 105.26 s | | | |
| Before | 0.00s | | | | | |
| Given User has pulse app | | | 9.44s | | | |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | | 0.00s | | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | 60.64s | | | |
| Then I change the country as required on registration page | | | 28.31s | | | |
| Then I wait for 5 sec | | | 5.01s | | | |
| And I click the Sign in link | | | 1.86s | | | |
| After | 0.00s | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | | | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 88.94s | | | |
| Before | 0.00s | | | | | |
| Given I select the language option on toggle bar as required on login page | | | 4.69s | | | |
| When user enters credentials | | | 39.66s | | | |
| UserName \${PULSE_EMAIL} | | | | | | |
| | Password \${login.password} | | | | | |
| And User clicks on signin button | | | 1.73s | | | |
| And I wait for 5 sec | | | 5.00s | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | | 15.68s | | | |
| Then user should be landed to "Home" screen | | | 22.19s | | | |
| After | 0.00s | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify the user can access My Wearables via Fitness | | | | | | |
| Passed: 1 | Failed: 1 | Undefined: 2 | Duration: 44.74s | | | |
| Before | 0.00s | | | | | |
| When User clicks on Fitness tab | | | 9.79s | | | |
| Then I verify My Wearables tile on Fitness screen | | | 29.37s | | | |
| \${fitness.myWearables} | | | | | | |
| | \${fitness.myWearables.description} | | | | | |
| java.lang.AssertionError: The following asserts failed: | | | | | | |
| the expected text is: My Wearables expected [true] but found [false], | | | | | | |
| the expected text is: Track all your activities at the click of a button expected [true] but found [false] | | | | | | |
| at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) | | | | | | |
| at com.onepulse.app.stepdefinitions.OptionsInFooterSteps.verifyStaticTextOnFitnessScreen(OptionsInFooterSteps.java:40) | | | | | | |
| at .Then I verify My Wearables tile on Fitness screen(features/my/fitness/MyWearable.feature:25) | | | | | | |
| When I click on Connect Now button on Fitness screen | | | 0.00s | | | |
| Then I verify following text are displayed under My Wearables screen | | | 0.00s | | | |
| \${wearables.title} | | | | | | |
| | | | | | | |

| | | |
|---|---|-------|
| | <p><code> \${wearables.subTitle}</code></p> <p><code> \${wearables.description}</code></p> <p><code> \${wearables.fitbitText}</code></p> <p><code> \${wearables.garminText}</code></p> <p><code> \${wearables.googleFit}</code></p> | |
| |  | |
| After | | 5.58s |
| Back to Table of Contents | | |

Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity

| | | | |
|------------|-----------|--------------|--------------------|
| Passed: 14 | Failed: 4 | Undefined: 0 | Duration: 2162.78s |
|------------|-----------|--------------|--------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 116.52s |
|-----------|-----------|--------------|-------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|--------|
| Given User has pulse app | 10.76s |
| And I assign " <code> \${hra.report.email.id}</code> " to variable "PULSE_EMAIL" | 0.02s |
| And user click on "CONTINUE WITH EMAIL" with Email button | 69.63s |
| Then I change the country as required on registration page | 29.34s |
| Then I wait for 5 sec | 5.01s |
| And I click the Sign in link | 1.78s |

| | |
|-------|-------|
| After | 0.00s |
|-------|-------|


| |
|---|
| Back to Table of Contents |
|---|

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 8 | Failed: 0 | Undefined: 0 | Duration: 277.51s |
|-----------|-----------|--------------|-------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | | |
|--|---|----------------|
| | Given I select the language option on toggle bar as required on login page | 5.49s |
| | When user enters credentials | 58.64s |
| | UserName \${PULSE_EMAIL} | |
| | Password \${hra.password} | |
| | And User clicks on signin button | 1.75s |
| | And I wait for 5 sec | 5.01s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 14.26s |
| | Then user should be landed to "Home" screen | 27.63s |
| | When I clicks on Health button | 54.51s |
| | And I navigate to Babylon health Assessment and Accept TermsAndCondition | 110.23s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to access Babylon Health Risk Assessment Report | | |
| Passed: 2 | Failed: 1 | Undefined: 0 |
| Before | | 0.00s |
| | When I click on "Report" link on digital twin screen | 15.77s |
| | And I wait for 5 sec | 5.00s |
| | Then I verify the HRA Results are displayed | 147.88s |
| | \${babylon.hraReport.report.title} | |
| | \${babylon.hraReport.report.subTitle} | |
| | \${babylon.hraReport.report.percentage} | |
| | \${babylon.hraReport.report.statement1} | |
| | \${babylon.hraReport.report.statement2} | |
| | \${babylon.hraReport.report.statement3} | |
| <pre>java.lang.AssertionError: The following asserts failed: the expected text is: Your Health Check score expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:28)</pre> | | |



| | | |
|-------|--|-------|
| After | | 2.78s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify the HRA Activity Report

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 331.03s |
| Before | | | 0.00s |

Then I verify the HRA Results are displayed 331.02s

```

${babylon.hraReport.summary.title}
${babylon.hraReport.summary.description}
${babylon.hraReport.summary.diseaseRisk}
${babylon.hraReport.summary.diseaseRiskDescription}
${babylon.hraReport.summary.diseaseRisk.statement1}
${babylon.hraReport.summary.diseaseRisk.statement2}
${babylon.hraReport.summary.diseaseRisk.statement3}
${babylon.hraReport.summary.diseaseRisk.statement4}
${babylon.hraReport.summary.organ.title}
${babylon.hraReport.summary.organDescription}
${babylon.hraReport.summary.organ.statement1}
${babylon.hraReport.summary.organ.statement2}

```

| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify the HRA Activity Report

| | | | |
|---|-----------|--------------|------------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 71.84s |
| Before | | | 0.01s |
| Then I verify the HRA Results are displayed | | | 71.83s |

| | | |
|---|---|---------------------------------|
| | \${babylon.hraReport.activity.title} \${babylon.hraReport.activity.subTitle} \${babylon.hraReport.activity.statement1} \${babylon.hraReport.activity.statement2} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the HRA Nutrition Report | | |
| Passed: 1 | Failed: 0 | Undefined: 0 Duration: 319.95 s |
| Before | | 0.00s |
| Then I verify the HRA Results are displayed | | 319.95s |
| \${babylon.hraReport.nutrition.title} \${babylon.hraReport.nutrition.subTitle} \${babylon.hraReport.nutrition.statement1} \${babylon.hraReport.nutrition.statement2} \${babylon.hraReport.nutrition.statement3} \${babylon.hraReport.nutrition.statement4} \${babylon.hraReport.nutrition.statement5} \${babylon.hraReport.nutrition.statement6} \${babylon.hraReport.nutrition.statement7} \${babylon.hraReport.nutrition.statement8} \${babylon.hraReport.nutrition.statement9} | | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the HRA Report - Keep It Up sub-section | | |
| Passed: 1 | Failed: 0 | Undefined: 0 Duration: 206.45 s |
| Before | | 0.00s |
| Then I verify the HRA Results are displayed | | 206.45s |
| \${babylon.hraReport.keepItUp} \${babylon.hraReport.lowFat} \${babylon.hraReport.lowFat.description} \${babylon.hraReport.lowAlcohol} \${babylon.hraReport.lowAlcohol.description} \${babylon.hraReport.redMeat} \${babylon.hraReport.redMeat.description} | | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the HRA Report - Make a Change sub-section | | |
| Passed: 1 | Failed: 0 | Undefined: 0 Duration: 193.98 s |
| Before | | 0.00s |
| Then I verify the HRA Results are displayed | | 193.98s |
| | | |

| | | |
|---|---|--------------------------------|
| | \${babylon.hraReport.makeAChange} \${babylon.hraReport.change1} \${babylon.hraReport.change2} \${babylon.hraReport.change3} \${babylon.hraReport.change4} \${babylon.hraReport.change5} \${babylon.hraReport.change6} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to access Babylon HRA - Healthcheck - Body | | |
| Passed: 4 | Failed: 0 | Undefined: 0 Duration: 114.69s |
| Before | | 0.00s |
| When I click on "Healthcheck" link on digital twin screen When I click on "Body" link on digital twin screen Then I verify the HRA Results are displayed \${babylon.hraReport.bodyButton} | | 36.48s |
| Then I verify following text is displayed on HRA report \${babylon.hraReport.body.bones} \${babylon.hraReport.body.heart} \${babylon.hraReport.body.brain} \${babylon.hraReport.body.liver} | | 11.20s |
| Then I verify following text is displayed on HRA report \${babylon.hraReport.body.bones} \${babylon.hraReport.body.heart} \${babylon.hraReport.body.brain} \${babylon.hraReport.body.liver} | | 14.41s |
| After | | 52.61s |
| Back to Table of Contents | | |
| Scenario: navigate back to digital twin screen | | |
| Passed: 1 | Failed: 0 | Undefined: 0 Duration: 9.11s |
| Before | | 0.00s |
| And I click on "Back" link on digital twin screen | | 9.12s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to access Babylon HRA - Healthcheck - Nutrition | | |
| Passed: 3 | Failed: 1 | Undefined: 0 Duration: 119.13s |
| Before | | 0.00s |
| When I click on "Nutrition" link on digital twin screen Then I verify the HRA Results are displayed \${babylon.hraReport.nutrition} \${babylon.hraReport.nutrition.description} | | 19.20s |
| When I click on "Retake Assessment" link on digital twin screen Then I verify the HRA Results are displayed \${babylon.hraReport.nutrition.retake} | | 28.29s |
| When I click on "Retake Assessment" link on digital twin screen Then I verify the HRA Results are displayed \${babylon.hraReport.nutrition.retake} | | 55.71s |
| Then I verify the HRA Results are displayed \${babylon.hraReport.nutrition.retake} | | 14.40s |
| java.lang.AssertionError: The following asserts failed: | | |

the expected text is: Nutrition is key to your energy levels and can affect your risk of some medical conditions expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:115)



| | | |
|-------|--|-------|
| After | | 1.52s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Navigate back to nutrition screen and validate the static text

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 34.9s |
| Before | | | 0.00s |

And I click on "Back" link on digital twin screen 7.49s

Then I verify the HRA Results are displayed 27.41s

| | |
|---|--|
| \${babylon.hraReport.aboutDisease} | |
| \${babylon.hraReport.about.nutrition.description} | |

| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 13.93s |
| Before | | | 0.00s |

And I click on "Back" link on digital twin screen 13.93s


| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User should be able to access Babylon HRA - Healthcheck - Activity

| | | | |
|---|-----------|--------------|------------------|
| Passed: 3 | Failed: 1 | Undefined: 0 | Duration: 78.63s |
| Before | | | 0.00s |
| When I click on "Activity" link on digital twin screen | | | 15.40s |
| Then I verify the HRA Results are displayed | | | 22.24s |
| \${babylon.hraReport.activity} \${babylon.hraReport.activity.subTitle} | | | |
| When I click on "Retake Assessment" link on digital twin screen | | | 17.87s |
| Then I verify the HRA Results are displayed | | | 21.73s |
| \${babylon.hraReport.activity.retake} \${babylon.hraReport.activity.retake2} | | | |
| java.lang.AssertionError: The following asserts failed: the expected text is: Exercise-wise, I can expected [true] but found [false], the expected text is: How much time each week do you do moderate exercise like walking, casual cycling or cleaning? expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:134) | | | |
|  | | | |
| After | | | 1.39s |
| Back to Table of Contents | | | |
| Scenario: Navigate back to Activity screen and validate the static text | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 28.01s |
| Before | | | 0.00s |
| And I click on "Back" link on digital twin screen | | | 7.49s |

| | | |
|--|---|---------------|
| | Then I verify the HRA Results are displayed | 20.52s |
| | \${babylon.hraReport.aboutDesease} | |
| | \${babylon.hraReport.about.activity.description} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: navigate back to digital twin screen | | |
| Passed: 1 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click on "Back" link on digital twin screen | 8.65s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to access Babylon HRA - Healthcheck - Mood | | |
| Passed: 3 | Failed: 1 | Undefined: 0 |
| Before | | 0.00s |
| | When I click on "Mood" link on digital twin screen | 19.26s |
| | Then I verify the HRA Results are displayed | 19.68s |
| | \${babylon.hraReport.mood} | |
| | \${babylon.hraReport.mood.duration} | |
| | And I start the assessment | 6.71s |
| | Then I verify the HRA Results are displayed | 11.65s |
| | \${babylon.hraReport.mood.assessment} | |
| <p>java.lang.AssertionError: The following asserts failed: the expected text is: start by looking at your current mood, stress levels and things that can affect good mental health expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616) at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:155)</p> | | |



| | | |
|-------|--|-------|
| After | | 2.24s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 7.48s |
| Before | | | 0.00s |

| | |
|---|-------|
| And I click on "Back" link on digital twin screen | 7.48s |
|---|-------|

| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|

[Back to Table of Contents](#)

Feature: Verify that user can access calendar under health section

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 399.65s |
|-----------|-----------|--------------|-------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 110.92s |
| Before | | | 0.00s |

| | |
|--------------------------|--------|
| Given User has pulse app | 11.30s |
|--------------------------|--------|

| | |
|---|-------|
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | 0.00s |
|---|-------|

| | |
|---|--------|
| And user click on "CONTINUE WITH EMAIL" with Email button | 66.90s |
|---|--------|

| | |
|--|--------|
| Then I change the country as required on registration page | 26.98s |
|--|--------|

| | |
|-----------------------|-------|
| Then I wait for 2 sec | 2.01s |
|-----------------------|-------|

| | |
|------------------------------|-------|
| And I click the Sign in link | 3.73s |
|------------------------------|-------|

| | | |
|-------|--|-------|
| After | | 0.00s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 124.83s |
|-----------|-----------|--------------|-------------------|

| | | |
|--|------------|---------------|
| Before | | 0.00s |
| Given I select the language option on toggle bar as required on login page | | 6.59s |
| When user enters credentials | | 75.04s |
| UserName \${PULSE_EMAIL} | | |
| Password \${pulse.password} | | |
| And User clicks on signin button | | 2.44s |
| And I wait for 5 sec | | 5.01s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | 12.31s |
| Then user should be landed to "Home" screen | | 23.44s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to access Calendar screen | | |
| Passed: 8 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| And I wait for 3 sec | | 3.00s |
| When I clicks on Health button | | 45.16s |
| And I scroll down | | 6.43s |
| And I click on Calendar tile | | 21.46s |
| And I wait for 3 sec | | 3.01s |
| Then I verify following texts are displayed | | 15.24s |
| \${calendar.text} | | |
| \${no.events.text} | | |
| And I click on events dropdown button in calendar screen | | 9.27s |
| Then I verify the following texts "Calendar events" in Screen | | 60.34s |
| \${medicine.reminders.text} | | |
| \${appointments.text} | | |
| \${vaccination.text} | | |
| \${workout.text} | | |
| \${pulse.tv.text} | | |
| \${policy.remainder.text} | | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Feature: Verify that user can access Chinese Medicine feature | | |
| Passed: 0 | Failed: 74 | Undefined: 0 |
| Scenario: User should be able to register on app with correct credentials using "Continue with Email" | | |
| Passed: 16 | Failed: 1 | Undefined: 1 |
| Before | | 0.00s |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | 0.02s |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable | | |

| | | | | | | | | | | |
|-----------|--|---------|-----------|----------------|----------|----------------|-------|-----------------|----------|-----------|
| | "PULSE_EMAIL" | 0.00s | | | | | | | | |
| | And User has pulse app | 9.97s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | And user click on "CONTINUE WITH EMAIL" with Email button | 74.33s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | Then I change the country as required on registration page | 29.04s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 8.36s | | | | | | | | |
| | Then I wait for 2 sec | 2.00s | | | | | | | | |
| | When user enters registration details | 37.27s | | | | | | | | |
| | <table border="1"> <tr><td>FirstName</td><td>testAutomation</td></tr> <tr><td>LastName</td><td>testAutomation</td></tr> <tr><td>Email</td><td> \${PULSE_EMAIL}</td></tr> <tr><td>Password</td><td>Pas\$1234</td></tr> </table> | | FirstName | testAutomation | LastName | testAutomation | Email | \${PULSE_EMAIL} | Password | Pas\$1234 |
| FirstName | testAutomation | | | | | | | | | |
| LastName | testAutomation | | | | | | | | | |
| Email | \${PULSE_EMAIL} | | | | | | | | | |
| Password | Pas\$1234 | | | | | | | | | |
| | And taps on continue "Sign_Up" button | 2.89s | | | | | | | | |
| | And I wait for otp screen after clicking on signup button | 9.43s | | | | | | | | |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 38.25s | | | | | | | | |
| | Then I wait for 2 sec | 2.01s | | | | | | | | |
| | Then I click skip button | 127.43s | | | | | | | | |
| | Then user should be landed to "Home" screen | 45.67s | | | | | | | | |
| | <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/my/health/ChineseMedicine.feature: 28)</pre> | | | | | | | | | |
| | Then I wait for 4 sec | 0.00s | | | | | | | | |



| | | |
|-------|--|-------|
| After | | 3.57s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User should be able to access Chinese Medicine screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 2 | Duration: 46.15s |
| Before | | | 0.00s |

| | |
|--|--------|
| When I clicks on Health button | 33.65s |
| And I click on Chinese Medicine button | 10.94s |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: c47060dd-5cce-4665-a80d-39fe8e33abe0

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name='That's all for now!'])[1]/preceding-sibling::XCUIElementTypeOther[8]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance


(DelegatingConstructorAccessorImpl.java:45)

```

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.onepulse.app.screens.TestBasePage.clickBasedOnElement(TestBasePage.java:488)
at com.onepulse.app.screens.PulseHealthScreen.clickChineseMedicineButton
(PulseHealthScreen.java:249)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
navigateToBabylonSymptomsPage(ChineseMedicineSteps.java:37)
at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine.feature:33)

```

| | |
|--|-------|
| Then User verify following texts are displayed in Chinese Medicine screen | 0.00s |
| \${chineseMedicine.welcomeMessage} \${chineseMedicine.statement} \${chineseMedicine.pruLife} \${chineseMedicine.pruLife.research} | |
| When I click on Continue button on Chinese Medicine screen | 0.00s |



| | | |
|-------|--|-------|
| After | | 1.57s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify the carousel on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: 12.05s |
| Before | 0.00s | | |

| | |
|---|-------|
| Then User verify following texts are displayed in Chinese Medicine screen | 9.12s |
| \${chineseMedicine.page1.text} | |

java.lang.AssertionError: The following asserts failed:

the expected text is: Chinese Constitution research statistics have found that there is a correlation between certain constitutions and some diseases, so to maintain your body, you must first understand your own constitution condition. expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:44)

| | |
|---|-------|
| Then I verify following button are displayed on chinese medicine carousal | 0.00s |
| carousel1##\${chineseMedicine.skipButton} | |

| | |
|--|-------|
| When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.page1.partialText}" | 0.00s |
|--|-------|



| | | |
|-------|--|-------|
| After | | 2.93s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify the carousel on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: 10.75s |
| Before | 0.00s | | |

| | |
|---|-------|
| Then User verify following texts are displayed in Chinese Medicine screen | 9.32s |
| \${chineseMedicine.page2.text} | |

java.lang.AssertionError: The following asserts failed:

the expected text is: You can easily know your body constitution through AI big data analytics and get appropriate daily health related advice. If the result of the assessment turns out to be serious, it is recommended to improve your daily diets and lifestyle to prevent diseases.

expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:44)

| | |
|---|-------|
| Then I verify following button are displayed on chinese medicine carousal | 0.00s |
| carousel2##\${chineseMedicine.skipButton} | |

| | |
|--|-------|
| When I swipe to Right for chinese medicine on carousal "\${chineseMedicine.page2.partialText}" | 0.00s |
|--|-------|



| | | |
|-------|--|-------|
| After | | 1.44s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: verify the text and button on final assessment carousel

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 12.68s |
| Before | 0.00s | | |

| | |
|---|--------|
| Then User verify following texts are displayed in Chinese Medicine screen | 11.61s |
| \${chineseMedicine.page3.text} | |

java.lang.AssertionError: The following asserts failed:

the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health!
expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:56)

| | |
|---|-------|
| Then I verify following button are displayed on chinese medicine carousal | 0.00s |
| carousel3##\${chineseMedicine.startAssessmentBtn} | |



| | | |
|-------|--|-------|
| After | | 1.07s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: User should be able to complete Chinese Medicine profile

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 6 | Duration: 14.04s |
| Before | 0.00s | | |

| | |
|--|--------|
| When I click on Start Assessment button on Chinese Medicine screen | 12.80s |
|--|--------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: c47060dd-5cce-4665-a80d-39fe8e33abe0

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Start Assessment"])[2]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickStartAssessmentButton
(ChineseMedicineScreen.java:56)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
clickOnStartAssessment(ChineseMedicineSteps.java:76)
at .When I click on Start Assessment button on Chinese Medicine screen(features/my/health
/ChineseMedicine.feature:62)

```


| | |
|----------------------|-------|
| And I wait for 5 sec | 0.00s |
|----------------------|-------|

| | |
|---|-------|
| Then User verify following texts are displayed in Chinese Medicine screen | 0.00s |
|---|-------|

| |
|---|
| \${chineseMedicine.profile.title} |
| \${chineseMedicine.profile.description} |
| \${chineseMedicine.profile.mandatoryFields} |


| | |
|---|-------|
| Then change Chinese Medicine user profile details | 0.00s |
|---|-------|

| | |
|----------------|--|
| City | \${chineseMedicine.profile.cityValue} |
| Smoking Habits | \${chineseMedicine.profile.smokingHabitsValue} |

| | | |
|--|--|-------------------------------|
| | Drinking Habits \${chineseMedicine.profile.drinkingHabitsValue} | |
| | Exercise Habits \${chineseMedicine.profile.exerciseHabitsValue} | |
| When I click on Next button on Chinese Medicine Profile screen | | 0.00s |
| When User verify following texts are displayed in Chinese Medicine screen | | 0.00s |
| | \${chineseMedicine.question.1} | |
| | \${chineseMedicine.statement.1} | |
| Then I verify following answer options are displayed on Chinese Medicine screen | | 0.00s |
| | \${chineseMedicine.answer.option1} | |
| | \${chineseMedicine.answer.option2} | |
| | \${chineseMedicine.answer.option3} | |
| | \${chineseMedicine.answer.option4} | |
| | \${chineseMedicine.answer.option5} | |
| |  | |
| After | | 1.24s |
| Back to Table of Contents | | |
| Scenario Outline: Verify the Q&A on Chinese Medicine journey | | |
| Passed: 0 | Failed: 1 | Undefined: 0 Duration: 12.38s |
| Before | | 0.00s |
| And user selects "\${chineseMedicine.answer.1}" for the question "\${chineseMedicine.question.1}" | | 10.04s |
| <pre>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"Based on your experience in past 3 months")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:115)</pre> | | |

168)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
 (ChineseMedicineSteps.java:104)
 at .And user selects "\${chineseMedicine.answer.1}" for the question "\${chineseMedicine.question.1}"(features/my/health/ChineseMedicine.feature:88)



After

2.33s

[Back to Table of Contents](#)**Scenario Outline: Verify the Q&A on Chinese Medicine journey**

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.32s |
| Before | | | 0.00s |

And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine.question.2}"

11.19s


java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,'I get fatigued or tired easily.')] and Answer //XCUIElementTypeOther[@name='Occassionally']

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine.question.2}"(features/my/health/ChineseMedicine.feature:88)



| | | |
|-------|--|-------|
| After | | 1.14s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.98s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine.question.3}" | 10.84s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I suffer from insomnia")] and Answer //XCUIElementTypeOther[@name="Disagree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.3}" for the question "${chineseMedicine.question.3}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.14s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.68s |
| Before | | | 0.00s |

| | |
|---|-------|
| And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine.question.4}" | 9.62s |
|---|-------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I adapt quickly to changes in the weather or the surrounding environment.")] and Answer //XCUIElementTypeOther[@name="Strongly Disagree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.4}" for the question "${chineseMedicine.question.4}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.06s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.96s |
| Before | | | 0.00s |

| | |
|--|--------|
| And user selects "\${chineseMedicine.answer.5}" for the question "\${chineseMedicine.question.5}" | 11.81s |
|--|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I am prone to catch a cold more often than most people.")] and Answer //XCUIElementTypeOther[@name="Strongly Agree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.5}" for the question "${chineseMedicine.question.5}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 3.15s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.71s |
| Before | | | 0.00s |

And user selects "\${chineseMedicine.answer.6}" for the question
"\${chineseMedicine.question.6}"

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel tense in my torso or lower body.")] and Answer //XCUIElementTypeOther[@name="Agree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.6}" for the question "${chineseMedicine.question.6}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.05s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.92s |
| Before | | | 0.00s |

| | |
|--|--------|
| And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}" | 10.44s |
|--|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I cough or get asmethic symptoms due to changes in seasons")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.7}" for the question "${chineseMedicine.question.7}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.47s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.01s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}" | 10.84s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I am allergic to drugs")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.8}" for the question "${chineseMedicine.question.8}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.17s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.2s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}" | 11.44s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I frequently catch a chill")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.9}" for the question "${chineseMedicine.question.9}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.76s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.23s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine.question.10}" | 10.93s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I can't stand feeling cold")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.10}" for the question "${chineseMedicine.question.10}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.30s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.58s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine.question.11}" | 11.20s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel uncomfortable after consuming cold food or beverages.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.11}" for the question "${chineseMedicine.question.11}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.38s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.59s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine.question.12}" | 11.39s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel my face")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.12}" for the question "${chineseMedicine.question.12}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.21s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 15.36s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" | 11.76s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.13}" for the question "${chineseMedicine.question.13}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 3.60s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.14s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" | 11.04s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel that I have a weak voice.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine.question.14}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.10s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.05s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine.question.15}" | 12.55s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"In general")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.15}" for the question "${chineseMedicine.question.15}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.50s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.4s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}" | 11.07s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel that my skin and lips are dry.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.16}" for the question "${chineseMedicine.question.16}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.33s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 15.45s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine.question.17}" | 13.08s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get bruises easily for no reason.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.17}" for the question "${chineseMedicine.question.17}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.37s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.57s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}" | 10.13s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have broken out in hives (outbreak of swollen")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.18}" for the question "${chineseMedicine.question.18}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.44s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.89s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine.question.19}" | 10.39s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get purple rashes on my skin (purple blood spots")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.19}" for the question "${chineseMedicine.question.19}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.49s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.24s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}" | 10.90s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I easily get scratch marks on my skin.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.20}" for the question "${chineseMedicine.question.20}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.34s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.71s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}" | 11.53s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to feel depressed and moody.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.21}" for the question "${chineseMedicine.question.21}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.17s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.58s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine.question.22}" | 10.38s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I easily forget things.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.22}" for the question "${chineseMedicine.question.22}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.20s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.54s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine.question.23}" | 11.29s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to feel tense and")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.23}" for the question "${chineseMedicine.question.23}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 3.26s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.37s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine.question.24}" | 11.73s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I am sentimental and my feelings get hurt easily.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.24}" for the question "${chineseMedicine.question.24}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.65s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.48s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine.question.25}" | 13.42s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel fearful")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.25}" for the question "${chineseMedicine.question.25}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.05s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.42s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}" | 12.28s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I sigh often for no reason.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.26}" for the question "${chineseMedicine.question.26}">(features/my/health/ChineseMedicine.feature:88)
```

| | | |
|-------|--|-------|
| After | | 2.14s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.2s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine.question.27}" | 11.60s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get dizzy when changing posture.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.27}" for the question "${chineseMedicine.question.27}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.60s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.02s |
| Before | | | 0.01s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine.question.28}" | 11.73s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have a pale or anemic complexion.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.28}" for the question "${chineseMedicine.question.28}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.28s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.28s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}" | 12.13s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have rosy cheeks.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.29}" for the question "${chineseMedicine.question.29}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.15s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.29s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}" | 10.76s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have visible blood veins on my cheeks")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.30}" for the question "${chineseMedicine.question.30}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.53s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.05s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}" | 13.20s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have a darker complexion and have pigmentation on my cheeks")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.31}" for the question "${chineseMedicine.question.31}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 0.86s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.46s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.32}" for the question "\${chineseMedicine.question.32}" | 12.41s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My nose and forehead frequently get oily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine.question.32}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.04s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.76s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine.question.33}" | 11.25s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get pimples easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.33}" for the question "${chineseMedicine.question.33}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.51s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.81s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}" | 10.11s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get panda eyes (dark eye bags) easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.question.34}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.70s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.49s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}" | 10.88s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My lip color is generally gloomy / purplish / blueish")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.35}" for the question "${chineseMedicine.question.35}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.61s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.97s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine.question.36}" | 12.73s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My lip color is reddish")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine.question.36}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.24s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 16.59s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine.question.37}" | 12.82s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My lip color is slightly pale or whiteish")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.question.37}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 3.77s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.92s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine.question.38}" | 10.96s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have puffy eyelids")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.38}" for the question "${chineseMedicine.question.38}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 0.96s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.82s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}" | 12.52s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have dry eyes or blurry vision")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.39}" for the question "${chineseMedicine.question.39}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.30s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.4s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine.question.40}" | 12.20s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to sneeze even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.40}" for the question "${chineseMedicine.question.40}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.20s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.5s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}" | 10.35s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My nose gets clooged or runny even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.41}" for the question "${chineseMedicine.question.41}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.15s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 15.24s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}" | 11.77s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have a dry tongue")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.42}" for the question "${chineseMedicine.question.42}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 3.47s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 15.25s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine.question.43}" | 12.84s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have sticky saliva")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.43}" for the question "${chineseMedicine.question.43}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.41s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 14.9s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}" | 11.03s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to have a bitter taste in my mouth")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.44}" for the question "${chineseMedicine.question.44}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 3.87s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.58s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine.question.45}" | 11.57s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"The surface of my tongue feels sticky")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.45}" for the question "${chineseMedicine.question.45}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.02s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.74s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}" | 11.63s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to have phlegm in my throat even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.46}" for the question "${chineseMedicine.question.46}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.11s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.83s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}" | 10.73s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to have throat irritating even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine.question.47}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.09s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.88s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine.question.48}" | 10.68s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have tightness in my chest")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.48}" for the question "${chineseMedicine.question.48}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.20s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.51s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}" | 12.37s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have asthma or feel the need to occassionally take deep breaths")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.question.49}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.14s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.94s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}" | 10.85s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel conscious of sudden heart palpitations or increased heartbeat")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.50}" for the question "${chineseMedicine.question.50}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.09s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.94s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}" | 10.74s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel pain at the side of my chest or breasts")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.51}" for the question "${chineseMedicine.question.51}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.20s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.49s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.52}" for the question "\${chineseMedicine.question.52}" | 11.33s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My stomach fat is tender")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.52}" for the question "${chineseMedicine.question.52}">(features/my/health/ChineseMedicine.feature:88)
```




| | | |
|-------|--|-------|
| After | | 1.17s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.76s |
| Before | 0.00s | | |

| | |
|--|--------|
| And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}" | 11.44s |
| <pre>java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My abdomen")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}">(features/my/health/ChineseMedicine.feature:88)</pre> | |



| | | |
|-------|--|-------|
| After | | 1.32s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.35s |
| Before | | | 0.00s |

| | |
|---|-------|
| And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine.question.54}" | 9.37s |
|---|-------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I frequently get diarrhea or stomach pains after consuming cold food or beverages")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.54}" for the question "${chineseMedicine.question.54}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 0.98s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.37s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" | 10.25s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get constipations")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.55}" for the question "${chineseMedicine.question.55}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.11s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.33s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" | 11.49s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel that my feces are sticky and not clean")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.56}" for the question "${chineseMedicine.question.56}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.85s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 12.61s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine.question.57}" | 11.57s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"Apart from the first urination in the morning")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.question.57}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.04s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.14s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine.question.58}" | 10.19s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel feverish on my hands")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.58}" for the question "${chineseMedicine.question.58}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 0.96s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.85s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}" | 10.82s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My feet and hands get cold easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.59}" for the question "${chineseMedicine.question.59}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.02s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.34s |
| Before | 0.00s | | |

| | |
|---|-------|
| And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}" | 9.83s |
|---|-------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My body and limbs feel numb")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.60}" for the question "${chineseMedicine.question.60}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.51s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.62s |
| Before | 0.01s | | |

| | |
|---|-------|
| And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}" | 9.62s |
|---|-------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My face")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.61}" for the question "${chineseMedicine.question.61}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 2.00s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.24s |
| Before | 0.00s | | |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}" | 11.43s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My body feels pain easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.62}" for the question "${chineseMedicine.question.62}"(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.81s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.25s |
| Before | | | 0.00s |

| | |
|---|--------|
| And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine.question.63}" | 11.46s |
|---|--------|

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My scrotum feels hot (Limited to men answer)")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.63}" for the question "${chineseMedicine.question.63}">(features/my/health/ChineseMedicine.feature:88)
```



| | | |
|-------|--|-------|
| After | | 1.79s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify the Assessment completion screen


| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 0 | Duration: 46.91s |
| Before | 0.00s | | |

| | |
|--|--------|
| Given I wait for 5 sec | 5.01s |
| Then User verify following texts are displayed in Chinese Medicine screen | 40.21s |
| \${chineseMedicine.viewAssessment.header} \${chineseMedicine.viewAssessment.subTitle} \${chineseMedicine.viewAssessment.description1} \${chineseMedicine.viewAssessment.description2} | |

java.lang.AssertionError: The following asserts failed:

the expected text is: Great!! expected [true] but found [false],
the expected text is: You've completed the assessment expected [true] but found [false],
the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false],
the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)

at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:158)



| | |
|-------|--------------|
| After | 1.69s |
|-------|--------------|

[Back to Table of Contents](#)

Scenario: Verify the user can view the Assessment Record

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 9.92s |
| Before | | | 0.00s |

| | |
|---|--------------|
| When user clicks on View Results button on Chinese Medicine Assessment screen | 8.57s |
|---|--------------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}


Session ID: c47060dd-5cce-4665-a80d-39fe8e33abe0

```
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="View Results"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
```

```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:71)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:122)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:166)
```

| | |
|---|-------|
| Then User verify following texts are displayed in Chinese Medicine screen | 0.00s |
|---|-------|

| |
|--|
| \${chineseMedicine.assessment.header} |
| \${chineseMedicine.assessment.subHeader} |
| \${chineseMedicine.assessment.status} |
| \${chineseMedicine.assessment.subStatus} |
| \${chineseMedicine.assessment.status1} |

| | |
|---|--|
| <div style="border: 1px solid black; padding: 5px; width: 100%;"> <p><code> \${chineseMedicine.assessment.status2}</code></p> <p><code> \${chineseMedicine.assessment.status3}</code></p> <p><code> \${chineseMedicine.assessment.constitution.advice}</code></p> </div> | |
|  <p>5:37</p> <p>Date of Birth</p> <p>What is your date of birth?</p> <p>Please enter your date of birth for best health recommendations.</p> <p>Date of Birth</p> <p>DD-MM-YYYY</p> <p>Please select your Birthdate</p> <p>Continue</p> | |

| | |
|-------|-------|
| After | 1.35s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify the Assessment Summary

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 22.11s |
| Before | 0.00s | | |


Then User verify following texts are displayed in Chinese Medicine screen 20.87s

| | |
|---|--|
| <p><code> \${chineseMedicine.assessment.summary.title}</code></p> <p><code> \${chineseMedicine.assessment.summary.description}</code></p> | |
|---|--|

java.lang.AssertionError: The following asserts failed:
the expected text is: Assessment Summary expected [true] but found [false],
the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak and chills, and have cold limbs. This is a symptom of moderate yang deficiency.It is recommended that your eating habits be based on the principle of warmth, and you should eat more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular habit of medium intensity exercise, and have daily care and acupoint care matching with four seasons, so that you can gradually improve your body constitution. expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:179)

When user clicks on View More button on Assessment Record screen 0.00s



| | | |
|-------|--|-------|
| After | | 1.23s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify the "Constitution" Details of the Assessment

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.59s |
| Before | | | 0.00s |

Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"

8.53s


java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution.

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails(ChineseMedicineScreen.java:197)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyAssessmentDetails(ChineseMedicineSteps.java:133)

at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}">(features /my/health/ChineseMedicine.feature:186)



| | | |
|-------|--|-------|
| After | | 1.06s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify the "Change In Tongue" Details of the Assessment


| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 11.0s |
| Before | | | 0.00s |

Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.changeInTongue}" and "\${chineseMedicine.assessment.details.changeInTongueDescription}"

8.85s

java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yang-deficiency constitution.

```
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails(ChineseMedicineScreen.java:197)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyAssessmentDetails(ChineseMedicineSteps.java:133)
at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details.changeInTongue}" and "${chineseMedicine.assessment.details.changeInTongueDescription}"(features/my/health/ChineseMedicine.feature:186)
```



| | | |
|-------|--|-------|
| After | | 2.15s |
|-------|--|-------|

[Back to Table of Contents](#)

Feature: Verify Dietician Positive Flow for Doctor functionality on one pulse App

| | | | |
|-----------|------------|--------------|-------------------|
| Passed: 0 | Failed: 12 | Undefined: 0 | Duration: 608.46s |
|-----------|------------|--------------|-------------------|

Scenario: Verify the Home screen validation using "Continue with Email"

| | | | |
|------------|-----------|--------------|-------------------|
| Passed: 14 | Failed: 1 | Undefined: 1 | Duration: 369.18s |
|------------|-----------|--------------|-------------------|

| | | |
|--------|--|-------|
| Before | | 0.00s |
|--------|--|-------|

| | |
|---|-------|
| Given I generate random number and assign to variable "RANDOM_NUMBER" | 0.02s |
|---|-------|

| | |
|---|-------|
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | 0.00s |
|---|-------|

| | |
|------------------------|-------|
| And User has pulse app | 8.35s |
|------------------------|-------|

| | |
|---|--------|
| And user click on "CONTINUE WITH EMAIL" with Email button | 65.94s |
|---|--------|

| | |
|-----------------------|-------|
| Then I wait for 2 sec | 2.02s |
|-----------------------|-------|

| | |
|--|--------|
| Then I change the country as required on registration page | 23.34s |
|--|--------|

| | |
|-----------------------|-------|
| Then I wait for 2 sec | 2.00s |
|-----------------------|-------|

| | |
|---|-------|
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | 8.77s |
|---|-------|

| | |
|---------------------------------------|--------|
| When user enters registration details | 39.54s |
|---------------------------------------|--------|

| | |
|-----------|-----------------|
| FirstName | Diet |
| LastName | Test |
| Email | \${PULSE_EMAIL} |
| Password | Pas\$1234 |

| | |
|---------------------------------------|-------|
| And taps on continue "Sign_Up" button | 3.38s |
|---------------------------------------|-------|

| | | |
|---------------|---|-------------------------------|
| | And I wait for otp screen after clicking on signup button | 5.32s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 36.84s |
| | Then I wait for 2 sec | 2.01s |
| | Then I click skip button | 124.81s |
| | Then user should be landed to "Home" screen | 45.24s |
| | <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/my/health/Dietician_Doctor.feature: 24)</pre> | |
| | Then I wait for 4 sec | 0.00s |
| |  <p>5:43</p> <p>Date of Birth</p> <p>What is your date of birth?</p> <p>Please enter your date of birth for best health recommendations.</p> <p>Date of Birth DD-MM-YYYY</p> <p>Please select your Birthdate</p> <p>Continue</p> | |
| | After | 1.62s |
| | Back to Table of Contents | |
| | Scenario: Verify User should be able to navigate to Dietician page | |
| Passed: 0 | Failed: 1 | Undefined: 1 Duration: 11.32s |
| Before | | 0.00s |
| | Then I click the Health icon in Home screen | 10.32s |
| | <pre>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/ no_such_element.html</pre> | |


```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: bfcee81b-afa9-40ca-9e03-1e573187d448
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

```

at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.java:1379)
 at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons(CustomerConnectSteps.java:412)
 at .Then I click the Health icon in Home screen(features/my/health/Dietician_Doctor.feature:28)

| | |
|--|-------|
| Then I click the Dietician tab for my in Health Screen | 0.00s |
|--|-------|



| | |
|-------|-------|
| After | 1.00s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Select the expert type as doctor and navigate to next screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 9 | Duration: 29.57s |
|-----------|-----------|--------------|------------------|


| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|---|--------|
| Then I verify following text is displayed in dietician screen | 27.72s |
|---|--------|


| |
|---|
| \${choose.expertise.text} \${select.expert.type} \${what.expert.text} |
|---|

java.lang.AssertionError: The following asserts failed:

Choose Expertise text is displayed on page expected [true] but found [false],
 Select the expert type text is displayed on page expected [true] but found [false],
 Please let us know what expert you are for our records text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
 at .Then I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:33)

| | | | | | | | |
|--|----------------------------------|-----------------------------------|----------------------|-----------------|---------------------|------------|--|
| And I clicks on "\${doc.txt}" in app screen | 0.00s | | | | | | |
| And I click the continue button | 0.00s | | | | | | |
| Then I wait for 2 sec | 0.00s | | | | | | |
| Then I verify following text is displayed in dietician screen | 0.00s | | | | | | |
| <table border="1"> <tr><td> \${what.isyour.service.num.text}</td></tr> <tr><td> \${complete.details.text}</td></tr> </table> | \${what.isyour.service.num.text} | \${complete.details.text} | | | | | |
| \${what.isyour.service.num.text} | | | | | | | |
| \${complete.details.text} | | | | | | | |
| Then I verify following edit field sample text in dietician screen | 0.00s | | | | | | |
| <table border="1"> <tr><td> \${enterservice.num.text}</td></tr> <tr><td> \${entername.of.institution.text}</td></tr> </table> | \${enterservice.num.text} | \${entername.of.institution.text} | | | | | |
| \${enterservice.num.text} | | | | | | | |
| \${entername.of.institution.text} | | | | | | | |
| And I assign value to following variables | 0.00s | | | | | | |
| <table border="1"> <tr><td> service num</td><td>05</td></tr> <tr><td> issuing org</td><td>test org</td></tr> </table> | service num | 05 | issuing org | test org | | | |
| service num | 05 | | | | | | |
| issuing org | test org | | | | | | |
| And I enter following details in dietician screen | 0.00s | | | | | | |
| <table border="1"> <tr><td> \${service.num.text}</td><td> \${service num}</td></tr> <tr><td> \${issuing.org.text}</td><td> \${issuing org}</td></tr> <tr><td> \${valid.till.text}</td><td> 01-01-2030</td></tr> </table> | \${service.num.text} | \${service num} | \${issuing.org.text} | \${issuing org} | \${valid.till.text} | 01-01-2030 | |
| \${service.num.text} | \${service num} | | | | | | |
| \${issuing.org.text} | \${issuing org} | | | | | | |
| \${valid.till.text} | 01-01-2030 | | | | | | |
| And I click on field label "\${valid.till.text}" to close keyboard on dietician screen | 0.00s | | | | | | |
| And I click the continue button | 0.00s | | | | | | |
|  | | | | | | | |
| After | 1.85s | | | | | | |
| Back to Table of Contents | | | | | | | |
| Scenario: Verify User should be able to navigate to specialisation page | | | | | | | |
| Passed: 0 | Failed: 1 | Undefined: 8 | Duration: 26.27s | | | | |
| Before | | 0.00s | | | | | |
| Then I verify following text is displayed in dietician screen | 25.17s | | | | | | |

| | | |
|--|--|-------|
| | <p><code>#{what.isyour.specialisation}</code></p> <p><code>#{specility.to.provide}</code></p> <p><code>#{choose.list.text}</code></p> | |
| java.lang.AssertionError: The following asserts failed: | | |
| | What is your specialisation? text is displayed on page expected [true] but found [false], | |
| | It's important to know your speciality to provide you appropriate patients. text is displayed on page expected [true] but found [false], | |
| | Or choose from the list. text is displayed on page expected [true] but found [false] | |
| | at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) | |
| | at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. | |
| | VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) | |
| | at .Then I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:57) | |
| | Then I verify following specialisation options are displayed in dietician screen | 0.00s |
| | <p><code>#{mental.health.text}</code></p> <p><code>#{psychologist.text}</code></p> <p><code>#{general.physician.text}</code></p> | |
| | Then I enter "\${physician.text}" speciality on specilisation screen And select "\${general.physician.text}" | 0.00s |
| | And I click the continue button | 0.00s |
| | And I verify following text is displayed in dietician screen | 0.00s |
| | <p><code>#{enter.super.specialisation.text}</code></p> <p><code>#{other.specialisation.text}</code></p> | |
| | And I assign value to following variables | 0.00s |
| | specialisation Hypertension | |
| | And I enter following details in dietician screen | 0.00s |
| | <p><code>#{enter.super.specialisation.text} \${specialisation}</code></p> | |
| | And I click on field label "\${enter.super.specialisation.text}" to close keyboard on dietician screen | 0.00s |
| | And I click the continue button | 0.00s |
| | | |



| | | |
|-------|--|-------|
| After | | 1.10s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to Educational Details page

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 5 | Duration: 20.66s |
| Before | | | |

| | |
|--|--------|
| And I verify following text is displayed in dietician screen | 19.55s |
| <div style="border: 1px solid black; padding: 2px;">\${education.details.text}</div> <div style="border: 1px solid black; padding: 2px;">\${add.degree.text}</div> | |


java.lang.AssertionError: The following asserts failed:


Educational Details text is displayed on page expected [true] but found [false],
Add your degree, diploma, certificates here text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:78)

| | |
|--|-------|
| And I verify following edit field sample text in dietician screen | 0.00s |
| <div style="border: 1px solid black; padding: 2px;">\${enter.degree.name.text}</div> <div style="border: 1px solid black; padding: 2px;">\${enter.field.of.study.text}</div> <div style="border: 1px solid black; padding: 2px;">\${institution.name.enter.text}</div> | |

| | |
|--|-------|
| And I enter following details in dietician screen | 0.00s |
| <div style="border: 1px solid black; padding: 2px;">\${degree1.text}</div> <div style="border: 1px solid black; padding: 2px;">\${year.text}</div> <div style="border: 1px solid black; padding: 2px;">\${university.text}</div> | |
| MBBS | |
| 2001 | |
| test university | |

| | | | |
|--|-----------|--------------|------------------|
| Then I enter following details in edit text field in dietician screen | 0.00s | | |
| \${enter.field.of.study.text} physician | | | |
| And I click on field label "\${education.details.text}" to close keyboard on dietician screen | 0.00s | | |
| And I click the continue button | 0.00s | | |
|  | | | |
| After | 1.11s | | |
| Back to Table of Contents | | | |
| Scenario: Verify User should be able to navigate to Add experience page | | | |
| Passed: 0 | Failed: 1 | Undefined: 9 | Duration: 18.84s |
| Before | | 0.00s | |
| And I verify following text is displayed in dietician screen | 17.73s | | |
| \${add.experience.txt} | | | |
| \${share.experience.details} | | | |
| <p>java.lang.AssertionError: The following asserts failed: Add Experience text is displayed on page expected [true] but found [false], Please share with us your experience details. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:95)</p> | | | |
| And I verify following edit field sample text in dietician screen | 0.00s | | |
| \${enterHospital.text} | | | |
| Then I enter following details in edit text field in dietician screen | 0.00s | | |

| | | |
|---|--|--------------|
| | <code> \${profile.title.text} </code> Test | |
| And I enter following details in dietician screen | | 0.00s |
| <code> \${experience1.text} </code> Test University | | |
| Then I enter following details in edit text field in dietician screen | | 0.00s |
| <code> \${enterLocation.text} </code> \${country.name} | | |
| And I Enter the "Start Date" in "10" in dynamic start date Experience screen | | 0.00s |
| And I Enter the "Start Date" in "2010" in dynamic start years Experience screen | | 0.00s |
| And I click on field label "\${add.experience.txt}" to close keyboard on dietician screen | | 0.00s |
| Then I click on checkbox next to text "\${currently.practicing.here}" in dietician screen | | 0.00s |
| And I click the continue button | | 0.00s |
|  | | |
| After | | 1.11s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to navigate to Services Offered page | | |
| Passed: 2 | Failed: 1 | Undefined: 2 |
| Duration: 23.65s | | |
| Before | | 0.00s |
| And I verify following text is displayed in dietician screen | | 1.97s |
| <code> \${public.profile.tex} </code> | | |
| And I assign value to following variables | | 0.00s |
| <code> service offered </code> MBBS DOCTOR | | |
| And I enter following details in dietician screen | | 20.37s |
| <code> \${service.offered.text} </code> \${service offered} | | |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
 Session ID: bfcee81b-afa9-40ca-9e03-1e573187d448
 *** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="Services Offered"]/following::XCUIElementTypeTextField)[1]}
 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

```

at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.DieticianScreen.enterDetailsDieticianScreen(DieticianScreen.java:544)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.enterInfoInDieticianScreen(DieticianSteps.java:285)
at .And I enter following details in dietician screen(features/my/health/Dietician_Doctor.feature:117)


```

And I click on field label "\${service.offered.text}" to close keyboard on dietician screen

0.00s

And I click the continue button

0.00s



| | |
|-------|-------|
| After | 1.31s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to achievement and awards screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 4 | Duration: 19.83s |
|-----------|-----------|--------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

And I verify following text is displayed in dietician screen 18.76s

| |
|------------------------------|
| \${achievement.award.text} |
| \${add.seminar.details.text} |

java.lang.AssertionError: The following asserts failed:

Achievements & Awards text is displayed on page expected [true] but found [false],
Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
 at .And I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:123)

| | |
|--|-------|
| And I enter following details in edit text field in dietician screen | 0.00s |
|--|-------|


| | |
|----------------------------|------------|
| \${enter.title.award.text} | TEST award |
| \${enter.org.name.text} | Test |

| | |
|---|-------|
| And I enter following details in dietician screen | 0.00s |
|---|-------|

| | |
|---------------|------|
| \${year.text} | 2020 |
|---------------|------|

| | |
|---|-------|
| And I click on field label "\${add.seminar.details.text}" to close keyboard on dietician screen | 0.00s |
|---|-------|

| | |
|---------------------------------|-------|
| And I click the continue button | 0.00s |
|---------------------------------|-------|



| | |
|-------|-------|
| After | 1.07s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to Seminar(s) Attended page

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 4 | Duration: 19.06s |
|-----------|-----------|--------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|--------|
| And I verify following text is displayed in dietician screen | 18.00s |
|--|--------|

| |
|---------------------------|
| \${seminar.attended.text} |
| \${add.seminar.details} |

java.lang.AssertionError: The following asserts failed:

Seminar(s) Attended text is displayed on page expected [true] but found [false],

Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
 at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:135)

| | |
|--|-------|
| And I enter following details in edit text field in dietician screen | 0.00s |
|--|-------|

| | |
|-------------------------|--------------|
| \${enter.seminar.title} | TEST seminar |
| \${enterLocation.text} | SINGAPORE |

| | |
|---|-------|
| And I enter following details in dietician screen | 0.00s |
|---|-------|

| | |
|---------------|------|
| \${year.text} | 2020 |
|---------------|------|

| | |
|---|-------|
| And I click on field label "\${seminar.attended.text}" to close keyboard on dietician screen | 0.00s |
|---|-------|

| | |
|---------------------------------|-------|
| And I click the continue button | 0.00s |
|---------------------------------|-------|



| | |
|-------|-------|
| After | 1.06s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to linked clinic page

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: 19.33s |
|-----------|-----------|--------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|--------|
| Given I verify following text is displayed in dietician screen | 16.15s |
|--|--------|

| |
|--------------------------|
| \${linked.clinic.text} |
| \${add.clinic.info.text} |

java.lang.AssertionError: The following asserts failed:

Linked Clinics/Hospitals text is displayed on page expected [true] but found [false],
 Add Clinics and Hospitals details where you practice text is displayed on page expected [true]
 but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
 at .Given I verify following text is displayed in dietician screen(features/my/health
 /Dietician_Doctor.feature:147)

| | |
|--|-------|
| And I enter following details in edit text field in dietician screen | 0.00s |
|--|-------|

| | |
|--|--|
| | |
| | |
| | |

| | |
|---|-------|
| And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen | 0.00s |
|---|-------|

| | |
|---------------------------------|-------|
| And I click the continue button | 0.00s |
|---------------------------------|-------|



| | |
|-------|-------|
| After | 3.18s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to Take a Picture page

| | | | |
|-----------|-----------|---------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 11 | Duration: 28.36s |
|-----------|-----------|---------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

| | |
|--|--------|
| Given I verify following text is displayed in dietician screen | 27.35s |
|--|--------|

| | |
|--|--|
| | |
| | |
| | |

java.lang.AssertionError: The following asserts failed:

About You text is displayed on page expected [true] but found [false],

Profile Photo text is displayed on page expected [true] but found [false],

Please take/upload your profile photo text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.

VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)

at .Given I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:157)

| | |
|---|-------|
| Then I verify following profile photo options are displayed in Dietician Screen | 0.00s |
|---|-------|

| | |
|---|--|
| \${uploadfile.text} \${takepicture.text} | |
|---|--|

| | |
|--|-------|
| And I clicks on "\${takepicture.text}" in app screen | 0.00s |
|--|-------|

| | |
|------------------------------|-------|
| And I give camera permission | 0.00s |
|------------------------------|-------|

| | |
|---------------------------------|-------|
| Then I take picture from Camera | 0.00s |
|---------------------------------|-------|

| | |
|---------------------------------|-------|
| And I click the continue button | 0.00s |
|---------------------------------|-------|

| | |
|-----------------------|-------|
| Then I wait for 3 sec | 0.00s |
|-----------------------|-------|

| | |
|---|-------|
| Then I verify following text is displayed in dietician screen | 0.00s |
|---|-------|

| | |
|---|--|
| \${confirmdetails.text} \${confirmdetails.text2} \${servicenum} \${issuing org} \${specialisation} \${service offered} | |
|---|--|

| | |
|-------------------|-------|
| And I scroll down | 0.00s |
|-------------------|-------|

| | |
|-----------------------|-------|
| Then I wait for 2 sec | 0.00s |
|-----------------------|-------|

| | |
|--|-------|
| And I click Agree button "Terms and Conditions" confirm screen | 0.00s |
|--|-------|

| | |
|---|-------|
| And I clicks on "Terms and Conditions" text in app screen | 0.00s |
|---|-------|



What is your date of birth?

Please enter your date of birth for best health recommendations.

Date of Birth

DD-MM-YYYY



Please select your Birthdate

Continue

| | |
|-------|-------|
| After | 1.02s |
|-------|-------|


[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to schedule Calendar page

| | | | |
|--|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 6 | Duration: 22.41s |
| Before | | | 0.00s |
| Then I wait for 5 sec | | | 5.01s |
| And I verify following text is displayed in dietician screen | | | 16.41s |
| <div style="border: 1px solid black; padding: 5px;"> \${conversation.history.text} \${no.appointmnt.now.text} </div> | | | |
| java.lang.AssertionError: The following asserts failed: Conversation History text is displayed on page expected [true] but found [false], No Appointments Now text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:184) | | | |
| Then User verify following dynamic texts are displayed in Dietician screen | | | 0.00s |
| <div style="border: 1px solid black; padding: 5px;"> \${click.manage.your.availability.text} </div> | | | |
| And I clicks on "\${schedule.cal.text}" in app screen | | | 0.00s |
| And I verify following text is displayed in dietician screen | | | 0.00s |
| <div style="border: 1px solid black; padding: 5px;"> \${calendar.text} </div> | | | |
| And I Select the Date in calendar field | | | 0.00s |
| And I click the Select Your Availability icon in calendar screen | | | 0.00s |
| And I clicks on "10:00 AM" in app screen | | | 0.00s |
|  <p>What is your date of birth? Please enter your date of birth for best health recommendations.</p> <p>Date of Birth DD-MM-YYYY <input type="button" value="Calendar"/></p> <p>Please select your Birthdate</p> <p>Continue</p> | | | |
| After | | | 0.98s |
| Back to Table of Contents | | | |

Feature: Verify that user can manage events via the Family Vaccine Calendar feature

| Passed: 0 | Failed: 7 | Undefined: 0 | Duration: 502.98s |
|---|-----------------|--------------|-------------------|
| Scenario: User should be able to register on app with correct credentials using "Continue with Email" | | | |
| Passed: 16 | Failed: 1 | Undefined: 1 | Duration: 367.35s |
| Before | | | |
| Given I generate random number and assign to variable "RANDOM_NUMBER" | | | 0.02s |
| And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" | | | 0.00s |
| And User has pulse app | | | 10.02s |
| Then I wait for 2 sec | | | 2.00s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | 61.66s |
| Then I wait for 2 sec | | | 2.01s |
| Then I change the country as required on registration page | | | 26.24s |
| Then I wait for 2 sec | | | 2.00s |
| Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button | | | 9.48s |
| Then I wait for 2 sec | | | 2.01s |
| When user enters registration details | | | 35.68s |
| FirstName | testAutomation | | |
| LastName | testAutomation | | |
| Email | \${PULSE_EMAIL} | | |
| Password | Pas\$1234 | | |
| And taps on continue "Sign_Up" button | | | 2.47s |
| And I wait for otp screen after clicking on signup button | | | 5.43s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | | | 40.71s |
| Then I wait for 2 sec | | | 2.01s |
| Then I click skip button | | | 119.48s |
| Then user should be landed to "Home" screen | | | 44.49s |
| <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/my/health/FamilyVaccineCalendar.feature:26)</pre> | | | |
| Then I wait for 4 sec | | | 0.00s |



| | | |
|-------|--|-------|
| After | | 1.66s |
|-------|--|-------|

[Back to Table of Contents](#)


Scenario: User should be able to access my family vaccination calendar

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 4 | Failed: 1 | Undefined: 0 | Duration: 57.39s |
| Before | 0.00s | | |

| | |
|---|--------|
| Given I clicks on Health button | 34.30s |
| Then I wait for 2 sec | 2.04s |
| Then I click on vaccine calendar tile | 0.40s |
| Then I wait for 2 sec | 2.01s |
| Then User verifies following texts are displayed in Vaccine Calendar screen | 17.06s |
| <div style="border: 1px solid black; padding: 2px;">\${vaccineCalendar.title}</div> <div style="border: 1px solid black; padding: 2px;">\${vaccineCalendar.description}</div> | |

java.lang.AssertionError: The following asserts failed:

Vaccine Schedule is present as expected expected [true] but found [false],
Check and track Vaccination schedules for your loved ones is present as expected expected
[true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.verifyVaccineCalText
(VaccineCalendarSteps.java:38)
at .Then User verifies following texts are displayed in Vaccine Calendar screen(features/my
/health/FamilyVaccineCalendar.feature:34)



| | | |
|-------|--|-------|
| After | | 1.59s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify the user can Add Vaccine Information

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: 10.2s |
| Before | 0.00s | | |

| | |
|--|-------|
| When I click on Add more button in Vaccine Calendar screen | 8.32s |
|--|-------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: 9d088c26-cf87-4648-b0f6-1afec2a6fb56

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Add more"])[4]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickAddMoreBtn(PulseHealthScreen.java:328)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.clickAddMoreBtn
(VaccineCalendarSteps.java:43)
at .When I click on Add more button in Vaccine Calendar screen(features/my/health
/FamilyVaccineCalendar.feature:40)
```


| | |
|----------------------|-------|
| And I wait for 2 sec | 0.00s |
|----------------------|-------|

| | |
|---|-------|
| Then User verifies following texts are displayed in Vaccine Calendar screen | 0.00s |
|---|-------|

| |
|--------------------------------------|
| \${vaccineCalendar.addMore.Title} |
| \${vaccineCalendar.addMore.relation} |
| \${vaccineCalendar.addMore.name} |
| \${vaccineCalendar.addMore.dob} |

| | |
|---|-------|
| Then User verifies following buttons are displayed in Vaccine Calendar screen | 0.00s |
|---|-------|

| |
|--|
| \${vaccineCalendar.addMore.cancelButton} |
| \${vaccineCalendar.addMore.saveButton} |



| | | |
|-------|--|-------|
| After | | 1.88s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: enter information on add vaccination popup

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 2 | Duration: 23.39s |
|-----------|-----------|--------------|------------------|

| | | |
|--------|--|-------|
| Before | | 0.01s |
|--------|--|-------|

| | |
|---|-------|
| And I assign value to following variables | 0.03s |
|---|-------|

| | |
|----------|-------------|
| relation | Child |
| name | testing_one |

| | |
|---|--------|
| Then I add following information in Vaccine Calendar add information screen | 20.36s |
|---|--------|

| | |
|----------|--------------|
| Name | \${name} |
| Relation | \${relation} |

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, uid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: 9d088c26-cf87-4648-b0f6-1afec2a6fb56

```
*** Element info: {Using>xpath, value=/XCUIElementTypeOther[@name="Name"]}
```

```
/XCUIElementTypeTextField}
```

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
```

```
(DelegatingConstructorAccessorImpl.java:45)
```

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
```

```
(W3CHttpResponseCodec.java:122)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
```

```
(W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
```

```
158)
```

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
```

```
(AppiumCommandExecutor.java:231)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
```

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
```

```
java:42)
```

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
```

```
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
```

```
at io.appium.java_client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:62)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

```
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
```

```
java:419)
```

```
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
```

```
(DefaultGenericMobileDriver.java:152)
```

```
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
```

```
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

```
at io.appium.java_client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

```
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
```

```
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
```

```
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

```
19)
```

```
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
```

```
at com.onepulse.app.screens.PulseHealthScreen.enterAddInformationForm
```

```
(PulseHealthScreen.java:343)
```

```
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
```


```
enterAddInformationDetails(VaccineCalendarSteps.java:50)
```

```
at .Then I add following information in Vaccine Calendar add information screen(features/my
```

```
/health/FamilyVaccineCalendar.feature:55)
```

| | |
|-----------------------|-------|
| Then I wait for 2 sec | 0.00s |
|-----------------------|-------|

| | |
|---|-------|
| And I click on "\${vaccineCalendar.addMore.saveButton}" button in Vaccine | |
| Calendar screen | 0.00s |



| | | |
|-------|--|-------|
| After | | 3.00s |
|-------|--|-------|

[Back to Table of Contents](#)


Scenario: Verify the added item displayed on the Vaccine Schedule screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 1 | Undefined: 6 | Duration: 21.73s |
| Before | 0.00s | | |

| | |
|---|--------|
| Given I wait for 2 sec | 2.01s |
| Then User verifies following dynamic texts are displayed in Vaccine Calendar screen | 18.20s |
| <div style="border: 1px solid black; padding: 2px;">\${relation}</div> <div style="border: 1px solid black; padding: 2px;">\${name}</div> | |

java.lang.AssertionError: The following asserts failed:
Child is present as expected expected [true] but found [false],
testing_one is present as expected expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.verifyDynamicTextOnVaccineCal(VaccineCalendarSteps.java:78)
at .Then User verifies following dynamic texts are displayed in Vaccine Calendar screen
(features/my/health/FamilyVaccineCalendar.feature:64)

| | |
|--|-------|
| Then I click on "\${name} \${relation}" button in Vaccine Calendar screen | 0.00s |
| And I click on "\${vaccineCalendar.continue.button}" button in Vaccine Calendar screen | 0.00s |
| Then I wait for 2 sec | 0.00s |
| Then User verifies following texts are displayed in Vaccine Calendar screen | 0.00s |
| <div style="border: 1px solid black; padding: 2px;">\${vaccineCalendar.select.child.text}</div> <div style="border: 1px solid black; padding: 2px;">\${vaccine.text}</div> | |

| | | |
|--|--|--------------|
| | Then User verifies following dynamic texts are displayed in Vaccine Calendar screen | 0.00s |
| | \${name} | |
| | And I verify following texts are displayed | 0.00s |
| | \${vaccine.bcg.text} \${vaccine.hep.text} | |
| |  | |
| After | | 1.52s |
| Back to Table of Contents | | |
| Scenario: Verify reminder options in vaccine schedule | | |
| Passed: 0 | Failed: 1 | Undefined: 2 |
| Before | | 0.00s |
| | Then I click reminder icon for BCG vaccine | 8.01s |
| | <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.ios.IOSDriver</p> <p>Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}</p> | |

Session ID: 9d088c26-cf87-4648-b0f6-1afec2a6fb56

```
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="1 dose"])[1]
/XCUIElementTypeOther/XCUIElementTypeOther[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationIcon
(PulseHealthScreen.java:434)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
iClickReminderIconForBCGVaccine(VaccineCalendarSteps.java:84)
at .Then I click reminder icon for BCG vaccine(features/my/health/FamilyVaccineCalendar.
feature:82)
```

And I verify following texts are displayed

0.00s

| |
|-------------------------|
| \${reminder.popup.text} |
|-------------------------|

| | | | |
|--|-----------|--------------|-----------------|
| And I click NO option | 0.00s | | |
|  | | | |
| After | 1.20s | | |
| Back to Table of Contents | | | |
| Scenario: Verify change reminder functionality in vaccine schedule screen | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 13.7s |
| Before | 0.00s | | |
| And I click Yes option | 12.54s | | |
| <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.ios.IOSDriver</p> <p>Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}</p> <p>Session ID: 9d088c26-cf87-4648-b0f6-1afec2a6fb56</p> <pre>*** Element info: {Using>xpath, value=(//XCUIElementTypeOther[@name="1 dose"])[1]/XCUIElementTypeOther/XCUIElementTypeOther[2]}</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> | | | |

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationYesOption
(PulseHealthScreen.java:443)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.iClickYesOption
(VaccineCalendarSteps.java:94)
at .And I click Yes option(features/my/health/FamilyVaccineCalendar.feature:88)
```

| | |
|-------|--------------|
| After | 1.16s |
|-------|--------------|

[Back to Table of Contents](#)

Feature: Verify that user can access Dengue Alert feature

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 640.49s |
|-----------|-----------|--------------|-------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 110.97s |
|-----------|-----------|--------------|-------------------|

| | |
|--------|--------------|
| Before | 0.00s |
|--------|--------------|

| | |
|---|---------------|
| Given User has pulse app | 10.16s |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | 0.03s |
| And user click on "CONTINUE WITH EMAIL" with Email button | 62.43s |
| Then I change the country as required on registration page | 26.67s |
| Then I wait for 10 sec | 10.02s |
| And I click the Sign in link | 1.66s |

| | |
|-------|--------------|
| After | 0.00s |
|-------|--------------|

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 99.37s |
|-----------|-----------|--------------|------------------|

| | |
|--------|--------------|
| Before | 0.00s |
|--------|--------------|

| | |
|--|---------------|
| Given I select the language option on toggle bar as required on login page | 3.53s |
| When user enters credentials | 54.41s |
| UserName \${PULSE_EMAIL} | |
| Password \${pulse.password} | |
| And User clicks on signin button | 3.26s |

| | | | | | | | | |
|---|--|--|---|--|---|---|-------------------------------|--|
| | And I wait for 5 sec | 5.01s | | | | | | |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 9.85s | | | | | | |
| | Then user should be landed to "Home" screen | 23.31s | | | | | | |
| After | | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | | |
| Scenario: Verify the map can be expanded | | | | | | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | | | | | | |
| Before | | 0.00s | | | | | | |
| | Given I wait for 2 sec | 2.01s | | | | | | |
| | And I clicks on Health button | 43.36s | | | | | | |
| | And I clicks on Dengue Alert tile | 23.83s | | | | | | |
| | And I click on the mapImage | 6.90s | | | | | | |
| | And I click on map back button | 0.00s | | | | | | |
| After | | 0.00s | | | | | | |
| Back to Table of Contents | | | | | | | | |
| Scenario: User should be able to view the Dengue Outbreak - Malaysia | | | | | | | | |
| Passed: 8 | Failed: 0 | Undefined: 0 | | | | | | |
| Before | | 0.00s | | | | | | |
| Then I verify the following texts "Dengue Alert" in Screen | | 15.63s | | | | | | |
| <table border="1"> <tr><td>Malaysia</td></tr> <tr><td>Outbreaks</td></tr> </table> | | Malaysia | Outbreaks | | | | | |
| Malaysia | | | | | | | | |
| Outbreaks | | | | | | | | |
| Then I verify following dynamic static text is displayed in Dengue Alert Screen | | 24.27s | | | | | | |
| <table border="1"> <tr><td> \${dengueAlert.outbreak.new}</td></tr> <tr><td> \${dengueAlert.outbreak.thisWeek}</td></tr> <tr><td> \${dengueAlert.outbreak.total}</td></tr> <tr><td> \${dengueAlert.outbreak.deaths}</td></tr> <tr><td> \${dengueAlert.outbreak.thisWeek}</td></tr> </table> | | \${dengueAlert.outbreak.new} | \${dengueAlert.outbreak.thisWeek} | \${dengueAlert.outbreak.total} | \${dengueAlert.outbreak.deaths} | \${dengueAlert.outbreak.thisWeek} | | |
| \${dengueAlert.outbreak.new} | | | | | | | | |
| \${dengueAlert.outbreak.thisWeek} | | | | | | | | |
| \${dengueAlert.outbreak.total} | | | | | | | | |
| \${dengueAlert.outbreak.deaths} | | | | | | | | |
| \${dengueAlert.outbreak.thisWeek} | | | | | | | | |
| Then I verify following texts are displayed | | 5.31s | | | | | | |
| <table border="1"> <tr><td> \${dengueAlert.outbreak.total.title}</td></tr> </table> | | \${dengueAlert.outbreak.total.title} | | | | | | |
| \${dengueAlert.outbreak.total.title} | | | | | | | | |
| When I scroll down | | 6.66s | | | | | | |
| Then I verify following texts are displayed | | 9.40s | | | | | | |
| <table border="1"> <tr><td> \${dengueAlert.zonal.title}</td></tr> <tr><td> \${dengueAlert.zonal.country}</td></tr> </table> | | \${dengueAlert.zonal.title} | \${dengueAlert.zonal.country} | | | | | |
| \${dengueAlert.zonal.title} | | | | | | | | |
| \${dengueAlert.zonal.country} | | | | | | | | |
| Then I verify following texts are displayed | | 34.53s | | | | | | |
| <table border="1"> <tr><td> \${dengueAlert.zone1}</td></tr> <tr><td> \${dengueAlert.zone2}</td></tr> <tr><td> \${dengueAlert.zone3}</td></tr> <tr><td> \${dengueAlert.zone4}</td></tr> <tr><td> \${dengueAlert.zone5}</td></tr> <tr><td> \${dengueAlert.zone6}</td></tr> </table> | | \${dengueAlert.zone1} | \${dengueAlert.zone2} | \${dengueAlert.zone3} | \${dengueAlert.zone4} | \${dengueAlert.zone5} | \${dengueAlert.zone6} | |
| \${dengueAlert.zone1} | | | | | | | | |
| \${dengueAlert.zone2} | | | | | | | | |
| \${dengueAlert.zone3} | | | | | | | | |
| \${dengueAlert.zone4} | | | | | | | | |
| \${dengueAlert.zone5} | | | | | | | | |
| \${dengueAlert.zone6} | | | | | | | | |
| When I scroll down | | 7.26s | | | | | | |
| Then I verify following texts are displayed | | 53.51s | | | | | | |


| | | |
|---|---|---------------------------------|
| | \${dengueAlert.zone7} \${dengueAlert.zone8} \${dengueAlert.zone9} \${dengueAlert.zone10} \${dengueAlert.zone11} \${dengueAlert.zone12} \${dengueAlert.zone13} \${dengueAlert.zone14} \${dengueAlert.zone15} \${dengueAlert.zone16} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: User should be able to view the Dengue Cases - Malaysia | | |
| Passed: 9 | Failed: 0 | Undefined: 0 Duration: 197.52 s |
| Before | | 0.00s |
| When I scroll up till "\${dengue.alert.map}" element displayed | | 33.88s |
| And I select "Cases" from outbreaks dropdown | | 11.02s |
| Then I verify following dynamic static text is displayed in Dengue Alert Screen | | 29.68s |
| \${dengueAlert.cases.new} \${dengueAlert.outbreak.thisWeek} \${dengueAlert.cases.total} \${dengueAlert.outbreak.deaths} \${dengueAlert.outbreak.thisWeek} | | |
| Then I verify following texts are displayed | | 5.61s |
| \${dengueAlert.cases.total.title} | | |
| Then I verify following texts are displayed | | 13.20s |
| \${dengueAlert.zonal.title} \${dengueAlert.zonal.country} | | |
| When I scroll down | | 6.52s |
| Then I verify following texts are displayed | | 33.42s |
| \${dengueAlert.zone1} \${dengueAlert.zone2} \${dengueAlert.zone3} \${dengueAlert.zone4} \${dengueAlert.zone5} \${dengueAlert.zone6} | | |
| When I scroll down | | 7.05s |
| Then I verify following texts are displayed | | 57.14s |
| \${dengueAlert.zone7} \${dengueAlert.zone8} \${dengueAlert.zone9} \${dengueAlert.zone10} | | |

| | | | | | | | | | | | |
|---|-------------------------------|---|-------------------|-----------|----------------|----------|----------------|-------|-------------------------------|----------|-----------|
| | | <p><code> \${dengueAlert.zone11}</code> <code> \${dengueAlert.zone12}</code> <code> \${dengueAlert.zone13}</code> <code> \${dengueAlert.zone14}</code> <code> \${dengueAlert.zone15}</code> <code> \${dengueAlert.zone16}</code></p> | | | | | | | | | |
| | | After | 0.00s | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | |
| | | Feature: Verify Pru infectious disease cover functionality on one pulse App | | | | | | | | | |
| Passed: 0 | Failed: 9 | Undefined: 0 | Duration: 585.25s | | | | | | | | |
| Scenario: User should be able to register on app with correct credentials using "Continue with Email" | | | | | | | | | | | |
| Passed: 16 | Failed: 1 | Undefined: 1 | Duration: 366.94s | | | | | | | | |
| Before | | | 0.00s | | | | | | | | |
| <p>Given I generate random number and assign to variable "RANDOM_NUMBER"</p> <p>And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"</p> <p>And User has pulse app</p> <p>Then I wait for 2 sec</p> <p>And user click on "CONTINUE WITH EMAIL" with Email button</p> <p>Then I wait for 2 sec</p> <p>Then I change the country as required on registration page</p> <p>Then I wait for 2 sec</p> <p>Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button</p> <p>Then I wait for 2 sec</p> <p>When user enters registration details</p> <table border="1"> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td><code> \${PULSE_EMAIL}</code></td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table> <p>And taps on continue "Sign_Up" button</p> <p>And I wait for otp screen after clicking on signup button</p> <p>And I enter OTP in one pulse app for user email "<code> \${PULSE_EMAIL}</code>"</p> <p>Then I wait for 2 sec</p> <p>Then I click skip button</p> <p>Then user should be landed to "Home" screen</p> | | | | FirstName | testAutomation | LastName | testAutomation | Email | <code> \${PULSE_EMAIL}</code> | Password | Pas\$1234 |
| FirstName | testAutomation | | | | | | | | | | |
| LastName | testAutomation | | | | | | | | | | |
| Email | <code> \${PULSE_EMAIL}</code> | | | | | | | | | | |
| Password | Pas\$1234 | | | | | | | | | | |
| <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52)</pre> | | | | | | | | | | | |

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
 at .Then user should be landed to "Home" screen(features/my/home/prushopee
/PruInfectiousDiseaseCover.feature:25)

Then I wait for 4 sec

0.00s



After 2.93s

[Back to Table of Contents](#)

Scenario: Navigate to PRU Shoppe screen

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.27s |
|-----------|-----------|--------------|------------------|

Before 0.00s

And I click on pru shoppe button on the home page 9.06s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'


Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: ce236bac-522e-4144-b7ac-1f97e1dc8bcc

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name='PRU Shoppe']}

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIconOnHomePage
(PruShoppeScreen.java:85)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToPruShoppeHomePage(PruShoppeSteps.java:41)
at .And I click on pru shoppe button on the home page(features/my/home/prushopee
/PruInfectiousDiseaseCover.feature:29)
```



| | | |
|-------|--|-------|
| After | | 1.22s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the infectious disease cover screen options

| | | | |
|-----------|-----------|---------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 11 | Duration: 9.41s |
| Before | | | 0.00s |

| | |
|--|-------|
| Then I click on Proceed button on prushoppe screen | 8.11s |
|--|-------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

Session ID: ce236bac-522e-4144-b7ac-1f97e1dc8bcc

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Proceed"])[2]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:144)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushoppee
/PruInfectiousDiseaseCover.feature:32)
```

| | |
|-----------------------|-------|
| Then I wait for 5 sec | 0.00s |
|-----------------------|-------|

| | |
|---|-------|
| Then I click on pru infectious disease cover tile on prushoppe screen | 0.00s |
|---|-------|

| | |
|-----------------------|-------|
| Then I wait for 5 sec | 0.00s |
|-----------------------|-------|

| | |
|--|-------|
| And I verify following texts are displayed | 0.00s |
|--|-------|

| |
|-------------------------------------|
| \${infectious.disease.cover.text} |
| \${infectious.disease.cover.info.1} |
| \${infectious.disease.cover.info.2} |
| \${infectious.disease.cover.info.3} |
| \${infectious.disease.cover.info.4} |

| | |
|---|-------|
| And user click on following button "\${show.more.text}" on prushoppe screen | 0.00s |
|---|-------|

| | | |
|---|---|--------------|
| | And I verify following texts are displayed | 0.00s |
| | \${infectious.disease.cover.info.5} | |
| | \${infectious.disease.cover.info.6} | |
| | And user click on following button "\${show.less.text}" on prushoppe screen | 0.00s |
| | And I verify following texts are displayed | 0.00s |
| | \${infectious.disease.disclosure.text.1} | |
| | \${infectious.disease.disclosure.text.2} | |
| | \${infectious.disease.disclosure.text.3} | |
| | \${infectious.disease.disclosure.text.4} | |
| | \${infectious.disease.disclosure.text.5} | |
| | \${infectious.disease.disclosure.text.6} | |
| | \${infectious.disease.disclosure.text.7} | |
| | And I verify following texts are displayed | 0.00s |
| | \${your.details.text} | |
| | And I scroll down | 0.00s |
| | And I verify following texts are displayed | 0.00s |
| | \${my.name.as.nric.text} | |
| | \${infectious.disease.gender.text} | |
| | \${infectious.disease.dob} | |
| |  | |
| | <p>What is your date of birth?</p> <p>Please enter your date of birth for best health recommendations.</p> <p>Date of Birth</p> <p>DD-MM-YYYY <input type="button" value="Calendar"/></p> <p>Please select your Birthdate</p> <p>Continue</p> | |
| After | | 1.29s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to see the infectious disease cover Screen options | | |
| Passed: 0 | Failed: 1 | Undefined: 3 |
| Before | | 0.00s |
| | And I verify following texts are displayed | 60.07s |


| | | | | | | | | | | |
|-----------------------------|--|--|----------------------------|-----------------------------|---------------------------|----------------|---------------------|----------------------------|----------------------|--|
| | | <table border="1"> <tr><td> \${my.residential.text}</td></tr> <tr><td> \${my.country.of.residence}</td></tr> <tr><td> \${my.resedential.status}</td></tr> <tr><td> \${email.text}</td></tr> <tr><td> \${my.country.code}</td></tr> <tr><td> \${my.mobile.phone.number}</td></tr> <tr><td> \${my.referral.code}</td></tr> </table> | \${my.residential.text} | \${my.country.of.residence} | \${my.resedential.status} | \${email.text} | \${my.country.code} | \${my.mobile.phone.number} | \${my.referral.code} | |
| \${my.residential.text} | | | | | | | | | | |
| \${my.country.of.residence} | | | | | | | | | | |
| \${my.resedential.status} | | | | | | | | | | |
| \${email.text} | | | | | | | | | | |
| \${my.country.code} | | | | | | | | | | |
| \${my.mobile.phone.number} | | | | | | | | | | |
| \${my.referral.code} | | | | | | | | | | |
| | | <p>java.lang.AssertionError: The following asserts failed:</p> <p>Residential address text is displayed on page expected [true] but found [false], Country of Residence text is displayed on page expected [true] but found [false], Residential status and Nationality text is displayed on page expected [true] but found [false], Email text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false]</p> | | | | | | | | |
| | | at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) | | | | | | | | |
| | | at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) | | | | | | | | |
| | | at .And I verify following texts are displayed(features/my/home/prushopee /PruInfectiousDiseaseCover.feature:66) | | | | | | | | |
| | And I scroll down | | 0.00s | | | | | | | |
| | And I verify following texts are displayed | | 0.00s | | | | | | | |
| | <table border="1"> <tr><td> \${payment.summary.text}</td></tr> <tr><td> \${insurance.premium.text}</td></tr> <tr><td> \${total.premium.text}</td></tr> </table> | \${payment.summary.text} | \${insurance.premium.text} | \${total.premium.text} | | | | | | |
| \${payment.summary.text} | | | | | | | | | | |
| \${insurance.premium.text} | | | | | | | | | | |
| \${total.premium.text} | | | | | | | | | | |
| | And I scroll down | | 0.00s | | | | | | | |
| |  <p>6:14</p> <p>Date of Birth</p> <p>What is your date of birth?</p> <p>Please enter your date of birth for best health recommendations.</p> <p>Date of Birth</p> <p>DD-MM-YYYY</p> <p>Please select your Birthdate</p> <p>Continue</p> | | | | | | | | | |

| | | |
|---|-----------|--------------|
| After | | 1.25s |
| Back to Table of Contents | | |
| Scenario Outline: Verify User should be able to see the infectious disease cover term and condition | | |
| Passed: 0 | Failed: 1 | Undefined: 0 |
| Before | | |
| Given User accept the term and conitions "\${infectious.disease.tnc.1}" in infectious disease cover Screen | | 9.22s |
| <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.ios.IOSDriver</p> <p>Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}</p> <p>Session ID: ce236bac-522e-4144-b7ac-1f97e1dc8bcc</p> <p>*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,'I am aware that the product provides coverage/pays out RM1,000 upon diagnosis of Dengue Fever, Malaria, Measles or Typhoid. This benefit is only payable once.')]//preceding-sibling::XCUIElementTypeOther[@name="termsandcondition"]}[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> | | |

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.1}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

```



| | | |
|-------|--|-------|
| After | | 1.24s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition


| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 8.77s |
| Before | | | 0.00s |

| | | |
|--|--|--------------|
| <p>Given User accept the term and conditions "\${infectious.disease.tnc.2}" in infectious disease cover Screen</p> | <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, uid: 00008101-001145000212001E, webStorageEnabled: false} Session ID: ce236bac-522e-4144-b7ac-1f97e1dc8bcc *** Element info: {Using=xpath, value=/XCUIElementTypeStaticText[contains(@name,"I am aware that the product does not provide coverage/pay out benefits within the first 15 days from the Commencement Date.")]/../parent::XCUIElementTypeOther/preceding-sibling::XCUIElementTypeOther[@name=="termsandcondition"]}[1]} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)</p> | <p>7.55s</p> |
|--|--|--------------|

```

at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

```



| | |
|-------|-------|
| After | 1.22s |
|-------|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.26s |
| Before | 0.00s | | |

| | |
|--|-------|
| Given User accept the term and conitions "\${infectious.disease.tnc.3}" in infectious disease cover Screen | 8.08s |
|--|-------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: <http://seleniumhq.org/exceptions>


/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
 Session ID: ce236bac-522e-4144-b7ac-1f97e1dc8bcc
 *** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name, "I am aware that if I change my mind, I have 15 days from the policy commencement date to cancel my coverage and I can obtain a refund.")]/../*[XCUIElementTypeOther/preceding-sibling::XCUIElementTypeOther[@name="termsandcondition"]][1]}\n at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)

```

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.3}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

```



| | | |
|-------|--|-------|
| After | | 1.17s |
|-------|--|-------|

[Back to Table of Contents](#)

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 9.35s |
| Before | | | 0.00s |

| | |
|--|-------|
| Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease cover Screen | 8.02s |
|--|-------|

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,


```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ce236bac-522e-4144-b7ac-1f97e1dc8bcc
*** Element info: {Using=xpath, value=/XCUIElementTypeStaticText[contains(@name,"I
give my consent to Prudential Assurance Malaysia Berhad")]/../parent:::
XCUIElementTypeOther/preceding-sibling::XCUIElementTypeOther[@name="

termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.

```

acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)



| | |
|-------|-------|
| After | 1.33s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: verify that user can see agreement and proceed button

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 99.48s |
|-----------|-----------|--------------|------------------|

| | |
|--------|-------|
| Before | 0.00s |
|--------|-------|

Given I verify following texts are displayed 97.74s

| |
|---|
| \${infectious.disease.tnc.3.1} |
| \${infectious.disease.tnc.4.1} |
| \${infectious.disease.tnc.4.2} |
| \${infectious.disease.tnc.4.3} |
| \${infectious.disease.tnc.4.4} |
| \${infectious.disease.agreement.text.1} |
| \${infectious.disease.agreement.text.2} |
| \${infectious.disease.agreement.text.3} |
| \${infectious.disease.agreement.text.4} |
| \${infectious.disease.agreement.text.5} |
| \${infectious.disease.agreement.text.6} |


java.lang.AssertionError: The following asserts failed:

I am aware that if I am unsure, and for more details on exclusions, terms and conditions as well as claims guide, I can refer to the Product Materials below. I may also reach customer service at customer.mys@prudential.com.my for any other enquiries. text is displayed on page expected [true] but found [false],

PAMB text is displayed on page expected [true] but found [false],
the insurer text is displayed on page expected [true] but found [false],
to release my personal data to third parties for direct marketing purposes. text is displayed on page expected [true] but found [false],
I can withdraw my consent at any time by letting PAMB know in writing. text is displayed on page expected [true] but found [false],
By clicking Proceed, I acknowledge the information provided is accurate and that I have read and fully understood the text is displayed on page expected [true] but found [false],
Declarations and text is displayed on page expected [true] but found [false],
Product Materials text is displayed on page expected [true] but found [false],
PAMB text is displayed on page expected [true] but found [false],
Privacy Policy and text is displayed on page expected [true] but found [false],
I agree that they are binding on me. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .Given I verify following texts are displayed(features/my/home/prushopee
/PruInfectiousDiseaseCover.feature:92)

And I verify proceed button is displayed on pru shoppe screen

0.00s



After 1.73s

[Back to Table of Contents](#)

Feature: Verify Pru Shoppe My Coverage functionality on one pulse App

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 5 | Failed: 2 | Undefined: 0 | Duration: 381.42s |
|-----------|-----------|--------------|-------------------|


Scenario: Launch the app and select the country as per specified lbu

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 106.65s |
|-----------|-----------|--------------|-------------------|

Before 0.00s

| | | | | | | | | | | | | | | | | | | | |
|---|-----------|--------------|-------------------|--|--------|---|--------|---|--------|--|--------|--|-------|------------------------------|-------|---|-------|---|--------|
| <table border="1"><tr><td>Given User has pulse app</td><td>9.19s</td></tr><tr><td>And I assign "\${login.email.id}" to variable "PULSE_EMAIL"</td><td>0.01s</td></tr><tr><td>And user click on "CONTINUE WITH EMAIL" with Email button</td><td>64.38s</td></tr><tr><td>Then I change the country as required on registration page</td><td>26.31s</td></tr><tr><td>Then I wait for 5 sec</td><td>5.02s</td></tr><tr><td>And I click the Sign in link</td><td>1.76s</td></tr><tr><td>After</td><td>0.00s</td></tr></table> | | | | Given User has pulse app | 9.19s | And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | 0.01s | And user click on "CONTINUE WITH EMAIL" with Email button | 64.38s | Then I change the country as required on registration page | 26.31s | Then I wait for 5 sec | 5.02s | And I click the Sign in link | 1.76s | After | 0.00s | | |
| Given User has pulse app | 9.19s | | | | | | | | | | | | | | | | | | |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | 0.01s | | | | | | | | | | | | | | | | | | |
| And user click on "CONTINUE WITH EMAIL" with Email button | 64.38s | | | | | | | | | | | | | | | | | | |
| Then I change the country as required on registration page | 26.31s | | | | | | | | | | | | | | | | | | |
| Then I wait for 5 sec | 5.02s | | | | | | | | | | | | | | | | | | |
| And I click the Sign in link | 1.76s | | | | | | | | | | | | | | | | | | |
| After | 0.00s | | | | | | | | | | | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | | | | | | | | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | | | | | | | | | | | | | | | | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 104.69s | | | | | | | | | | | | | | | | |
| Before | | | 0.00s | | | | | | | | | | | | | | | | |
| <table border="1"><tr><td>Given I select the language option on toggle bar as required on login page</td><td>4.04s</td></tr><tr><td>When user enters credentials</td><td>59.02s</td></tr><tr><td> UserName \${PULSE_EMAIL}</td><td></td></tr><tr><td> Password \${login.password}</td><td></td></tr><tr><td>And User clicks on signin button</td><td>1.55s</td></tr><tr><td>And I wait for 5 sec</td><td>5.01s</td></tr><tr><td>And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"</td><td>9.98s</td></tr><tr><td>Then user should be landed to "Home" screen</td><td>25.07s</td></tr></table> | | | | Given I select the language option on toggle bar as required on login page | 4.04s | When user enters credentials | 59.02s | UserName \${PULSE_EMAIL} | | Password \${login.password} | | And User clicks on signin button | 1.55s | And I wait for 5 sec | 5.01s | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 9.98s | Then user should be landed to "Home" screen | 25.07s |
| Given I select the language option on toggle bar as required on login page | 4.04s | | | | | | | | | | | | | | | | | | |
| When user enters credentials | 59.02s | | | | | | | | | | | | | | | | | | |
| UserName \${PULSE_EMAIL} | | | | | | | | | | | | | | | | | | | |
| Password \${login.password} | | | | | | | | | | | | | | | | | | | |
| And User clicks on signin button | 1.55s | | | | | | | | | | | | | | | | | | |
| And I wait for 5 sec | 5.01s | | | | | | | | | | | | | | | | | | |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 9.98s | | | | | | | | | | | | | | | | | | |
| Then user should be landed to "Home" screen | 25.07s | | | | | | | | | | | | | | | | | | |
| After | | | 0.01s | | | | | | | | | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | | | | | | | | | |
| Scenario: Verify user can access his policies from Pru Shoppe My Policies screen | | | | | | | | | | | | | | | | | | | |
| Passed: 5 | Failed: 0 | Undefined: 0 | Duration: 46.22s | | | | | | | | | | | | | | | | |
| Before | | | 0.00s | | | | | | | | | | | | | | | | |
| <table border="1"><tr><td>And I click on pru shoppe button on the home page</td><td>4.40s</td></tr><tr><td>And I wait for 5 sec</td><td>5.01s</td></tr><tr><td>And I click on my policies tile on prushoppe screen</td><td>31.70s</td></tr><tr><td>And I wait for 2 sec</td><td>2.00s</td></tr><tr><td>And I verify following texts are displayed</td><td>3.10s</td></tr><tr><td> \${myCoverage.title}</td><td></td></tr><tr><td> \${myCoverage.information}</td><td></td></tr><tr><td> \${myCoverage.InformationDescription}</td><td></td></tr></table> | | | | And I click on pru shoppe button on the home page | 4.40s | And I wait for 5 sec | 5.01s | And I click on my policies tile on prushoppe screen | 31.70s | And I wait for 2 sec | 2.00s | And I verify following texts are displayed | 3.10s | \${myCoverage.title} | | \${myCoverage.information} | | \${myCoverage.InformationDescription} | |
| And I click on pru shoppe button on the home page | 4.40s | | | | | | | | | | | | | | | | | | |
| And I wait for 5 sec | 5.01s | | | | | | | | | | | | | | | | | | |
| And I click on my policies tile on prushoppe screen | 31.70s | | | | | | | | | | | | | | | | | | |
| And I wait for 2 sec | 2.00s | | | | | | | | | | | | | | | | | | |
| And I verify following texts are displayed | 3.10s | | | | | | | | | | | | | | | | | | |
| \${myCoverage.title} | | | | | | | | | | | | | | | | | | | |
| \${myCoverage.information} | | | | | | | | | | | | | | | | | | | |
| \${myCoverage.InformationDescription} | | | | | | | | | | | | | | | | | | | |
| After | | | 0.00s | | | | | | | | | | | | | | | | |
| Back to Table of Contents | | | | | | | | | | | | | | | | | | | |
| Scenario: Click on Link policy and verify screen to add policy number | | | | | | | | | | | | | | | | | | | |
| Passed: 4 | Failed: 0 | Undefined: 0 | Duration: 38.55s | | | | | | | | | | | | | | | | |
| Before | | | 0.00s | | | | | | | | | | | | | | | | |
| <table border="1"><tr><td>And I clicks on "\${myCoverage.linkPolicyButton}" in app screen</td><td>30.66s</td></tr><tr><td>And I wait for 2 sec</td><td>2.01s</td></tr><tr><td>And I hide one pulse app mobile keyboard</td><td>0.82s</td></tr><tr><td>And I verify following texts are displayed</td><td>5.07s</td></tr><tr><td> \${myCoverage.policyNumber.title}</td><td></td></tr></table> | | | | And I clicks on "\${myCoverage.linkPolicyButton}" in app screen | 30.66s | And I wait for 2 sec | 2.01s | And I hide one pulse app mobile keyboard | 0.82s | And I verify following texts are displayed | 5.07s | \${myCoverage.policyNumber.title} | | | | | | | |
| And I clicks on "\${myCoverage.linkPolicyButton}" in app screen | 30.66s | | | | | | | | | | | | | | | | | | |
| And I wait for 2 sec | 2.01s | | | | | | | | | | | | | | | | | | |
| And I hide one pulse app mobile keyboard | 0.82s | | | | | | | | | | | | | | | | | | |
| And I verify following texts are displayed | 5.07s | | | | | | | | | | | | | | | | | | |
| \${myCoverage.policyNumber.title} | | | | | | | | | | | | | | | | | | | |

| | | |
|---|---|--|
| | \${myCoverage.policyNumber.description} \${myCoverage.policyNumber.description1} | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the error message when the Policy Number is blank | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| Then I click on policy number save button on my policies screen Then I click on policy number save button on my policies screen Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage} | | 0.99s 1.27s 4.96s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify the error message when the Policy Number is invalid or incorrect | | |
| Passed: 4 | Failed: 1 | Undefined: 0 |
| Before | | 0.00s |
| When I enter "1234" as the Policy number And I hide one pulse app mobile keyboard Then I click on policy number save button on my policies screen And I wait for 2 sec Then I verify following texts are displayed \${myCoverage.policyNumber.errorMessage} | | 5.70s 4.10s 3.95s 2.01s 10.76s |
| java.lang.AssertionError: The following asserts failed: Policy number not found text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .Then I verify following texts are displayed(features/my/home/prushopee /PruShoppeCoverage.feature:54) | | |



| | | |
|-------|--|-------|
| After | | 1.17s |
|-------|--|-------|


[Back to Table of Contents](#)

Scenario: Verify the error message when the Cancel Button

| | | | |
|-----------|-----------|--------------|-----------------|
| Passed: 1 | Failed: 1 | Undefined: 0 | Duration: 50.4s |
| Before | | | 0.00s |

| | |
|---|--------|
| Then I click on policy number cancel button on my policies screen | 0.96s |
| Then user should be landed to "Home" screen | 47.35s |

```
java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/my/home/prushopee
/PruShoppeCoverage.feature:59)
```

| | |
|---|--------------|
|  | |
| After | 2.09s |
| Back to Table of Contents | |

Feature: Verify wealth channel functionality on one pulse App

| | | | |
|------------|-----------|--------------|-------------------|
| Passed: 13 | Failed: 0 | Undefined: 0 | Duration: 538.78s |
|------------|-----------|--------------|-------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|--|--------------|--------------|-------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 112.54s |
| Before | 0.00s | | |
| Given User has pulse app | | | 9.92s |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | | 0.01s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | 63.24s |
| Then I change the country as required on registration page | | | 27.51s |
| Then I wait for 10 sec | | | 10.02s |
| And I click the Sign in link | | | 1.85s |
| After | 0.00s | | |

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|---------------|--------------|--------------|------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 108.1s |
| Before | 0.00s | | |

| | |
|---|---------------|
| Given I select the language option on toggle bar as required on login page | 3.53s |
| When user enters credentials | 61.08s |
| | |
| UserName \${PULSE_EMAIL} | |

Password \${pulse.password}

| | |
|---|--------------|
| And User clicks on signin button | 1.62s |
| | |

| | | |
|--|--|---------------------|
| | And I wait for 5 sec | 5.02s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 16.16s |
| | Then user should be landed to "Home" screen | 20.70s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to navigate to wealth page | | |
| Passed: 5 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | And I click the Wealth Channel tile for Malaysia | 41.04s |
| | Then I verify following texts are displayed | 2.68s |
| | Wealth Channels | |
| | Then I verify following tile texts are displayed on wealth channel screen | 7.86s |
| | Investing 123 | |
| | Equip yourself with the basic investment tools | |
| | First Steps | |
| | The importance of investor education | |
| | And I scroll down | 6.52s |
| | Then I verify following tile texts are displayed on wealth channel screen | 5.53s |
| | Remove The Weeds | |
| | Dispel investment myths to achieve desired investment outcomes | |
| | Mutual Funds | |
| | Make mutual funds your first investment stop | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to view the story post | | |
| Passed: 5 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |
| | Then I click on "Mutual Funds" wealth channel topic | 8.25s |
| | Then I wait for 2 sec | 2.01s |
| | Then I verify following texts are displayed | 4.18s |
| | Mutual Funds | |
| | Then I verify following tile texts are displayed on wealth channel screen | 1.74s |
| | Make mutual funds your first investment stop | |
| | And I verify following social cite options are displayed | 14.87s |
| | Like | |
| | Share | |
| | Comment | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to Like the post | | |
| Passed: 4 | Failed: 0 | Undefined: 0 |
| Before | | 0.00s |

| | | |
|---|---|---------------------|
| | And I read the "Mutual Funds" post like count | 15.16s |
| | And I Like the post | 7.45s |
| | Then I verify "Mutual Funds" post like count is increased | 8.78s |
| | And I Like the post | 7.80s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to Share the post | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | |
| | And I share the post | 8.85s |
| | Then I Verify the share with friends popup | 15.38s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to Comment the post | | |
| Passed: 3 | Failed: 0 | Undefined: 0 |
| Before | | |
| | And I read the "Mutual Funds" post comment count | 6.60s |
| | And I commented in the post "\${wealth.topic.comment}" | 19.68s |
| | Then I verify "Mutual Funds" post comment count is increased | 6.42s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to view the full page article post | | |
| Passed: 1 | Failed: 0 | Undefined: 0 |
| Before | | |
| | Then I click on "Mutual Funds" topic for details full view | 29.24s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | |
| | Then I wait for 3 sec | 3.01s |
| | And I verify following social cite options are displayed | 15.22s |
| | Like | |
| | Share | |
| | Comment | |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify User should be able to Like the post in full article view screen | | |
| Passed: 2 | Failed: 0 | Undefined: 0 |
| Before | | |
| | And I Like the post | 6.59s |

| | | | |
|---|-----------|--------------|-------------------|
| And I Like the post | | | 6.93s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User should be able to Share the post in full article view screen | | | |
| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 13.14s |
| Before | | | 0.00s |
| And I share the post | | | 6.17s |
| Then I navigate back to previous page | | | 6.97s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User should be able to Comment the post in full article view screen | | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 36.97s |
| Before | | | 0.00s |
| And I comment in full view post article "\${wealth.topic.comment}" | | | 36.97s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: Verify User can navigate to wealth homepage | | | |
| Passed: 3 | Failed: 0 | Undefined: 0 | Duration: 16.23s |
| Before | | | 0.00s |
| Then I navigate to story post page | | | 3.37s |
| Then I click on "Mutual Funds" back button | | | 6.49s |
| Then I click on "Wealth Channels" back button | | | 6.37s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Feature: Verify MY Event channel functionality on one pulse App | | | |
| Passed: 2 | Failed: 3 | Undefined: 0 | Duration: 300.01s |
| Scenario: Launch the app and select the country as per specified lbu | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 107.61s |
| Before | | | 0.00s |
| Given User has pulse app | | | 10.98s |
| And I assign "\${onepulse.events.user}" to variable "PULSE_EMAIL" | | | 0.00s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | 69.64s |
| Then I change the country as required on registration page | | | 22.58s |
| Then I wait for 2 sec | | | 2.01s |
| And I click the Sign in link | | | 2.40s |
| After | | | 0.00s |
| Back to Table of Contents | | | |
| Scenario: login to the app with correct credentials using "Continue with Email" | | | |
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 111.03s |
| Before | | | 0.00s |

| | | |
|--|---|---------------|
| | Given I select the language option on toggle bar as required on login page | 4.86s |
| | When user enters credentials | 61.22s |
| | UserName \${PULSE_EMAIL} | |
| | Password \${pulse.password} | |
| | And User clicks on signin button | 3.74s |
| | And I wait for 5 sec | 5.01s |
| | And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 11.15s |
| | Then user should be landed to "Home" screen | 25.06s |
| After | | 0.00s |
| Back to Table of Contents | | |
| Scenario: Verify MyEvent Functionality in Home screen | | |
| Passed: 2 | Failed: 1 | Undefined: 0 |
| Before | | 0.00s |
| | And I click the MyEvent icons | 9.46s |
| | And I wait for 40 sec | 40.01s |
| | And I verify following texts are displayed | 14.39s |
| | You do not have any events enrolled yet | |
| | Please choose from the open events and get started | |
| <p>java.lang.AssertionError: The following asserts failed: You do not have any events enrolled yet text is displayed on page expected [true] but found [false], Please choose from the open events and get started text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/MyEvents.feature:25)</p> | | |
| After | | 1.12s |
| <p>com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)</p> | | |

```

at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Events Archive tab

| | | | |
|--|-----------|--------------|-----------------|
| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: 8.25s |
| Before | | | |
| And I click the Events Archive icon | | | 7.21s |
| <p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'</p> <p>Driver info: io.appium.java_client.ios.IOSDriver</p> <p>Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}</p> <p>Session ID: f6579f83-1c75-4d36-9bda-8dbf10289d51</p> <p>*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Events Archive"])[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> | | | |

| | | |
|-------|---|-------|
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive (CustomerConnectScreen.java:1895) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive (CustomerConnectSteps.java:590) at .And I click the Events Archive icon(features/ph/home/MyEvents.feature:30) | |
| | And I wait for 40 sec | 0.00s |
| | And I verify following texts are displayed | 0.00s |
| | You do not have any events in your archive. | |
| After | | 1.04s |
| | com.prudential.tap.exception.TapException: Failed to take screenshot of | |

```

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Scenario: Verify Open Events tab

| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: 8.15s |
|--|-----------|--------------|-----------------|
| Before | | | 0.00s |
| And I click the Open Events icon | | | 7.13s |
| org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. | | | |

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
 Driver info: io.appium.java_client.ios.IOSDriver
 Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
 Session ID: f6579f83-1c75-4d36-9bda-8dbf10289d51
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Open Events"])[1]}
 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

| | | |
|-------|--|-------|
| | at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.ClickMyOpenEvents (CustomerConnectScreen.java:1878) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyOpenEvents (CustomerConnectSteps.java:586) at .And I click the Open Events icon(features/ph/home/MyEvents.feature:36) | |
| | And I wait for 40 sec | 0.00s |
| | And I verify either static text or available open events are displayed on screen | 0.00s |
| | There are no events available at the moment | |
| | Stay tuned for events on health and fitness | |
| After | | 1.02s |
| | com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils\$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94) at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) | |

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

```

[Back to Table of Contents](#)

Feature: Verify share with friends functionality in OnePulse app

| | | | |
|-----------|-----------|--------------|-------------------|
| Passed: 7 | Failed: 0 | Undefined: 0 | Duration: 322.48s |
|-----------|-----------|--------------|-------------------|

Scenario: Launch the app and select the country as per specified lbu

| | | | |
|--|-----------|--------------|------------------|
| Passed: 8 | Failed: 0 | Undefined: 0 | Duration: 96.26s |
| Before | | | |
| Given User has pulse app | | | 11.16s |
| And I assign "\${login.email.id}" to variable "PULSE_EMAIL" | | | 0.00s |
| And user click on "CONTINUE WITH EMAIL" with Email button | | | 55.66s |
| Then I change the country as required on registration page | | | 21.68s |
| Then I wait for 2 sec | | | 2.01s |
| Then I change the language as required on registration page | | | 0.00s |
| And I click the Sign in link | | | 1.74s |
| Then I verify below language options on toggle bar as per specified lbu on login page | | | 4.02s |
| After | | | |

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 6 | Failed: 0 | Undefined: 0 | Duration: 98.67s |
| Before | | | |

| | |
|---|--------|
| Given I select the language option on toggle bar as required on login page | 5.98s |
| When user enters credentials | 51.32s |
| UserName \${PULSE_EMAIL} | |
| Password \${login.password} | |
| And User clicks on signin button | 2.51s |
| And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" | 9.98s |
| And I wait for 5 sec | 5.01s |
| Then user should be landed to "Home" screen | 23.88s |

| | |
|-------|-------|
| After | 0.00s |
|-------|-------|

[Back to Table of Contents](#)

Scenario: Verify User should be able to share the link with Whatsapp

| | | | |
|-----------|-----------|--------------|------------------|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 25.54s |
| Before | | | |

| | |
|---|--------|
| Then I verify the share with friends links | 25.54s |
| After | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify User should be able to share the link with Contacts app

| | | | | | | |
|--|-----------|--------------|------------------|--|--|--|
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 37.65s | | | |
| Before | | | 0.00s | | | |
| Then I verify the contacts share icon | | | 37.65s | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify User should be able to share the link with Messenger app | | | | | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 8.52s | | | |
| Before | | | 0.00s | | | |
| Then I verify the fb messenger share icon | | | 8.52s | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify User should be able to share the link with Viber app | | | | | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 30.15s | | | |
| Before | | | 0.00s | | | |
| Then I verify the Viber share icon | | | 30.15s | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |
| Scenario: Verify User should be able to share the link with Line app | | | | | | |
| Passed: 1 | Failed: 0 | Undefined: 0 | Duration: 25.68s | | | |
| Before | | | 0.00s | | | |
| Then I verify the Line share icon | | | 25.68s | | | |
| After | | | | | | |
| Back to Table of Contents | | | | | | |