Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	16	10	0	0	26	62%
Scenarios	240	32	0	0	272	88%
Steps	1,106	32	0	98	1,236	89%

Overall Duration: 2h 10m 52s

Table of Contents

- 1. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Google"
 - 8. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify registration functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. verify the field label on registration screen
 - 3. verify the validation message for mandatory fields
 - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
 - 6. Verify the validation message when user enter already registered email id on registration page
 - 7. Verify the mobile number screen validation using "Continue with Email"
 - 8. Verify the Gender screen validation using "Continue with Email"
 - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Edit profile screen
 - 4. Verify User should be able to change the profile picture in edit profile screen
 - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
 - 6. Verify user can able to change the details in edit profile screen
 - 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
 - 8. verify the user details should be correctly on babylon screen
 - 9. navigate back to health screen
- 4. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to locate Hospitals using PruShoppe location
 - 4. User can see details of listed hospitals in detail

- 5. User can see the details in speciality tab
- 6. User can see the details in doctor's tab
- 7. User can see the details in rooms tab
- 8. User can navigate out of the hospital details screen
- 9. User should be able to locate cli using PruShoppe location
- 10. User can verify the clinic page
- 11. User can view listed clinic details
- 12. User can view listed clinic info
- 13. User can view listed clinic info details
- 14. User can navigate back to clinics screen
- 5. Verify Medicine Reminder Positive Flow functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Verify User should be able to navigate to medical reminder page
 - 3. verify the static text on medicine reminder screen
 - 4. verify add medicine screen is launched and user can enter the required info on medical info screen
 - 5. verify user navigated to schedule screen and user can enter the required info
 - 6. Verify User should be able to navigate to More Setting page
 - 7. verify Add medicine screen is displayed when user click on add new reminder on success popup
 - 8. verify medicine reminder home screen is displayed when user click on not now button on success popun
 - 9. navigate to health screen
 - 10. Verify User should be able to navigate to calendar page
- 6. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Open Events tab
 - 5. Verify Events Archive tab
- 7. Verify My Health Content functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Health page
 - 4. Verify User should be able to view the full page article post
 - 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 6. Verify User should be able to Like the post in full article view screen
 - 7. Verify User should be able to Share the post in full article view screen
 - 8. Verify User can navigate to Health homepage
- 8. Verify Notification Center functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
- 9. Verify My Challenges on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify My Challenges texts
 - 4. Click on All challenges and and verify texts

10. Verify My Communities on One Pluse App

- 1. Launch the app and select the country as per specified lbu
- 2. User should be able to login on app with correct credentials using "Continue with Gmail"
- 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
- 4. Leave the community if already joined
- 5. Verify the All Communities Post screen
- 6. Verify the Likes and comments counts in All communities tab
- 7. Verify the Share with Friends Functionality in All communities tab
- 8. Verify the Post Functionality in All communities
- 9. Verify the Category list and search feature
- 10. Leave the community if already joined

11. Verify Private My Communities on One Pluse App

- 1. Launch the app and select the country as per specified lbu
- 2. User should be able to login on app with correct credentials using "Continue with Gmail"
- 3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
- 4. Verify the Private Communities in communities screen

12. Verify legal and legacy on One pulse App

- 1. Launch the app and select the country as per specified lbu
- 2. login to the app with correct credentials using "Continue with Email"
- 3. Navigate to account screen
- 4. Verify the Legacy and Privacy should be displayed
- 5. Verify the Terms and condition screen should be displayed
- 6. Verify the Privacy screen should be displayed
- 7. Verify the Regulator screen should be displayed

13. Verify My accounts options in Account screen

- 1. Launch the app and select the country as per specified lbu
- 2. login to the app with correct credentials using "Continue with Email"
- 3. Navigate to account screen and verify all the options
- 4. Verify wearable screen in Account tab
- 5. navigate back to account screen from my wearable screen
- 6. Navigate to account screen
- 7. Verify reward screen in Account tab
- 8. <u>User access My Rewards FAQ</u>
- 9. Verify the FAO on my rewards screen
- 10. Verify the FAQ on my rewards screen
- 11. Verify the FAO on my rewards screen
- 12. Verify the FAQ on my rewards screen
- 13. Verify the FAO on my rewards screen
- 14. Verify the FAQ on my rewards screen
- 15. Verify the FAO on my rewards screen
- 16. Verify the FAQ on my rewards screen
- 17. navigate back to account screen from my rewards screen
- 18. Verify Notification screen in Account tab
- 19. navigate back to account screen from Notification screen
- 20. Verify my feedback screen in Account tab
- 21. Verify the submit functionality in My feedback screen
- 22. Verify the Pulse Personalised tab
- 23. Save the consent with data privacy check
- 24. Save the consent without data privacy check

- 25. navigate back to account screen from pulse personalised screen
- 14. Verify MySettings functionality in Account screen
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen
 - 4. Verify my setting screen in Account tab
 - 5. navigate back to account screen from my setting screen
- 15. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the user can access My Wearables via Fitness
- 16. Verify the Babylon Registration via HRA journey
 - 1. User should be able to Register for Babylon HRA
- 17. Verify the BabyLon HRA Report Nutrition, Body, Activity
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Babylon Health Risk Assessment Report
 - 4. Verify the HRA Activity Report
 - 5. Verify the HRA Activity Report
 - 6. Verify the HRA Nutrition Report
 - 7. Verify the HRA Report Keep It Up sub-section
 - 8. Verify the HRA Report Make a Change sub-section
 - 9. User should be able to access Babylon HRA Healthcheck Body
 - 10. User should be able to access Babylon HRA Healthcheck Nutrition
 - 11. User should be able to access Babylon HRA Healthcheck Activity
 - 12. User should be able to access Babylon HRA Healthcheck Mood
- 18. Verify that user can access calendar under health section
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Calendar screen
- 19. Verify that user can access Chinese Medicine feature
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. User should be able to access Chinese Medicine screen
 - 3. Verify the carousel on Chinese Medicine journey
 - 4. Verify the carousel on Chinese Medicine journey
 - 5. Verify the carousel on Chinese Medicine journey
 - 6. User should be able to complete Chinese Medicine profile
 - 7. Verify the Q&A on Chinese Medicine journey
 - 8. Verify the O&A on Chinese Medicine journey
 - 9. Verify the Q&A on Chinese Medicine journey
 - 10. Verify the O&A on Chinese Medicine journey
 - 11. Verify the Q&A on Chinese Medicine journey
 - 12. Verify the O&A on Chinese Medicine journey
 - 13. Verify the Q&A on Chinese Medicine journey
 - 14. Verify the O&A on Chinese Medicine journey
 - 15. Verify the Q&A on Chinese Medicine journey
 - 16. Verify the O&A on Chinese Medicine journey
 - 17. Verify the Q&A on Chinese Medicine journey
 - 18. Verify the O&A on Chinese Medicine journey
 - 19. Verify the **Q&A** on Chinese Medicine journey

- 20. Verify the Q&A on Chinese Medicine journey
- 21. Verify the Q&A on Chinese Medicine journey
- 22. Verify the Q&A on Chinese Medicine journey
- 23. Verify the Q&A on Chinese Medicine journey
- 24. Verify the Q&A on Chinese Medicine journey
- 25. Verify the Q&A on Chinese Medicine journey
- 26. Verify the Q&A on Chinese Medicine journey
- 27. Verify the O&A on Chinese Medicine journey
- 28. Verify the Q&A on Chinese Medicine journey
- 29. Verify the O&A on Chinese Medicine journey
- 30. Verify the O&A on Chinese Medicine journey
- 31. Verify the Q&A on Chinese Medicine journey
- 32. Verify the O&A on Chinese Medicine journey
- 33. Verify the O&A on Chinese Medicine journey
- 34. Verify the O&A on Chinese Medicine journey
- 35. Verify the O&A on Chinese Medicine journey
- 36. Verify the O&A on Chinese Medicine journey
- 37. Verify the O&A on Chinese Medicine journey
- 38. Verify the Q&A on Chinese Medicine journey
- 39. Verify the O&A on Chinese Medicine journey
- 40. Verify the O&A on Chinese Medicine journey
- 41. Verify the O&A on Chinese Medicine journey
- 42. Verify the **Q&A** on Chinese Medicine journey
- 43. Verify the O&A on Chinese Medicine journey
- 45. Verny the Q&A on Chinese Wedichie Journey
- 44. Verify the Q&A on Chinese Medicine journey
- 45. <u>Verify the Q&A on Chinese Medicine journey</u>46. <u>Verify the Q&A on Chinese Medicine journey</u>
- 47. Verify the **O&A** on Chinese Medicine journey
- 48. Verify the O&A on Chinese Medicine journey
- 49. Verify the O&A on Chinese Medicine journey
- 50. Verify the **Q&A** on Chinese Medicine journey
- 51. Verify the O&A on Chinese Medicine journey
- 52. Verify the Q&A on Chinese Medicine journey
- 53. Verify the O&A on Chinese Medicine journey
- 54. Verify the **Q&A** on Chinese Medicine journey
- 55. Verify the O&A on Chinese Medicine journey
- 56. Verify the O&A on Chinese Medicine journey
- 57. Verify the O&A on Chinese Medicine journey
- 58. Verify the Q&A on Chinese Medicine journey
- 59. Verify the O&A on Chinese Medicine journey
- 60. Verify the **Q&A** on Chinese Medicine journey
- 61. Verify the O&A on Chinese Medicine journey
- 62. Verify the Q&A on Chinese Medicine journey
- 63. Verify the O&A on Chinese Medicine journey
- 64. Verify the Q&A on Chinese Medicine journey
- 65. Verify the O&A on Chinese Medicine journey
- 66. Verify the Q&A on Chinese Medicine journey
- 67. Verify the O&A on Chinese Medicine journey
- 68. Verify the Q&A on Chinese Medicine journey
- 69. Verify the O&A on Chinese Medicine journey
- 70. Verify the Assessment completion screen

- 71. Verify the user can view the Assessment Record
- 72. Verify the Assessment Summary
- 73. Verify the "Constitution" Details of the Assessment
- 74. Verify the "Change In Tongue" Details of the Assessment
- 20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Select the expert type as doctor and navigate to next screen
 - 4. Verify User should be able to navigate to specialisation page
 - 5. Verify User should be able to navigate to Educational Details page
 - 6. Verify User should be able to navigate to Add experience page
 - 7. Verify User should be able to navigate to Services Offered page
 - 8. Verify User should be able to navigate to achievement and awards screen
 - 9. Verify User should be able to navigate to Seminar(s) Attended page
 - 10. Verify User should be able to navigate to linked clinic page
 - 11. Verify User should be able to navigate to Take a Picture page
 - 12. Verify User should be able to navigate to schedule Calendar page
- 21. Verify that user can manage events via the Family Vaccine Vaccine Calendar feature
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. User should be able to access my family vaccination calendar
 - 3. Verify the user can Add Vaccine Information
 - 4. enter information on add vaccination popup
 - 5. Verify the added item displayed on the Vaccine Schedule screen
- 22. Verify that user can access Dengue Alert feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the map can be expanded
 - 4. User should be able to vew the Dengue Outbreak Malaysia
 - 5. User should be able to vew the Dengue Cases Malaysia
- 23. Verify Pru infectious disease cover functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. Navigate to PRU Shoppe screen
 - 3. Verify User should be able to see the infectious disease cover screen options
 - 4. Verify User should be able to see the infectious disease cover Screen options
 - 5. Verify User should be able to see the infectious disease cover term and condition
 - 6. Verify User should be able to see the infectious disease cover term and condition
 - 7. Verify User should be able to see the infectious disease cover term and condition
 - 8. Verify User should be able to see the infectious disease cover term and condition
 - 9. verify that user can see agreement and proceed button
- 24. Verify Pru Shoppe My Coverage functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify user can access his policies from Pru Shoppe My Policies screen
 - 4. Click on Link policy and verify screen to add policy number
 - 5. Verify the error message when the Policy Number is blank
 - 6. Verify the error message when the Policy Number is invalid or incorrect
 - 7. Verify the error message when the Cancel Button
- 25. Verify wealth channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu

- 2. login to the app with correct credentials using "Continue with Email"
- 3. Verify User should be able to navigate to wealth page
- 4. Verify User should be able to view the story post
- 5. Verify User should be able to Like the post
- 6. Verify User should be able to Share the post
- 7. Verify User should be able to Comment the post
- 8. Verify User should be able to view the full page article post
- 9. Verify User should be able to see the Like, Share, Comment options on full page article post
- 10. Verify User should be able to Like the post in full article view screen
- 11. Verify User should be able to Share the post in full article view screen
- 12. Verify User should be able to Comment the post in full article view screen
- 13. Verify User can navigate to wealth homepage
- 26. Verify share with friends functionality in onepulse app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to share the link with Whatsapp
 - 4. Verify User should be able to share the link with Contacts app
 - 5. Verify User should be able to share the link with Messenger app
 - 6. Verify User should be able to share the link with Viber app
 - 7. Verify User should be able to share the link with Line app

Detailed Results Report

ssed: 6	Failed: 2	Undefined: 0		Duration: 729.2s			
Scenario: Launch the app and select the country as per specified lbu							
Passed: 8	Faile	ed: 0	Undefined: 0		Duration: 77.32s		
Before					0.34s		
Given User h	as pulse app				19.89s		
And I assign	"\${login.email.	id}'' to variable ''l	PULSE_EMA	IL"	0.00s		
And user clic	k on "CONTIN	UE WITH EMAI	L'' with Emai	l button	23.65s		
Then I change	ge the country a	s required on regi	stration page		11.02s		
Then I wait f	or 5 sec				5.00s		
Then I change the language as required on registration page							
And I click tl	ne Sign in link				4.71s		
Then I verify page	below languag	e options on toggl	e bar as per sp	ecified lbu on login	1.67s		
After					0.00s		
Back to Table of Co	ontents						
Scenario: login	to the app with	correct credential	s using "Cont	inue with Email"			
Passed: 6	Faile	ed: 0	Undefined: 0		Duration: 46.71s		
Before					0.00s		
Given I selec	t the language o	ption on toggle ba	ar as required	on login page	2.22s		
When user en	17.14s						
UserName	e \${PULSE_EM	[AIL.]					


Password \${login.pa	ssword}					
And User clicks on signi	n button	0.22s				
And I wait for 5 sec		5.00s				
And I enter OTP in one	pulse app for user email "\${PULSE_EMAIL}"	8.07s				
Then user should be lan	14.06s					
After		0.00s				
Back to Table of Contents						
Scenario: Verify the Invalid	d Email id in login screen using "Continue with	Email"				
Passed: 16	Failed: 0 Undefined: 0	Duration: 96.32s				
Before		0.00s				
Given User has pulse ap	p	7.79s				
Then I wait for 2 sec		2.00s				
And user click on "CON	TINUE WITH EMAIL" with Email button	22.90s				
Then I change the count	ry as required on registration page	11.09s				
Then I wait for 5 sec		5.00s				
Then I change the langu	age as required on registration page	11.12s				
And I click the Sign in li	nk	4.65s				
And I select the languag	e option on toggle bar as required on login page	3.54s				
When user enters crede	ntials	17.51s				
UserName t@gmai						
Password Pas\$1234						
And I scroll down		4.30s				
And User clicks on signi	And User clicks on signin button					
Then verify invalid ema	0.73s					
Then User clicks on For		0.21s				
Then enter the email to	request the new password	3.51s				
Email t@gmai						
Then User clicks on Sen	d button	0.74s				
Then verify invalid ema	il message "\${email.invalid.text}"	0.92s				
After		0.00s				
Back to Table of Contents						
	ot registerd email in login screen using ''Contin	ue with Email''				
Passed: 17	Failed: 0 Undefined: 0	Duration: 94.87s				
Before		0.00s				
	n number and assign to variable					
"RANDOM NUMBER		0.01s				
And I assign value to fol		0.00s				
	taf-\${RANDOM_NUMBER}@mailinator.com					
USER_PASSWORD	`					
Given User has pulse ap		7.88s				
	TINUE WITH EMAIL' with Email button	22.72s				
	cry as required on registration page	11.09s				
Then I wait for 5 sec	2 requires on regionation page	5.00s				
110111111111111111111111111111111111111						

Then I change the langu	age as required on	registration page	10.99s			
And I click the Sign in l	ink		4.65s			
And I select the language	And I select the language option on toggle bar as required on login page					
When user enters crede	ntials		17.35s			
UserName \${USER_}	NAME}					
Password \${USER_1	PASSWORD}					
And I scroll down			4.30s			
And User clicks on signi	n button		0.27s			
Then verify invalid ema	il message ''\${inva	lid.credential.message}''	1.20s			
Then User clicks on For	got Password butte	on	0.20s			
Then enter the email to	request the new pa	assword	3.46s			
Email \${USER_NAM	IE}					
Then User clicks on Sen	d button		0.70s			
Then verify invalid ema	il message "\${inva	lid.credential.message}"	1.57s			
After			0.00s			
Back to Table of Contents						
Scenario: User should be a	ble to retrieve the 1	reset password using forget passwor	rd link			
Passed: 8	Failed: 0	Undefined: 0	Duration: 47.79s			
Before			0.00s			
And Lassign "\${forgot.i	password.email.id}	" to variable "PULSE_EMAIL"	0.00s			
Then enter the email to			3.58s			
Email \${PULSE_EM			Jest de			
	Then User clicks on Send button					
Then I wait for 10 sec	0.74s 10.00s					
	And I read the otn for emailed "SIPIII SE FMAIL \" using mails ac ani and					
store into a variable "El		using mansae up unu	25.64s			
Then I enter "\${EMAII		e	0.27s			
Then I wait for 7 sec			7.00s			
Then Verify message: "	\${password.reset.s	uccess.text}" for Reset Password	0.57s			
After			0.00s			
Back to Table of Contents						
	hould be locked af	ter entering more than 7 times inco	rrect passwords			
Passed: 47	Failed: 0	Undefined: 0	Duration: 246.19			
Before			0.00s			
	n number and assi	gn to variable				
"RANDOM_NUMBER	Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s					
And I assign "pulse\${R. "PULSE_EMAIL"	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL" 0.00s					
And User has pulse app			8.45s			
Then I wait for 2 sec			2.00s			
And user click on "CON	NTINUE WITH EN	MAIL" with Email button	23.15s			
Then I change the count	try as required on	registration page	10.71s			
Then I wait for 5 sec			5.00s			

Then I navigate to pulse registration page and select the lang on toggle bar the click on continue with email button	7.42s				
Then I wait for 2 sec	2.00s				
When user enters registration details	6.36s				
FirstName testAutomation					
LastName testAutomation					
Email \${PULSE_EMAIL}					
Password Pas\$1234					
And taps on continue "Sign_Up" button	0.55s				
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.63s				
Then I wait for 10 sec	10.00s				
Then I wait for 5 sec	5.00s				
And I enter the ''mobile number'' in welcome to pulse	10.17s				
mobileNumber \${registration.mobile.number}					
And I click the continue button	0.22s				
And I choose my wellness goals under wellness plan screen	1.40s				
And I click the continue button	0.91s				
And I click the date in Date of Birth field	6.55s				
And I click the Done icon	3.20s				
And I click the continue button	1.17s				
And I select the Male icon	5.81s				
And I click the continue button	0.84s				
Then I wait for 5 sec	5.00s				
And I click the continue button	0.43s				
And I click on Calculate BMI button	1.20s				
And I click the continue button	0.97s				
And I select the "How active are you?" in doing exercise					
And I click the continue button					
And I select my favorite food dietary	1.91s				
And I click the continue button	1.04s				
And I answer as ''Yes'' to ''Any Food allergies?''	3.15s				
And I click the continue button	1.06s				
Then I wait for 3 sec	3.00s				
And I verify that "Tracking your activity is trending" is displayed	0.55s				
And I click the continue button	0.48s				
And I see that "Welcome to Pulse" text is displayed	1.64s				
And I click the continue button	0.63s				
And I see that fitness subscription exclusive offers screen is displayed	2.53s				
And I click on close icon	0.66s				
And I enter NRIC number last 4 digits "122F"	8.78s				
Then I click skip buttons	4.13s				
Then user should be landed to "Home" screen	12.99s				
And I click the Account icon in Home screen	0.38s				
And I click the sign out from pulse app	18.67s				

	Then I w	ait f	for 2 sec					2.00s
	Then I e	ıter	invalid pas	sword	l on login scree	n and verify the	e error message	32.76s
	Pas\$123##\${invalid.credential.message}							
	Pas\$123##\${invalid.credential.message}							
	Pas\$123##\${invalid.credential.message}							
	Pas\$123##\${invalid.credential.message}							
	Pas\$1	23#	#\${invalid.c	reder	tial.message}			
	Pas\$1	23#	#\${invalid.c	reder	tial.message}			
	Pas\$1	23#	#\${invalid.c	reder	tial.message}			
	Pas\$1	23#	#\${account.	locke	d.message}			
Af	ter							0.00s
Ba	ck to Table	of C	ontents					
Sc	enario: V	erify	y the Login	Func	tionality using	"Continue with	Google"	
-	ssed: 3			Failed	• •	Undefined: 2		Duration: 49.19s
Be	fore							0.00s
	Given II	er l	nas pulse ap	p				8.21s
					JE WITH GOO	OGLE" with Go	oogle button	9.24s
					in login screen		<u> </u>	0.00s
					ontinue with G			31.74s
	Emai		\${facebook					
			Pulse@123					
	org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os. version: '3.13.0-139-generic', java.version: '11.0.1' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {app: /tmp/scratch_HPPXi.scratch/, appActivity: com.prudential.pulse. MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/, appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android, udid: 09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 87800a29-2807-4bf0-877d-6e8c6ebca6ae *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Add)							
	another	acco	ount')]}	•	ŕ		xtView[contains(@f wInstance(Unknown	

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.EnterEmail_Id(PulseLoginScreen.java:967)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.EnterEmail Id(LoginSteps.java:
368)
at .And I click the "Email" in Continue with Gmail(features/PulseLoginTest.feature:158)
```



After			0.00s
Back to Table of Contents			
Scenario: Verify the Logi	n Functionality	using "Continue with Facebook"	
Passed: 3	Failed: 1	Undefined: 2	Duration: 70.81s
Before			0.00s
Given User has pulse a	ірр		8.01s
And user click on "CC	NTINUE WITH	H Facebook" with Facebook button	28.74s
And click the continue	button in facebo	ook screen	0.00s
And I click the "Email	And I click the "Email" in Continue with Facebook 34.07s		
Emailid \${emailid	.text}		
Password \${passwo	rd.texts}		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os.

version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch HPPXi.scratch/..., appActivity: com.prudential.pulse.

MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:


UiAutomator2, databaseEnabled: false, desired: {app:/tmp/scratch_HPPXi.scratch/...,

appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android, udid:

09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,

```
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: c840ee27-f31c-46bd-bac2-1cb77267dc56
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'Log in to your
Facebook')]/following::android.widget.EditText[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:263)
at com.onepulse.app.screens.PulseLoginScreen.EnterFacebookLogin(PulseLoginScreen.java:
1048)
at com. one pulse, app. step definitions, mobile steps. Login Steps. Enter Facebook Login (Login Steps.
```



Then I change the language as required on registration page	0.20s
When user enters registration details	7.02s
FirstName testAutomation	
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.37s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.77s
Then I wait for 2 sec	2.00s
And I enter the ''mobile number'' in welcome to pulse	10.68s
mobileNumber \${registration.mobile.number}	
And I click the continue button	0.23s
And I choose my wellness goals under wellness plan screen	1.38s
And I click the continue button	0.89s
And I click the date in Date of Birth field	6.57s
And I click the Done icon	3.21s
And I click the continue button	1.20s
And I select the Male icon	5.77s
And I click the continue button	0.85s
And I enter my height and weight details	2.34s
And I click on Calculate BMI button	0.71s
And I click the continue button	0.93s
And I select the "How active are you?" in doing exercise	1.71s
And I click the continue button	1.03s
And I select my favorite food dietary	1.81s
And I click the continue button	1.04s
And I answer as "Yes" to "Any Food allergies?"	3.06s
And I click the continue button	1.05s
And I verify that "Tracking your activity is trending" is displayed	1.91s
And I click on connect Later button	0.48s
And I see that "Welcome to Pulse" text is displayed	1.75s
And I click the continue button	0.59s
And I see that fitness subscription exclusive offers screen is displayed	2.61s
And I click on close icon	0.60s
And I enter NRIC number last 4 digits ''122F''	8.61s
Then I click skip buttons	4.17s
Then user should be landed to "Home" screen	13.88s
Then I wait for 4 sec	4.00s
And I click the Account icon in Home screen	0.48s
And I click the sign out from pulse app	18.89s
Then I wait for 4 sec	4.00s
When user enters password credentials in sigin screen	1.67s
Password Pas\$1234	
And User clicks on signin button	0.21s
And Oser Cheks on signin button	0.213

Then I wait for 8 sec		8.00s	
Then user should be lar	nded to "Home" screen	13.72s	
After		0.00s	
Back to Table of Contents			
Scenario: verify the field la	abel on registration screen		
Passed: 10	Failed: 0 Undefined: 0	Duration: 58.5s	
Before		0.00s	
Given User has pulse ap	р	8.49s	
Then I wait for 2 sec		2.00s	
And user click on "CO	NTINUE WITH EMAIL" with Email button	22.83s	
Then I wait for 2 sec		2.00s	
Then I change the coun	try as required on registration page	10.48s	
Then I wait for 2 sec		2.00s	
Then I navigate to pulse click on continue with e	e registration page and select the lang on toggle bar then email button	7.13s	
Then I wait for 2 sec		2.00s	
Then I change the langu	uage as required on registration page	0.66s	
Then I verify following	field label should be displayed on registration screen	0.91s	
\${firstname.label.tex	et}		
\${lastname.label.text	<u>t}</u>		
\${email.text}			
\${password.text}			
After		0.00s	
Back to Table of Contents			
Scenario: verify the valida	tion message for mandatory fields		
Passed: 2	Failed: 0 Undefined: 0	Duration: 1.73s	
Before		0.00s	
Given taps on continue	"Sign_Up" button	0.25s	
Then I verify the valida registration page	tion error message is displayed for following field on	1.48s	
	ne.mandatoryField.message}		
	ne.mandatoryField.message}		
Email \${email.n	nandatoryField.message}		
Password \${passwo	rd.validation.message}		
After		0.00s	
Back to Table of Contents			
Scenario Outline: verify varegistration page	alidation message when user enters Invalid password: Pu	lse@1 on	
Passed: 3	Failed: 0 Undefined: 0	Duration: 3.22s	
Before			
When user enters regist	tration details	1.82s	
Password Pulse@1			
And taps on continue "	Sign Un" button	0.54s	
And taps on continue	orgin_op button	U.J.B	

Then I verify the validat registration page	ion error mes	ssage is displayed for following field on	0.86s
Password \${password	l.validation.m	nessage}	
After			0.00s
Back to Table of Contents			
	lidation mess	age when user enters Invalid password: Pul	se123 on
registration page			
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.2s
Before			0.00s
When user enters registi	ration details		1.90s
Password Pulse123			12000
And taps on continue "S	ign IIn'' but	ton	0.43s
Then I verify the validat		ssage is displayed for following field on	0.87s
registration page			
Password \${password	l.validation.m	nessage}	
After			0.00s
Back to Table of Contents			
Scenario: Verify the validate registration page	tion message	when user enter already registered email id	on
Passed: 12	Failed: 0	Undefined: 0	Duration: 77.0
Before			0.00s
Given User has pulse ap	n		8.38s
Then I wait for 2 sec	<u> </u>		2.00s
	TINUE WIT	TH EMAIL" with Email button	22.92s
Then I wait for 2 sec	THICE WII	With Dinas Sutton	2.00s
Then I change the count	rv as require	ed on registration page	11.03s
Then I wait for 2 sec	iy us require	on registration page	2.00s
Then I change the langu	age as requir	ed on registration page	11.13s
	registration]	page and select the lang on toggle bar then	7.00s
Then I wait for 2 sec	nan button		2.00s
When user enters registr	ration details		6.99s
FirstName testAutom			0.775
LastName testAutom			
Email \${login.em			
Password Pas\$1234	iuli.iu j		
And taps on continue "S	ign Un" but	ton	0.38s
		ssage is displayed for following field on	0.308
registration page		ssage is displayed for following field off	1.20s
Email \${user.exist.tex	t}		
After			0.00s
Back to Table of Contents			
Scenario: Verify the mobile	number scre	een validation using "Continue with Email"	

assed: 20	'ailed: 0	Undefined: 0	Duration: 136.5	
Sefore			0.00s	
Given I generate random number and assign to variable "RANDOM_NUMBER"				
And I assign "pulse\${RA}" "PULSE_EMAIL"	NDOM_NUMBEI	R}@mailsac.com'' to variable	0.00s	
Given User has pulse app			7.95s	
Then I wait for 2 sec			2.00s	
And user click on "CON"	TINUE WITH EM	IAIL" with Email button	22.94s	
Then I wait for 2 sec			2.00s	
Then I change the country	y as required on r	registration page	11.03s	
Then I wait for 2 sec			2.00s	
Then I change the langua	ge as required on	registration page	11.15s	
Then I navigate to pulse reclick on continue with em		and select the lang on toggle bar then	6.95s	
Then I wait for 2 sec			2.00s	
When user enters registra	ntion details		7.70s	
FirstName NewAutom				
LastName NewAutom				
Email \${PULSE_1				
Password Pas\$1234	<u>, , , , , , , , , , , , , , , , , , , </u>			
And taps on continue "Si	gn Up" button		0.43s	
		email ''\${PULSE_EMAIL}''	29.67s	
Then I wait for 10 sec			10.00s	
Then I verify the country screen	code should be di	splayed correctly on phone number	0.10s	
And I enter the "mobile r	number'' in welcon	me to pulse	10.20s	
mobileNumber 917670		•	_	
And I click the continue b	-		0.19s	
Then I wait for 10 sec	dtton		10.00s	
Then verify Again invalid	Mohile message	"\$/invalid mobile text}"	0.21s	
after	1 WIODHE MESSage	ψ(mvanu.mobile.text)	0.00s	
ack to Table of Contents			0.005	
•		Undefined: 0	D	
	ailed: 0	Undermed: 0	Duration: 45.9	
Sefore			0.00s	
Given I enter the "mobile		*	10.42s	
mobileNumber \${regis		mber}	0.19s	
And I click the continue button				
Then I wait for 1 sec			1.00s	
And I click the continue b			0.44s	
Then verify validation me workflow screen	essage "\${wellness	s.goal.alert.text}" on registration	0.91s	

And I choose my wellnes	ss goals under welln	ess plan screen	0.29s				
And I click the continue	And I click the continue button						
Then I wait for 1 sec			1.00s				
And I click the continue	0.43s						
Then verify validation n screen	*******						
And I click the date in D	And I click the date in Date of Birth field						
And I click the Done ico	n		3.21s				
And I click the continue	button		1.12s				
Then I wait for 1 sec			1.00s				
And I click the continue	button		0.50s				
Then verify validation n screen	nessage ''\${gender.a	lert.text}" on registration workflow	0.74s				
And I select the Male ico	n		5.49s				
And I click the continue	button		0.85s				
Then I wait for 1 sec			1.00s				
And I click the continue	button		0.81s				
Then verify validation n screen	nessage ''\${bmi.aler	t.text}" on registration workflow	0.86s				
And I click on Calculate	BMI button		0.65s				
And I click the continue	button		0.98s				
Then I wait for 1 sec			1.00s				
And I click the continue	button		0.66s				
Then verify validation n workflow screen	nessage "\${activity.l	evel.alert.text}" on registration	0.85s				
And I select the "How a	ctive are you?'' in d	oing exercise	0.39s				
And I click the continue	And I click the continue button						
Then I wait for 1 sec			1.00s				
And I click the continue	button		0.73s				
Then verify validation n workflow screen	Then verify validation message "\${diet.preference.alert.text}" on registration workflow screen						
After			0.00s				
Back to Table of Contents							
	OTP functionality	on Enter OTP Screen using "Contin	ue with Email"				
Passed: 18	Failed: 0	Undefined: 0	Duration: 213.49				
Before	Before						
Given I generate randor "RANDOM_NUMBER"	Given I generate random number and assign to variable						
And I assign "pulse\${RA	0.00s						
And User has pulse app	8.31s						
Then I wait for 2 sec			2.00s				
And user click on "CON	TINUE WITH EM	AIL" with Email button	23.00s				
Then I wait for 2 sec			2.00s				

	Then I change the country as required on registration	n page 11.16s
	Then I wait for 2 sec	2.00s
	Then I change the language as required on registration	on page 10.78s
	Then I navigate to pulse registration page and select t click on continue with email button	the lang on toggle bar then 6.95s
	Then I wait for 2 sec	2.00s
	When user enters registration details	7.66s
	FirstName testAutomation	
	LastName testAutomation	
	Email \${PULSE_EMAIL}	
	Password Pas\$1234	
	And taps on continue "Sign_Up" button	0.44s
	Then I wait for 90 sec	90.00s
	Then I click the Resend button in OTP screen	3.31s
	And I enter OTP in one pulse app for user email "\${F	
	And I wait for 8 sec	8.00s
	And I verify enter otp screen is not displayed	8.55s
A	After	0.00s
<u>B</u>	Back to Table of Contents	
Feat	ature: Verify Edit Profile functionality on Pulse Health &	& Wealth app
	sed: 9 Failed: 0 Undefined: 0	Duration: 224.46s
S	Scenario: Launch the app and select the country as per s	specified lbu
_	Passed: 6 Failed: 0 Undefin	
В	Before	0.00s
	Given User has pulse app	8.39s
	And I assign "\${onepulse.login.edit.profile}" to varial	ble "PULSE_EMAIL" 0.00s
	And user click on "CONTINUE WITH EMAIL" with	
	Then I change the country as required on registration	n page 11.22s
	Then I wait for 5 sec	5.00s
	And I click the Sign in link	4.86s
A	After	0.00s
<u>B</u>	Back to Table of Contents	
S	Scenario: login to the app with correct credentials using	"Continue with Email"
	Passed: 6 Failed: 0 Undefin	
В	Before	0.00s
	Given I select the language option on toggle bar as rec	quired on login page 3.47s
	When user enters credentials	17.51s
	UserName \${PULSE_EMAIL}	
	Password \${pulse.edit}	
	And User clicks on signin button	0.45s
	And I wait for 5 sec	5.00s
	And I enter OTP in one pulse app for user email "\${F	
	Then user should be landed to "Home" screen	13.16s

Pools to Toble of Contacts			0.00s
Back to Table of Contents			
Scenario: Verify User s	hould be able to	navigate to Edit profile screen	ı İ
Passed: 3	Failed: 0	Undefined: 0	Duration: 20.66s
Before			0.00s
Given user navigate	to account page		11.04s
And user click on Ed	dit profile link		4.62s
Then I wait for 5 sec	:		5.00s
After			0.00s
Back to Table of Contents			<u> </u>
Scenario: Verify User s	hould be able to	change the profile picture in e	edit profile screen
Passed: 2	Failed: 0	Undefined: 0	Duration: 31.35s
Before			0.00s
Then I give manage	profile camera po	ermission	21.60s
Then I take picture			9.76s
After			0.00s
Back to Table of Contents			
	nail.country code	and COR fields are non-edita	ible in edit profile screen
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.35s
Before	T uneur o	Chathada 6	0.00s
And verify email fiel	ld is non-aditable		2.17s
		editable and country code is "	
And verify country	of Residence is "\$	{country.name}" and non-edi	itable 0.60s
After			0.00s
Back to Table of Contents			
	an able to change	the details in edit profile scre	
Scenario: Verify user c		the details in cuit brothe serv	een
Scenario: Verify user co	Failed: 0		
		Undefined: 0	Duration: 16.86s 0.00s
Passed: 4	Failed: 0	Undefined: 0	Duration: 16.86s
Passed: 4 Before Given I generate ran	Failed: 0 ndom number and BER''	Undefined: 0 d assign to variable	Duration: 16.868 0.00s
Passed: 4 Before Given I generate rar "RANDOM_NUMB	Failed: 0 ndom number and BER'' o following varial	Undefined: 0 d assign to variable bles	Duration: 16.86s 0.00s 0.00s
Passed: 4 Before Given I generate ran "RANDOM_NUMB And I assign value to First Name Autor	Failed: 0 ndom number and BER'' o following varial mation-\${RANDO	Undefined: 0 d assign to variable bles DM_NUMBER}	Duration: 16.86s 0.00s 0.00s
Passed: 4 Before Given I generate rar "RANDOM_NUMB And I assign value to First Name Autor Last Name Testin	Failed: 0 Indom number and BER'' Indom following variable of following variable mation-\${RANDOM	Undefined: 0 d assign to variable oles OM_NUMBER} NUMBER}	Duration: 16.86s 0.00s 0.00s
Passed: 4 Before Given I generate rar "RANDOM_NUMB And I assign value to First Name Autor Last Name Testin	Failed: 0 Indom number and BER'' Indomediation of following variation of factors of fac	Undefined: 0 d assign to variable bles DM_NUMBER}	Duration: 16.86s 0.00s 0.00s 0.00s
Passed: 4 Before Given I generate rar "RANDOM_NUMB And I assign value to First Name Autor Last Name Testin Then I update follow FirstName \${First}	Failed: 0 Indom number and BER'' To following variate mation-\${RANDOM_ To g-\${RANDOM_ To graph of the detail of the Name} The total of the Name of th	d assign to variable bles DM_NUMBER} NUMBER s in edit profile screen	Duration: 16.86s 0.00s 0.00s 0.00s
Passed: 4 Before Given I generate rar "RANDOM_NUMB And I assign value to First Name Autor Last Name Testin Then I update follow FirstName \${First} LastName \${Last}	Failed: 0 Indom number and BER'' To following variate mation-\${RANDOM_ To g-\${RANDOM_ To graph of the detail of the Name} The total of the Name of th	d assign to variable bles DM_NUMBER} NUMBER s in edit profile screen	Duration: 16.86s 0.00s 0.00s 0.00s 4.26s
Passed: 4 Before Given I generate ran "RANDOM_NUMB And I assign value to First Name Autor Last Name Testin Then I update follow FirstName \${First} LastName \${Last} And I click on update	Failed: 0 Indom number and BER'' To following variate mation-\${RANDOM_ To g-\${RANDOM_ To graph of the detail of the Name} It Name}	d assign to variable bles DM_NUMBER} NUMBER s in edit profile screen	Duration: 16.86s 0.00s 0.00s 0.00s 4.26s
Passed: 4 Before Given I generate rar "RANDOM_NUMB And I assign value to First Name Autor Last Name Testin Then I update follow FirstName \${First} LastName \${Last} And I click on update After Back to Table of Contents	Failed: 0 Indom number and BER'' To following variate mation-\${RANDOM_I} To following variate mation-\${RANDOM_I} To following profile details at Name} To the Name of the control of the	d assign to variable bles DM_NUMBER} NUMBER s in edit profile screen	Duration: 16.86s 0.00s 0.00s 0.00s 4.26s 12.60s 0.00s

Ве	efore		0.00s
	Given user click	on Edit profile link	13.81s
	Then I verify foll	owing values in edit profile screen	1.56s
	FirstName	\${First Name}	
	LastName	\${Last Name}	
	Email	\${onepulse.login.edit.profile}	
	Gender	\${pulse.edit.gender}	
	PhoneNumber	\${pulse.edit.number}	
Af	fter		0.00s
Ba	ck to Table of Conter	<u>tts</u>	
Sc	enario: verify the	user details should be correctly on babylon screen	
_	ssed: 6	Failed: 0 Undefined: 0	Duration: 28.1s
Ве	efore		0.00s
		to Home page from edit profile screen	3.51s
		o Babylon health Assessment and Accept TermsAndCondit	
	Then I wait for 2		2.00s
		default values in babylon registration page is updated as be	
		oulse.edit.gender}	10W 1.705
	FirstName \${1		
	LastName \${1		
		onepulse.login.edit.profile}	0.00
		field is non-editable	0.23s
		ry of Residence is "\${country.name}" and non-editable	0.52s
	fter		0.00s
	ck to Table of Conter		
		oack to health screen	
Pa	ssed: 2	Failed: 0 Undefined: 0	Duration: 7.81s
Ве	efore		0.00s
	Given I navigate	to health page from babylon registration screen	2.81s
	And I wait for 5	sec	5.00s
Af	fter		0.00s
Ba	ck to Table of Conter	ts	
			action footune
r eatt Passed	<u> </u>	er can locate near by Hospitals, clinics using PruShoppe Localied: 0	auon reature
		e app and select the country as per specified lbu	D (1 40.0
	ssed: 6	Failed: 0 Undefined: 0	Duration: 49.2s
В	efore		0.00s
	Given User has p	4.4	8.36s
		ogin.email.id}'' to variable ''PULSE_EMAIL''	0.00s
		"CONTINUE WITH EMAIL" with Email button	23.23s
		e country as required on registration page	10.89s
	Then I wait for 2	sec	2.00s


And I click the Sign in link		4.72s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct crede	ntials using "Continue with Email"	
Passed: 6 Failed: 0	Undefined: 0	Duration: 48.13
Before		0.00s
Given I select the language option on togg	le bar as required on login page	3.47s
When user enters credentials		17.48s
UserName \${PULSE_EMAIL}		
Password \${login.password}		
And User clicks on signin button		0.38s
And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user	r email ''\${PULSE_EMAIL}''	8.56s
Then user should be landed to "Home" so	creen	13.25s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to locate Hosp	itals using PruShoppe location	
Passed: 6 Failed: 0	Undefined: 0	Duration: 66.95
Before		0.00s
When I clicks on Health button		13.17s
Then I clicks on Location button		33.61s
When I clicks on Search here text field		6.22s
And I clicks on "Hospitals" under Pulse S	Search	1.23s
Then User can see the list of "Hospitals" i	near by to user's current location	2.53s
And User can see that Call, Navigate and "Hospitals" search results	See Details links are displayed under	10.19s
After		0.00s
Back to Table of Contents		•
Scenario: User can see details of listed hospit	als in detail	
Passed: 2 Failed: 0	Undefined: 0	Duration: 19.7s
Before		0.00s
When I clicks on See Details button on Fir	rst result	18.34s
Then I can see the "Hospital" Information buttons	n screen with Navigate and Call Now	1.36s
After		0.00s
Back to Table of Contents		
Scenario: User can see the details in specialit	v tab	
Passed: 2 Failed: 0	Undefined: 0	Duration: 9.75s
Before		0.00s
When I clicks on "Speciality" tab		0.42s
Then I verify the Speciality screen is displ	aved	9.33s
After	in jour	0.00s
111101		0.008

Scenario: User can see the details in doctor's tab	
Passed: 2 Failed: 0 Undefined: 0	Duration: 8.86s
Before	0.00s
When I clicks on "Doctors" tab	0.45s
Then I verify the Doctors screen is displayed	8.41s
After	0.00s
Back to Table of Contents	<u> </u>
Scenario: User can see the details in rooms tab	
Passed: 2 Failed: 0 Undefined: 0	Duration: 2.43s
Before	0.00s
When I clicks on "Rooms" tab	0.43s
Then I verify the Rooms screen is displayed	2.00s
After	0.00s
Back to Table of Contents	
Scenario: User can navigate out of the hospital details screen	
Passed: 1 Failed: 0 Undefined: 0	Duration: .45s
Before	0.00s
When I clicks on back button in See Details screen	0.45s
After	0.00s
Back to Table of Contents	00000
Scenario: User should be able to locate cli using PruShoppe location	
Passed: 4 Failed: 0 Undefined: 0	Duration: 17.8s
Before	0.00s
And I clicks on back button in "Hospitals" screen	2.09s
When I clicks on Search here text field	11.54s
And I clicks on "Clinics" under Pulse Search	1.09s
Then User can see the list of "Clinics" near by to user's current lo	
After	0.00s
Back to Table of Contents	0.000
Scenario: User can verify the clinic page	
Passed: 1 Failed: 0 Undefined: 0	Duration: 9.39s
Before	0.00s
And User can see that Call, Navigate and See Details links are disp	
After	0.00s
Back to Table of Contents	
Scenario: User can view listed clinic details	
Passed: 1 Failed: 0 Undefined: 0	Duration: 17.92s
Before	0.00s
When I clicks on See Details button on First result	17.92s
After	0.00s
Back to Table of Contents	0.005
Dack to Fable of Collection	

Section to Coli Can view I	sted clinic info		
Passed: 1	Failed: 0	ndefined: 0	Duration: 2.63s
Before			0.00s
Then I can see the "Cl buttons	nic" Information screen	with Navigate and Call Now	2.63s
After			0.00s
Back to Table of Contents			
Scenario: User can view l	sted clinic info details		
Passed: 1	Failed: 0	ndefined: 0	Duration: .37s
Before			0.00s
When I clicks on back	button in See Details scre	een	0.37s
After			0.00s
Back to Table of Contents			
Scenario: User can navig	te back to clinics screen		
		Indefined: 0	Duration: 2.0s
Before	100		0.00s
And I clicks on back h	utton in "Clinic" screen		2.00s
After	dition in Chine Serven		0.00s
Back to Table of Contents			0.00s
ature: Verify Medicine Re	minder Positive Flow fun	ctionality on one pulse App	
sed: 5 Failed:		Duration: 461.37s	-4:
Scenario: User should be Email''	able to register on app wi	Duration: 461.37s ith correct credentials using "Con	
Scenario: User should be Email'' Passed: 15	able to register on app wi	Duration: 461.37s	Duration: 181.
Scenario: User should be Email'' Passed: 15 Before Given I generate rand	Failed: 0 om number and assign to	Duration: 461.37s ith correct credentials using "Cor	
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE	Failed: 0 om number and assign to	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable	Duration: 181. 0.00s
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE. And I assign "pulse\${1}	Failed: 0 The state of the sta	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable	Duration: 181. 0.00s 0.00s
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE. And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap	Failed: 0 The state of the sta	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable	Duration: 181. 0.00s 0.00s 0.00s
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE. And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap	Failed: 0 mumber and assign to RANDOM_NUMBER}@r	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable	Duration: 181. 0.00s 0.00s 0.00s 8.28s
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${I "PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec	Failed: 0 mumber and assign to RANDOM_NUMBER}@r	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable "' with Email button	Duration: 181. 0.00s 0.00s 0.00s 8.28s 22.97s
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${I "PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec	Failed: 0 The state of the sta	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable "' with Email button	Duration: 181. 0.00s 0.00s 0.00s 8.28s 22.97s 2.00s
Scenario: User should be Email" Passed: 15 Before Given I generate rand "RANDOM_NUMBE And I assign "pulse\${I "PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec Then I change the couThen I wait for 2 sec	Failed: 0 Failed: 0 The state of the state	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable "' with Email button	Duration: 181. 0.00s 0.00s 0.00s 8.28s 22.97s 2.00s 10.68s
Scenario: User should be Email" Passed: 15 Before Given I generate rande "RANDOM_NUMBE And I assign "pulse\${1"PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I navigate to pul	Failed: 0 Failed: 0 m number and assign to R'' RANDOM_NUMBER}@r NTINUE WITH EMAIL atry as required on registration page and so email button	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable " with Email button ration page	Duration: 181. 0.00s 0.00s 0.00s 8.28s 22.97s 2.00s 10.68s 2.00s
Scenario: User should be Email" Passed: 15 Before Given I generate rande "RANDOM_NUMBE. And I assign "pulse\${1"PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec Then I change the cout Then I wait for 2 sec Then I navigate to pul click on continue with When user enters register FirstName medicing LastName reminde Email \${PULS}	Failed: 0 Failed: 0 The property of the prop	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable " with Email button ration page	Duration: 181. 0.00s 0.00s 0.00s 8.28s 22.97s 2.00s 10.68s 2.00s 7.12s
Scenario: User should be Email" Passed: 15 Before Given I generate rande "RANDOM_NUMBE: And I assign "pulse\${I "PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec Then I change the couthen I wait for 2 sec Then I navigate to pulcick on continue with When user enters register of the I wait for 2 sec Then I navigate to pulcick on continue with When user enters register I astName medicing LastName reminder Email \${PULS Password Pas\$123}	Failed: 0 Failed: 0 m number and assign to R'' RANDOM_NUMBER}@r NTINUE WITH EMAIL atry as required on registration page and seemail button stration details E_EMAIL} 4	Duration: 461.37s ith correct credentials using "Cor Undefined: 0 variable mailsac.com" to variable " with Email button ration page	Duration: 181. 0.00s 0.00s 0.00s 8.28s 22.97s 2.00s 10.68s 2.00s 7.12s 9.38s
Given I generate rande "RANDOM_NUMBE." And I assign "pulse\${1"PULSE_EMAIL" And User has pulse ap And user click on "COThen I wait for 2 sec Then I change the couthen I wait for 2 sec Then I navigate to pulcick on continue with When user enters register FirstName medicing LastName reminde Email \${PULS Password Pas\$123} And taps on continue	Failed: 0 Failed: 0 m number and assign to R'' RANDOM_NUMBER}@r NTINUE WITH EMAIL atry as required on registration page and seemail button stration details E_EMAIL} 4	Undefined: 0 Variable mailsac.com'' to variable "' with Email button ration page elect the lang on toggle bar then	Duration: 181 0.00s 0.00s 0.00s 8.28s 22.97s 2.00s 10.68s 2.00s 7.12s

TTV Y 4: 0			
Then I wait for 2 sec			2.00s
Then I click skip button			69.75s
Then user should be lan	nded to "Home	e'' screen	13.90s
Then I wait for 4 sec			4.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sho	uld be able to r	navigate to medical reminder page	<u>, </u>
Passed: 4	Failed: 0	Undefined: 0	Duration: 56.08s
Before			0.00s
Then I click the Health	icon in Home	screen	14.05s
And I wait for 2 sec			2.00s
And I clicks on click he	ere icon in med	ical Reminder	38.03s
Then I wait for 2 sec			2.00s
After			0.00s
Back to Table of Contents			
Scenario: verify the static	text on medici	ne reminder screen	
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.24s
Before			0.00s
And I verify following	text displayed i	in Add medicine screen	0.87s
\${no.medicine.text}			
\${Medicalremainde	r.text}		
\${track.medicine.tex			
\${important.dose.tex			
And I clicks on "\${add		}" in app screens	0.37s
And I wait for 2 sec		j mapp bereeze	2.00s
After			0.00s
Back to Table of Contents			0000
	cine screen is la	aunched and user can enter the re	quired info on medical
Passed: 4	Failed: 0	Undefined: 0	Duration: 8.48s
Defens			
Before			0.00s
	 text displayed i	in Add medicine screen	0.00s 0.56s
And I verify following same street st	d}	in Add medicine screen	
And I verify following to \$\{\text{medicine.info.field}\} \\$\{\text{schedule.field}\} \\$\{\text{more.setting.field}\}	d} }		0.56s
And I verify following to \$\{\text{medicine.info.field}\} \\$\{\text{schedule.field}\} \\$\{\text{more.setting.field}\} \] And I assign 'Paraceta	d} } amol'' to variab	ole ''Medicine_Info''	0.56s 0.00s
And I verify following to \$\{\text{medicine.info.field}\} \\$\{\text{more.setting.field}\}\$\ And I assign 'Paraceta And I enter following domains in the statement of the stateme	d} } amol'' to variab letails in add m	ole ''Medicine_Info''	0.56s
And I verify following to \$\{\text{medicine.info.field}\} \\$\{\text{more.setting.field}\} \\ \text{And I assign ''Paraceta} \\ And I enter following domains in the bound of the boun	amol" to variable dicine_Info}	ole ''Medicine_Info'' nedicine screen	0.56s 0.00s
And I verify following to \$\{\text{medicine.info.field}\} \\$\{\text{more.setting.field}\} \\$\{\text{more.setting.field}\} \\$\{\text{And I assign ''Paraceta}\} \\$\{\text{Medicine Info} \}\} \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\	amol" to variable dicine_Info}	ole ''Medicine_Info'' nedicine screen	0.56s 0.00s 6.92s

And I verify following text displayed in Add medicine screen \$\{\text{frequency.text}\}\ \{\text{dosage.timing.text}\}\ \{\text{start.date.text}\}\ \{\text{dose.intake.text}\}\ And I enter following details in add medicine screen And I clicks on Timing in Add medicine screen And I clicks on Timing in Add medicine screen And I clicks on "\{\text{before.meal.text}\}" in app screens And I clicks on Next icon in app screens 1.00s After 0.00s Ack to Table of Contents Cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7		Failed: 0	Undefined: 0	Duration: 6.66s
\$\{\text{frequency.text}\} \\ \{\text{dosage.timing.text}\} \\ \{\text{start.date.text}\} \\ \{\text{start.date.text}\} \\ \{\text{start.date.text}\} \\ \{\text{sdose.intake.text}\} \\ \\ \{\text{and I enter following details in add medicine screen} \text{1.66s} \\ \text{Frequency Once} \\ \text{And I clicks on Timing in Add medicine screen} \text{1.07s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{ack to Table of Contents} \\ \text{cenario: Verify User should be able to navigate to More Setting page} \\ \text{assed: 3} \text{Failed: 1} \text{Undefined: 0} \text{Duration: 13.7} \\ \text{defore} \text{Given I wait for 2 sec} \text{And I enter following details in add medicine screen} \text{3.21s} \\ \\ \text{Medication For fever} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Before			0.00s
\$\{\text{frequency.text}\} \\ \{\text{dosage.timing.text}\} \\ \{\text{start.date.text}\} \\ \{\text{start.date.text}\} \\ \{\text{start.date.text}\} \\ \{\text{sdose.intake.text}\} \\ \\ \{\text{and I enter following details in add medicine screen} \text{1.66s} \\ \text{Frequency Once} \\ \text{And I clicks on Timing in Add medicine screen} \text{1.07s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{ack to Table of Contents} \\ \text{cenario: Verify User should be able to navigate to More Setting page} \\ \text{assed: 3} \text{Failed: 1} \text{Undefined: 0} \text{Duration: 13.7} \\ \text{defore} \text{Given I wait for 2 sec} \text{And I enter following details in add medicine screen} \text{3.21s} \\ \\ \text{Medication For fever} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	And I verify fo	llowing text displayed in	Add medicine screen	1.89s
\$\{\text{start.date.text}\} \\ \{\text{end.date.text}\} \\ \{\text{dose.intake.text}\} \\ \{\text{dose.intake.text}\} \\ \{\text{And I enter following details in add medicine screen} \text{1.66s} \\ \text{Frequency Once} \\ \text{And I clicks on Timing in Add medicine screen} \text{1.07s} \\ \text{And I clicks on "\{\text{before.meal.text}\}" in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{And I clicks on Next icon in app screens} \text{1.00s} \\ \text{ack to Table of Contents} \\ \text{cenario: Verify User should be able to navigate to More Setting page} \\ \text{assed: 3} \text{Failed: 1} \text{Undefined: 0} \text{Duration: 13.7} \\ \text{sefore} \text{0.00s} \\ \text{And I enter following details in add medicine screen} \text{3.21s} \\ \text{Medication For fever} \\ \text{Medicine Stock } \\ \text{5} \\ \text{And I clicks the Done button in Add medicine screen} \text{0.93s} \\ \text{And I verify following texts are displayed} \text{7.60s} \\ \{\text{Medicine_Info}\} \\ \text{added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38)} \\ \text{at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen} \\ \text{(MyDocSteps.java:717)} \end{array}				
\$\left{\text{end.date.text}}\$ And I enter following details in add medicine screen	\${dosage.tin	ning.text}		
State Stat	\${start.date	.text}		
And I enter following details in add medicine screen And I clicks on Timing in Add medicine screen And I clicks on Timing in Add medicine screen And I clicks on "\${before.meal.text}" in app screens 1.05s And I clicks on Next icon in app screens 1.00s And I clicks on Next icon in app screens 1.00s And I clicks on Next icon in app screens 1.00s And I clicks on Next icon in app screens 1.00s And I clicks on Next icon in app screens 1.00s Cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7 Before 2.00s And I enter following details in add medicine screen 3.21s Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen 4.093s And I verify following texts are displayed 7.60s \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	\${end.date.t	text}		
Frequency Once And I clicks on Timing in Add medcine screen And I clicks on "\${before.meal.text}" in app screens I.05s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s Given I wait for 2 sec Indefined: 0 Duration: 13.7 Given I wait for 2 sec Indefined: 0 Duration: 13.7 Given I wait for 2 sec Indefined: 0 Duration: 13.7 Medication For fever Indefined: 0 Duration: 13.7 Indefined	\${dose.intal	xe.text}		
And I clicks on Timing in Add medcine screen And I clicks on "\${before.meal.text}" in app screens I.05s And I clicks on Next icon in app screens I.00s Iter O.00s ack to Table of Contents cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7 Before O.00s Given I wait for 2 sec And I enter following details in add medicine screen Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \${Medicine_Info}\$ added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	And I enter fol	lowing details in add med	dicine screen	1.66s
And I clicks on Timing in Add medcine screen And I clicks on "\${before.meal.text}" in app screens I.05s And I clicks on Next icon in app screens I.00s Iter O.00s ack to Table of Contents cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7 Before O.00s Given I wait for 2 sec And I enter following details in add medicine screen Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \${Medicine_Info}\$ added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	Frequency	Once		
And I clicks on "\${before.meal.text}" in app screens I.00s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s And I clicks on Next icon in app screens I.00s And I click on Next icon in app screens I.00s And I click on Next icon in app screens I.00s In I click on Next icon in app screens II click on Next icon icon icon icon icon icon icon icon		-	screen	1.07s
And I clicks on Next icon in app screens fter 0.00s ack to Table of Contents cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7 acfore 0.00s Given I wait for 2 sec 2.00s And I enter following details in add medicine screen 3.21s Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen 0.93s And I verify following texts are displayed 7.60s \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)				1.05s
ack to Table of Contents cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7 Gefore 0.00s Given I wait for 2 sec 2.00s And I enter following details in add medicine screen 3.21s Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen 0.93s And I verify following texts are displayed 7.60s \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)				
cenario: Verify User should be able to navigate to More Setting page assed: 3 Failed: 1 Undefined: 0 Duration: 13.7 Before 0.00s Given I wait for 2 sec 2.00s And I enter following details in add medicine screen 3.21s Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen 0.93s And I verify following texts are displayed 7.60s \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	After			
Cenario: Verify User should be able to navigate to More Setting page		tents		
Given I wait for 2 sec And I enter following details in add medicine screen Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \$\{\text{Medicine_Info}\}\) added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)			vigate to More Setting page	
Given I wait for 2 sec 2.00s And I enter following details in add medicine screen 3.21s Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen 0.93s And I verify following texts are displayed 7.60s \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	Passed: 3			Duration: 13.74
And I enter following details in add medicine screen Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \$\{\text{Medicine_Info}\}\ \text{added successfully!}\] java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	Before			
And I enter following details in add medicine screen Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \$\{\text{Medicine_Info}\}\ \text{added successfully!}\] java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	Given I wait fo	r 2 sec		2.00s
Medication For fever Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \$\{\text{Medicine_Info}\}\ \text{added successfully!}\] java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)			licine screen	
Medicine Stock 5 And I clicks the Done button in Add medicine screen And I verify following texts are displayed \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)			Ser con	
And I clicks the Done button in Add medicine screen And I verify following texts are displayed \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)				
And I verify following texts are displayed \${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)			dicine screen	0.93s
\${Medicine_Info} added successfully! java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)				
java.lang.AssertionError: The following asserts failed: Paracetamol added successfully! text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)			7	110000
at .And 1 verify following texts are displayed (leatures/health/MedicineReminder.feature:/5)	Paracetamol a	dded successfully! text is serts.SoftAssert.assertAlse.app.stepdefinitions.mo	displayed on page l(SoftAssert.java:38)	extsOnScreen
	at com.onepuls (MyDocSteps.j			
	at com.onepuls (MyDocSteps.j		ayed(features/health/Medicine	Reminder.feature:75)
	at com.onepuls (MyDocSteps.j		ayed(features/health/Medicine	Reminder.feature:75)
	at com.onepuls (MyDocSteps.j		ayed(features/health/Medicine	Reminder.feature:75)
	at com.onepuls (MyDocSteps.j		ayed(features/health/Medicine	Reminder.feature:75)
	at com.onepuls (MyDocSteps.j		ayed(features/health/Medicine	Reminder.feature:75)



Quantity

ATTICI			0.003
Back to Table of Contents			
Scenario: verify Add mosuccess popup	edicine screen is dis	played when user click on add	new reminder on
Passed: 2	Failed: 1	Undefined: 7	Duration: 112.66 s
Before			0.00s
And I clicks on "\${ac	dd.another.med}'' ii	n app screens	100.66s
And I assign "cold"	to variable ''Medici	ne_Info''	0.00s
And I enter following	g details in add med	icine screen	12.01s
Medicine Info \${N	/Iedicine_Info}		
Unit Tal	blet (unit)		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os.

version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.

MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:

UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

0.00s

```
newCommandTimeout: 10000, noReset: true, platformName: android, udid:
09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 19962e6c-a0fa-4d69-befb-eb37467c883e
*** Element info: {Using=xpath, value=(//android.widget.TextView[contains(@text,'Medicine
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
```

	ng details in add med	dicine screen	0.00s
Frequency Daily			
And I clicks on Tim	ning in Add medcine	screen	0.00s
And I clicks on "Af	ter meal" in app scr	eens	0.00s
And I clicks on Nex	t icon in app screens	5	0.00s
And I enter following	ng details in add med	dicine screen	0.00s
Medication For Medicine Stock 5	Cold 5		
	ne button in Add me	edicine screen	0.00s
e.g. Vitamin D Deficiency, lever, colid etc Hew many pills do you have in your stock?			
How many pills do you have in your stock?	i o p k I		
> cold could q w e r t t y u a s d f g h j	i o p k I		0.00s
How many pills do you have in your stock? 5 Cold could q'w'e'r't'y'u' asdfghj creater Cter	i o p k I		0.00s
How many pills do you have in your stock? S Cold could Q W a s d f g h j c z x c v b n 7123 , Cter ck to Table of Contents	i o p k	screen is displayed when use	
How many pills do you have in your stock? S	i o p k	screen is displayed when use	
How mary pills do you have in your stock? S	i o p k	screen is displayed when use	
How many pills do you have in your stock? S Cold could Q W a s d f g h j c z x c v b n 7123 , Cter ck to Table of Contents	i o p k I m x		er click on not now button

Detailed Results Report Medicine Reminder text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps. java:885) at .And I verify following text displayed in Add medicine screen(features/health /MedicineReminder.feature:100) 10:02 🕟 🕟 🔲 🛭 🔹 0 -40 Add Medcine ✓ Medicine Info √ Schedule More Setting What are you taking this medication for? cold to be hee e.g. Vitamin D Deficiency, fever, cold etc 5

After 0.00s Back to Table of Contents Scenario: navigate to health screen Passed: 0 Failed: 1 Undefined: 0 Duration: 8.39s Before 0.00s And I click the Back button in medical remainder 8.39s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os.

version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.

MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:


UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,


newCommandTimeout: 10000, noReset: true, platformName: android, udid:

09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,

```
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 19962e6c-a0fa-4d69-befb-eb37467c883e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Medicine
Reminder')]/preceding::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.DieticianScreen.SelectBack Icon(DieticianScreen.java:396)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back_MedicalRemainder
(DieticianSteps.java:195)
```



```
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 19962e6c-a0fa-4d69-befb-eb37467c883e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Medicine
Reminder']//../../parent::android.view.ViewGroup/preceding::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseHealthScreen.clickCalendarTile(PulseHealthScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnCalendarButton
(LocationSteps.java:96)
at .Then I click on Calendar tile(features/health/MedicineReminder.feature:109)
```



Password	\${PULSE_EMAIL}	
	\${pulse.password}	lo a=
	ks on signin button	0.35s
And I wait for	5.00s	
	TP in one pulse app for user email "\${PULSE_EMAI	
	uld be landed to "Home" screen	13.95s
After		0.00s
Back to Table of Cor		
<u>_</u>	MyEvent Functionality in Home screen	
Passed: 3	Failed: 0 Undefined: 0	Duration: 28.22
<u>Before</u>		0.00s
And I click the	e MyEvent icons	22.11s
And I wait for	5 sec	5.00s
And I verify for	ollowing texts are displayed	1.11s
You do not	have any events enrolled yet	
Please choo	ose from the open events and get started	
After		0.00s
Back to Table of Cor	itents	
Scenario: Verify	Open Events tab	
Passed: 1	Failed: 1 Undefined: 0	Duration: 26.35
Before		0.00s
And I click the	e Open Events icon	8.49s
	ollowing texts are displayed	17.86s
	no events available at the moment	
	for events on health and fitness	



Email''			
Passed: 7	Failed: 0	ndefined: 0	Duration: 54.5s
Before			0.00s
And I assign "\${login	.email.id}" to variable "PU	JLSE_EMAIL''	0.00s
Given I select the lar	guage option on toggle bar	as required on login page	3.51s
When user enters cr	dentials		18.10s
UserName \${PUL Password \${login			
And User clicks on s			0.35s
Then I wait for 10 se	<u> </u>		10.00s
	ne pulse app for user emai	L''\${PILSE_EMAIL}''	8.29s
	landed to "Home" screen	ψ(I OLOL_LIVILLE)	14.26s
After			0.00s
Back to Table of Contents			0.000
	nould be able to navigate to	Health page	
Passed: 4		ndefined: 0	Duration: 48.16s
Before	Tuneur v		0.00s
Then I navigate to H	aslth Content screen		21.14s
Then I wait for 8 sec	carin Content screen		8.00s
And I verify following	 σ texts are displayed		1.16s
Health Channels	g texts are displayed		1.103
	wing texts "My Health Cor	ntant" in Screen	17.86s
Category Like Share Comment			
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	ould be able to view the fu	ll page article post	
Passed: 2		ndefined: 0	Duration: 17.56s
Before			0.00s
Then I click on "Hes		ails full view	7.56s
Then I wait for 10 se	_	WIII 740 11	10.00s
After			0.00s
Back to Table of Contents			
	ould be able to see the Lik	e, Share, Comment options on	full page article
Passed: 1	Failed: 0	ndefined: 0	Duration: 13.17s
Before			0.00s
And I verify the follo	wing texts "My Health Cor	ntent" in Screen	13.17s
Like Share Comment			

After			0.00s
Back to Table of Content	2		
cenario: Verify User should be able to Like the post in full article view screen			
assed: 1	Failed: 1	Undefined: 0	Duration: 13.14
efore			0.00s
And I Like the pos	st		5.37s
And I Like the pos			7.77s
And I Like the pos	,,,		7.178
org.onenga.selenii	ım.NoSuchElementl	Exception: An element could no	t he located on the page
using the given sea		enception. Im ciement could no	t be located on the page
		se visit: http://seleniumhq.org/e	xceptions
/no_such_element	html	•	
Build info: version	: '3.12.0', revision: '	'7c6e0b3', time: '2018-05-08T14	:04:26.12Z'
•		p: '172.31.13.65', os.name: 'Linu	x', os.arch: 'amd64', os.
	9-generic', java.vers		
		lroid.AndroidDriver	1 (1 1 1
~ ~ ~		Xi.scratch/, appActivity: com.p	·
/ * *		al.pulse.uat, autoDismissAlerts:	
		e, desired: {app: /tmp/scratch_H iinAc, appPackage: com.prudo	
		ame: UiAutomator2, deviceNan	
		et: true, platformName: android	
		30, deviceManufacturer: Google	
		ceScreenDensity: 440, deviceScr	
		scriptEnabled: true, locationCo	
		wCommandTimeout: 10000, nol	
2.75, platform: LI	NUX, platformNam	e: Android, platformVersion: 1	1, statBarHeight: 145,
takesScreenshot: t	rue, udid: 09211FD	D4001ZY, viewportRect: {heigh	it: 2015, left: 0, top: 145,
width: 1080}, war	nings: {}, webStorag	geEnabled: false}	
	637-97c5-4093-83f8-		
		e=//android.widget.TextView[@	
		tructorAccessor22.newInstance	
	O .	atingConstructorAccessorImpl.	newInstance
	ructorAccessorImpl.		400)
		ctor.newInstance(Constructor.ja	
U .	•	/3CHttpResponseCodec.createF	exception
	seCodec.java:187)	/3CHttpResponseCodec.decode	
	seCodec.java:122)	SCITup Kesponse Couec. decode	
	· · · · · · · · · · · · · · · · · · ·	/3CHttpResponseCodec.decode	
(W3CHttpRespon			
		ommandExecutor.execute(Http	CommandExecutor.iava
158)			
	client.remote.Appit	amCommandExecutor.execute	
	dExecutor.java:231		
at org.openqa.sele	nium.remote.Remot	eWebDriver.execute(RemoteW	ebDriver.java:543)
	client.DefaultGener	ricMobileDriver.execute(Defaul	tGenericMobileDriver.
java:42)			
		er.execute(AppiumDriver.java:	
at io annium java	client and roid And	roidDriver.execute(AndroidDriver)	ver.iava:1)

at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. iava:419) at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)

at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:166)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java: **75**)

at .And I Like the post(features/home/MyHealthContent.feature:73)



After			0.00s
Back to Table of Contents			
Scenario: Verify User sho	ould be able to Share the	post in full article view screen	
Passed: 0	Failed: 1	Undefined: 1	Duration: 12.68s

fore		0.00s
And I share the post		12.68s
org.openga.selenium.N	SuchElementException: An	element could not be located on the page
using the given search		1 0
	his error, please visit: http://	/seleniumhq.org/exceptions
/no_such_element.htm		
Build info: version: '3.	2.0', revision: '7c6e0b3', time	e: '2018-05-08T14:04:26.12Z'
System info: host: 'ip-	'2-31-13-65', ip: '172.31.13.6	5', os.name: 'Linux', os.arch: 'amd64', os.
version: '3.13.0-139-ge	eric', java.version: '11.0.1'	
Driver info: io.appium	ava_client.android.Android	Driver
Capabilities {app: /tm	scratch_HPPXi.scratch/, a	ppActivity: com.prudential.pulse.
MainAc, appPackag	com.prudential.pulse.uat, a	utoDismissAlerts: true, automationName
UiAutomator2, databa	eEnabled: false, desired: {ap	p:/tmp/scratch_HPPXi.scratch/,
appActivity: com.prud	ntial.pulse.MainAc, appPa	ckage: com.prudential.pulse.uat,
autoDismissAlerts: tru	, automationName: UiAuton	nator2, deviceName: Android-Test,
${f newCommandTimeou}$	10000, noReset: true, platfo	rmName: android, udid:
		ufacturer: Google, deviceModel: Pixel 5,
		ty: 440, deviceScreenSize: 1080x2340,
		: true, locationContextEnabled: false,
		meout: 10000, noReset: true, pixelRatio:
		atformVersion: 11, statBarHeight: 145,
		wportRect: {height: 2015, left: 0, top: 145
	{}, webStorageEnabled: fals	se}
	7c5-4093-83f8-1ac6f23a6fcb	
		dget.TextView[@text='Share']}
		or22.newInstance(Unknown Source)
		torAccessorImpl.newInstance
`	AccessorImpl.java:45)	(0)
	eflect.Constructor.newInstar	· · · · · · · · · · · · · · · · · · ·
	remote.http.W3CHttpRespo	onseCodec.createException
(W3CHttpResponseCo		
	remote.http.W3CHttpRespo	onseCodec.decode
(W3CHttpResponseCo		macCodoo dooodo
	remote.http.W3CHttpRespo	onseCodec.decode
(W3CHttpResponseCo		utor.execute(HttpCommandExecutor.jav
at org.openqa.selemur 158)	Temote.11ttpCommanuExect	utor.execute(11ttpCommandExecutor.jav
	t.remote.AppiumCommandF	Evacutor avacuta
(AppiumCommandEx		2Accutor caccute
		execute(RemoteWebDriver.java:543)
		er.execute(DefaultGenericMobileDriver.
at 10.appium.java_ene java:42)		
y	t.AppiumDriver.execute(App	niumDriver iava·1)
	t.android.AndroidDriver.exe	
		indElement(RemoteWebDriver.java:317
	t.DefaultGenericMobileDrive	
	Jriver.java:62)	
(DefaultGenericMobil		t(AppiumDriver.iava:1)
(DefaultGenericMobil at io.appium.java_clie	t.AppiumDriver.findElemen	t(AppiumDriver.java:1) dElement(AndroidDriver.java:1)

java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)


at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:194)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java: 90)

at .And I share the post(features/home/MyHealthContent.feature:76)

Then I navigate back to previous page

0.00s



After			0.00s
Back to Table of Conten	<u>ts</u>		
Scenario: Verify Use	er can navigate to He	alth homepage	
Passed: 0	Failed: 1	Undefined: 0	Duration: 18.31s
Before			0.00s
Then I navigate t	o story post page		18.31s
org.openqa.seleni	ium.NoSuchElement	Exception: An element could no	t be located on the page

```
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os.
version: '3.13.0-139-generic', java.version: '11.0.1'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {app: /tmp/scratch HPPXi.scratch/..., appActivity: com.prudential.pulse.
MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:
UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch HPPXi.scratch/...,
appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android, udid:
09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 5bc75637-97c5-4093-83f8-1ac6f23a6fcb
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]
/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.Bv\$BvXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166) at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:157) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage (WealthSteps.java:70) at .Then I navigate to story post page(features/home/MyHealthContent.feature:80) 10:09 G G 🗆 🛭 🖟 • 0 -40 Salam Aidilfitri Unexpected error occurred Error: Fatal: TypeError undefined is not an object (evaluating 'p.id') Celebrate Raya With Us! 0.00sAfter **Back to Table of Contents** Feature: Verify Notification Center functionality on one pulse App Passed: 3 Failed: 0 Undefined: 0 Duration: 185.35s Scenario: User should be able to register on app with correct credentials using "Continue with Email'' Duration: 182.72 Passed: 17 Failed: 0 Undefined: 0 Before 0.00sGiven I generate random number and assign to variable 0.00s"RANDOM_NUMBER"

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable

	"PULSE_EMAIL"	0.00s
	And User has pulse app	8.60s
	Then I wait for 2 sec	2.00s
	And user click on "CONTINUE WITH EMAIL" with Email button	22.80s
	Then I wait for 2 sec	2.00s
	Then I change the country as required on registration page	11.21s
	Then I wait for 2 sec	2.00s
	Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.11s
	Then I wait for 2 sec	2.00s
	When user enters registration details	7.37s
	FirstName testAutomation	
	LastName testAutomation	
	Email \${PULSE_EMAIL}	
	Password Pas\$1234	
	And taps on continue "Sign_Up" button	0.34s
		28.52s
	Then I wait for 2 sec	2.00s
	Then I click skip button	69.35s
	Then user should be landed to "Home" screen	13.42s
	Then I wait for 4 sec	4.00s
	After	0.00s
	Back to Table of Contents	
	Scenario: Navigate to notification screen via home screen	
		Duration: 2.46s
	Before	0.00s
	Given I navigate to notification screen from home page	0.46s
		2.00s
		0.00s
	Back to Table of Contents	
	Scenario: Verify User should be able to see the Notification screen texts	
-		Duration: .17s
		0.00s
		0.17s
	\${notification.msg}	0.175
		0.00s
		0.008
	Back to Table of Contents	
	ature: Verify My Challenges on One Pulse App	
-	sed: 4 Failed: 0 Undefined: 0 Duration: 132.39s	
	Scenario: Launch the app and select the country as per specified lbu	
	Passed: 6 Failed: 0 Undefined: 0	Duration: 50.63s
		0.00s
	Given User has pulse app	8.86s


And Logout of pulse a			0.00s
		VITH EMAIL'' with Email button	23.03s
Then I change the cou	ıntry as requ	uired on registration page	11.00s
Then I wait for 3 sec			3.00s
And I click the Sign in	ı link		4.76s
After			0.00s
Back to Table of Contents			
Scenario: User should be Email'	able to logi	n on app with correct credentials using "Co	ontinue with
Passed: 7	Failed: 0	Undefined: 0	Duration: 54.93s
Before			0.00s
And I assign "\${login	.email.id}'' t	o variable ''PULSE_EMAIL''	0.00s
		on toggle bar as required on login page	3.46s
When user enters cre		The state of the s	17.55s
UserName \${PULS	SE EMAIL		
Password \${login.			
And User clicks on sig			0.35s
Then I wait for 10 sec			10.00s
		for user email "\${PULSE_EMAIL}"	9.51s
Then user should be l			14.07s
After		tome serven	0.00s
Back to Table of Contents			0.005
	llonges tout		
Scenario: Verify My Cha	T		D (1 17.22
Passed: 3 Before	Failed: 0	Undefined: 0	Duration: 17.22s 0.00s
And I click on My Ch			12.21s
And I verify following		splayed	0.80s
\${my.challenges.te			
\${do.not.have.chal			
\${challenge.getstan			
\${do.not.have.chal			
		My challenges" in Screen	4.21s
\${all.challenges.tex	(t }		
After			0.00s
Back to Table of Contents			
Scenario: Click on All ch	allenges and	l and verify texts	
Passed: 4	Failed: 0	Undefined: 0	Duration: 9.61s
Before			0.00s
And I clicks on "\${all	.challenges.t	ext}'' in app screen	0.22s
		My challenges" in Screen	8.71s
\${my.challenges.te			000 20
\${all.challenges.tex			
And I verify following		enlaved	0.44s
And I verify following	texts are di	spiayeu	0.448

\$\{no.challenges.available}\		
\${notify.challenge}		
And I clicks on "\${back.home}" in app screen	0.24s	
After	0.00s	
Back to Table of Contents		
ature: Verify My Communities on One Pluse App		
sed: 7 Failed: 3 Undefined: 0 Duration: 290.02s		
Scenario: Launch the app and select the country as per specified lbu		
Passed: 6 Failed: 0 Undefined: 0	Duration: 50.46s	
Before	0.00s	
Given User has pulse app	8.65s	
And Logout of pulse app if user is logged in	0.00s	
And user click on "CONTINUE WITH EMAIL" with Email button	22.87s	
Then I change the country as required on registration page	11.19s	
Then I wait for 3 sec	3.00s	
And I click the Sign in link	4.74s	
After	0.00s	
Back to Table of Contents	0.003	
Scenario: User should be able to login on app with correct credentials using "Co Gmail" Passed: 7 Failed: 0 Undefined: 0	Duration: 53.64s	
Before	0.00s	
And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s	
Given I select the language option on toggle bar as required on login page	3.44s	
When user enters credentials	17.61s	
UserName \${PULSE_EMAIL} Password \${pulse.password}		
And User clicks on signin button	0.33s	
Then I wait for 10 sec	10.00s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.86s	
Then user should be landed to "Home" screen	13.41s	
After	0.00s	
Back to Table of Contents		
Scenario: User should be able to login on app with correct credentials using "Co Email" and Verify the Mycommunities screen	ntinue with	
Passed: 5 Failed: 0 Undefined: 0	Duration: 26.66	
Before	0.00s	
Then I wait for 6 sec	6.00s	
And I click the MyCommunities icon	5.77s	
Then I wait for 6 sec	6.00s	
And I verify following texts are displayed	0.32s	
And I verify following texts are displayed 0.32s		
\${icon.communities}		

\${my.communitie \${All.Communitie			
After	es.text}		0.00s
Back to Table of Contents			0000
Scenario: Leave the con	munity if already io	ined	
Passed: 4	Failed: 0	Undefined: 0	Duration: 5.87s
Before	Tuneur v	Charles V	0.00s
And I clicks on "\${m	v communities text)	'' in ann screen	0.28s
And I scroll down	y.communities.texty	тарр эсгест	3.95s
When I click on join	ed community three	dots menu icon	0.19s
And I click on leave			1.45s
After	<u> </u>	V	0.00s
Back to Table of Contents			
Scenario: Verify the All	Communities Post s	creen	
Passed: 9	Failed: 0	Undefined: 0	Duration: 43.12s
Before			0.00s
Then I wait for 5 sec			5.00s
	And I clicks on "\${All.Communities.text}" in app screen		
And I click the Join			0.30s 4.45s
And I click the static	And I click the static Active icon in community screen		
And I click Edit icon	in stay Active icon		15.81s
And Enter the post in	n community screen		3.45s
POST TEST1			
And Enter the post in	n community large te	ext screen	3.43s
POST welcome			
And I click the Post	con in create post sc	reen	1.67s
Then I verify the foll			3.52s
TEST1			
welcome			
After			0.00s
Back to Table of Contents			
Scenario: Verify the Lil	es and comments co	unts in All communities tab	
Passed: 8	Failed: 0	Undefined: 0	Duration: 41.36
Before			0.00s
And I click the Post	con in My communi	ties	9.04s
And I wait for 5 sec	·		5.00s
And I click the like b	utton in Post screen		8.78s
And Verify the like of	ount in Post screen '	' 1 Likes'' likes	3.24s
And I click the Com	nent icon in feed scr	een	3.85s
And Enter the comm	ents in Feeds screen		2.89s
Comments TEST			
And I click the subm	it icon in feeds scree	n	0.95s
And Verify the comm	nents count in Feeds	screen " 0 Comments" comments	7.62s

			0.00s
Back to Table of Cor	<u>itents</u>		
Scenario: Verify	the Share with Friend	s Functionality in All communitie	es tab
Passed: 4	Failed: 0	Undefined: 0	Duration: 22.72s
Before			0.00s
And I click the	e share icon in Post sci	reen	4.80s
And Verify th	e pop up in ''Share wit	th Friends''	4.07s
And I click the	e phone icon in share v	with friends	4.20s
And I give car	nera permission		9.65s
After			0.00s
Back to Table of Cor	<u>itents</u>		
Scenario: Verify	the Post Functionality	in All communities	
Passed: 0	Failed: 1	Undefined: 11	Duration: 15.6s
Before			0.00s
Then I click sl	kip button in feeds scr	een	15.60s
MainAc, app UiAutomator2 appActivity: c autoDismissAl newCommand	pPackage: com.pruden 2, databaseEnabled: fa	PXi.scratch/, appActivity: com.j ntial.pulse.uat, autoDismissAlerts:	•
deviceName: (deviceUDID: (networkConno 2.75, platform takesScreensh width: 1080}, Session ID: e5*** Element in Pulsemate!')]} at jdk.internal at java.base/jc(DelegatingCo	ITimeout: 10000, noRe 12Y}, deviceApiLevel 19211FDD4001ZY, dev 19211FDD4001ZY, javectionEnabled: true, not: LINUX, platformNatiot: true, udid: 09211F warnings: {}, webStora 10c8078-f8ca-44a8-80d2 nfo: {Using=xpath, valuations. The constructor Accessor Important Part of the constructor Internation Part of the C	alse, desired: {app: /tmp/scratch_lainAc, appPackage: com.prudenName: UiAutomator2, deviceNameset: true, platformName: android: 30, deviceManufacturer: Google viceScreenDensity: 440, deviceScreenDensity: 440, deviceScrewascriptEnabled: true, locationComewCommandTimeout: 10000, not me: Android, platformVersion: 1 ageEnabled: false} 2-6357da6f44ed lue=//android.widget.TextView[comstructorAccessor22.newInstance egatingConstructorAccessorImpl.	HPPXi.scratch/, ential.pulse.uat, me: Android-Test, d, udid: e, deviceModel: Pixel 5, reenSize: 1080x2340, ntextEnabled: false, Reset: true, pixelRatio: 1, statBarHeight: 145, nt: 2015, left: 0, top: 145, ontains(@text,'Hi (Unknown Source) newInstance

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton
(MvCommunitiesScreen.java:647)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton
(MyCommunitiesSteps.java:208)
at .Then I click skip button in feeds screen(features/home/mycommunities
/PulseMyCommunities.feature:76)
```



```
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: e50c8078-f8ca-44a8-80d2-6357da6f44ed
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1706)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
```

			0.00s
COVID-19			1
Fitness			
Global Aw	areness Days		
Mental Hea	alth		
And I clicks o	n ''Mental Health'' in	app screen	0.00s
	n ''\${apply.button}'' i		0.00s
And I verify f	ollowing texts are disp	played	0.00s
\${no.post.fe	ound.text}		
And I click the	e Back icon in Stay A	ctive screen	0.00s
10:19 🕝 🗆 🔾 🔲 •	9 740		
- 144 Fee 3 Contrate	Sin		
Contacts Invited			
Contacts Invited			
	Clear Select All		
No Email	Contacts		
No.			
The state of	the state of the s		
How was you	r Experience?		
	provide better service		
	your Help		
	7 W W		
Not Now	Continue		
Not Now	Contribu		
er			0.00s
k to Table of Cor	otonte		0000
	the community if alre	adv joined	
sed: 0	Failed: 1	Undefined: 3	Duration: 7.82
fore	raneu: 1	Ondermed: 3	0.00s
1016			
	n ''\${my.communities	s.text}" in app screen	7.82 s
And I clicks o			
org.openqa.se		entException: An element could	not be located on the page
org.openqa.se using the give	n search parameters.		•
org.openqa.se using the give For document	n search parameters. ation on this error, pl		•
org.openqa.se using the give For document /no_such_elen	n search parameters. ation on this error, pl nent.html		g/exceptions

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.
MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:
UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/...,
appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android, udid:
09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: e50c8078-f8ca-44a8-80d2-6357da6f44ed
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)

at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1706)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:533)

at .And I clicks on "\${my.communities.text}" in app screen(features/home/mycommunities /PulseMyCommunities.feature:107)

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s



0.00sAfter

Back to Table of Contents

Feature:	Verify Private I	My Commun	ities on One	Pluse App
Doggod, 4	Foil	lode A	Undofined	0


ass	sea: 4	raned: 0	Underined: 0	Duration: 170	.218
	Scenario: Launch the app and select the country as per specified lbu				
Passed: 6		Failed	: 0	Undefined: 0	Duration: 49.97s
]	Before				0.00s
	Given User has pulse ap		р		8.27s
And Logout of pulse app if user is logged in And user click on "CONTINUE WITH EMAIL" with Email Then I change the country as required on registration page		er is logged in		0.00s	
		L'' with Email button	22.96s		
		stration page	11.07s		
	Then I wait f	for 3 sec			3.00s

And I click the Sign in lin	k	4.67s	
After		0.00s	
Back to Table of Contents			
Scenario: User should be abl Gmail''	le to login on app with correct credentials using "Cor	ntinue with	
Passed: 7	Cailed: 0 Undefined: 0	Duration: 53.52	
Before		0.00s	
And I assign "pulse12345	6@mailsac.com" to variable "PULSE_EMAIL"	0.00s	
	ge option on toggle bar as required on login page	3.49s	
When user enters credent		17.69s	
UserName \${PULSE_1	EMAIL}		
Password \${login.pass	sword}		
And User clicks on signin	button	0.37s	
Then I wait for 10 sec		10.00s	
And I enter OTP in one p	ulse app for user email ''\${PULSE_EMAIL}''	7.81s	
Then user should be land	ed to "Home" screen	14.17s	
After		0.00s	
Back to Table of Contents			
Scenario: User should be abl Gmail'' and Verify the Myco	le to login on app with correct credentials using "Cor ommunities screen	ntinue with	
Passed: 5	'ailed: 0 Undefined: 0	Duration: 20.86	
Before		0.00s	
And I click the MyComm	unities icon	5.59s	
Then I wait for 3 sec		3.00s	
And I verify following tex	ats are displayed	0.66s	
\${icon.communities}			
And I verify the following	g texts "All Communities" in Screen	8.62s	
\${my.communities.tex \${All.Communities.tex			
Then I wait for 3 sec		3.00s	
After		0.00s	
Back to Table of Contents			
Scenario: Verify the Private	Communities in communities screen		
Passed: 12	ailed: 0 Undefined: 0	Duration: 45.86	
Before		0.00s	
And I click the Private "\$	S{All.Communities.text}" in Communities screen	4.68s	
	Healthy content, Challenges etc." in "Test" in home	3.03s	
And I Enter the ''e.g. Hea	althy content, forum for celebrities etc." in "2020" in	2.83s	
	Pioturo!! in ann garaan	0.25s	
And I clicks on "Take a F	And I clicks on "Take a Picture" in app screen		
And I clicks on "Take a F And I click the Upload In		4.15s	

Then I take picture from	om Camera	9.80s
Then I wait for 3 sec		3.00s
And I scroll down		3.49s
And I click the continu	ie button	0.25s
Then I click skip butto	on in feeds screen	1.57s
And I clicks on "OK"	in app screen	2.92s
After		0.00s
Back to Table of Contents		
Feature: Verify legal and leg	vacy on One pulse Ann	
Passed: 7 Failed:		
	o and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 52.75s
Before	raned: 0 Underined: 0	0.00s
Given User has pulse a		9.25s
	legal.privacy.login.id}" to variable "PULSE_EMAIL"	0.00s
	ONTINUE WITH EMAIL" with Email button	23.03s
	ntry as required on registration page	10.72s
Then I wait for 5 sec		5.00s
And I click the Sign in	link	4.77 s
After		0.00s
Back to Table of Contents		
Scenario: login to the app	with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 48.95s
Before		0.00s
Given I select the lang	uage option on toggle bar as required on login page	3.51s
When user enters cred		17.50s
UserName \${PULS		-
Password \${pulse.		
And User clicks on sig		0.36s
And I wait for 5 sec		5.00s
	ne pulse app for user email ''\${PULSE_EMAIL}''	8.45s
	anded to "Home" screen	14.14s
After	The state of the s	0.00s
Back to Table of Contents		0.003
	and conse	
Scenario: Navigate to acc		D (1 122
Passed: 1	Failed: 0 Undefined: 0	Duration: 12.35s
Before		0.00s
Given user navigate to	account page	12.35s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Lega	acy and Privacy should be displayed	
Passed: 2	Failed: 0 Undefined: 0	Duration: 6.39s
Before		0.00s

\$\{\text{Terms.condition}\}\{\text{icon.privacyNo}\}		ayed in terms and condition screen	2.50s
<u> </u>			2.508
Sicon privacy No	ns.text}		
φ(icon.privacyN0	tice}		
\${icon.regulatory			
\${app.version.tex	tt}		
After			0.00s
Back to Table of Contents			
Scenario: Verify the Te	erms and condition	ı screen should be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 17.6
Before			0.00s
And I click on "\${Te	erms.conditions.te	xt}'' link in Account screen	0.30s
And I click the pulse			13.53s
And I click the Back	icon in pulse scre	en	2.40s
And I click the Back	icon in Terms and	d conditions screen	1.43s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Pr	ivacy screen shoul	ld be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 21.4
Before			0.00s
And I click the Priva	acv icon in legal sc	ereen	3.24s
And I click the pulse			13.50s
And I click the Back			2.28s
And I click the Back			2.43s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Re	egulator screen sho	ould be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 7.18
Before			0.00s
Given I wait for 2 se	C		2.00s
And I click the Regu		al screen	0.34s
And I click the Baby			1.66s
-		ayed in terms and condition screen	3.18s
\${clinicalSafety.te			
\${ai.healthcare.te			
\${localisation.tex			
\${privacy.date.pr	rotection.text}		
\${concern.report			
After			0.00s
Back to Table of Contents			
ture: Verify My accoun	m4m nm4** A		

sed: 24 Failed:	1 Undefined: 0	Duration: 296.44s	
Scenario: Launch the ap	p and select the country as	per specified lbu	
Passed: 6	Failed: 0	ndefined: 0	Duration: 52.0
Before			0.00s
Given User has pulse	арр		8.57s
		variable "PULSE_EMAIL"	0.00s
	ONTINUE WITH EMAIL		22.97s
Then I change the cou	ntry as required on regist	ration page	10.66s
Then I wait for 5 sec			5.00s
And I click the Sign in	link		4.86s
After			0.00s
Back to Table of Contents			
Scenario: login to the ap	with correct credentials	using "Continue with Email"	
Passed: 6		ndefined: 0	Duration: 48.5
Before			0.00s
Given I select the lang	uage option on toggle bar	as required on login page	3.50s
When user enters cre			17.10s
UserName \${PULS	E EMAIL}		
Password \${pulse			
And User clicks on sig			0.33s
And I wait for 5 sec			5.00s
	ne pulse app for user email	I "\${PULSE_EMAIL}"	8.54s
	anded to "Home" screen		14.06s
After			0.00s
Back to Table of Contents			
	count screen and verify all	the options	
Passed: 3	· ·	ndefined: 0	Duration: 17.7
Before			0.00s
Given user navigate t	account nage		12.23s
Then I wait for 2 sec	account page		2.01s
	y following options on acco	ount screen	3.55s
\${my.wearable.tex			
\${my.rewards.text			
\${my.notification.t			
\${icon.mySettings}			
\${my.feedback.tex			
\${icon.legal&Priva			
\${pulsePersonalise			



After		0.00s			
Back to Table of Contents					
Scenario: navigate back	Scenario: navigate back to account screen from my wearable screen				
Passed: 2	Failed: 0 Undefined: 0	Duration: 2.37s			
Before		0.00s			
And user navigate bac	ck to the Home screen from My Wearables screen	0.37s			
And I wait for 2 sec		2.00s			
After		0.00s			
Back to Table of Contents					
Scenario: Navigate to acc	count screen				
Passed: 2	Failed: 0 Undefined: 0	Duration: 13.69s			
Before		0.00s			
Given user navigate to	account page	11.69s			
Then I wait for 2 sec		2.00s			
After		0.00s			
Back to Table of Contents					
Scenario: Verify reward	screen in Account tab				
Passed: 3	Failed: 0 Undefined: 0	Duration: 5.35s			
Before		0.00s			
And I click on "\${mv.	rewards.text}" link in Account screen	0.38s			
Then I wait for 2 sec		2.00s			
Then User verify follo	wing texts are displayed in My Rewards screen	2.97s			
\${myRewards.title					
\${myRewards.bad					
\${myRewards.vou					
\${myRewards.disc	over}				
\${my.rewards.text}	}				
After		0.00s			
Back to Table of Contents					
Scenario: User access My	y Rewards FAO				
Passed: 3	Failed: 0 Undefined: 0	Duration: 6.59s			
Before		0.00s			
When I scroll down		4.17s			
Then I wait for 2 sec		2.00s			
	wing texts are displayed in My Rewards screen	0.41s			
\${myRewards.faq.					
After	<u></u>	0.00s			
Back to Table of Contents		1			
	the FAQ on my rewards screen				
Passed: 4	Failed: 0 Undefined: 0	Duration: 2.14s			
Before	2 mear 5	0.00s			
	wing fogg and angways !!\$(mwDawayla fog 1)!! and				
Then User verily 10110	wing faqs and answers ''\${myRewards.faq.1}'' are				

displayed in My Rewa	rds screen	0.29s
\${myRewards.faq.1	1}	
And I expand faq ''\${1	myRewards.faq.1}'' in My Rewards screen	0.33s
Then User verify follo displayed in My Rewa	wing faqs and answers "\${myRewards.faq.1.ans}" are ards screen	1.21s
\${myRewards.faq.?	1.ans}	
And I expand faq "\${1	myRewards.faq.1}'' in My Rewards screen	0.32s
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify	the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.54s
Before		0.00s
Then User verify follo displayed in My Rewa	wing faqs and answers ''\${myRewards.faq.2}'' are ards screen	1.75s
\${myRewards.faq.2	2}	
	myRewards.faq.2}'' in My Rewards screen	0.34s
Then User verify follo displayed in My Rewa	wing faqs and answers "\${myRewards.faq.2.ans}" are ards screen	1.06s
\${myRewards.faq.2	2.ans}	
And I expand faq "\${1	myRewards.faq.2}'' in My Rewards screen	0.39s
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify	the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 2.99s
Before		0.00s
Then User verify follo displayed in My Rewa	wing faqs and answers "\${myRewards.faq.3}" are ards screen	1.10s
\${myRewards.faq	3}	
And I expand faq ''\${1	myRewards.faq.3}'' in My Rewards screen	0.32s
	wing faqs and answers '\\${myRewards.faq.3.ans.}ed in My Rewards screen	1.21s
	3.ans.1}##\${myRewards.faq.3.ans.2}##\${myRewards.faq. q.3.ans.4}##\${myRewards.faq.3.ans.5}##\${myRewards.fa q.3.ans.7}	
And I expand faq ''\${1	myRewards.faq.3}'' in My Rewards screen	0.36s
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify	the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.2s
Before		0.00s
Then User verify follo displayed in My Rewa	wing faqs and answers "\${myRewards.faq.5}" are ards screen	1.28s
\${myRewards.faq.	5}	

And I expand faq "\${	myRewards.faq.5}'' in My Rewards screen	0.35s	
	wing faqs and answers "\${myRewards.faq.5.ans.	1.26s	
	ed in My Rewards screen		
\${myRewards.faq. ##\${myRewards.fa	5.ans.1}##\${myRewards.faq.5.ans.2}##\${myRewards.faq. q.5.ans.4}	5.ans.3}	
And I expand faq ''\${	myRewards.faq.5}'' in My Rewards screen	0.31s	
After		0.00s	
Back to Table of Contents			
Scenario Outline: Verify	the FAQ on my rewards screen		
Passed: 4	Failed: 0 Undefined: 0	Duration: 2.91s	
Before		0.00s	
Then User verify follo displayed in My Rewa	1.09s		
\${myRewards.faq.	\${myRewards.faq.6}		
And I expand faq ''\${	myRewards.faq.6}'' in My Rewards screen	0.37s	
Then User verify follo	Then User verify following faqs and answers "\${myRewards.faq.6.ans}" are displayed in My Rewards screen		
\${myRewards.faq.	6.ans}		
And I expand faq ''\${	myRewards.faq.6}'' in My Rewards screen	0.36s	
After		0.00s	
Back to Table of Contents			
Scenario Outline: Verify	the FAQ on my rewards screen		
Scenario Outline: Verify Passed: 4	the FAQ on my rewards screen Failed: 0 Undefined: 0	Duration: 3.02s	
· ·		Duration: 3.02s 0.00s	
Passed: 4 Before	Failed: 0 Undefined: 0 wing faqs and answers ''\${myRewards.faq.7}'' are		
Passed: 4 Before Then User verify follo	Failed: 0 Undefined: 0 wing faqs and answers ''\${myRewards.faq.7}'' are ards screen	0.00s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq.	Failed: 0 Undefined: 0 wing faqs and answers ''\${myRewards.faq.7}'' are ards screen 7}	0.00s	
Passed: 4 Before Then User verify follodisplayed in My Rewall Standard St	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen T} myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are	0.00s 1.22s	
Passed: 4 Before Then User verify follodisplayed in My Rewall (Service of the Workshop) \$\{\text{myRewards.faq.} \text{Verify follodisplayed in My Rewall (Service of the Workshop)}}\$ And I expand faq ''\{\text{Interverify follodisplayed in My Rewall (Service of the Workshop)}}\$	Failed: 0 Undefined: 0 wing faqs and answers '\\${myRewards.faq.7}'' are ards screen Ty myRewards.faq.7}'' in My Rewards screen wing faqs and answers '\\${myRewards.faq.7.ans}'' are ards screen	0.00s 1.22s 0.38s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.'}\}\{\text{Then User verify follodisplayed in My Rewards.faq.'}\}\{\text{myRewards.faq.'}\}\{\text{myRewards.faq.'}\}\{\text{myRewards.faq.'}\}\}\{\text{myRewards.faq.'}\}	Failed: 0 Undefined: 0 wing faqs and answers '\\${myRewards.faq.7}'' are ards screen Ty myRewards.faq.7}'' in My Rewards screen wing faqs and answers '\\${myRewards.faq.7.ans}'' are ards screen	0.00s 1.22s 0.38s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.'}\}\{\text{Then User verify follodisplayed in My Rewards.faq.'}\}\{\text{myRewards.faq.'}\}\{\text{myRewards.faq.'}\}\{\text{myRewards.faq.'}\}\{\text{myRewards.faq.'}\}\}\{\text{myRewards.faq.'}\}	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen 7} myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are ards screen 7.ans}	0.00s 1.22s 0.38s 1.06s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.'}\}\$ And I expand faq "\{\text{imyRewards.faq.'}\}\$ Then User verify follodisplayed in My Rewards.faq.'\}\$ \{\text{myRewards.faq.'}\}\$ And I expand faq "\{\text{imyRewards.faq.'}\}\$	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen 7} myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are ards screen 7.ans}	0.00s 1.22s 0.38s 1.06s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.}'\\$\{\text{myRewards.faq.}'\\$\{\text{myRewards.faq.}'\\$\}\ Then User verify follodisplayed in My Rewards.faq.'\\$\{\text{myRewards.faq.}'\\$\}\ And I expand faq ''\\$\{\text{myRewards.faq.}'\\$\}\ After Back to Table of Contents	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen 7} myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are ards screen 7.ans}	0.00s 1.22s 0.38s 1.06s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.}'\\$\{\text{in User verify follodisplayed in My Rewards.faq.}'\}\} Then User verify follodisplayed in My Rewards.faq.' \$\{\text{myRewards.faq.}'\}\} And I expand faq ''\\$\{\text{in After Back to Table of Contents}'\}	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen T} myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are ards screen T.ans} myRewards.faq.7}" in My Rewards screen	0.00s 1.22s 0.38s 1.06s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.}'\\$\{\text{in User verify follodisplayed in My Rewards.faq.}'\}\} \ And I expand faq ''\\$\{\text{myRewards.faq.}'\} \ And I expand faq ''\\$\{\text{in After Back to Table of Contents}} \ Scenario Outline: Verify	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen Tyle myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are ards screen T.ans} myRewards.faq.7}" in My Rewards screen the FAQ on my rewards screen	0.00s 1.22s 0.38s 1.06s 0.35s 0.00s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \$\{\text{myRewards.faq.}'\\$\{\text{myRewards.faq.}'\\$\{\text{myRewards.faq.}'\\$\}\\ Then User verify follodisplayed in My Rewards.faq.'\\$\{\text{myRewards.faq.}'\\$\}\\ And I expand faq ''\\$\{\text{myRewards.faq.}'\\$\}\\ After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen The screen of th	0.00s 1.22s 0.38s 1.06s 0.35s 0.00s Duration: 2.81s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${ Then User verify follodisplayed in My Rewards.faq. \${myRewards.faq.} And I expand faq "\${ And I expand faq "\${ And I expand faq "\${ After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before Then User verify follogical properties of the series of t	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen The screen of th	0.00s 1.22s 0.38s 1.06s 0.35s 0.00s Duration: 2.81s 0.00s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I And I expand faq "\${I And I expand faq "\${I After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \${I My Rewards.faq.} Then User verify follodisplayed in My Rewards.faq.	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen The screen of th	0.00s 1.22s 0.38s 1.06s 0.35s 0.00s Duration: 2.81s 0.00s	
Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before Then User verify follodisplayed in My Rewards.faq. \${I And I expand faq "\${I Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follodisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. Then User verify follogisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. Then User verify follogisplayed in My Rewards.faq. And I expand faq "\${I Then User verify follogisplayed in My Rewards.faq. Then User verify follogisplayed in My Rewards.faq. Then User verify follogisplayed in My Rewards.faq.	Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are ards screen Tyle myRewards.faq.7}" in My Rewards screen wing faqs and answers "\${myRewards.faq.7.ans}" are ards screen T.ans} myRewards.faq.7}" in My Rewards screen the FAQ on my rewards screen Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.8}" are ards screen Syle WyRewards.faq.8}" are ards screen	0.00s 1.22s 0.38s 1.06s 0.35s 0.00s Duration: 2.81s 0.00s 1.01s	


\${myRewards.faq.8	8.ans.1}##\${myRewards	$. faq. 8. ans. 2 \} \# \$ \{ my Rewards. faq. 8 \}$.ans.3}
And I expand faq "\${1	myRewards.faq.8}'' in M	Iy Rewards screen	0.35s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the FAQ on my rewards	s screen	
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.09s
Before			0.00s
Then User verify follo displayed in My Rewa		'\${myRewards.faq.9}'' are	1.40s
\${myRewards.faq.9	9}		
And I expand faq ''\${1	myRewards.faq.9}'' in M	Iy Rewards screen	0.36s
Then User verify follo displayed in My Rewa		'\${myRewards.faq.9.ans}'' are	1.01s
\${myRewards.faq.9	9.ans}		
And I expand faq ''\${1	myRewards.faq.9}'' in M	Iy Rewards screen	0.32s
After			0.00s
Back to Table of Contents			
Scenario: navigate back t	to account screen from n	ny rewards screen	
Passed: 2	Failed: 0	Undefined: 0	Duration: 40.62s
Before			0.00s
Then I click on back b	outton on my reward scr	een to navigate to account screen	38.63s
And I wait for 2 sec	<u> </u>		2.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify Notifica	tion screen in Account t	ab	
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.51s
Before			0.00s
And I click on "\${my.	notification.text}" link i	n Account screen	0.36s
		in My Notification screen	2.16s
\${notification.msg}			'
After			0.00s
Back to Table of Contents			
Scenario: navigate back t	to account screen from N	Notification screen	
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.32s
Before			0.00s
Then I click on back h	outton on notification sci	reen to navigate to account screen	0.32s
And I wait for 2 sec			2.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify my feed	back screen in Account	tah	
Passed: 4	Failed: 0	Undefined: 0	Duration: 5.41s
Before			0.00s

	And I click on "\${my.	feedback.text}" li	nk in Account screen	0.88s	
	Then User verify follo	wing texts are dis	played in My feedback screen	2.23s	
	\${feedback.static.to	ext}			
	\${feedback.improv	ement}			
	Then User verify follo	wing feedback op	tions are displayed in My feedback	1.98s	
	screen			1.908	
	\${aime.text}				
	\${health.article.tex	t}			
	\${bmi.text.uppercase} \${wrinkle.text} \${health.assessment.text} \${babylon.symptom.checker}				
		<u> </u>	text is displayed in account screen	0.31s	
	\${share.thought.te	xt}			
Af	ter			0.00s	
Ba	k to Table of Contents				
Sc	enario: Verify the sub	nit functionality i	n My feedback screen		
Pa	sed: 4	Failed: 0	Undefined: 0	Duration: 9.39s	
Be	fore			0.00s	
	Given I select "5" star	r in feedback scre	en	0.38s	
	Then I enter feedback			2.19s	
	Feedback Test_123	45		•	
	And I click the Submi		x Screen	4.82s	
	And I wait for 2 sec			2.00s	
Af	ter			0.00s	
Ba	ek to Table of Contents			10000	
	enario: Verify the Puls	se Personalised tal)		
	sed: 4	Failed: 0	Undefined: 0	Duration: 6.09s	
	fore			0.00s	
		sePersonalised tov	t}'' link in Account screen	0.80s	
	And I wait for 2 sec	or cromanscu.tex	mix in Account screen	2.00s	
		wing texts are dis	played in pulse personalised screen	1.68s	
	\${pulsePersonalise		p-m, sa m panse personansea serecii	2.005	
	\${data.privacy.text				
		<u>, </u>	in pulse personalised screen	1.61s	
			m pande personandea del cen	1.010	
	\${pulse.personalised.consent.text1}				
		d.consent.text23	\${pulse.personalised.consent.text2}		
	\${pulse.personalise	_			
	\${pulse.personalise \${pulse.personalise	ed.consent.text3}			
	\${pulse.personalise \${pulse.personalise \${pulse.personalise	ed.consent.text3} ed.consent.text4}			
	\${pulse.personalise \${pulse.personalise \${pulse.personalise \${pulse.personalise	ed.consent.text3} ed.consent.text4} ed.consent.text5}			
	\${pulse.personalise \${pulse.personalise \${pulse.personalise	ed.consent.text3} ed.consent.text4} ed.consent.text5} ed.consent.text6}			

Back to Table of Contents					
Scenario: Save the conser	nt with data privacy che	ck			
Passed: 4	Failed: 0	Undefined: 0	Duration: 15.04s		
Before	Core				
Given I select the data	Given I select the data privacy checkbox				
	And I click the save button in pulse personalised icons				
Then User verify follo	Then User verify following texts are displayed in pulse personalised screen				
\${consent.success.n	\${consent.success.msg.text}				
And I click the Ok but	And I click the Ok button in pulse personlised screen				
After					
Back to Table of Contents					
Scenario: Save the conser	nt without data privacy	check			
Passed: 4	Failed: 0	Undefined: 0	Duration: 15.64s		
Before			0.00s		
Given I select the data	privacy checkbox		1.80s		
	utton in pulse personalis	ed icons	3.56s		
	wing texts are displayed				
\${consent.success.n					
	tton in pulse personlised	screen	8.26s		
After	, , ,		0.00s		
Back to Table of Contents			00000		
Scenario: navigate back t	to account screen from r	ulse personalised screer	1		
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.55s		
Before			0.00s		
And I click the Back in	And I click the Back icon in pulse personalised screen				
And I wait for 2 sec	eon in puise personansee		8.55s 2.00s		
After			0.00s		
Back to Table of Contents			0000		
	franctionality in Associate				
Feature: Verify MySettings Passed: 5 Failed:		Duration: 1	10.40		
Scenario: Launch the app			117.48		
Passed: 6	Failed: 0	Undefined: 0	Duration: 52.83s		
Before	rancu. v	ondernied. V	0.00s		
	ann		8.88s		
Given User has pulse a		o variable "PHI CF EM			
	And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button				
	Then I change the country as required on registration page				
Then I wait for 5 sec					
	And I click the Sign in link		5.00s 4.73s		
After			0.00s		
Back to Table of Contents			10000		
Scenario: login to the app	with correct credential	s using "Continue with	Email''		
a comment to the up	Total Control of Cucintum	Sometime with			

Passed: 6	Failed: 0 Undefined: 0	Duration: 47.85s		
Before		0.00s		
Given I select the lang	uage option on toggle bar as required on login page	3.51s		
When user enters cred	When user enters credentials			
UserName \${PULS	E_EMAIL}			
Password \${pulse.	Password \${pulse.edit}			
And User clicks on sig	And User clicks on signin button			
And I wait for 5 sec	5.00s			
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			
Then user should be la	anded to "Home" screen	13.68s		
After		0.00s		
Back to Table of Contents				
Scenario: Navigate to acc	count screen			
Passed: 1	Failed: 0 Undefined: 0	Duration: 11.88s		
Before		0.00s		
Given user navigate to	account page	11.88s		
After		0.00s		
Back to Table of Contents				
Scenario: Verify my setti	ng screen in Account tab			
Passed: 3	Failed: 0 Undefined: 0	Duration: 4.46s		
Before		0.00s		
Given I wait for 2 sec	2.00s			
And I click on "\${icon	0.46s			
Then I wait for 2 sec	• 5	2.00s		
After		0.00s		
Back to Table of Contents				
Scenario: navigate back	to account screen from my setting screen			
Passed: 2	Failed: 0 Undefined: 0	Duration: 2.37s		
Before		0.00s		
Then I click on back h	outton on my settings screen to navigate to account screen	0.37s		
And I wait for 2 sec		2.00s		
After		0.00s		
Back to Table of Contents				
	a functionality via fitness tab on Dulsa Health & Wealth on	n .		
ssed: 2 Failed:	e functionality via fitness tab on Pulse Health & Wealth ap Undefined: 0 Duration: 132.96s	The state of the s		
	p and select the country as per specified lbu			
Passed: 6	Failed: 0 Undefined: 0	Duration: 52.23s		
Before	Chuchiteu. 0	0.00s		
		8.91s		
Given User has pulse	0.00s			
And I assign "\${login. And user click on "Co	22.88s			
	10.67s			
Then I change the cou	ntry as required on registration page	10.078		

And I click the Sign i		5.00s
And I chek the Sign I	n link	4.77s
fter		0.00s
ack to Table of Contents		
cenario: login to the ap	op with correct credentials using "Continue with Email"	
assed: 6	Failed: 0 Undefined: 0	Duration: 48.7
efore		0.00s
Given I select the lan	guage option on toggle bar as required on login page	3.55s
When user enters cre	edentials	17.79s
UserName \${PUL		
Password \${login	.password}	
And User clicks on si	gnin button	0.33s
And I wait for 5 sec		5.00s
	one pulse app for user email ''\${PULSE_EMAIL}''	8.08s
	landed to "Home" screen	14.03s
fter		0.00s
ack to Table of Contents		
cenario: Verify the use	er can access My Wearables via Fitness	
assed: 3	Failed: 1 Undefined: 0	Duration: 31.9
efore		0.00s
When User clicks on	Fitness tab	12.44s
Then I verify My We	earables tile on Fitness screen	0.75s
\${fitness.myWear	ables}	
\${fitness.myWear	ables.description}	
When I click on Com	nect Now button on Fitness screen	0.39s
	ng text are displayed under My Wearables screen	18.38s
\${wearables.title}		
\${wearables.subT		
\${wearables.descr		
\${wearables.fitbit		
	in}	



	Password Pas\$1234				
	Aı	nd taps on continu	ie ''Sign_Up'' button	0.32s	
			one pulse app for user email "\${PULSE_EMAIL}"	28.59s	
	Tl	nen I wait for 2 sec	c	2.00s	
	Aı	nd I enter the "mo	obile number'' in welcome to pulse	10.49s	
	Aı	nd I click the cont	0.20s		
	Aı	And I choose my wellness goals under wellness plan screen			
	_	nd I click the cont		0.92s	
	Aı	nd I click the date	6.65s		
	And I click the Done icon			3.19s	
	And I click the continue button			1.10s	
	Aı	nd I select the Mal	le icon	5.80s	
	Aı	nd I click the cont	inue button	0.87s	
	Aı	nd I click on Calcu	ulate BMI button	2.29s	
	Aı	nd I click the cont	inue button	0.93s	
	Aı	nd I select the "Ho	ow active are you?" in doing exercise	1.76s	
	_	nd I click the cont		1.02s	
	Aı	nd I select my favo	orite food dietary	1.75s	
		nd I click the cont		0.95s	
	And I answer as "Yes" to "Any Food allergies?"			3.20s	
	And I click the continue button			0.95s	
	And I verify that "Tracking your activity is trending" is displayed			2.61s	
	And I click on connect Later button			0.46s	
	And I see that "Welcome to Pulse" text is displayed			1.74s	
	And I click the continue button			0.52s	
	And I see that fitness subscription exclusive offers screen is displayed			4.27s	
	And I click on close icon			0.50s	
	Tl	nen I click skip bu	ittons	4.32s	
	Then user should be landed to "Home" screen		13.48s		
	W	hen I clicks on He	ealth button	11.98s	
	And I navigate to Babylon health Assessment and Accept TermsAndCondition		16.21s		
		nd I confirm the r	•	12.14s	
	Aı	nd I click on Baby	lon Health Assessment Get Started button	6.83s	
	TI	nen I verify follow	ing options are present for assessment	2.29s	
		Full Assessment			
		Nutrition			
		Activity			
		Mood			
Ā	fter			0.00s	
		o Table of Contents			
Feat	Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity				
	ed: 12	 			
	Scenario: Launch the app and select the country as per specified lbu				
K.	CCII	arro, Launen une a	ipp and select the country as per specifica ina		

Passed: 6	Failed: 0	Undefined: 0	Duration: 51.78s	
Before			0.00s	
Given User has pulse	8.37s			
And I assign "\${hra.re	0.00s			
And user click on "CO	22.92s			
Then I change the cou	Then I change the country as required on registration page			
Then I wait for 5 sec	5.00s			
And I click the Sign in	4.90s			
After			0.00s	
Back to Table of Contents				
Scenario: login to the app	with correct credential	ls using "Continue with Email"		
Passed: 8	Failed: 0	Undefined: 0	Duration: 101.28	
Before			0.00s	
Given I select the lang	uage option on toggle ba	ar as required on login page	3.46s	
When user enters cred		1 1	18.00s	
UserName \${PULS				
Password \${hra.pa				
And User clicks on sig			0.35s	
And I wait for 5 sec	iiii button		5.00s	
	ne nulse ann for user em	ail "\${PIILSE_EMAIL}"	8.43s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen			13.34s	
	When I clicks on Health button			
And I navigate to Babylon health Assessment and Accept TermsAndCondition			39.61s	
After		•	0.00s	
Back to Table of Contents				
Scenario: User should be	able to access Babylon	Health Risk Assessment Report		
Passed: 2	Failed: 0	Undefined: 0	Duration: 15.41s	
Before			0.00s	
When I click on "Ren	ort'' link on digital twin	Coraen	5.34s	
	Results are displayed	Scient	10.08s	
\${babylon.hraRepo			20005	
	ort.report.subTitle}			
1	ort.report.percentage}			
	\${babylon.hraReport.report.statement1} \${babylon.hraReport.report.statement2}			
\${babylon.hraReport.report.statement3}				
After			0.00s	
Back to Table of Contents			J.003	
Scenario: Verify the HRA	A Activity Report			
Passed: 1	Failed: 0	Undefined: 0	Duration: 30.84s	
Before	rancu. 0	ondermed.	0.00s	
Inen I verily the HRA	Kesuits are displayed		30.84s	

	\${babylon.hra	Report.summary.ti	tle}	
	\${babylon.hra	Report.summary.do	escription}	
	\${babylon.hra	Report.summary.do	eseaseRisk}	
	\${babylon.hra	Report.summary.do	eseaseRiskDescription}	
	\${babylon.hra	Report.summary.do	eseaseRisk.statement1}	
	\${babylon.hra	Report.summary.do	eseaseRisk.statement2}	
	\${babylon.hra	Report.summary.do	eseaseRisk.statement3}	
	\${babylon.hra	Report.summary.or	rgan.title}	
	\${babylon.hra	Report.summary.or	rganDescription}	
	\${babylon.hra	Report.summary.or	rgan.statement1}	
	\${babylon.hra	Report.summary.or	rgan.statement2}	
	\${babylon.hra	Report.summary.or	rgan.statement3}	
	\${babylon.hra	Report.summary.or	rgan.statement4}	
Afte	er			0.00s
Back	to Table of Conter	<u>nts</u>		
Scen	nario: Verify the	e HRA Activity Repo	ort	
Passe	ed: 1	Failed: 0	Undefined: 0	Duration: 6.31s
Befo	ore			0.00s
T	Then I verify the	HRA Results are di	isplayed	6.31s
		Report.activity.title		
		Report.activity.sub		
		Report.activity.state		
		Report.activity.state		
Afte			,	0.00s
_	to Table of Conter	nts		
		HRA Nutrition Re	nort	
Passe		Failed: 0	Undefined: 0	Duration: 29.33s
Befo		rancu. 0	Chacinica. v	0.00s
		IIDA Dogulta oue di	Company of	29.33s
		HRA Results are di		29.338
		Report.nutrition.tit		
	•	Report.nutrition.su		
		Report.nutrition.sta	atementy}	
Afte				0.00s
	to Table of Conter			
Scen	nario: Verify the	e HRA Report - Kee	p It Up sub-section	

Passed: 1	Failed: 0	Undefined: 0	Duration: 26.26s
Before			0.00s
Then I verify the HRA	A Results are displa	yed	26.26s
\${babylon.hraRep			•
\${babylon.hraRep			
	ort.lowFat.descript	ion}	
\${babylon.hraRep	ort.lowAlcohol}		
\${babylon.hraRep	ort.lowAlcohol.desc	eription}	
\${babylon.hraRep	ort.lowCaffeine}		
\${babylon.hraRep	ort.lowCaffeine.des	cription}	
\${babylon.hraRep	ort.redMeat}		
\${babylon.hraRep	ort.redMeat.descrip	otion}	
After			0.00s
Back to Table of Contents			
Scenario: Verify the HR	A Report - Make a	Change sub-section	
Passed: 1	Failed: 0	Undefined: 0	Duration: 9.62s
Before			0.00s
Then I verify the HRA	A Results are displa	ayed	9.62s
\${babylon.hraRep	ort.makeAChange}		
\${babylon.hraRep	ort.change1}		
\${babylon.hraRep			
After			0.00s
Back to Table of Contents			
Scenario: User should be	able to access Bab	ylon HRA - Healthcheck - Body	
Passed: 4	Failed: 0	Undefined: 0	Duration: 27.91s
Before			0.00s
When I click on "Hea	lthcheck" link on d	ligital twin screen	5.77s
When I click on "Bod			3.36s
Then I verify the HRA			15.39s
\${babylon.hraRepo		you	10.075
\${babylon.hraRep	•		
\${babylon.hraRep			
\${babylon.hraRep	• •		
\${babylon.hraRepo			
\${babylon.hraRep			
And I click on "Back"		n screen	3.39s
After			0.00s
Back to Table of Contents			7
	able to access Rab	ylon HRA - Healthcheck - Nutrition	
Passed: 7	Failed: 0	Undefined: 0	Duration: 52.17s
L abbout 1	z ancu. U	Chachineas 0	Duration, 52.175

Before			0.00s
When I click on "Nu	trition" link on digital tv	vin screen	3.36s
Then I verify the HR	A Results are displayed		2.41s
\${babylon.hraRep	port.nutrition}		
\${babylon.hraRep	port.nutrition.description	n}	
When I click on "Re	take Assessment'' link or	digital twin screen	37.12s
Then I verify the HR	A Results are displayed		0.61s
\${babylon.hraRep	port.nutrition.retake}		
And I click on "Back	k'' link on digital twin scr	een	3.31s
Then I verify the HR	A Results are displayed		2.00s
\${babylon.hraRep	port.aboutDesease}		
\${babylon.hraRep	port.about.nutrition.desc	ription}	
And I click on "Back	x'' link on digital twin scr	een	3.36s
After			0.00s
Back to Table of Contents			
Scenario: User should b	e able to access Babylon	HRA - Healthcheck - Activity	
Passed: 7	Failed: 0	Undefined: 0	Duration: 18.66s
Before			0.00s
When I click on "Ac	tivity" link on digital twi	n screen	3.39s
	A Results are displayed		0.89s
\${babylon.hraRep			
	port.activity.subTitle}		
	take Assessment'' link or	digital twin screen	3.45s
	A Results are displayed		1.23s
	port.activity.retake}		
	port.activity.retake2}		
	k" link on digital twin sci	·een	3.29s
	A Results are displayed		1.77s
•	port.aboutDesease}		
<u> </u>	port.about.activity.descri	ption}	
	k'' link on digital twin sci	<u> </u>	4.64s
After			0.00s
Back to Table of Contents			0.000
	ne able to access Rabylon	HRA - Healthcheck - Mood	
Passed: 5	Failed: 0	Undefined: 0	Duration: 11.59s
Before			0.00s
	ood" link on digital twin	screen	4.25s
	A Results are displayed	oci celi	1.46s
\${babylon.hraRep			1.705
\${babylon.start.as			
	port.mood.duration}		
And I start the assess			0.27s
And I stall tille assess			0.278

Then I verify the HR	A Results are displayed	2.39s
\${babylon.hraRep	ort.mood.assessment}	
And I click on "Back	'' link on digital twin screen	3.24s
After		0.00s
Back to Table of Contents	•	
	an access calendar under health section	
assed: 3 Failed:		
Passed: 6	p and select the country as per specified lbu Failed: 0 Undefined: 0	Duration: 49.94s
Before	raned: 0 Undermed: 0	0.00s
Given User has pulse		9.08s
	.email.id}" to variable "PULSE_EMAIL"	0.00s
	ONTINUE WITH EMAIL" with Email button	23.22s
	untry as required on registration page	10.93s
Then I wait for 2 sec		2.00s
And I click the Sign in	n link	4.71s
After		0.00s
Back to Table of Contents		
Scenario: login to the ap	p with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 48.83s
Before		0.00s
Given I select the lang	guage option on toggle bar as required on login page	3.50s
When user enters cre	dentials	18.05s
UserName \${PULS	SE_EMAIL}	
Password \${pulse		
And User clicks on sig		0.41s
And I wait for 5 sec		5.00s
And I enter OTP in o	ne pulse app for user email "\${PULSE_EMAIL}"	7.55s
	anded to "Home" screen	14.32s
After		0.00s
Back to Table of Contents		
	e able to access Calendar screen	
Passed: 8	Failed: 0 Undefined: 0	Duration: 67.61s
Before		0.00s
And I wait for 3 sec		3.00s
When I clicks on Hea	Ith button	13.44s
And I scroll down	AM PULLUI	4.22s
And I click on Calend	lar tile	13.45s
And I wait for 3 sec		3.00s
Then I verify following	ng texts are displayed	0.98s
\${calendar.text}	ag voice are are prayer	0.205
\${no.events.text}		
φ(no.events.text)		

And I click on events dropdown button in calendar screen	0.46s
Then I verify the following texts "Calendar events" in Screen	29.07s
\${medicine.reminders.text}	
\${appointments.text}	
\${vaccination.text}	
\${workout.text}	
\${pulse.tv.text}	
\${policy.remainder.text}	
After	0.00s
Back to Table of Contents	
ature: Verify that user can access Chinese Medicine feature	
ssed: 74 Failed: 0 Undefined: 0 Duration: 449.43s	
Scenario: User should be able to register on app with correct credentials using 'Email'	'Continue with
Passed: 40	Duration: 167.2
Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE EMAIL"	0.00s
And User has pulse app	9.32s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	22.91s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	10.78s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar the click on continue with email button	hen 6.94s
Then I wait for 2 sec	2.00s
When user enters registration details	7.27s
FirstName TestFirstName	
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.41s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.62s
Then I wait for 2 sec	2.00s
And I enter the "mobile number" in welcome to pulse	10.57s
mobileNumber \${registration.mobile.number}	
And I click the continue button	0.20s
And I choose my wellness goals under wellness plan screen	1.50s
	0.91s
And I click the continue button	U. 713

And I click the Done icon			3.18s
And I click the continue	outton		1.10s
And I select the Male ico	1		5.89s
And I click the continue	outton		0.81s
And I enter my height an	d weight details		2.38s
And I click on Calculate	BMI button		0.65s
And I click the continue	outton		0.98s
And I select the "How ac	tive are you?" in doing exerc	ise	1.66s
And I click the continue	outton		1.00s
And I select my favorite	food dietary		1.75s
And I click the continue	outton		0.99s
And I answer as "Yes" t	"Any Food allergies?"		3.15s
And I click the continue	outton		1.16s
And I verify that "Track	ing your activity is trending'	is displayed	2.03s
And I click on connect L			0.50s
And I see that "Welcome	to Pulse" text is displayed		1.90s
And I click the continue	outton		0.57s
And I see that fitness sub	scription exclusive offers scr	een is displayed	2.72s
And I click on close icon			0.63s
Then I click skip buttons			4.14s
Then user should be land	ed to "Home" screen		14.08s
After			0.00s
Back to Table of Contents			
Scenario: User should be ab	le to access Chinese Medicin	e screen	
Passed: 4	Tailed: 0 Undefin	ned: 0	Duration: 24.84s
Before			0.00s
When I clicks on Health	outton		13.28s
And I click on Chinese M	Tedicine button		5.07s
Then User verify followi	g texts are displayed in Chir	nese Medicine screen	3.25s
\${chineseMedicine.we	lcomeMessage}		
\${FirstName}			
\${chineseMedicine.sta	tement}		
\${chineseMedicine.pr	ıLife}		
\${chineseMedicine.pr			
When I click on Continu	button on Chinese Medicin	e screen	3.24s
After			0.00s
Back to Table of Contents			
	carousel on Chinese Medici	ne journey	
•	Failed: 0 Undefi	<u> </u>	Duration: 4.63s
Before			0.00s
	ng texts are displayed in Chir	nese Medicine screen	2.84s
I hen I car warity tallawi	iz waw are displayed ill Cilli	TODO TYTOUTCHIC SCIECTI	4.01 3
\${chineseMedicine.pa \${chineseMedicine.sk	ge1.text}		

When I swipe to Right f page1.partialText}''	or chinese medicin	e on carousal ''\${chineseMedicine.	1.79s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify th	e carousel on Chin	ese Medicine journey	
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.3s
Before			0.00s
Then User verify follow	ing texts are displa	yed in Chinese Medicine screen	0.47s
\${chineseMedicine.pa		,	
\${chineseMedicine.sk			
		e on carousal "\${chineseMedicine.	1.83s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify th	e carousel on Chin	ese Medicine iournev	
Passed: 2	Failed: 0	Undefined: 0	Duration: 3.07s
Before			0.00s
Then User verify follow	ing texts are displa	yed in Chinese Medicine screen	0.52s
\${chineseMedicine.pa			00020
\${chineseMedicine.st	<u> </u>		
		e on carousal ''\${chineseMedicine.	2.56s
After			0.00s
Back to Table of Contents			
Scenario: User should be a	ble to complete Chi	inese Medicine profile	
Passed: 6	Failed: 0	Undefined: 0	Duration: 47.28s
Before			0.00s
When I click on Start A	ssessment button o	n Chinese Medicine screen	3.21s
And I wait for 5 sec			5.00s
	ing texts are displa	yed in Chinese Medicine screen	0.88s
\${chineseMedicine.pr			
\${chineseMedicine.pr			
\${chineseMedicine.pr		elds}	
Then change Chinese M	ledicine user profile	e details	31.79s
City \${ch	nineseMedicine.pro	file.cityValue}	
Smoking Habits \${ch	ineseMedicine.pro	file.smokingHabitsValue}	
		file.drinkingHabitsValue}	
Exercise Habits \${ch	ineseMedicine.pro	file.exerciseHabitsValue}	
When I click on Next bu	itton on Chinese M	edicine Profile screen	3.98s
When User verify follow	ving texts are displa	ayed in Chinese Medicine screen	2.41s
\${chineseMedicine.ar			
\${chineseMedicine.ar			
\${chineseMedicine.ar	nswer.option3}		

\${chineseMedic	ine.answer.option4}	
\${chineseMedic	ine.answer.option5}	
\${chineseMedic	ine.statement.1}	
After		0.00s
Back to Table of Content		
Scenario Outline: Ve	rify the Q&A on Chinese Medicine jo	ourney
Passed: 1	Failed: 0 Undefine	ed: 0 Duration: 2.66s
Before		0.00s
And user selects " "\${chineseMedicin	{chineseMedicine.answer.1}" for the question.1}"	ne question 2.66s
After		0.00s
Back to Table of Content		
Scenario Outline: Ve	rify the Q&A on Chinese Medicine jo	ourney
Passed: 1	Failed: 0 Undefine	·
Before		0.00s
And user selects " "\${chineseMedicin	{chineseMedicine.answer.2}'' for the equestion.2}''	ne question 3.14s
After		0.00s
Back to Table of Content		<u>'</u>
Scenario Outline: Ve	rify the Q&A on Chinese Medicine jo	ournev
Passed: 1	Failed: 0 Undefine	
Before		0.00s
And user selects " "\${chineseMedicin	{chineseMedicine.answer.3}" for the question.3}"	ne question 2.54s
After		0.00s
Back to Table of Content		
Scenario Outline: Ve	rify the Q&A on Chinese Medicine jo	ournev
Passed: 1	Failed: 0 Undefine	
Before		0.00s
And user selects " "\${chineseMedicin	{chineseMedicine.answer.4}'' for the question.4}''	ne question 3.38s
After		0.00s
Back to Table of Content		
Scenario Outline: Ve	rify the Q&A on Chinese Medicine jo	ourney
Passed: 1	Failed: 0 Undefine	
Before		0.00s
And user selects " "\${chineseMedicin	{chineseMedicine.answer.5}" for the question.5}"	ne question 2.55s
After		0.00s
Back to Table of Content		
	rify the Q&A on Chinese Medicine jo	ourney
Passed: 1	Failed: 0 Undefine	
		2 4144311 0120

After	cine.question.6}''	0.00a
	<u> </u>	0.00s
Back to Table of Conte		
	Yerify the Q&A on Chinese Medicine journey	
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.57s
Before		0.00s
	''\${chineseMedicine.answer.7}'' for the quest cine.question.7}''	2.57s
After		0.00s
Back to Table of Conte	<u>nts</u>	
Scenario Outline: V	Verify the Q&A on Chinese Medicine journey	
Passed: 1	Failed: 0 Undefined: 0	Duration: 3.33s
Before		0.00s
	''\${chineseMedicine.answer.8}'' for the quest cine.question.8}''	3.33s
After		0.00s
Back to Table of Conte	<u>ats</u>	
Scenario Outline: V	erify the Q&A on Chinese Medicine journey	
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.67s
Before		0.00s
And user selects "\${chineseMedic	''\${chineseMedicine.answer.9}'' for the quest cine.question.9}''	2.67s
After		0.00s
Back to Table of Conte	nts	
Scenario Outline: V	Verify the Q&A on Chinese Medicine journey	
Passed: 1	Failed: 0 Undefined: 0	Duration: 3.3s
Before		0.00s
A 1	''\${chineseMedicine.answer.10}'' for the quecine.question.10}''	stion 3.30s
		0.00s
''\${chineseMedio	nts	0.00s
''\${chineseMedio After Back to Table of Conte		-
''\${chineseMedio After Back to Table of Conte	rerify the Q&A on Chinese Medicine journey Failed: 0 Undefined: 0	
"\${chineseMedicAfter Back to Table of Contest Scenario Outline: Very Passed: 1	Verify the Q&A on Chinese Medicine journey	
"\${chineseMedicAfter Back to Table of Contest Scenario Outline: V Passed: 1 Before And user selects	Verify the Q&A on Chinese Medicine journey	Duration: 2.58s 0.00s
"\${chineseMedicAfter Back to Table of Contest Scenario Outline: V Passed: 1 Before And user selects	Failed: 0 Undefined: 0 ''\${chineseMedicine.answer.11}'' for the que	Duration: 2.58s 0.00s
"\${chineseMedicAfter Back to Table of Contest Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedic	Failed: 0 Undefined: 0 "\${chineseMedicine.answer.11}" for the quecine.question.11}"	Duration: 2.58s 0.00s stion 2.58s
"\${chineseMedicAfter Back to Table of Contest Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedicAfter Back to Table of Contest	Failed: 0 Undefined: 0 "\${chineseMedicine.answer.11}" for the quecine.question.11}"	Duration: 2.58s 0.00s stion 2.58s 0.00s
"\${chineseMedicAfter Back to Table of Contest Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedicAfter Back to Table of Contest	Failed: 0 Undefined: 0 "\${chineseMedicine.answer.11}" for the quecine.question.11}"	Duration: 2.58s 0.00s stion 2.58s 0.00s

	cine.question.12}"		3.39s
After			0.00s
Back to Table of Cont	<u>ents</u>		
Scenario Outline: `	Verify the Q&A on Chine	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.54
Before			0.00s
	s ''\${chineseMedicine.ans cine.question.13}''	swer.13}" for the question	2.54s
After			0.00s
Back to Table of Cont	ents		·
Scenario Outline: '	Verify the Q&A on Chine	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.57
Before			0.00s
	s ''\${chineseMedicine.ans cine.question.14}''	swer.14}'' for the question	2.57s
After			0.00s
Back to Table of Conto	ents		
Scenario Outline: `	Verify the Q&A on Chine	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.51
Before			0.00s
	s ''\${chineseMedicine.ans cine.question.15}''	swer.15}" for the question	2.51s
After			0.00s
Back to Table of Cont	ents		·
Scenario Outline: '	Verify the Q&A on Chine	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.6s
Before			0.00s
	s ''\${chineseMedicine.ans cine.question.16}''	swer.16}'' for the question	2.60s
After			0.00s
Back to Table of Conto	ents		
Scenario Outline: '	Verify the Q&A on Chine	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.58
Before			0.00s
	s ''\${chineseMedicine.ans cine.question.17}''	swer.17}'' for the question	2.58s
After			0.00s
Back to Table of Conto	ents ents		
Scenario Outline: '	Verify the Q&A on Chine	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.6s
Before			0.00s
And user selects	s ''\${chineseMedicine.ans	swer.18}" for the question	2.60s

After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.24s
Before			0.00s
And user selects "\${chineseMedicine.q		nswer.19}" for the question	3.24s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.58s
Before			0.00s
And user selects "\${ch"\${chineseMedicine.q}		nswer.20}" for the question	2.58s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.37s
Before			0.00s
And user selects "\${chineseMedicine.q		nswer.21}" for the question	3.37s
After			0.00s
Back to Table of Contents			<u> </u>
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.53s
Before			0.00s
And user selects "\${chineseMedicine.q		nswer.22}'' for the question	2.53s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the O&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.27s
Before			0.00s
And user selects "\${chineseMedicine.q		nswer.23}" for the question	3.27s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.5s
Before			0.00s
Deloie			
		nswer.24}'' for the question	2.50s

	Failed: 0 Undefi	journey ined: 0 Duration: 3.4
Passed: 1 Before	Fancu. V	0.00s
	ΠΦ(1 ·	
	''\${chineseMedicine.answer.25}'' for ine.question.25}''	the question 3.42s
After		0.00s
Back to Table of Conter	<u>nts</u>	
Scenario Outline: V	erify the Q&A on Chinese Medicine	journey
Passed: 1	Failed: 0 Undefi	ined: 0 Duration: 2.5
Before		0.00s
	''\${chineseMedicine.answer.26}'' for ine.question.26}''	the question 2.53s
After		0.00s
Back to Table of Conte	<u>its</u>	
Scenario Outline: V	erify the Q&A on Chinese Medicine	journey
Passed: 1		ined: 0 Duration: 3.2
Before		0.00s
	''\${chineseMedicine.answer.27}'' for ine.question.27}''	the question 3.27s
After		0.00s
Back to Table of Conte	nts	
Scenario Outline: V	erify the Q&A on Chinese Medicine	journey
Passed: 1	Failed: 0 Undefi	ined: 0 Duration: 2.0
Before		0.00s
And user selects	"\${chineseMedicine.answer.28}" for ine.question.28}"	
And user selects	"\${chineseMedicine.answer.28}" for ine.question.28}"	the question
And user selects "\${chineseMedic	ine.question.28}''	the question 2.68s
And user selects "\${chineseMedic After Back to Table of Conte	ine.question.28}''	the question 2.68s 0.00s
And user selects "\${chineseMedic After Back to Table of Conte	ine.question.28}" outs erify the Q&A on Chinese Medicine	the question 2.68s 0.00s
And user selects "\${chineseMedic After Back to Table of Content Scenario Outline: V	ine.question.28}" outs erify the Q&A on Chinese Medicine	the question 2.68s 0.00s
And user selects "\${chineseMedic After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects	ine.question.28}" outs erify the Q&A on Chinese Medicine	journey ined: 0 2.68s 0.00s Duration: 3.9 0.00s
And user selects "\${chineseMedic After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedic	rine.question.28}" tots ferify the Q&A on Chinese Medicine Failed: 0 Undefi	journey ined: 0 Duration: 3.9 the question
And user selects "\${chineseMedic After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects	rine.question.28}" terify the Q&A on Chinese Medicine Failed: 0 Undefi "\${chineseMedicine.answer.29}" for tine.question.29}"	journey ined: 0 Duration: 3.9 the question 2.68s 0.00s
And user selects "\${chineseMedic} After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedic} After Back to Table of Conter	rine.question.28}" terify the Q&A on Chinese Medicine Failed: 0 Undefi "\${chineseMedicine.answer.29}" for tine.question.29}"	2.68s
And user selects "\${chineseMedic After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedic After Back to Table of Conter Scenario Outline: V	rine.question.28}" Terify the Q&A on Chinese Medicine Failed: 0 Undefi "\${chineseMedicine.answer.29}" for cine.question.29}" Terify the Q&A on Chinese Medicine Terify the Q&A on Chinese Medicine	2.68s
And user selects "\${chineseMedic} After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedic} After Back to Table of Conter Scenario Outline: V Passed: 1	rine.question.28}" Terify the Q&A on Chinese Medicine Failed: 0 Undefi "\${chineseMedicine.answer.29}" for cine.question.29}" Terify the Q&A on Chinese Medicine Terify the Q&A on Chinese Medicine	journey ined: 0 Duration: 3.9 the question 3.91s 0.00s
And user selects "\${chineseMedic} After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects "\${chineseMedic} After Back to Table of Conter Scenario Outline: V Passed: 1 Before And user selects	rine.question.28}" Terify the Q&A on Chinese Medicine Failed: 0 Undefi "\${chineseMedicine.answer.29}" for cine.question.29}" Terify the Q&A on Chinese Medicine Terify the Q&A on Chinese Medicine	the question 2.68s 0.00s journey ined: 0 Duration: 3.9 0.00s the question 3.91s 0.00s journey ined: 0 Duration: 2.6 0.00s

Scenario Outline: Verify			D 2 20.
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.28s
Before			0.00s
And user selects "\${chineseMedicine.qu		nswer.31}" for the question	3.28s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.52s
Before			0.00s
And user selects "\${ch "\${chineseMedicine.qu		nswer.32}" for the question	2.52s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.31
Before			0.00s
And user selects "\${ch		nswer.33}" for the question	3.31s
After			0.00s
Back to Table of Contents			<u> </u>
Scenario Outline: Verify	the O&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.71s
Before			0.00s
And user selects "\${ch		nswer.34}" for the question	2.71s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the O&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.23s
Before			0.00s
And user selects "\${ch		nswer.35}" for the question	3.23s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.56s
Before			0.00s
And user selects "\${ch		nswer.36}" for the question	2.56s
After			0.00s
Back to Table of Contents			10000
		inese Medicine journey	

Passed: 1	Failed: 0	Undefined: 0	Duration: 3.45s
Before			0.00s
And user selects " "\${chineseMedicing}		nswer.37}'' for the question	3.45s
After			0.00s
Back to Table of Content	<u>s</u>		<u> </u>
Scenario Outline: Ve	rify the Q&A on Chi	nese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.66s
Before			0.00s
And user selects " "\${chineseMedicin		nswer.38}" for the question	2.66s
After			0.00s
Back to Table of Contents	<u>s</u>		
Scenario Outline: Ve	rify the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.42s
Before			0.00s
And user selects " "\${chineseMedicin		nswer.39}" for the question	3.42s
After			0.00s
Back to Table of Content	<u>s</u>		<u> </u>
Scenario Outline: Ve	rify the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.51s
Before			0.00s
And user selects " "\${chineseMedicing}		nswer.40}" for the question	2.51s
After			0.00s
Back to Table of Content	<u>s</u>		·
Scenario Outline: Ve	rify the Q&A on Chi	inese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.28s
Before			0.00s
And user selects " "\${chineseMedicing}		nswer.41}" for the question	3.28s
After			0.00s
Back to Table of Contents	<u>s</u>		
		nese Medicine journey	
		nese Medicine journey Undefined: 0	Duration: 2.61s
Scenario Outline: Ve	rify the Q&A on Chi		Duration: 2.61s 0.00s
Scenario Outline: Ve Passed: 1 Before	Failed: 0 \${chineseMedicine.ar		
Scenario Outline: Ve Passed: 1 Before And user selects "	Failed: 0 \${chineseMedicine.ar	Undefined: 0	0.00s
Scenario Outline: Ve Passed: 1 Before And user selects " "\${chineseMedicin	Failed: 0 Failed: 0 \${chineseMedicine.ame.question.42}''	Undefined: 0	0.00s 2.61s
Scenario Outline: Ve Passed: 1 Before And user selects " "\${chineseMedicinal After Back to Table of Contents	Failed: 0 Failed: 0 \${chineseMedicine.arme.question.42}''	Undefined: 0	0.00s 2.61s

Before			0.00s
And user selects " "\${chineseMedici	\${chineseMedicine.answe ne.question.43}''	r.43}" for the question	3.37s
After			0.00s
Back to Table of Content	S		·
Scenario Outline: Ve	rify the Q&A on Chinese	Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.57s
Before			0.00s
And user selects " "\${chineseMedici	\${chineseMedicine.answe ne.question.44}''	r.44}'' for the question	2.57s
After			0.00s
Back to Table of Content	<u>s</u>		<u> </u>
Scenario Outline: Ve	rify the Q&A on Chinese	Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.55s
Before			0.00s
And user selects ' "\${chineseMedici	\${chineseMedicine.answe ne.question.45}''	r.45}" for the question	2.55s
After			0.00s
Back to Table of Content	<u>s</u>		
Scenario Outline: Ve	rify the Q&A on Chinese	Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.6s
Before			0.00s
And user selects ' "\${chineseMedici	\${chineseMedicine.answe ne.question.46}''	r.46}'' for the question	2.60s
After			0.00s
Back to Table of Content	<u>s</u>		
Scenario Outline: Ve	rify the Q&A on Chinese	Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.61s
Before			0.00s
And user selects " "\${chineseMedici	\${chineseMedicine.answe ne.question.47}''	r.47}'' for the question	2.61s
After			0.00s
Back to Table of Content	<u>s</u>		
Scenario Outline: Ve	rify the Q&A on Chinese	Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.57s
Before			0.00s
And user selects " "\${chineseMedici	\${chineseMedicine.answe ne.question.48}''	r.48}" for the question	2.57s
After			0.00s
Back to Table of Content	<u>s</u>		
	rify the Q&A on Chinese	Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.52s
Passeu: 1	rancu. v	Undernied: V	Durauon: 2.528

0.00s
0.003
journey
ned: 0 Duration: 2.99s
0.00s
the question 2.99s
0.00s
journey
ned: 0 Duration: 2.58s
0.00s
the question 2.58s
0.00s
journey
ned: 0 Duration: 3.19s
0.00s
the question 3.19s
0.00s
journey
ned: 0 Duration: 2.6s
0.00s
the question 2.60s
0.00s
journey
ned: 0 Duration: 3,28s
0.00s
the question 3.28s
0.00s
journey
ned: 0 Duration: 2.59s
0.00s


	icine.question.55}"		2.59s
After			0.00s
Back to Table of Cont	tents		
Scenario Outline:	Verify the Q&A on Chin	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.27
Before			0.00s
	s ''\${chineseMedicine.ansicine.question.56}''	swer.56}" for the question	3.27s
After			0.00s
Back to Table of Cont	tents		·
Scenario Outline:	Verify the Q&A on Chin	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.66
Before			0.00s
	s ''\${chineseMedicine.anslicine.question.57}''	swer.57}" for the question	2.66s
After			0.00s
Back to Table of Cont	tents		
Scenario Outline:	Verify the Q&A on Chin	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.55
Before			0.00s
	s ''\${chineseMedicine.anslicine.question.58}''	swer.58}" for the question	2.55s
After			0.00s
Back to Table of Cont	tents		·
Scenario Outline:	Verify the Q&A on Chin	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.59
Before		<u> </u>	0.00s
	s ''\${chineseMedicine.anslicine.question.59}''	swer.59}" for the question	2.59s
After			0.00s
Back to Table of Cont	tents		
Scenario Outline:	Verify the Q&A on Chin	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.55
Before			0.00s
	s ''\${chineseMedicine.ansicine.question.60}''	swer.60}" for the question	2.55s
After			0.00s
Back to Table of Cont	tents		
Scenario Outline:	Verify the Q&A on Chin	ese Medicine journey	
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.56
Before			0.00s
And moon coloct	a "Clehinggo Madiging on	swer.61}" for the question	


After		0.00s
Back to Table of Contents	S	
Scenario Outline: Ver	rify the Q&A on Chinese Medicine journey	
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.52s
Before		0.00s
And user selects "\${chineseMedicir	\${chineseMedicine.answer.62}'' for the question ne.question.62}''	2.52s
After		0.00s
Back to Table of Contents	<u>s</u>	
Scenario Outline: Ver	rify the Q&A on Chinese Medicine journey	
Passed: 1	Failed: 0 Undefined: 0	Duration: 3.19s
Before		0.00s
And user selects "\$ "\${chineseMedicir	\${chineseMedicine.answer.63}'' for the question ne.question.63}''	3.19s
After		0.00s
Back to Table of Contents	S	
Scenario: Verify the	Assessment completion screen	
Passed: 1	Failed: 0 Undefined: 0	Duration: 3.88s
Before		0.00s
Then User verify f	Collowing texts are displayed in Chinese Medicine screen	3.88s
	cine.viewAssessment.header}	5.005
	cine.viewAssessment.subTitle}	
	cine.viewAssessment.description1}	
	cine.viewAssessment.description2}	
After	and the wrightened description 2)	0.00s
Back to Table of Contents		0.005
	user can view the Assessment Record	D (1 5.44
Passed: 2	Failed: 0 Undefined: 0	Duration: 5.44s
Before		145 4545
		0.00s
When user clicks of screen	on View Results button on Chinese Medicine Assessment	3.25s
When user clicks of screen	on View Results button on Chinese Medicine Assessment Collowing texts are displayed in Chinese Medicine screen	
When user clicks of screen Then User verify f		3.25s
When user clicks of screen Then User verify f	Collowing texts are displayed in Chinese Medicine screen	3.25s
When user clicks of screen Then User verify for \$\{\chi\text{chineseMedic}\}\{\chi\text{chineseMedic}\}\}	Collowing texts are displayed in Chinese Medicine screen cine.assessment.header}	3.25s
When user clicks of screen Then User verify for \$\{\chi\text{nineseMedic}\}\{\chi\text{nineseMedic}\}\{\chi\text{nineseMedic}\}\{\chi\text{nineseMedic}\}\}\{\chi\text{nineseMedic}\}\}\}\}\}	Collowing texts are displayed in Chinese Medicine screen cine.assessment.header}	3.25s
When user clicks of screen Then User verify for \$\{\text{chineseMedic}}\{\text{chineseMedic}}\{\text{chineseMedic}}\{\text{chineseMedic}}\{\text{chineseMedic}}\{\text{chineseMedic}}\{\text{chineseMedic}}\{\text{chineseMedic}}\}\{\text{chineseMedic}}\}\}	Collowing texts are displayed in Chinese Medicine screen cine.assessment.header} cine.assessment.subHeader} cine.assessment.status} cine.assessment.status} cine.assessment.status}	3.25s
When user clicks of screen Then User verify for \$\{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \{\chi\text{nineseMedic}\} \} \} \{\chi\text{nineseMedic}\} \} \{\chi\text{nineseMedic}\} \} \} \{\chi\text{nineseMedic}\} \} \} \{\chi\text{nineseMedic}\} \} \} \{\chi\text{nineseMedic}\} \} \} \} \} \} \} \} \} \ \chi\text{nineseMedic}\} \} \ \{\chi\text{nineseMedic}\} \ \{\chinineseMed	Collowing texts are displayed in Chinese Medicine screen cine.assessment.header} cine.assessment.subHeader} cine.assessment.status} cine.assessment.status}	3.25s
When user clicks of screen Then User verify for \$\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\{\chi\text{chineseMedic}}\}\{\chi\text{chineseMedic}}\}\}	Collowing texts are displayed in Chinese Medicine screen cine.assessment.header} cine.assessment.subHeader} cine.assessment.status} cine.assessment.status} cine.assessment.status}	3.25s
When user clicks of screen Then User verify for \$\{\chi\text{chineseMedic}\} \\$\{\chi\text{chineseMedic}\} \\$\{\chichin	Collowing texts are displayed in Chinese Medicine screen Cine.assessment.header} Cine.assessment.subHeader} Cine.assessment.status} Cine.assessment.status} Cine.assessment.status1} Cine.assessment.status2}	3.25s
When user clicks of screen Then User verify for \$\{\chi\text{chineseMedic}\} \\$\{\chi\text{chineseMedic}\} \\$\{\chichin	Collowing texts are displayed in Chinese Medicine screen cine.assessment.subHeader} cine.assessment.status} cine.assessment.subStatus} cine.assessment.status1} cine.assessment.status2} cine.assessment.status3}	3.25s
When user clicks of screen Then User verify ff \${chineseMedic} \${chineseMedic	Collowing texts are displayed in Chinese Medicine screen Cine.assessment.subHeader} Cine.assessment.status} Cine.assessment.subStatus} Cine.assessment.status1} Cine.assessment.status2} Cine.assessment.status3} Cine.assessment.constitution.advice}	3.25s 2.19s

Passed: 2	Failed: 0	Undefined: 0	Duration: 3.81s
Before			0.00s
Then User verify follow	wing texts are	displayed in Chinese Medicine screen	0.56s
\${chineseMedicine.a	assessment.sur	nmary.title}	
\${chineseMedicine.a	assessment.sur	nmary.description}	
When user clicks on V	iew More butt	on on Assessment Record screen	3.26s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify t	the "Constitut	ion" Details of the Assessment	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.04s
Before			0.00s
	nd ''\${chinese	for the ''\${chineseMedicine.assessment. Medicine.assessment.details.	3.04s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify t	he ''Change I	n Tongue" Details of the Assessment	
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.7s
Before			0.00s
	e}'' and ''\${ch	for the '\\${chineseMedicine.assessment. ineseMedicine.assessment.details.	3.70s
After			0.00s
Back to Table of Contents			
eature: Verify Dietician Pos	sitive Flow for	Doctor functionality on one pulse App	
ssed: 3 Failed: 9	Une	defined: 0 Duration: 383.55s	
Scenario: Verify the Hom	e screen valida	ation using "Continue with Email"	
Passed: 15	Failed: 0	Undefined: 0	Duration: 179.4s
Before			0.00s
Given I generate rando "RANDOM_NUMBEI		d assign to variable	0.00s
And I assign ''pulse\${F	RANDOM_NU	MBER}@mailsac.com'' to variable	0.00s
And User has pulse app	p		8.90s
And user click on "CO	NTINUE WIT	TH EMAIL" with Email button	23.41s
Then I wait for 2 sec			2.00s
	ntry as require	ed on registration page	10.84s
Then I wait for 2 sec			2.00s
Then I navigate to puls click on continue with	_	page and select the lang on toggle bar then	7.01s
When user enters regis	tration details	3	7.90s
FirstName Diet			
FirstName Diet LastName Test			

Email \${PULSE_E	MAIL}	
Password Pas\$1234		
And taps on continue "Sig	n_Up'' button	0.32s
And I enter OTP in one pu	28.71s	
Then I wait for 2 sec	2.00s	
Then I click skip button		68.48s
Then user should be lande	d to "Home" screen	13.84s
Then I wait for 4 sec		4.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should	be able to navigate to Dietician page	
Passed: 2 Fail	led: 0 Undefined: 0	Duration: 24.76s
Before		0.00s
Then I click the Health ico	n in Home screen	14.07s
Then I click the Dietician i		10.70s
After		0.00s
Back to Table of Contents		
	pe as doctor and navigate to next screen	
	led: 0 Undefined: 0	Duration: 12.14s
Before		0.00s
Then I verify following tex	t is displayed in dietician screen	2.66s
\${choose.expertise.text}		
\${select.expert.type}		
\${what.expert.text}		
And I clicks on "\${doc.txt}	}" in ann screen	0.19s
And I click the continue by		0.19s
Then I wait for 2 sec		2.00s
	t is displayed in dietician screen	0.35s
\${what.isyour.service.n		
\${complete.details.text}		
	t field sample text in dietician screen	0.32s
\${enterservice.num.text		
\${entername.of.instituti		
And I assign value to follow		0.00s
service num 05	g . sarawaeu	00000
issuing org test org		
And I enter following deta	5.44s	
\${service.num.text}}\${se		1-1-10
\$\{\text{issuing.org.text}\} \\$\{\text{is}		
	01-2030	
, ,	\${valid.till.text}" to close keyboard on dietician	0.76s
screen		0.708
And I click the continue bu	ıtton	0.24s

ack to Table of Con	<u>tents</u>		
cenario: Verify l	User should be able to n	avigate to specialisation page	
nssed: 1	Failed: 1	Undefined: 7	Duration: 26.
efore			0.00s
Then I verify f	ollowing text is displaye	ed in dietician screen	2.10s
\${what.isyo	ur.specialisation}		
\${specility.t	o.provide}		
\${choose.lis	t.text}		
Then I verify f	ollowing specialisation	options are displayed in dietician scr	een 24.45s
\${mental.he	ealth.text}		
\${psycholog	gist.text}		
\${general.p	hysician.text}		
at org.testng.as	is displayed on page sserts.SoftAssert.assert		
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I veri	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia	All(SoftAssert.java:38) nobilesteps.DieticianSteps. nScreen(DieticianSteps.java:319) on options are displayed in dietician s	screen(features/my
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter "	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' special	obilesteps.DieticianSteps. onScreen(DieticianSteps.java:319)	
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter " "\${general.phy	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' special	nobilesteps.DieticianSteps. nnScreen(DieticianSteps.java:319) on options are displayed in dietician s	ot
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter " "\${general.phy	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' speciasician.text}''	nobilesteps.DieticianSteps. nnScreen(DieticianSteps.java:319) on options are displayed in dietician statistic and selection statistic and selection screen a	ct 0.00s
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter ""\${general.phy} And I click the And I verify for \${enter.sup}	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' specialisati econtinue button	nobilesteps.DieticianSteps. nnScreen(DieticianSteps.java:319) on options are displayed in dietician statistic and selection statistic and selection screen a	0.00s 0.00s
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter ""\${general.phy} And I click the And I verify for \${enter.sup} \${other.specialis}	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' specialisation.text}'' continue button llowing text is displayed er.specialisation.text}	nobilesteps.DieticianSteps. inScreen(DieticianSteps.java:319) on options are displayed in dietician stality on specilisation screen And sele d in dietician screen	0.00s 0.00s
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter ""\${general.phy} And I click the And I verify for \${enter.sup} \${other.specialis at .Then I verify for \${enter.sup} \${en	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' continue button llowing text is displayed er.specialisation.text} cialisation.text} alue to following variab	nobilesteps.DieticianSteps. inScreen(DieticianSteps.java:319) on options are displayed in dietician stality on specilisation screen And sele d in dietician screen	0.00s 0.00s 0.00s
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter "" "\${general.phy} And I click the And I verify for \${enter.sup} \${other.specialisations of the specialisation of the statement of the	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' specialisation.text}'' continue button llowing text is displayed er.specialisation.text} cialisation.text}	nobilesteps.DieticianSteps. InScreen(DieticianSteps.java:319) In on options are displayed in dietician stable in dietician stable in dietician stable in dietician screen are displayed in dietician screen.	0.00s 0.00s 0.00s
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter ""\${general.phy} And I click the And I verify for \${enter.sup} \${other.specialisation And I enter followed the statement of the stateme	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' specialisation.text}'' continue button llowing text is displayed er.specialisation.text} cialisation.text} alue to following variab on Hypertension	nobilesteps.DieticianSteps. InScreen(DieticianSteps.java:319) In on options are displayed in dietician stable in dietician stable in dietician screen And selection in dietician screen d in dietician screen	0.00s 0.00s 0.00s
Physician text at org.testng.as at com.onepuls VerifySpecialis at .Then I verifyhealth/Dieticia Then I enter ""\${general.phy} And I click the And I verify for \${enter.sup} \${other.specialisations And I enter for the second sec	sserts.SoftAssert.assert. se.app.stepdefinitions.m sationOptionsInDieticia fy following specialisati an_Doctor.feature:59) \${physician.text}'' specialisation.text}'' continue button llowing text is displayed er.specialisation.text} cialisation.text} alue to following variab on Hypertension lowing details in dietici er.specialisation.text} field label ''\${enter.sup}	nobilesteps.DieticianSteps. InScreen(DieticianSteps.java:319) In on options are displayed in dietician stable in dietician stable in dietician screen And selection in dietician screen d in dietician screen	0.00s 0.00s 0.00s 0.00s





\${experience1.text} Test University	
Then I enter following details in edit text field in dietician screen	0.00s
\${enterLocation.text} \${country.name}	
And I Enter the "Start Date" in "10" in dynamic start date Experience screen	0.00s
And I Enter the 'Start Date' in '2010' in dynamic start gars Experience	0.005
screen	0.00s
And I click on field label "\${add.experience.txt}" to close keyboard on dietician	
screen	0.00s
Then I click on checkbox next to text "\${currently.praticing.here}" in dietician	
screen	0.00s
And I click the continue button	0.00s
Pulse for Experts Corruptes your specialisation? It's important to know your speciality to provide you appropriate patients. Q. e.g. Postistrician, Gynaecologist etc. Or choose from the list. Mernal Health Ear Nose Throat Poychologist Orthopedician Packlatrician Demnatologist Cardiologist Reurologist Bidsortinologists Eindsortinologists	
	0.00s
ack to Table of Contents	0.000
cenario: Verify User should be able to navigate to Services Offered page	
assed: 2 Failed: 1 Undefined: 2	Duration: 18.57s
efore	0.00s
	+
And I verify following text is displayed in dietician screen	0.37s
\${public.profile.tex}	la aa
And I assign value to following variables	0.00s
service offered MBBS DOCTOR	
And I enter following details in dietician screen	18.20s
\${service.offered.text} \${service offered}	
org.openqa.selenium.NoSuchElementException: An element could not be located using the given search parameters.	d on the page

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os.
version: '3.13.0-139-generic', java.version: '11.0.1'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.
MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:
UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/...,
appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android, udid:
09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 400d63d5-2e92-4b20-951d-e3004e7fc8e9
*** Element info: {Using=xpath, value=(//android.widget.TextView[@text='Services Offered']
/following::android.widget.EditText)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(Delegating Constructor Accessor Impl.java: 45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: 19) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:263) at com.onepulse.app.screens.DieticianScreen.enterDetailsDieticianScreen(DieticianScreen.java: 518) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.enterInfoInDieticianScreen (DieticianSteps.java:283) at .And I enter following details in dietician screen(features/my/health/Dietician Doctor. Pulse for Experts What is your specialisation? It's important to know your speciality to provide you appropriate patients. Q e.g. Paedistrician, Gynaecologist etc. Or choose from the list Mental Health General Physician Ear Nose Throat Dentists Psychologist Orthopedician Dermatologist Cardiologist Gastroenterologist Endocrinologists 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to navigate to achievement and awards screen Passed: 0 Undefined: 4 Failed: 1 **Duration: 16.05s** Before 0.00sAnd I verify following text is displayed in dietician screen 16.05s \${achievement.award.text} \${add.seminar.details.text}

java.lang.AssertionError: The following asserts failed: Achievements & Awards text is displayed on page, Add seminar details whether you attended as a participant or as a speaker, text is displayed on page at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:38) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:263) at .And I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:121) 11:00 **() (() ()** Pulse for Experts What is your specialisation? It's important to know your speciality to provide you Q e.g. Paediatrician, Gynaecologist etc. Or choose from the list General Physician Mental Health Ear Nose Throat Psychologist Orthopedician Paediatrician Dermatologist Cardiologist Gastroenterologist Neurologist Endocrinologists After 0.00s**Back to Table of Contents** Scenario: Verify User should be able to navigate to Seminar(s) Attended page Failed: 1 Undefined: 4 Passed: 0 **Duration: 15.6s** Before 0.00sAnd I verify following text is displayed in dietician screen 15.60s \${seminar.attended.text} \${add.seminar.details}

0	onError: The followi	ng asserts failed: on page , Add seminar detail	s whether you attended as a
participant or as at org.testng.asse at com.onepulse.a	a speaker. text is dispressive tassert. The specific spec		s whether you attended as a
at .And I verify fo	ollowing text is displa	ayed in dietician screen(featur	res/my/health
/Dietician_Doctor	<u> </u>	, 00 1 7 0 70 ,000	0.00
		xt field in dietician screen	0.00s
	ar.title} TEST semina on.text} SINGAPOR	ar F	
	wing details in dietici	on coroon	0.00s
\${year.text} 20		an screen	0.008
		attended.text}'' to close keybo	pard on
dietician screen			0.00s
And I click the co	ontinue button		0.00s
	meral Physician		0.00c
fter	4.		0.00s
ck to Table of Conten		pavigate to linked elinie reces	
ssed: 0	Failed: 1	uavigate to linked clinic page Undefined: 3	Duration: 15.07
efore	rancu. 1	Ondernied. 3	0.00s
	lowing toyt is display	ved in dietician screen	15.07s
\${linked.clinic.in	.text}		

		splayed on page , Add Clinics and Hospitals d	etails where
you practice text is dis			
		sertAll(SoftAssert.java:38) ns.mobilesteps.DieticianSteps.	
		n(DieticianSteps.java:263)	
		displayed in dietician screen(features/my/heal	lth
/Dietician_Doctor.feat	ure:145)		
And I enter following	details in edi	it text field in dietician screen	0.00s
\${enter.name.of.cli	nic} clinic1		
\${enterLocation.te	xt} SINGAP	PORE	
And I click on field la	bel ''\${linked	d.clinic.text}'' to close keyboard on dietician	0.00s
screen			
And I click the contin	ue button		0.00s
11:00 😉 🗖 🕶 💮 💮	▼ ⊿0		
	20		
	ile.		
Pulse for Experts			
Complete your profile			
What is your specialisation?			
It's important to know your speciality to provide yo appropriate patients.	u I		
Q. e.g. Paediatrician, Gynaecologist etc.			
Or choose from the list.			
Mental Health General Physic	cian		
₹ Ear Nose Throat			
Paychologist Orthopedician			
Paediatrician @ Dermatologist			
Cardiologist Sastroenterol			
Neurologist ⊕ Endocrinologi			
Construe			
			0.00s
ack to Table of Contents			0000
	ould be able	to navigate to Take a Picture page	
assed: 0	Failed: 1	Undefined: 11	Duration: 24.34s
efore	I diledi I	Onderned II	0.00s
	ng toyt is dist	played in diatician caroon	24.35s
	ig text is disp	played in dietician screen	24.338
\${about.you.text}			
\${profile.photo.tex			
\${takephoto.instru	ction.text}		
java.lang.AssertionEr			
		ge, Profile Photo text is displayed on page, Pl	lease take
/upload your profile p	hoto text is d	lisplayed on page	

.Given I verify following text is displayed in dietician screen(features/my/hea	alth
Dietician_Doctor.feature:155) hen I verify following profile photo options are displayed in Dietician Screen	0.00s
\${uploadfile.text}	0.008
\${takepicture.text}	
	0.00s
nd I clicks on "\${takepicture.text}" in app screen	0.00s
nd I give camera permission hen I take picture from Camera	0.00s
nd I click the continue button	0.00s
hen I wait for 3 sec	0.00s
hen I verify following text is displayed in dietician screen	0.00s
\${confirmdetails.text2} \${service num} \${issuing org} \${specialisation} \${service offered}	
nd I scroll down	0.00s
hen I wait for 2 sec	0.00s
nd I click Agree button ''Terms and Conditions'' confirm screen	0.00s
nd I clicks on "Terms and Conditions" text in app screen	0.00s
Pulse for Experts Complete your specialisation? What is your specialisation? If a important to know your speciality to provide you appropriate patients. Q. e.g. Paediatrician, Gynaecologist etc. Or choose from the list.	
Mercal Health	
Ear Nose Throat	
Paediatrician 🍦 Dermatologist	
▼ Cardiologist □ Gastroenterologist	
♥ Cardiologist □ Gastroemerologist	


ssed: 1	Failed: 1	Undefined: 6	Duration: 2
fore			0.00s
Then I wait for	r 5 sec		5.00s
	ollowing text is displayed	l in dietician screen	15.50s
	tion.history.text}		
\${no.appoin	ntmnt.now.text}		
Conversation page at org.testng.a at com.onepuls VerifyStaticTe	sserts.SoftAssert.assertAse.app.stepdefinitions.mextInDieticianScreen(Die	on page, No Appointments Now to All(SoftAssert.java:38) obilesteps.DieticianSteps. eticianSteps.java:263)	
	y following text is displa ctor.feature:182)	yed in dietician screen(features/my	/neaitn
		xts are displayed in Dietician scree	n 0.00s
	ng ionowing dynamic te nage.your.availibility.tex		0.005
	"\${schedule.cal.text}"		0.00s
	ollowing text is displayed		0.00s
\${calendar.		in dictional below	0.005
	ne Date in calendar field		0.00s
		y icon in calendar screen	0.00s
	n ''10:00 AM'' in app sci		0.00s
Paychologist Paediatrician Cardiologist	iality to provide you		

Feature: Verify that user	can manage eve	nts via the Family Vaccine V	accine Calendar feature
Passed: 5 Fail	ed: 0	ndefined: 0 Dura	ation: 220.38s
Scenario: User should Email"	be able to regist	er on app with correct crede	ntials using "Continue with
Passed: 17	Failed: 0	Undefined: 0	Duration: 184.94 s
Before			0.00s
Given I generate ra		nd assign to variable	0.00s
And I assign "pulse" "PULSE_EMAIL"		UMBER}@mailsac.com'' to	variable 0.00s
And User has pulse	e app		8.94s
Then I wait for 2 so	ec		2.00s
And user click on '	'CONTINUE W	ITH EMAIL'' with Email but	23.86s
Then I wait for 2 so	ec		2.00s
Then I change the	country as requi	red on registration page	11.06s
Then I wait for 2 so	ec		2.00s
Then I navigate to click on continue w		n page and select the lang on	toggle bar then 7.00s
Then I wait for 2 so	ec		2.00s
When user enters i	egistration detai	ls	7.41s
FirstName testA LastName testA Email \${PU} Password Pas\$	utomation ULSE_EMAIL}		
And taps on contin		utton	0.42s
		or user email ''\${PULSE_EM	
Then I wait for 2 so			2.00s
Then I click skip b			69.94s
Then user should b		me'' screen	13.73s
Then I wait for 4 so			4.00s
After			0.00s
Back to Table of Contents			10000
	be able to acces	s my family vaccination calen	dar
Passed: 5	Failed: 0	Undefined: 0	Duration: 17.74s
Before			0.00s
Given I clicks on H	ealth button		12.75s
Then I wait for 2 so	ec		2.00s
Then I click on vac	cine calendar til	2	0.46s
Then I wait for 2 so			2.00s
		re displayed in Vaccine Caler	
\${vaccineCalence}	dar.title}		
After			0.00s


scenario. Verny the user	can Add Vaccine Info	rmation	
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.1s
Before			0.00s
When I click on Add m	ore button in Vaccine	Calendar screen	0.18s
And I wait for 2 sec			2.00s
		ved in Vaccine Calendar screen	0.58s
\${vaccineCalendar.a			
		played in Vaccine Calendar screen	0.34s
	addMore.cancelButtor		
\${vaccineCalendar.	addMore.saveButton}		
After			0.00s
Back to Table of Contents			
Scenario: enter informatio	on on add vaccination	popup	
Passed: 4	Failed: 0	Undefined: 0	Duration: 4.94
Before ————————————————————————————————————			0.00s
And I assign value to fo	ollowing variables		0.00s
relation Child			
name testing_one			
Then I add following in	nformation in Vaccine	Calendar add information screen	2.77s
Name \${name}			
Relation \${relation}			
Then I wait for 2 sec			2.00s
And I click on "\${vaccare Calendar screen	ineCalendar.addMore	e.saveButton}'' button in Vaccine	0.18s
After			0.00s
After Back to Table of Contents			0.00s
Back to Table of Contents	d item displayed on th	e Vaccine Schedule screen	0.00s
Back to Table of Contents	d item displayed on th	e Vaccine Schedule screen Undefined: 0	0.00s Duration: 9.675
Back to Table of Contents Scenario: Verify the adde			
Back to Table of Contents Scenario: Verify the added Passed: 7			Duration: 9.67
Back to Table of Contents Scenario: Verify the adder Passed: 7 Before Given I wait for 2 sec	Failed: 0		Duration: 9.67
Back to Table of Contents Scenario: Verify the added Passed: 7 Before Given I wait for 2 sec Then User verifies followscreen \${relation}	Failed: 0	Undefined: 0	Duration: 9.678 0.00s 2.00s
Back to Table of Contents Scenario: Verify the added Passed: 7 Before Given I wait for 2 sec Then User verifies following screen \${relation} \${name}	Failed: 0 owing dynamic texts an	Undefined: 0 re displayed in Vaccine Calendar	Duration: 9.67s 0.00s 2.00s 0.41s
Back to Table of Contents Scenario: Verify the adder Passed: 7 Before Given I wait for 2 sec Then User verifies followscreen \${relation} \${name} Then I click on "\${name} And I click on "\${vacce}	Failed: 0 owing dynamic texts and the second secon	Undefined: 0	Duration: 9.675 0.00s 2.00s
Back to Table of Contents Scenario: Verify the adder Passed: 7 Before Given I wait for 2 sec Then User verifies followscreen \${relation} \${name} Then I click on "\${name}	Failed: 0 owing dynamic texts and the second secon	undefined: 0 re displayed in Vaccine Calendar n in Vaccine Calendar screen	Duration: 9.67 0.00s 2.00s 0.41s

	\${vaccineCalenda	r.select.child.text}		
	\${vaccine.text}			
	en User verifies foreen	llowing dynamic texts are displaye	d in Vaccine Calendar	1.79s
	\${name}			
After				0.00s
Back to	o Table of Contents			
eature:	Verify that user of	nn access Dengue Alert feature		
assed: 2	Failed		Duration: 772.22s	
Scena	rio: Launch the a	p and select the country as per spe	ecified lbu	
Passed		Failed: 0 Undefined:		Duration: 57.98
Befor	e			0.00s
Gi	ven User has pulse	app		9.13s
		.email.id}" to variable "PULSE_E	EMAIL''	0.00s
		ONTINUE WITH EMAIL" with 1		23.23s
Th	en I change the co	untry as required on registration p	oage	10.86s
	en I wait for 10 se			10.00s
An	nd I click the Sign	n link		4.76s
After				0.00s
Back to	o Table of Contents			
Scena	rio: login to the a	p with correct credentials using "G	Continue with Email'	
Passed		Failed: 0 Undefined		Duration: 49.13s
Befor	e			0.00s
Gi	ven I select the lar	guage option on toggle bar as requ	ired on login page	3.48s
	hen user enters cr		Tea on rogin page	18.05s
	UserName \${PUL			1201005
	Password \${pulse			
	nd User clicks on si			0.32s
_	nd I wait for 5 sec	5		5.00s
		ne pulse app for user email ''\${PU	LSE EMAIL}"	8.44s
		anded to "Home" screen	,	13.84s
After				0.00s
	o Table of Contents			
		p can be expanded		
		Failed: 1 Undefined:	: 2	Duration: 18.43s
Passed	e			0.00s
Befor		ue Alert tile		18.44s
Befor	nd I clicks on Deng	ac Aici t tilc		100 1 15

```
System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os.
version: '3.13.0-139-generic', java.version: '11.0.1'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.
MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName:
UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch HPPXi.scratch/...,
appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android, udid:
09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5,
deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340,
deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false,
networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio:
2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 578446a9-a3fa-4b1c-8fbf-ba229cbe3700
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="That's all for
now!'']/parent::android.view.ViewGroup/preceding::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```



eature:46)	nectSteps.java:89) en(features/my/home/DengueAle
Then I verify following texts are displayed	0.00s
\${dengueAlert.outbreak.total.title}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
\${dengueAlert.zonal.title}	
\${dengueAlert.zonal.country}	
Then I verify following texts are displayed	0.00s
\${dengueAlert.zone1}	
\${dengueAlert.zone2}	
\${dengueAlert.zone3}	
\${dengueAlert.zone4}	
\${dengueAlert.zone5}	
\${dengueAlert.zone6}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
\${dengueAlert.zone7}	
\${dengueAlert.zone8}	
\${dengueAlert.zone9}	
\${dengueAlert.zone10}	
\${dengueAlert.zone11}	
\${dengueAlert.zone12}	
\${dengueAlert.zone13}	
\${dengueAlert.zone14}	
\${dengueAlert.zone15}	
\${dengueAlert.zone16}	



After			0.00s
Back to Table of Contents			
Scenario: User should	be able to vew the	Dengue Cases - Malaysia	
Passed: 1	Failed: 1	Undefined: 6	Duration: 170.69 s
Before			0.00s
When I scroll up til	ll ''\${dengue.alert.n	nap}'' element displayed	162.41s
And I select "Cases	s'' from outbreaks o	dropdown	8.28s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os. version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse. MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android, udid: 09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145,

```
takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145,
width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 578446a9-a3fa-4b1c-8fbf-ba229cbe3700
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Outbreaks"]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.DengueAlertScreen.selectFromOutBreakDropdown
(DengueAlertScreen.java:51)
at com.onepulse.app.stepdefinitions.mobilesteps.DengueAlertSteps.
selectFromOutBreakDropdown(DengueAlertSteps.java:26)
at .And I select "Cases" from outbreaks dropdown(features/my/home/DengueAlert.feature:86)
```

(dangua A lawt outhwool; this Wools)	
\${dengueAlert.outbreak.thisWeek}	
\${dengueAlert.cases.total}	
\${dengueAlert.outbreak.deaths}	
\${dengueAlert.outbreak.thisWeek}	
\${dengueAlert.cases.total.title}	
Then I verify following texts are displayed	0.00s
\${dengueAlert.zonal.title}	
\${dengueAlert.zonal.country}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
\${dengueAlert.zone1}	
\${dengueAlert.zone2}	
\${dengueAlert.zone3}	
\${dengueAlert.zone4}	
\${dengueAlert.zone5}	
\${dengueAlert.zone6}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
\${dengueAlert.zone7}	
\${dengueAlert.zone8}	
\${dengueAlert.zone9}	
\${dengueAlert.zone10}	
\${dengueAlert.zone11}	
\${dengueAlert.zone12}	
\${dengueAlert.zone13}	
\${dengueAlert.zone14}	
\${dengueAlert.zone15}	
\${dengueAlert.zone16}	



Password Pas\$1234		lo ac
And taps on continue '		0.33s
	e pulse app for user email "\${PULSE_EMAIL}"	28.71s
Then I wait for 2 sec		2.00s
Then I click skip butto		70.23s
	nded to "Home" screen	13.60s
Then I wait for 4 sec		4.00s
After		0.00s
Back to Table of Contents		
Scenario: Navigate to PRI	U Shoppe screen	
Passed: 1	Failed: 0 Undefined: 0	Duration: 10.64
Before		0.00s
And I click on pru sho	ppe button on the home page	10.64s
After		0.00s
Back to Table of Contents		
	uld be able to see the infectious disease cover scre	en ontions
Passed: 12	Failed: 0 Undefined: 0	Duration: 22.5s
Before	Z uneur v	0.00s
	d button on prushoppe screen	0.15s
Then I wait for 5 sec	u button on prushoppe screen	5.00s
	ectious disease cover tile on prushoppe screen	0.29s
Then I wait for 5 sec	ections disease cover the on prushoppe sereen	5.00s
And I verify following	toyte are displayed	1.48s
\${infectious.disease.		1.405
\${infectious.disease.		
	wing button "\${show.more.text}" on prushoppe s	screen 0.33s
And I verify following		1.77s
		1.778
\${infectious.disease.		
\${infectious.disease.		0.24
	wing button "\${show.less.text}" on prushoppe scr	
And I verify following		2.75s
\${infectious.disease.		
And I verify following		0.27s
\${your.details.text}		

And I scroll down		4.12s
And I verify follo	wing texts are displayed	1.03s
\${my.name.as.	nric.text}	
\${infectious.di	sease.gender.text}	
\${infectious.di	sease.dob}	
After		0.00s
Back to Table of Conten	<u>ts</u>	
Scenario: Verify Use	er should be able to see the infectious disease of	cover Screen options
Passed: 4	Failed: 0 Undefined: 0	Duration: 13.0
Before		0.00s
And I verify follo	wing texts are displayed	3.20s
\${my.residenti		J.205
\${my.residenti		
\${my.resedent	lai.status}	
\${email.text}	anda)	
\${my.country.		
\${my.mobile.p		
\${my.referral.		4.40
And I scroll down		4.19s
	wing texts are displayed	1.63s
\${payment.sur		
\${insurance.pi		
\${total.premiu		
And I scroll down	l .	4.05s
After		0.00s
Back to Table of Conten	t <u>s</u>	
Scenario Outline: Vo	erify User should be able to see the infectious	disease cover term and condition
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.28
Before		0.00s
Given User accen	t the term and conitions "\${infectious.disease	tne 1}" in
infectious disease		2.28s
After		0.00s
Back to Table of Conten	te	0.000
	erify User should be able to see the infectious	disease cover term and conditi
Passed: 1	Failed: 0 Undefined: 0	Duration: 2.33
Before	Taneu. 0 Ondermed: 0	0.00s
Civon Hear accon	t the term and conitions "\${infectious.disease cover Screen	.tnc.2}" in 2.33s
infectious disease		
infectious disease		0.00s
_		0.00s
infectious disease After Back to Table of Conten		<u> </u>
infectious disease After Back to Table of Conten	ts .	-

Civan Usar accont the	term and conitions "\${infectious.disease.tnc.3}" in	
infectious disease cover		2.35s
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify	User should be able to see the infectious disease cover t	term and condition
Passed: 1	Failed: 0 Undefined: 0	Duration: 3.07s
Before		0.00s
Given User accept the infectious disease cover	term and conitions "\${infectious.disease.tnc.4}" in r Screen	3.07s
After		0.00s
Back to Table of Contents		
Scenario: verify that user	can see agreement and proceed button	
Passed: 2	Failed: 0 Undefined: 0	Duration: 3.01s
Before		0.00s
Given I verify followin	g texts are displayed	2.75s
\${infectious.disease		20100
\${infectious.disease		
	outton is displayed on pru shoppe screen	0.25s
After	suspinged on pru snoppe sereen	0.00s
Back to Table of Contents		0.005
	My Coverage functionality on one pulse App	
Passed: 7 Failed: (
	and select the country as per specified lbu	
	Failed: 0 Undefined: 0	Duration: 54.08s
Before		0.00s
Given User has pulse a	прр	9.71s
And I assign "\${login.o	email.id}'' to variable ''PULSE_EMAIL''	0.00s
And user click on "CO	NTINUE WITH EMAIL" with Email button	23.01s
Then I change the cour	ntry as required on registration page	11.63s
Then I wait for 5 sec		5.00s
And I click the Sign in	link	4.74s
After		0.00s
Back to Table of Contents		
Scenario: login to the app	with correct credentials using "Continue with Email"	

Passed: 6	Failed: 0	Undefined: 0	Duration: 49.0s
Before			0.00s
Given I select th	he language option on	toggle bar as required on login page	3.53s
When user ente			18.09s
UserName \$	{PULSE_EMAIL}		
Password \$	{login.password}		
And User clicks	s on signin button		0.33s
And I wait for 5	5 sec		5.00s
And I enter OT	P in one pulse app for	user email ''\${PULSE_EMAIL}''	8.83s
Then user shou	ld be landed to "Home	e'' screen	13.23s
After			0.00s
Back to Table of Cont	<u>ents</u>		
Scenario: Verify u	ser can access his poli	cies from Pru Shoppe My Policies scree	n
Passed: 5	Failed: 0	Undefined: 0	Duration: 20.91s
Before			0.00s
And I click on r	oru shoppe button on t	the home page	11.42s
And I wait for 5			5.00s
And I click on r	ny policies tile on prus	shoppe screen	0.63s
And I wait for 2	<u> </u>		2.00s
And I verify fol	lowing texts are displa	ayed	1.86s
\${myCovera	ge.title}		
	ge.information}		
	ge.InformationDescri	ption}	
After			0.00s
Back to Table of Cont	ents		
Scenario: Click on	Link policy and verif	y screen to add policy number	
Passed: 4			Duration: 4.72s
Before			0.00s
And I clicks on	''\${mvCoverage.linkF	PolicyButton}'' in app screen	0.30s
And I wait for 2		onejzación, mapp sereen	2.00s
	pulse app mobile keyb	ooard	1.52s
	lowing texts are displa		0.90s
	ge.policyNumber.title		
	ge.policyNumber.desc		
_ ` `	ge.policyNumber.desc		
After			0.00s
Back to Table of Cont	ents		
		a the Policy Number is blank	
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.31s
Before	i uncu. 0	Chachieur v	0.00s
	nolicy number care by	utton on my policies screen	0.33s
Then I chek on	poncy number save b	atton on my poncies screen	0.338
Thon I oliok on	nolicy number care by	utton on my policies screen	0.81s

\${mvCoverage.pol	icyNumber.errorMessage}	
After		0.00s
Back to Table of Contents		10000
	or message when the Policy Number is invalid or incorre	<u> </u>
Passed: 5	Failed: 0 Undefined: 0	Duration: 8.54s
Before	Tuncu. V	0.00s
	as the Policy number	1.01s
And I hide one pulse	•	0.51s
	number save button on my policies screen	0.31s 0.42s
And I wait for 2 sec	number save button on my poncies screen	2.00s
Then I verify following	og teyts are displayed	4.60s
	icyNumber.errorMessage}	7.003
After		0.00s
Back to Table of Contents		0.008
	on magazine with on the Coursel Doubles	
	or message when the Cancel Button	D 11 12 52
Passed: 2	Failed: 0 Undefined: 0	Duration: 13.73s
Before		0.00s
	number cancel button on my policies screen	0.33s
	anded to "Home" screen	13.41s
After		0.00s
Back to Table of Contents		
eature: Verify wealth char	nnel functionality on one pulse App	
ssed: 13 Failed:	0 Undefined: 0 Duration: 267.89s	
Scenario: Launch the ap	p and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 58.36s
Before		0.00s
Given User has pulse	арр	9.32s
-	.email.id}'' to variable "PULSE_EMAIL"	0.00s
	ONTINUE WITH EMAIL" with Email button	23.03s
Then I change the cou	ıntry as required on registration page	11.27s
Then I wait for 10 sec		10.00s
And I click the Sign in	n link	4.75s
After		0.00s
Back to Table of Contents		
Scenario: login to the ap	p with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 48.66s
Before		0.00s
Given I select the land	guage option on toggle bar as required on login page	3.50s
When user enters cre		17.61s
UserName \${PUL\$		1277025
Password \${pulse		
And User clicks on sign		0.35s
And OSCI CHERS OH SI	Sinii vatton	0.333


And I wait for 5 s			5.00s
		user email ''\${PULSE_EMA1	
Then user should	be landed to "Home	'' screen	13.37s
After			0.00s
Back to Table of Conten	<u>ts</u>		
Scenario: Verify Use	er should be able to n	avigate to wealth page	
Passed: 4	Failed: 0	Undefined: 0	Duration: 26.03s
Before			0.00s
And I click the W	ealth Channel tile fo	r Malaysia	17.02s
Then I verify follo	owing texts are displa	ayed	4.02s
Wealth Chann	nels		
Investing 123			
Equip yoursels	f with the basic inves	tment tools	
First Steps			
The important	ce of investor educati	on	
And I scroll down	1		3.85s
Then I verify follo	owing texts are displa	ayed	1.13s
Remove The V	Veeds		
Dispel investm	ent myths to achieve	desired investment outcomes	
Mutual Funds			
Make mutual	funds your first inves	stment stop	
After			0.00s
Back to Table of Conten	<u>ts</u>		
Scenario: Verify Use	er should be able to v	iew the story post	
Passed: 3	Failed: 0	Undefined: 0	Duration: 10.01s
Before			0.00s
Then I click on "	Mutual Funds'' weal	th channel topic	5.32s
Then I verify foll	owing texts are displa	ayed	3.69s
Mutual Funds			
Make mutual	funds your first inves	stment stop	
	wing social cite optio		1.00s
Like			
Share			
Comment			
After			0.00s
Back to Table of Conten	<u>ts</u>		
	er should be able to L	ike the post	
Passed: 4	Failed: 0	Undefined: 0	Duration: 21.76s
Before			0.00s
	Mutual Funds'' post l	ike count	5.21s
And I Like the po		inc count	5.35s
	utual Funds'' post lil	re count is increased	5.19s
And I Like the po		ic count is mer caseu	6.00s
And I Like the pe			0.008

After			0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to	Share the post	
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.86s
Before			0.00s
And I share the post	t		5.38s
Then I Verify the sh	are with friends	popup	5.49s
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to	Comment the post	
Passed: 3	Failed: 0	Undefined: 0	Duration: 19.2s
Before			0.00s
And I read the "Mu	tual Funds'' post	t comment count	5.18s
		alth.topic.comment}''	8.83s
Then I verify "Mutu	ual Funds'' post	comment count is increased	5.19s
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to	view the full page article post	
Passed: 1	Failed: 0	Undefined: 0	Duration: 7.02s
Before			0.00s
Then I click on "Mu	itual Funds'' top	ic for details full view	7.02s
After	1		0.00s
Back to Table of Contents			10000
Scenario: Verify User s	should be able to	see the Like, Share, Comment opt	ions on full page article
Passed: 2	Failed: 0	Undefined: 0	Duration: 4.08s
Before			0.00s
Then I wait for 3 sec	c		3.00s
And I verify following	ng social cite opt	ions are displayed	1.08s
Like Share Comment			
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to	Like the post in full article view so	creen
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.75
Before			0.00s
And I Like the post			5.42s
And I Like the post			5.34s
After			0.00s
Back to Table of Contents			
	should be able to	Share the post in full article view	screen
Committee of the cool of		post in this title (10)	

Passed: 2	Failed: 0	Undefined: 0	Duration: 16.4s
Before			0.00s
And I share the post			5.41s
Then I navigate back	to previous pag	ge	10.99s
After			0.00s
Back to Table of Contents	•		·
Scenario: Verify User sl	nould be able to	Comment the post in full article view s	creen
Passed: 1	Failed: 0	Undefined: 0	Duration: 20.37s
Before			0.00s
And I comment in fu	ll view post artic	cle "\${wealth.topic.comment}"	20.37s
After			0.00s
Back to Table of Contents	<u> </u>		
Scenario: Verify User ca	an navigate to w	ealth homepage	
Passed: 3	Failed: 0	Undefined: 0	Duration: 14.38s
Before			0.00s
Then I navigate to st	orv post page		3.64s
Then I click on "Mut		k button	5.43s
Then I click on "Wea	alth Channels'' k	back button	5.31s
After			0.00s
Back to Table of Contents	<u> </u>		
eature: Verify share with	friends function	polity in openulse ann	
	Trichus function	ianty in onepuise app	
ssed· 3 Failed	· 4	defined: 0 Duration: 203 03s	
		defined: 0 Duration: 203.03s	
Scenario: Launch the ap	p and select the	country as per specified lbu	
Scenario: Launch the ap Passed: 7 Before	pp and select the Failed: 0	country as per specified lbu	Duration: 50.63s 0.00s
Scenario: Launch the ap Passed: 7 Before Given User has pulse	Failed: 0	Undefined: 0	Duration: 50.63s 0.00s 9.63s
Scenario: Launch the appearance Passed: 7 Before Given User has pulse And Logout of pulse	Failed: 0 app app if user is log	Undefined: 0 gged in	Duration: 50.63s 0.00s 9.63s 0.00s
Scenario: Launch the appearance Passed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login	Failed: 0 app app if user is log a.email.id}'' to v	country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL"	Duration: 50.63s 0.00s 9.63s
Scenario: Launch the appearance Passed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Compared Passed Pa	Failed: 0 app app if user is log aemail.id}'' to vi	e country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s
Scenario: Launch the appearance Passed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Compared Passed Pa	Failed: 0 app app if user is log aemail.id}'' to vi	country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL"	Duration: 50.63: 0.00s 9.63s 0.00s 0.00s 22.87s
Scenario: Launch the appressed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Control Then I change the control Passed I assign the control Passed I assign the appreciate	Failed: 0 app app if user is log a.email.id}'' to value untry as require	e country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s
Scenario: Launch the appearance: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Compare Then I change the compare Then I wait for 2 seconds."	Failed: 0 app app if user is log a.email.id}'' to value untry as require	e country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button	Duration: 50.63: 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Control Then I change the control Then I wait for 2 second And I click the Sign in the second in the se	Failed: 0 app app if user is log a.email.id}'' to value untry as require	e country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s
Scenario: Launch the appeased: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Compared Then I change the compared Then I wait for 2 second I click the Sign in After Back to Table of Contents	pp and select the Failed: 0 app app if user is log n.email.id}'' to ver ONTINUE WIT untry as require n link	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s
Scenario: Launch the appeased: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Compared Then I change the compared Then I wait for 2 second I click the Sign in After Back to Table of Contents	pp and select the Failed: 0 app app if user is log n.email.id}'' to ver ONTINUE WIT untry as require n link	e country as per specified lbu Undefined: 0 gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Content I wait for 2 sec And I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 7	p and select the Failed: 0 app app if user is log n.email.id}'' to v ONTINUE WIT untry as require n link p with correct of	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Content I wait for 2 second I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before	pp and select the Failed: 0 app app if user is log n.email.id}'' to vere or the ONTINUE WIT untry as require n link pp with correct or Failed: 0	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page credentials using "Continue with Email Undefined: 0	Duration: 50.63: 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Content I wait for 2 second I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before	p and select the Failed: 0 app app if user is log n.email.id}'' to v ONTINUE WIT untry as require n link p with correct of Failed: 0	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Content I wait for 2 sec And I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before And I select the lange When user enters creaters	p and select the Failed: 0 app app if user is log nemail.id}" to vere to vere to the selection on to the selection on the selection of the se	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page credentials using "Continue with Email Undefined: 0	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s Duration: 54.38s 0.00s 3.51s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Content I change the content I wait for 2 second I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before And I select the language When user enters creater in the second I select the language and I select the language When user enters creater in the second I select the language I select I select the language I select	p and select the Failed: 0 app app if user is log n.email.id}'' to v ONTINUE WIT untry as require n link p with correct of Failed: 0 uage option on to edentials SE_EMAIL}	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page credentials using "Continue with Email Undefined: 0	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s Duration: 54.38s 0.00s 3.51s
Scenario: Launch the appassed: 7 Before Given User has pulse And Logout of pulse And I assign "\${login And user click on "Content I wait for 2 sec And I click the Sign in After Back to Table of Contents Scenario: login to the appassed: 6 Before And I select the lange When user enters creaters	p and select the Failed: 0 app app if user is log nemail.id}" to value ONTINUE WIT untry as require n link p with correct of Failed: 0 uage option on to edentials SE_EMAIL} .password}	gged in ariable "PULSE_EMAIL" TH EMAIL" with Email button ed on registration page credentials using "Continue with Email Undefined: 0	Duration: 50.63s 0.00s 9.63s 0.00s 0.00s 22.87s 11.41s 2.00s 4.72s 0.00s Duration: 54.38s 0.00s 3.51s

And I wait for			10.00s
		r user email ''\${PULSE_EMAIL}''	8.23s
Then user shou	ıld be landed to "Hom	ne'' screen	14.60s
After			0.00s
Back to Table of Cont	tents		
Scenario: Verify U	Jser should be able to	share the link with Whatsapp	
assed: 1	Failed: 0	Undefined: 0	Duration: 13.
Before			0.00s
Then I verify th	he share with friends l	links	13.84s
After			0.00s
Back to Table of Cont	tents		
		share the link with Contacts app	
assed: 0	Failed: 1	Undefined: 0	Duration: 13.
Before			0.00s
	he contacts share icon		13.12s
/no_such_eleme			
/no_such_eleme Build info: vers System info: ho version: '3.13.0	ent.html sion: '3.12.0', revision ost: 'ip-172-31-13-65', -139-generic', java.ve	: '7c6e0b3', time: '2018-05-08T14:04 ip: '172.31.13.65', os.name: 'Linux', ersion: '11.0.1'	4:26.12Z'
/no_such_eleme Build info: vers System info: ho version: '3.13.0 Driver info: io.a Capabilities {ap MainAc, appl UiAutomator2, appActivity: co autoDismissAle newCommand7 09211FDD4001 deviceName: 09 deviceUDID: 09 networkConnec 2.75, platform: takesScreensho width: 1080}, w Session ID: 4d3 *** Element inf Friends Via']/fo	ent.html sion: '3.12.0', revision ost: 'ip-172-31-13-65', o-139-generic', java.ve appium.java_client.ar pp: /tmp/scratch_HPF Package: com.pruden odatabaseEnabled: fal om.prudential.pulse.M erts: true, automation Timeout: 10000, noRe of 2211FDD4001ZY, dev og211FDD4001ZY, jav ctionEnabled: true, no LINUX, platformNan ot: true, udid: 09211F1 ovarnings: {}, webStora of 363c2b-90d4-4a86-aaa fo: {Using=xpath, valicallowing::android.view	: '7c6e0b3', time: '2018-05-08T14:04 ip: '172.31.13.65', os.name: 'Linux', orsion: '11.0.1' ndroid.AndroidDriver PXi.scratch/, appActivity: com.prustial.pulse.uat, autoDismissAlerts: trulse, desired: {app: /tmp/scratch_HPIainAc, appPackage: com.prudentName: UiAutomator2, deviceName: Name: UiAutomator2, deviceName: set: true, platformName: android, ueset: true, platformName: Google, deviceScreenDensity: 440, deviceScreentascriptEnabled: true, locationContomer. Android, platformVersion: 11, set DD4001ZY, viewportRect: {height: ageEnabled: false} d-3d3e29ffa137 ue=//android.widget.TextView[@textw.ViewGroup[5]}	4:26.12Z' , os.arch: 'amd64', os. udential.pulse. rue, automationName PXi.scratch/, tial.pulse.uat, : Android-Test, udid: leviceModel: Pixel 5, nSize: 1080x2340, extEnabled: false, set: true, pixelRatio: statBarHeight: 145, 2015, left: 0, top: 145
/no_such_eleme Build info: version: '3.13.0 Driver info: io.a Capabilities {ap MainAc, appl UiAutomator2, appActivity: co autoDismissAle newCommand7 09211FDD4001 deviceName: 09 deviceUDID: 09 networkConnec 2.75, platform: takesScreenshowidth: 1080}, w Session ID: 4d3 *** Element inf Friends Via']/fo at jdk.internal. at java.base/jdk (DelegatingCon at java.base/jav	ent.html sion: '3.12.0', revision ost: 'ip-172-31-13-65', 0-139-generic', java.ve appium.java_client.ar pp: /tmp/scratch_HPF Package: com.pruden , databaseEnabled: fal om.prudential.pulse.M erts: true, automation Timeout: 10000, noRe IZY}, deviceApiLevel: 9211FDD4001ZY, dev 9211FDD4001ZY, jav ctionEnabled: true, no LINUX, platformNar ot: true, udid: 09211F1 varnings: {}, webStora 3f3c2b-90d4-4a86-aaac fo: {Using=xpath, valuellowing::android.view reflect.GeneratedCon k.internal.reflect.Dele instructorAccessorImp va.lang.reflect.Constru	: '7c6e0b3', time: '2018-05-08T14:04 ip: '172.31.13.65', os.name: 'Linux', orsion: '11.0.1' indroid.AndroidDriver PXi.scratch/, appActivity: com.prudial.pulse.uat, autoDismissAlerts: transport	4:26.12Z' , os.arch: 'amd64', os. udential.pulse. rue, automationName PXi.scratch/, tial.pulse.uat, : Android-Test, udid: leviceModel: Pixel 5, nSize: 1080x2340, extEnabled: false, set: true, pixelRatio: statBarHeight: 145, 2015, left: 0, top: 145 xt='Invite Your nknown Source) wInstance a:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.jaya:679)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:301)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)
```



After			0.00s			
Back to Table of Contents						
Scenario: Verify User should be able to share the link with Messenger app						
Passed: 0	Failed: 1	Undefined: 0	Duration: 13.09s			
Before			0.00s			
Then I verify the fb messenger share icon			13.09s			

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os. version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse. MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android, udid: 09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: 4d3f3c2b-90d4-4a86-aaad-3d3e29ffa137
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[7]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:412)
at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:33)
```



After			0.00s			
Back to Table of Contents						
Scenario: Verify User should be able to share the link with Viber app						
Passed: 0	Failed: 1	Undefined: 0	Duration: 28.97s			
Before			0.00s			
Then I verify the Viber share icon			28.97s			

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os. version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse. MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android, udid: 09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: 4d3f3c2b-90d4-4a86-aaad-3d3e29ffa137
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[9]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:702)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:318)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:36)
```



After			0.00s				
Back to Table of Contents							
Scenario: Verify User should be able to share the link with Line app							
Passed: 0	Failed: 1	Undefined: 0	Duration: 29.01s				
Before			0.00s				
Then I verify the Line share icon			29.01s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'ip-172-31-13-65', ip: '172.31.13.65', os.name: 'Linux', os.arch: 'amd64', os. version: '3.13.0-139-generic', java.version: '11.0.1'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse. MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {app: /tmp/scratch_HPPXi.scratch/..., appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android, udid: 09211FDD4001ZY}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 09211FDD4001ZY, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 09211FDD4001ZY, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, udid: 09211FDD4001ZY, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: 4d3f3c2b-90d4-4a86-aaad-3d3e29ffa137
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[11]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:166)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:696)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:313)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39)
```

