

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	11	7	0	0	18	61%
Scenarios	333	37	0	0	370	90%
Steps	2,111	37	0	265	2,413	87%

Overall Duration: 1h 42m 23s

Table of Contents

1. [Verify agent registration workflow](#)
 1. [verify default and sample text on agent registration page](#)
 2. [Invalid password check on agent registration page](#)
 3. [Invalid password check on agent registration page](#)
 4. [Invalid password check on agent registration page](#)
 5. [Invalid password check on agent registration page](#)
 6. [Invalid password check on agent registration page](#)
 7. [Create password and confirm password mismatch check on agent registration page](#)
 8. [Validate mask and unmask functionality for create and confirm password field](#)
 9. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 10. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 11. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 12. [verify that the next button is enabled only when agent entered the correct create and confirm password](#)
 13. [verify Agent should be able to create the password for sales portal](#)
 14. [Verify Agent account is activated and can proceed with login](#)
 15. [verify the user should be prompted to login when already registered user is loaded in bulk upload and he opens the agent registration page](#)
 16. [Close from Sales Portal](#)
2. [Validate the forgot password with valid and invalid condition](#)
 1. [Agent Registration using api](#)
 2. [Verify agent registration flow - Setting up password](#)
 3. [Verify agent registration flow - Email Verification](#)
 4. [Verify static text and elements on Forgot Password page in Sales Portal](#)
 5. [Validate the return to the login link in Forgot your password page](#)
 6. [Verify the confirmation message on forgot password page when user enter valid email id](#)
 7. [Verify back button navigates user back to login page](#)
 8. [Close sales portal](#)
 9. [Verify reset password link is sent to user email account](#)
 10. [Validate mask and unmask functionality for create and confirm password field](#)
 11. [verify that the reset password button is enabled only when agent entered the correct create and confirm password](#)
 12. [verify that the reset password button is enabled only when agent entered the correct create and confirm password](#)

13. **verify that the reset password button is enabled only when agent entered the correct create and confirm password**
 14. **verify that the reset password button is enabled only when agent entered the correct create and confirm password**
 15. **verify Agent should be able to reset the password for sales portal**
 16. **verify Agent should be able to logout and Login back with the new/reset password**
 17. **Close from Sales Portal**
3. **Verify the homepage for Agent ID, Navigation bar & Toggle bar**
1. **Verify the agent ID is displayed on home page**
 2. **Verify the Toggle bar on the home page**
 3. **I verify the navigation to the New Quote page and verify that user is landed on New Quote page and verify the presence of toggle bar items when navigate to the New Quote page**
 4. **I verify the navigation to the Quotes page and verify that user is landed on Quotes page and verify the presence of toggle bar items when navigate to the Quotes page**
 5. **I verify the navigation to the Documents page and verify that user is landed on Documents page and verify the presence of toggle bar items when navigate to the Documents page**
 6. **I verify the navigation to the Get Help page and verify that user is landed on Get Help page and verify the presence of toggle bar items when navigate to the Get Help page**
 7. **I verify the navigation to the Agent Profile page and verify that user is landed on Agent Profile page and verify the presence of toggle bar items when navigate to the Agent Profile page**
 8. **I verify the navigation to the Information page and verify that user is landed on Information page and verify the presence of toggle bar items when navigate to the Information page**
 9. **Verify the Navigation bar on the New Quote page**
 10. **I verify the navigation to the Select Plan page and verify that user is landed on Select Plan page and all left toggle bar items are present**
 11. **I verify the navigation to the Employees page and verify that user is landed on Employees page and all left toggle bar items are present**
 12. **I verify the navigation to the Company page and verify that user is landed on Company page and all left toggle bar items are present**
 13. **I verify the navigation to the Submit page and verify that user is landed on Submit page and all left toggle bar items are present**
 14. **Create a Quote for Sticky bar validation**
 15. **I verify the sticky bar is present in all the Select Plan page in the new quote creation journey**
 16. **I verify the sticky bar is present in all the Employees page in the new quote creation journey**
 17. **I verify the sticky bar is present in all the Company page in the new quote creation journey**
 18. **I verify the sticky bar is present in all the Submit page in the new quote creation journey**
 19. **verify toggle bar items are minimised when user opts to collapse the sidebar option**
 20. **Close Sales Portal**
4. **Verify login functionality with OTP to landing in the welcome page**
1. **Verify static text and elements on Login page Sales Portal**
 2. **Sales Portal Login Page fields error message validation "Invalid email format and password"**
 3. **Sales Portal Login Page fields error message validation "Blank email and Password"**
 4. **Sales Portal Login Page fields error message validation "Registered email and blank password"**
 5. **Sales Portal Login Page fields error message validation "Registered email and invalid password"**

6. **Sales Portal Login Page fields error message validation "Registered email and password length more than 50"**
 7. **Verify Agent is not able to login with wrong credential**
 8. **Validate the eye icon functionality for password field**
 9. **Login to Sales portal and verify OTP page is displayed**
 10. **verify by validation message displays by providing Invalid OTP checks**
 11. **verify by validation message displays by providing Invalid OTP checks**
 12. **Enter invalid otp and click on Login button**
 13. **Validate the return to the login link in verify your account page**
 14. **Validate the "Didnt receive code " in verify your account page**
 15. **Verify contact support link is navigating to knowledgebase**
 16. **Close Sales Portal**
5. **Verify user is landed to Sales pitch page after login which is a Information page**
 1. **Verify Sales pitch page is displayed after login**
 2. **Verify the first section on sales pitch page**
 3. **Verify the second section on sales pitch page**
 4. **Verify the third section on sales pitch page**
 5. **Verify the fourth section on sales pitch page**
 6. **Verify the fifth section on sales pitch page**
 7. **Verify the sixth section on sales pitch page**
 8. **Close Sales Portal**
6. **Verify agent can view his profile and reset the password**
 1. **Log in to Sales portal with valid agent credentials**
 2. **Navigate to Agent profile page and verify the agent details**
 3. **Verify sample text in change password section**
 4. **Invalid password check on profile page**
 5. **Invalid password check on profile page**
 6. **Invalid password check on profile page**
 7. **Invalid password check on profile page**
 8. **Invalid password check on profile page**
 9. **New password and confirm your password mismatch check on profile page**
 10. **Validate mask and unmask functionality for current,new and confirm password field**
 11. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 12. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 13. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 14. **verify that the save button is enabled only when agent entered the correct current,new and confirm password**
 15. **verify Agent should be able to change the password for sales portal**
 16. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 17. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 18. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 19. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 20. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 21. **Verify Agent should be able to reset the password back to Agent123 after 5 update**
 22. **verify Agent should be able to logout and Login back with the updated password**
 23. **Close from Sales Portal**
7. **Verify select plan page functionality**
 1. **Launch Sales application for PAMB**

2. **verify static and sample text on company and category section on select plan page**
 3. **Verify optional plan GHS is not selected by default**
 4. **Verify the validation when user saves the quote without entering the Mandatory fields**
 5. **Verify Next button validation message without entering any values**
 6. **verify that the coverage date should be current date by default**
 7. **verify the coverage date should set to current date if Agent input past date in text field**
 8. **verify that the past date should be disabled on coverage date calendar**
 9. **verify coverage date calendar is functioning properly**
 10. **verify coverage date calendar is functioning properly**
 11. **Enter number of employees: 4 for single category**
 12. **Verify Agent should be able to enter company and category details**
 13. **verify employee screen is displayed when user click on next button at the bottom of the screen**
 14. **verify the company name should be displayed as entered on select plan page on subsequent Employees page**
 15. **verify the company name should be displayed as entered on select plan page on subsequent Company page**
 16. **verify the company name should be displayed as entered on select plan page on subsequent Submit page**
 17. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Employees page**
 18. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Company page**
 19. **verify the estimated premium amount should be displayed as entered on select plan page on subsequent Submit page**
 20. **Close Sales Portal**
8. **Verify Agent can add,edit or delete members manually**
1. **Log into sales portal as an agent and navigate to employee page**
 2. **Verify Sample text on employee view**
 3. **Verify PDPA Consent requirement title and text**
 4. **verify Upload file,Add employee and download template button is disabled when PDPA Consent requirement check box is unchecked**
 5. **verify Upload file,Add members and download template button is enabled when PDPA Consent requirement check box is checked**
 6. **verify Agent can download the excel template**
 7. **verify static,sample text,header and footer on Member profile page**
 8. **verify the values of Occupational Class field on Add member modal**
 9. **Verify nationality field is uneditable**
 10. **Verify the dropdown lists in State field**
 11. **verify country field should be un editable**
 12. **Validating the error message When user clicks on save button without entering field value on member view**
 13. **Validating the error message: "\${emp.error.min.max.validation.firstname}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC**
 14. **Validating the error message: "\${emp.error.min.max.validation.surname}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC**
 15. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "abcD" for field "Post Code" on member profile page**

16. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "103" for field "Post Code" on member profile page**
17. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "145607" for field "Post Code" on member profile page**
18. **Validating the error message: "\${emp.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on member profile page**
19. **Validating the error message: "\${emp.error.min.max.validation.email}" When user enters invalid value
"ABCDEFGHIJK5LMNOPqrstuvwxyz1234567890123456789012345678901234567890AB"**
20. **Validating the error message: "\${error.numeric.validation.city}" When user enters invalid value "Test123" for field "City" on member profile page**
21. **Validating the error message: "\${emp.error.formatvalidation.nationalid}" When user enters invalid value "G1234567@H45" for field "NRIC no." on member profile page**
22. **Validating the error message: "\${emp.error.min.max.validation.address1}" When user enters invalid value
"ABCDEFGHIJKLMN0PQRSTUVWXYZ1234567890123456789012345678901234567890A"**
23. **Validating the error message: "\${emp.error.min.max.validation.city}" When user enters invalid value "ABCDEFgIJKLNMNO#\$%
^&@PQRSTUVWXYZyABCDEFGHIJKLMN0PQRSTUVWXYZABCDEFGHIJKLMNO"**
24. **Validating the error message: "\${bulk.upload.error.minmax.validation.ID}" When user enters invalid value "1234567891" for field "NRIC no." on member profile page**
25. **Validating the error message: "\${emp.error.min.max.validation.middlename}" When user enters invalid value
"ABCDEFGH324LMN0PQRSTUVWXYZyABCDEFGHIJKLMN0PQRSTUVWXYZABCDEFGHIJKLMNO"**
26. **Validating the error message: "\${emp.error.min.max.validation.address2}" When user enters invalid value
"ABCDEFGHIJKLMN0PQRSTUVWXYZ1234567890123456789012345678901234567890A"**
27. **Validating the error message: "\${emp.error.min.max.validation.address3}" When user enters invalid value
"ABCDEFGHIJKLMN0PQRSTUVWXYZ1234567890123456789012345678901234567890A"**
28. **Validating the error message: "\${emp.error.min.max.validation.address4}" When user enters invalid value
"ABCDEFGHIJKLMN0PQRSTUVWXYZ1234567890123456789012345678901234567890A"**
29. **validate the error message when member DOB is future dated or age is not between 16 & 30 (inclusive)**
30. **verify calendar functionality is working for date of birth**
31. **verify calendar functionality is working for coverage start date**
32. **Verify agent can perform following functions**
33. **Verify the email duplicate check is present while adding same email for employees manually**
34. **Verify the presence of the Search field**
35. **Verify the agent can search member details by entering "First Name"**
36. **Verify the agent can search member details by entering "Middle Name"**
37. **Verify the agent can search member details by entering "NRIC no."**
38. **Verify the agent can search member details by entering "Email Address"**
39. **Verify the agent can edit the employee information on employee page**
40. **Verify the agent can delete single member profile**
41. **Verify that the quote can be saved by clicking on Save Quote button after entering member details**
42. **Verify workflow of adding multiple member profiles manually**

43. Verify that the quote can be saved by clicking on Save Quote button in the Members page before entering member details
44. Verify the validation message when user click on next button without adding required number of members page
45. Close Sales Portal
9. Verify upload,re upload, download member excel functionality on members page
1. Prerequisite to upload members xslm using \${employee.upload.file.btn} button
 2. Set up the member view for uploading member data file
 3. verify error message when wrong file type is uploaded
 4. Sales Portal upload member error message validation "XLSM file with no details"
 5. Sales Portal upload member error message validation "XLSM file with no headers"
 6. Sales Portal upload member error message validation "XLSM file with missing header"
 7. Sales Portal upload member error message validation "XLSM file with diff headers"
 8. Sales Portal upload member error message validation "XLSM file with no data"
 9. Sales Portal upload member error message validation "XLSM file with wrong header name"
 10. Verify The validation message when Agent upload wrong data file with multiple errors
 11. Verify agent should be landed back to members screen after clicking on download member data file link
 12. verify the member Screen when member file is uploaded successfully
 13. verify Re upload popup window
 14. Re upload Member excel and verify the modified and new data have inserted and searched field text is cleared out
 15. Upload Member xls file with duplicate data and check upload is not allowed
 16. Closing the error modal view
 17. Close Sales Portal
10. Verify Agent can update the required details on company page and verify validations
1. verify default,sample text,header and footer on company page
 2. Verify Sample text on Company page
 3. Validate State data in dropdown
 4. verify the default value of country field on company page
 5. verify Agent details should be pre populated based on registration details
 6. Validating the error message When user clicks on next button without entering mandatory fields value on company page
 7. Validating the error message: "\${company.error.min.max.validation.firstname}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC
 8. Validating the error message: "\${company.error.min.max.validation.middlename}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC
 9. Validating the error message: "\${company.error.min.max.validation.surname}" When user enters invalid value
"ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZABC
 10. Validating the error message: "\${company.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on company page
 11. Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters invalid value "123456789" for field "Contact Fax Number" on company page
 12. Validating the error message: "Please ensure Telephone Number is 10 digits" When user enters invalid value "78456" for field "Telephone Number" on company page

13. **Validating the error message: "\${company.error.min.max.validation.email}" When user enters invalid value**
"ABCDEF~~GHIJK5LMNO~~PqrstuvwxyzWXYZ1234567890123456789012345678901234567890AB"
14. **Validating the error message: "\${error.numeric.validation.city}" When user enters invalid value "City123456" for field "City" on company page**
15. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123 " for field "Postcode" on company page**
16. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page**
17. **Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123456" for field "Postcode" on company page**
18. **Validating the error message: "\${company.error.signatoryDesignation.format.validation}" When user enters invalid value "test2Title" for field "Authorised Signatory Title" on company page**
19. **Validating the error message: "\${company.error.signatoryName.min.max.validation}" When user enters invalid value "abCD" for field "Authorised Signatory Name" on company page**
20. **Validating the error message: "\${company.error.signatoryName.min.max.validation}" When user enters invalid value**
"ABCDEF~~GH324LMNO~~OPQRSTUWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC"
21. **Validating the error message: "\${company.error.signatoryDesignation.min.max.validation}" When user enters invalid value "ABCDEFgIJKL~~MNO#%~~
^&@PQRSTUWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABCDEF~~GHIJKLMNO~~**
22. **Validating the error message: "\${company.error.min.max.validation.address1}" When user enters invalid value**
"ABCDEF~~GHIJKLMNO~~OPQRSTUVWXYZ1234567890123456789012345678901234567890A"
23. **Validating the error message: "\${company.error.min.max.validation.address2}" When user enters invalid value**
"ABCDEF~~GHIJKLMNO~~OPQRSTUVWXYZ1234567890123456789012345678901234567890A"
24. **Validating the error message: "\${company.error.min.max.validation.address3}" When user enters invalid value**
"ABCDEF~~GHIJKLMNO~~OPQRSTUVWXYZ1234567890123456789012345678901234567890A"
25. **Validating the error message: "\${company.error.min.max.validation.address4}" When user enters invalid value**
"ABCDEF~~GHIJKLMNO~~OPQRSTUVWXYZ1234567890123456789012345678901234567890A"
26. **Validating the error message: "\${company.error.min.max.validation.city}" When user enters invalid value "ABCDEFgIJKL~~MNO#%~~
^&@PQRSTUWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABCDEF~~GHIJKLMNO~~**
27. **validating the toast error message for scenario Primary Contact Email does not match any of the available in member Emails user clicks on next button**
28. **validating the toast error message for scenario Primary Email Address already exists user clicks on next button**
29. **verify Agent should be able to fill Company Name**
30. **verify Agent should be able to fill Primary Contact details**
31. **verify Agent should be able to fill company details**
32. **verify Agent should be able to fill company address details**
33. **verify Agent should be able to fill Authorised signatory details**
34. **Verify all the information should persist when user return to company screen after clicking on back button**
35. **Verify Agent can add additional Signatory information on company page to maximum 3 signatory**

36. Verify Agent can add additional Signatory information on company page to maximum 3 signatory
37. Verify Agent should be able to fill multiple authorised signatories and Title titles in company page
38. Verify Agent can save and export the quote on company page
39. Verify pop up message is displayed when we delete added signatory
40. Confirm delete of added signatory
41. Verify Signatory added are displayed in Submit page to add documents
42. Close Sales Portal
11. Verify the Submit page for page verification and various document uploads
1. Login to Sales portal and go to New Quote page
 2. Verify the text and buttons on Submit page
 3. Verify the upload for signed proposal document section
 4. verify delete popup window on submit page
 5. Verify agent can upload pdf,png,jpg,jpeg file types
 6. Verify agent can upload pdf,png,jpg,jpeg file types
 7. Verify agent can upload pdf,png,jpg,jpeg file types
 8. Verify agent can upload pdf,png,jpg,jpeg file types
 9. Verify agent can upload pdf,png,jpg,jpeg file types
 10. Verify agent can upload pdf,png,jpg,jpeg file types
 11. Verify agent can upload pdf,png,jpg,jpeg file types
 12. Verify agent can upload pdf,png,jpg,jpeg file types
 13. Verify the upload for Form 8 document
 14. Verify the upload for Form 24 document
 15. Verify the upload for Form 49 document
 16. Verify the upload for Direct Credit document
 17. Verify the upload for Schedule of assurance document
 18. Verify the upload for GHS schedule of benefits document
 19. Verify the upload for Authorized Signatory document 1 document
 20. Verify the upload for Copy of NRIC document
 21. Verify the upload for Copy of Memos document
 22. Verify the select payment method Bank transfer section
 23. Verify the select payment method Bank transfer section
 24. Add quote for Group term life for all 5 categories
 25. Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency
 26. Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency
 27. Validating the error message When user clicks on Confirm and Submit button without entering mandatory fields value on submit page
 28. Verify Agent can save and export the quote on submit page
 29. Close Sales Portal
12. Verify agent can see all the PLUK documents and can download them
1. Verify default and documents on Documents Page
 2. Verify documents table on document page
 3. Verify "PRUED Protect Leaflet" document download button is enabled
 4. Verify "Claim Form" document download button is enabled
 5. Verify "Medical Claim - Doctor's Statement" document download button is enabled
 6. Verify "Personal Accident Claim - Doctor's Statement" document download button is enabled

7. Verify "Personal Accident Claim - Healing Progress Form" document download button is enabled
 8. Verify "Total and Permanent Disability Claim - Doctor's Statement" document download button is enabled
 9. Verify "Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement" document download button is enabled
 10. Verify "Death Claim - Doctor's Statement" document download button is enabled
 11. Verify "Consent To Release Information" document download button is enabled
 12. Verify "Master Application Form" document download button is enabled
 13. Verify "Application For Direct Credit Form" document download button is enabled
 14. Verify "Authorised Company Representative Declaration Form" document download button is enabled
 15. Download PDF documents by click on down arrow button and verify "PRUEd Protect Leaflet" document is downloaded
 16. Download PDF documents by click on down arrow button and verify "Claim Form" document is downloaded
 17. Download PDF documents by click on down arrow button and verify "Medical Claim - Doctor's Statement" document is downloaded
 18. Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Doctor's Statement" document is downloaded
 19. Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Healing Progress Form" document is downloaded
 20. Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement" document is downloaded
 21. Download PDF documents by click on down arrow button and verify "Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement" document is downloaded
 22. Download PDF documents by click on down arrow button and verify "Death Claim - Doctor's Statement" document is downloaded
 23. Download PDF documents by click on down arrow button and verify "Consent To Release Information" document is downloaded
 24. Download PDF documents by click on down arrow button and verify "Master Application Form" document is downloaded
 25. Download PDF documents by click on down arrow button and verify "Application For Direct Credit Form" document is downloaded
 26. Download PDF documents by click on down arrow button and verify "Authorised Company Representative Declaration Form" document is downloaded
 27. Close Sales Portal
13. Verify agent can search for saved quotes based on search criteria, filter options and take required action
1. Create Draft quote and verify default and sample text of Quotes page
 2. Verify Table headers and fields on Quotes page
 3. Verify the filter option
 4. Create Draft Quote
 5. Create Archived Quote
 6. Create Submitted Quote
 7. Create In Force Quote
 8. Create Denied Quote
 9. Verify Archive quotes are not displayed when no filters are selected on quote page
 10. Verify search can be performed with "The exact company name"
 11. Verify search can be performed with "Company name by regex pattern"

12. [Verify search can be performed with "Reference Number"](#)
 13. [Verify Search Quote functionality is working for Company Name](#)
 14. [Verify search with invalid search value](#)
 15. [Verify Quote Filter functionality for "Filter quotes for status Draft"](#)
 16. [Verify Quote Filter functionality for "Filter quotes for status Archived"](#)
 17. [Verify Quote Filter functionality for "Filter quotes for status Submitted"](#)
 18. [Verify Quote Filter functionality for "Filter quotes for status In Force"](#)
 19. [Verify Quote Filter functionality for "Filter quotes for status Denied"](#)
 20. [Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"](#)
 21. [Verify Quote Filter functionality for "Filter quotes for status Draft,Denied"](#)
 22. [Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,Denied"](#)
 23. [Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,In Force"](#)
 24. [Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted"](#)
 25. [Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"](#)
 26. [Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived,In Force,Denied"](#)
 27. [Verify Action options for "Action option for status Draft" quotes](#)
 28. [Verify Action options for "Action option for status Submitted" quotes](#)
 29. [Verify Action options for "Action option for status Archived" quotes](#)
 30. [Verify Action options for "Action option for status InForce" quotes](#)
 31. [Verify Action options for "Action option for status Denied" quotes](#)
 32. [Verify Quote Action item Edit for Draft quote](#)
 33. [Quote Action item Export PDF : "Verify quote is exported to PDF for Draft quote"](#)
 34. [Quote Action item Export PDF : "Verify quote is exported to PDF for Submitted quote"](#)
 35. [Quote Action item Export PDF : "Verify quote is exported to PDF for Archived quote"](#)
 36. [Quote Action item Export PDF : "Verify quote is exported to PDF for Inforce quote"](#)
 37. [Quote Action item Export PDF : "Verify quote is exported to PDF for Denied quote"](#)
 38. [1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option "\\${quote.filter.option.draft}"](#)
 39. [1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option "\\${quote.filter.option.denied}"](#)
 40. [1.Verify "Inforce" quotes should return irrespective of isArchived flag for filter option "\\${quote.filter.option.in.force}"](#)
 41. [Verify Action Duplicate for "\\${quote.filter.option.draft}"](#)
 42. [Verify Action Duplicate for "\\${quote.filter.option.denied}"](#)
 43. [verify Delete popup window](#)
 44. [Verify Draft Quote is deleted](#)
 45. [Verify Quote Action item Edit for Archived quote](#)
 46. [Verify Quote Action item Unarchive text and cancel function](#)
 47. [Verify Archived Quote is deleted](#)
 48. [Verify Quote Action item View for Submitted quote](#)
 49. [Verify Quote Action item View for Inforce quote](#)
 50. [Close Sales Portal](#)
14. [Verify the Get Help page functionality](#)
1. [Verify agent should be navigated to Get Help page](#)
 2. [Verify static text on Get Help page](#)
 3. [Submit a ticket on sales portal app](#)
 4. [View Knowledge base](#)
 5. [Close from Sales Portal](#)
15. [Verify product plan by benefit table data is as per requirement](#)
1. [Login to Sales Portal](#)

2. Verify default state of Premium and Benefit page
 3. Compare plan by Annual benefit data for "\${select.plan.group.coverage.gtl.text}" product on screen with the Required value in CSV "GTL_ANNUAL"
 4. Close premium and benefit screen and logout
 5. Close from Sales Portal
16. Verify Quote is getting multiplied by number of employees and based on premium for selected plan for GTL product
1. Launch Sales portal and navigate to New Quote page
 2. Load Premium and modal factor csv file
 3. Estimated Annual Premium for Plan "GTL" for number of members "1"
 4. Estimated Annual Premium for Plan "GTL" for number of members "4"
 5. Estimated Annual Premium for Plan "GTL" for number of members "5"
 6. Estimated Annual Premium for Plan "GTL" for number of members "50"
 7. Estimated Annual Premium for Plan "GTL" for number of members "100"
 8. Estimated Annual Premium for Plan "GTL" for number of members "200"
 9. Estimated Annual Premium for Plan "GTL" for number of members "1000"
 10. Estimated Annual Premium for Plan "GTL" for number of members "5000"
 11. Estimated Annual Premium for Plan "GTL" for number of members "10000"
 12. Close Sales Portal
17. Verify agent can download the quotes in pdf format and check all information is correct for GTL
1. Login to sales portal
 2. Assign value to variables and enter details on select plan page
 3. Select plan and category
 4. Save Quote and get reference number from Quotes screen
 5. Verify Export Quote is working in "Select Plan" page in sales Journey
 6. Verify Export Quote is working in "Employees" page in sales Journey
 7. Verify Export Quote is working in "Company" page in sales Journey
 8. Verify Export Quote is working in "Submit" page in sales Journey
 9. Close Sales Portal
18. Verify agent can download the quotes in pdf format and check all information is correct for GTL
1. Login to sales portal
 2. Assign value to variables and enter details on select plan page
 3. Select plan and category
 4. Save Quote and get reference number from Quotes screen
 5. Verify Export Quote is working in "Select Plan" page in sales Journey
 6. Verify Export Quote is working in "Employees" page in sales Journey
 7. Verify Export Quote is working in "Company" page in sales Journey
 8. Verify Export Quote is working in "Submit" page in sales Journey
 9. Close Sales Portal

Detailed Results Report

Feature: Verify agent registration workflow

Passed: 16

Scenario: verify default and sample text on agent registration page

Passed: 16

Before

Given I assign "/testdata/\${sales.fe.lbu}/bulk_user_upload" to variable "testdata.path"

Output

Assigning value /testdata/my/bulk_user_upload to variable testdata.path

And I assign "\${testdata.path}/input/AgentReg_Template.csv" to variable "INPUT_PATH"**Output**

Assigning value /testdata/my/bulk_user_upload/input/AgentReg_Template.csv to variable INPUT_PATH

And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT_PATH"**Output**

Assigning value /testdata/my/bulk_user_upload/output/Users.csv to variable OUTPUT_PATH

And I generate random number and assign to variable "RANDOM_NUMBER"**Output**

Random number generated is :405

And I copy the csv template "\${INPUT_PATH}" and replace following variables in output path "\${OUTPUT_PATH}"

agent.Email	taf-\${RANDOM_NUMBER}@mailinator.com
-------------	--------------------------------------

And I assign value to following variables

GROUP_ID	\${group.id}
----------	--------------

And I upload the csv file "\${OUTPUT_PATH}" received from agent group "\${GROUP_ID}" using**Then I verify File is uploaded successfully****Then I verify for below email content is matching with "/testdata/\${sales.fe.lbu}/email_template/ag**

EMAIL SUBJECT	\${register.email.subject}
EMAIL FROM	\${register.email.from}
EMAIL TO	\${agent.Email}

Output

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-40524025235

Expected email content Welcome to the team

Hi Test,

A warm welcome from the Prudential Enterprise Business team. You are 2 steps away from completing your account.

Please click on the below link and follow the instructions to create your account password. This link expires after 24 hours.

Create Password

Warm Regards,

Prudential

Please note that this is a system generated email, please do not reply

Actual email content Welcome to the team

Hi Test,

A warm welcome from the Prudential Enterprise Business team. You are 2 steps away from completing your account.
Please click on the below link and follow the instructions to create your account password. This link expires after 24 hours.

Create Password

Warm Regards,

Prudential

Please note that this is a system generated email, please do not reply

And I close sales portal**And I launch the agent registration URL****Output**<https://dev-pamb-sales-eb.pru.intranet.asia/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInR>**Then I verify following text is displayed on "Agent Registration" page****\${agent.registration.text}****\${agent.password.rule.text}****Then verify Welcome text "Welcome \${agent.Email}" on agent registration page****And I verify field label text on "Agent Registration" page****\${agent.create.password.text}****\${agent.confirm.password.text}****Then I verify next button text****And I verify next button is disabled****After**[Back to Table of Contents](#)**Scenario Outline: Invalid password check on agent registration page**

Passed: 2

Before**When I enter "Agent" password in create password field****Then I verify "\${agent.password.rule.text}" validation error message is highlighted****After**[Back to Table of Contents](#)**Scenario Outline: Invalid password check on agent registration page**

Passed: 2

Before**When I enter "1234567#" password in create password field****Then I verify "\${agent.password.rule.text}" validation error message is highlighted**

After
Back to Table of Contents
Scenario Outline: Invalid password check on agent registration page
Passed: 2
Before
<ul style="list-style-type: none"> When I enter "AGENT@1234" password in create password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted
After
Back to Table of Contents
Scenario Outline: Invalid password check on agent registration page
Passed: 2
Before
<ul style="list-style-type: none"> When I enter "agent@1234" password in create password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted
After
Back to Table of Contents
Scenario Outline: Invalid password check on agent registration page
Passed: 2
Before
<ul style="list-style-type: none"> When I enter "Agent12366666777777777Agent12344444444444444442" password in create password field Then I verify "\${password.field.length.validation}" validation error message is highlighted
After
Back to Table of Contents
Scenario: Create password and confirm password mismatch check on agent registration page
Passed: 3
Before
<ul style="list-style-type: none"> When I enter "Agent1234" password in create password field And I enter "Agent3456" password in confirm password field Then I verify "The passwords entered do not match, please try again" validation error message is displayed
After
Back to Table of Contents
Scenario: Validate mask and unmask functionality for create and confirm password field
Passed: 5
Before
<ul style="list-style-type: none"> And I verify the Password entered is masked When I click on the eye icon for Create Password field Then I validate the password should display without encrypted When I click on the eye icon for Confirm Password field Then I validate the confirm password should display without encrypted
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create and confirm password

Passed: 3
Before
<p>When I enter "Agent" password in create password field And I enter "Agent" password in confirm password field Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create an
Passed: 3
Before
<p>When I enter "Agent123" password in create password field And I enter "" password in confirm password field Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create an
Passed: 3
Before
<p>When I enter "Agent123" password in create password field And I enter "Agent" password in confirm password field Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario Outline: verify that the next button is enabled only when agent entered the correct create an
Passed: 3
Before
<p>When I enter "" password in create password field And I enter "Agent123" password in confirm password field Then I verify next button is disabled</p>
After
Back to Table of Contents
Scenario: verify Agent should be able to create the password for sales portal
Passed: 9
Before
<p>Given I assign "Agent123" to variable "AGENT_PASSWORD"</p>
Output
<pre>Assigning value Agent123 to variable AGENT_PASSWORD</pre>
<p>When I enter "\${AGENT_PASSWORD}" password in create password field And I enter "\${AGENT_PASSWORD}" password in confirm password field</p>

<p>And I verify next button is enabled</p>
<p>And I click on next button</p>
<p>Then I verify following text is displayed on "Email Confirmation" page</p>
<p><code> \${agent.registration.text}</code></p>
<p>And I verify following paragraph is displayed on "Email Confirmation" page</p>
<p><code> An email has been sent to</code></p>
<p><code> Please click on the link sent to your email address to verify your account and proceed to the log</code></p>
<p>And I verify email confirmation contains the agent email address as "<code> \${agent.Email}</code>"</p>
<p>And I close sales portal</p>
<p>After</p>
<p>Back to Table of Contents</p>
<p>Scenario: Verify Agent account is activated and can proceed with login</p>
<p>Passed: 17</p>
<p>Before</p>
<p>And I wait for 10 sec</p>
<p>Given I assign "<code> \${verify.email.from}</code>" to variable "EMAIL_FROM"</p>
<p>Output</p>
<pre>Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM</pre>
<p>Given I assign "<code> \${verify.email.subject}</code>" to variable "EMAIL SUBJECT"</p>
<p>Output</p>
<pre>Assigning value Prudential Enterprise Business Account E-mail Verification to variable EMAIL_SUBJECT</pre>
<p>Given I read Agent registration email from "<code> \${agent.Email}</code>" in Mailinator and get "<code> \${verify.email}</code>"</p>
<p>Output</p>
<pre>Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-40524025235 Registration link is https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=18e29cd3-420e-4209-8002-ac2db3a97a15&co</pre>
<p>Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_registration_email.html"</p>
<p>When I navigate to the email verification link sent to agent</p>
<p>Output</p>
<pre>https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=18e29cd3-420e-4209-8002-ac2db3a97a15&co</pre>
<p>Then I verify following text is displayed on "Confirmation" page</p>

Confirmation
And I verify following paragraph is displayed on "Confirmation" page
Your account has now been activated, please proceed to login page.
And I verify Proceed to login button is enabled
When I click on Proceed to login button
Then I verify following text is displayed on "Login" page
Welcome
And I close sales portal
When I launch to mailinator email "\${agent.Email}" on UI
Output
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-40524025235
And I wait for 10 sec
When I click on email with from "\${verify.email.from}" and subject "\${login.email.success}" on mailinator
Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_registration.html"
And I close sales portal
After
Back to Table of Contents
Scenario: verify the user should be prompted to login when already registered user is loaded in bulk upload
Passed: 7
Before
When I launch the agent registration URL
Output
https://dev-pamb-sales-eb.pru.intranet.asia/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInR
Then verify user is landed to agent registration page
And I assign "Agent123" to variable "AGENT_PASSWORD"
Output
Assigning value Agent123 to variable AGENT_PASSWORD
And I enter "\${AGENT_PASSWORD}" password in create password field
And I enter "\${AGENT_PASSWORD}" password in confirm password field
And I click on next button
Then I verify "Error: This account already exists" form validation error message is displayed
After
Back to Table of Contents

Scenario: Close from Sales Portal
Passed: 1
Before
And I close sales portal
After
Back to Table of Contents
Feature: Validate the forgot password with valid and invalid condition
Passed: 17
Scenario: Agent Registration using api
Passed: 11
Before
Given I assign "/testdata/\${sales.fe.lbu}/bulk_user_upload" to variable "testdata.path"
Output
Assigning value /testdata/my/bulk_user_upload to variable testdata.path
And I assign "\${testdata.path}/input/AgentReg_Template.csv" to variable "INPUT_PATH"
Output
Assigning value /testdata/my/bulk_user_upload/input/AgentReg_Template.csv to variable INPUT_PATH
And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT_PATH"
Output
Assigning value /testdata/my/bulk_user_upload/output/Users.csv to variable OUTPUT_PATH
And I generate random number and assign to variable "RANDOM_NUMBER"
Output
Random number generated is :291
When I copy the csv template "\${INPUT_PATH}" and replace following variables in output path
agent.Email taf-\${RANDOM_NUMBER}@mailinator.com
And I assign value to following variables
GROUP_ID \${group.id}
And I upload the csv file "\${OUTPUT_PATH}" received from agent group "\${GROUP_ID}" using
Then I verify File is uploaded successfully

	And I assign value to following variables
JWT_TOKEN	\${JWT_BLK_UPL}
USER_EMAIL	\${agent.Email}
USER_PWD	Agent123
CONSENT	true
ACCEPT	true
	And I launch the agent registration URL
Output	<pre>https://dev-pamb-sales-eb.pru.intranet.asia/identity/register/eyJhbGciOiJIUzI1NiJ9eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInR</pre>
	Then I verify following text is displayed on "Agent Registration" page
	\${agent.registration.text}
	After
	Back to Table of Contents
	Scenario: Verify agent registration flow - Setting up password
Passed: 8	
	Before
	Given I assign "Agent123" to variable "AGENT_PASSWORD"
Output	<pre>Assigning value Agent123 to variable AGENT_PASSWORD</pre>
	When I enter "\${AGENT_PASSWORD}" password in create password field
	And I enter "\${AGENT_PASSWORD}" password in confirm password field
	And I click on next button
	Then I verify following text is displayed on "Email Confirmation" page
	\${agent.registration.text}
	And I verify following paragraph is displayed on "Email Confirmation" page
	An email has been sent to
	Please click on the link sent to your email address to verify your account and proceed to the log
	And I wait for 10 sec
	And I close sales portal
	After
	Back to Table of Contents
	Scenario: Verify agent registration flow - Email Verification
Passed: 3	
	Before
	Given I assign "\${verify.email.from}" to variable "EMAIL_FROM"
Output	

Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM

Given I assign "\${verify.email.subject}" to variable "EMAIL SUBJECT"

Output

Assigning value Prudential Enterprise Business Account E-mail Verification to variable EMAIL_SUBJECT

Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${verify.emai

Output

Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-29124025244

Registration link is https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=017d9514-799a-4927-83fc

After

[Back to Table of Contents](#)

Scenario: Verify static text and elements on Forgot Password page in Sales Portal

Passed: 11

Before

When I navigate to the email verification link sent to agent

Output

https://dev-pamb-sales-eb.pru.intranet.asia/identity/activate?app=eb_sme&token=017d9514-799a-4927-83fc-932a228ee02d&co

Then I verify following text is displayed on "Confirmation" page

Confirmation

When I click on Proceed to login button

Then I verify following text is displayed on "Login" page

`${agent.login.welcome.text}`

Given I click on the forgot password link from the login page

Then I verify following text is displayed on "Forgot your password" page

`${agent.login.forgot.password.text}`

And I verify field label text on "Forgot your password" page

`${agent.forgot.password.field.label.text}`

And I verify sample text in email field on "Forgot your password" page

`${reset.password.email.id.field.sample.text}`

And I verify Return to login link text on Forgot your password page

And I verify following buttons are displayed on "Forgot your password"

	 \${agent.contact.support.text}
And I verify "\${submit.button.text}" button is "disabled"	
After	
Back to Table of Contents	
Scenario: Validate the return to the login link in Forgot your password page	
Passed: 4	
Before	
When I click on the Return to Login link in Forgot your password page	
Then I verify following text is displayed on "Login" page	
 \${agent.login.welcome.text}	
When I click on the forgot password link from the login page	
Then I verify the forgot password email text box is empty	
After	
Back to Table of Contents	
Scenario: Verify the confirmation message on forgot password page when user enter valid email id	
Passed: 7	
Before	
When I enter email address "\${USER_EMAIL}" in Forgot your password page	
Output	
taf-29124025244@mailinator.com	
And I verify "\${submit.button.text}" button is "enabled"	
When I click on "\${submit.button.text}" button	
Then I verify following text is displayed on "Forgot your password?" page	
 \${agent.login.forgot.password.text}	
And I verify email confirmation contains the agent email address as "\${USER_EMAIL}"	
And I verify following paragraph is displayed on "Email Confirmation" page	
 \${reset.password.instruction.message.text}	
And I verify link label text on "Forgot your password" page	
 \${back.button.text}	
After	
Back to Table of Contents	
Scenario: Verify back button navigates user back to login page	
Passed: 2	
Before	
And I click on "\${back.button.text}" link label	
And I verify following text is displayed on "Login" page	
 \${agent.login.welcome.text}	
After	
Back to Table of Contents	

Scenario: Close sales portal
Passed: 1
Before
And I close sales portal
After
Back to Table of Contents
Scenario: Verify reset password link is sent to user email account
Passed: 10
Before
Given I assign "\${reset.email.from}" to variable "EMAIL_FROM"
Output
Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM
Given I assign "\${reset.email.subject}" to variable "EMAIL SUBJECT"
Output
Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL SUBJECT
And I wait for 10 sec
Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.email.url}"
Output
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-29124025244 Registration link is https://dev-pamb-sales-eb.pru.intranet.asia/identity/reset-password?app=eb_sme&token=81929790-164d-4c29-bd17-24a721c67
Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_registration_email.html"
When I navigate to the reset password link sent to agent
Output
https://dev-pamb-sales-eb.pru.intranet.asia/identity/reset-password?app=eb_sme&token=81929790-164d-4c29-bd17-24a721c67
Then I verify following text is displayed on "Password Reset" page
Output
\${reset.password.label.text}
\${agent.password.rule.text}
And I verify field label text on "Password Reset" page
Output
\${agent.create.password.text}
And I verify "\${reset.password.button.text}" button is "disabled"

	And I verify following buttons are displayed on "Forgot your password"
	 \${agent.contact.support.text}
After	
Back to Table of Contents	
Scenario: Validate mask and unmask functionality for create and confirm password field	
Passed: 5	
Before	
	And I verify the Password entered is masked
	When I click on the eye icon for Create Password field
	Then I validate the password should display without encrypted
	When I click on the eye icon for Confirm Password field
	Then I validate the confirm password should display without encrypted
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
	When I enter "Agent" password in create password field
	And I enter "Agent" password in confirm password field
	And I verify "\${reset.password.button.text}" button is "disabled"
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
	When I enter "Agent123" password in create password field
	And I enter "" password in confirm password field
	And I verify "\${reset.password.button.text}" button is "disabled"
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
	When I enter "Agent123" password in create password field
	And I enter "Agent" password in confirm password field
	And I verify "\${reset.password.button.text}" button is "disabled"
After	
Back to Table of Contents	
Scenario Outline: verify that the reset password button is enabled only when agent entered the correct password	
Passed: 3	
Before	
	When I enter "" password in create password field

	<p>And I enter "Agent123" password in confirm password field And I verify "\${reset.password.button.text}" button is "disabled"</p>				
After					
Back to Table of Contents					
Scenario: verify Agent should be able to reset the password for sales portal					
Passed: 14					
Before					
	<p>Given I assign "Agent124" to variable "AGENT_NEW_PASSWORD"</p>				
Output					
	<p>Assigning value Agent124 to variable AGENT_NEW_PASSWORD</p>				
	<p>When I enter "\${AGENT_NEW_PASSWORD}" password in create password field And I enter "\${AGENT_NEW_PASSWORD}" password in confirm password field And I verify "\${reset.password.button.text}" button is "enabled" And I click on "\${reset.password.button.text}" button And I verify following text is displayed on "Password Reset" page</p>				
	<table border="1"><tr><td> \${reset.password.label.text}</td></tr><tr><td> \${reset.password.confirmation.message.text}</td></tr></table>	\${reset.password.label.text}	\${reset.password.confirmation.message.text}		
\${reset.password.label.text}					
\${reset.password.confirmation.message.text}					
	<p>Then I verify "\${agent.proceed.login.text}" button is "enabled" And I verify following buttons are displayed on "Forgot your password" \${agent.contact.support.text}</p>				
	<p>Then I click on Proceed to login button Then I verify following text is displayed on "Welcome" page \${agent.login.welcome.text}</p>				
	<p>When I enter username and password in Sales portal Login page</p>				
	<table border="1"><tr><td>UserName</td><td> \${USER_EMAIL}</td></tr><tr><td>Password</td><td> \${AGENT_NEW_PASSWORD}</td></tr></table>	UserName	\${USER_EMAIL}	Password	\${AGENT_NEW_PASSWORD}
UserName	\${USER_EMAIL}				
Password	\${AGENT_NEW_PASSWORD}				
	<p>And I click on Login button And I enter the verification code if page appears for agent "\${USER_EMAIL}"</p>				
Output					
	<p>Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-29124025244 Email OTP is 34755405</p>				
	<p>Then I verify "\${welcome.to.prudential}" screen is displayed</p>				
After					
Back to Table of Contents					
Scenario: verify Agent should be able to logout and Login back with the new/reset password					
Passed: 5					

Before				
When I Logout of the sales portal				
When I enter username and password in Sales portal Login page				
<table border="1"> <tr> <td>UserName</td> <td> \${USER_EMAIL}</td> </tr> <tr> <td>Password</td> <td> \${AGENT_NEW_PASSWORD}</td> </tr> </table>	UserName	\${USER_EMAIL}	Password	\${AGENT_NEW_PASSWORD}
UserName	\${USER_EMAIL}			
Password	\${AGENT_NEW_PASSWORD}			
And I click on Login button				
And I enter the verification code if page appears for agent "\${USER_EMAIL}"				
Then I verify "\${welcome.to.prudential}" screen is displayed				
After				
Back to Table of Contents				
Scenario: Close from Sales Portal				
Passed: 1				
Before				
<table border="1"> <tr> <td>And I close sales portal</td> </tr> </table>	And I close sales portal			
And I close sales portal				
After				
Back to Table of Contents				
Feature: Verify the homepage for Agent ID, Navigation bar & Toggle bar				
Passed: 20				
Scenario: Verify the agent ID is displayed on home page				
Passed: 7				
Before				
<table border="1"> <tr> <td>Given Launch sales portal</td> </tr> </table>	Given Launch sales portal			
Given Launch sales portal				
<table border="1"> <tr> <td>Output</td> </tr> </table> <pre>https://dev-pamb-sales-eb.pru.intranet.asia/</pre>	Output			
Output				
And I assign value to following variables				
<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}			
Agent_Password	\${agent.password}			
When I Login to Sales Portal with below details				
<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}			
Password	\${Agent_Password}			
And I enter the verification code if page appears for agent "\${Agent_Email}"				
<table border="1"> <tr> <td>Output</td> </tr> </table> <pre>Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=testdevpamb_12345 Email OTP is 14856205</pre>	Output			
Output				
And I verify "English" language is selected by default based on LBU				
Then I toggle the language button as required				

Then I verify "\${welcome.to.prudential}" screen is displayed																	
After																	
Back to Table of Contents																	
Scenario: Verify the Toggle bar on the home page																	
Passed: 3																	
Before																	
<p>Given The toggle bar is present at left side of the page</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr> <td>New Quote</td> <td> \${toggleBarItem.newQuote.label}</td> </tr> <tr> <td>Information</td> <td> \${toggleBarItem.information.label}</td> </tr> <tr> <td>Quotes</td> <td> \${toggleBarItem.quotes.label}</td> </tr> <tr> <td>Documents</td> <td> \${toggleBarItem.documents.label}</td> </tr> <tr> <td>Support</td> <td> \${toggleBarItem.support.label}</td> </tr> <tr> <td>Logout</td> <td> \${toggleBarItem.logOut.label}</td> </tr> <tr> <td>Profile</td> <td> \${toggleBarItem.profile.label}</td> </tr> <tr> <td>Toggle Sidebar</td> <td> \${toggleBarItem.toggleSidebar.label}</td> </tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr> <td> \${language.selection.options}</td> </tr> </table>	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	Toggle Sidebar	\${toggleBarItem.toggleSidebar.label}	\${language.selection.options}
New Quote	\${toggleBarItem.newQuote.label}																
Information	\${toggleBarItem.information.label}																
Quotes	\${toggleBarItem.quotes.label}																
Documents	\${toggleBarItem.documents.label}																
Support	\${toggleBarItem.support.label}																
Logout	\${toggleBarItem.logOut.label}																
Profile	\${toggleBarItem.profile.label}																
Toggle Sidebar	\${toggleBarItem.toggleSidebar.label}																
\${language.selection.options}																	
After																	
Back to Table of Contents																	
Scenario Outline: I verify the navigation to the New Quote page and verify that user is landed on New Quote page																	
Passed: 4																	
Before																	
<p>Given I click on "New Quote" Link</p> <p>And verify the user is landed on "New Quote" page</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr> <td>Toggle Sidebar</td> <td> \${toggleBarItem.toggleSidebar.label}</td> </tr> <tr> <td>New Quote</td> <td> \${toggleBarItem.newQuote.label}</td> </tr> <tr> <td>Information</td> <td> \${toggleBarItem.information.label}</td> </tr> <tr> <td>Quotes</td> <td> \${toggleBarItem.quotes.label}</td> </tr> <tr> <td>Documents</td> <td> \${toggleBarItem.documents.label}</td> </tr> <tr> <td>Support</td> <td> \${toggleBarItem.support.label}</td> </tr> <tr> <td>Logout</td> <td> \${toggleBarItem.logOut.label}</td> </tr> <tr> <td>Profile</td> <td> \${toggleBarItem.profile.label}</td> </tr> </table> <p>Then I verify following language options are available on toggle bar based on the LBU</p> <table border="1"> <tr> <td> \${language.selection.options}</td> </tr> </table>	Toggle Sidebar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	\${language.selection.options}
Toggle Sidebar	\${toggleBarItem.toggleSidebar.label}																
New Quote	\${toggleBarItem.newQuote.label}																
Information	\${toggleBarItem.information.label}																
Quotes	\${toggleBarItem.quotes.label}																
Documents	\${toggleBarItem.documents.label}																
Support	\${toggleBarItem.support.label}																
Logout	\${toggleBarItem.logOut.label}																
Profile	\${toggleBarItem.profile.label}																
\${language.selection.options}																	
After																	
Back to Table of Contents																	
Scenario Outline: I verify the navigation to the Quotes page and verify that user is landed on Quotes page																	
Passed: 4																	
Before																	
<p>Given I click on "Quotes" Link</p> <p>And verify the user is landed on "Quotes" page</p>																	

	Then I verify the presence of following toggle bar items
	Toggle SideBar \${toggleBarItem.toggleSidebar.label}
	New Quote \${toggleBarItem.newQuote.label}
	Information \${toggleBarItem.information.label}
	Quotes \${toggleBarItem.quotes.label}
	Documents \${toggleBarItem.documents.label}
	Support \${toggleBarItem.support.label}
	Logout \${toggleBarItem.logOut.label}
	Profile \${toggleBarItem.profile.label}
	Then I verify following language options are available on toggle bar based on the LBU
	\${language.selection.options}
After	
Back to Table of Contents	
Scenario Outline: I verify the navigation to the Documents page and verify that user is landed on Document	
Passed: 4	
Before	
	Given I click on "Documents" Link
	And verify the user is landed on "Documents" page
	Then I verify the presence of following toggle bar items
	Toggle SideBar \${toggleBarItem.toggleSidebar.label}
	New Quote \${toggleBarItem.newQuote.label}
	Information \${toggleBarItem.information.label}
	Quotes \${toggleBarItem.quotes.label}
	Documents \${toggleBarItem.documents.label}
	Support \${toggleBarItem.support.label}
	Logout \${toggleBarItem.logOut.label}
	Profile \${toggleBarItem.profile.label}
	Then I verify following language options are available on toggle bar based on the LBU
	\${language.selection.options}
After	
Back to Table of Contents	
Scenario Outline: I verify the navigation to the Get Help page and verify that user is landed on Get Help	
Passed: 4	
Before	
	Given I click on "Get Help" Link
	And verify the user is landed on "Get Help" page
	Then I verify the presence of following toggle bar items
	Toggle SideBar \${toggleBarItem.toggleSidebar.label}
	New Quote \${toggleBarItem.newQuote.label}
	Information \${toggleBarItem.information.label}
	Quotes \${toggleBarItem.quotes.label}
	Documents \${toggleBarItem.documents.label}
	Support \${toggleBarItem.support.label}

	Logout	<code>#{toggleBarItem.logOut.label}</code>	
	Profile	<code>#{toggleBarItem.profile.label}</code>	
Then I verify following language options are available on toggle bar based on the LBU			
<code>#{language.selection.options}</code>			
After			
Back to Table of Contents			
Scenario Outline: I verify the navigation to the Agent Profile page and verify that user is landed on A			
Passed: 4			
Before			
<p>Given I click on "Agent Profile" Link</p> <p>And verify the user is landed on "Agent Profile" page</p> <p>Then I verify the presence of following toggle bar items</p>			
	Toggle SideBar	<code>#{toggleBarItem.toggleSidebar.label}</code>	
	New Quote	<code>#{toggleBarItem.newQuote.label}</code>	
	Information	<code>#{toggleBarItem.information.label}</code>	
	Quotes	<code>#{toggleBarItem.quotes.label}</code>	
	Documents	<code>#{toggleBarItem.documents.label}</code>	
	Support	<code>#{toggleBarItem.support.label}</code>	
	Logout	<code>#{toggleBarItem.logOut.label}</code>	
	Profile	<code>#{toggleBarItem.profile.label}</code>	
Then I verify following language options are available on toggle bar based on the LBU			
<code>#{language.selection.options}</code>			
After			
Back to Table of Contents			
Scenario Outline: I verify the navigation to the Information page and verify that user is landed on Inf			
Passed: 4			
Before			
<p>Given I click on "Information" Link</p> <p>And verify the user is landed on "Information" page</p> <p>Then I verify the presence of following toggle bar items</p>			
	Toggle SideBar	<code>#{toggleBarItem.toggleSidebar.label}</code>	
	New Quote	<code>#{toggleBarItem.newQuote.label}</code>	
	Information	<code>#{toggleBarItem.information.label}</code>	
	Quotes	<code>#{toggleBarItem.quotes.label}</code>	
	Documents	<code>#{toggleBarItem.documents.label}</code>	
	Support	<code>#{toggleBarItem.support.label}</code>	
	Logout	<code>#{toggleBarItem.logOut.label}</code>	
	Profile	<code>#{toggleBarItem.profile.label}</code>	
Then I verify following language options are available on toggle bar based on the LBU			
<code>#{language.selection.options}</code>			
After			
Back to Table of Contents			
Scenario: Verify the Navigation bar on the New Quote page			

Passed: 3																
Before																
<p>Given I click on Create Quote Link</p> <p>Then I accept disclaimer if present for new quote</p> <p>Then I verify the presence of following navigation bar items</p> <table border="1"> <tr><td> \${selectPlan.tab.text}</td></tr> <tr><td> \${employee.tab.text}</td></tr> <tr><td> \${company.tab.text}</td></tr> <tr><td> \${submit.tab.text}</td></tr> </table>	\${selectPlan.tab.text}	\${employee.tab.text}	\${company.tab.text}	\${submit.tab.text}												
\${selectPlan.tab.text}																
\${employee.tab.text}																
\${company.tab.text}																
\${submit.tab.text}																
After																
Back to Table of Contents																
Scenario Outline: I verify the navigation to the Select Plan page and verify that user is landed on Select Plan page																
Passed: 7																
Before																
<p>Given I navigate to "Select Plan" screen</p> <p>And verify the user is landed on "Select Plan" page</p> <p>Then I wait for 2 sec</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td> Toggle SideBar</td><td> \${toggleBarItem.toggleSidebar.label}</td></tr> <tr><td> New Quote</td><td> \${toggleBarItem.newQuote.label}</td></tr> <tr><td> Information</td><td> \${toggleBarItem.information.label}</td></tr> <tr><td> Quotes</td><td> \${toggleBarItem.quotes.label}</td></tr> <tr><td> Documents</td><td> \${toggleBarItem.documents.label}</td></tr> <tr><td> Support</td><td> \${toggleBarItem.support.label}</td></tr> <tr><td> Logout</td><td> \${toggleBarItem.logOut.label}</td></tr> <tr><td> Profile</td><td> \${toggleBarItem.profile.label}</td></tr> </table>	Toggle SideBar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}															
New Quote	\${toggleBarItem.newQuote.label}															
Information	\${toggleBarItem.information.label}															
Quotes	\${toggleBarItem.quotes.label}															
Documents	\${toggleBarItem.documents.label}															
Support	\${toggleBarItem.support.label}															
Logout	\${toggleBarItem.logOut.label}															
Profile	\${toggleBarItem.profile.label}															
Then I verify following language options are available on toggle bar based on the LBU																
\${language.selection.options}																
When I click on Estimated Premium info icon																
Then I verify following text is displayed on "Info Section" page																
\${info.text}																
After																
Back to Table of Contents																
Scenario Outline: I verify the navigation to the Employees page and verify that user is landed on Employees page																
Passed: 7																
Before																
<p>Given I navigate to "Employees" screen</p> <p>And verify the user is landed on "Employees" page</p> <p>Then I wait for 2 sec</p> <p>Then I verify the presence of following toggle bar items</p> <table border="1"> <tr><td> Toggle SideBar</td><td> \${toggleBarItem.toggleSidebar.label}</td></tr> <tr><td> New Quote</td><td> \${toggleBarItem.newQuote.label}</td></tr> <tr><td> Information</td><td> \${toggleBarItem.information.label}</td></tr> </table>	Toggle SideBar	\${toggleBarItem.toggleSidebar.label}	New Quote	\${toggleBarItem.newQuote.label}	Information	\${toggleBarItem.information.label}										
Toggle SideBar	\${toggleBarItem.toggleSidebar.label}															
New Quote	\${toggleBarItem.newQuote.label}															
Information	\${toggleBarItem.information.label}															

	Quotes	<code> \${toggleBarItem.quotes.label}</code>	
	Documents	<code> \${toggleBarItem.documents.label}</code>	
	Support	<code> \${toggleBarItem.support.label}</code>	
	Logout	<code> \${toggleBarItem.logOut.label}</code>	
	Profile	<code> \${toggleBarItem.profile.label}</code>	

Then I verify following language options are available on toggle bar based on the LBU

<code> \${language.selection.options}</code>
--

When I click on Estimated Premium info icon

Then I verify following text is displayed on "Info Section" page

<code> \${info.text}</code>

After

[Back to Table of Contents](#)

Scenario Outline: I verify the navigation to the Company page and verify that user is landed on Company screen

Passed: 7

Before

Given I navigate to "Company" screen

And verify the user is landed on "Company" page

Then I wait for 2 sec

Then I verify the presence of following toggle bar items

Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>
New Quote	<code> \${toggleBarItem.newQuote.label}</code>
Information	<code> \${toggleBarItem.information.label}</code>
Quotes	<code> \${toggleBarItem.quotes.label}</code>
Documents	<code> \${toggleBarItem.documents.label}</code>
Support	<code> \${toggleBarItem.support.label}</code>
Logout	<code> \${toggleBarItem.logOut.label}</code>
Profile	<code> \${toggleBarItem.profile.label}</code>

Then I verify following language options are available on toggle bar based on the LBU

<code> \${language.selection.options}</code>
--

When I click on Estimated Premium info icon

Then I verify following text is displayed on "Info Section" page

<code> \${info.text}</code>

After

[Back to Table of Contents](#)

Scenario Outline: I verify the navigation to the Submit page and verify that user is landed on Submit screen

Passed: 7

Before

Given I navigate to "Submit" screen

And verify the user is landed on "Submit" page

Then I wait for 2 sec

Then I verify the presence of following toggle bar items

Toggle SideBar	<code> \${toggleBarItem.toggleSidebar.label}</code>
New Quote	<code> \${toggleBarItem.newQuote.label}</code>

		<table border="1"> <tr><td>Information</td><td> \${toggleBarItem.information.label}</td></tr> <tr><td>Quotes</td><td> \${toggleBarItem.quotes.label}</td></tr> <tr><td>Documents</td><td> \${toggleBarItem.documents.label}</td></tr> <tr><td>Support</td><td> \${toggleBarItem.support.label}</td></tr> <tr><td>Logout</td><td> \${toggleBarItem.logOut.label}</td></tr> <tr><td>Profile</td><td> \${toggleBarItem.profile.label}</td></tr> </table>	Information	\${toggleBarItem.information.label}	Quotes	\${toggleBarItem.quotes.label}	Documents	\${toggleBarItem.documents.label}	Support	\${toggleBarItem.support.label}	Logout	\${toggleBarItem.logOut.label}	Profile	\${toggleBarItem.profile.label}	
Information	\${toggleBarItem.information.label}														
Quotes	\${toggleBarItem.quotes.label}														
Documents	\${toggleBarItem.documents.label}														
Support	\${toggleBarItem.support.label}														
Logout	\${toggleBarItem.logOut.label}														
Profile	\${toggleBarItem.profile.label}														
		Then I verify following language options are available on toggle bar based on the LBU													
		\${language.selection.options}													
		When I click on Estimated Premium info icon													
		Then I verify following text is displayed on "Info Section" page													
		\${info.text}													
		After													
		Back to Table of Contents													
		Scenario: Create a Quote for Sticky bar validation													
		Passed: 7													
		Before													
		Given I generate random number and assign to variable "RANDOM_NUMBER"													
		Output													
		Random number generated is :737													
		And I assign "TestDraft_\${RANDOM_NUMBER}" to variable "COMP_NAME"													
		Output													
		Assigning value TestDraft_73724025229 to variable COMP_NAME													
		Then I navigate to "\${selectPlan.tab.text}" screen													
		And I enter following details on select plan page													
		<table border="1"> <tr><td>Company Name</td><td> \${COMP_NAME}</td></tr> <tr><td>Industry Type</td><td> \${selectplan.industry.type.value1}</td></tr> <tr><td>Position Name</td><td> Position</td></tr> <tr><td>No. of Employees</td><td>10</td></tr> </table>	Company Name	\${COMP_NAME}	Industry Type	\${selectplan.industry.type.value1}	Position Name	Position	No. of Employees	10					
Company Name	\${COMP_NAME}														
Industry Type	\${selectplan.industry.type.value1}														
Position Name	Position														
No. of Employees	10														
		And I click on export quote button													
		Then I verify following validation message on "Select plan page"													
		\${validationMessage.export.pdf}													
		And I click on "\${saveQuote.button.text}" button													
		After													
		Back to Table of Contents													
		Scenario Outline: I verify the sticky bar is present in all the Select Plan page in the new quote creation													
		Passed: 14													

Before	
Given I navigate to "Select Plan" screen	
Then I wait for 2 sec	
When I scroll to the end of page	
And I verify company text field is displayed on the top of the "Select Plan" page	
Then I verify Payment frequency dropdown is displayed for PH with following values	
\${payment.frequency.annual} \${payment.frequency.semi.annual} \${payment.frequency.quarterly} \${payment.frequency.monthly}	
And I verify following text is displayed on "Select Plan" page	
\${estimatedAnnualPremium.button.text}	
Then I verify following buttons are displayed on top right corner of the screen	
Save Quote \${saveQuote.button.text}	
Then I verify the presence of export quote button	
Then I verify the presence of following items on page footer	
\${next.button.text}	
And I scroll the page up	
And I verify company text field is displayed on the top of the "Select Plan" page	
And I verify following text is displayed on "Select Plan" page	
\${estimatedAnnualPremium.button.text}	
Then I verify following buttons are displayed on top right corner of the screen	
Save Quote \${saveQuote.button.text}	
Then I verify the presence of following items on page footer	
\${next.button.text}	
After	
Back to Table of Contents	
Scenario Outline: I verify the sticky bar is present in all the Employees page in the new quote creation	
Passed: 14	
Before	
Given I navigate to "Employees" screen	
Then I wait for 2 sec	
When I scroll to the end of page	
And I verify company text field is displayed on the top of the "Employees" page	
Then I verify Payment frequency dropdown is displayed for PH with following values	
\${payment.frequency.annual} \${payment.frequency.semi.annual} \${payment.frequency.quarterly} \${payment.frequency.monthly}	
And I verify following text is displayed on "Employees" page	
\${estimatedAnnualPremium.button.text}	
Then I verify following buttons are displayed on top right corner of the screen	

Save Quote \${saveQuote.button.text}
Then I verify the presence of export quote button
Then I verify the presence of following items on page footer
\${previous.button.text}##\${next.button.text}
And I scroll the page up
And I verify company text field is displayed on the top of the "Employees" page
And I verify following text is displayed on "Employees" page
\${estimatedAnnualPremium.button.text}
Then I verify following buttons are displayed on top right corner of the screen
Save Quote \${saveQuote.button.text}
Then I verify the presence of following items on page footer
\${previous.button.text}##\${next.button.text}

After[Back to Table of Contents](#)**Scenario Outline: I verify the sticky bar is present in all the Company page in the new quote creation**

Passed: 14

Before

Given I navigate to "Company" screen
Then I wait for 2 sec
When I scroll to the end of page
And I verify company text field is displayed on the top of the "Company" page
Then I verify Payment frequency dropdown is displayed for PH with following values
\${payment.frequency.annual}
\${payment.frequency.semi.annual}
\${payment.frequency.quarterly}
\${payment.frequency.monthly}
And I verify following text is displayed on "Company" page
\${estimatedAnnualPremium.button.text}
Then I verify following buttons are displayed on top right corner of the screen
Save Quote \${saveQuote.button.text}
Then I verify the presence of export quote button
Then I verify the presence of following items on page footer
\${previous.button.text}##\${next.button.text}
And I scroll the page up
And I verify company text field is displayed on the top of the "Company" page
And I verify following text is displayed on "Company" page
\${estimatedAnnualPremium.button.text}
Then I verify following buttons are displayed on top right corner of the screen
Save Quote \${saveQuote.button.text}
Then I verify the presence of following items on page footer
\${previous.button.text}##\${next.button.text}

After

Back to Table of Contents										
Scenario Outline: I verify the sticky bar is present in all the Submit page in the new quote creation job										
Passed: 14										
Before										
<p>Given I navigate to "Submit" screen</p> <p>Then I wait for 2 sec</p> <p>When I scroll to the end of page</p> <p>And I verify company text field is displayed on the top of the "Submit" page</p> <p>Then I verify Payment frequency dropdown is displayed for PH with following values</p> <table border="1"> <tr><td> \${payment.frequency.annual}</td></tr> <tr><td> \${payment.frequency.semi.annual}</td></tr> <tr><td> \${payment.frequency.quarterly}</td></tr> <tr><td> \${payment.frequency.monthly}</td></tr> </table> <p>And I verify following text is displayed on "Submit" page</p> <table border="1"> <tr><td> \${estimatedAnnualPremium.button.text}</td></tr> </table> <p>Then I verify following buttons are displayed on top right corner of the screen</p> <table border="1"> <tr><td> Save Quote \${saveQuote.button.text}</td></tr> </table> <p>Then I verify the presence of export quote button</p> <p>Then I verify the presence of following items on page footer</p> <table border="1"> <tr><td> \${previous.button.text}##\${confirm.submit.button}</td></tr> </table> <p>And I scroll the page up</p> <p>And I verify company text field is displayed on the top of the "Submit" page</p> <p>And I verify following text is displayed on "Submit" page</p> <table border="1"> <tr><td> \${estimatedAnnualPremium.button.text}</td></tr> </table> <p>Then I verify following buttons are displayed on top right corner of the screen</p> <table border="1"> <tr><td> Save Quote \${saveQuote.button.text}</td></tr> </table> <p>Then I verify the presence of following items on page footer</p> <table border="1"> <tr><td> \${previous.button.text}##\${confirm.submit.button}</td></tr> </table>	\${payment.frequency.annual}	\${payment.frequency.semi.annual}	\${payment.frequency.quarterly}	\${payment.frequency.monthly}	\${estimatedAnnualPremium.button.text}	Save Quote \${saveQuote.button.text}	\${previous.button.text}##\${confirm.submit.button}	\${estimatedAnnualPremium.button.text}	Save Quote \${saveQuote.button.text}	\${previous.button.text}##\${confirm.submit.button}
\${payment.frequency.annual}										
\${payment.frequency.semi.annual}										
\${payment.frequency.quarterly}										
\${payment.frequency.monthly}										
\${estimatedAnnualPremium.button.text}										
Save Quote \${saveQuote.button.text}										
\${previous.button.text}##\${confirm.submit.button}										
\${estimatedAnnualPremium.button.text}										
Save Quote \${saveQuote.button.text}										
\${previous.button.text}##\${confirm.submit.button}										
After										
Back to Table of Contents										
Scenario: verify toggle bar items are minimised when user opts to collapse the sidebar option										
Passed: 4										
Before										
<p>Given I verify following static text on "Navigation Bar" page</p> <table border="1"> <tr><td> New Quote</td></tr> </table> <p>Then I click on "Toggle Sidebar" Link</p> <p>Then I wait for 2 sec</p> <p>And I verify following span text is not displayed "Navigation Bar" page</p> <table border="1"> <tr><td> New Quote</td></tr> </table>	New Quote	New Quote								
New Quote										
New Quote										
After										
Back to Table of Contents										
Scenario: Close Sales Portal										

Passed: 1				
Before				
And I close sales portal				
After				
Back to Table of Contents				
Feature: Verify login functionality with OTP to landing in the welcome page				
Passed: 16				
Scenario: Verify static text and elements on Login page Sales Portal				
Passed: 7				
Before				
Given I decode the password "\${agent.login.password}" to variable "AGENT_PASSWORD"				
Given Launch sales portal				
Output				
https://dev-pamb-sales-eb.pru.intranet.asia/				
Then I verify following text is displayed on "Welcome" page				
\${agent.login.welcome.text}				
And I verify field label text on "Login" page				
\${agent.login.id.text}				
\${agent.login.password.text}				
And I verify the login button is disabled				
And I verify Forgot your password link is enabled				
And I verify following buttons are displayed on "Login"				
\${agent.login.contact.support.text}				
After				
Back to Table of Contents				
Scenario Outline: Sales Portal Login Page fields error message validation "Invalid email format and blank password"				
Passed: 2				
Before				
When I enter username and password in Sales portal Login page				
<table border="1"><tr><td>UserName</td><td>test@gmail</td></tr><tr><td>Password</td><td>Test@123</td></tr></table>	UserName	test@gmail	Password	Test@123
UserName	test@gmail			
Password	Test@123			
Then I verify "\${login.email.format.error.message}" validation error message is displayed				
After				
Back to Table of Contents				
Scenario Outline: Sales Portal Login Page fields error message validation "Blank email and Password"				
Passed: 2				
Before				
When I enter username and password in Sales portal Login page				
<table border="1"><tr><td>UserName</td><td></td></tr></table>	UserName			
UserName				

	<table border="1"> <tr> <td>UserName</td><td>test@gmail.com</td></tr> <tr> <td>Password</td><td>Test@123</td></tr> </table>	UserName	test@gmail.com	Password	Test@123		
UserName	test@gmail.com						
Password	Test@123						
Then I verify "Email is mandatory, please provide the relevant details" validation error message is displayed							
After							
Back to Table of Contents							
Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and blank password"							
Passed: 2							
Before							
<table border="1"> <tr> <td colspan="2">When I enter username and password in Sales portal Login page</td></tr> <tr> <td>UserName</td><td>test@gmail.com</td></tr> <tr> <td>Password</td><td>Test</td></tr> </table>		When I enter username and password in Sales portal Login page		UserName	test@gmail.com	Password	Test
When I enter username and password in Sales portal Login page							
UserName	test@gmail.com						
Password	Test						
Then I verify "Password is mandatory, please provide the relevant details" validation error message is displayed							
After							
Back to Table of Contents							
Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and invalid password"							
Passed: 2							
Before							
<table border="1"> <tr> <td colspan="2">When I enter username and password in Sales portal Login page</td></tr> <tr> <td>UserName</td><td>test@gmail.com</td></tr> <tr> <td>Password</td><td>Test</td></tr> </table>		When I enter username and password in Sales portal Login page		UserName	test@gmail.com	Password	Test
When I enter username and password in Sales portal Login page							
UserName	test@gmail.com						
Password	Test						
Then I verify "\${agent.password.rule.text}" validation error message is displayed							
After							
Back to Table of Contents							
Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and password length validation"							
Passed: 2							
Before							
<table border="1"> <tr> <td colspan="2">When I enter username and password in Sales portal Login page</td></tr> <tr> <td>UserName</td><td>test@gmail.com</td></tr> <tr> <td>Password</td><td>Agent12366666677777777777Agent123444444444444444444444</td></tr> </table>		When I enter username and password in Sales portal Login page		UserName	test@gmail.com	Password	Agent12366666677777777777Agent123444444444444444444444
When I enter username and password in Sales portal Login page							
UserName	test@gmail.com						
Password	Agent12366666677777777777Agent123444444444444444444444						
Then I verify "\${password.field.length.validation}" validation error message is displayed							
After							
Back to Table of Contents							
Scenario: Verify Agent is not able to login with wrong credential							
Passed: 3							
Before							
<table border="1"> <tr> <td colspan="2">When I enter username and password in Sales portal Login page</td></tr> <tr> <td>UserName</td><td>\${agent.email.id.login}</td></tr> <tr> <td>Password</td><td>Test@123</td></tr> </table>		When I enter username and password in Sales portal Login page		UserName	\${agent.email.id.login}	Password	Test@123
When I enter username and password in Sales portal Login page							
UserName	\${agent.email.id.login}						
Password	Test@123						
And I click on Login button							
Then I verify otp validation error message "Error: Your email and/or password do not match, please try again"							
After							
Back to Table of Contents							
Scenario: Validate the eye icon functionality for password field							

Passed: 4

Before**When I enter username and password in Sales portal Login page**

UserName	test@gmail.com
Password	Test@123

Then I verify the Password entered is masked**Then I click on the eye icon****And I validate the password should display without encrypted****After**[Back to Table of Contents](#)**Scenario: Login to Sales portal and verify OTP page is displayed**

Passed: 12

Before**Given I assign "\${agent.email.id.login}" to variable "agent.Email"****Output**

Assigning value taf-5503024244@mailinator.com to variable agent.Email

When I enter username and password in Sales portal Login page

UserName	\${agent.Email}
Password	\${AGENT_PASSWORD}

And I validate the Login button is enabled in Sales portal**When I click on Login button****Then I wait for 5 sec****Then I verify following text is displayed on "Verify your account" page****Verify your account****And I verify following paragraph is displayed on "Verify your account" page**

A code has just been sent to the following
The code expires after 10 minutes.

And I verify email confirmation contains the agent email address as "\${agent.Email}"**And I verify field label text on "Verify your account" page****Verification Code****And I verify button label text on "Verify your account" page**

Return to login
Didn't receive code?

And I verify following buttons are displayed on "Login" **\${agent.login.contact.support.text}****And I verify the login button is disabled****After**[Back to Table of Contents](#)**Scenario Outline: verify by validation message displays by providing Invalid OTP checks**

Passed: 3			
Before			
<p>When I enter the verification Code as "test"</p> <p>And I verify the login button is disabled</p> <p>Then I verify "Invalid Verification Code format" validation error message is displayed</p>			
After			
Back to Table of Contents			
Scenario Outline: verify by validation message displays by providing Invalid OTP checks			
Passed: 3			
Before			
<p>When I enter the verification Code as ""</p> <p>And I verify the login button is disabled</p> <p>Then I verify "Verification Code is mandatory, please provide the relevant details" validation error message is displayed</p>			
After			
Back to Table of Contents			
Scenario: Enter invalid otp and click on Login button			
Passed: 4			
Before			
<p>When I enter the verification Code as "12345"</p> <p>And I validate the Login button is enabled in Sales portal</p> <p>When I click on Login button</p> <p>Then I verify otp validation error message "\${login.otp.format.error.message}" is displayed</p>			
After			
Back to Table of Contents			
Scenario: Validate the return to the login link in verify your account page			
Passed: 2			
Before			
<p>When I click on the Return to Login</p> <p>Then I verify following text is displayed on "Login" page</p> <table border="1"> <tr> <td> \${agent.login.welcome.text}</td> </tr> </table>	 \${agent.login.welcome.text}		
 \${agent.login.welcome.text}			
After			
Back to Table of Contents			
Scenario: Validate the "Didnt receive code " in verify your account page			
Passed: 7			
Before			
<p>When I enter username and password in Sales portal Login page</p> <table border="1"> <tr> <td> UserName \${agent.Email}</td> </tr> <tr> <td> Password \${AGENT_PASSWORD}</td> </tr> </table> <p>And I validate the Login button is enabled in Sales portal</p> <p>When I click on Login button</p> <p>Then I wait for 5 sec</p> <p>Then I verify following text is displayed on "Verify your account" page</p> <table border="1"> <tr> <td></td> </tr> </table>	 UserName \${agent.Email}	 Password \${AGENT_PASSWORD}	
 UserName \${agent.Email}			
 Password \${AGENT_PASSWORD}			

	Verify your account
	When I click on Didn't receive code? link
	Then I verify following text is displayed on "Welcome" page
	 \${agent.login.welcome.text}
After	
Back to Table of Contents	
Scenario: Verify contact support link is navigating to knowledgebase	
Passed: 3	
Before	
	When I click on "\${agent.login.contact.support}" button
	And I wait for 15 sec
	Then I verify "\${support.application.page.title}" link is opened in new browser tab
After	
Back to Table of Contents	
Scenario: Close Sales Portal	
Passed: 1	
Before	
	 And I close sales portal
After	
Back to Table of Contents	
Feature: Verify user is landed to Sales pitch page after login which is a Information page	
Passed: 8	
Scenario: Verify Sales pitch page is displayed after login	
Passed: 6	
Before	
	Given Launch sales portal
	Output
	https://dev-pamb-sales-eb.pru.intranet.asia/
And I assign value to following variables	
Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
When I Login to Sales Portal with below details	
UserName	\${Agent_Email}
Password	\${Agent_Password}
And I enter the verification code if page appears for agent "\${Agent_Email}"	
Then I toggle the language button as required	
Then I verify "\${welcome.to.prudential}" screen is displayed	
After	
Back to Table of Contents	

Scenario: Verify the first section on sales pitch page			
Passed: 1			
Before			
<p>Given I verify following paragraph is displayed on "Welcome to Prudential section" on Sales Pitch</p> <table border="1"> <tr> <td> \${welcome.prudential.informational.text.1}</td> </tr> <tr> <td> \${welcome.prudential.informational.text.2}</td> </tr> </table>	\${welcome.prudential.informational.text.1}	\${welcome.prudential.informational.text.2}	
\${welcome.prudential.informational.text.1}			
\${welcome.prudential.informational.text.2}			
After			
Back to Table of Contents			
Scenario: Verify the second section on sales pitch page			
Passed: 3			
Before			
<p>Given I scroll to the "\${whatMakeUsDifferent.static.text}" of the sales pitch page</p> <p>Then I verify following header texts are displayed on "Sales Pitch" page</p> <table border="1"> <tr> <td> \${whatMakeUsDifferent.static.text}</td> </tr> </table> <p>Then I verify following paragraph is displayed on "What make us different section" on Sales Pitch</p> <table border="1"> <tr> <td> \${whatMakeUsDifferent.informational.text}</td> </tr> </table>	\${whatMakeUsDifferent.static.text}	\${whatMakeUsDifferent.informational.text}	
\${whatMakeUsDifferent.static.text}			
\${whatMakeUsDifferent.informational.text}			
After			
Back to Table of Contents			
Scenario: Verify the third section on sales pitch page			
Passed: 3			
Before			
<p>Given I scroll to the "\${howCanWeHelp.static.text}" of the sales pitch page</p> <p>Then I verify following header texts are displayed on "Sales Pitch" page</p> <table border="1"> <tr> <td> \${howCanWeHelp.static.text}</td> </tr> </table> <p>And I verify following paragraph is displayed on "How can we help section" on Sales Pitch page</p> <table border="1"> <tr> <td> \${howCanWeHelp.informational.text.1}</td> </tr> <tr> <td> \${howCanWeHelp.informational.text.2}</td> </tr> </table>	\${howCanWeHelp.static.text}	\${howCanWeHelp.informational.text.1}	\${howCanWeHelp.informational.text.2}
\${howCanWeHelp.static.text}			
\${howCanWeHelp.informational.text.1}			
\${howCanWeHelp.informational.text.2}			
After			
Back to Table of Contents			
Scenario: Verify the fourth section on sales pitch page			
Passed: 3			
Before			
<p>Given I scroll to the "\${ourOffering.static.text}" of the sales pitch page</p> <p>Then I verify following header texts are displayed on "Sales Pitch" page</p> <table border="1"> <tr> <td> \${ourOffering.static.text}</td> </tr> </table> <p>And I verify following paragraph is displayed on "Our offering section" on Sales Pitch page</p> <table border="1"> <tr> <td> \${ourOffering.informational.text}</td> </tr> </table>	\${ourOffering.static.text}	\${ourOffering.informational.text}	
\${ourOffering.static.text}			
\${ourOffering.informational.text}			
After			
Back to Table of Contents			
Scenario: Verify the fifth section on sales pitch page			
Passed: 3			
Before			

Given I scroll to the "\${valueAddedService.static.text}" of the sales pitch page

Then I verify following header texts are displayed on "Understanding your value added section" on Sales Pitch page

\${valueAddedService.static.text}

And I verify following paragraph is displayed on "Understanding your value added section" on Sales Pitch page

\${valueAddedService.informational.text.1}
--

\${valueAddedService.informational.text.2}
--

After

[Back to Table of Contents](#)

Scenario: Verify the sixth section on sales pitch page

Passed: 6

Before

Given I scroll to the "\${createPolicy.static.text}" of the sales pitch page

Then I verify following header texts are displayed on "Sales Pitch" page

\${createPolicy.static.text}

Then I verify following paragraph is displayed on "Creating your policy section" on Sales Pitch page

\${createPolicy.informational.text}

And I verify following buttons are displayed on pitch page

\${startNewQuote.button.label}

Then I click on following button on sales pitch page

\${startNewQuote.button.label}

Then verify the user is landed on "New Quote" page

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify agent can view his profile and reset the password

Passed: 23

Scenario: Log in to Sales portal with valid agent credentials

Passed: 6

Before

Given I assign value to following variables

AGENT_EMAIL_ID	\${agent.email.id.profile}
AGENT_PROFILE_NAME	\${agent.email.id.profilename}
AGENT_ID	\${agent.code.profile}

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/				
When I Login to Sales Portal with below details				
<table border="1"> <tr> <td>UserName</td> <td> \${AGENT_EMAIL_ID}</td> </tr> <tr> <td>Password</td> <td> \${agent.password}</td> </tr> </table>	UserName	\${AGENT_EMAIL_ID}	Password	\${agent.password}
UserName	\${AGENT_EMAIL_ID}			
Password	\${agent.password}			
And I enter the verification code if page appears for agent "\${AGENT_EMAIL_ID}"				
And I toggle the language button as required				
Then I verify "\${welcome.to.prudential}" screen is displayed				
After				
Back to Table of Contents				
Scenario: Navigate to Agent profile page and verify the agent details				
Passed: 6				
Before				
Given I decode the password "\${agent.password}" to variable "AGENT_PASSWORD"				
Then I click on "Agent Profile" Link				
And verify the user is landed on "Agent Profile" page				
And I verify following h3 header texts are displayed on "Profile" page				
<table border="1"> <tr> <td> \${AGENT_PROFILE_NAME}</td> </tr> <tr> <td> \${AGENT_EMAIL_ID}</td> </tr> <tr> <td> \${AGENT_ID}</td> </tr> </table>	\${AGENT_PROFILE_NAME}	\${AGENT_EMAIL_ID}	\${AGENT_ID}	
\${AGENT_PROFILE_NAME}				
\${AGENT_EMAIL_ID}				
\${AGENT_ID}				
And I verify h1 header text is displayed on "Profile" page				
<table border="1"> <tr> <td> \${profile.text}</td> </tr> </table>	\${profile.text}			
\${profile.text}				
Then I verify following text is displayed on "Profile" page				
<table border="1"> <tr> <td> \${profile.text.sub.header}</td> </tr> </table>	\${profile.text.sub.header}			
\${profile.text.sub.header}				
After				
Back to Table of Contents				
Scenario: Verify sample text in change password section				
Passed: 4				
Before				
And I verify following h3 header texts are displayed on "Profile" page				
<table border="1"> <tr> <td> \${profile.update.password.text}</td> </tr> </table>	\${profile.update.password.text}			
\${profile.update.password.text}				
Then I verify "\${save.button.text}" button is "disabled"				
Then I verify the field label text on "profile page"				
<table border="1"> <tr> <td> \${profile.current.password.label}</td> </tr> <tr> <td> \${profile.new.password.label}</td> </tr> <tr> <td> \${profile.confirm.password.label}</td> </tr> </table>	\${profile.current.password.label}	\${profile.new.password.label}	\${profile.confirm.password.label}	
\${profile.current.password.label}				
\${profile.new.password.label}				
\${profile.confirm.password.label}				
Then I verify following text is displayed on "Profile" page				
<table border="1"> <tr> <td> \${agent.password.rule.text}</td> </tr> </table>	\${agent.password.rule.text}			
\${agent.password.rule.text}				
After				
Back to Table of Contents				
Scenario Outline: Invalid password check on profile page				
Passed: 3				

Before
When I enter "Agent" password in new password field
Then I verify "\${agent.password.rule.text}" validation error message is highlighted
Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: Invalid password check on profile page
Passed: 3
Before
When I enter "1234567#" password in new password field
Then I verify "\${agent.password.rule.text}" validation error message is highlighted
Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: Invalid password check on profile page
Passed: 3
Before
When I enter "AGENT@1234" password in new password field
Then I verify "\${agent.password.rule.text}" validation error message is highlighted
Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: Invalid password check on profile page
Passed: 3
Before
When I enter "agent@12334" password in new password field
Then I verify "\${agent.password.rule.text}" validation error message is highlighted
Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario Outline: Invalid password check on profile page
Passed: 3
Before
When I enter "Agent12366666777777777Agent12344444444444444442" password in new password field
Then I verify "\${new.password.field.length.validation}" validation error message is highlighted
Then I verify "\${save.button.text}" button is "disabled"
After
Back to Table of Contents
Scenario: New password and confirm your password mismatch check on profile page
Passed: 4
Before
When I enter "Agent1234" password in new password field

And I enter "Agent3456" password in confirm your password field

Then I verify "The passwords entered do not match, please try again" validation error message is

Then I verify "\${save.button.text}" button is "disabled"

After

[Back to Table of Contents](#)

Scenario: Validate mask and unmask functionality for current,new and confirm password field

Passed: 9

Before

And I verify the Current Password entered is masked

When I click on the eye icon for current Password field

Then I validate the current password should display without encrypted

And I verify the New Password entered is masked

When I click on the eye icon for new Password field

Then I validate the new password should display without encrypted

And I verify the Confirm Password entered is masked

When I click on the eye icon for confirm your Password field

Then I validate the confirm your password should display without encrypted

After

[Back to Table of Contents](#)

Scenario Outline: verify that the save button is enabled only when agent entered the correct current,new and confirm password

Passed: 4

Before

Given I enter "\${AGENT_PASSWORD}" password in current password field

When I enter "Agent" password in new password field

And I enter "Agent" password in confirm your password field

Then I verify "\${save.button.text}" button is "disabled"

After

[Back to Table of Contents](#)

Scenario Outline: verify that the save button is enabled only when agent entered the correct current,new and confirm password

Passed: 4

Before

Given I enter "" password in current password field

When I enter "Agent123" password in new password field

And I enter "" password in confirm your password field

Then I verify "\${save.button.text}" button is "disabled"

After

[Back to Table of Contents](#)

Scenario Outline: verify that the save button is enabled only when agent entered the correct current,new and confirm password

Passed: 4

Before

Given I enter "wrong@Password1" password in current password field

When I enter "Agent123" password in new password field

And I enter "Agent" password in confirm your password field

	Then I verify "\${save.button.text}" button is "disabled"
After	
Back to Table of Contents	
Scenario Outline: verify that the save button is enabled only when agent entered the correct current,password	
Passed: 4	
Before	
	<p>Given I enter "testing" password in current password field</p> <p>When I enter "" password in new password field</p> <p>And I enter "Agent123" password in confirm your password field</p> <p>Then I verify "\${save.button.text}" button is "disabled"</p>
After	
Back to Table of Contents	
Scenario: verify Agent should be able to change the password for sales portal	
Passed: 10	
Before	
	<p>Given I assign "Agent124" to variable "AGENT_NEW_PASSWORD"</p> <p>Output</p> <pre>Assigning value Agent124 to variable AGENT_NEW_PASSWORD</pre>
	<p>Then I enter "\${AGENT_PASSWORD}" password in current password field</p> <p>When I enter "\${AGENT_NEW_PASSWORD}" password in new password field</p> <p>And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field</p> <p>Then I verify "\${save.button.text}" button is "enabled"</p> <p>And I click on "\${save.button.text}" button</p> <p>And I wait for 5 sec</p> <p>Then I verify following text is displayed on "popup window on profile" page</p> <p><code> \${agent.change.password.confirmation.text}</code></p> <p>Then I verify following buttons are displayed on "change password confirmation popup"</p> <p><code> \${close.button}</code></p> <p>Then I click on "\${close.button}" button</p>
After	
Back to Table of Contents	
Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update	
Passed: 6	
Before	
	<p>Given I assign "Agent125" to variable "AGENT_NEW_PASSWORD"</p> <p>Output</p> <pre></pre>

Assigning value Agent125 to variable AGENT_NEW_PASSWORD

Then I enter "Agent124" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent126" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent126 to variable AGENT_NEW_PASSWORD

Then I enter "Agent125" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent127" to variable "AGENT_NEW_PASSWORD"

Output

Assigning value Agent127 to variable AGENT_NEW_PASSWORD

Then I enter "Agent126" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field

And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

[Back to Table of Contents](#)

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before**Given I assign "Agent128" to variable "AGENT_NEW_PASSWORD"****Output**

Assigning value Agent128 to variable AGENT_NEW_PASSWORD

Then I enter "Agent127" password in current password field**When I enter "\${AGENT_NEW_PASSWORD}" password in new password field****And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field****And I click on "\${save.button.text}" button****Then I click on "\${close.button}" button****After**[Back to Table of Contents](#)**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

Before**Given I assign "Agent129" to variable "AGENT_NEW_PASSWORD"****Output**

Assigning value Agent129 to variable AGENT_NEW_PASSWORD

Then I enter "Agent128" password in current password field**When I enter "\${AGENT_NEW_PASSWORD}" password in new password field****And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field****And I click on "\${save.button.text}" button****Then I click on "\${close.button}" button****After**[Back to Table of Contents](#)**Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update**

Passed: 6

Before**Given I assign "Agent123" to variable "AGENT_NEW_PASSWORD"****Output**

Assigning value Agent123 to variable AGENT_NEW_PASSWORD

Then I enter "Agent129" password in current password field

When I enter "\${AGENT_NEW_PASSWORD}" password in new password field
And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field
And I click on "\${save.button.text}" button
Then I click on "\${close.button}" button

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to logout and Login back with the updated password**

Passed: 6

Before**When I Logout of the sales portal****When I Login to Sales Portal with below details**

UserName	`\${AGENT_EMAIL_ID}
Password	`\${agent.password}

And I enter the verification code if page appears for agent "\${AGENT_EMAIL_ID}"**Then I verify "\${welcome.to.prudential}" screen is displayed****Then I click on "Agent Profile" Link****And verify the user is landed on "Agent Profile" page****After**[Back to Table of Contents](#)**Scenario: Close from Sales Portal**

Passed: 1

Before**And I close sales portal****After**[Back to Table of Contents](#)**Feature: Verify select plan page functionality**

Passed: 16

Scenario: Launch Sales application for PAMB

Passed: 5

Before**Given Launch sales portal****Output**

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	`\${agent.email.id.global}`
Agent_Password	`\${agent.password}`

When I Login to Sales Portal with below details

UserName	`\${Agent_Email}`
Password	`\${Agent_Password}`

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

After

[Back to Table of Contents](#)

Scenario: verify static and sample text on company and category section on select plan page

Passed: 11

Before

Given I click on Create Quote Link

Then verify the user is landed on "Select Plan" page

And I verify following text is displayed on "Select plan Page" page

<code>#{estimatedAnnualPremium.button.text}</code>
--

<code>#{newQuote.static.text}</code>

And I verify the h2 header text is displayed on "Select plan" page

<code>#{select.plan.group.coverage.ghs.text}</code>

<code>#{select.group.plan.static.text}</code>

And I verify following static text on "Select plan" page

<code>#{select.plan.group.coverage.gtl.text}</code>

<code>#{select.plan.group.coverage.gtl.death.text}</code>

<code>#{select.plan.group.coverage.gtl.tpd.text}</code>

<code>#{select.plan.gtl.gadd.text}</code>

And I verify following paragraph is displayed on "Select Plan" page

<code>#{select.plan.group.ghs.confirm.text}</code>
--

Then I verify following buttons are displayed on "Select Plan page"

<code>#{saveQuote.button.text}</code>

<code>#{premiumandbenefit.button.text}</code>

<code>#{selectplan.ghs.yes.button}</code>

<code>#{selectplan.ghs.no.button}</code>
--

Then I verify field label text on "Select Plan" page

<code>#{numOfEmp.field.label.text}</code>

<code>#{selectCoverageStartDate.field.label.text}</code>
--

Then I verify the presence of following items on page footer

<code>#{next.button.text}</code>

Then I verify "\${previous.button.text}" button should not be visible on "select plan page footer"

Then I verify the sample text of following fields on select plan page

Select coverage date	<code>#{coverageDate.default.value}</code>
----------------------	--

Number of Members	
-------------------	--

After

[Back to Table of Contents](#)

Scenario: Verify optional plan GHS is not selected by default

Passed: 2

Before

Then I verify following buttons are displayed and enabled

--	--

	<p><code> \${selectplan.ghs.yes.button}</code></p> <p><code> \${selectplan.ghs.no.button}</code></p>						
And I verify selection status of following buttons are "not selected"							
	<p><code> \${selectplan.ghs.yes.button}</code></p> <p><code> \${selectplan.ghs.no.button}</code></p>						
After							
Back to Table of Contents							
Scenario: Verify the validation when user saves the quote without entering the Mandatory fields							
Passed: 2							
Before							
<p>Given I click on "<code> \${saveQuote.button.text}</code>" button</p> <p>Then I verify following validation message on "Select plan page"</p> <table border="1"> <tr> <td><code> \${validationMessage.company.name}</code></td> <td></td> </tr> <tr> <td><code> \${emp.bulk.upload.error.empcount.message}</code></td> <td></td> </tr> <tr> <td><code> \${validationMessage.ghs.button}</code></td> <td></td> </tr> </table>		<code> \${validationMessage.company.name}</code>		<code> \${emp.bulk.upload.error.empcount.message}</code>		<code> \${validationMessage.ghs.button}</code>	
<code> \${validationMessage.company.name}</code>							
<code> \${emp.bulk.upload.error.empcount.message}</code>							
<code> \${validationMessage.ghs.button}</code>							
After							
Back to Table of Contents							
Scenario: Verify Next button validation message without entering any values							
Passed: 5							
Before							
<p>Given I click on "<code> \${next.button.text}</code>" button</p> <p>Then I verify following validation message on "Select plan page"</p> <table border="1"> <tr> <td><code> \${validationMessage.ghs.button}</code></td> <td></td> </tr> </table> <p>And I click on PAMB GHS "<code> \${selectplan.ghs.yes.button}</code>" button</p> <p>Given I click on "<code> \${next.button.text}</code>" button</p> <p>Then I verify following text is displayed on "Select Plan" page</p> <table border="1"> <tr> <td><code> \${selectplan.error.num.employee}</code></td> <td></td> </tr> </table>		<code> \${validationMessage.ghs.button}</code>		<code> \${selectplan.error.num.employee}</code>			
<code> \${validationMessage.ghs.button}</code>							
<code> \${selectplan.error.num.employee}</code>							
After							
Back to Table of Contents							
Scenario: verify that the coverage date should be current date by default							
Passed: 2							
Before							
<p>Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format</p> <p>Then I verify the sample text of following fields on select plan page</p> <table border="1"> <tr> <td>Select Coverage Date</td> <td><code> \${current date}</code></td> </tr> </table>		Select Coverage Date	<code> \${current date}</code>				
Select Coverage Date	<code> \${current date}</code>						
After							
Back to Table of Contents							
Scenario: verify the coverage date should set to current date if Agent input past date in text field							
Passed: 2							
Before							
<p>Then I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format</p> <p>And I calculate "-31d" from current date in "dd/MM/yyyy" format and assign to variable "past d</p>							

	Then I enter following details on select plan page
	Select Coverage Date \${past date}
<pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="text" value="2018-05-08T14:04:26.12Z"> (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.1+13-b145.34 post-13-Ubuntu', jdk.version: '11.0.1+13-b145.34 post-13-Ubuntu', vendor: 'Oracle Corporation', vendor.version: 'Ubuntu', locale: 'en_US.UTF-8', browserName: 'chrome', browserVersion: '83.0.4103.116', platformName: 'LINUX' Session ID: f198a7c88e889dc399a4b3d1b8db0b8d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA... at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons... at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCode... at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:48) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut... at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.SelectPlanPage.enterPlanDetailsOnSelectPlanPage(SelectPlanPage.j... at com.pru.sales.portal.stepdef.SelectPlanSteps.enterDetailsOnSelectPlanPage(SelectPlanSteps.java:... at .Then I enter following details on select plan page(features/my/01.SelectPlanPage.feature:81)</pre>	
Then I verify the sample text of following fields on select plan page	
Select Coverage Date \${current date}	

PRUDENTIAL

+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Select Plan

New Quote

Company Name

< Feb 2021 >

SUN	MON	TUE	WED	THU	FRI	SAT
31	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	1	2	3	4	5	6

Death Benefit (due to ALL causes)

Total and Permanent Disability Benefit (TPD)

Group Accidental Death and Disablement Benefit

Group Hospital and Surgical Benefit

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: verify that the past date should be disabled on coverage date calendar

Passed: 1

Before

```
And I calculate "-32d" from current date in "MMM/dd/yyyy" format and assign to variable "past"
```

```
Then I open the coverage date calendar
```

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '1.8.0_212-b10-47-2018-05-08T14-04-26 UTC'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c...
Session ID: f198a7c88e889dc399a4b3d1b8db0b8d
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA...
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons...
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse...
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja...
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja...
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut...
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.SelectPlanPage.openCoverageDateCal(SelectPlanPage.java:897)
at com.pru.sales.portal.stepdef.SelectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:...
at .Then I open the coverage date calendar(features/my/01.SelectPlanPage.feature:89)
```

```
Then I select the coverage date "past date" using calendar
```

```
And I verify past date is disabled
```

```
Then I verify month field dropdown value matches with "/testdata/my/month_dropdown/month.tx...
```

[+ New Quote](#)[Information](#)[Quotes](#)[Documents](#)

Powered by
PRUDENTIAL

[TA Profile](#)[Get Help](#)

Select Plan

[! Member](#)

New Quote

Company Name

[< Feb 2021 >](#)

SUN MON TUE WED THU FRI SAT

31 1 2 3 4 5 6

7 8 9 10 11 12 13

14 15 16 17 18 19 20

21 22 23 24 25 26 27

28 1 2 3 4 5 6

Gro

Gro

Death Benefit (due to ALL causes)**Total and Permanent Disability Benefit (TPD)****Group Accidental Death and Disablement Be****Group Hospital and Surgical Be**

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: verify coverage date calendar is functioning properly

Passed: 0

Before

Then I open the coverage date calendar

```

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: f198a7c88e889dc399a4b3d1b8db0b8d
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.SelectPlanPage.openCoverageDateCal(SelectPlanPage.java:897)
at com.pru.sales.portal.stepdef.SelectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:
at .Then I open the coverage date calendar(features/my/01.SelectPlanPage.feature:95)

```

Then I generate "current date" and assign to variable "current date" in "MMM/dd/yyyy" format

Then I generate "current date" and assign to variable "DATE_SELECTED" in "MM/dd/yyyy" fo

Then I generate "current date" and assign to variable "EXPECTED_DATE_SELECTED" in "dd

Then I select the coverage date "current date" using calendar

Then I verify the sample text of following fields on select plan page

Select Coverage Date \${EXPECTED_DATE_SELECTED}

[+ New Quote](#)[Information](#)[Quotes](#)[Documents](#)

Powered by
PRUDENTIAL

[TA Profile](#)[Get Help](#)

Select Plan

! Member

New Quote

Company Name

< Feb 2021 >

SUN MON TUE WED THU FRI SAT

31 1 2 3 4 5 6

7 8 9 10 11 12 13

14 15 16 17 18 19 20

21 22 23 24 25 26 27

28 1 2 3 4 5 6

Gro

Gro

Death Benefit (due to ALL causes)**Total and Permanent Disability Benefit (TPD)****Group Accidental Death and Disablement Be****Group Hospital and Surgical Be**

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: verify coverage date calendar is functioning properly

Passed: 0

Before

Then I open the coverage date calendar

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: f198a7c88e889dc399a4b3d1b8db0b8d
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.SelectPlanPage.openCoverageDateCal(SelectPlanPage.java:897)
at com.pru.sales.portal.stepdef.SelectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:
at .Then I open the coverage date calendar(features/my/01.SelectPlanPage.feature:95)
```

Then I generate "future date" and assign to variable "future date" in "MMM/dd/yyyy" format

Then I generate "future date" and assign to variable "DATE_SELECTED" in "MM/dd/yyyy" for

Then I generate "future date" and assign to variable "EXPECTED_DATE_SELECTED" in "dd/

Then I select the coverage date "future date" using calendar

Then I verify the sample text of following fields on select plan page

Select Coverage Date	\${EXPECTED_DATE_SELECTED}
----------------------	----------------------------

[+ New Quote](#)[Information](#)[Quotes](#)[Documents](#)

Powered by
PRUDENTIAL

[TA Profile](#)[Get Help](#)

Select Plan

! Member

New Quote

Company Name

< Feb 2021 >

SUN MON TUE WED THU FRI SAT

31 1 2 3 4 5 6

7 8 9 10 11 12 13

14 15 16 17 18 19 20

21 22 23 24 25 26 27

28 1 2 3 4 5 6

Gro

Gro

Death Benefit (due to ALL causes)**Total and Permanent Disability Benefit (TPD)****Group Accidental Death and Disablement Be****Group Hospital and Surgical Be**

Would you like to add GHS to the coverage?

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: Enter number of employees: 4 for single category**

- 1) verify Agent should not be allowed to enter less than 5 employees for single category
- 2) verify Agent should not be allowed to enter more than 200 employees for single category

Passed: 6

Before

Then I enter following details on select plan page

No. of Employees	4
------------------	---

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${emp.bulk.upload.error.empcount.message}
--

Given I click on "\${next.button.text}" button

Then I verify following text is displayed on "Select Plan" page

\${emp.bulk.upload.error.empcount.message}
--

After[Back to Table of Contents](#)**Scenario: Verify Agent should be able to enter company and category details**

- 1) all the information should be same as entered by agent on select plan page after saving the quote
- 2) last saved message should be displayed correctly

Passed: 14

Before

Given I click on Quotes link

Then I click on Create Quote Link

Then I navigate to "Select Plan" screen

Then I generate "future date" and assign to variable "future date" in "dd/MM/yyyy" format

Then I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :865

Then I assign value to following variables

Company_Name	Automation_\${RANDOM_NUMBER}

No._of_Employees	200
And I enter following details on select plan page	
Company Name	\${Company_Name}
Select Coverage Date	\${future date}
No. of Employees	\${No._of_Employees}
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button	
Then I click on "\${saveQuote.button.text}" button	
Then I verify following validation message on "Select plan page"	
\${success.quote.message.text}	
Then I verify following information is displayed on page footer	
\${lastSavedMessage.static.text}	
Given I verify company name is displayed as entered on select plan page	
Company Name \${Company_Name}	
Then I verify the sample text of following fields on select plan page	
Select Coverage Date	\${future date}
Number of Members	\${No._of_Employees}
Then I verify the presence of export quote button	
After	
Back to Table of Contents	
Scenario: verify employee screen is displayed when user click on next button at the bottom of the screen	
Passed: 3	
Before	
Given I verify "\${next.button.text}" button is "enabled"	
Then I click on next button present on page footer	
And verify the user is landed on "Employees" page	
After	
Back to Table of Contents	
Scenario Outline: verify the company name should be displayed as entered on select plan page on sub	
Passed: 4	
Before	
Given I navigate to "Employees" screen	
Then I verify company name is displayed as entered on select plan page	
Company Name \${Company_Name}	
Then I click on "\${saveQuote.button.text}" button	
Then I verify following validation message on "Select plan page"	
\${success.quote.message.text}	
After	
Back to Table of Contents	
Scenario Outline: verify the company name should be displayed as entered on select plan page on sub	
Passed: 4	
Before	
Given I navigate to "Company" screen	

Then I verify company name is displayed as entered on select plan page

Company Name	\${Company_Name}
--------------	------------------

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${success.quote.message.text}

After

[Back to Table of Contents](#)

Scenario Outline: verify the company name should be displayed as entered on select plan page on sub

Passed: 4

Before

Given I navigate to "Submit" screen

Then I verify company name is displayed as entered on select plan page

Company Name	\${Company_Name}
--------------	------------------

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${success.quote.message.text}

After

[Back to Table of Contents](#)

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Employees" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

Estimated Annual Premium	\${PREMIUM_AMOUNT}
--------------------------	--------------------

After

[Back to Table of Contents](#)

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Company" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

Estimated Annual Premium	\${PREMIUM_AMOUNT}
--------------------------	--------------------

After

[Back to Table of Contents](#)

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Submit" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

	Estimated Annual Premium \${PREMIUM_AMOUNT}								
After									
Back to Table of Contents									
Scenario: Close Sales Portal									
Passed: 1									
Before									
And I close sales portal									
After									
Back to Table of Contents									
Feature: Verify Agent can add,edit or delete members manually									
Passed: 44									
Scenario: Log into sales portal as an agent and navigate to employee page									
Passed: 5									
Before									
Given Launch sales portal									
Output									
https://dev-pamb-sales-eb.pru.intranet.asia/									
And I assign value to following variables									
<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> <tr> <td>Occupational Class</td> <td> \${emp.occupationalclass.dropdown.value1}</td> </tr> <tr> <td>Nationality</td> <td> \${nationality.dropDown.list}</td> </tr> </table>		Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	Occupational Class	\${emp.occupationalclass.dropdown.value1}	Nationality	\${nationality.dropDown.list}
Agent_Email	\${agent.email.id.global}								
Agent_Password	\${agent.password}								
Occupational Class	\${emp.occupationalclass.dropdown.value1}								
Nationality	\${nationality.dropDown.list}								
When I Login to Sales Portal with below details									
<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>		UserName	\${Agent_Email}	Password	\${Agent_Password}				
UserName	\${Agent_Email}								
Password	\${Agent_Password}								
And I enter the verification code if page appears for agent "\${Agent_Email}"									
Then I verify "\${welcome.to.prudential}" screen is displayed									
After									
Back to Table of Contents									
Scenario: Verify Sample text on employee view									
Passed: 20									
Before									
When I click on Create Quote Link									
Then I navigate to "Select Plan" screen									
And I generate "current date" and assign to variable "\${COVERAGE_DATE}" in "dd/MM/yyyy"									
And I assign value to following variables									
No._of_Members 10									
And I enter following details on select plan page									
Effective Date of Coverage \${COVERAGE_DATE}									

No. of Employees	\${No._of_Members}
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button	
Then I navigate to "Members" screen	
And verify the user is landed on "Members" page	
And I verify following text is displayed on "Employee Page" page	
\${estimatedAnnualPremium.button.text}	
\${newQuote.static.text}	
Then I verify following buttons are displayed on top right corner of the screen	
Save Quote \${saveQuote.button.text}	
Then I verify the presence of following button on "members page"	
\${employee.upload.file.btn}	
\${addEmployeeManually.button.text}	
Then I verify the presence of "\${employee.download.template.btn}" on employee page	
Then I verify the presence of three dots dropdown for ph on employee page	
Then I verify the following information text on the screen	
Info \${employee.drop.data.file}	
Then I assign value to following variables	
EMP_COUNT 0	
Then I verify the presence of following member table headers on "member page"	
\${employee.detail.name}	
\${employee.detail.startdate}	
Then I verify following counts are displayed for employee and dependant on employee page	
Member Count \${employee.uploaded.count}	
Then I verify the presence of following items on page footer	
\${previous.button.text}	
\${next.button.text}	
And I verify "\${previous.button.text}" button is "enabled"	
And I verify "\${next.button.text}" button is "enabled"	
After	
Back to Table of Contents	
Scenario: Verify PDPA Consent requirement title and text	
Passed: 2	
Before	
Then I verify following text is displayed on "Member" page	
\${employee.PDPAtitle.txt}	
Then I verify below pdpa consent text is displayed on Employee page	
\${employee.PDPA.consent.text}	
After	
Back to Table of Contents	
Scenario: verify Upload file,Add employee and download template button is disabled when PDPA Co	
Passed: 3	
Before	

Given I verify PDPA Consent requirement checkbox is "unchecked"

Then I verify following buttons are "disabled" on employee page

\${addEmployeeManually.button.text}

Then I verify following span type link are "disabled" on employee page

\${employee.download.template.btn}

After

[Back to Table of Contents](#)

Scenario: verify Upload file,Add members and download template button is enabled when PDPA Con

Passed: 6

Before

Given I select the PDPA Consent requirement check box

And I verify PDPA consent information is collapsed

Then I click on three dots at the top right corner of employee table

Then I verify the presence of following button on "top right corner of member table"

\${employee.reupload.btn}

And I verify button label text on "Employee Page on click on 3 dots" page

\${employee.reupload.btn}

Then I verify "\${employee.reupload.btn}" button is "enabled"

After

[Back to Table of Contents](#)

Scenario: verify Agent can download the excel template

1)verify template format should be excel

2)the file should contain expected headers

Passed: 14

Before

Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"

Output

Assigning value /testdata/my/bulk_upload_employee to variable testdata.path

Then I assign "Employee_Temp_To_Compare_With.xls" to variable "FILE_NAME"

Output

Assigning value Employee_Temp_To_Compare_With.xls to variable FILE_NAME

Then I assign "employees_template.xls" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value employees_template.xls to variable DOWNLOADED_FILE_NAME

And I assign "\${testdata.path}/downloadEmployeeTemplate" to variable "employee.template.com

Output

Assigning value /testdata/my/bulk_upload_employee/downloadEmployeeTemplate to variable employee.template.compareWith

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "employee.te

Then I delete the downloaded file "\${employee.template.CompareTo.path}" if it already exists

Then I scroll to the end of page

When I click on Download employee template button

Then I verify following text is displayed on "Download Member Data File" page

\${employee.download.popup.Header.text}

\${employee.download.popup.message}

Then I verify following buttons are displayed on "Download Member Data File"

\${employee.download.popup.english.button}
--

Then I click on "\${employee.download.popup.english.button}" button

Then I verify downloaded file name is "\${employee.template.CompareTo.path}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/employees_template.xlsx

And I verify employee csv file "\${employee.template.CompareTo.path}" is matching with "\${emp

And I close download employee data file popup

After

[Back to Table of Contents](#)

Scenario: verify static,sample text,header and footer on Member profile page

Passed: 10

Before

Given I close download employee data file popup if it is opened

Given I select the PDPA Consent requirement check box

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

Then I verify the h3 header text is displayed on "Add Employee modal" page

\${employee.addemp.empdetails}

\${employee.addemp.nationalitydetails}
--

\${employee.addemp.addressdetails}

Then I verify the field label text on "Add Employee modal"

\${employee.addemp.field.firstname}

	\${employee.adtemp.field.middlename} \${employee.adtemp.field.surname} \${employee.adtemp.field.dob} \${employee.adtemp.field.gender} \${employee.adtemp.field.cmpnyemail} \${employee.adtemp.field.occupationclass} \${employee.adtemp.field.empstartdate} \${employee.adtemp.field.nationality} \${employee.adtemp.field.nric} \${employee.adtemp.field.mandatory.address} \${employee.adtemp.field.optional.address2} \${employee.adtemp.field.optional.address3} \${employee.adtemp.field.optional.address4} \${employee.adtemp.field.state} \${employee.adtemp.field.city} \${employee.adtemp.field.zipcode} \${employee.adtemp.field.country}
--	---

Then I verify the informational text on "Add Employee Modal"

\${employee.adtemp.field.middlename}	\${employee.infotext}
\${employee.adtemp.field.optional.address2}	\${employee.infotext}
\${employee.adtemp.field.optional.address3}	\${employee.infotext}
\${employee.adtemp.field.optional.address4}	\${employee.infotext}

Then I verify the default value in following fields on add employee screen

State	\${state.default.value}
MY Occupational Class	\${emp.occupationalclass.dropdown.value1}
static Nationality	\${nationality.dropDown.list}
Country	\${country.dropDown.value}
Date of Birth default	\${emp.date.format}
Coverage Start Date default	\${emp.date.format}

And I verify the presence of following button on "Add employee modal"

\${employee.adtemp.saveandnew}
\${employee.adtemp.close}

After

[Back to Table of Contents](#)

Scenario: **verify the values of Occupational Class field on Add member modal**

Passed: 1

Before

Then I verify Occupational Class field is non editable on Add member screen

After

[Back to Table of Contents](#)

Scenario: **Verify nationality field is uneditable**

Passed: 1

Before

Then I verify Nationality field is non editable on Add employee screen**After**[Back to Table of Contents](#)**Scenario: Verify the dropdown lists in State field**

Passed: 1

Before**Then I verify State field dropdown values matches with "/testdata/my/state/state.txt" file****Output**

```
StateField data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
```

After[Back to Table of Contents](#)**Scenario: verify country field should be un editable**

Passed: 1

Before**Given I verify Country field is non editable on Add employee screen****After**[Back to Table of Contents](#)**Scenario: Validating the error message When user clicks on save button without entering field value or leaving it blank**

Passed: 4

Before**Given I close the Add employee Modal if it is already opened****Then I click on "Add Member" button****Then I click on "\${employee.adtemp.saveandnew}" button****Then I verify the error message on "Add Member modal"**

`\${employee.adtemp.field.firstname}`	`\${emp.error.mandatoryfield1}`
`\${employee.adtemp.field.surname}`	`\${emp.error.mandatoryfield3}`
`\${employee.adtemp.field.dob}`	`\${emp.error.mandatoryfield5}`
`\${employee.adtemp.field.cmpnyemail}`	`\${emp.error.mandatoryfield6}`
`\${employee.adtemp.field.empstartdate}`	`\${emp.error.mandatoryfield8}`
PAMB Gender	`\${emp.error.mandatoryfield9}`
`\${employee.adtemp.field.nric}`	`\${emp.error.mandatoryfield10}`
PAMB State	`\${emp.error.mandatoryfield12}`
`\${employee.adtemp.field.city}`	`\${emp.error.mandatoryfield13}`
`\${employee.adtemp.field.zipcode}`	`\${emp.error.mandatoryfield14}`
`\${employee.adtemp.field.mandatory.address}`	`\${emp.error.mandatoryfield11}`

Output

```
Checking validation message for First Name
Checking validation message for Surname
```

Checking validation message for Date of Birth
 Checking validation message for Email Address
 Checking validation message for Coverage Start Date
 Checking validation message for PAMB Gender
 Checking validation message for NRIC no.
 Checking validation message for PAMB State
 Checking validation message for City
 Checking validation message for Post Code
 Checking validation message for Address 1

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.firstname}" When**

Passed: 3

Before

Then I enter following details on "add member" screen

First Name	ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZy
------------	--

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.adtemp.field.firstname}	\${emp.error.min.max.validation.firstname}
-------------------------------------	--

Output

Checking validation message for First Name

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.surname}" When**

Passed: 3

Before

Then I enter following details on "add member" screen

Surname	ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZy
---------	--

Then I click on "\${employee.adtemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.adtemp.field.surname}	\${emp.error.min.max.validation.surname}
-----------------------------------	--

Output

Checking validation message for Surname

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When**

Passed: 3

	Before				
	<p>Then I enter following details on "add member" screen</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Post Code</td> <td style="padding: 2px;">abcD</td> </tr> </table> <p>Then I click on "\${employee.adtemp.saveandnew}" button</p> <p>Then I verify the error message on "Add Member modal"</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">\${employee.adtemp.field.zipcode}</td> <td style="padding: 2px;">\${emp.error.min.max.validation.zipcode}</td> </tr> </table>	Post Code	abcD	\${employee.adtemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}
Post Code	abcD				
\${employee.adtemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}				
	<p>Output</p> <div style="border: 1px dashed #ccc; padding: 5px; height: 100px; overflow: auto;"> <p>Checking validation message for Post Code</p> </div>				
	After				
	<p>Back to Table of Contents</p> <p>Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u</p> <p>Passed: 3</p>				
	Before				
	<p>Then I enter following details on "add member" screen</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Post Code</td> <td style="padding: 2px;">103</td> </tr> </table> <p>Then I click on "\${employee.adtemp.saveandnew}" button</p> <p>Then I verify the error message on "Add Member modal"</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">\${employee.adtemp.field.zipcode}</td> <td style="padding: 2px;">\${emp.error.min.max.validation.zipcode}</td> </tr> </table>	Post Code	103	\${employee.adtemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}
Post Code	103				
\${employee.adtemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}				
	<p>Output</p> <div style="border: 1px dashed #ccc; padding: 5px; height: 100px; overflow: auto;"> <p>Checking validation message for Post Code</p> </div>				
	After				
	<p>Back to Table of Contents</p> <p>Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u</p> <p>Passed: 3</p>				
	Before				
	<p>Then I enter following details on "add member" screen</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Post Code</td> <td style="padding: 2px;">145607</td> </tr> </table> <p>Then I click on "\${employee.adtemp.saveandnew}" button</p> <p>Then I verify the error message on "Add Member modal"</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">\${employee.adtemp.field.zipcode}</td> <td style="padding: 2px;">\${emp.error.min.max.validation.zipcode}</td> </tr> </table>	Post Code	145607	\${employee.adtemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}
Post Code	145607				
\${employee.adtemp.field.zipcode}	\${emp.error.min.max.validation.zipcode}				
	<p>Output</p> <div style="border: 1px dashed #ccc; padding: 5px; height: 100px; overflow: auto;"> <p>Checking validation message for Post Code</p> </div>				

Then I click on "\${employee.addemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.addemp.field.city}\${emp.error.min.max.validation.city}

Output

Checking validation message for City

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${bulk.upload.error.minmax.validation.ID}" When

Passed: 3

Before

Then I enter following details on "add member" screen

NRIC no. 1234567891

Then I click on "\${employee.addemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.addemp.field.nric}\${bulk.upload.error.minmax.validation.ID}

Output

Checking validation message for NRIC no.

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.middlename}" When

Passed: 3

Before

Then I enter following details on "add member" screen

Middle Name ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLM NOPQRSTUVWXYZ

Then I click on "\${employee.addemp.saveandnew}" button

Then I verify the error message on Optional fields in "Add Member modal"

\${employee.addemp.field.middlename}\${emp.error.min.max.validation.middlename}

Output

Checking validation message for Middle Name

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.address2}" When

After	
Back to Table of Contents	
Scenario: validate the error message when member DOB is future dated or age is not between 16 & 30	
Passed: 14	
Before	
<p>Given I generate "future date" and assign to variable "future date" in "dd/MM/yyyy" format And I enter following details on "add employee" screen <input type="text" value="Date of Birth \${future date}"/></p>	
<p>Then I click on "\${employee.adtemp.saveandnew}" button Then I click on "\${employee.adtemp.saveandnew}" button And I wait for 2 sec Then I verify the error message on "Add Employee modal" <input type="text" value="\${employee.adtemp.field.dob} \${emp.adtemp.future.DOB.error.message}"/></p>	
Output	
Checking validation message for Date of Birth	
<p>Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to variable "age" And I enter following details on "add employee" screen <input type="text" value="Date of Birth \${DOB}"/></p>	
<p>Then I click on "\${employee.adtemp.saveandnew}" button Then I verify the error message on "Add Employee modal" <input type="text" value="\${employee.adtemp.field.dob} \${emp.adtemp.age.criteria.error.message}"/></p>	
Output	
Checking validation message for Date of Birth	
<p>Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to variable "age" And I enter following details on "add employee" screen <input type="text" value="Date of Birth \${DOB}"/></p>	
<p>Then I click on "\${employee.adtemp.saveandnew}" button Then I verify the error message on "Add Employee modal" <input type="text" value="\${employee.adtemp.field.dob} \${emp.adtemp.age.criteria.error.message}"/></p>	
Output	
Checking validation message for Date of Birth	
After	

[Back to Table of Contents](#)**Scenario: verify calendar functionality is working for date of birth**

Passed: 11

Before

Given I close the Add employee Modal if it is already opened
 And I scroll the page up
 Then I click on "\${addEmployeeManually.button.text}" button
 And I generate "current date" and assign to variable "current date" in "dd/MMM/yyyy" format
 And I generate "future date" and assign to variable "future date_1" in "dd/MMM/yyyy" format
 And I generate "future date" and assign to variable "future date_2" in "dd/MM/yyyy" format
 Then I click on date of birth calendar button on Add employee modal on Sales
 Then I verify the value "\${current date}" is selected by default for date of birth calendar on Add employee page
 Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month_dropdown_value"

Output

```
expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
```

Then I select date "\${future date_1}" using calendar**Then I verify Add Employee page is displayed with all data pre-populated from employee table****Date of Birth \${future date_2}****After**[Back to Table of Contents](#)**Scenario: verify calendar functionality is working for coverage start date**

Passed: 5

Before

Then I click on employee start date calendar button on Add employee modal on Sales
 Then I verify the value "\${current date}" is selected by default for employee start date calendar or not
 Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month_dropdown_value"

Output

```
expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]
```

Then I select date "\${future date_1}" using calendar**Then I verify Add Employee page is displayed with all data pre-populated from employee table****Date of Birth \${future date_2}****After**[Back to Table of Contents](#)**Scenario: Verify agent can perform following functions**

- 1) manually add the single member after uploading a bulk emp file
- 2) Save using Save and New button
- 3) The member count per category and total no of members is updated after employee is manually added

Passed: 34

Before

Given I close the Add employee Modal if it is already opened

Then I click on Create Quote Link

And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" format

And I assign value to following variables

No._of_Members	10
----------------	----

And I enter following details on select plan page

Effective Date of Coverage	\${COVERAGE_DATE}
No. of Members	\${No._of_Members}

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

Then I navigate to "Members" screen

Then I select the PDPA Consent requirement check box

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"

Output

```
Assigning value /testdata/my/bulk_upload_employee to variable testdata.path
```

Then I assign "employee_CorrectData.xls" to variable "FILE_NAME"

Output

```
Assigning value employee_CorrectData.xls to variable FILE_NAME
```

Then I upload the employee csv file "\${testdata.path}/003/\${FILE_NAME}"

And I wait for 10 sec

And I verify "\${employee.upload.success.msg}" validation message on employee screen

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

```
Random number generated is :162
```

And I assign value to following variables

Employee First Name	Employee One
---------------------	--------------

Employee Middle Name	Middle-Name
Employee Surname	Sur.name
Date of Birth	01/01/1995
Gender	\${gender.female.text}
Email Address	testuser_\${RANDOM_NUMBER}@test.com
Coverage Start Date	10/01/2021
NRIC no.	123456789102
Address 1	Test Address1
Address 2	Test Address2
Address 3	Test Address3
Address 4	Test Address4
State	\${state.dropdown.value.2}
City	Test City
Post Code	54787

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name}
Middle Name	\${Employee Middle Name}
Surname	\${Employee Surname}
Date of Birth	\${Date of Birth}
Gender	\${Gender}
Email Address	\${Email Address}
Coverage Start Date	\${Coverage Start Date}
NRIC no.	\${NRIC no.}
Address 1	\${Address 1}
Address 2	\${Address 2}
Address 3	\${Address 3}
Address 4	\${Address 4}
State	\${State}
City	\${City}
Post Code	\${Post Code}

And I assign "\${Employee First Name} \${Employee Middle Name} \${Employee Surname}" to variable

Output

Assigning value Employee One Middle-Name Sur.name to variable Employee Full Name

Then I scroll the page up

And I click on "\${employee.addemp.saveandnew}" button

Then I click on "\${employee.addemp.close}" button

Then verify the user is landed on "Members" page

Then I assign value to following variables

EMP_COUNT	11
-----------	----

And I scroll the page up

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count \${employee.uploaded.count}												
Then I enter "\${Employee Full Name}" in search text field in Members page												
Then I scroll to the end of page												
Then I verify following information is displayed for member "\${Employee Full Name}" in member detail												
<table border="1"> <tr><td>\${employee.detail.name}</td><td>\${Employee Full Name}</td></tr> <tr><td colspan="2">\${employee.detail.startdate} \${COVERAGE_DATE}</td></tr> </table>	\${employee.detail.name}	\${Employee Full Name}	\${employee.detail.startdate} \${COVERAGE_DATE}									
\${employee.detail.name}	\${Employee Full Name}											
\${employee.detail.startdate} \${COVERAGE_DATE}												
When I expand the member "\${Employee Full Name}" using > button												
And I verify following details for the added/updated members												
<table border="1"> <tr><td>\${employee.adtemp.field.dob}</td><td>\${Date of Birth}</td></tr> <tr><td>\${employee.adtemp.field.gender}</td><td>\${Gender}</td></tr> <tr><td>\${employee.adtemp.field.nationality}</td><td>\${Nationality}</td></tr> <tr><td>\${employee.detailsview.field.empid}</td><td>\${NRIC no.}</td></tr> <tr><td colspan="2">\${employee.adtemp.field.occupationclass} \${Occupational Class}</td></tr> <tr><td colspan="2">\${employee.adtemp.field.cmpnyemail} \${Email Address}</td></tr> </table>	\${employee.adtemp.field.dob}	\${Date of Birth}	\${employee.adtemp.field.gender}	\${Gender}	\${employee.adtemp.field.nationality}	\${Nationality}	\${employee.detailsview.field.empid}	\${NRIC no.}	\${employee.adtemp.field.occupationclass} \${Occupational Class}		\${employee.adtemp.field.cmpnyemail} \${Email Address}	
\${employee.adtemp.field.dob}	\${Date of Birth}											
\${employee.adtemp.field.gender}	\${Gender}											
\${employee.adtemp.field.nationality}	\${Nationality}											
\${employee.detailsview.field.empid}	\${NRIC no.}											
\${employee.adtemp.field.occupationclass} \${Occupational Class}												
\${employee.adtemp.field.cmpnyemail} \${Email Address}												
Then I navigate to "Select Plan" screen												
Then I verify the sample text of following fields on select plan page												
<table border="1"> <tr><td>Number of Members</td><td>11</td></tr> </table>	Number of Members	11										
Number of Members	11											
After												
Back to Table of Contents												
Scenario: Verify the email duplicate check is present while adding same email for employees manually												
Passed: 13												
Before												
Given I navigate to "Members" screen												
And I scroll the page up												
And I click on "\${addEmployeeManually.button.text}" button												
And I verify "\${employee.adtemp.modal.title}" modal comes up												
Then I enter following details on "Add Employee" screen												
<table border="1"> <tr><td>Email Address</td><td> \${hr.admin.id}</td></tr> </table>	Email Address	\${hr.admin.id}										
Email Address	\${hr.admin.id}											
And I click on "\${employee.adtemp.saveandnew}" button												
When I verify the error message on "Add Employee modal"												
<table border="1"> <tr><td colspan="2"> \${employee.adtemp.field.cmpnyemail} \${emp.bulk.upload.error.email.exist}</td></tr> </table>	\${employee.adtemp.field.cmpnyemail} \${emp.bulk.upload.error.email.exist}											
\${employee.adtemp.field.cmpnyemail} \${emp.bulk.upload.error.email.exist}												
Output												
<pre>Checking validation message for Email Address</pre>												
Then I enter following details on "Add Employee" screen												
<table border="1"> <tr><td>Email Address</td><td> \${Email Address}</td></tr> </table>	Email Address	\${Email Address}										
Email Address	\${Email Address}											
And I click on "\${employee.adtemp.saveandnew}" button												
And I wait for 2 sec												
When I verify the error message on "Add Employee modal"												
<table border="1"> <tr><td colspan="2"> \${employee.adtemp.field.cmpnyemail} \${emp.bulk.upload.error.email.exist}</td></tr> </table>	\${employee.adtemp.field.cmpnyemail} \${emp.bulk.upload.error.email.exist}											
\${employee.adtemp.field.cmpnyemail} \${emp.bulk.upload.error.email.exist}												

<p>Output</p> <hr/> <p>Checking validation message for Email Address</p> <hr/> <p>And I click on "\${employee.addemp.close}" button</p> <p>And verify the user is landed on "Members" page</p>
After
Back to Table of Contents
Scenario: Verify the presence of the Search field
Passed: 3
Before
<p>Given I close the Add employee Modal if it is already opened</p> <p>And I verify Search text field is displayed and enabled with magnifying class and default text as Se</p> <p>And I verify sample text of search text field on "member page" page on Sales Portal</p> <p> \${member.search.text}</p>
After
Back to Table of Contents
Scenario Outline: Verify the agent can search member details by entering "First Name"
Passed: 3
Before
<p>Given I enter "\${Employee First Name}" in search text field in Members page</p> <p>And I verify searched member count is 1</p> <p>Then I remove search text on manage members page in Sales Portal</p>
After
Back to Table of Contents
Scenario Outline: Verify the agent can search member details by entering "Middle Name"
Passed: 3
Before
<p>Given I enter "\${Employee Middle Name}" in search text field in Members page</p> <p>And I verify searched member count is 1</p> <p>Then I remove search text on manage members page in Sales Portal</p>
After
Back to Table of Contents
Scenario Outline: Verify the agent can search member details by entering "NRIC no."
Passed: 3
Before
<p>Given I enter "\${NRIC no.}" in search text field in Members page</p> <p>And I verify searched member count is 1</p> <p>Then I remove search text on manage members page in Sales Portal</p>
After
Back to Table of Contents

Scenario Outline: Verify the agent can search member details by entering "Email Address"

Passed: 3

Before

Given I enter "\${Email Address}" in search text field in Members page

And I verify searched member count is 1

Then I remove search text on manage members page in Sales Portal

After

[Back to Table of Contents](#)

Scenario: Verify the agent can edit the employee information on employee page

Passed: 23

Before

Given I close the Add employee Modal if it is already opened

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

Then I enter "\${Email Address}" in search text field in Members page

And I click on edit button next to the employee "\${Employee Full Name}"

Then I click on profile button "\${employee.editprofile.button.text}" on Add employee page

Then I verify "\${employee.editemp.modal.title}" modal comes up

Then I verify Add Employee page is displayed with all data pre-populated from employee table

First Name	`\${Employee First Name}`
Middle Name	`\${Employee Middle Name}`
Surname	`\${Employee Surname}`
Date of Birth	`\${Date of Birth}`
Gender	`\${Gender}`
Email Address	`\${Email Address}`
MY Occupational Class	`\${Occupational Class}`
Coverage Start Date	`\${Coverage Start Date}`
static Nationality	`\${Nationality}`
NRIC no.	`\${NRIC no.}`
Address 1	`\${Address 1}`
Address 2	`\${Address 2}`
Address 3	`\${Address 3}`
Address 4	`\${Address 4}`
State	`\${state.dropdown.value.2}`
City	`\${City}`
Post Code	`\${Post Code}`

Then I scroll the page up

Then I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :557

And I assign value to following variables

updated_Employee First Name	Test FN updated
updated_Employee Middle Name	Test MN updated
updated_Employee Sur Name	Test SN updated
updated_Date of Birth	23/09/1992
updated_Gender	\${gender.male.text}
updated_Email Address	testuser_\${RANDOM_NUMBER}@test.com
updated_CoverageStart Date	23/11/2019
updated_NRIC no.	456789012345
updated_Address 1	Test Address1
updated_Address 2	Test Address2
updated_Address 3	Test Address3
updated_Address 4	Test Address4
updated_State	\${state.dropdown.value.3}
updated_City	Test City
updated_Post Code	53783

Then I enter following details on "add employee" screen

First Name	\${updated_Employee First Name}
Middle Name	\${updated_Employee Middle Name}
Surname	\${updated_Employee Sur Name}
Date of Birth	\${updated_Date of Birth}
Gender	\${updated_Gender}
Email Address	\${updated_Email Address}
Coverage Start Date	\${updated_CoverageStart Date}
NRIC no.	\${updated_NRIC no.}
Address 1	\${updated_Address 1}
Address 2	\${updated_Address 2}
Address 3	\${updated_Address 3}
Address 4	\${updated_Address 4}
State	\${updated_State}
City	\${updated_City}
Post Code	\${updated_Post Code}

And I assign "\${updated_Employee First Name} \${updated_Employee Middle Name} \${updated_Employee Sur Name}" to variable updated_Employee Full Name

Output

Assigning value Test FN updated Test MN updated Test SN updated to variable updated_Employee Full Name

Then I scroll the page up

Then I click on "\${employee.addemp.save}" button

Then verify the user is landed on "Members" page

Then I wait for 5 sec

Then I remove search text on manage members page in Sales Portal

Then I assign value to following variables

EMP_COUNT	11
-----------	----

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count	\${employee.uploaded.count}
----------------	-----------------------------

Then I enter "\${updated_Employee Full Name}" in search text field in Members page

When I expand the member "\${updated_Employee Full Name}" using > button

And I verify following details for the added/updated members

\${employee.adtemp.field.dob}	\${updated_Date of Birth}
\${employee.adtemp.field.gender}	\${updated_Gender}
\${employee.adtemp.field.nationality}	\${Nationality}
\${employee.detailsview.field.empid}	\${updated_NRIC no.}
\${employee.adtemp.field.occupationclass}	\${Occupational Class}
\${employee.adtemp.field.cmpnyemail}	\${updated_Email Address}

After

[Back to Table of Contents](#)

Scenario: Verify the agent can delete single member profile

Passed: 14

Before

Given I enter "\${updated_Employee Full Name}" in search text field in Members page

And I click on edit button next to the employee "\${updated_Employee Full Name}"

Then I assign "\${updated_Employee Full Name}" to variable "Employee Full Name"

Output

Assigning value Test FN updated Test MN updated Test SN updated to variable Employee Full Name

Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add employee page

Then I verify following text is displayed on "delete profile popup window on employee" page

\${employee.delete.popup.Header.text}
\${employee.delete.popup.message}

Then I verify following buttons are displayed on "delete profile popup window on employee"

\${employee.delete.popup.cancel.button}
\${employee.delete.popup.delete.button}

Then I click on "\${employee.delete.popup.cancel.button}" button

Given I click on edit button next to the employee "\${updated_Employee Full Name}"

Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add employee page

Then I click on "\${employee.delete.popup.delete.button}" button

Then I remove search text on manage members page in Sales Portal

Then I assign value to following variables

EMP_COUNT	10
-----------	----

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count	\${employee.uploaded.count}
----------------	-----------------------------

Then I verify following employees should not present on employee page

\${Employee Full Name}

After

[Back to Table of Contents](#)

Scenario: Verify that the quote can be saved by clicking on Save Quote button after entering member

Passed: 12

Before

Given I close the Add employee Modal if it is already opened

Then I navigate to "Members" screen

And I verify following buttons are displayed on top right corner of the screen

Save Quote \${saveQuote.button.text}

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :745

And I assign "Test_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"

Output

Assigning value Test_Quote_74524026222 to variable Company_Name

And I enter Company Name as "\${Company_Name}"

Output

company name is: Test_Quote_74524026222

And I click on "\${saveQuote.button.text}" button

Then I verify following information is displayed on page footer

\${lastSavedMessage.static.text}

Then I verify the presence of export quote button

And I click on "Quotes" Link

When I enter "\${Company_Name}" in search text field in Quotes page

Then I verify Quote is present only for "\${Company_Name}" search criteria in "Company Name"

After

[Back to Table of Contents](#)

Scenario: Verify workflow of adding multiple member profiles manually

I) Verify the agent can add multiple member profiles manually

2) Verify the functionality of save and new button to add multiple members

Passed: 42

Before**Given I close the Add employee Modal if it is already opened****Then I click on Create Quote Link****And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" format****And I assign value to following variables****No._of_Members** 10**And I enter following details on select plan page**

Effective Date of Coverage	\${COVERAGE_DATE}
No. of Members	\${No._of_Members}

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**And I navigate to "Members" screen****And verify the user is landed on "Members" page****Then I select the PDPA Consent requirement check box****And I scroll the page up****Then I click on "\${addEmployeeManually.button.text}" button****Then I verify "\${employee.adtemp.modal.title}" modal comes up****And I generate random number and assign to variable "RANDOM_NUMBER"****Output**

Random number generated is :255

And I assign value to following variables

Employee First Name_emp1	First User
Employee Middle Name_emp1	Middle-name
Employee Surname_emp1	Sur'name
Date of Birth_emp1	27/08/1996
Gender_emp1	\${gender.male.text}
Email Address_emp1	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp1	01/10/2019
NRIC no._emp1	896789012345
Address 1_emp1	Test Address1
Address 2_emp1	Test Address2
Address 3_emp1	Test Address3
Address 4_emp1	Test Address24
State_emp1	\${state.dropdown.value.1}
City_emp1	Test City
Post Code_emp1	60258

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp1}

Middle Name	\${Employee Middle Name_emp1}
Surname	\${Employee Surname_emp1}
Date of Birth	\${Date of Birth_emp1}
Gender	\${Gender_emp1}
Email Address	\${Email Address_emp1}
Coverage Start Date	\${CoverageStart Date_emp1}
NRIC no.	\${NRIC no._emp1}
Address 1	\${Address 1_emp1}
Address 2	\${Address 2_emp1}
Address 3	\${Address 3_emp1}
Address 4	\${Address 4_emp1}
State	\${State_emp1}
City	\${City_emp1}
Post Code	\${Post Code_emp1}

And I assign "\${Employee First Name_emp1} \${Employee Middle Name_emp1} \${Employee Surname_emp1}" to variable Employee Full Name_emp1

Output

Assigning value First User Middle-name Sur'Name to variable Employee Full Name_emp1

Then I scroll the page up

And I click on "\${employee.addemp.saveandnew}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I scroll the page up

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :264

And I assign value to following variables

Employee First Name_emp2	Second User
Employee Middle Name_emp2	MN
Employee Surname_emp2	SN
Date of Birth_emp2	18/12/1994
Gender_emp2	\${gender.male.text}
Email Address_emp2	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp2	29/08/2017
NRIC no._emp2	545767689022
Address 1_emp2	Second Address1
Address 2_emp2	Second Address2
Address 3_emp2	Second Address3
Address 4_emp2	Second Address4

		<table border="1"> <tr><td>State_emp2</td><td> \${state.dropdown.value.2}</td></tr> <tr><td>City_emp2</td><td>Second City</td></tr> <tr><td>Post Code_emp2</td><td>04988</td></tr> </table>	State_emp2	\${state.dropdown.value.2}	City_emp2	Second City	Post Code_emp2	04988	
State_emp2	\${state.dropdown.value.2}								
City_emp2	Second City								
Post Code_emp2	04988								
Given I enter following details on "Add Employee" screen									
First Name	\${Employee First Name_emp2}								
Middle Name	\${Employee Middle Name_emp2}								
Surname	\${Employee Surname_emp2}								
Date of Birth	\${Date of Birth_emp2}								
Gender	\${Gender_emp2}								
Email Address	\${Email Address_emp2}								
Coverage Start Date	\${CoverageStart Date_emp2}								
NRIC no.	\${NRIC no._emp2}								
Address 1	\${Address 1_emp2}								
Address 2	\${Address 2_emp2}								
Address 3	\${Address 3_emp2}								
Address 4	\${Address 4_emp2}								
State	\${State_emp2}								
City	\${City_emp2}								
Post Code	\${Post Code_emp2}								
And I assign "\${Employee First Name_emp2} \${Employee Middle Name_emp2} \${Employee Surname_emp2}"									
Output									
Assigning value Second User MN SN to variable Employee Full Name_emp2									
And I click on "\${employee.adtemp.saveandnew}" button									
Then I verify "\${employee.adtemp.modal.title}" modal comes up									
And I scroll the page up									
And I generate random number and assign to variable "RANDOM_NUMBER"									
Output									
Random number generated is :360									
And I assign value to following variables									
Employee First Name_emp3	Third User								
Employee Surname_emp3	S-N								
Date of Birth_emp3	19/09/1996								
Email Address_emp3	testuser_\${RANDOM_NUMBER}@test.com								
NRIC no._emp3	854545454545								
Address 1_emp3	Test Address@3								
State_emp3	\${state.dropdown.value.3}								
City_emp3	Test-City								

	Post Code_emp3	76548													
Given I enter following details on "Add Employee" screen															
	First Name	 \${Employee First Name_emp3}													
	Surname	 \${Employee Surname_emp3}													
	Date of Birth	 \${Date of Birth_emp3}													
	Gender	 \${Gender_emp2}													
	Coverage Start Date	 \${CoverageStart Date_emp2}													
	Email Address	 \${Email Address_emp3}													
	NRIC no.	 \${NRIC no._emp3}													
	Address 1	 \${Address 1_emp3}													
	State	 \${State_emp3}													
	City	 \${City_emp3}													
	Post Code	 \${Post Code_emp3}													
And I assign "\${Employee First Name_emp3} \${Employee Surname_emp3}" to variable "Employee Output"															
Assigning value Third User S-N to variable Employee Full Name_emp3															
And I click on "\${employee.adtemp.saveandnew}" button															
Then I click on "\${employee.adtemp.close}" button															
Then verify the user is landed on "Members" page															
Then I assign value to following variables															
EMP_COUNT[3]															
Then I verify following counts are displayed for employee and dependant on employee page															
Employee Count \${employee.uploaded.count}															
Then I verify following information is displayed for member "\${Employee Full Name_emp1}" in members page															
<table border="1"><tr><td> \${employee.detail.name}</td><td> \${Employee Full Name_emp1}</td></tr><tr><td> \${employee.detail.startdate}</td><td> \${COVERAGE_DATE}</td></tr></table>				 \${employee.detail.name}	 \${Employee Full Name_emp1}	 \${employee.detail.startdate}	 \${COVERAGE_DATE}								
 \${employee.detail.name}	 \${Employee Full Name_emp1}														
 \${employee.detail.startdate}	 \${COVERAGE_DATE}														
Given I enter "\${Employee Full Name_emp1}" in search text field in Members page															
When I expand the member "\${Employee Full Name_emp1}" using > button															
And I verify following details for the added/updated members															
<table border="1"><tr><td> \${employee.adtemp.field.dob}</td><td> \${Date of Birth_emp1}</td></tr><tr><td> \${employee.adtemp.field.gender}</td><td> \${Gender_emp1}</td></tr><tr><td> \${employee.adtemp.field.nationality}</td><td> \${Nationality}</td></tr><tr><td> \${employee.detailsview.field.empid}</td><td> \${NRIC no._emp1}</td></tr><tr><td> \${employee.adtemp.field.occupationclass}</td><td> \${Occupational Class}</td></tr><tr><td> \${employee.adtemp.field.cmpnyemail}</td><td> \${Email Address_emp1}</td></tr></table>				 \${employee.adtemp.field.dob}	 \${Date of Birth_emp1}	 \${employee.adtemp.field.gender}	 \${Gender_emp1}	 \${employee.adtemp.field.nationality}	 \${Nationality}	 \${employee.detailsview.field.empid}	 \${NRIC no._emp1}	 \${employee.adtemp.field.occupationclass}	 \${Occupational Class}	 \${employee.adtemp.field.cmpnyemail}	 \${Email Address_emp1}
 \${employee.adtemp.field.dob}	 \${Date of Birth_emp1}														
 \${employee.adtemp.field.gender}	 \${Gender_emp1}														
 \${employee.adtemp.field.nationality}	 \${Nationality}														
 \${employee.detailsview.field.empid}	 \${NRIC no._emp1}														
 \${employee.adtemp.field.occupationclass}	 \${Occupational Class}														
 \${employee.adtemp.field.cmpnyemail}	 \${Email Address_emp1}														
When I expand the member "\${Employee Full Name_emp1}" using > button															
Then I remove search text on manage members page in Sales Portal															
Then I verify following information is displayed for member "\${Employee Full Name_emp2}" in members page															
<table border="1"><tr><td> \${employee.detail.name}</td><td> \${Employee Full Name_emp2}</td></tr><tr><td> \${employee.detail.startdate}</td><td> \${COVERAGE_DATE}</td></tr></table>				 \${employee.detail.name}	 \${Employee Full Name_emp2}	 \${employee.detail.startdate}	 \${COVERAGE_DATE}								
 \${employee.detail.name}	 \${Employee Full Name_emp2}														
 \${employee.detail.startdate}	 \${COVERAGE_DATE}														

```

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//div[@aria-label='grid']/div/div[@aria-rowindex='0']/div[@aria-colindex='1']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.10+9-b945.14-75b4615', jre.version: '11.0.10+9-b945.14-75b4615', vendor: 'Oracle Corporation', vendor.version: 'Java(TM) SE Development Kit 11.0.10 (build 11.0.10+9-b945.14-75b4615)', vendor.version.major: '11'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Windows 10"}, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: "Windows", platformName: "Windows", platformVersion: "10.0", se: {"grid": "http://eb-sme-backend-jenkinslave-v12-p7zkt-93pzm:4444/wd/hub"}, se:chrome: {"version": "83.0.4103.116", "platform": "Windows 10"}, se:options: {"args": ["--start-maximized"], "extensions": []}, se:platform: "Windows", se:platformName: "Windows", se:platformVersion: "10.0", se:remoteAddress: "http://eb-sme-backend-jenkinslave-v12-p7zkt-93pzm:4444/wd/hub", se:remoteProtocol: "WebDriver", se:sessionID: "8c101de76fcd243b9940deeb7ff59d48", se:unhandledPromptBehavior: "dismiss", timeouts: {"implicit": 0, "pageLoad": 300000, "script": 30000}}
*** Element info: {Using=xpath, value=//div[@aria-label="grid"]/div/div[@aria-rowindex='0']/div[@aria-colindex='1']}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:43)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:407)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.getText(TestBasePage.java:189)
at com.pru.sales.portal.pages.EmployeePage.getMemberTableDetails(EmployeePage.java:1320)
at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.verifyMemberDetailsInMemberTable(EmployeeAndDependentSteps.java:100)
at .Then I verify following information is displayed for member "${Employee Full Name_emp2}" in member table

```

Then I verify following information is displayed for member "\${Employee Full Name_emp3}" in member table

\${employee.detail.name}	\${Employee Full Name_emp3}
\${employee.detail.startdate}	\${COVERAGE_DATE}



+ New Quote

Information

Quotes

Documents

Powered by

TA Profile

Get Help

Select Plan

Memb

New Quote

Company Name



PDPA Consent Requirement



Search Name, NRIC or Email

Members (3)

First User Middle-name Sur'name

Second User MN SN

Third User S-N

[Logout](#)[Collapse Sidebar](#)[Previous](#)**After**[Back to Table of Contents](#)**Scenario: Verify that the quote can be saved by clicking on Save Quote button in the Members page b**

Passed: 16

Before**Given I click on Create Quote Link****Then I navigate to "Select Plan" screen****Then I generate random number and assign to variable "RANDOM_NUMBER"****Output**

Random number generated is :688

Then I assign "Dummy_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"**Output**

Assigning value Dummy_Quote_6882402622 to variable Company_Name

Then I enter Company Name as "\${Company_Name}"**Output**

company name is: Dummy_Quote_6882402622

Then I enter following details on select plan page**No. of Employees**10**And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button****And I navigate to "Members" screen****Then I verify following buttons are displayed on top right corner of the screen****Save Quote** \${saveQuote.button.text}**Then I click on "\${saveQuote.button.text}" button****Then I verify following information is displayed on page footer** **\${lastSavedMessage.static.text}****Then I verify the presence of export quote button****Then I click on Quotes link**

And I wait for 2 sec

When I enter "\${Company_Name}" in search text field in Quotes page

Then I verify Quote is present only for "\${Company_Name}" search criteria in "Company Name"

After

[Back to Table of Contents](#)

Scenario: Verify the validation message when user click on next button without adding required num

Passed: 4

Before

Given I click on Create Quote Link

Then I navigate to "Members" screen

Given I click on "\${next.button.text}" button

Then I verify following validation message on "member page"

{\${emp.bulk.upload.error.empcount.message}}

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify upload,re upload, download member excel functionality on members page

1) Verify upload members using xlsm file

2) Verify Re upload Member xlsm file

3) Verify the Member Table data downloadable into xlsm

Passed: 16

Scenario: Prerequisite to upload members xlsm using \${employee.upload.file.btn} button

Passed: 7

Before

Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"

Output

Assigning value /testdata/my/bulk_upload_employee to variable testdata.path

Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format

When Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
COVERAGE_DATE	\${current date}

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

After

[Back to Table of Contents](#)

Scenario: Set up the member view for uploading member data file

Passed: 5

Before

When I click on Create Quote Link

And I assign value to following variables

No._of_Employees	10
------------------	----

And I enter following details on select plan page

No. of Employees	\${No._of_Employees}
------------------	----------------------

And I navigate to "Members" screen

And I select the PDPA Consent requirement check box

After

[Back to Table of Contents](#)

Scenario: verify error message when wrong file type is uploaded

Passed: 3

Before

Given I assign "Wrong_file_type.txt" to variable "FILE_NAME"

Output

Assigning value Wrong_file_type.txt to variable FILE_NAME

When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

Then I verify "\${employee.wrong.filetype.upload.error}" validation error message is displayed

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal upload member error message validation "XLSM file with no details"

Passed: 7

Before

Given I assign "employee_EmptyFile.xlsx" to variable "FILE_NAME"

Output

Assigning value employee_EmptyFile.xlsxm to variable FILE_NAME

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.empty.file.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal upload member error message validation "XLSM file with no headers"

Passed: 7

Before

Given I assign "employee_No_Header.xlsxm" to variable "FILE_NAME"

Output

Assigning value employee_No_Header.xlsxm to variable FILE_NAME

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.no.headers.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal upload member error message validation "XLSM file with missing header"

Passed: 7

Before

Given I assign "employee_MissingColumn.xlsxm" to variable "FILE_NAME"

Output

Assigning value employee_MissingColumn.xlsxm to variable FILE_NAME

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.missing.column.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal upload member error message validation "XLSM file with diff header"

Passed: 7

Before

Given I assign "employee_diff_language.xls" to variable "FILE_NAME"

Output

Assigning value employee_diff_language.xls to variable FILE_NAME

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.diff.language.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

After

[Back to Table of Contents](#)

Scenario Outline: Sales Portal upload member error message validation "XLSM file with no data"

Passed: 7

Before

Given I assign "employee_nodata.xls" to variable "FILE_NAME"

Output

Assigning value employee_nodata.xls to variable FILE_NAME

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.no.data.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

After

[Back to Table of Contents](#)**Scenario Outline: Sales Portal upload member error message validation "XLSM file with wrong header"**

Passed: 7

Before**Given I assign "employee_IncorrectColumnName.xls" to variable "FILE_NAME"****Output**

Assigning value employee_IncorrectColumnName.xls to variable FILE_NAME

And I navigate to "Select Plan" screen**And I navigate to "Members" screen****When I upload the employee csv file "\${testdata.path}/001/\${FILE_NAME}"****When I click on View button to see errors****Then I verify following text is displayed on "emp bulk upload error modal" page** **`${employee.missing.column.upload.error}`****Given I close "\${employee.error.view.close}" the error modal if it is opened****After**[Back to Table of Contents](#)**Scenario: Verify The validation message when Agent upload wrong data file with multiple errors****1) Verify All error related to given records should display under relevant row number****2) Verify All validation messages are displayed correctly**

Passed: 19

Before**Given I close "\${employee.error.view.close}" the error modal if it is opened****And I navigate to "Select Plan" screen****And I navigate to "Members" screen****Given I assign "employees_wrongdata.xls" to variable "FILE_NAME"****Output**

Assigning value employees_wrongdata.xls to variable FILE_NAME

Then I upload the employee csv file "\${testdata.path}/002/\${FILE_NAME}"**Then I scroll the page up****And I assign "34" to variable "ERROR_COUNT"****Output**

Assigning value 34 to variable ERROR_COUNT

And I verify the "\${employee.upload.error.message}" validation message on employee screen
And I verify View button is displayed to see error messages
When I click on View button to see errors
Then I verify employee data file upload error modal is displayed
Then I verify the error message "\${ERROR_COUNT}" is displayed in employee bulk upload erro
And I verify the "\${employee.error.view.close}" button is enabled
And I verify following paragraph is displayed on "emp bulk upload error modal" page
\${employee.error.resolution.text}
And I verify following sub header text "emp bulk upload error modal"
\${employee.error.view.text}
Then I verify following text is displayed on "emp bulk upload error modal" page
\${emp.bulk.upload.error.emp.givenname.mandatory}
\${emp.bulk.upload.error.emp.surname.mandatory}
\${emp.bulk.upload.error.startdate.format}
\${emp.bulk.upload.error.dob.mandatory}
\${emp.bulk.upload.error.emp.email.mandatory}
\${emp.bulk.upload.error.startdate.mandatory}
\${emp.bulk.upload.error.emp.email.format}
\${bulk.upload.error.numeric.validation.city}
\${emp.error.min.max.validation.zipcode}
\${emp.bulk.upload.error.country.mandatory}
\${emp.bulk.upload.error.nric.mandatory}
\${emp.bulk.upload.error.emp.occupationclass.mandatory}
\${emp.bulk.upload.error.age.range.message}
\${bulk.upload.error.minmax.validation.ID}
\${bulk.upload.error.numeric.validation.city}
\${bulk.upload.error.minmax.validation.email}
\${bulk.upload.error.minmax.validation.firstname}
\${bulk.upload.error.minmax.validation.middlename}
\${bulk.upload.error.minmax.validation.lastname}
\${bulk.upload.error.minmax.validation.address1}
\${bulk.upload.error.minmax.validation.address2}
\${bulk.upload.error.minmax.validation.address3}
\${bulk.upload.error.minmax.validation.address4}
\${bulk.upload.error.minmax.validation.city}
And I verify button label text on "emp bulk upload error modal" page
\${employee.error.view.downloadlabel.text}
Then I verify "\${employee.error.view.downloadlabel.text}" button is enabled
Then I click on "\${employee.error.view.close}" button
After
Back to Table of Contents
Scenario: Verify agent should be landed back to members screen after clicking on download member
1) Verify Agent should be able to upload the member data using upload functionality

Passed: 23**Before****Given I close "\${employee.error.view.close}" the error modal if it is opened****Then I assign "employees_wrongdata.xlsx" to variable "FILE_NAME"****Output**

Assigning value employees_wrongdata.xlsx to variable FILE_NAME

Then I upload the employee csv file "\${testdata.path}/002/\${FILE_NAME}"**Then I scroll the page up****When I click on View button to see errors****Then I verify employee data file upload error modal is displayed****Then I click on "\${employee.error.view.downloadlabel.text}" button****Then I verify following text is displayed on "Download Employee Data File" page****\${employee.download.popup.Header.text}****\${employee.download.popup.message}****Then I verify following buttons are displayed on "Download Member Data File"****\${employee.download.popup.english.button}****Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.path"****Output**

Assigning value /testdata/my/bulk_upload_employee to variable testdata.path

Then I assign "Employee_Temp_To_Compare_With.xlsx" to variable "FILE_NAME"**Output**

Assigning value Employee_Temp_To_Compare_With.xlsx to variable FILE_NAME

Then I assign "employees_template.xlsx" to variable "DOWNLOADED_FILE_NAME"**Output**

Assigning value employees_template.xlsx to variable DOWNLOADED_FILE_NAME

And I assign "\${testdata.path}/downloadEmployeeTemplate" to variable "employee.template.com"**Output**

Assigning value /testdata/my/bulk_upload_employee/downloadEmployeeTemplate to variable employee.template.compareWith

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "employee.template.compareWith"

Then I delete the downloaded file "\${employee.template.CompareTo.path}" if it already exists

Then I click on "\${employee.download.popup.english.button}" button

Then I verify downloaded file name is "\${employee.template.CompareTo.path}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/employees_template.xlsm

And I verify employee csv file "\${employee.template.CompareTo.path}" is matching with "\${employee.download.template.path}"

And I close download employee data file popup

And I click on "\${employee.addemp.close}" button

And verify the user is landed on "Members" page

Then I verify the presence of following button on "member page"

\${employee.upload.file.btn}	
\${addEmployeeManually.button.text}	

And I verify the presence of "\${employee.download.template.btn}" on employee page

After

[Back to Table of Contents](#)

Scenario: verify the member Screen when member file is uploaded successfully

Passed: 23

Before

Given I close download employee data file popup if it is opened

Given I close "\${employee.error.view.close}" the error modal if it is opened

When I click on Create Quote Link

And I assign value to following variables

No._of_Employees	10
------------------	----

And I enter following details on select plan page

No. of Employees	\${No._of_Employees}
------------------	----------------------

And I navigate to "Members" screen

And I select the PDPA Consent requirement check box

Then I assign "employee_CorrectData.xlsm" to variable "FILE_NAME"

Output

Assigning value employee_CorrectData.xlsm to variable FILE_NAME

Then I upload the employee csv file "\${testdata.path}/003/\${FILE_NAME}"

Then I assign value to following variables

EMP_COUNT	10
And I assign "First Name.01 Middle Name 1 Surname 1" to variable "EMP_NAME"	
Output	
Assigning value First Name.01 Middle Name 1 Surname 1 to variable EMP_NAME	
And I verify the "\${employee.upload.success.msg}" validation message on employee screen	
Then I verify following counts are displayed for employee and dependant on employee page	
Employee Count	 \${employee.uploaded.count}
Then I verify "\${employee.upload.file.btn}" button should not be visible on "Members Page"	
Then I verify "\${employee.download.template.btn}" button should not be visible on "Members Pa	
Then I scroll the page up	
When I expand the member "\${EMP_NAME}" using > button	
And I verify following details for the added/updated members	
 \${employee.adtemp.field.dob}	 11/12/1995
 \${employee.adtemp.field.gender}	 \${gender.male.text}
 \${employee.adtemp.field.nationality}	 Malaysian
 \${employee.detailsview.field.empid}	 755454343430
 \${employee.adtemp.field.occupationclass}	 \${emp.occupationalclass.dropdown.value1}
 \${employee.adtemp.field.cmpnyemail}	 testMemberUpload1.0567890@mailinator.com
Then I scroll the page up	
Then I verify Add Employee button is displayed at the top right corner of employee table	
When I click on three dots at the top right corner of employee table	
And I verify button label text on "Member Page on click on 3 dots" page	
 \${employee.reupload.btn}	
When I click on three dots at the top right corner of employee table	
After	
Back to Table of Contents	
Scenario: verify Re upload popup window	
Passed: 8	
Before	
And I scroll the page up	
When I click on three dots at the top right corner of employee table	
Then I click on "\${employee.reupload.btn}" button	
Then I verify following text is displayed on "reupload popup window on employee" page	
 \${employee.reupload.pagename}	
 \${employee.reupload.pagetext}	
Then I verify following buttons are displayed on "reupload popup"	
 \${employee.reupload.cncl.btn}	
 \${employee.reupload.upload.btn}	
Then I click on "\${employee.reupload.cncl.btn}" button	
Then I verify reupload popup window is closed and following text "\${employee.reupload.pagenam	

Then I verify the the presence of following button on "member page"
 \${addEmployeeManually.button.text}
After
Back to Table of Contents
Scenario: Re upload Member excel and verify the modified and new data have inserted and searched
Passed: 18
Before
Then I enter "testMemberUpload1.0567890@mailinator.com" in search text field in Members pag
Then I assign value to following variables
 EMP_COUNT 1
Then I verify following counts are displayed for employee and dependant on employee page
 Employee Count \${employee.uploaded.count}
And I scroll the page up
When I click on three dots at the top right corner of employee table
Then I click on "\${employee.reupload.btn}" button
Then I click on "\${employee.reupload.upload.btn}" button
Then I verify reupload popup window is closed and following text "\${employee.reupload.pagenam
Then I verify the the presence of following button on "employee page"
 \${employee.upload.file.btn}
 \${addEmployeeManually.button.text}
Given I assign "employee_ReuploadData.xlsx" to variable "FILE_NAME"
Output
Assigning value employee_ReuploadData.xlsx to variable FILE_NAME
And I assign "First Name Changed Middle Name Upd Surname Upd" to variable "EMP_NAME"
Output
Assigning value First Name Changed Middle Name Upd Surname Upd to variable EMP_NAME
Then I assign value to following variables
 EMP_COUNT 10
Then I upload the employee csv file "\${testdata.path}/004/\${FILE_NAME}"
Then I scroll the page up
And I wait for 10 sec
And I verify the "\${employee.upload.success.msg}" validation message on employee screen
Then I verify following counts are displayed for employee and dependant on employee page
 Employee Count \${employee.uploaded.count}
When I expand the member "\${EMP_NAME}" using > button

And I verify following details for the added/updated members	
\${employee.adtemp.field.dob}	28/01/1995
\${employee.adtemp.field.gender}	\${gender.female.text}
\${employee.adtemp.field.nationality}	Malaysian
\${employee.detailsview.field.empid}	755454343430
\${employee.adtemp.field.occupationclass}	\${emp.occupationalclass.dropdown.value1}
\${employee.adtemp.field.cmpnyemail}	testMemberUpload1.0567890@mailinator.com

java.lang.AssertionError: The following asserts failed:
Date of Birth=28/01/1995 expected [true] but found [false],
Gender=Female expected [true] but found [false],
Nationality=Malaysian expected [true] but found [false],
NRIC no.=755454343430 expected [true] but found [false],
Occupational Class=Class 2 - Job type that is a moderate risk of accidents expected [true] but foun
Email Address=testMemberUpload1.0567890@mailinator.com expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.verifyAddedMembersDetails(EmployeeAndDependentSteps.java:103)
at .And I verify following details for the added/updated members(features/my/03.SalesUploadMembers.feature:10)

PRUDENTIAL 

+ New Quote

Information

Quotes

Documents

Powered by **PRUDENTIAL** 

TA Profile

Get Help

Select Plan

New Quote

Company Name

PDPA Consent Requirement

Search Name, NRIC or Email

Members (10)

First Name Changed Middle Name Upd Surname Upd

First Name.02 Middle Name 2 Surname 2

First Name.03 Middle Name 3 Surname 3

First Name.04 Middle Name 4 Surname 4

First Name.05 Middle Name 5 Surname 5

[Logout](#)[Collapse Sidebar](#)[Previous](#)**After**[Back to Table of Contents](#)**Scenario: Upload Member xls file with duplicate data and check upload is not allowed**

Passed: 15

Before**Given I click on Quotes link****When I click on Create Quote Link****And I assign value to following variables****No._of_Employees** 10**And I enter following details on select plan page****No. of Employees** \${No._of_Employees}**And I navigate to "Members" screen****And I select the PDPA Consent requirement check box****Then I assign "employee_DuplicateData.xls" to variable "FILE_NAME"****Output**

Assigning value employee_DuplicateData.xls to variable FILE_NAME

Then I upload the employee csv file "\${testdata.path}/004/\${FILE_NAME}"**Then I scroll the page up****And I assign "2" to variable "ERROR_COUNT"****Output**

Assigning value 2 to variable ERROR_COUNT

And I verify View button is displayed to see error messages**When I click on View button to see errors****Then I verify employee data file upload error modal is displayed****Then I verify the error message "\${ERROR_COUNT}" is displayed in employee bulk upload erro****Then I verify following text is displayed on "member bulk upload error modal" page****\${emp.bulk.upload.error.email.exist}****After**[Back to Table of Contents](#)**Scenario: Closing the error modal view**

Passed: 1

Before														
Then I click on "\${employee.error.view.close}" button														
After														
Back to Table of Contents														
Scenario: Close Sales Portal														
Passed: 1														
Before														
And I close sales portal														
After														
Back to Table of Contents														
Feature: Verify Agent can update the required details on company page and verify validations														
Passed: 41														
Scenario: verify default,sample text,header and footer on company page														
Passed: 5														
Before														
Given Launch sales portal														
Output														
https://dev-pamb-sales-eb.pru.intranet.asia/														
And I assign value to following variables														
<table border="1"><tr><td>Agent_Email</td><td> \${agent.email.id.global}</td></tr><tr><td>Agent_Password</td><td> \${agent.password}</td></tr><tr><td>Agent_First_Name</td><td> \${agent.email.id.firstname}</td></tr><tr><td>Agent_Middle_Name</td><td> \${agent.email.id.middlename}</td></tr><tr><td>Agent_Surname</td><td> \${agent.email.id.lastname}</td></tr><tr><td>Agent_Code</td><td> \${agent.email.id.agentcode}</td></tr><tr><td>Agent_Phone</td><td> \${agent.phone}</td></tr></table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	Agent_First_Name	\${agent.email.id.firstname}	Agent_Middle_Name	\${agent.email.id.middlename}	Agent_Surname	\${agent.email.id.lastname}	Agent_Code	\${agent.email.id.agentcode}	Agent_Phone	\${agent.phone}
Agent_Email	\${agent.email.id.global}													
Agent_Password	\${agent.password}													
Agent_First_Name	\${agent.email.id.firstname}													
Agent_Middle_Name	\${agent.email.id.middlename}													
Agent_Surname	\${agent.email.id.lastname}													
Agent_Code	\${agent.email.id.agentcode}													
Agent_Phone	\${agent.phone}													
When I Login to Sales Portal with below details														
<table border="1"><tr><td>UserName</td><td> \${Agent_Email}</td></tr><tr><td>Password</td><td> \${Agent_Password}</td></tr></table>	UserName	\${Agent_Email}	Password	\${Agent_Password}										
UserName	\${Agent_Email}													
Password	\${Agent_Password}													
And I enter the verification code if page appears for agent "\${Agent_Email}"														
Then I verify "\${welcome.to.prudential}" screen is displayed														
After														
Back to Table of Contents														
Scenario: Verify Sample text on Company page														
Passed: 17														
Before														
When I click on Create Quote Link														
Then I navigate to "Company" screen														
And verify the user is landed on "Company" page														

Then I verify the sample text of New Quote fields on Company page

Company name	\${company.name.text.field}
--------------	-----------------------------

And I verify following text is displayed on "Company Page" page

\${estimatedAnnualPremium.button.text}
\${newQuote.static.text}

Then I verify following buttons are displayed on top right corner of the screen

Save Quote	\${saveQuote.button.text}
------------	---------------------------

And I verify the heading of all sections on company page

\${company.hrContactDetails.text}
\${company.companyDetails.text}
\${company.companyAddress.header.text}
\${company.authorised.signatory.header}
\${company.agentDetails.text}

And I verify following paragraph is displayed on "Primary Contact details section on Company" page

\${company.hr.primarycontact.info.text}

Then I verify the informational text under "agent details" section on Company page

Email	\${company.agentEmailInformation.text}
-------	--

Then I verify following buttons are displayed on "Company page"

\${company.add.signatory.link}

And I verify 1 "\${company.add.signatory.link}" buttons are displayed on "Company page"

And I verify following text is not displayed on "Company Page" page

\${company.signatory.delete.button}

And I scroll the page up

Then I verify the field label text on company page

HR First Name	\${company.hrFirstName.text}
HR Middle Name	\${company.hrMiddleName.text}
Surname	\${company.hrSurname.text}
HR Email	\${company.hrEmail.text}
Contact Mobile Number	\${company.hrContactMobile.text}
Company Registration Number	\${company.registration.num.text}
Telephone Number	\${company.hrTelephone.text}
Contact Fax Number	\${company.fax.num.text}
Address 1	\${company.companyAddress1.text}
Address 2	\${company.companyAddress2.text}
Address 3	\${company.companyAddress3.text}
Address 4	\${company.companyAddress4.text}
City	\${company.companyCity.text}
State	\${company.companyState.text}
Post Code	\${company.companyZipCode.text}
Country	\${company.companyCountry.text}
Authorised Signatory Name	\${company.companyAuthorisedSignatoryName.text}
Authorised Signatory Title	\${company.companyAuthorisedSignatoryTitle.text}
Agent First Name	\${company.agentFirstName.text}

Agent Middle Name	\${company.agentMiddleName.text}
Agent Surname	\${company.agentSurname.text}
Agent Code	\${company.agentCode.text}
Agent Phone Number	\${company.agent.phone.text}
Agent Email	\${company.agentEmail.text}

Then I verify the presence of following items on page footer

\${previous.button.text}
\${next.button.text}

And I verify "\${previous.button.text}" button is "enabled"

And I verify "\${next.button.text}" button is "enabled"

After

[Back to Table of Contents](#)

Scenario: Validate State data in dropdown

Passed: 1

Before

Then I verify State dropdown values matches with "/testdata/my/state/state.txt" file

Output

```
State data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Terengganu]
```

After

[Back to Table of Contents](#)

Scenario: verify the default value of country field on company page

Passed: 3

Before

Given I scroll the page till country field is displayed on company page

Then Verify all the previously entered details/default values are persistent/present on company page

Ph Country	\${country.dropDown.value}
------------	----------------------------

Then I verify country field is non editable on company page

After

[Back to Table of Contents](#)

Scenario: verify Agent details should be pre populated based on registration details

Passed: 2

Before

Then I verify following fields are "Non editable" on company page

Agent First Name
Agent Middle Name
Agent Surname
Agent Code
Agent Email
Agent Phone

Given Verify all the previously entered details/default values are persistent/present on company pa

Agent First Name	\${Agent_First_Name}
Agent Middle Name	\${Agent_Middle_Name}
Agent Surname	\${Agent_Surname}
Agent Code	\${Agent_Code}
Agent Email	\${Agent_Email}
MY TelephoneNumber	0299999999
Ph MobileNumber	0199999999
Agent Phone	\${Agent_Phone}

After

[Back to Table of Contents](#)

Scenario: Validating the error message When user clicks on next button without entering mandatory

Passed: 19

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :497

And I assign "TestQuote_\${RANDOM_NUMBER}" to variable "COMP_NAME_QUOTE"

Output

Assigning value TestQuote_49724026210 to variable COMP_NAME_QUOTE

And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable "TESTDATA_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path

And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"

Output

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployees.xlsx"

Output

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE_FILE

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
----------	-------------------

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I enter following details on select plan page

Company Name	\${COMP_NAME_QUOTE}
No. of Employees	10

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 6 sec

And I click on "\${next.button.text}" button

And I click on "\${next.button.text}" button

Then I verify following validation message on "company page"

\${company.error.popup.text}

Then I verify following field level error message on company page

HR Given Name	\${company.error.HR.firstname.mandatory}
HR Family Name	\${company.error.HR.surname.mandatory}
Company Email	\${company.error.HR.email.mandatory}
Telephone Number	\${company.error.HR.telephone.number.mandatory}
Company Registration Number	\${company.error.registration.num.mandatory}
Address1	\${company.error.address.mandatory}
State	\${company.error.state.mandatory}
City	\${company.error.city.mandatory}
Postcode	\${company.error.postcode.mandatory}
Authorised Signatory Name	\${company.error.signatoryName.mandatory}
Authorised Signatory Title	\${company.error.signatoryDesignation.mandatory}

After

[Back to Table of Contents](#)

Scenario Outline: Validating the error message: "\${company.error.min.max.validation.firstname}" V

Passed: 3

Before

Given I enter following details on company page

HR Given Name	ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZ
Then I click on "\${next.button.text}" button	
Then I verify following field level error message on company page	
HR Given Name	\${company.error.min.max.validation.firstname}

After

[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.middlename}"**

Passed: 3

Before

Given I enter following details on company page

Middle Name	ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZ
-------------	---

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Middle Name	\${company.error.min.max.validation.middlename}
-------------	---

After

[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.surname}" When user enters invalid Surname**

Passed: 3

Before

Given I enter following details on company page

Surname	ABCDEFGHIJKLMNPQRSTUVWXYZyABCDEFGHIJKLMNPQRSTUVWXYZ
---------	---

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Surname	\${company.error.min.max.validation.surname}
---------	--

After

[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.formatvalidation.email}" When user enters invalid Email Address**

Passed: 3

Before

Given I enter following details on company page

Email Address	testmailinator.com
---------------	--------------------

Then I click on "\${next.button.text}" button**Then I verify following field level error message on company page**

Email Address	\${company.error.formatvalidation.email}
---------------	--

After

[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters invalid Contact Fax Number**

Passed: 3

Before

Given I enter following details on company page

Contact Fax Number	123456789
--------------------	-----------

Then I click on "\${next.button.text}" button

	Postcode \${emp.error.min.max.validation.zipcode}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid zip code	
Passed: 3	
Before	
	Given I enter following details on company page
	Postcode 123
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Postcode \${emp.error.min.max.validation.zipcode}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters valid zip code	
Passed: 3	
Before	
	Given I enter following details on company page
	Postcode 123456
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Postcode \${emp.error.min.max.validation.zipcode}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.format.validation}" When user enters invalid signatory title	
Passed: 3	
Before	
	Given I enter following details on company page
	Authorised Signatory Title test2Title
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Authorised Signatory Title \${company.error.signatoryDesignation.format.validation}
After	
Back to Table of Contents	
Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation}" When user enters invalid signatory name	
Passed: 3	
Before	
	Given I enter following details on company page
	Authorised Signatory Name abCD
	Then I click on "\${next.button.text}" button
	Then I verify following field level error message on company page
	Authorised Signatory Name \${company.error.signatoryName.min.max.validation}

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation}"**

Passed: 3

Before

Given I enter following details on company page

Authorised Signatory Name	ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMN
---------------------------	---

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Authorised Signatory Name	\${company.error.signatoryName.min.max.validation}
---------------------------	--

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.min.max.validation}"**

Passed: 3

Before

Given I enter following details on company page

Authorised Signatory Title	ABCDEfgIJKLNMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMN
----------------------------	--

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Authorised Signatory Title	\${company.error.signatoryDesignation.min.max.validation}
----------------------------	---

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address1}"**

Passed: 3

Before

Given I enter following details on company page

Address1	ABCDEFGHIJKLMNPQRSTUVWXYZ123456789012345678901234567890123456
----------	---

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Address1	\${company.error.min.max.validation.address1}
----------	---

After[Back to Table of Contents](#)**Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address2}"**

Passed: 3

Before

Given I enter following details on company page

Address2	ABCDEFGHIJKLMNPQRSTUVWXYZ123456789012345678901234567890123456
----------	---

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Address2	\${company.error.min.max.validation.address2}
----------	---

After

Back to Table of Contents				
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address3}" When I enter address3				
Passed: 3				
Before				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Address3</td> <td>ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Address3</td> <td> \${company.error.min.max.validation.address3}</td> </tr> </table>	Address3	ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456	Address3	\${company.error.min.max.validation.address3}
Address3	ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456			
Address3	\${company.error.min.max.validation.address3}			
After				
Back to Table of Contents				
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address4}" When I enter address4				
Passed: 3				
Before				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>Address4</td> <td>ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Address4</td> <td> \${company.error.min.max.validation.address4}</td> </tr> </table>	Address4	ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456	Address4	\${company.error.min.max.validation.address4}
Address4	ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456			
Address4	\${company.error.min.max.validation.address4}			
After				
Back to Table of Contents				
Scenario Outline: Validating the error message: "\${company.error.min.max.validation.city}" When I enter city				
Passed: 3				
Before				
<p>Given I enter following details on company page</p> <table border="1"> <tr> <td>City</td> <td>ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>City</td> <td> \${company.error.min.max.validation.city}</td> </tr> </table>	City	ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ	City	\${company.error.min.max.validation.city}
City	ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZ			
City	\${company.error.min.max.validation.city}			
After				
Back to Table of Contents				
Scenario Outline: validating the toast error message for scenario Primary Contact Email does not match member.inforced.id				
Passed: 2				
Before				
<p>Then I enter following details on company page</p> <table border="1"> <tr> <td>Email Address</td> <td> \${member.inforced.id}</td> </tr> </table> <p>Then I click on "\${next.button.text}" button</p> <p>Then I verify following field level error message on company page</p> <table border="1"> <tr> <td>Company Email</td> <td> \${company.toast.message.primaryconatct.no.match}</td> </tr> </table> <p>java.lang.AssertionError: Email Address must not be of an existing member is present on company page at org.testng.Assert.fail(Assert.java:94)</p>	Email Address	\${member.inforced.id}	Company Email	\${company.toast.message.primaryconatct.no.match}
Email Address	\${member.inforced.id}			
Company Email	\${company.toast.message.primaryconatct.no.match}			

```
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at com.pru.sales.portal.pages.CompanyPage.verifyErrorMessages(CompanyPage.java:648)
at com.pru.sales.portal.stepdef.CompanySteps.validateErrorMessage(CompanySteps.java:172)
at .Then I verify following field level error message on company page(features/my/04.SalesCompa
```



- [+ New Quote](#)
- [Information](#)
- [Quotes](#)
- [Documents](#)

Powered by
PRUDENTIAL

- [Profile](#)
- [Get Help](#)

Select Plan

New Quote

TestQuote_49724026210

Primary Contact Details

This will be the primary account administrator

First Name	Mid
ABCDEFGHIJKLMNPQRSTUVWXYZy	A

Please ensure First Name field length is between 1 & 100

Optic

Mobile Number

0199999999	
------------	--

Optional

Company Details

Company Registration Number

--	--

Company Registration Number is mandatory, please provide relevant details

[Logout](#)

Telephone Number
78456

[Collapse Sidebar](#)

[Previous](#)

After

[Back to Table of Contents](#)

Scenario Outline: validating the toast error message for scenario Primary Email Address already exists

Passed: 3

Before

Then I enter following details on company page
Email Address \${hr.admin.id}
Then I click on "\${next.button.text}" button
Then I verify following field level error message on company page
Company Email \${company.toast.message.primaryconatct.already.exists}

After

[Back to Table of Contents](#)

Scenario: verify Agent should be able to fill Company Name

Passed: 4

Before

Then I navigate to "Company" screen
Given I generate random number and assign to variable "RANDOM_NUMBER"
Output
Random number generated is :726

And I assign "TestCompany_\${RANDOM_NUMBER}" to variable "COMP_NAME"
Output
Assigning value TestCompany_7262402625 to variable COMP_NAME

And I enter Company Name as "\${COMP_NAME}"
Output
company name is: TestCompany_7262402625

After

[Back to Table of Contents](#)

Scenario: verify Agent should be able to fill Primary Contact details

Passed: 3

Before**Given I generate random number and assign to variable "RANDOM_NUMBER"****Output**

Random number generated is :938

And I assign value to following variables

HR_FIRSTNAME	TestGivenName
HR_MIDDLENAME	TestMiddleName
HR_SURNAME	TestSurName
HR_EMAIL	testhrautomation_\${RANDOM_NUMBER}@mailinator.com
HR_CONTACT_MOBILE_NO	0187878787

Then I enter following details on company page

HR Given Name	\${HR_FIRSTNAME}
Middle Name	\${HR_MIDDLENAME}
Surname	\${HR_SURNAME}
Email Address	\${HR_EMAIL}
Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to fill company details**

Passed: 2

Before**Given I assign value to following variables**

HR_CONTACT_LANDLINE_NO	0272109678
HR_CONTACT_REGISTRATION_NO	123456789876
HR_CONTACT_FAX_NO	1234567898

Then I enter following details on company page

Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}
HR Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}
Contact Fax Number	\${HR_CONTACT_FAX_NO}

After[Back to Table of Contents](#)**Scenario: verify Agent should be able to fill company address details**

Passed: 2

Before**Given I assign value to following variables**

COMPANY_ADDRESS_1	#02-2b,XYZ Bld
COMPANY_ADDRESS_2	test address line 1

	COMPANY_ADDRESS_3	test address line 1	
	COMPANY_ADDRESS_4	test address line 1	
	COMPANY_TOWN_CITY	test City	
	COMPANY_STATE	\${state.dropdown.value.2}	
	COMPANY_ZIPCODE	45678	

Then I enter following details on company page

Address1	\${COMPANY_ADDRESS_1}
Address2	\${COMPANY_ADDRESS_2}
Address3	\${COMPANY_ADDRESS_3}
Address4	\${COMPANY_ADDRESS_4}
City	\${COMPANY_TOWN_CITY}
State	\${COMPANY_STATE}
Postcode	\${COMPANY_ZIPCODE}

After

[Back to Table of Contents](#)

Scenario: **verify Agent should be able to fill Authorised signatory details**

Passed: 2

Before

Given I assign value to following variables

AUTHORISED_SIGNATORY_NAME	authorisedName
AUTHORISED_SIGNATORY_TITLE	authoriseTitle

Then I enter following details on company page

Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}
Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}

After

[Back to Table of Contents](#)

Scenario: **Verify all the information should persist when user return to company screen after clicking**

Passed: 5

Before

Then I navigate to "Members" screen

Then verify the user is landed on "Employees" page

Then I navigate to "Company" screen

Then verify the user is landed on "Company" page

And Verify all the previously entered details/default values are persistent/present on company pag

Company Name	\${COMP_NAME}
Given Name	\${HR_FIRSTNAME}
Middle Name	\${HR_MIDDLENAME}
Surname	\${HR_SURNAME}
Company Email	\${HR_EMAIL}
Contact Phone Number	\${HR_CONTACT_LANDLINE_NO}
Contact Mobile Number	\${HR_CONTACT_MOBILE_NO}
Company Registration Number	\${HR_CONTACT_REGISTRATION_NO}
Contact Fax Number	\${HR_CONTACT_FAX_NO}

Address1	\${COMPANY_ADDRESS_1}
Address2	\${COMPANY_ADDRESS_2}
Address3	\${COMPANY_ADDRESS_3}
Address4	\${COMPANY_ADDRESS_4}
City	\${COMPANY_TOWN_CITY}
State	\${COMPANY_STATE}
Post Code	\${COMPANY_ZIPCODE}
Authorised Signatory Name	\${AUTHORISED_SIGNATORY_NAME}
Authorised Signatory Title	\${AUTHORISED_SIGNATORY_TITLE}
Agent First Name	\${Agent_First_Name}
Agent Middle Name	\${Agent_Middle_Name}
Agent Surname	\${Agent_Surname}
Agent Code	\${Agent_Code}
Agent Email	\${Agent_Email}
Agent Phone	\${agent.phone}

After[Back to Table of Contents](#)**Scenario Outline: Verify Agent can add additional Signatory information on company page to maxim**

Passed: 4

Before

When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip}

Then I verify the field label text on company page

2nd Authorised Signatory Name \${company.companyAuthorisedSignatoryName.text}

2nd Authorised Signatory Title \${company.companyAuthorisedSignatoryTitle.text}

And I verify following buttons are displayed on "Company page"

\${company.signatory.delete.button}

And I verify "\${company.add.signatory.link}" link count is 1 in Sales Company Page

After[Back to Table of Contents](#)**Scenario Outline: Verify Agent can add additional Signatory information on company page to maxim**

Passed: 4

Before

When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip}

Then I verify the field label text on company page

3rd Authorised Signatory Name \${company.companyAuthorisedSignatoryName.text}

3rd Authorised Signatory Title \${company.companyAuthorisedSignatoryTitle.text}

And I verify following buttons are displayed on "Company page"

\${company.signatory.delete.button}

And I verify "\${company.add.signatory.link}" link count is 0 in Sales Company Page

After[Back to Table of Contents](#)**Scenario: Verify Agent should be able to fill multiple authorised signatories and Title titles in compan**

Passed: 2

Before

Given I assign value to following variables

AUTHORISED_SIGNATORY_NAME_2	authorisedName2
AUTHORISED_SIGNATORY_DESIGNATION_2	testdesignationTwo
AUTHORISED_SIGNATORY_NAME_3	authorisedName3
AUTHORISED_SIGNATORY_DESIGNATION_3	testdesignationThree

Then I enter following details on company page

Authorised Signatory Name 2	\${AUTHORISED_SIGNATORY_NAME_2}
Authorised Signatory Title 2	\${AUTHORISED_SIGNATORY_DESIGNATION_2}
Authorised Signatory Name 3	\${AUTHORISED_SIGNATORY_NAME_3}
Authorised Signatory Title 3	\${AUTHORISED_SIGNATORY_DESIGNATION_3}

After

[Back to Table of Contents](#)

Scenario: Verify Agent can save and export the quote on company page

Passed: 4

Before

Then I click on "\${saveQuote.button.text}" button

And I wait for 2 sec

Then I verify following information is displayed on page footer

\${lastSavedMessage.static.text}

Then I verify the presence of export quote button

After

[Back to Table of Contents](#)

Scenario: Verify pop up message is displayed when we delete added signatory

Passed: 6

Before

Given I scroll the page till authorised signatory field is displayed on company page

Then I verify 3 "\${company.signatory.delete.button}" buttons are displayed on "Company Page"

When I click on delete button for "2nd Authorised Signatory Title" signatory

Then I verify following text is displayed on "popup window on Signatory" page

\${signatory.delete.popup.message1}
\${signatory.delete.popup.message2}

Then I verify following buttons are displayed on "delete popup"

\${signatory.delete.popup.cancel.button}
\${signatory.delete.popup.delete.button}

Then I click on "\${signatory.delete.popup.cancel.button}" button

After

[Back to Table of Contents](#)

Scenario: Confirm delete of added signatory

Passed: 4

Before

When I click on delete button for "2nd Authorised Signatory Title" signatory

And I click on "\${signatory.delete.popup.delete.button}" button
 And I verify following buttons are displayed on "Company page"
 \${company.signatory.delete.button}
 And I verify 2 "\${company.signatory.delete.button}" buttons are displayed on "Company Page"

After

[Back to Table of Contents](#)**Scenario: Verify Signatory added are displayed in Submit page to add documents**

Passed: 3

Before

When I navigate to "Submit" screen
 And verify the user is landed on "Submit" page
 Then I verify following text is displayed on "Submit" page
 \${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME}
 \${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME_3}

After

[Back to Table of Contents](#)**Scenario: Close Sales Portal**

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)**Feature: Verify the Submit page for page verification and various document uploads**

Passed: 29

Scenario: Login to Sales portal and go to New Quote page

Passed: 6

Before

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

Given I assign "/testdata/my/submit_document" to variable "testdata.path"

Output			
	Assigning value /testdata/my/submit_document to variable testdata.path		
After			
Back to Table of Contents			
Scenario: Verify the text and buttons on Submit page			
Passed: 9			
Before			
When I click on Create Quote Link			
When I navigate to "Submit" screen			
And verify the user is landed on "Submit" page			
And I verify following text is displayed on "Submit Page" page			
<table border="1"> <tr><td> \${estimatedAnnualPremium.button.text}</td></tr> <tr><td> \${newQuote.static.text}</td></tr> </table>	\${estimatedAnnualPremium.button.text}	\${newQuote.static.text}	
\${estimatedAnnualPremium.button.text}			
\${newQuote.static.text}			
Then I verify following buttons are displayed on top right corner of the screen			
<table border="1"> <tr><td> Save Quote \${saveQuote.button.text}</td></tr> </table>	Save Quote \${saveQuote.button.text}		
Save Quote \${saveQuote.button.text}			
Then verify "Summary of Benefit" heading is visible on the screen			
And I verify the presence of following table headers on summary table			
<table border="1"> <tr><td> Group Plan - Group Term Life (GTL)</td></tr> <tr><td> Benefit per member</td></tr> </table>	Group Plan - Group Term Life (GTL)	Benefit per member	
Group Plan - Group Term Life (GTL)			
Benefit per member			
Then I verify the presence of following items on page footer			
<table border="1"> <tr><td> \${previous.button.text}</td></tr> <tr><td> \${confirm.submit.button}</td></tr> </table>	\${previous.button.text}	\${confirm.submit.button}	
\${previous.button.text}			
\${confirm.submit.button}			
And I verify "\${previous.button.text}" button is "enabled"			
After			
Back to Table of Contents			
Scenario: Verify the upload for signed proposal document section			
Passed: 7			
Before			
And I assign "Signed_Proposal.png" to variable "FILE_NAME"			
Output			
	Assigning value Signed_Proposal.png to variable FILE_NAME		
Then verify "\${submit.signed.proposal.text}" heading is visible on the screen			
Then I verify following text is displayed on "Submit" page			
<table border="1"> <tr><td> \${submit.signed.info.text}</td></tr> </table>	\${submit.signed.info.text}		
\${submit.signed.info.text}			
Then I verify following static text on "Submit" page			
<table border="1"> <tr><td> \${submit.signed.proposal}</td></tr> </table>	\${submit.signed.proposal}		
\${submit.signed.proposal}			

	<p>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.sig}</p> <p>And I upload the Signed Proposal file "\${testdata.path}/\${FILE_NAME}"</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p>					
After						
Back to Table of Contents						
Scenario: verify delete popup window on submit page						
Passed: 9						
Before						
	<p>And I verify delete button is present for attached document "\${FILE_NAME}"</p> <p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I verify following text is displayed on "popup window on submit" page</p> <table border="1"> <tr><td> \${submit.delete.popup.message1}</td></tr> <tr><td> \${submit.delete.popup.message2}</td></tr> </table> <p>Then I verify following buttons are displayed on "delete popup"</p> <table border="1"> <tr><td> \${submit.delete.popup.cancel.button}</td></tr> <tr><td> \${submit.delete.popup.delete.button}</td></tr> </table> <p>Then I click on "\${submit.delete.popup.cancel.button}" button</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p> <p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I click on "\${submit.delete.popup.delete.button}" button</p> <p>Then I verify following static text on "Submit" page</p> <table border="1"> <tr><td> \${submit.signed.proposal}</td></tr> </table>	 \${submit.delete.popup.message1}	 \${submit.delete.popup.message2}	 \${submit.delete.popup.cancel.button}	 \${submit.delete.popup.delete.button}	 \${submit.signed.proposal}
 \${submit.delete.popup.message1}						
 \${submit.delete.popup.message2}						
 \${submit.delete.popup.cancel.button}						
 \${submit.delete.popup.delete.button}						
 \${submit.signed.proposal}						
After						
Back to Table of Contents						
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types						
Passed: 5						
Before						
	<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And verify the user is landed on "Submit" page</p> <p>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpg"</p> <p>Then I verify the upload of file "FileType.jpg" by the uploaded document name</p>					
After						
Back to Table of Contents						
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types						
Passed: 5						
Before						
	<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And verify the user is landed on "Submit" page</p> <p>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpeg"</p> <p>Then I verify the upload of file "FileType.jpeg" by the uploaded document name</p>					
After						

Back to Table of Contents
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types
Passed: 5
Before
When I click on Create Quote Link
When I navigate to "Submit" screen
And verify the user is landed on "Submit" page
And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.pdf"
Then I verify the upload of file "FileType.pdf" by the uploaded document name
After
Back to Table of Contents
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types
Passed: 5
Before
When I click on Create Quote Link
When I navigate to "Submit" screen
And verify the user is landed on "Submit" page
And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.PNG"
Then I verify the upload of file "FileType.PNG" by the uploaded document name
After
Back to Table of Contents
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types
Passed: 5
Before
When I click on Create Quote Link
When I navigate to "Submit" screen
And verify the user is landed on "Submit" page
And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xls"
Then I verify the upload of file "FileType.xls" by the uploaded document name
After
Back to Table of Contents
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types
Passed: 5
Before
When I click on Create Quote Link
When I navigate to "Submit" screen
And verify the user is landed on "Submit" page
And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.doc"
Then I verify the upload of file "FileType.doc" by the uploaded document name
After
Back to Table of Contents
Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types
Passed: 5

Before
<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And verify the user is landed on "Submit" page</p> <p>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.docx"</p> <p>Then I verify the upload of file "FileType.docx" by the uploaded document name</p>
After
<p>Back to Table of Contents</p> <p>Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types</p> <p>Passed: 5</p>
Before
<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And verify the user is landed on "Submit" page</p> <p>And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xlsx"</p> <p>Then I verify the upload of file "FileType.xlsx" by the uploaded document name</p>
After
<p>Back to Table of Contents</p> <p>Scenario: Verify the upload for Form 8 document</p> <p>Passed: 13</p>
Before
<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And I assign "General_Information_Sheet.png" to variable "FILE_NAME"</p> <p>Output</p> <div style="background-color: #f0f0f0; padding: 10px;"> <pre>Assigning value General_Information_Sheet.png to variable FILE_NAME</pre> </div>
<p>Then verify "\${submit.upload.relevant.doc.text}" heading is visible on the screen</p> <p>Then I verify following text is displayed on "Submit" page</p> <p><code> \${submit.file.size.text}</code></p> <p>Then verify file label is displayed as "\${submit.form.8.text}"</p> <p>Then I verify following static text on "Submit" page</p> <p><code> \${submit.drop.document.here.text}</code></p> <p>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"</p> <p>And I upload the Form 8 file "\${testdata.path}/\${FILE_NAME}"</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p> <p>And I verify delete button is present for attached document "\${FILE_NAME}"</p> <p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I click on "\${submit.delete.popup.delete.button}" button</p>
After

[Back to Table of Contents](#)**Scenario: Verify the upload for Form 24 document**

Passed: 11

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Articles_Bylaws.png" to variable "FILE_NAME"****Output**

Assigning value Articles_Bylaws.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.form.24.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the Form 24 file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.form.24.text}"****After**[Back to Table of Contents](#)**Scenario: Verify the upload for Form 49 document**

Passed: 11

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"****Output**

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.form.49.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"****And I upload the Form 49 file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.form.49.text}"****After**[Back to Table of Contents](#)

Scenario: Verify the upload for Direct Credit document

Passed: 11

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"****Output**

```
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
```

Then verify file label is displayed as "\${submit.direct.credit.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc****And I upload the direct credit file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.direct.credit.text}"****After**[Back to Table of Contents](#)**Scenario: Verify the upload for Schedule of assurance document**

Passed: 11

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"****Output**

```
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME
```

Then verify file label is displayed as "\${submit.schedule.assurance.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc****And I upload the schedule assurance file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.schedule.assurance.text}"****After**[Back to Table of Contents](#)

Scenario: Verify the upload for GHS schedule of benefits document

Passed: 11

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"****Output**

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.ghs.benefit.text}"**Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc.message}"****And I upload the ghs benefit file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"****When I click on delete doc button for "\${FILE_NAME}" on submit page****Then I click on "\${submit.delete.popup.delete.button}" button****Then verify file label is displayed as "\${submit.ghs.benefit.text}"****After**[Back to Table of Contents](#)**Scenario: Verify the upload for Authorized Signatory document 1 document**

Passed: 13

Before**When I click on Create Quote Link****When I navigate to "Submit" screen****And I assign "General_Information_Sheet.png" to variable "FILE_NAME"****Output**

Assigning value General_Information_Sheet.png to variable FILE_NAME

Then verify "\${submit.authorized.personal.text}" heading is visible on the screen**Then I verify following text is displayed on "Submit" page****\${submit.authorized.signatory}****Then verify file label is displayed as "\${submit.authorized.declaration.text}"****Then I verify following static text on "Submit" page****\${submit.drop.document.here.text}****Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc.message}"****And I upload the Authorised Signatory file "\${testdata.path}/\${FILE_NAME}"****Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name****And I verify delete button is present for attached document "\${FILE_NAME}"**

	<p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I click on "\${submit.delete.popup.delete.button}" button</p>
After	
Back to Table of Contents	
Scenario: Verify the upload for Copy of NRIC document	
Passed: 11	
Before	
	<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"</p>
Output	<pre>Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME</pre>
	<p>Then verify file label is displayed as "\${submit.copy.nric.text}"</p> <p>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"</p> <p>And I upload the copy NRIC file "\${testdata.path}/\${FILE_NAME}"</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p> <p>And I verify delete button is present for attached document "\${FILE_NAME}"</p> <p>When I click on delete doc button for "\${FILE_NAME}" on submit page</p> <p>Then I click on "\${submit.delete.popup.delete.button}" button</p> <p>Then verify file label is displayed as "\${submit.copy.nric.text}"</p>
After	
Back to Table of Contents	
Scenario: Verify the upload for Copy of Memos document	
Passed: 13	
Before	
	<p>When I click on Create Quote Link</p> <p>When I navigate to "Submit" screen</p> <p>And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"</p>
Output	<pre>Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME</pre>
	<p>And I verify following text is displayed on "Submit" page</p> <p> \${submit.memo.max.text}</p> <p>Then verify file label is displayed as "\${submit.memo.text}"</p> <p>Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"</p> <p>And I upload the memos file "\${testdata.path}/\${FILE_NAME}"</p> <p>Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name</p>

And I verify delete button is present for attached document "\${FILE_NAME}"

Then I verify following buttons are displayed on "Submit page"

\${submit.upload.another.file.text}

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.memo.text}"

After

[Back to Table of Contents](#)

Scenario: Verify the select payment method Bank transfer section

Passed: 12

Before

Then verify "\${submit.payment.method.text}" heading is visible on the screen

Then I verify following text is displayed on "Submit" page

\${submit.bank.transfer.text}

\${submit.cheque.text}

When I click on Bank Transfer button

And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc...}

And I upload the payment proof file "\${testdata.path}/\${FILE_NAME}"

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE_NAME}"

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"

After

[Back to Table of Contents](#)

Scenario: Verify the select payment method Bank transfer section

Passed: 12

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

When I click on Cheque button

And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"

Output

Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc"

And I upload the payment proof file "\${testdata.path}/\${FILE_NAME}"

Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE_NAME}"

When I click on delete doc button for "\${FILE_NAME}" on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.upload.payment.proof.text}"

After

[Back to Table of Contents](#)

Scenario: Add quote for Group term life for all 5 categories

Passed: 6

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :566

Then I assign "Dummy_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"

Output

Assigning value Dummy_Quote_56624026249 to variable Company_Name

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

Then I enter Company Name as "\${Company_Name}"

Output

company name is: Dummy_Quote_56624026249

Then I enter following details on select plan page

No. of Members	10
----------------	----

After

[Back to Table of Contents](#)

Scenario Outline: Verify Summary of benefit table display data selected in select plan page and getting

Passed: 9

Before						
<p>Then I navigate to "Select Plan" screen</p> <p>And I click on PAMB GHS "\${selectplan.ghs.no.button}" button</p> <p>When I navigate to "Submit" screen</p> <p>And verify the user is landed on "Submit" page</p> <p>Then I assign "Annual_Summary.csv" to variable "FILE_NAME"</p>						
Output						
Assigning value Annual_Summary.csv to variable FILE_NAME						
And I assign "testdata/my/submit_document/summarydata/\${FILE_NAME}" to variable "summary.data.compareFile.path"						
Output						
Assigning value testdata/my/submit_document/summarydata/Annual_Summary.csv to variable summary.data.compareFile.path						
Then I assign "SummaryTable" to variable "Table_Name"						
Output						
Assigning value SummaryTable to variable Table_Name						
Then I verify details in summary table is matching with "\${summary.data.compareFile.path}" file						
Output						
UI data: {Death Benefit (due to ALL causes)={Benefit per member=RM5,000}, Total and Permanent Disability Benefit (TPD) - csvData: {Death Benefit (due to ALL causes)={Benefit per member=RM5,000}, Total and Permanent Disability Benefit (TPD)}						
And I verify following static text on "Summary Table" page						
<table border="1"> <tr><td>10</td></tr> <tr><td>RM107.50</td></tr> <tr><td>RM6.50</td></tr> <tr><td>Total members</td></tr> <tr><td>Annual Premium (Before Tax)</td></tr> <tr><td>Service Tax 6%</td></tr> </table>	10	RM107.50	RM6.50	Total members	Annual Premium (Before Tax)	Service Tax 6%
10						
RM107.50						
RM6.50						
Total members						
Annual Premium (Before Tax)						
Service Tax 6%						
After						
Back to Table of Contents						
Scenario Outline: Verify Summary of benefit table display data selected in select plan page and getting the same in summary table						
Passed: 9						
Before						

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

Then I assign "Annual_WithGHS.csv" to variable "FILE_NAME"

Output

Assigning value Annual_WithGHS.csv to variable FILE_NAME

And I assign "testdata/my/submit_document/summarydata/\${FILE_NAME}" to variable "summary.data.compareFile.path"

Output

Assigning value testdata/my/submit_document/summarydata/Annual_WithGHS.csv to variable summary.data.compareFile.path

Then I assign "SummaryTable" to variable "Table_Name"

Output

Assigning value SummaryTable to variable Table_Name

Then I verify details in summary table is matching with "\${summary.data.compareFile.path}" file

Output

UI data: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)={
csvData: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)=

And I verify following static text on "Summary Table" page

10
RM2,667.50
RM160.10
Total members
Annual Premium (Before Tax, GHS Included)
Service Tax 6%

After

[Back to Table of Contents](#)

Scenario: Validating the error message When user clicks on Confirm and Submit button without entering amount

Passed: 3

Before

When I click on Bank Transfer button

	When I click on the Confirm and Submit button																
	Then I verify following field upload error message on submit page																
	<table border="1"> <tr> <td>Proposal Form</td><td><code> \${submit.error.proposal.form.mandatory}</code></td></tr> <tr> <td>Form 8</td><td><code> \${submit.error.form.8.mandatory}</code></td></tr> <tr> <td>Form 24</td><td><code> \${submit.error.form.24.mandatory}</code></td></tr> <tr> <td>Form 49</td><td><code> \${submit.error.form.49.mandatory}</code></td></tr> <tr> <td>Direct Credit</td><td><code> \${submit.error.direct.credit.mandatory}</code></td></tr> <tr> <td>Authorised Signatory</td><td><code> \${submit.error.authorised.signatory.mandatory}</code></td></tr> <tr> <td>Copy NRIC</td><td><code> \${submit.error.copy.nric.mandatory}</code></td></tr> <tr> <td>Payment proof</td><td><code> \${submit.error.payment.proof}</code></td></tr> </table>	Proposal Form	<code> \${submit.error.proposal.form.mandatory}</code>	Form 8	<code> \${submit.error.form.8.mandatory}</code>	Form 24	<code> \${submit.error.form.24.mandatory}</code>	Form 49	<code> \${submit.error.form.49.mandatory}</code>	Direct Credit	<code> \${submit.error.direct.credit.mandatory}</code>	Authorised Signatory	<code> \${submit.error.authorised.signatory.mandatory}</code>	Copy NRIC	<code> \${submit.error.copy.nric.mandatory}</code>	Payment proof	<code> \${submit.error.payment.proof}</code>
Proposal Form	<code> \${submit.error.proposal.form.mandatory}</code>																
Form 8	<code> \${submit.error.form.8.mandatory}</code>																
Form 24	<code> \${submit.error.form.24.mandatory}</code>																
Form 49	<code> \${submit.error.form.49.mandatory}</code>																
Direct Credit	<code> \${submit.error.direct.credit.mandatory}</code>																
Authorised Signatory	<code> \${submit.error.authorised.signatory.mandatory}</code>																
Copy NRIC	<code> \${submit.error.copy.nric.mandatory}</code>																
Payment proof	<code> \${submit.error.payment.proof}</code>																
	After																
	Back to Table of Contents																
	Scenario: Verify Agent can save and export the quote on submit page																
	Passed: 3																
	Before																
	<p>Then I click on "\${saveQuote.button.text}" button</p> <p>Then I verify following information is displayed on page footer</p> <p><code> \${lastSavedMessage.static.text}</code></p> <p>Then I verify the presence of export quote button</p>																
	After																
	Back to Table of Contents																
	Scenario: Close Sales Portal																
	Passed: 1																
	Before																
	<p>And I close sales portal</p>																
	After																
	Back to Table of Contents																
	Feature: Verify agent can see all the PLUK documents and can download them																
	Passed: 25																
	Scenario: Verify default and documents on Documents Page																
	Passed: 7																
	Before																
	<p>Given I get the project directory path to variable "project.path"</p> <p>Given I assign "\${project.path}/src/test/resources/testdata/my/documentsstocompare/input" to variable "documentsPath"</p> <p>Output</p> <pre>Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/src/test/resources/testdata/my/documentsstocompare/input to variable "documentsPath"</pre>																
	<p>Given Launch sales portal</p> <p>Output</p>																

<https://dev-pamb-sales-eb.pru.intranet.asia/>

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

After

[Back to Table of Contents](#)

Scenario: Verify documents table on document page

Passed: 3

Before

When I click on Documents link

Then I verify following text is displayed on "Documents" page

 \${toggleBarItem.documents.label}

Then I verify the presence of following table headers on "Documents page"

 \${document.table.header.document.name}

After

[Back to Table of Contents](#)

Scenario Outline: Verify "PRUEd Protect Leaflet" document download button is enabled

Passed: 1

Before

And I verify download button for "PRUEd Protect Leaflet" document is enabled

After

[Back to Table of Contents](#)

Scenario Outline: Verify "Claim Form" document download button is enabled

Passed: 1

Before

And I verify download button for "Claim Form" document is enabled

After

[Back to Table of Contents](#)

Scenario Outline: Verify "Medical Claim - Doctor's Statement" document download button is enabled

Passed: 1

Before

And I verify download button for "Medical Claim - Doctor's Statement" document is enabled

After

Back to Table of Contents
Scenario Outline: Verify "Personal Accident Claim - Doctor's Statement" document download button
Passed: 1
Before
And I verify download button for "Personal Accident Claim - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Personal Accident Claim - Healing Progress Form" document download button
Passed: 1
Before
And I verify download button for "Personal Accident Claim - Healing Progress Form" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Total and Permanent Disability Claim - Doctor's Statement" document download button
Passed: 1
Before
And I verify download button for "Total and Permanent Disability Claim - Doctor's Statement" document is enabled
After
Back to Table of Contents
Scenario Outline: Verify "Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement" document download button
Passed: 0
Before
And I verify download button for "Total and Permanent Disability - Disability Instalment Benefit" document is enabled
<pre>java.lang.AssertionError: Download button for Total and Permanent Disability - Disability Instalment Benefit document is not enabled at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at com.pru.sales.portal.stepdef.DocumentsSteps.verifyDocumentsName(DocumentsSteps.java:46) at .And I verify download button for "Total and Permanent Disability - Disability Instalment Benefit" document is enabled</pre>

[+ New Quote](#)[Information](#)[Quotes](#)[Documents](#)

Powered by

[TA Profile](#)[Get Help](#)

Documents

Document Name

[PRUEd Protect Leaflet](#)[Claim Form](#)[Medical Claim - Doctor's Statement](#)[Personal Accident Claim - Doctor's Statement](#)[Personal Accident Claim - Healing Progress Form](#)[Total and Permanent Disability Claim - Doctor's Sta](#)[Total and Permanent Disability - Disability Instalme](#)[Death Claim - Doctor's Statement](#)[Consent To Release Information](#)[Master Application Form](#)[Application For Direct Credit Form](#)[Authorised Company Representative Declaration F](#)

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: Verify "Death Claim - Doctor's Statement" document download button is enabled**

Passed: 1

Before

And I verify download button for "Death Claim - Doctor's Statement" document is enabled

After[Back to Table of Contents](#)**Scenario Outline: Verify "Consent To Release Information" document download button is enabled**

Passed: 1

Before

And I verify download button for "Consent To Release Information" document is enabled

After[Back to Table of Contents](#)**Scenario Outline: Verify "Master Application Form" document download button is enabled**

Passed: 1

Before

And I verify download button for "Master Application Form" document is enabled
--

After[Back to Table of Contents](#)**Scenario Outline: Verify "Application For Direct Credit Form" document download button is enabled**

Passed: 1

Before

And I verify download button for "Application For Direct Credit Form" document is enabled

After[Back to Table of Contents](#)**Scenario Outline: Verify "Authorised Company Representative Declaration Form" document download button is enabled**

Passed: 1

Before

And I verify download button for "Authorised Company Representative Declaration Form" document is enabled

After[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "PRUED Protected Leaflet" is assigned to variable "DOWNLOADED_FILE_NAME"**

Passed: 7

Before

Given I assign "PRUED Protect Leaflet" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value PRUEd Protect Leaflet to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf to variable DOCUMENT_FILE_P

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "PRUEd Protect Leaflet"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf

And I verify "\${testdata.path}/PRUEd Protect Leaflet.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Claim Form"

Passed: 7

Before

Given I assign "Claim Form" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Claim Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Claim Form.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Claim Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Claim Form.pdf

And I verify "\${testdata.path}/Claim Form.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Medical Claim - Doctor's Statement"

Passed: 7

Before

Given I assign "Medical Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Medical Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Medical Claim - Doctor's Statement"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Medical Claim - Doctor's Statement.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Personal Accident Claim - Doctor's Statement"

Passed: 7

Before

Given I assign "Personal Accident Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Personal Accident Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf to variable

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Personal Accident Claim - Doctor's Statement"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Personal Accident Claim - Doctor's Statement.pdf" pdf file is matched

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Personal Acc

Passed: 7

Before

Given I assign "Personal Accident Claim - Healing Progress Form" to variable "DOWNLOADED

Output

Assigning value Personal Accident Claim - Healing Progress Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf to vari

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Personal Accident Claim - Healing Progress Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf

And I verify "\${testdata.path}/Personal Accident Claim - Healing Progress Form.pdf" pdf file is not empty

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim - Doctor's Statement.pdf" file is not empty

Passed: 7

Before

Given I assign "Total and Permanent Disability Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Total and Permanent Disability Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Total and Permanent Disability Claim - Doctor's Statement.pdf"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Total and Permanent Disability Claim - Doctor's Statement.pdf" pdf file is not empty

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement.pdf" file is not empty

Passed: 4

Before

Given I assign "Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"
And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability - Disability Instalment Benefit

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Total and Permanent Disability - Disability Insta

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c

Session ID: 94500d880ffb3235fd9724d4a3613735

```
*** Element info: {Using=xpath, value=//span[contains(text(),"Total and Permanent Disability - Disability Instalment Benefit")]}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:97)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.DocumentsPage.clickDownloadButton(DocumentsPage.java:38)
at com.pru.sales.portal.stepdef.DocumentsSteps.clickDocButton(DocumentsSteps.java:25)
at .When I click on download button for document "Total and Permanent Disability - Disability Instalment Benefit"
```

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

And I verify "\${testdata.path}/Total and Permanent Disability - Disability Instalment Benefit - Do

[+ New Quote](#)[Information](#)[Quotes](#)[Documents](#)

Powered by
PRUDENTIAL

[TA Profile](#)[Get Help](#)

Documents

Document Name

[PRUEd Protect Leaflet](#)[Claim Form](#)[Medical Claim - Doctor's Statement](#)[Personal Accident Claim - Doctor's Statement](#)[Personal Accident Claim - Healing Progress Form](#)[Total and Permanent Disability Claim - Doctor's Statement](#)[Total and Permanent Disability - Disability Installation Form](#)[Death Claim - Doctor's Statement](#)[Consent To Release Information](#)[Master Application Form](#)[Application For Direct Credit Form](#)[Authorised Company Representative Declaration Form](#)

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Death Claim"**

Passed: 7

Before**Given I assign "Death Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAME"****Output**

Assigning value Death Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"**And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"****Output**

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Death Claim - Doctor's Statement.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists**When I click on download button for document "Death Claim - Doctor's Statement"****Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"****Output**

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Death Claim - Doctor's Statement.pdf

And I verify "\${testdata.path}/Death Claim - Doctor's Statement.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"**After**[Back to Table of Contents](#)**Scenario Outline: Download PDF documents by click on down arrow button and verify "Consent To Release Information"**

Passed: 7

Before**Given I assign "Consent To Release Information" to variable "DOWNLOADED_FILE_NAME"****Output**

Assigning value Consent To Release Information to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"
And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Consent To Release Information.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Consent To Release Information"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Consent To Release Information.pdf

And I verify "\${testdata.path}/Consent To Release Information.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Master Application Form"

Passed: 7

Before

Given I assign "Master Application Form" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Master Application Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"
And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Master Application Form.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Master Application Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Master Application Form.pdf

And I verify "\${testdata.path}/Master Application Form.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Application For Direct Credit Form"

Passed: 7

Before

Given I assign "Application For Direct Credit Form" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Application For Direct Credit Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to.compare.path"

And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Application For Direct Credit Form.pdf to variable DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Application For Direct Credit Form"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Application For Direct Credit Form.pdf

And I verify "\${testdata.path}/Application For Direct Credit Form.pdf" pdf file is matching with "\${DOCUMENT_FILE_PATH}"

After

[Back to Table of Contents](#)

Scenario Outline: Download PDF documents by click on down arrow button and verify "Authorised Company Representative Declaration Form"

Passed: 7

Before

Given I assign "Authorised Company Representative Declaration Form" to variable "DOWNLOADED_FILE_NAME"

Output

Assigning value Authorised Company Representative Declaration Form to variable DOWNLOADED_FILE_NAME

Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to"
And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"

Output

Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration Form.pdf to DOCUMENT_FILE_PATH

And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

When I click on download button for document "Authorised Company Representative Declaration Form.pdf"

Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration Form.pdf

And I verify "\${testdata.path}/Authorised Company Representative Declaration Form.pdf" pdf file exists

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify agent can search for saved quotes based on search criteria, filter options and take required actions

Passed: 29

Scenario: Create Draft quote and verify default and sample text of Quotes page

Passed: 9

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

Assigning value LifePlan.txt to variable FILE_NAME

And I generate "current date" and assign to variable "FILE_GENERATION_DATE" in "yyyyMMDD"

And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yy"

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}
Agent_ID	\${agent.id.global}
COMP_NAME_INFORCE	TestInforceQuote

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

After

[Back to Table of Contents](#)

Scenario: Verify Table headers and fields on Quotes page

Passed: 5

Before

When I click on Quotes link

Then I verify following text is displayed on "Quotes" page

\${quote.page.text}

And I verify Search text field is displayed and enabled with magnifying class and default text as Se

And I verify Filter image is displayed and enabled

Then I verify the presence of following table headers on "Quotes page"

\${quote.table.header.company.name}
\${quote.table.header.reference.num}
\${quote.table.header.last.updated}
\${quote.table.header.quote.status}
\${quote.table.header.action}

After

[Back to Table of Contents](#)

Scenario: Verify the filter option

Passed: 3

Before

When I click on filter button

Then I verify following filter options are displayed

\${quote.filter.option.draft}

<code> \${quote.filter.option.archived}</code>
<code> \${quote.filter.option.submitted}</code>
<code> \${quote.filter.option.in.force}</code>
<code> \${quote.filter.option.denied}</code>
<code> \${quote.filter.option.expired}</code>

And I click on filter button

After

[Back to Table of Contents](#)

Scenario: Create Draft Quote

Passed: 16

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :519

And I assign "TestDraft_\${RANDOM_NUMBER}" to variable "COMP_NAME"

Output

Assigning value TestDraft_51924026251 to variable COMP_NAME

When I click on Create Quote Link

Then I accept disclaimer if present for new quote

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	<code> \${COMP_NAME}</code>
No. of Employees	12

And I click on "\${saveQuote.button.text}" button

Then I wait for 2 sec

Then I click on Quotes link

Then I wait for 5 sec

When I enter "\${COMP_NAME}" in search text field in Quotes page

And I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMBBEUVXN

Then I verify quote reference number "\${REF_NUMBER}" should contain "\${quote.prefix}" pre

Output

Quote reference number is : PAMB BEUVXN

And I verify number of characters in quote ref number "\${REF_NUMBER}" is as per design

Then I verify following information is displayed for company "\${COMP_NAME}" in quote table

Reference Number	not null
Quote Status	Draft

After

[Back to Table of Contents](#)

Scenario: Create Archived Quote

Passed: 15

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :996

And I assign "TestArch_\${RANDOM_NUMBER}" to variable "COMP_NAME_ARCHIVE"

Output

Assigning value TestArch_9962402628 to variable COMP_NAME_ARCHIVE

When I click on Create Quote Link

Then I accept disclaimer if present for new quote

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_ARCHIVE}
No. of Employees	12

And I click on "\${saveQuote.button.text}" button

Then I wait for 2 sec

When I click on Quotes link

Then I wait for 5 sec

When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page

And I click on Action button next to searched quote

And I select "\${quote.action.archive}" option from Action menu

Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in

Reference Number	not null

	Quote Status	Draft
After		
Back to Table of Contents		
Scenario: Create Submitted Quote		
Passed: 43		
Before		
Given I generate random number and assign to variable "RANDOM_NUMBER"		
Output		
<pre>Random number generated is :589</pre>		
And I assign "TestSub_\${RANDOM_NUMBER}" to variable "COMP_NAME_SUBMITTED"		
Output		
<pre>Assigning value TestSub_58924026224 to variable COMP_NAME_SUBMITTED</pre>		
And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path		
Output		
<pre>Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path</pre>		
And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"		
Output		
<pre>Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH</pre>		
And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"		
Output		
<pre>Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH</pre>		
And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployees.xlsm" to variable EMPLOYEE_FILE		
Output		
<pre>Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE_FILE</pre>		

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
----------	-------------------

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_SUBMITTED}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 6 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact1-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"

Output

Assigning value /testdata/my/submit_document to variable testdata.path

When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

	<p>And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"</p>				
	<p>And I wait for 2 sec</p>				
	<p>And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"</p>				
	<p>And I wait for 2 sec</p>				
	<p>And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"</p>				
	<p>And I wait for 2 sec</p>				
	<p>And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"</p>				
	<p>And I wait for 2 sec</p>				
	<p>And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"</p>				
	<p>And I wait for 5 sec</p>				
	<p>And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"</p>				
	<p>And I wait for 2 sec</p>				
	<p>When I click on the Confirm and Submit button</p>				
	<p>Then I verify following text is displayed on "Submit popup" page</p>				
	<table border="1"><tr><td> \${submit.confirmandsubmit.message1}</td></tr><tr><td> \${submit.confirmandsubmit.message2}</td></tr></table>	\${submit.confirmandsubmit.message1}	\${submit.confirmandsubmit.message2}		
\${submit.confirmandsubmit.message1}					
\${submit.confirmandsubmit.message2}					
	<p>Then I verify following buttons are displayed on "Submit popup"</p>				
	<table border="1"><tr><td> \${submit.confirmandsubmit.confirm.btn}</td></tr><tr><td> \${submit.confirmandsubmit.cncl.btn}</td></tr></table>	\${submit.confirmandsubmit.confirm.btn}	\${submit.confirmandsubmit.cncl.btn}		
\${submit.confirmandsubmit.confirm.btn}					
\${submit.confirmandsubmit.cncl.btn}					
	<p>Then I click on "\${submit.confirmandsubmit.confirm.btn}" button</p>				
	<p>And I wait for 5 sec</p>				
	<p>Then I verify following static text on "Quote Submission" page</p>				
	<table border="1"><tr><td> Quote Submitted</td></tr></table>	Quote Submitted			
Quote Submitted					
	<p>java.lang.AssertionError: Quote Submitted is present on page: Quote Submission expected [true] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at com.pru.sales.portal.stepdef.SelectPlanSteps.verifyStaticText(SelectPlanSteps.java:473) at .Then I verify following static text on "Quote Submission" page(features/my/07.SalesQuotesPage)</p>				
	<p>And I verify following paragraph is displayed on "Quote Submission" page</p>				
	<table border="1"><tr><td> We look forward in helping your business grow</td></tr></table>	We look forward in helping your business grow			
We look forward in helping your business grow					
	<p>When I click on Quotes link</p>				
	<p>Then I wait for 5 sec</p>				
	<p>When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page</p>				
	<p>Then I get the reference number for searched quote in variable "REF_NUMBER"</p>				
	<p>Then I verify following information is displayed for company "\${COMP_NAME_SUBMITTED}"</p>				
	<table border="1"><tr><td> Reference Number</td><td>not null</td></tr><tr><td> Quote Status</td><td>Submitted</td></tr></table>	Reference Number	not null	Quote Status	Submitted
Reference Number	not null				
Quote Status	Submitted				



+ New Quote

Information

Quotes

Documents

Powered by
 PRUDENTIAL

TA Profile

Get Help

Select Plan

Member

New Quote

TestSub_58924026224

Select

Ba

Upload

AI

[Logout](#)[Collapse Sidebar](#)[Previous](#)

After

[Back to Table of Contents](#)

Scenario: Create In Force Quote

Passed: 41

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"**Output**

```
Random number generated is :241
```

And I assign "TestGtlForce_\${RANDOM_NUMBER}" to variable "COMP_NAME_INFORCE"**Output**

```
Assigning value TestGtlForce_24124026211 to variable COMP_NAME_INFORCE
```

And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path**Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path
```

And I assign "\${testdata.path}/uploadEmployeesMaxPosition.xls" to variable "INPUT_PATH"**Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployeesMaxPosition.xls to variable INPUT_PATH
```

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"**Output**

```
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH
```

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xlsm" to variable EMPLOYEES_MAX_POSITION																										
Output																										
Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xlsm to variable EMPLOYEES_MAX_POSITION																										
When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '																										
email.id\${RANDOM_NUMBER}																										
When I click on Quotes link																										
When I click on Create Quote Link																										
Then I navigate to "Select Plan" screen																										
And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button																										
And I enter following details on select plan page																										
<table border="1"> <tr> <td>Company Name</td> <td> \${COMP_NAME_INFORCE}</td> </tr> <tr> <td>No. of Employees</td> <td>10</td> </tr> </table>	Company Name	\${COMP_NAME_INFORCE}	No. of Employees	10																						
Company Name	\${COMP_NAME_INFORCE}																									
No. of Employees	10																									
And I click on "\${next.button.text}" button																										
And I select the PDPA Consent requirement check box																										
And I upload the employee csv file "\${EMPLOYEE_FILE}"																										
And I wait for 5 sec																										
And I click on "\${next.button.text}" button																										
Then I enter following details on company page																										
<table border="1"> <tr> <td>HR Given Name</td> <td>TestGivenName</td> </tr> <tr> <td>Surname</td> <td>TestSurName</td> </tr> <tr> <td>Contact Email</td> <td>primaryContact2-\${email.id}@mailinator.com</td> </tr> <tr> <td>HR Contact Phone Number</td> <td>0275109628</td> </tr> <tr> <td>Company Registration Number</td> <td>123456789876</td> </tr> <tr> <td>Contact Fax Number</td> <td>1234567898</td> </tr> <tr> <td>Address1</td> <td>#02-2b,XYZ Bld</td> </tr> <tr> <td>Address2</td> <td>test address line 1</td> </tr> <tr> <td>City</td> <td>test City</td> </tr> <tr> <td>State</td> <td> \${state.dropdown.value.2}</td> </tr> <tr> <td>Postcode</td> <td>25417</td> </tr> <tr> <td>Authorised Signatory Name</td> <td>authorisedName One</td> </tr> <tr> <td>Authorised Signatory Title</td> <td>authorisedTitle One</td> </tr> </table>	HR Given Name	TestGivenName	Surname	TestSurName	Contact Email	primaryContact2-\${email.id}@mailinator.com	HR Contact Phone Number	0275109628	Company Registration Number	123456789876	Contact Fax Number	1234567898	Address1	#02-2b,XYZ Bld	Address2	test address line 1	City	test City	State	\${state.dropdown.value.2}	Postcode	25417	Authorised Signatory Name	authorisedName One	Authorised Signatory Title	authorisedTitle One
HR Given Name	TestGivenName																									
Surname	TestSurName																									
Contact Email	primaryContact2-\${email.id}@mailinator.com																									
HR Contact Phone Number	0275109628																									
Company Registration Number	123456789876																									
Contact Fax Number	1234567898																									
Address1	#02-2b,XYZ Bld																									
Address2	test address line 1																									
City	test City																									
State	\${state.dropdown.value.2}																									
Postcode	25417																									
Authorised Signatory Name	authorisedName One																									
Authorised Signatory Title	authorisedTitle One																									
And I click on next button "\${next.button.text}" for company page																										
And I wait for 3 sec																										
And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"																										
Output																										
Assigning value /testdata/my/submit_document to variable testdata.path																										
When I click on Bank Transfer button																										

And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 2 sec

And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"

And I wait for 5 sec

And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"

And I wait for 2 sec

When I click on the Confirm and Submit button

And I click on "\${submit.confirmandsubmit.confirm.btn}" button

And I wait for 3 sec

Then I verify following static text on "Quote Submission" page

Quote Submitted

java.lang.AssertionError: Quote Submitted is present on page: Quote Submission expected [true]

at org.testng.Assert.fail(Assert.java:94)

at org.testng.Assert.failNotEquals(Assert.java:513)

at org.testng.Assert.assertTrue(Assert.java:42)

at com.pru.sales.portal.stepdef.SelectPlanSteps.verifyStaticText(SelectPlanSteps.java:473)

at .Then I verify following static text on "Quote Submission" page(features/my/07.SalesQuotesPag

When I click on Quotes link

And I wait for 5 sec

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I get the reference number for searched quote in variable "REF_NUMBER"

Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in

Reference Number	not null
Quote Status	Submitted

Given I assign "\${REF_NUMBER} \${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable "AZURE_DEST_FILE_QUOTE"

Given I assign "\${REF_NUMBER} \${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable "AZURE_DEST_FILE_MEMBERLIST"

And I assign "\${azure.storage.folder.submitted.quotations}/\${REF_NUMBER} \${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable "AZURE_DEST_FILE_QUOTE"

And I assign "\${azure.storage.folder.ready.inforce.quotations}" to variable "AZURE_DEST_FILE_MEMBERLIST"

And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLOADED_FILE_PATH_QUOTE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exists

And I assign the downloaded file "\${AZURE_FILE_NAME_EMPLOYEE}" to variable "DOWNLOADED_FILE_PATH_EMPLOYEE"

And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_EMPLOYEE}" if it already exists

When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder "\${AZURE_DEST_FILE_QUOTE}"

When I download azure storage file "\${AZURE_FILE_NAME_EMPLOYEE}" from storage folder "\${AZURE_DEST_FILE_MEMBERLIST}"

	Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUOTE}"																				
	Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_EMP}"																				
	When I write to excel file "\${DOWNLOADED_FILE_PATH_QUOTE}" into below rows for column																				
	<table border="1"><tr><td>Policy Status</td><td>APPROVED</td></tr><tr><td>Policy Number</td><td>68123456</td></tr></table>	Policy Status	APPROVED	Policy Number	68123456																
Policy Status	APPROVED																				
Policy Number	68123456																				
	When I write to excel file "\${DOWNLOADED_FILE_PATH_EMP}" into below rows for column																				
	<table border="1"><tr><td>testEmpAutomation1-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}001</td></tr><tr><td>testEmpAutomation2-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}002</td></tr><tr><td>testEmpAutomation3-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}003</td></tr><tr><td>testEmpAutomation4-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}004</td></tr><tr><td>testEmpAutomation5-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}005</td></tr><tr><td>testEmpAutomation6-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}006</td></tr><tr><td>testEmpAutomation7-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}007</td></tr><tr><td>testEmpAutomation8-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}008</td></tr><tr><td>testEmpAutomation9-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}009</td></tr><tr><td>testEmpAutomation10-\${email.id}@mailinator.com</td><td> \${RANDOM_NUMBER}010</td></tr></table>	testEmpAutomation1-\${email.id}@mailinator.com	\${RANDOM_NUMBER}001	testEmpAutomation2-\${email.id}@mailinator.com	\${RANDOM_NUMBER}002	testEmpAutomation3-\${email.id}@mailinator.com	\${RANDOM_NUMBER}003	testEmpAutomation4-\${email.id}@mailinator.com	\${RANDOM_NUMBER}004	testEmpAutomation5-\${email.id}@mailinator.com	\${RANDOM_NUMBER}005	testEmpAutomation6-\${email.id}@mailinator.com	\${RANDOM_NUMBER}006	testEmpAutomation7-\${email.id}@mailinator.com	\${RANDOM_NUMBER}007	testEmpAutomation8-\${email.id}@mailinator.com	\${RANDOM_NUMBER}008	testEmpAutomation9-\${email.id}@mailinator.com	\${RANDOM_NUMBER}009	testEmpAutomation10-\${email.id}@mailinator.com	\${RANDOM_NUMBER}010
testEmpAutomation1-\${email.id}@mailinator.com	\${RANDOM_NUMBER}001																				
testEmpAutomation2-\${email.id}@mailinator.com	\${RANDOM_NUMBER}002																				
testEmpAutomation3-\${email.id}@mailinator.com	\${RANDOM_NUMBER}003																				
testEmpAutomation4-\${email.id}@mailinator.com	\${RANDOM_NUMBER}004																				
testEmpAutomation5-\${email.id}@mailinator.com	\${RANDOM_NUMBER}005																				
testEmpAutomation6-\${email.id}@mailinator.com	\${RANDOM_NUMBER}006																				
testEmpAutomation7-\${email.id}@mailinator.com	\${RANDOM_NUMBER}007																				
testEmpAutomation8-\${email.id}@mailinator.com	\${RANDOM_NUMBER}008																				
testEmpAutomation9-\${email.id}@mailinator.com	\${RANDOM_NUMBER}009																				
testEmpAutomation10-\${email.id}@mailinator.com	\${RANDOM_NUMBER}010																				
	And I upload local file "\${AZURE_FILE_NAME_QUOTE}" to storage folder "\${AZURE_DEST}"																				
	And I upload local file "\${AZURE_FILE_NAME_EMPLOYEE}" to storage folder "\${AZURE_DEST}"																				
	Then I wait for storage file "\${AZURE_FILE_NAME_EMPLOYEE}" to be processed from storage																				



+ New Quote

Information

Quotes

Documents

Powered by
 PRUDENTIAL

TA Profile

Get Help

Select Plan

Member

New Quote

TestGtForce_24124026211

Select

Ba

Upload

AI

[Logout](#)[Collapse Sidebar](#)[Previous](#)

After

[Back to Table of Contents](#)

Scenario: Create Denied Quote

Passed: 41

Before

Given I generate random number and assign to variable "RANDOM_NUMBER"**Output**

Random number generated is :300

And I assign "TestDenied_\${RANDOM_NUMBER}" to variable "COMP_NAME_DENIED"**Output**

Assigning value TestDenied_30024026254 to variable COMP_NAME_DENIED

And I assign "/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes" to variable testdata.path**Output**

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path

And I assign "\${testdata.path}/uploadEmployees.xlsm" to variable "INPUT_PATH"**Output**

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PATH

And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"**Output**

Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH

And I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployees.xls"

Output

Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE_FILE

When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '

email.id	\${RANDOM_NUMBER}
----------	-------------------

When I click on Quotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name	\${COMP_NAME_DENIED}
No. of Employees	10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE_FILE}"

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primarycontact3-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
Company Registration Number	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
Authorised Signatory Name	authorisedName One
Authorised Signatory Title	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit_document" to variable "testdata.path"

Output

Assigning value /testdata/my/submit_document to variable testdata.path

When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles_Bylaws.png"

	And I wait for 2 sec				
	And I upload the copy NRIC file "\${testdata.path}/Articles_Bylaws.png"				
	And I wait for 2 sec				
	And I upload the Authorised Signatory file "\${testdata.path}/Articles_Bylaws.png"				
	And I wait for 2 sec				
	And I upload the direct credit file "\${testdata.path}/Articles_Bylaws.png"				
	And I wait for 2 sec				
	And I upload the Form 49 file "\${testdata.path}/Articles_Bylaws.png"				
	And I wait for 2 sec				
	And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"				
	And I wait for 2 sec				
	And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png"				
	And I wait for 5 sec				
	And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"				
	And I wait for 2 sec				
	When I click on the Confirm and Submit button				
	And I click on "\${submit.confirmandsubmit.confirm.btn}" button				
	And I wait for 3 sec				
	Then I verify following static text on "Quote Submission" page				
	<table border="1"><tr><td>Quote Submitted</td></tr></table>	Quote Submitted			
Quote Submitted					
	java.lang.AssertionError: Quote Submitted is present on page: Quote Submission expected [true] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at com.pru.sales.portal.stepdef.SelectPlanSteps.verifyStaticText(SelectPlanSteps.java:473) at .Then I verify following static text on "Quote Submission" page(features/my/07.SalesQuotesPage)				
	When I click on Quotes link				
	And I wait for 5 sec				
	When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page				
	Then I get the reference number for searched quote in variable "REF_NUMBER"				
	Then I verify following information is displayed for company "\${COMP_NAME_DENIED}" in quotes				
	<table border="1"><tr><td>Reference Number</td><td>not null</td></tr><tr><td>Quote Status</td><td>Submitted</td></tr></table>	Reference Number	not null	Quote Status	Submitted
Reference Number	not null				
Quote Status	Submitted				
	Given I assign "\${REF_NUMBER} \${COMP_NAME_DENIED}_QUOTATION.xlsx" to variable "AZURE_FILE_NAME_QUOTE"				
	And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME_DENIED}_QUOTATION.xlsx" to variable "AZURE_DEST_FOLDER"				
	And I assign "\${azure.storage.folder.ready.inforce.quotation}" to variable "AZURE_DEST_FILE_NAME_QUOTE"				
	And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLOADED_FILE_PATH_QUOTE"				
	And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exists				
	When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder "\${AZURE_DEST_FOLDER}"				
	Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUOTE}"				
	When I write to excel file "\${DOWNLOADED_FILE_PATH_QUOTE}" into below rows for column Policy Status				
	<table border="1"><tr><td>Policy Status</td><td>REJECTED</td></tr></table>	Policy Status	REJECTED		
Policy Status	REJECTED				
	And I upload local file "\${AZURE_FILE_NAME_QUOTE}" to storage folder "\${AZURE_DEST_FOLDER}"				
	Then I wait for storage file "\${AZURE_FILE_NAME_QUOTE}" to be processed from storage folder "\${AZURE_DEST_FOLDER}"				



+ New Quote

Information

Quotes

Documents

Powered by
 PRUDENTIAL

TA Profile

Get Help

Select Plan

Member

New Quote

TestDenied_30024026254

Select

Ba

Upload

AI

[Logout](#)[Collapse Sidebar](#)[Previous](#)**After**[Back to Table of Contents](#)**Scenario: Verify Archive quotes are not displayed when no filters are selected on quote page**

Passed: 5

Before**Given I click on Quotes link****And I wait for 5 sec****Then I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page****Then I verify search Result is empty in Quotes page****Then I remove the search text****After**[Back to Table of Contents](#)**Scenario Outline: Verify search can be performed with "The exact company name"**

Passed: 4

Before**When I enter "\${COMP_NAME}" in search text field in Quotes page****Then I wait for 5 sec****Then I verify searched Quote count is 1****Then I remove the search text****After**[Back to Table of Contents](#)**Scenario Outline: Verify search can be performed with "Company name by regex pattern"**

Passed: 4

Before**When I enter "\${RANDOM_NUMBER}" in search text field in Quotes page****Then I wait for 5 sec****Then I verify searched Quote count is 1****Then I remove the search text****After**[Back to Table of Contents](#)**Scenario Outline: Verify search can be performed with "Reference Number"**

Passed: 4

Before**When I enter "\${REF_NUMBER}" in search text field in Quotes page****Then I wait for 5 sec****Then I verify searched Quote count is 1****Then I remove the search text**

After
Back to Table of Contents
Scenario: Verify Search Quote functionality is working for Company Name
Passed: 3
Before
<ul style="list-style-type: none"> When I enter "\${COMP_NAME}" in search text field in Quotes page Then I wait for 5 sec Then I verify Quote is present only for "\${COMP_NAME}" search criteria in "\${quote.table.header.quote.status}
After
Back to Table of Contents
Scenario: Verify search with invalid search value
Passed: 5
Before
<ul style="list-style-type: none"> When I enter "Test123456" in search text field in Quotes page Then I wait for 5 sec Then I verify search Result is empty in Quotes page Then I remove the search text And I wait for 2 sec
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft"
Passed: 4
Before
<ul style="list-style-type: none"> And I select "\${quote.filter.option.draft}" filter option in Quotes page And I verify quotes are loaded in the view Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.statu And I unselect "\${quote.filter.option.draft}" filter option in Quotes page
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Archived"
Passed: 4
Before
<ul style="list-style-type: none"> And I select "\${quote.filter.option.archived}" filter option in Quotes page And I verify quotes are loaded in the view Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.statu And I unselect "\${quote.filter.option.archived}" filter option in Quotes page
After
Back to Table of Contents
Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Submitted"
Passed: 4
Before
<ul style="list-style-type: none"> And I select "\${quote.filter.option.submitted}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Submitted" search criteria in "\${quote.table.header.quote.s

And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status In Force"

Passed: 4

Before

And I select "\${quote.filter.option.in.force}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "In Force" search criteria in "\${quote.table.header.quote.s

And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Denied"

Passed: 4

Before

And I select "\${quote.filter.option.denied}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Denied" search criteria in "\${quote.table.header.quote.s

And I unselect "\${quote.filter.option.denied}" filter option in Quotes page

After

[Back to Table of Contents](#)

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"

Passed: 4

Before

And I select "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes pa

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.c

And I unselect "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes p

After

[Back to Table of Contents](#)

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Denied"

Passed: 4

Before

And I select "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes pag

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.qu

And I unselect "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes p

After

[Back to Table of Contents](#)

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,Denie

Passed: 4

	Before
	And I select "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.denied}" filter option in Quotes page
	And I verify quotes are loaded in the view
	Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.quote}"
	And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.denied}" filter option in Quotes page
	After
	Back to Table of Contents
	Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Archived,In Force"
	Passed: 4
	Before
	And I select "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.inForce}" filter option in Quotes page
	And I verify quotes are loaded in the view
	Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.quote}"
	And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.inForce}" filter option in Quotes page
	After
	Back to Table of Contents
	Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted"
	Passed: 4
	Before
	And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quotes page
	And I verify quotes are loaded in the view
	Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.header.quote}"
	And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quotes page
	After
	Back to Table of Contents
	Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived"
	Passed: 4
	Before
	And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived}" filter option in Quotes page
	And I verify quotes are loaded in the view
	Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.header.quote}"
	And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived}" filter option in Quotes page
	After
	Back to Table of Contents
	Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft,Submitted,Archived;In Force"
	Passed: 4
	Before
	And I select "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived};\${quote.filter.option.inForce}" filter option in Quotes page
	And I verify quotes are loaded in the view
	Then I verify Quote is present only for "Draft;Submitted;Denied;In Force" search criteria in "\${quote.table.header.quote}"
	And I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.archived};\${quote.filter.option.inForce}" filter option in Quotes page

<p>After</p> <p>Back to Table of Contents</p> <p>Scenario Outline: Verify Action options for "Action option for status Draft" quotes</p> <p>Passed: 6</p> <p>Before</p> <hr/> <p>And I select "\${quote.filter.option.draft}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p> <p>Then I verify "\${quote.action.edit};\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.a}</p> <p>And I unselect "\${quote.filter.option.draft}" filter option in Quotes page</p>
<p>After</p> <p>Back to Table of Contents</p> <p>Scenario Outline: Verify Action options for "Action option for status Submitted" quotes</p> <p>Passed: 3</p> <p>Before</p> <hr/> <p>And I select "\${quote.filter.option.submitted}" filter option in Quotes page</p> <p>When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p>
<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//tbody//tr//td[5]/div/button[1]"} (Session info: headless chrome=83.0.4103.116) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: '' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116"}, chromeOptions: {"args": ["--start-maximized"], "extensions": ["C:\Program Files\Google\Chrome\chromedriver.exe"], "w3c": false}, javascriptEnabled: true, platform: 'linux', platformName: 'linux', platformVersion: ''} Session ID: 2fb1537c9696503c2457dc30b9f34016 *** Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]} at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:97) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:400) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotePage.clickActionButton(QuotePage.java:96)</pre>

at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84)
at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:41)
Then I verify "\${quote.action.export.pdf};\${quote.action.view}" action options are displayed for selected quote
And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page



+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Quotes

TestSub_58924026224

Company Name

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: Verify Action options for "Action option for status Archived" quotes**

Passed: 6

Before

```

And I select "${quote.filter.option.archived}" filter option in Quotes page
When I enter "${COMP_NAME_ARCHIVE}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote
Then I verify "${quote.action.edit};${quote.action.export.pdf};${quote.action.Unarchive};${quote.
And I unselect "${quote.filter.option.archived}" filter option in Quotes page

```

After[Back to Table of Contents](#)**Scenario Outline: Verify Action options for "Action option for status InForce" quotes**

Passed: 3

Before

```

And I select "${quote.filter.option.in.force}" filter option in Quotes page
When I enter "${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I wait for 2 sec
And I click on Action button next to searched quote

```

```

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//tbody//tr//td[5]/div/button[1]"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_191-b12', jre.version: '1.8.0_191-b12', vendor: 'Oracle Corporation', vendor.version: 'Oracle Java SE Development Kit 8 (build 1.8.0_191-b12)', windowing-system: 'X11', renderer: 'unknown', screen: '(null)', hardwareConcurrency: 16, concurrentMarking: true
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Linux"}, javascriptEnabled: true, platform: "linux", platformName: "linux", platformVersion: "4.15.0-102-generic", proxy: null, setWindowRect: true, timeouts: {}, unhandledPromptBehavior: "dismiss", version: 83.0.4103.116, webauthn: {allowInsecureTransport: false, requireHmac: false}, webgl: true}
Session ID: 2fb1537c9696503c2457dc30b9f34016
*** Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:97)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:407)

```

```
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.QuoteSteps.clickActionButton(QuoteSteps.java:96)
at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84)
at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:41)
```

```
Then I verify "${quote.action.export.pdf};${quote.action.archive};${quote.action.view}" action op
```

```
And I unselect "${quote.filter.option.in.force}" filter option in Quotes page
```



+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Quotes

TestGtlForce_24124026211

Company Name

 Logout Collapse Sidebar**After**[Back to Table of Contents](#)**Scenario Outline: Verify Action options for "Action option for status Denied" quotes**

Passed: 3

Before**And I select "\${quote.filter.option.denied}" filter option in Quotes page****When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page****Then I wait for 2 sec****And I click on Action button next to searched quote**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
```

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.arch: 'amd64', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_191-b12-468-0ubuntu1~16.04.1'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: LINUX, platformName: LINUX, platformVersion: 16.04.5 LTS (Xenial Xerus), se: 2fb1537c9696503c2457dc30b9f34016}

Session ID: 2fb1537c9696503c2457dc30b9f34016
*** Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:42)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:347)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)

at com.pru.sales.portal.pages.QuoteSteps.clickActionButton(QuoteSteps.java:96)

at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84)

at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:41)

Then I verify "\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.action.archive}" action

And I unselect "\${quote.filter.option.denied}" filter option in Quotes page



+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Quotes

TestDenied_30024026254

Company Name

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario: Verify Quote Action item Edit for Draft quote**

Passed: 12

Before

When I select "\${quote.filter.option.draft}" filter option in Quotes page

When I enter "\${COMP_NAME}" in search text field in Quotes page

And I click on Action button next to searched quote

And I select "\${quote.action.edit}" option from Action menu

Then I wait for 2 sec

Then verify the user is landed on "Select Plan" page

Then I verify company name is displayed as entered on select plan page

Company Name	\${COMP_NAME}
--------------	---------------

Then I click on "\${saveQuote.button.text}" button

Then I wait for 2 sec

And I click on Quotes link

Then I wait for 5 sec

Then I verify following information is displayed for company "\${COMP_NAME}" in quote table

Reference Number	not null
------------------	----------

After[Back to Table of Contents](#)**Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Draft quote"**

Passed: 19

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

```
Assigning value /testdata/my/ExportQuote to variable testdata.path
```

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

```
Assigning value LifePlan.txt to variable FILE_NAME
```

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.draft}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMBBeUVXN

And I assign "\${COMP_NAME}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}.pdf" to variable DOWNLOADED_FILENAME

Output

Assigning value TestDraft_51924026251_PAMBBeUVXN_20210224.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE_PATH"

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.draft}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestDraft_51924026251_PAMBBeUVXN_20210224

After

[Back to Table of Contents](#)

Scenario Outline: **Quote Action item Export PDF : "Verify quote is exported to PDF for Submitted quote"**

Passed: 10

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

Assigning value LifePlan.txt to variable FILE_NAME

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.submitted}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}  
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_191-b12', jre.version: '1.8.0_191-b12', vendor: 'Oracle Corporation', vendor.version: 'Oracle Java SE Development Kit 8 (build 1.8.0_191-b12)', windowing.system: 'X11', windowing.library: 'X11', user.dir: '/var/jenkins_home/workspace/PRU-SME-QA-Test-Scripts/StepDefinitions'}
```

```
Session ID: 2fb1537c9696503c2457dc30b9f34016  
*** Element info: {Using=xpath, value=//div/table/tbody/tr[1]/td[2]}
```

```
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
```

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
```

```
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:407)
```

```
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

```
at com.prudential.tap.selenium.WebTableMethods.getTDCCellValue(WebTableMethods.java:64)
```

```
at com.pru.sales.portal.pages.TestBasePage.getTableCellData(TestBasePage.java:484)
```

```
at com.pru.sales.portal.pages.QuoteSteps.getReferenceNumberForSearchedQuote(QuoteSteps.java:147)
```

```
at com.pru.sales.portal.stepdef.QuoteSteps.getRefNumberInVariable(QuoteSteps.java:147)
```

```
at .Then I get the reference number for searched quote in variable "REF_NUMBER"(features/my/
```

And I assign "\${COMP_NAME_SUBMITTED} \${REF_NUMBER} \${FILE_GENERATION_DATE}" to variable "EXPORT_QUOTE_PATH"
Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE_PATH"
And I assign value to following variables
COMPANY_NAME \${COMP_NAME_SUBMITTED}
QUOTE_REF \${REF_NUMBER}
EFFECTIVE_DATE \${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE \${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"



+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Quotes

TestSub_58924026224

Company Name

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: **Quote Action item Export PDF : "Verify quote is exported to PDF for Archived quote"**

Passed: 19

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

Assigning value LifePlan.txt to variable FILE_NAME

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.archived}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMBVKVQZU

And I assign "\${COMP_NAME_ARCHIVE}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}" to variable "DOWNLOADED_FILENAME"

Output

Assigning value TestArch_9962402628_PAMBVKVQZU_20210224.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE_PATH"

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME_ARCHIVE}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.archived}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

```
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/TestArch_9962402628_PAMBVKVQZU_20210224.pdf
```

After

[Back to Table of Contents](#)

Scenario Outline: Quote Action item Export PDF : "Verify quote is exported to PDF for Inforce quote"

Passed: 10

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"

Output

```
Assigning value /testdata/my/ExportQuote to variable testdata.path
```

And I assign "LifePlan.txt" to variable "FILE_NAME"

Output

```
Assigning value LifePlan.txt to variable FILE_NAME
```

And I wait for 6 sec

And I click on Quotes link

And I scroll the page up

And I clear all filter options

And I select "\${quote.filter.option.in.force}" filter option in Quotes page

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I wait for 4 sec

Then I get the reference number for searched quote in variable "REF_NUMBER"

```

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.10+9-b945.14-75b4220', jre.version: '11.0.10+9-b945.14-75b4220', vendor: 'Oracle Corporation', vendor.version: 'Java(TM) SE Development Kit 11.0.10 (build 11.0.10+9-b945.14-75b4220)', vendor.version.specified: true, vendor.url: 'http://www.oracle.com/java/technologies/javase/jdk11-downloads.html', driver.name: 'org.openqa.selenium.chrome.ChromeDriver', driver.version: '83.0.4103.116', platform.name: 'Windows 10', platform.version: '10.0', platform.vendor: 'Microsoft Corporation', platform.vendor.version: 'Windows 10', platform.url: 'http://www.microsoft.com/windows/windows-10', driver.capabilities: Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {version: 83.0.4103.116}, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: 'Windows 10', platformName: 'Windows 10', platformVersion: '10.0', se: {browserName: 'chrome', browserVersion: '83.0.4103.116', osName: 'Windows 10', osVersion: '10.0', platformName: 'Windows 10'}, se:chrome: {version: '83.0.4103.116'}, se:chromeOptions: {args: [], extensions: []}, se:platform: {name: 'Windows 10', osName: 'Windows 10', osVersion: '10.0', platformName: 'Windows 10'}, se:platformName: 'Windows 10', se:platformVersion: '10.0', se:osName: 'Windows 10', se:osVersion: '10.0', se:chrome: {version: '83.0.4103.116'}, se:chromeOptions: {args: [], extensions: []}}, sessionID: 2fb1537c9696503c2457dc30b9f34016
*** Element info: {Using=xpath, value=/div/table/tbody/tr[1]/td[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:43)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:436)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.WebTableMethods.getTDCCellValue(WebTableMethods.java:64)
at com.pru.sales.portal.pages.TestBasePage.getTableCellData(TestBasePage.java:484)
at com.pru.sales.portal.pages.QuotePage.getReferenceNumberForSearchedQuote(QuotePage.java:147)
at com.pru.sales.portal.stepdef.QuoteSteps.getRefNumberInVariable(QuoteSteps.java:147)
at .Then I get the reference number for searched quote in variable "REF_NUMBER"(features/my.feature:11)

```

And I assign "\${COMP_NAME_INFORCE} \${REF_NUMBER} \${FILE_GENERATION_DATE_1}" to variable "EXPORT_Q

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_Q

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME_INFORCE}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"



+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Quotes

TestGtlForce_24124026211

Company Name

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: **Quote Action item Export PDF : "Verify quote is exported to PDF for Denied quote"**

Passed: 10

Before

Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path"**Output**

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "LifePlan.txt" to variable "FILE_NAME"**Output**

Assigning value LifePlan.txt to variable FILE_NAME

And I wait for 6 sec**And I click on Quotes link****And I scroll the page up****And I clear all filter options****And I select "\${quote.filter.option.denied}" filter option in Quotes page****Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists****When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page****Then I wait for 4 sec****Then I get the reference number for searched quote in variable "REF_NUMBER"**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(//div[@id='content']/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div[2]/div)[1]"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
```

```
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.arch: 'amd64', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_212-b04-50-0815'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116"}, chromeOptions: {"args": ["--start-maximized"], "extensions": ["C:\Program Files\Google\Chrome\NativeMessagingHost.exe"], "w3c": false}, javascriptEnabled: true, platform: "linux", platformName: "linux", platformVersion: "", proxy: null, setWindowRect: true, timeouts: {"implicit": 0, "pageLoad": 300000, "script": 30000}, unhandledPromptBehavior: "dismiss", unhandledAlertBehavior: "dismiss", webauthn: {}, webkitFileUploadMode: 2}
```

```
Session ID: 2fb1537c9696503c2457dc30b9f34016
*** Element info: {Using=xpath, value=//div/table/tbody/tr[1]/td[2]}
```

```
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
```

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:161)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:92)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:96)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:352)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.WebTableMethods.getTDCCellValue(WebTableMethods.java:64)
at com.pru.sales.portal.pages.TestBasePage.getTableCellData(TestBasePage.java:484)
at com.pru.sales.portal.pages.QuotePage.getReferenceNumberForSearchedQuote(QuotePage.java:147)
at com.pru.sales.portal.stepdef.QuoteSteps.getRefNumberInVariable(QuoteSteps.java:147)
at .Then I get the reference number for searched quote in variable "REF_NUMBER"(features/my)

```

And I assign "\${COMP_NAME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}"

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_QUOTE"

And I assign value to following variables

COMPANY_NAME	\${COMP_NAME_DENIED}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DATE	\${PDF_GENERATION_DATE_1}

And I click on Action button next to searched quote

And I select "\${quote.action.export.pdf}" option from Action menu

And I wait for 12 sec

And I unselect "\${quote.filter.option.denied}" filter option in Quotes page

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"



+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

TA Profile

Get Help

Quotes

TestDenied_30024026254

Company Name

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario Outline: 1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option****2. verify only archived quote is displayed when Archived filter option is selected**

Passed: 16

Before**And I scroll the page up****When I select "\${quote.filter.option.draft}" filter option in Quotes page****When I enter "\${COMP_NAME}" in search text field in Quotes page****Then I wait for 2 sec****And I click on Action button next to searched quote****And I select "\${quote.action.archive}" option from Action menu****Then I verify searched Quote count is 1****And I unselect "\${quote.filter.option.draft}" filter option in Quotes page****And I click on Documents link****And I click on Quotes link****Then I select "\${quote.filter.option.archived}" filter option in Quotes page****When I enter "\${COMP_NAME}" in search text field in Quotes page****Then I wait for 2 sec****Then I verify searched Quote count is 1****And I click on Action button next to searched quote****And I select "\${quote.action.Unarchive}" option from Action menu****And I click on Documents link**

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
```

```
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickDocumentsLink(HomePage.java:85)
at com.pru.sales.portal.stepdef.HomeSteps.clickDocumentsLink(HomeSteps.java:179)
at .And I click on Documents link(features/my/07.SalesQuotesPage.feature:495)
```

And I click on Quotes link

And I select "\${quote.filter.option.archived}" filter option in Quotes page

When I enter "\${COMP_NAME}" in search text field in Quotes page

Then I verify search Result is empty in Quotes page

And I unselect "\${quote.filter.option.archived}" filter option in Quotes page

PRUDENTIAL

Quotes

TestDraft_51924026251

Company Name

TestDraft_51924026251

+ New Quote

Information

Quotes

Documents

Powered by
PRUDENTIAL

Profile

Get Help

<p> Logout</p> <p> Collapse Sidebar</p>	<h2>After</h2> <p>Back to Table of Contents</p> <p>Scenario Outline: 1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option</p> <p>2. verify only archived quote is displayed when Archived filter option is selected</p> <p>Passed: 1</p> <h2>Before</h2> <p>And I scroll the page up</p> <p>When I select "\${quote.filter.option.denied}" filter option in Quotes page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button">...</button> is not clickable at point (100, 100). Other element would receive the click: <div>...</div> (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '1.8.0_202-b08-60-0ubuntu0.18.04.1-b08', jre.version: '1.8.0_202-b08-60-0ubuntu0.18.04.1-b08', vendor: 'Ubuntu', vendor.version: '18.04.1 LTS (Bionic Beaver)', http-proxy: '' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "L... Session ID: 2fb1537c9696503c2457dc30b9f34016 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA... at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons... at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCode... at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:46) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:... at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuoteSteps.selectFilterOption(QuoteSteps.java:74) at .When I select "\${quote.filter.option.denied}" filter option in Quotes page(features/my/07.Sales... When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page Then I wait for 2 sec And I click on Action button next to searched quote And I select "\${quote.action.archive}" option from Action menu Then I verify searched Quote count is 1 And I unselect "\${quote.filter.option.denied}" filter option in Quotes page And I click on Documents link</pre>
---	--

And I click on Quotes link
Then I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 1
And I click on Action button next to searched quote
And I select "\${quote.action.Unarchive}" option from Action menu
And I click on Documents link
And I click on Quotes link
And I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page
Then I verify search Result is empty in Quotes page
And I unselect "\${quote.filter.option.archived}" filter option in Quotes page



Quotes

+ New Quote

Information

Quotes

Documents

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
 PRUDENTIAL

TA Profile

Get Help

<p> Logout</p> <p> Collapse Sidebar</p>
After
<p>Back to Table of Contents</p> <p>Scenario Outline: 1.Verify "Inforce" quotes should return irrespective of isArchived flag for filter option</p> <p>2. verify only archived quote is displayed when Archived filter option is selected</p> <p>Passed: 1</p>
Before
<p>And I scroll the page up</p> <p>When I select "\${quote.filter.option.in.force}" filter option in Quotes page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button">...</button> is not clickable at point (100, 100). Other elements cover this element. (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.1+13-b145.34-0ubuntu1~18.04-b145.34-0ubuntu1~18.04', jre.version: '11.0.1+13-b145.34-0ubuntu1~18.04-b145.34-0ubuntu1~18.04', vendor: 'Oracle Corporation', vendor.version: 'Oracle Java SE Development Kit 11 (TM) 11.0.1', vendor.id: 'java-11-oracle', arch encoding: 'UTF-8', file.encoding: 'UTF-8', line.separator: '\n' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Linux"}, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: "linux", platformName: "linux", platformVersion: "", rotatable: false, setWindowRect: true, timeouts: {"implicit": 0, "pageLoad": 300000, "script": 30000}} Session ID: 2fb1537c9696503c2457dc30b9f34016 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuoteSteps.selectFilterOption(QuoteSteps.java:74) at .When I select "\${quote.filter.option.in.force}" filter option in Quotes page(features/my/07.SalesPortal.feature:11)</pre> <p>When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page</p> <p>Then I wait for 2 sec</p> <p>And I click on Action button next to searched quote</p> <p>And I select "\${quote.action.archive}" option from Action menu</p> <p>Then I verify searched Quote count is 1</p> <p>And I unselect "\${quote.filter.option.in.force}" filter option in Quotes page</p> <p>And I click on Documents link</p>

And I click on Quotes link

Then I select "\${quote.filter.option.archived}" filter option in Quotes page

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I wait for 2 sec

Then I verify searched Quote count is 1

And I click on Action button next to searched quote

And I select "\${quote.action.Unarchive}" option from Action menu

And I click on Documents link

And I click on Quotes link

And I select "\${quote.filter.option.archived}" filter option in Quotes page

When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page

Then I verify search Result is empty in Quotes page

And I unselect "\${quote.filter.option.archived}" filter option in Quotes page

PRUDENTIAL 

+ New Quote

Information

Quotes

Documents

Quotes

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
PRUDENTIAL 

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.draft}"

Passed: 0

Before

And I click on Quotes link

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)
at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)
at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:509)
```

And I clear all filter options

When I enter "\${COMP_NAME}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

And I select "\${quote.action.duplicate}" option from Action menu

Then I wait for 2 sec

When I enter "\${COMP_NAME}" in search text field in Quotes page

Then I wait for 2 sec

Then I verify searched Quote count is 2

Then I select "\${quote.filter.option.draft}" filter option in Quotes page

Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat}

Then I verify searched Quote count is 2

And I click on Action button next to searched quote

And I select "\${quote.action.edit}" option from Action menu

And I wait for 2 sec

Then I verify company name is displayed as entered on select plan page

Company Name	\${COMP_NAME}
--------------	---------------

Then I verify the sample text of following fields on select plan page

Position Name	Category 1
No. of Employees	12
Total Employees	12
Enter Industry Type	\${selectplan.industry.type.value1}

PRUDENTIAL

Quotes

+ New Quote

Information

Quotes

Documents

Company Name

TestDraft_51924026251

Powered by
PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.denied}"

Passed: 0

Before

And I click on Quotes link

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)
at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)
at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:509)
```

And I clear all filter options

When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

And I select "\${quote.action.duplicate}" option from Action menu

Then I wait for 2 sec

When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page

Then I wait for 2 sec

Then I verify searched Quote count is 2

Then I select "\${quote.filter.option.draft}" filter option in Quotes page

Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.stat}

Then I verify searched Quote count is 1

And I click on Action button next to searched quote

And I select "\${quote.action.edit}" option from Action menu

And I wait for 2 sec

Then I verify company name is displayed as entered on select plan page

Company Name	\${COMP_NAME_DENIED}
--------------	----------------------

Then I verify the sample text of following fields on select plan page

Position Name	Position
No. of Employees	10
Total Employees	10
Enter Industry Type	\${selectplan.industry.type.value1}



Quotes

+ New Quote

Information

Quotes

Documents

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
 PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: verify Delete popup window

Passed: 0

Before

And I click on Quotes link

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'D
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)
at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)
at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:540)
```

Then I select "\${quote.filter.option.draft}" filter option in Quotes page**And I enter "\${COMP_NAME}" in search text field in Quotes page****And I click on Action button next to searched quote****And I select "\${quote.action.delete}" option from Action menu****Then I verify following text is displayed on "popup window on quote" page**

\${quote.delete.popup.message1}
\${quote.delete.popup.message2}

Then I verify following buttons are displayed on "delete popup"

\${quote.delete.popup.cancel.button}

	<p><code> \${quote.delete.popup.delete.button}</code></p> <p>Then I click on "<code> \${quote.delete.popup.cancel.button}</code>" button And verify the user is landed on "Quotes" page</p>
--	---



Quotes

+ New Quote

Information

Quotes

Documents

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
 PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: Verify Draft Quote is deleted

Passed: 0

Before

When I select "\${quote.filter.option.draft}" filter option in Quotes page

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button" class="filter-option">...</button> is not clickable at point (111, 111)
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Oracle Corporation', vendor.version: 'Oracle Java SE Development Kit 11 (TM) 11.0.10+9-Ubuntu-0ubuntu1', vendor.id: 'java-11-oracle', driver.info: 'org.openqa.selenium.chrome.ChromeDriver', capabilities: {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {version: 83.0.4103.116}, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: 'LINUX', platformName: 'LINUX', platformVersion: '4.15.0-102-generic'}, session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.QuoteSteps.clickFilterButton(QuoteSteps.java:45)
at com.pru.sales.portal.stepdef.QuoteSteps.selectFilterOption(QuoteSteps.java:74)
at .When I select "${quote.filter.option.draft}" filter option in Quotes page(features/my/07.SalesQu...
```

And I enter "\${COMP_NAME}" in search text field in Quotes page

And I click on Action button next to searched quote

And I select "\${quote.action.delete}" option from Action menu

Then I click on "\${quote.delete.popup.delete.button}" button

And I click on Documents link

And I click on Quotes link

Then I wait for 3 sec

When I enter "\${COMP_NAME}" in search text field in Quotes page

Then I wait for 2 sec

Then I verify searched Quote count is 1

PRUDENTIAL

Quotes

+ New Quote

Information

Quotes

Documents

Company Name

TestDraft_51924026251

Powered by
PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: Verify Quote Action item Edit for Archived quote

Passed: 0

Before

When I select "\${quote.filter.option.archived}" filter option in Quotes page

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button" class="action-item">...</button>
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: ''
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c...
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA...
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons...
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCode...
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:48)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:46)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut...
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.QuoteSteps.clickFilterButton(QuoteSteps.java:45)
at com.pru.sales.portal.stepdef.QuoteSteps.selectFilterOption(QuoteSteps.java:74)
at .When I select "${quote.filter.option.archived}" filter option in Quotes page(features/my/07.Sale...
```

When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

And I select "\${quote.action.edit}" option from Action menu

Then verify the user is landed on "Select Plan" page

And I wait for 3 sec

Then I verify company name is displayed as entered on select plan page

Company Name	\${COMP_NAME_ARCHIVE}
--------------	-----------------------

Then I click on "\${saveQuote.button.text}" button

Then I wait for 2 sec

And I click on Quotes link

Then I wait for 5 sec

When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page

And I click on Action button next to searched quote

And I select "\${quote.action.archive}" option from Action menu

Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in

Reference Number	not null
------------------	----------



Quotes

+ New Quote

Information

Quotes

Documents

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
 PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: Verify Quote Action item Unarchive text and cancel function

Passed: 0

Before

And I click on Quotes link

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)
at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)
at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:592)
```

Given I select "\${quote.filter.option.archived}" filter option in Quotes page**When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page****And I click on Action button next to searched quote****And I select "\${quote.action.Unarchive}" option from Action menu****Then I verify following text is displayed on "Unarchive quote pop-up" page****\${quote.unarchive.popup.message1}****Then I verify following buttons are displayed on "Unarchive quote pop-up"****\${quote.unarchive.popup.confirm.button}****\${quote.unarchive.popup.cancel.button}**

Then I click on "\${quote.unarchive.popup.cancel.button}" button

PRUDENTIAL

Quotes

+ New Quote

Information

Quotes

Documents

Company Name

TestDraft_51924026251

Powered by
PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)**After**[Back to Table of Contents](#)**Scenario: Verify Archived Quote is deleted**

Passed: 0

Before**And I click on Quotes link**

```

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'D
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c
Session ID: 2fb1537c9696503c2457dc30b9f34016
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructo
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)
at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)
at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:606)

```

When I select "\${quote.filter.option.archived}" filter option in Quotes page**And I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page****And I click on Action button next to searched quote****And I select "\${quote.action.delete}" option from Action menu****Then I click on "\${quote.delete.popup.delete.button}" button****When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page****Then I verify search Result is empty in Quotes page**



Quotes

+ New Quote

Information

Quotes

Documents

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
 PRUDENTIAL

TA Profile

Get Help

[Logout](#)[Collapse Sidebar](#)

After

[Back to Table of Contents](#)

Scenario: Verify Quote Action item View for Submitted quote

Passed: 0

Before

And I clear all filter options

```
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button">...</button> is not clickable at point (111, 111)
(Session info: headless chrome=83.0.4103.116)
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinsslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.arch: 'amd64', os.version: '4.15.0-102-generic', java.version: '11.0.1+13-Ubuntu-1ubuntu1', jre.version: '11.0.1+13-Ubuntu-1ubuntu1', vendor: 'Ubuntu', vendor.version: null, locale: 'en_US.UTF-8', browserName: 'chrome', browserVersion: '83.0.4103.116', platformName: 'Linux', platformVersion: '4.15.0-102-generic', javascriptEnabled: true, cssSelectorsEnabled: true, webStorageEnabled: true, acceptInsecureCerts: true, browserName: 'chrome', browserVersion: '83.0.4103.116', chrome: {chromedriverVersion: '2.45.615291 (4ec05b6e5d1832a3368abefcc4e148f4)', userDataDir: '/tmp/.com.google.Chrome.2fb1537c9696503c2457dc30b9f34016'}, sessionID: '2fb1537c9696503c2457dc30b9f34016'}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:42)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.QuoteSteps.clickFilterButton(QuoteSteps.java:45)
at com.pru.sales.portal.stepdef.QuoteSteps.clearAllFilter(QuoteSteps.java:196)
at .And I clear all filter options(features/my/07.SalesQuotesPage.feature:616)
```

When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page

And I click on Action button next to searched quote

And I select "\${quote.action.view}" option from Action menu

Then I wait for 2 sec

Then verify the user is landed on "Select Plan" page

Then I verify company name is displayed as entered on select plan page

Company Name	\${COMP_NAME_SUBMITTED}
--------------	-------------------------

And I verify following buttons are displayed and enabled

\${close.button}

When I navigate to "Submit" screen

Then I verify following buttons are not displayed

`${confirm.submit.button}`

And I click on " `${close.button}`" button

Then I wait for 2 sec

Then I verify following text is displayed on "Quotes" page

`${quote.page.text}`



Quotes

+ New Quote

Information

Quotes

Documents

TestDraft_51924026251

Company Name

TestDraft_51924026251

Powered by
 PRUDENTIAL

TA Profile

Get Help

Logout

Collapse Sidebar

After[Back to Table of Contents](#)**Scenario: Verify Quote Action item View for Inforce quote**

Passed: 1

Before**When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page****And I click on Action button next to searched quote**

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(//td[@data-cs='Company Name' data-kind='parent'])/div[1]"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: '18.04.3 LTS (Bionic Beaver)', arch: 'amd64', totalMemory: 1073741824, freeMemory: 835216000
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Linux"}, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: "linux", platformName: "linux", platformVersion: "", setWindowRect: true, timeouts: {"implicit": 0, "pageLoad": 300000, "script": 30000}, unhandledPromptBehavior: "dismiss", webauthn: {}, webkit: {}, webkitGTK: false}
Session ID: 2fb1537c9696503c2457dc30b9f34016
*** Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.QuoteSteps.clickActionButton(QuoteSteps.java:84)
at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:63)
```

And I select "\${quote.action.view}" option from Action menu**Then I wait for 2 sec****Then verify the user is landed on "Select Plan" page****Then I verify company name is displayed as entered on select plan page**

Company Name	\${COMP_NAME_INFORCE}
--------------	-----------------------

And I verify following buttons are displayed and enabled

`${close.button}`

When I navigate to "Submit" screen

Then I verify following buttons are not displayed

`${confirm.submit.button}`

And I click on "`${close.button}`" button

Then I wait for 2 sec

Then I verify following text is displayed on "Quotes" page

`${quote.page.text}`



Quotes

+ New Quote

Information

Quotes

Documents

TestGtlForce_24124026211

Company Name

Powered by
 PRUDENTIAL

TA Profile

Get Help

<p> Logout</p> <p> Collapse Sidebar</p>				
After				
Back to Table of Contents				
Scenario: Close Sales Portal				
Passed: 1				
Before				
And I close sales portal				
After				
Back to Table of Contents				
Feature: Verify the Get Help page functionality				
Passed: 5				
Scenario: Verify agent should be navigated to Get Help page				
Passed: 8				
Before				
Given Launch sales portal				
Output				
https://dev-pamb-sales-eb.pru.intranet.asia/				
And I assign value to following variables				
<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}
Agent_Email	\${agent.email.id.global}			
Agent_Password	\${agent.password}			
When I Login to Sales Portal with below details				
<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}
UserName	\${Agent_Email}			
Password	\${Agent_Password}			
And I enter the verification code if page appears for agent "\${Agent_Email}"				
And I toggle the language button as required				
Then I verify "\${welcome.to.prudential}" screen is displayed				
When I click on "Get Help" Link				
And verify the user is landed on "Get Help" page				
After				
Back to Table of Contents				
Scenario: Verify static text on Get Help page				
Passed: 3				
Before				
And I verify h1 header text is displayed on "Get Help" page				

	<code> \${toggleBarItem.support.label}</code>
Then I verify following text is displayed on "Get Help" page	
	<code> \${support.what.can.help.text}</code>
	<code> \${support.access.pru.service.desk.text}</code>
	<code> \${support.submit.ticket.text}</code>
	<code> \${support.feedback.text}</code>
	<code> \${support.application.help.text}</code>
	<code> \${support.freq.asked.ques.article.text}</code>
	<code> \${support.direct.support}</code>
	<code> \${support.email.text}</code>
	<code> \${support.phone.text}</code>
	<code> \${support.email.us.text}</code>
And I verify support phone number are as below	
	<code> \${support.phone.number.text1}</code>
	<code> \${support.phone.number.text2}</code>
After	
Back to Table of Contents	
Scenario: Submit a ticket on sales portal app	
Passed: 5	
Before	
And I get parent window handle	
When I click on "\${support.feedback.text}" support button	
And I wait for 15 sec	
Then I verify "\${support.submit.ticket.page.title}" link is opened in new browser tab	
And I switch to parent window	
After	
Back to Table of Contents	
Scenario: View Knowledge base	
Passed: 5	
Before	
And I scroll to the end of page	
When I click on "\${support.application.help.text}" support button	
And I wait for 15 sec	
Then I verify "\${support.application.page.title}" link is opened in new browser tab	
And I switch to parent window	
After	
Back to Table of Contents	
Scenario: Close from Sales Portal	
Passed: 1	
Before	
And I close sales portal	
After	
Back to Table of Contents	

Feature: Verify product plan by benefit table data is as per requirement

Passed: 5

Scenario: Login to Sales Portal

Passed: 5

Before**Given Launch sales portal**

Output

```
https://dev-pamb-sales-eb.pru.intranet.asia/
```

And I assign value to following variables

Agent_Email	\${agent.email.id.global}
Agent_Password	\${agent.password}

When I Login to Sales Portal with below details

UserName	\${Agent_Email}
Password	\${Agent_Password}

And I enter the verification code if page appears for agent "\${Agent_Email}"**Then I verify "\${welcome.to.prudential}" screen is displayed****After**[Back to Table of Contents](#)**Scenario: Verify default state of Premium and Benefit page**

Passed: 6

Before**When I click on Create Quote Link****Then I navigate to "Select Plan" screen****And I click on Premium and Benefits button****Then I verify following buttons are displayed and enabled****\${close.button}****And I verify h1 header text is displayed on "Benefit Page" page****\${group.plan.static.text}****And I verify following static text on "Benefit Page" page****\${coverage.plan.static.text}****\${benefit.total.static.text}****\${benefit.ghs.text}****\${benefit.ghs.hospital.text}****\${benefit.ghs.surgical.text}****\${benefit.ghs.non.surgical.text}****\${benefit.ghs.other.text}****\${benefit.ghs.Additional.text}****\${select.plan.gtl.gadd.text}****Annual Premium per Member (without GHS)**

	Annual Premium per Member (with GHS)	
	RM11.40	
	RM282.76	
After		
Back to Table of Contents		
Scenario Outline: Compare plan by Annual benefit data for "\${select.plan.group.coverage.gtl.text}" [
Passed: 1		
Before		
Then I verify "GTL_ANNUAL" csv file data matches with Plans By Benefits table "GroupTermL		
<p>Output</p> <hr/> <div style="border: 1px dashed #ccc; padding: 5px;"> UI Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100} Test Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100}} </div>		
After		
Back to Table of Contents		
Scenario: Close premium and benefit screen and logout		
Passed: 2		
Before		
<p>When I click on "\${close.button}" button</p> <p>And I Logout of the sales portal</p>		
After		
Back to Table of Contents		
Scenario: Close from Sales Portal		
Passed: 1		
Before		
<p>And I close sales portal</p>		
After		
Back to Table of Contents		
Feature: Verify Quote is getting multiplied by number of employees and based on premium for selected		
Passed: 12		
Scenario: Launch Sales portal and navigate to New Quote page		
Passed: 5		
Before		
<p>Given Launch sales portal</p> <p>Output</p> <hr/> <div style="border: 1px dashed #ccc; padding: 5px;"> https://dev-pamb-sales-eb.pru.intranet.asia/ </div>		
And I assign value to following variables		

	<table border="1"> <tr> <td>Agent_Email</td><td><code> \${agent.email.id.global}</code></td></tr> <tr> <td>Agent_Password</td><td><code> \${agent.password}</code></td></tr> </table>	Agent_Email	<code> \${agent.email.id.global}</code>	Agent_Password	<code> \${agent.password}</code>	
Agent_Email	<code> \${agent.email.id.global}</code>					
Agent_Password	<code> \${agent.password}</code>					
When I Login to Sales Portal with below details						
	<table border="1"> <tr> <td>UserName</td><td><code> \${Agent_Email}</code></td></tr> <tr> <td>Password</td><td><code> \${Agent_Password}</code></td></tr> </table>	UserName	<code> \${Agent_Email}</code>	Password	<code> \${Agent_Password}</code>	
UserName	<code> \${Agent_Email}</code>					
Password	<code> \${Agent_Password}</code>					
And I enter the verification code if page appears for agent "<code> \${Agent_Email}</code>"						
Then I verify "<code> \${welcome.to.prudential}</code>" screen is displayed						
After						
Back to Table of Contents						
Scenario: Load Premium and modal factor csv file						
Passed: 3						
Before						
<p>When I click on Create Quote Link</p> <p>Then I navigate to "Select Plan" screen</p> <p>And I assign value to following variables</p> <table border="1"> <tr> <td><code>ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX</code></td> <td>11.40</td> </tr> <tr> <td><code>ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX</code></td> <td>282.76</td> </tr> </table>			<code>ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX</code>	11.40	<code>ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX</code>	282.76
<code>ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX</code>	11.40					
<code>ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX</code>	282.76					
After						
Back to Table of Contents						
Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1"						
Passed: 7						
Before						
<p>And I enter following details on select plan page</p> <table border="1"> <tr> <td>No. of Employees</td> <td>1</td> </tr> </table> <p>And I click on PAMB GHS "<code> \${selectplan.ghs.no.button}</code>" button</p> <p>And I calculate the estimated premium value for the selected plans into below variable</p> <table border="1"> <tr> <td><code>ESTIMATED_PREMIUM_ANNUALIZED</code></td> <td>$1 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A}$</td> </tr> </table>			No. of Employees	1	<code>ESTIMATED_PREMIUM_ANNUALIZED</code>	$1 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A}$
No. of Employees	1					
<code>ESTIMATED_PREMIUM_ANNUALIZED</code>	$1 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A}$					
<p>Output</p> <pre>ESTIMATED_PREMIUM_ANNUALIZED=11.4</pre>						
Then I verify the the Estimated Annual Premium value on screen should match with "<code> \${ESTIMATED_PREMIUM_ANNUALIZED}</code>"						
<p>Output</p> <pre>Actual Estimated Premium value on screen =11.40 Expected Estimated Premium value on screen =11.4</pre>						
And I click on PAMB GHS "<code> \${selectplan.ghs.yes.button}</code>" button						
And I calculate the estimated premium value for the selected plans into below variable						
<table border="1"> <tr> <td><code>ESTIMATED_PREMIUM_ANNUALIZED</code></td> <td>$1 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$</td> </tr> </table>			<code>ESTIMATED_PREMIUM_ANNUALIZED</code>	$1 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$		
<code>ESTIMATED_PREMIUM_ANNUALIZED</code>	$1 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$					

Output

```
ESTIMATED_PREMIUM_ANNUALIZED=282.76
```

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"**Output**

```
Actual Estimated Premium value on screen =282.76
Expected Estimated Premium value on screen =282.76
```

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "4"****Passed: 7****Before****And I enter following details on select plan page**

No. of Employees	4
------------------	---

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$4 * \${ANNUAL_PREMIUM_WITHOUT_GHS_AFTER_TAX}$
------------------------------	--

Output

```
ESTIMATED_PREMIUM_ANNUALIZED=45.6
```

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"**Output**

```
Actual Estimated Premium value on screen =45.60
Expected Estimated Premium value on screen =45.6
```

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable**

ESTIMATED_PREMIUM_ANNUALIZED	$4 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER_TAX}$
------------------------------	---

Output

```
ESTIMATED_PREMIUM_ANNUALIZED=1131.04
```

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_ANNUALIZED_PREMIUM}"**Output**

Actual Estimated Premium value on screen =1131.04
 Expected Estimated Premium value on screen =1131.04

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5"****Passed: 7****Before****And I enter following details on select plan page****No. of Employees** 5**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 5 * \${ANNUAL_PREMIUM_WITHOUT_GHS_AFTER}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=57.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_ANNUALIZED_PREMIUM}"**Output**

Actual Estimated Premium value on screen =57.00
 Expected Estimated Premium value on screen =57.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 5 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=1413.8

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_ANNUALIZED_PREMIUM}"**Output**

Actual Estimated Premium value on screen =1413.80
 Expected Estimated Premium value on screen =1413.8

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "50"**

Passed: 7

Before**And I enter following details on select plan page****No. of Employees** 50**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 50 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=570.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"**Output**

Actual Estimated Premium value on screen =570.00

Expected Estimated Premium value on screen =570.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED** 50 * \${ANNUAL_PREMIUM_WITH_GHS_AFTE**Output**

ESTIMATED_PREMIUM_ANNUALIZED=14138.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"**Output**

Actual Estimated Premium value on screen =14138.00

Expected Estimated Premium value on screen =14138.0

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "100"**

Passed: 7

Before**And I enter following details on select plan page****No. of Employees**100**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button****And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED**100 * \${ANNUAL_PREMIUM_WITHOUT_GHS}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=1140.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"**Output**

Actual Estimated Premium value on screen =1140.00

Expected Estimated Premium value on screen =1140.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button**And I calculate the estimated premium value for the selected plans into below variable****ESTIMATED_PREMIUM_ANNUALIZED**100 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}**Output**

ESTIMATED_PREMIUM_ANNUALIZED=28276.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"**Output**

Actual Estimated Premium value on screen =28276.00

Expected Estimated Premium value on screen =28276.0

After[Back to Table of Contents](#)**Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "200"**

Passed: 7

Before**And I enter following details on select plan page****No. of Employees**200**And I click on PAMB GHS "\${selectplan.ghs.no.button}" button**

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$200 * \${ANNUAL_PREMIUM_WITHOUT_GHS}$
-------------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=2280.0

Then I verify the the Estimated Annual Premium value on screen should match with " $\${ESTIMATED_PREMIUM_ANNUALIZED}$ "

Output

Actual Estimated Premium value on screen =2280.00
Expected Estimated Premium value on screen =2280.0

And I click on PAMB GHS " $\${selectplan.ghs.yes.button}$ " button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$200 * \${ANNUAL_PREMIUM_WITH_GHS_AFTER_YEARS}$
-------------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=56552.0

Then I verify the the Estimated Annual Premium value on screen should match with " $\${ESTIMATED_PREMIUM_ANNUALIZED}$ "

Output

Actual Estimated Premium value on screen =56552.00
Expected Estimated Premium value on screen =56552.0

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1000"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	1000
------------------	------

And I click on PAMB GHS " $\${selectplan.ghs.no.button}$ " button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$1000 * \${ANNUAL_PREMIUM_WITHOUT_GHS}$
-------------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=11400.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA

Output

Actual Estimated Premium value on screen =11400.00
Expected Estimated Premium value on screen =11400.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	1000 * \${ANNUAL_PREMIUM_WITH_GHS_AFT
------------------------------	---------------------------------------

Output

ESTIMATED_PREMIUM_ANNUALIZED=282760.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA

Output

Actual Estimated Premium value on screen =282760.00
Expected Estimated Premium value on screen =282760.0

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5000"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	5000
------------------	------

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	5000 * \${ANNUAL_PREMIUM_WITHOUT_GHS
------------------------------	--------------------------------------

Output

ESTIMATED_PREMIUM_ANNUALIZED=57000.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA

Output

Actual Estimated Premium value on screen =57000.00
 Expected Estimated Premium value on screen =57000.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$5000 * \${ANNUAL_PREMIUM_WITH_GHS_AFT}$
-------------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=1413800.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"

Output

Actual Estimated Premium value on screen =1413800.00
 Expected Estimated Premium value on screen =1413800.0

After

[Back to Table of Contents](#)

Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "10000"

Passed: 7

Before

And I enter following details on select plan page

No. of Employees	10000
------------------	-------

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	$10000 * \${ANNUAL_PREMIUM_WITHOUT_GH$
-------------------------------------	--

Output

ESTIMATED_PREMIUM_ANNUALIZED=114000.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA"

Output

Actual Estimated Premium value on screen =114000.00
 Expected Estimated Premium value on screen =114000.0

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I calculate the estimated premium value for the selected plans into below variable

ESTIMATED_PREMIUM_ANNUALIZED	10000 * \${ANNUAL_PREMIUM_WITH_GHS_AI}
-------------------------------------	---

Output

ESTIMATED_PREMIUM_ANNUALIZED=2827600.0

Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMATED_PREMIUM_ANNUALIZED}"

Output

Actual Estimated Premium value on screen =2827600.00
Expected Estimated Premium value on screen =2827600.0

After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)

Feature: Verify agent can download the quotes in pdf format and check all information is correct for GT

Passed: 9

Scenario: Login to sales portal

Passed: 5

Before

Given Launch sales portal

Output

https://dev-pamb-sales-eb.pru.intranet.asia/

And I assign value to following variables

Agent_Email	`\${agent.email.id.global}`
Agent_Password	`\${agent.password}`
Agent_ID	`\${agent.email.id.agentcode}`

When I Login to Sales Portal with below details

UserName	`\${Agent_Email}`
Password	`\${Agent_Password}`

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed
After
Back to Table of Contents
Scenario: Assign value to variables and enter details on select plan page
Passed: 7
Before
Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"
Output
Assigning value /testdata/my/ExportQuote to variable testdata.path
And I assign "GTL_Annual.txt" to variable "FILE_NAME"
Output
Assigning value GTL_Annual.txt to variable FILE_NAME
And I generate "current date" and assign to variable "PDF_GENERATION_DATE" in "yyyyMMdd"
And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yyyy"
And I generate random number and assign to variable "RANDOM_NUMBER"
Output
Random number generated is :124
And I assign "Gtl_\${RANDOM_NUMBER}" to variable "COMP_NAME"
Output
Assigning value Gtl_12424027253 to variable COMP_NAME
And I generate "future date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" for
After
Back to Table of Contents
Scenario: Select plan and category
Passed: 4
Before
When I click on Create Quote Link
Then verify the user is landed on "Select Plan" page
Then I enter following details on select plan page

Company Name	<code> \${COMP_NAME}</code>
Select Coverage Date	<code> \${COVERAGE_DATE}</code>
No. of Employees	10

And I click on PAMB GHS " `${selectplan.ghs.yes.button}`" button

After

[Back to Table of Contents](#)

Scenario: Save Quote and get reference number from Quotes screen

Passed: 11

Before

And I click on " `${saveQuote.button.text}`" button

And I get the estimated premium value displayed on select plan page and assign to variable "ESTI

Then I wait for 5 sec

When I click on Quotes link

And I enter " `${COMP_NAME}`" in search text field in Quotes page

Then I get the reference number for searched quote in variable "REF_NUMBER"

Output

Reference number is: PAMBPN6S75

And I click on Action button next to searched quote

And I select " `${quote.action.edit}`" option from Action menu

And I assign " `${COMP_NAME}_${REF_NUMBER}_${PDF_GENERATION_DATE}.pdf`" to variable DOWNLOADED_FILENAME

Output

Assigning value Gtl_12424027253_PAMBPN6S75_20210224.pdf to variable DOWNLOADED_FILENAME

Given I assign the downloaded file " `${DOWNLOADED_FILENAME}`" to variable "EXPORT_Q

And I assign value to following variables

QUOTE_REF	<code> \${REF_NUMBER}</code>
TOTAL_PREMIUM_PER_YEAR	<code> \${ESTIMATED_PREMIUM_VAL}</code>

After

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey

Passed: 7

Before

And I wait for 5 sec

Given I delete the downloaded file " `${EXPORT_QUOTE_PATH}`" if it already exists

When I navigate to "Select Plan" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_12424027253_PAMBPN6S75_20210224.pdf

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file

After

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Employees" page in sales Journey

Passed: 7

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Employees" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_12424027253_PAMBPN6S75_20210224.pdf

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file

After

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Company" page in sales Journey

Passed: 7

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Company" screen

And I click on export quote button

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

Output

Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_12424027253_PAMBPN6S75_20210224.pdf

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file

After

Back to Table of Contents						
Scenario Outline: Verify Export Quote is working in "Submit" page in sales Journey						
Passed: 7						
Before						
<p>And I wait for 5 sec</p> <p>Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists</p> <p>When I navigate to "Submit" screen</p> <p>And I click on export quote button</p> <p>And I wait for 15 sec</p> <p>Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"</p>						
Output						
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_12424027253_PAMBPN6S75_20210224.pdf						
And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file						
After						
Back to Table of Contents						
Scenario: Close Sales Portal						
Passed: 1						
Before						
And I close sales portal						
After						
Back to Table of Contents						
Feature: Verify agent can download the quotes in pdf format and check all information is correct for GTL						
Passed: 2						
Scenario: Login to sales portal						
Passed: 2						
Before						
<p>Given Launch sales portal</p> <p>Output</p>						
https://dev-pamb-sales-eb.pru.intranet.asia/						
And I assign value to following variables						
<table border="1"> <tr> <td>Agent_Email</td> <td> \${agent.email.id.global}</td> </tr> <tr> <td>Agent_Password</td> <td> \${agent.password}</td> </tr> <tr> <td>Agent_ID</td> <td> \${agent.email.id.agentcode}</td> </tr> </table>	Agent_Email	\${agent.email.id.global}	Agent_Password	\${agent.password}	Agent_ID	\${agent.email.id.agentcode}
Agent_Email	\${agent.email.id.global}					
Agent_Password	\${agent.password}					
Agent_ID	\${agent.email.id.agentcode}					
When I Login to Sales Portal with below details						
<table border="1"> <tr> <td>UserName</td> <td> \${Agent_Email}</td> </tr> <tr> <td>Password</td> <td> \${Agent_Password}</td> </tr> </table>	UserName	\${Agent_Email}	Password	\${Agent_Password}		
UserName	\${Agent_Email}					
Password	\${Agent_Password}					

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//input[@id='email']"}  
Session info: headless chrome=83.0.4103.116  
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.11', jre.version: '11.0.11', vendor: 'Ubuntu', vendor.version: '18.04.3 LTS (Bionic Beaver)', arch: 'amd64', totalMemory: 1073741824, freeMemory: 1000000000  
Driver info: org.openqa.selenium.chrome.ChromeDriver  
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c...  
Session ID: 3493485e14f0f7386f017a54d582fd89  
*** Element info: {Using=xpath, value=//input[@id="email"]}  
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstr...  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodeco...  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)  
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:406)  
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  
at com.prudential.tap.selenium.Commands$12.executeCommand(Commands.java:116)  
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)  
at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)  
at com.pru.sales.portal.pages.LoginPage.enterUserName(LoginPage.java:47)  
at com.pru.sales.portal.stepdef.LoginSteps.iLoginToSalesPortal(LoginSteps.java:70)  
at .When I Login to Sales Portal with below details(features/my/quotepdf/PDFValidation_GTL_W...
```

And I enter the verification code if page appears for agent "\${Agent_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)





After

[Back to Table of Contents](#)

Scenario: Assign value to variables and enter details on select plan page

Passed: 7

Before

Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"

Output

Assigning value /testdata/my/ExportQuote to variable testdata.path

And I assign "GTL_WithoutGHS.txt" to variable "FILE_NAME"

Output

Assigning value GTL_WithoutGHS.txt to variable FILE_NAME

And I generate "current date" and assign to variable "PDF_GENERATION_DATE" in "yyyyMM"

And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/MM/yyyy"

And I generate random number and assign to variable "RANDOM_NUMBER"

Output

Random number generated is :137

And I assign "Gtl_\${RANDOM_NUMBER}" to variable "COMP_NAME"

Output

Assigning value Gtl_13724027232 to variable COMP_NAME

And I generate "future date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" for

After

[Back to Table of Contents](#)

Scenario: Select plan and category

Passed: 0

Before**When I click on Create Quote Link**

```

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//a[@href='/quotes/new']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202-b08-618-11m01'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116", "platform": "Windows 10"}, chromeOptions: {"args": ["--start-maximized"], "extensions": []}, javascriptEnabled: true, platform: 'Windows 10', platformName: 'Windows 10', platformVersion: '10.0', proxy: null, setWindowRect: true, timeouts: {}, unhandledPromptBehavior: 'dismiss', version: 83.0.4103.116, webauthn: {allowInsecureTransport: false, requireHmac: false}, webgl: {}}
Session ID: 3493485e14f0f7386f017a54d582fd89
*** Element info: {Using=xpath, value=/a[@href='/quotes/new']}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:60)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77)
at com.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37)
at .When I click on Create Quote Link(features/my/quotepdf/PDFValidation_GTL_WITHOUT_GHS.feature:11)

```

Then verify the user is landed on "Select Plan" page

Then I enter following details on select plan page

Company Name	\${COMP_NAME}
Select Coverage Date	\${COVERAGE_DATE}
No. of Employees	10

And I click on PAMB GHS "\${selectplan.ghs.no.button}" button



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)



**After**[Back to Table of Contents](#)**Scenario: Save Quote and get reference number from Quotes screen**

Passed: 0

Before

And I click on "\${saveQuote.button.text}" button

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "//button[text()='Save Quote']"}
(Session info: headless chrome=83.0.4103.116)
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Linux', os.version: '4.15.0-102-generic', java.version: '11.0.10+9-Ubuntu-0ubuntu1', jre.version: '11.0.10+9-Ubuntu-0ubuntu1', vendor: 'Ubuntu', vendor.version: ''
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: {"version": "83.0.4103.116"}, chromeOptions: {"args": ["--start-maximized"], "extensions": ["C:\Program Files\Google\Chrome\Application\chromedriver.exe"]}, javascriptEnabled: true, platform: 'linux', platformName: 'linux', platformVersion: ''}
Session ID: 3493485e14f0f7386f017a54d582fd89
*** Element info: {Using=xpath, value=//button[text()='Save Quote']}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585)
at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397)
at .And I click on "${saveQuote.button.text}" button(features/my/quotepdf/PDFValidation_GTL_.feature:11)
```

And I get the estimated premium value displayed on select plan page and assign to variable "ESTIMATED_PREMIUM"

Then I wait for 5 sec

When I click on Quotes link

And I enter "\${COMP_NAME}" in search text field in Quotes page

Then I get the reference number for searched quote in variable "REF_NUMBER"

And I click on Action button next to searched quote

And I select "\${quote.action.edit}" option from Action menu

And I assign "\${COMP_NAME}_\${REF_NUMBER}_\${PDF_GENERATION_DATE}.pdf" to variable "EXPORT_Q

Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_Q

And I assign value to following variables

QUOTE_REF	\${REF_NUMBER}
TOTAL_PREMIUM_PER_YEAR	\${ESTIMATED_PREMIUM_VAL}



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)



**After**

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey

Passed: 3

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Select Plan" screen

And I click on export quote button

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
```

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.arch: 'amd64', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_191-8u191-b13-0ubuntu1~16.04-b13', jre.version: '1.8.0_191-8u191-b13-0ubuntu1~16.04-b13', vendor: 'Oracle Corporation', vendor.version: 'OpenJDK 64-Bit Server VM', vendor.version.major: '1.8'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: 'LINUX', platformName: 'Linux', platformVersion: '4.15.0-102-generic', proxy: null, setWindowRect: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: 'dismiss'}

Session ID: 3493485e14f0f7386f017a54d582fd89

```
*** Element info: {Using=xpath, value=//button[text()="Save Quote"]/following-sibling::button}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:405)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.SelectPlanPage.clickExportQuoteButton(SelectPlanPage.java:1235)
at com.pru.sales.portal.stepdef.SelectPlanSteps.clickExportQuoteButton(SelectPlanSteps.java:856)
at .And I click on export quote button(features/my/quotepdf/PDFValidation_GTL_WITHOUT_GTLine.feature:11)
```

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)



**After**

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Employees" page in sales Journey

Passed: 3

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Employees" screen

And I click on export quote button

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(.//*[text()='Save Quote'])[1]"}
(Session info: headless chrome=83.0.4103.116)
```

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_212-b04'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: 'ANY', platformName: 'ANY', platformVersion: 'ANY', proxy: null, setWindowRect: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: 'dismiss'}

Session ID: 3493485e14f0f7386f017a54d582fd89

```
*** Element info: {Using=xpath, value=//button[text()="Save Quote"]/following-sibling::button}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:404)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.SelectPlanPage.clickExportQuoteButton(SelectPlanPage.java:1235)
at com.pru.sales.portal.stepdef.SelectPlanSteps.clickExportQuoteButton(SelectPlanSteps.java:856)
at .And I click on export quote button(features/my/quotepdf/PDFValidation_GTL_WITHOUT_GT.js:11)
```

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)



**After**

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Company" page in sales Journey

Passed: 3

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Company" screen

And I click on export quote button

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
```

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.arch: 'amd64', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_191-8u191-b13-0ubuntu1~16.04-b13', jre.version: '1.8.0_191-8u191-b13-0ubuntu1~16.04-b13', vendor: 'Oracle Corporation', vendor.version: 'OpenJDK 64-Bit Server VM', vendor.version.major: '1.8'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: 'LINUX', platformName: 'Linux', platformVersion: '4.15.0-102-generic', proxy: null, setWindowRect: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: 'dismiss'}

Session ID: 3493485e14f0f7386f017a54d582fd89

```
*** Element info: {Using=xpath, value=//button[text()="Save Quote"]/following-sibling::button}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:405)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.SelectPlanPage.clickExportQuoteButton(SelectPlanPage.java:1235)
at com.pru.sales.portal.stepdef.SelectPlanSteps.clickExportQuoteButton(SelectPlanSteps.java:856)
at .And I click on export quote button(features/my/quotepdf/PDFValidation_GTL_WITHOUT_GTLLocalizedText.feature:11)
```

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)



**After**

[Back to Table of Contents](#)

Scenario Outline: Verify Export Quote is working in "Submit" page in sales Journey

Passed: 3

Before

And I wait for 5 sec

Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists

When I navigate to "Submit" screen

And I click on export quote button

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "xpath", "selector": "(Session info: headless chrome=83.0.4103.116)"}
```

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-p7zkt-93pzm', ip: '10.153.105.114', os.name: 'Ubuntu', os.arch: 'amd64', os.version: '16.04.5 LTS (Xenial Xerus)', java.version: '1.8.0_191-8u191-b13-0ubuntu1~16.04-b13', jre.version: '1.8.0_191-8u191-b13-0ubuntu1~16.04-b13', vendor: 'Oracle Corporation', vendor.version: 'OpenJDK 64-Bit Server VM', vendor.version.major: '1.8'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, chrome: 83.0.4103.116, chromeOptions: {args: [], extensions: []}, javascriptEnabled: true, platform: 'LINUX', platformName: 'Linux', platformVersion: '4.15.0-102-generic', proxy: null, setWindowRect: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: 'dismiss'}

Session ID: 3493485e14f0f7386f017a54d582fd89

```
*** Element info: {Using=xpath, value=//button[text()="Save Quote"]/following-sibling::button}
at jdk.internal.reflect.GeneratedConstructorAccessor52.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:62)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:405)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)
at com.pru.sales.portal.pages.SelectPlanPage.clickExportQuoteButton(SelectPlanPage.java:1235)
at com.pru.sales.portal.stepdef.SelectPlanSteps.clickExportQuoteButton(SelectPlanSteps.java:856)
at .And I click on export quote button(features/my/quotepdf/PDFValidation_GTL_WITHOUT_GTLine.feature:11)
```

And I wait for 15 sec

Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"

And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in file



Welcome

Enter your email address*


Enter a password for your login*



Login

[Forgot your password?](#)

[Contact Support](#)





After

[Back to Table of Contents](#)

Scenario: Close Sales Portal

Passed: 1

Before

And I close sales portal

After

[Back to Table of Contents](#)