Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	6	18	0	0	24	25%
Scenarios	71	122	0	0	193	37%
Steps	494	122	0	334	950	52%

Overall Duration: 1h 15m 46s

Table of Contents

1. Launch the app and select the country as per specified lbu
2. User should be able to login on app with correct credentials using "Continue with Email"
3. Verify User should be able to navigate to Health page
4. Verify User should be able to view the full page article post
5. Verify User should be able to see the Like, Share, Comment options on full page article post
6. Verify User should be able to Like the post in full article view screen
7. Verify User should be able to Share the post in full article view screen
8. Verify User can navigate to Health homepage

6. Verify Notification Center functionality on one pulse App
   1. User should be able to register on app with correct credentials using "Continue with Email"
   2. Navigate to notification screen via home screen
   3. Verify User should be able to see the Notification screen texts
   4. Then I navigate back to home screen from Notification Center
   5. Verify User should be able navigate to Notification Center via My account
   6. Verify User should be able to see the Notification screen texts
   7. Verify User should be able to login using already registered credentials
   8. Verify User should be able navigate to Notification Center

7. Verify My Challenges on One Pulse App
   1. Launch the app and select the country as per specified lbu
   2. User should be able to login on app with correct credentials using "Continue with Email"
   3. Verify My Challenges texts
   4. Click on All challenges and and verify texts

8. Verify My Communities on One Pluse App
   1. Launch the app and select the country as per specified lbu
   2. User should be able to login on app with correct credentials using "Continue with Gmail"
   3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
   4. Leave the community if already joined
   5. Verify the All Communities Post screen
   6. Verify the Likes and comments counts in All communities tab
   7. Verify the Share with Friends Functionality in All communities tab
   8. Verify the Post Functionality in All communities
   9. Verify the Category list and search feature
   10. User navigates back to the community screen
   11. Leave the community if already joined

9. Verify Private My Communities on One Pulse App
   1. Launch the app and select the country as per specified lbu
   2. User should be able to login on app with correct credentials using "Continue with Gmail"
   3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
   4. Verify the Private Communities in communities screen

10. Verify MySettings functionality in Account screen
    1. User should be able to login on app with correct credentials using "Continue with Gmail"
    2. Verify the My Feedback screen in Account tab
    3. Verify the submit functionality in My feedback screen
    4. Verify the Pulse Personalised tab
    5. Verify the Marketing Consent in Account tab

11. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu

2. **login to the app with correct credentials using "Continue with Email"**
3. **Verify the user can access My Wearables via Fitness**

12. **Verify Exercise Buddy functionality via Fitness tab on Pulse Health & Wealth app**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Verify the user can access Exercise Buddy via Fitness**
    4. **Verify the Take Challenge via Squats**
    5. **Verify the Start via Squats**
    6. **Verify the Preview via Squats**

13. **Verify My wearable functionality via fitness tab on Pulse Health & Wealth app**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Verify the user can access My Wearables via Fitness**

14. **Verify wealth channel functionality on one pulse App**
    1. **Verify User should be able to login using email account**
    2. **Verify User should be able to navigate to Food page**
    3. **Verify User should be able to see the list of food schedule time**
    4. **Verify User should be able to time of the meal, add to cart and scan**
    5. **Verify User should be able to see the details after moving to "Breakfast"**
    6. **Verify User should be able to see the details after moving to "Lunch"**
    7. **Verify User should be able to see the details after moving to "Dinner"**
    8. **Verify User should be able to see log after add food is done**

15. **Verify the Babylon Registration via HRA journey for PH LBU**
    1. **User should be able to Register for Babylon HRA**
    2. **User should be able to Register for Babylon HRA**

16. **Verify the BabyLon HRA Report - Nutrition, Body, Activity**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **User should be able to access Babylon Health Risk Assessment Report**
    4. **Verify the HRA Activity Summary**
    5. **Verify the HRA Activity Summary**
    6. **Verify the HRA Activity summary**
    7. **Verify the HRA Nutrition Report**
    8. **Verify the HRA Report - Keep It Up sub-section**
    9. **Verify the HRA Report - Make a Change sub-section**
    10. **User should be able to access Babylon HRA - Healthcheck - Body**
    11. **navigate back to digital twin screen**
    12. **User should be able to access Babylon HRA - Healthcheck - Nutrition**
    13. **Navigate back to nutrition screen and validate the static text**
    14. **navigate back to digital twin screen**
    15. **User should be able to access Babylon HRA - Healthcheck - Activity**
    16. **Navigate back to Activity screen and validate the static text**
    17. **navigate back to digital twin screen**
    18. **User should be able to access Babylon HRA - Healthcheck - Mood**
    19. **navigate back to digital twin screen**

17. **Verify Consult doctor functionality on Pulse Health**
    1. **Verify the Home screen validation using "Continue with Email"**
    2. **Verify the online consultation screen user fields**
    3. **Verify the online consultation screen user fields after swipe down**
    4. **Verify User should be able to enter address and zipcode**
    5. **Verify User should be able to upload NRIC Image in Online Consultation screen**

6. **Verify User should be presented with the symptoms checker questions log**
7. **Verify User can able to chat with chatbot symptoms checker**
8. **Verify User should be presented with the sample text on the Medical Profile screen as a first time user**
9. **Verify User should be able to create the medical profile**
10. **Verify User should be able to see the payment screen fields**
11. **Verify User should be able enter the card details**
12. **Verify User should be able see the added card successfully**
13. **Verify User should be able to start online pre consultation**
14. **Verify User should be able see the allocated doctor details**

18. **Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.**
    1. **Verify User should be able to navigate to Consultation Summary and see all available Files**
    2. **Verify User should be able to see the Referral,Prescription and eMC Documents**
    3. **Verify User should be able to download eMC Document**
    4. **Verify User should be able to verify the eMC details in downloaded PDF file**
    5. **Verify User should be able to download Prescription Document**
    6. **Verify User should be able to verify the Prescription details in downloaded PDF file**
    7. **Verify User should be able to download the Referral Document**
    8. **Verify User should be able to verify the Referral details in downloaded PDF file**

19. **Verify My Heart clinic functionality in Account screen**
    1. **User should be able to login on app with correct credentials using "Continue with Gmail"**
    2. **Verify the popup for Health page is display properly**

20. **Verify Free PA with COVID+ Vaccine Protection functionality on one pulse App**
    1. **User should be able to register on app with correct credentials using "Continue with Email"**
    2. **Navigate to PRU Shoppe screen**
    3. **Verify first time User are presented with T&C to proceed to the Pru Shoppe**
    4. **Verify User should be able to navigate to Free PA with COVID+Vaccine Protection tile**
    5. **Verify Free PA with COVID+Vaccine Protection coverage details and conditions are listed above Show More link**
    6. **Verify the Show More link is clickable in Free PA with COVID+Vaccine Protection screen**
    7. **Verify the Free PA with COVID+Vaccine Protection coverage details and conditions are listed on click Show More link**
    8. **Verify the Show Less link is clickable in Free PA with COVID+Vaccine Protection screen**
    9. **Verify the Your Details section in Free PA with COVID+Vaccine Protection screen**
    10. **Verify all the field headers in Free PA with COVID+Vaccine Protection screen**
    11. **Scroll down for further validation**
    12. **Verify User should be able to see the fields in Your Details section**
    13. **Scroll down for further validation**
    14. **Verify the Terms and Conditions text in Free PA with COVID+Vaccine Protection screen**
    15. **Verify the Terms and Conditions can be accepted in Free PA with COVID+Vaccine Protection screen**
    16. **Scroll down for further validation**
    17. **Verify the presence of PROCEED button**
    18. **Verify the validation error messages on click of PROCEED button**
    19. **Verify image of unauthorised ID not accepted**
    20. **Verify user can enter other mandatory fields**

21. **Verify Group Yearly Renewable Term Insurance(GYRT) functionality on one pulse App**
    1. **User should be able to register on app with correct credentials using "Continue with Email"**

Detailed Results Report

Feature: Verify login functionality on One pulse App			
Passed: 2	Failed: 5	Undefined: 0	Duration: 438.66s
Scenario: Launch the app and select the country as per specified lbu			
Passed: 6	Failed: 1	Undefined: 1	Duration: 52.1s

Before	0.29s
Given User has pulse app	9.71s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.77s
Then I change the country as required on registration page	22.61s
Then I wait for 2 sec	2.01s
Then I change the language as required on registration page	0.00s
And I click the Sign in link	1.72s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab59beab-aa66-426b-a417-cd9d8c4549be
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions. java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java: 718)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp (LoginSteps.java:349)
at .And I click the Sign in link(features/PulseLoginTest.feature:12)

Then I verify below language options on toggle bar as per specified lbu on login page	0.00s

After		0.00s

[Back to Table of Contents]

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 0	Failed: 1	Undefined: 5	Duration: .04s
Before			0.00s

Given I select the language option on toggle bar as required on login page	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab59beab-aa66-426b-a417-cd9d8c4549be
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features
/PulseLoginTest.feature:16)

When user enters credentials	0.00s
UserName ${PULSE_EMAIL}	
Password ${login.password}	
And User clicks on signin button	0.00s
And I wait for 5 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s

After		0.00s

Scenario: **Verify the Invalid Email id in login screen using "Continue with Email"**

Passed: 15	Failed: 0	Undefined: 0	Duration: 74.53s
Before			0.00s

Given User has pulse app		7.89s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		14.35s
Then I change the country as required on registration page		22.87s
Then I wait for 2 sec		2.00s
And I click the Sign in link		4.87s
Then I wait for 2 sec		2.01s
And I select the language option on toggle bar as required on login page		2.25s
When user enters credentials		10.39s
UserName	t@gmai	
Password	Pas$1234	
And User clicks on signin button		0.26s
Then verify invalid email message "Email is required"		0.71s
Then User clicks on Forgot Password button		0.20s
Then enter the email to request the new password		3.07s
Email	t@gmai	
Then User clicks on Send button		0.76s
Then verify invalid email message "${email.invalid.text}"		0.89s

After			0.00s

Scenario: Verify the User not registerd email in login screen using "Continue with Email"

Passed: 6	Failed: 1	Undefined: 10	Duration: 53.18s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign value to following variables		0.00s
USER_NAME	taf-${RANDOM_NUMBER}@mailinator.com	
USER_PASSWORD	Pas$1234	
Given User has pulse app		10.81s
And user click on "CONTINUE WITH EMAIL" with Email button		15.95s
Then I change the country as required on registration page		22.51s
Then I wait for 2 sec		2.01s
And I click the Sign in link		1.89s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 139d670f-555e-497b-9e30-6a2fbc0e44f3
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions. java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java: 718)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp (LoginSteps.java:349)
at .And I click the Sign in link(features/PulseLoginTest.feature:59)

Then I wait for 2 sec	0.00s
And I select the language option on toggle bar as required on login page	0.00s
When user enters credentials	0.00s

UserName	${USER_NAME}
Password	${USER_PASSWORD}

And I scroll down	0.00s
And User clicks on signin button	0.00s
Then verify invalid email message "${invalid.credential.message}"	0.00s

Then User clicks on Forgot Password button	0.00s
Then enter the email to request the new password	0.00s
Email ${USER_NAME}	
Then User clicks on Send button	0.00s
Then verify invalid email message "${invalid.credential.message}"	0.00s
After	**0.00s**

Scenario: User should be able to retrieve the reset password using forget password link

Passed: 1	Failed: 1	Undefined: 6	Duration: 2.05s
Before			**0.00s**

And I assign "${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.00s
Then enter the email to request the new password	2.05s
Email ${PULSE_EMAIL}	
com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //android.widget.EditText[contains(@text,'pulsesgqa')]] at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands. java:176) at com.prudential.tap.appium.AppiumCommands.cleartext(AppiumCommands.java:406) at com.onepulse.app.screens.PulseLoginScreen.enterEmailForgotPassword(PulseLoginScreen. java:224) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.enterForgotPasswordEmail (LoginSteps.java:61) at .Then enter the email to request the new password(features/PulseLoginTest.feature:77)	
Then User clicks on Send button	0.00s
And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	0.00s
Then I wait for 5 sec	0.00s
Then I enter "${EMAIL_OTP}" reset code	0.00s
Then I wait for 5 sec	0.00s
Then Verify message: "${password.reset.success.text}" for Reset Password	0.00s
After	**0.00s**

Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords

Passed: 14	Failed: 1	Undefined: 5	Duration: 160.86 s
Before			**0.00s**

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.53s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	15.21s
Then I change the country as required on registration page	23.03s

Then I wait for 5 sec	**5.02s**
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	**3.72s**
Then I wait for 2 sec	**2.01s**
When user enters registration details	**6.64s**

FirstName	**testAutomation**
LastName	**testAutomation**
Email	**${PULSE_EMAIL}**
Password	**Pas$1234**

And taps on continue "Sign_Up" button	**0.22s**
Then I wait for otp screen after clicking on signup button	**2.07s**
Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	**30.90s**
Then I click skip button	**18.77s**
Then user should be landed to "Home" screen	**42.75s**

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/PulseLoginTest.feature:109)

Then I wait for 4 sec	**0.00s**
And I click the Account icon in Home screen	**0.00s**
And I click the sign out from pulse app	**0.00s**
Then I wait for 2 sec	**0.00s**
Then I enter invalid password on login screen and verify the error message	**0.00s**

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${account.locked.message}

After		0.00s

Scenario: **Verify the Login Functionality using "Continue with Facebook"**			
Passed: 13	Failed: 0	Undefined: 0	Duration: 95.9s
Before			0.00s

Given User has pulse app	10.08s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	13.71s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	23.59s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar	3.55s
Then I click on connect with facebook button	0.19s
Then I wait for 2 sec	2.01s
And I click the "Email" in Continue with Facebook	2.70s

Emailid	${emailid.text}
Password	${password.texts}

Then I wait for 10 sec	10.00s
Then user should be landed to "Home" screen	13.98s
And I logout from onepulse app	10.08s
After	0.00s

Feature: **Verify registration functionality on one pulse App**			
Passed: 5	Failed: 3	Undefined: 0	Duration: 250.52s
Scenario: **User should be able to register on app with correct credentials using "Continue with**			

Email"			
Passed: 6	Failed: 1	Undefined: 40	Duration: 42.38s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	11.17s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.53s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	13.68s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: defb8857-1568-4f57-8c8f-8fe4a813b45b
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumCommands.java:876)
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.java:396)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.feature:13)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s
When user enters registration details	0.00s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.00s
Then I wait for otp screen after clicking on signup button	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then I wait for 2 sec	0.00s
And I enter the "mobile number" in welcome to pulse	0.00s

mobileNumber	${registration.mobile.number}

And I choose my wellness goals under wellness plan screen	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "${option.yes.text}" to "Any Food allergies?"	0.00s
And I click the continue button	0.00s

And I verify that "Tracking your activity is trending" is displayed		0.00s
And I click on connect Later button		0.00s
And I enter the "mobile number" in welcome to pulse		0.00s
mobileNumber	${registration.mobile.number}	
And I see that "Welcome to Pulse" text is displayed		0.00s
And I see that fitness subscription exclusive offers screen is displayed		0.00s
And I click on close icon		0.00s
And I enter NRIC number last 4 digits "122F"		0.00s
Then I click skip buttons		0.00s
Then user should be landed to "Home" screen		0.00s
Then I wait for 4 sec		0.00s
And I click the Account icon in Home screen		0.00s
And I click the sign out from pulse app		0.00s
Then I wait for 4 sec		0.00s
When user enters password credentials in sigin screen		0.00s
Password	Pas$1234	
And User clicks on signin button		0.00s
Then I wait for 8 sec		0.00s
Then user should be landed to "Home" screen		0.00s
After		0.00s

Scenario: verify the field label on registration screen

Passed: 9	Failed: 0	Undefined: 0	Duration: 58.85s
Before			0.00s

Given User has pulse app	8.65s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	13.89s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	23.57s
Then I wait for 2 sec	2.02s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.84s
Then I wait for 2 sec	2.02s
Then I verify following field label should be displayed on registration screen	0.87s
${firstname.label.text}	
${lastname.label.text}	
${email.text}	
${password.text}	
After	0.00s

Scenario: verify the validation message for mandatory fields

Passed: 2	Failed: 0	Undefined: 0	Duration: 1.79s
Before			0.00s

Given taps on continue "Sign_Up" button		0.27s
Then I verify the validation error message is displayed for following field on registration page		1.52s

FirstName	${firstname.mandatoryField.message}
LastName	${lastname.mandatoryField.message}
Email	${email.mandatoryField.message}
Password	${password.validation.message}

After		0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.21s
Before			0.00s

When user enters registration details		2.08s

Password	Pulse@1

And taps on continue "Sign_Up" button		0.31s
Then I verify the validation error message is displayed for following field on registration page		0.83s

Password	${password.validation.message}

After		0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.26s
Before			0.00s

When user enters registration details		2.23s

Password	Pulse123

And taps on continue "Sign_Up" button		0.27s
Then I verify the validation error message is displayed for following field on registration page		0.76s

Password	${password.validation.message}

After		0.00s

Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 66.13s
Before			0.00s

Given User has pulse app		9.95s
Then I wait for 2 sec		2.02s
And user click on "CONTINUE WITH EMAIL" with Email button		14.02s
Then I wait for 2 sec		2.00s
Then I change the country as required on registration page		22.58s
Then I wait for 2 sec		2.02s

Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	**3.76s**
Then I wait for 2 sec	**2.01s**
When user enters registration details	**6.30s**

FirstName	**testAutomation**
LastName	**testAutomation**
Email	**${login.email.id}**
Password	**Pas$1234**

And taps on continue "Sign_Up" button	**0.29s**
Then I verify the validation error message is displayed for following field on registration page	**1.19s**

Email	**${user.exist.text}**

After	**0.00s**

[Back to Table of Contents](#)

Scenario: Verify the mobile number screen validation using "Continue with Email"

Passed: 6	Failed: 1	Undefined: 13	Duration: 35.01s
Before			**0.00s**

Given I generate random number and assign to variable "RANDOM_NUMBER"	**0.00s**
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	**0.00s**
Given User has pulse app	**11.15s**
Then I wait for 2 sec	**2.01s**
And user click on "CONTINUE WITH EMAIL" with Email button	**13.74s**
Then I wait for 2 sec	**2.01s**
Then I change the country as required on registration page	**6.10s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 9c092b82-006b-4040-a414-2db30b5e79be

*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.
feature:140)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s

When user enters registration details		0.00s
FirstName	NewAutomation	
LastName	NewAutomation	
Email	${PULSE_EMAIL}	
Password	Pas$1234	
And taps on continue "Sign_Up" button		0.00s
And I wait for otp screen after clicking on signup button		0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		0.00s
Then I wait for 10 sec		0.00s
Then I verify the country code should be displayed correctly on phone number screen		0.00s
And I enter the "mobile number" in welcome to pulse		0.00s
mobileNumber	917670	
And I click the continue button		0.00s
Then I wait for 2 sec		0.00s
Then verify Again invalid Mobile message "${invalid.mobile.text}"		0.00s
After		0.00s

Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

Passed: 6	Failed: 1	Undefined: 11	Duration: 39.88s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.78s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	10.20s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	16.90s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: fefa9901-9277-4d56-b48d-43d6c54da83a
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry (RegistrationSteps.java:306)

at .Then I change the country as required on registration page(features/PulseRegistrationTest. feature:202)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s
When user enters registration details	0.00s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.00s
Then I wait for otp screen after clicking on signup button	0.00s
Then I wait for 90 sec	0.00s
Then I click the Resend button in OTP screen	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
And I wait for 2 sec	0.00s
And I verify enter otp screen is not displayed	0.00s
After	0.00s

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 7	Failed: 2	Undefined: 0	Duration: 230.68s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 59.15s
Before			0.00s

Given User has pulse app	11.21s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	14.90s
Then I change the country as required on registration page	23.10s
Then I wait for 5 sec	5.02s
And I click the Sign in link	4.93s
After	0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 49.3s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.55s
When user enters credentials	9.90s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	0.29s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.94s

Then user should be landed to "Home" screen		13.60s
And I wait for 5 sec		5.01s
After		0.00s

Scenario: Verify User should be able to navigate to Edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 21.49s
Before			0.00s

Given user navigate to account page	11.77s
And user click on Edit profile link	4.72s
Then I wait for 5 sec	5.00s
After	0.00s

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 31.31s
Before			0.00s

Then I give manage profile camera permission	21.31s
Then I take picture from Camera	10.01s
After	0.00s

Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.34s
Before			0.00s

And verify email field is non-editable	1.90s
And verify country code field is non-editable and country code is "${country.code}"	0.75s
And verify country of Residence is "${country.name}" and non-editable	0.69s
After	0.00s

Scenario: Verify user can able to change the details in edit profile screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 17.31s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign value to following variables	0.00s

First Name	Automation-${RANDOM_NUMBER}
Last Name	Testing-${RANDOM_NUMBER}

Then I update following profile details in edit profile screen	4.21s

FirstName	${First Name}
LastName	${Last Name}

And I click on update button in edit profile screen	13.10s
After	0.00s

Scenario: Verify Details updated during pulse profile registration should be reflected in edit

profile screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.55s
Before			**0.00s**

Given user click on Edit profile link	**8.55s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 4560b8b5-0d38-40f5-a58c-096e81c9a992
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')] /following::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink(PulseManageProfileScreen.java:180)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)

Then I verify following values in edit profile screen		0.00s
FirstName	${First Name}	
LastName	${Last Name}	
Email	${onepulse.login.edit.profile}	
Gender	${pulse.edit.gender}	
PhoneNumber	${pulse.edit.number}	

After		0.00s

Scenario: verify the user details should be correctly on babylon screen

Passed: 3	Failed: 1	Undefined: 2	Duration: 32.27s

Before		0.00s

Given I navigate to Home page from edit profile screen	4.23s
Then I navigate to Babylon health Assessment and Accept TermsAndCondition	25.42s
Then I wait for 2 sec	2.02s
Then I verify the default values in babylon registration page is updated as below	0.60s

Gender	${pulse.edit.gender}
FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

java.lang.AssertionError: actual value is Automation-91618066622 expected [Automation-71513073740] but found [Automation-91618066622]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at com.onepulse.app.screens.PulseManageProfileScreen.
verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:515)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156)
at .Then I verify the default values in babylon registration page is updated as below(features
/editProfile/PulseEditProfileTest.feature:67)

And verify email field is non-editable	0.00s
And verify country of Residence is "${country.name}" and non-editable	0.00s

After		0.00s

Scenario: **navigate back to health screen**			
Passed: 2	Failed: 0	Undefined: 0	Duration: 7.95s
Before			0.00s
	Given I navigate to health page from babylon registration screen		2.94s
	And I wait for 5 sec		5.00s
After			0.00s

Feature: **Verify MY Event channel functionality on one pulse App**			
Passed: 5	Failed: 0	Undefined: 0	Duration: 282.4s
	Scenario: **Launch the app and select the country as per specified lbu**		
	Passed: 6	Failed: 0	Undefined: 0	Duration: 56.02s
	Before		0.00s
		Given User has pulse app	10.95s
		And I assign "${onepulse.events.user}" to variable "PULSE_EMAIL"	0.00s
		And user click on "CONTINUE WITH EMAIL" with Email button	15.30s
		Then I change the country as required on registration page	22.94s
		Then I wait for 2 sec	2.00s
		And I click the Sign in link	4.82s
	After		0.00s

	Scenario: **login to the app with correct credentials using "Continue with Email"**		
	Passed: 6	Failed: 0	Undefined: 0	Duration: 45.19s

Before		0.00s
Given I select the language option on toggle bar as required on login page		3.57s
When user enters credentials		10.40s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button		0.27s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		11.75s
Then user should be landed to "Home" screen		14.18s
After		0.00s

Scenario: Verify MyEvent Functionality in Home screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 28.3s
Before			0.00s

And I click the MyEvent icons		22.06s
And I wait for 5 sec		5.00s
And I verify following texts are displayed		1.24s

You do not have any events enrolled yet
Please choose from the open events and get started

After		0.00s

Scenario: Verify Events Archive tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 13.2s
Before			0.00s

And I click the Events Archive icon		8.55s
And I verify following texts are displayed		4.65s

You do not have any events in your archive.

After		0.00s

Scenario: Verify Open Events tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 139.69s
Before			0.00s

And I click the Open Events icon		8.55s
And I verify either static text or available open events are displayed on screen		131.15s

There are no events available at the moment
Stay tuned for events on health and fitness

After		0.00s

Feature: Verify My Health Content functionality on One Pulse App

Passed: 0	Failed: 8	Undefined: 0	Duration: 49.79s

Scenario: Launch the app and select the country as per specified lbu

Passed: 2	Failed: 1	Undefined: 2	Duration: 22.45s
Before			0.00s

Given User has pulse app	10.16s
And user click on "CONTINUE WITH EMAIL" with Email button	12.25s
Then I change the country as required on registration page	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName(PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/home/MyHealthContent.feature:9)

Then I wait for 3 sec	0.00s
And I click the Sign in link	0.00s

After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"			
Passed: 1	Failed: 1	Undefined: 5	Duration: .02s

Before		0.00s

And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/home
/MyHealthContent.feature:15)

When user enters credentials		0.00s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		0.00s
Then I wait for 10 sec		0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		0.00s
Then user should be landed to "Home" screen		0.00s

After		**0.00s**

Scenario: Verify User should be able to navigate to Health page

Passed: 1	Failed: 1	Undefined: 3	Duration: 10.09s
Before			**0.00s**

Given I wait for 2 sec	**2.02s**
Then I navigate to Health Content screen	**8.07s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.ClickHealthContent(CustomerConnectScreen.java:922)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.iNavigateToWealthScreenz(CustomerConnectSteps.java:272)
at .Then I navigate to Health Content screen(features/home/MyHealthContent.feature:26)

Then I wait for 8 sec	0.00s
And I verify following texts are displayed	0.00s
Health Channels	
And I verify the following texts "My Health Content" in Screen	0.00s
Category	
Like	
Share	
Comment	

After	0.00s

Scenario: Verify User should be able to view the full page article post

Passed: 0	Failed: 1	Undefined: 1	Duration: 5.05s
Before			0.00s

Then I click on "Health Channels" topic for details full view	5.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Health Channels")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Health Channels" topic for details full view(features/home
/MyHealthContent.feature:56)

Then I wait for 10 sec	0.00s

After	0.00s

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 0	Failed: 1	Undefined: 0	Duration: 4.05s

Before	0.00s

And I verify the following texts "My Health Content" in Screen	4.05s

Like
Share
Comment

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:186)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)
at .And I verify the following texts "My Health Content" in Screen(features/home
/MyHealthContent.feature:60)

After		0.00s

Back to Table of Contents

Scenario: **Verify User should be able to Like the post in full article view screen**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s

And I Like the post	0.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:75)
at .And I Like the post(features/home/MyHealthContent.feature:66)

And I Like the post	0.00s
After	0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post in full article view screen**			
Passed: 0	Failed: 1	Undefined: 1	Duration: 5.04s
Before			0.00s

And I share the post	5.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/home/MyHealthContent.feature:71)

Then I navigate back to previous page	0.00s

After		0.00s

Scenario: **Verify User can navigate to Health homepage**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 3.05s

Before		0.00s

Then I navigate to story post page	**3.05s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b133ee34-dd80-4e35-abad-7c0cc6bb8443
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')] /preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage (WealthSteps.java:70)
at .Then I navigate to story post page(features/home/MyHealthContent.feature:75)

| After | | 0.00s |

Back to Table of Contents

Feature: Verify Notification Center functionality on one pulse App

| Passed: 4 | Failed: 4 | Undefined: 0 | Duration: 320.58s |

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

| Passed: 16 | Failed: 1 | Undefined: 1 | Duration: 166.72s |

| Before | | 0.00s |

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	9.01s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	18.01s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	22.55s

Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.77s
Then I wait for 2 sec	2.01s
When user enters registration details	7.39s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.31s
And I wait for otp screen after clicking on signup button	3.70s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.93s
Then I wait for 2 sec	2.01s
Then I click skip button	18.64s
Then user should be landed to "Home" screen	42.37s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/home/NotificationCenter.feature:
26)

Then I wait for 4 sec	0.00s

After		0.00s

Scenario: Navigate to notification screen via home screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.36s
Before			0.00s

Given I navigate to notification screen from home page	8.36s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: cee6d6de-3fd0-4853-81c6-fa45d5380c95
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget. ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen. navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1049)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.

navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240)
at .Given I navigate to notification screen from home page(features/home/NotificationCenter.
feature:31)

Then I wait for 2 sec	0.00s

After	0.00s

Scenario: **Verify User should be able to see the Notification screen texts**

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.4s

Before		0.00s

And I verify following texts are displayed	8.41s
${notification.msg}	

java.lang.AssertionError: The following asserts failed:
Notification Center text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/home/NotificationCenter.feature:36)

After		0.00s

Scenario: Then I navigate back to home screen from Notification Center			
Passed: 1	Failed: 0	Undefined: 0	Duration: .25s
Before			0.00s
Then I click on back button on notification screen to navigate to home screen			0.26s
After			0.00s

Scenario: Verify User should be able navigate to Notification Center via My account			
Passed: 2	Failed: 0	Undefined: 0	Duration: 18.02s
Before			0.00s
Then I wait for 2 sec			2.00s
Then I navigate to notification center page			16.02s
After			0.00s

Scenario: Verify User should be able to see the Notification screen texts			
Passed: 0	Failed: 1	Undefined: 0	Duration: 5.47s
Before			0.00s
And I verify following texts are displayed			5.47s
${no.notification.text}			
${check.notification.section.text}			

java.lang.AssertionError: The following asserts failed:
No Notifications Yet text is displayed on page expected [true] but found [false],
You do not have any notifications yet, check this section regularly for any updates. text is

displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/home/NotificationCenter.feature:50)

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to login using already registered credentials

Passed: 11	Failed: 0	Undefined: 0	Duration: 97.95s
Before			0.00s

Given User has pulse app	8.87s
And user click on "CONTINUE WITH EMAIL" with Email button	16.59s
Then I change the country as required on registration page	22.53s
Then I wait for 3 sec	3.01s
And I click the Sign in link	4.77s
And I select the language option on toggle bar as required on login page	3.50s
When user enters credentials	10.76s

UserName	${PULSE_EMAIL}
Password	Pas$1234

And User clicks on signin button	0.27s
Then I wait for 2 sec	2.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.50s
Then user should be landed to "Home" screen	14.14s

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able navigate to Notification Center

Passed: 3	Failed: 0	Undefined: 0	Duration: 15.4s
Before			0.00s

Then I navigate to notification center page	10.86s
Then I wait for 4 sec	4.02s
And I verify following texts are displayed	0.52s

${no.notification.text}
${check.notification.section.text}

After		0.00s

[Back to Table of Contents](#)

Feature: Verify My Challenges on One Pulse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 133.21s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 56.11s
Before			0.00s

Given User has pulse app	10.75s
And user click on "CONTINUE WITH EMAIL" with Email button	15.15s
Then I change the country as required on registration page	22.49s

Then I wait for 3 sec		**3.00s**
And I click the Sign in link		**4.71s**
After		**0.00s**

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 48.83s
Before			**0.00s**

And I assign "${login.email.id}" to variable "PULSE_EMAIL"		**0.00s**
Given I select the language option on toggle bar as required on login page		**3.46s**
When user enters credentials		**9.43s**

UserName	**${PULSE_EMAIL}**
Password	**${login.password}**

And User clicks on signin button		**0.28s**
Then I wait for 10 sec		**10.00s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		**11.61s**
Then user should be landed to "Home" screen		**14.04s**
After		**0.00s**

Scenario: Verify My Challenges texts

Passed: 3	Failed: 0	Undefined: 0	Duration: 17.47s
Before			**0.00s**

And I click on My Challenges tile on one pulse app		**12.10s**
And I verify following texts are displayed		**0.98s**

${my.challenges.text}
${do.not.have.challenges}
${challenge.getstarted}
${do.not.have.challenges}

And I verify the following texts "My challenges" in Screen		**4.40s**

${all.challenges.text}

After		**0.00s**

Scenario: Click on All challenges and and verify texts

Passed: 4	Failed: 0	Undefined: 0	Duration: 10.79s
Before			**0.00s**

And I clicks on "${all.challenges.text}" in app screen		**0.29s**
And I verify the following texts "My challenges" in Screen		**9.76s**

${my.challenges.text}
${all.challenges.text}

And I verify following texts are displayed		**0.48s**

${no.challenges.available}
${notify.challenge}

And I clicks on "${back.home}" in app screen		**0.26s**

After		0.00s

Back to Table of Contents

Feature: Verify My Communities on One Pluse App

Passed: 0	Failed: 11	Undefined: 0	Duration: 77.15s

Scenario: Launch the app and select the country as per specified lbu

Passed: 2	Failed: 1	Undefined: 2	Duration: 27.58s

Before		0.00s

Given User has pulse app	10.52s
And user click on "CONTINUE WITH EMAIL" with Email button	15.73s
Then I change the country as required on registration page	1.33s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/ph
/PulseMyCommunities.feature:8)

Then I wait for 3 sec		0.00s
And I click the Sign in link		0.00s
After		**0.00s**

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 1	Failed: 1	Undefined: 5	Duration: .04s
Before			**0.00s**

And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	**0.00s**
Given I select the language option on toggle bar as required on login page	**0.04s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)

at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/ph
/PulseMyCommunities.feature:14)

When user enters credentials	0.00s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s

After	0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen

Passed: 3	Failed: 1	Undefined: 1	Duration: 12.08s
Before			0.00s

Then I wait for 6 sec	6.01s
And I click the MyCommunities icon in Home Screen	0.03s
Then I wait for 6 sec	6.01s
And I verify following texts are displayed	0.03s

${icon.communities}	

java.lang.AssertionError: The following asserts failed:
Communities text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/PulseMyCommunities.feature:30)

And I verify the following texts "All Communities" in Screen	0.00s

${my.communities.text}	
${All.Communities.text}	

After	0.00s

Scenario: Leave the community if already joined

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon(CustomerConnectSteps.java:534)
at .And I clicks on "${my.communities.text}" in app screen(features/ph/PulseMyCommunities.feature:37)

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s

After		0.00s

Back to Table of Contents

Scenario: **Verify the All Communities Post screen**			
Passed: 1	Failed: 1	Undefined: 7	Duration: 5.03s
Before			0.00s

Then I wait for 5 sec	5.00s
And I clicks on "${All.Communities.text}" in app screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${All.Communities.text}" in app screen(features/ph/PulseMyCommunities.
feature:45)

And I click the Join button in Communties tab	0.00s
And I click the static Active icon in community screen	0.00s
And I click Edit icon in stay Active icon	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s
Then I verify the following text "TEST1" in post Screen	0.00s

TEST1 welcome		

After		**0.00s**

Scenario: **Verify the Likes and comments counts in All communities tab**	

Passed: 0	Failed: 1	Undefined: 7	Duration: 8.08s

Before		**0.00s**

And I click the Post icon in My communities	**8.08s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
(MyCommunitiesScreen.java:311)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons
(MyCommunitiesSteps.java:106)
at .And I click the Post icon in My communities(features/ph/PulseMyCommunities.feature:59)

And I wait for 5 sec	0.00s
And I click the like button in Post screen	0.00s
And Verify the like count in Post screen " 1 Likes" likes	0.00s
And I click the Comment icon in feed screen	0.00s
And Enter the comments in Feeds screen	0.00s
Comments TEST1	
And I click the submit icon in feeds screen	0.00s
And Verify the comments count in Feeds screen " 0 Comments" comments	0.00s

After	**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify the Share with Friends Functionality in All communities tab**			
Passed: 0	Failed: 1	Undefined: 3	Duration: 4.07s
Before			**0.00s**

And I click the share icon in Post screen	4.07s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon(MyCommunitiesScreen.java:556)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon(MyCommunitiesSteps.java:173)
at .And I click the share icon in Post screen(features/ph/PulseMyCommunities.feature:70)

And Verify the pop up in "Share with Friends"	0.00s
And I click the phone icon in share with friends	0.00s
And I give camera permission	0.00s

| After | | 0.00s |

Back to Table of Contents

Scenario: **Verify the Post Functionality in All communities**			
Passed: 0	Failed: 1	Undefined: 11	Duration: .05s
Before			0.00s

| Then I click skip button in feeds screen | 0.05s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton
(MyCommunitiesScreen.java:662)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton
(MyCommunitiesSteps.java:208)
at .Then I click skip button in feeds screen(features/ph/PulseMyCommunities.feature:77)

Then I wait for 13 sec	0.00s
And I click the Back icon in Stay Active screen	0.00s
Then I wait for 13 sec	0.00s
And I click Edit icon in stay Active icon	0.00s
And I click the Camera icon in create post screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s

POST welcome	
And I click the Post icon in create post screen	0.00s
After	0.00s

Scenario: Verify the Category list and search feature

Passed: 1	Failed: 1	Undefined: 4	Duration: 15.11s
Before			0.00s

Then I wait for 15 sec	**15.02s**
And I clicks on "${category.text}" in app screen	**0.09s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text," Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${category.text}" in app screen(features/ph/PulseMyCommunities.feature:
95)

And I verify the following texts "Category" in Screen	0.00s
COVID-19	
Fitness	
Global Awareness Days	
Mental Health	
And I clicks on "${no.post.category}" in app screen	0.00s
And I clicks on "${apply.button}" in app screen	0.00s
And I verify following texts are displayed	0.00s
${no.post.found.text}	

After		0.00s

Scenario: User navigates back to the community screen

Passed: 1	Failed: 1	Undefined: 0	Duration: 5.06s
Before			0.00s

Then I wait for 5 sec	5.01s
And I click the Back icon in Stay Active screen	0.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:464)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
(MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/ph/PulseMyCommunities.feature:
108)

After		0.00s

Scenario: **Leave the community if already joined**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: bf1d9cf1-c4bf-43c4-bb1a-62b1531374d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${my.communities.text}" in app screen(features/ph/PulseMyCommunities.
feature:111)

And I scroll down		0.00s
When I click on joined community three dots menu icon		0.00s
And I click on leave button for joined community		0.00s
After		**0.00s**

[**Back to Table of Contents**](#)

Feature: **Verify Private My Communities on One Pulse App**			
Passed: 3	Failed: 1	Undefined: 0	Duration: 141.72s
Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 5	Failed: 0	Undefined: 0	Duration: 56.81s

Before		0.00s
Given User has pulse app		9.03s
And user click on "CONTINUE WITH EMAIL" with Email button		16.08s
Then I change the country as required on registration page		23.76s
Then I wait for 3 sec		3.01s
And I click the Sign in link		4.94s
After		0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 49.37s

Before			0.00s
And I assign "${mychannel.private.user}" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			3.56s
When user enters credentials			9.88s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button			0.26s
Then I wait for 10 sec			10.02s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			10.61s
Then user should be landed to "Home" screen			15.04s
After			0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 19.2s

Before		0.00s
And I click the MyCommunities icon		3.35s
Then I wait for 3 sec		3.02s
And I verify following texts are displayed		0.35s

${icon.communities}

And I verify the following texts "All Communities" in Screen		9.45s

${my.communities.text}
${All.Communities.text}

Then I wait for 3 sec		3.03s
After		0.00s

Scenario: Verify the Private Communities in communities screen

Passed: 6	Failed: 1	Undefined: 4	Duration: 16.35s

Before		0.00s
And I click the Private "${All.Communities.text}" in Communties screen		4.99s
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen		3.01s

And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen	**3.19s**
And I clicks on "Take a Picture" in app screen	**0.31s**
And I click the Upload Image icon	**4.23s**
And I give camera permission	**0.57s**
Then I take picture from Camera	**0.04s**

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 997f32bf-3435-4b0a-a277-65783b3c9561
*** Element info: {Using=xpath, value=//*[contains(@resource-id,'shutter_button') or contains (@text,'Shutter') or @content-desc='Capture']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.takePictureFromAndroidCamera(TestBasePage.java:373)
at com.onepulse.app.screens.PulseManageProfileScreen.editProfileTakePicture(PulseManageProfileScreen.java:782)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.iTakePictureFromCamera(EditProfileSteps.java:187)
at .Then I take picture from Camera(features/ph/PulseMyCommunities_private.feature:46)

Then I wait for 3 sec	0.00s
And I scroll down	0.00s
And I click the continue button	0.00s
Then I click skip button in feeds screen	0.00s

After		0.00s

[Back to Table of Contents](#)

Feature: Verify MySettings functionality in Account screen			
Passed: 5	Failed: 0	Undefined: 0	Duration: 177.67s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"			
Passed: 8	Failed: 0	Undefined: 0	Duration: 77.63s

Before		0.00s

Given User has pulse app	8.94s
And I assign "${onepulse.login.global.idsetting}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.40s
When user enters credentials	10.57s

UserName	${PULSE_EMAIL}
Password	${login.mysettings}

And User clicks on signin button	0.30s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.92s
Then user should be landed home screen	9.51s

After		0.00s

Scenario: Verify the My Feedback screen in Account tab

Passed: 5	Failed: 0	Undefined: 0	Duration: 16.8s
Before			0.00s

Then I wait for 5 sec	5.01s
And I click the Account icon in Home screen	2.19s
And I click the My Feedback icon in Account screen	3.71s
And I click the Feedback start icon in Account screen	3.81s
Then I verify following texts are Displayed	2.08s

${HealthArticles.text}
${BMI.text}
${Wrinkle.text}
${Health.Assessment.text}

After		0.00s

Scenario: Verify the submit functionality in My feedback screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 17.26s
Before			0.00s

And I click the Health Articles icon in Account screen	3.76s
And I enter the "Feedback" in welcome to Feedback Screen	8.45s

mobileNumber	98678419

And I click the Submit icon in Feedback Screen	5.05s

After		0.00s

Scenario: Verify the Pulse Personalised tab

Passed: 6	Failed: 0	Undefined: 0	Duration: 33.58s
Before			0.00s

Then I wait for 3 sec	3.01s
And I click the Pulse by Personalised icons	4.76s
Then I wait for 3 sec	3.01s
And I click the save button in pulse personalised icons	5.26s
And I click the Ok button in pulse personlised screen	8.37s
And I click the Back icon in pulse personalised screen	9.18s

After		0.00s

Scenario: Verify the Marketing Consent in Account tab

Passed: 6	Failed: 0	Undefined: 0	Duration: 32.39s
Before			0.00s

And I click the Marketing content	8.69s
Then I wait for 3 sec	3.00s
Then I verify the following text "${Marketing.Consent.text}" Screens	0.26s

${Marketing.Consent.text}		
And I click the save button in pulse personalised icons		3.54s
And I click the Ok button in pulse personlised screen		8.34s
And I click the Back icon in pulse Marketing Consent		8.57s
After		0.00s
Back to Table of Contents		

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 3	Failed: 0	Undefined: 0	Duration: 113.31s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 58.32s
Before			0.00s

Given User has pulse app	9.94s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.46s
Then I change the country as required on registration page	22.94s
Then I wait for 5 sec	5.00s
And I click the Sign in link	3.98s
After	0.00s
Back to Table of Contents	

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 5	Failed: 0	Undefined: 0	Duration: 29.93s
Before			0.00s

Given I select the language option on toggle bar as required on login page		3.48s
When user enters credentials		10.58s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		0.30s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		10.55s
After		0.00s
Back to Table of Contents		

Scenario: Verify the user can access My Wearables via Fitness

Passed: 6	Failed: 0	Undefined: 0	Duration: 25.06s
Before			0.00s

Then I wait for 5 sec		5.00s
And I click the Account icon in Home screen		0.70s
When User clicks on profile wearable tab		14.22s
Then I wait for 3 sec		3.01s
Then I verify My Wearables tile on Fitness Tracker Activity screen		0.31s
${wearable.headingtext}		
Then I verify My Wearables tile on Fitness Tracker Activity screen		1.82s
${wearables.title}		

${wearables.description}	
${wearables.fitbitText}	
${wearables.garminText}	
After	**0.00s**

Feature: Verify Exercise Buddy functionality via Fitness tab on Pulse Health & Wealth app

Passed: 4	Failed: 2	Undefined: 0	Duration: 165.08s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 60.26s
Before			**0.00s**

Given User has pulse app	**10.07s**
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	**0.00s**
And user click on "CONTINUE WITH EMAIL" with Email button	**18.01s**
Then I change the country as required on registration page	**22.33s**
Then I wait for 5 sec	**5.01s**
And I click the Sign in link	**4.83s**
After	**0.00s**

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 46.76s
Before			**0.00s**

Given I select the language option on toggle bar as required on login page	**3.55s**
When user enters credentials	**10.40s**

UserName	${PULSE_EMAIL}	
Password	${login.password}	

And User clicks on signin button	**0.26s**
And I wait for 5 sec	**5.00s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	**11.97s**
Then user should be landed to "Home" screen	**15.58s**
After	**0.00s**

Scenario: Verify the user can access Exercise Buddy via Fitness

Passed: 4	Failed: 0	Undefined: 0	Duration: 20.52s
Before			**0.00s**

When User clicks on Fitness tab	**13.29s**
When User clicks on Exercise Buddy button on Fitness screen	**6.07s**
Then User verifies text on Exercise Buddy screen	**0.00s**

${exeBuddy.title}	
${exeBuddy.description}	
${beginner.title}	

And User clicks on "${exeBuddy.intermediate}" button on Exercise Buddy	**1.15s**
After	**0.00s**

Scenario: Verify the Take Challenge via Squats

Passed: 3	Failed: 0	Undefined: 0	Duration: 17.79s
Before			0.00s

When User clicks on Take Challenge button on "${beginner.squat}"	3.94s
Then User verifies text on Exercise Buddy screen	0.00s

${exeBuddy.takeChallenge.title}	
${exeBuddy.takeChallenge.description}	
${exeBuddy.takeChallenge.subTitle}	
${exeBuddy.takeChallenge.noPartner}	

And User searches for "Test" and adds "Test Test" as a partner	13.85s
After	0.00s

Scenario: Verify the Start via Squats

Passed: 0	Failed: 1	Undefined: 7	Duration: 11.78s
Before			0.00s

| When User clicks on Start button on "${beginner.squat}"	11.79s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 30344775-aea6-4d13-9a99-798f9b0f395e
*** Element info: {Using=xpath, value=//android.widget.Button[@text="Allow"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnStart(ExerciseBuddyScreen.java:
90)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickStart
(ExerciseBuddySteps.java:59)
at .When User clicks on Start button on "${beginner.squat}"(features/ph/fitness
/ExerciseBuddy.feature:49)

| When User clicks on Stop button on "Squats" | 0.00s |
| Then User verifies text on Exercise Buddy screen | 0.00s |

| ${squat.results.title} |
| ${squat.results.description} |
| ${squat.score.stat} |
| ${squat.score.stands} |
| ${squat.score.precision} |
| ${squat.startAgain} |

| When User clicks on Start Now button on "Squats Report" | 0.00s |
| When User clicks on Stop button on "Squats" | 0.00s |
| Then User verifies text on Exercise Buddy screen | 0.00s |

${squat.results.title}

When User clicks on Done button on "Squats Report"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s

${exeBuddy.title}

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify the Preview via Squats

Passed: 0	Failed: 1	Undefined: 10	Duration: 7.97s
Before			0.00s

When User clicks on Preview button on "${beginner.squat}"	7.97s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 30344775-aea6-4d13-9a99-798f9b0f395e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"] /following::android.widget.TextView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnPreview(ExerciseBuddyScreen.java: 81)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickPreview (ExerciseBuddySteps.java:54)

at .When User clicks on Preview button on "${beginner.squat}"(features/ph/fitness/ExerciseBuddy.feature:68)

Then User verifies text on Exercise Buddy screen	0.00s

${beginner.squat}
${squat.preview.titleDescription}
${squat.preview.about}
${squat.preview.description}

When User clicks on Take Challenge on "Squats Preview"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s

${exeBuddy.title}

And User clicks on Back button	0.00s
When User clicks on Start Now button on "Squats Preview"	0.00s
When User clicks on Stop button on "Squats"	0.00s
Then User verifies text on Exercise Buddy screen	0.00s

${squat.results.title}

When User clicks on Done button on "Squats Report"	0.00s
When I scroll down	0.00s
Then User verifies text on Exercise Buddy screen	0.00s

${squat.preview.workout}
${squat.preview.instructions}
${squat.preview.instruction1}
${squat.preview.instruction2}
${squat.preview.instruction3}
${squat.preview.instruction4}
${squat.preview.instruction5}
${squat.preview.instruction6}
${squat.preview.instruction7}
${squat.preview.instruction8}
${squat.preview.instruction9}
${squat.preview.instruction10}
${squat.preview.warmup}
${squat.preview.warmupDescription}

After		0.00s

Feature: **Verify My wearable functionality via fitness tab on Pulse Health & Wealth app**			
Passed: 3	Failed: 0	Undefined: 0	Duration: 124.5s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 59.07s
Before			0.00s

Given User has pulse app	10.90s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.03s
Then I change the country as required on registration page	22.28s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.86s

After		0.00s

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 44.85s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.48s
When user enters credentials	10.32s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	0.24s
And I wait for 5 sec	5.00s

And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		11.38s
Then user should be landed to "Home" screen		14.43s
After		0.00s

Scenario: Verify the user can access My Wearables via Fitness

Passed: 4	Failed: 0	Undefined: 0	Duration: 20.57s
Before			0.00s

When User clicks on Fitness tab	13.25s
Then I verify My Wearables tile on Fitness screen	0.84s

${fitness.myWearables}	
${fitness.myWearables.description}	

When I click on Connect Now button on Fitness screen	0.50s
Then I verify following text are displayed under My Wearables screen	5.99s

${wearables.title}
${wearables.subTitle}
${wearables.description}
${wearables.fitbitText}
${wearables.garminText}
${wearables.googleFit}

After	0.00s

Feature: Verify wealth channel functionality on one pulse App

Passed: 0	Failed: 8	Undefined: 0	Duration: 85.07s

Scenario: Verify User should be able to login using email account

Passed: 7	Failed: 1	Undefined: 1	Duration: 69.73s
Before			0.00s

Given User has pulse app	10.35s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.97s
Given I create connection for api service	0.00s
When user enters credentials	11.26s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	0.36s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	29.78s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6fad4275-0643-4ba3-9cc2-b8087db7d94e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a
verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java: 309)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse (RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/ph/food /MyFoodJournal.feature:14)

Then user should be landed to "Home" screen	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to Food page			
Passed: 0	Failed: 1	Undefined: 4	Duration: .03s
Before			0.00s

Given I navigate to food screen from home page	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 6fad4275-0643-4ba3-9cc2-b8087db7d94e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Food")]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.FoodScreen.clickFoodFromHomePage(FoodScreen.java:48)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.iNavigateToWealthScreen
(FoodSteps.java:45)
at .Given I navigate to food screen from home page(features/ph/food/MyFoodJournal.feature:
18)

Then I wait for 5 sec	0.00s
And I scroll down	0.00s
Then I wait for 5 sec	0.00s
And I navigate to my food journal from food	0.00s

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the list of food schedule time**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .09s

Before		0.00s

And I verify following options in food journal	0.09s

${food.myfoodjournal.LogyourFood}
${food.myfoodjournal.Consumed}
${food.myfoodjournal.foodjournal}

java.lang.AssertionError: The following asserts failed:
Log your food text is displayed on page expected [true] but found [false],

Consumed text is displayed on page expected [true] but found [false],
Food Journal text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.
iVerifyFollowingOtionsFoodJournal(FoodSteps.java:61)
at .And I verify following options in food journal(features/ph/food/MyFoodJournal.feature:25)

After		0.00s
Back to Table of Contents		

Scenario: **Verify User should be able to time of the meal, add to cart and scan**

Passed: 0	Failed: 1	Undefined: 0	Duration: .14s
Before			0.00s

And I verify following options in food journal		0.14s

${food.myfoodjournal.Scan}
${food.myfoodjournal.addfood}
${food.myfoodjournal.breakfast}
${food.myfoodjournal.lunch}
${food.myfoodjournal.dinner}

java.lang.AssertionError: The following asserts failed:
Scan text is displayed on page expected [true] but found [false],
Add Food text is displayed on page expected [true] but found [false],
BREAKFAST text is displayed on page expected [true] but found [false],
LUNCH text is displayed on page expected [true] but found [false],
DINNER text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.
iVerifyFollowingOtionsFoodJournal(FoodSteps.java:61)
at .And I verify following options in food journal(features/ph/food/MyFoodJournal.feature:32)

After		0.00s
Back to Table of Contents		

Scenario Outline: **Verify User should be able to see the details after moving to "Breakfast"**

Passed: 1	Failed: 1	Undefined: 6	Duration: 5.04s
Before			0.00s

Then I wait for 5 sec		5.00s
And I scroll down		0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 6fad4275-0643-4ba3-9cc2-b8087db7d94e

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/food/MyFoodJournal.feature:41)

Then I wait for 5 sec		0.00s
When User clicks on add food button for breakfast index "1"		0.00s
Then I wait for 5 sec		0.00s
And I verify following options in food journal		0.00s
${food.myfoodjournal.Breakfast.changemeal}		
${food.myfoodjournal.Breakfast.selectfood}		
${food.myfoodjournal.Breakfast.save}		
Given User search for the food "Seafood Gumbo" index		0.00s
And I validate the food selected and calories		0.00s
After		0.00s

Scenario Outline: Verify User should be able to see the details after moving to "Lunch"

Passed: 1	Failed: 1	Undefined: 6	Duration: 5.02s
Before			0.00s

Then I wait for 5 sec	5.00s
And I scroll down	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 6fad4275-0643-4ba3-9cc2-b8087db7d94e
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/food/MyFoodJournal.feature:41)

| Then I wait for 5 sec | 0.00s |
| When User clicks on add food button for breakfast index "2" | 0.00s |

| Then I wait for 5 sec | 0.00s |
| And I verify following options in food journal | 0.00s |

${food.myfoodjournal.Breakfast.changemeal}	
${food.myfoodjournal.Breakfast.selectfood}	
${food.myfoodjournal.Breakfast.save}	

| Given User search for the food "Bites" index | 0.00s |
| And I validate the food selected and calories | 0.00s |

| After | 0.00s |

Scenario Outline: Verify User should be able to see the details after moving to "Dinner"

| Passed: 1 | Failed: 1 | Undefined: 6 | Duration: 5.02s |

| Before | 0.00s |

| Then I wait for 5 sec | 5.00s |
| And I scroll down | 0.02s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 6fad4275-0643-4ba3-9cc2-b8087db7d94e
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/food/MyFoodJournal.feature:41)

Then I wait for 5 sec	0.00s
When User clicks on add food button for breakfast index "3"	0.00s
Then I wait for 5 sec	0.00s
And I verify following options in food journal	0.00s
${food.myfoodjournal.Breakfast.changemeal}	
${food.myfoodjournal.Breakfast.selectfood}	
${food.myfoodjournal.Breakfast.save}	
Given User search for the food "Cake" index	0.00s
And I validate the food selected and calories	0.00s
After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to see log after add food is done

Passed: 0	Failed: 1	Undefined: 4	Duration: .01s
Before			0.00s

And I scroll up	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 6fad4275-0643-4ba3-9cc2-b8087db7d94e

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.java:73)
at .And I scroll up(features/ph/food/MyFoodJournal.feature:58)

Then I wait for 5 sec	0.00s
Given click on the log button	0.00s
And I verify following options in food journal	0.00s
${food.myfoodjournal.logtime.Log}	
${food.myfoodjournal.logtime.save}	
${food.myfoodjournal.logtime.cancel}	
Then click on the cancel button in logtime in food	0.00s
After	0.00s

Feature: Verify the Babylon Registration via HRA journey for PH LBU			
Passed: 0	Failed: 2	Undefined: 0	Duration: 175.75s

Scenario: User should be able to Register for Babylon HRA			
Passed: 6	Failed: 1	Undefined: 10	Duration: 40.82s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	10.34s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	10.20s
Then I wait for 2 sec	2.00s

Then I change the country as required on registration page	16.27s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 6fc64aa1-11c8-4e0d-9858-37056044f623
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/ph/health
/BabylonHRA_Registration.feature:11)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s
When user enters registration details	0.00s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then I wait for 2 sec	0.00s
Then I click skip button for PH LBU registration flow	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After		0.00s

Scenario: User should be able to Register for Babylon HRA

Passed: 2	Failed: 1	Undefined: 2	Duration: 134.94 s

Before		0.00s

When I clicks on Health button	31.55s
And I navigate to Babylon health Assessment and Accept TermsAndCondition	84.91s
And I confirm the registration	18.48s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 6fc64aa1-11c8-4e0d-9858-37056044f623

*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Confirm"]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)

at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.clickOnConfirmButton (BabylonRegistrationScreen.java:211)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnCofirmButton (BabylonSteps.java:76)

at .And I confirm the registration(features/ph/health/BabylonHRA_Registration.feature:31)

| And I click on Babylon Health Assessment Get Started button | 0.00s |
| Then I verify following options are present for assessment | 0.00s |

Full Assessment		
Nutrition		
Activity		
Mood		

We are sorry
Currently the Pulse application is not available in your region.
Also please ensure you have an active internet connection!
Your Device Id: 3f6e745edfb3c81c

After		0.00s

Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity

Passed: 12	Failed: 7	Undefined: 0	Duration: 417.4s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 61.43s
Before			0.00s

Given User has pulse app	13.10s
And I assign "${hra.report.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.92s
Then I change the country as required on registration page	22.48s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.93s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 8	Failed: 0	Undefined: 0	Duration: 123.86s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.47s
When user enters credentials	9.92s

UserName	${PULSE_EMAIL}	
Password	${hra.password}	

And User clicks on signin button	0.24s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.96s
Then user should be landed to "Home" screen	13.59s
When I clicks on Health button	14.96s
And I navigate to Babylon health Assessment and Accept TermsAndCondition	41.72s
After		0.00s

Scenario: User should be able to access Babylon Health Risk Assessment Report

Passed: 2	Failed: 0	Undefined: 0	Duration: 12.44s
Before			0.00s

When I click on "Report" link on digital twin screen	5.65s
Then I verify the HRA Results are displayed	6.80s

${babylon.hraReport.report.title}	
${babylon.hraReport.report.subTitle}	
${babylon.hraReport.report.percentage}	
${babylon.hraReport.report.statement1}	
${babylon.hraReport.report.statement2}	
${babylon.hraReport.report.statement3}	
${babylon.hraReport.report.statement4}	

After		0.00s

Scenario: Verify the HRA Activity Summary

Passed: 1	Failed: 0	Undefined: 0	Duration: 12.0s
Before			0.00s

Then I verify the HRA Results are displayed	12.00s

${babylon.hraReport.summary.title}	
${babylon.hraReport.summary.description}	
${babylon.hraReport.summary.diseaseRisk}	
${babylon.hraReport.summary.diseaseRiskDescription}	
${babylon.hraReport.summary.diseaseRisk.statement1}	
${babylon.hraReport.summary.diseaseRisk.statement2}	
${babylon.hraReport.summary.diseaseRisk.statement3}	
${babylon.hraReport.summary.diseaseRisk.statement4}	

After		0.00s

Scenario: Verify the HRA Activity Summary

Passed: 1	Failed: 0	Undefined: 0	Duration: 4.39s
Before			0.00s

Then I verify the HRA Results are displayed	4.39s

${babylon.hraReport.summary.organ.title}	

${babylon.hraReport.summary.organDescription}		
${babylon.hraReport.summary.organ.statement1}		
${babylon.hraReport.summary.organ.statement2}		
${babylon.hraReport.summary.organ.statement3}		

After		0.00s

Scenario: Verify the HRA Activity summary

Passed: 1	Failed: 0	Undefined: 0	Duration: 8.98s
Before			0.00s

Then I verify the HRA Results are displayed		8.98s
${babylon.hraReport.activity.title}		
${babylon.hraReport.activity.subTitle}		
${babylon.hraReport.activity.statement1}		
${babylon.hraReport.activity.statement2}		

After		0.00s

Scenario: Verify the HRA Nutrition Report

Passed: 1	Failed: 0	Undefined: 0	Duration: 13.89s
Before			0.00s

Then I verify the HRA Results are displayed		13.89s
${babylon.hraReport.nutrition.title}		
${babylon.hraReport.nutrition.subTitle}		
${babylon.hraReport.nutrition.statement1}		
${babylon.hraReport.nutrition.statement2}		
${babylon.hraReport.nutrition.statement3}		
${babylon.hraReport.nutrition.statement4}		
${babylon.hraReport.nutrition.statement5}		
${babylon.hraReport.nutrition.statement6}		
${babylon.hraReport.nutrition.statement7}		
${babylon.hraReport.nutrition.statement8}		
${babylon.hraReport.nutrition.statement9}		

After		0.00s

Scenario: Verify the HRA Report - Keep It Up sub-section

Passed: 1	Failed: 0	Undefined: 0	Duration: 10.43s
Before			0.00s

Then I verify the HRA Results are displayed		10.43s
${babylon.hraReport.keepItUp}		
${babylon.hraReport.lowFat}		
${babylon.hraReport.lowFat.description}		
${babylon.hraReport.bmi}		
${babylon.hraReport.bmi.description}		
${babylon.hraReport.lowAlcohol}		

${babylon.hraReport.lowAlcohol.description}		
${babylon.hraReport.fluids}		
${babylon.hraReport.fluids.description}		
${babylon.hraReport.redMeat}		
${babylon.hraReport.redMeat.description}		

After		0.00s

Scenario: Verify the HRA Report - Make a Change sub-section

Passed: 1	Failed: 0	Undefined: 0	Duration: 9.52s
Before			0.00s

Then I verify the HRA Results are displayed	9.52s
${babylon.hraReport.makeAChange}	
${babylon.hraReport.change1}	
${babylon.hraReport.change2}	
${babylon.hraReport.change3}	
${babylon.hraReport.change4}	

After		0.00s

Scenario: User should be able to access Babylon HRA - Healthcheck - Body

Passed: 4	Failed: 0	Undefined: 0	Duration: 12.06s
Before			0.00s

When I click on "Healthcheck" link on digital twin screen	5.76s
When I click on "Body" link on digital twin screen	2.36s
Then I verify the HRA Results are displayed	0.98s
${babylon.hraReport.bodyButtton}	
Then I verify following text is displayed on HRA report	2.97s
${babylon.hraReport.body.bones}	
${babylon.hraReport.body.heart}	
${babylon.hraReport.body.brain}	
${babylon.hraReport.body.liver}	

After		0.00s

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.39s
Before			0.00s

And I click on "Back" link on digital twin screen	2.39s

After		0.00s

Scenario: User should be able to access Babylon HRA - Healthcheck - Nutrition

Passed: 2	Failed: 1	Undefined: 1	Duration: 120.44s
Before			0.00s

When I click on "Nutrition" link on digital twin screen	**2.59s**
Then I verify the HRA Results are displayed	**0.83s**
${babylon.hraReport.nutrition}	
${babylon.hraReport.nutrition.description}	
When I click on "Retake Assessment" link on digital twin screen	**117.02s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 3eea0623-b237-4643-9ffd-81a563d697d6
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='RETAKE ASSESSMENT']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
**at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)**

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin(BabylonHealthAssessmentScreen.java:141)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin(BabylonSteps.java:350)
at .When I click on "Retake Assessment" link on digital twin screen(features/ph/health/BabylonHRA_Report.feature:138)

Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.nutrition.retake}	

| After | 0.00s |

Scenario: Navigate back to nutrition screen and validate the static text

Passed: 1	Failed: 1	Undefined: 0	Duration: 11.2s
Before			0.00s

And I click on "Back" link on digital twin screen	2.38s
Then I verify the HRA Results are displayed	8.82s

${babylon.hraReport.aboutDesease}

${babylon.hraReport.about.nutrition.description}

java.lang.AssertionError: The following asserts failed:
the expected text is: Nutrients are the things in food that give your body energy expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.feature:144)

After			0.00s

Back to Table of Contents

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.32s
Before			0.00s

And I click on "Back" link on digital twin screen	2.32s

After			0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Activity

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.6s

Before		**0.00s**
	When I click on "Activity" link on digital twin screen	**8.60s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 3eea0623-b237-4643-9ffd-81a563d697d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:126)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Activity" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:152)

Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.activity}	
${babylon.hraReport.activity.subTitle}	
When I click on "Retake Assessment" link on digital twin screen	0.00s
Then I verify the HRA Results are displayed	0.00s
${babylon.hraReport.activity.retake}	
${babylon.hraReport.activity.retake2}	

After		0.00s

Back to Table of Contents			
Scenario: Navigate back to Activity screen and validate the static text			
Passed: 1	Failed: 1	Undefined: 0	Duration: 3.21s
Before			0.00s
And I click on "Back" link on digital twin screen			2.44s
Then I verify the HRA Results are displayed			0.78s

${babylon.hraReport.aboutDisease}

${babylon.hraReport.about.activity.description}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 3eea0623-b237-4643-9ffd-81a563d697d6
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.

java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.verifyHRAReport
(BabylonHealthAssessmentScreen.java:456)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:614)
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.
feature:163)

After		0.00s

[Back to Table of Contents](#)

Scenario: **navigate back to digital twin screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .1s
Before		0.00s	

And I click on "Back" link on digital twin screen	0.11s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3eea0623-b237-4643-9ffd-81a563d697d6
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.feature:168)

After		0.00s

[Back to Table of Contents](#)

Scenario: **User should be able to access Babylon HRA - Healthcheck - Mood**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s

When I click on "Mood" link on digital twin screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 3eea0623-b237-4643-9ffd-81a563d697d6
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin

(BabylonHealthAssessmentScreen.java:130)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Mood" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:171)

Then I verify the HRA Results are displayed		0.00s
${babylon.hraReport.mood}		
${babylon.hraReport.mood.duration}		
And I start the assessment		0.00s
Then I verify the HRA Results are displayed		0.00s
${babylon.hraReport.mood.assessment}		
${babylon.hraReport.mood.assessment2}		

After		0.00s

[Back to Table of Contents](#)

Scenario: navigate back to digital twin screen			
Passed: 0	Failed: 1	Undefined: 0	Duration: .07s
Before			0.00s

And I click on "Back" link on digital twin screen	0.07s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3eea0623-b237-4643-9ffd-81a563d697d6
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:181)

After		0.00s

Back to Table of Contents

Feature: **Verify Consult doctor functionality on Pulse Health**			
Passed: 0	Failed: 14	Undefined: 0	Duration: 385.77s

| Scenario: **Verify the Home screen validation using "Continue with Email"**			
Passed: 15	Failed: 1	Undefined: 1	Duration: 167.06 s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable			

"PULSE_EMAIL"	0.00s
And User has pulse app	10.44s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	13.96s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	23.30s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.93s
Then I wait for 2 sec	2.02s
When user enters registration details	8.64s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.34s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	32.61s
Then I wait for 2 sec	2.01s
Then I click skip button	18.69s
Then user should be landed to "Home" screen	45.10s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/ph/health/ConsultDoctor.feature:
24)

Then I wait for 4 sec	0.00s
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify the online consultation screen user fields

Passed: 2	Failed: 1	Undefined: 2	Duration: 79.32s
Before			0.00s

Given I clicks on Health button	28.94s
Then I wait for 2 sec	2.01s
Then I navigate to online consultation screen	48.37s

java.lang.AssertionError: Consult Doctor image is not displayed in Health screen
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.PulseHealthScreen.navigateToOnlineConsultationScreen
(PulseHealthScreen.java:127)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.

iNavigateToOnlineConsultationScreen(MyDocUiSteps.java:104)
at .Then I navigate to online consultation screen(features/ph/health/ConsultDoctor.feature:30)

Then user verify the following texts are displayed on "Online Consultation" registration page	0.00s

Online Consultation	
First Name / Given Name	
Last Name / Family Name	
Email	
County of Residence	

And I scroll down	0.00s

After	0.00s

Back to Table of Contents

Scenario: Verify the online consultation screen user fields after swipe down

Passed: 1	Failed: 1	Undefined: 0	Duration: 37.88s

Before	0.00s

And I scroll down	4.53s
Then user verify the following texts are displayed on "Online Consultation" registration page	33.35s

Address (zipcode)	
NRIC/FIN	
NRIC/FIN Image	
Phone	

java.lang.AssertionError: The following asserts failed:
Address (zipcode) text is displayed on page Online Consultation expected [true] but found [false],

NRIC/FIN text is displayed on page Online Consultation expected [true] but found [false],
NRIC/FIN Image text is displayed on page Online Consultation expected [true] but found [false],
Phone text is displayed on page Online Consultation expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.
userVerifyTheFollowingTextsAreDisplayedOnRegistrationPage(MyDocUiSteps.java:117)
at .Then user verify the following texts are displayed on "Online Consultation" registration
page(features/ph/health/ConsultDoctor.feature:44)

After	0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to enter address and zipcode**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 22.92s
Before			0.00s

Then I enter "${address}" and "${zipcode}"	22.92s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Address (e.g. street, apartment name, etc)']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterAddressAndZipcode

(MyDocRegistrationScreen.java:715)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterAnd(MyDocUiSteps.
java:142)
at .Then I enter "${address}" and "${zipcode}"(features/ph/health/ConsultDoctor.feature:52)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to upload NRIC Image in Online Consultation screen**			
Passed: 1	Failed: 1	Undefined: 1	Duration: 35.8s
Before			0.00s

Then I wait for 5 sec	5.02s
Then I enter the mandatory fields "${NRIC}"	30.78s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:646)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
(MyDocUiSteps.java:129)

at .Then I enter the mandatory fields "${NRIC}"(features/ph/health/ConsultDoctor.feature:56)

| Then I verify the "${phonenumber}" and proceed with "${otp}" | 0.00s |

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: **Verify User should be presented with the symptoms checker questions log**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 32.24s
Before			0.00s

And I verify following texts are displayed	32.24s
Choking	
Breathing difficulty	
Chest pain	
Weakness in arms or legs	
Speech difficulty	
Loss of consciousness	
Suicidal or homicidal thoughts	
Seizures	
Bleeding	
Severe pain	
Confusion and/or hallucinations	
Broken bones	

java.lang.AssertionError: The following asserts failed:
Choking text is displayed on page expected [true] but found [false],
Breathing difficulty text is displayed on page expected [true] but found [false],
Chest pain text is displayed on page expected [true] but found [false],

Weakness in arms or legs text is displayed on page expected [true] but found [false],
Speech difficulty text is displayed on page expected [true] but found [false],
Loss of consciousness text is displayed on page expected [true] but found [false],
Suicidal or homicidal thoughts text is displayed on page expected [true] but found [false],
Seizures text is displayed on page expected [true] but found [false],
Bleeding text is displayed on page expected [true] but found [false],
Severe pain text is displayed on page expected [true] but found [false],
Confusion and/or hallucinations text is displayed on page expected [true] but found [false],
Broken bones text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/health/ConsultDoctor.feature:60)

After		0.00s

Scenario: **Verify User can able to chat with chatbot symptoms checker**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 5.05s
Before			0.00s

When Handle Emergency symptoms questions for doctor consult	5.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='None of the above']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.
handleEmergencySymptomQues(MyDocMedicalProfileScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.handleEmergencySymptomQues
(MyDocSteps.java:179)
at .When Handle Emergency symptoms questions for doctor consult(features/ph/health
/ConsultDoctor.feature:75)

After		0.00s

Scenario: **Verify User should be presented with the sample text on the Medical Profile screen as a first time user**			
Passed: 1	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

And Verify Medical Profile screen is displayed		0.02s
And Verify the Sample Text on the text fields of the Medical Profile		0.01s

Allergies	Enter 'None' if no allergies	
Medical Conditions	Enter 'None' if no medical conditions	
Medications	Enter 'None' if no medications	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies'] /following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:256)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.validateMedProfSampleText
(MyDocMedicalProfileScreen.java:171)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.validateMedProfSampleText
(MyDocSteps.java:671)
at .And Verify the Sample Text on the text fields of the Medical Profile(features/ph/health
/ConsultDoctor.feature:79)

After		0.00s

Scenario: **Verify User should be able to create the medical profile**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before			0.00s

When I enter Medical Profile details as below		0.02s

Allergies	None
Medical Conditions	None
Medications	None
EmergencyContact Name	Pulse QA
Emergency Contact Name	Pulse
Emergency Contact Number	98066613

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']
/following::android.widget.EditText[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.enterMedicalProfile
(MyDocMedicalProfileScreen.java:83)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.enterMedicalProfileDetails
(MyDocSteps.java:186)
at .When I enter Medical Profile details as below(features/ph/health/ConsultDoctor.feature:85)

And I click on Medical Profile Continue button	0.00s
After	**0.00s**

Scenario: Verify User should be able to see the payment screen fields

Passed: 0	Failed: 1	Undefined: 2	Duration: .25s

Before		0.00s

And I verify following texts are displayed	0.25s

Payment
Teleconsultation
Payment Method
Credit/Debit Card
Voucher
The fee covers a video consultation..
The cost of medication is not included.
When will I be charged?
The amount will be charged to your card after the video consultation concludes.
Total Amount

java.lang.AssertionError: The following asserts failed:
Payment text is displayed on page expected [true] but found [false],
Teleconsultation text is displayed on page expected [true] but found [false],
Payment Method text is displayed on page expected [true] but found [false],
Credit/Debit Card text is displayed on page expected [true] but found [false],
Voucher text is displayed on page expected [true] but found [false],
The fee covers a video consultation.. text is displayed on page expected [true] but found [false],
The cost of medication is not included. text is displayed on page expected [true] but found [false],
When will I be charged? text is displayed on page expected [true] but found [false],
The amount will be charged to your card after the video consultation concludes. text is displayed on page expected [true] but found [false],
Total Amount text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/health/ConsultDoctor.feature:95)

Then I read the amount and stored into variable "PAYMENT_AMOUNT"	0.00s
And I click on Continue button	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able enter the card details**			
Passed: 0	Failed: 1	Undefined: 4	Duration: .02s
Before			0.00s

When I click on Add New Card button	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.view.View[@text='Add new cards']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.clickAddNewCardButton
(MyDocPaymentDetailsScreen.java:92)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAddNewCardButton
(MyDocSteps.java:308)
at .When I click on Add New Card button(features/ph/health/ConsultDoctor.feature:111)

Then user verify add card details screen fields		0.00s
	Pay with card	
	Card Number	
And I enter Card details as below		0.00s
	Card Number	4111 1111 1111 1111
	Expiration Date	0822
	Card Number Android	4111 1111 1111 1111
	Expiration Date Android	08 / 22
And I click on Confirm Payment Method button		0.00s
Then I wait for 10 sec		0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able see the added card successfully**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

Then I verify the my card added successfully	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.view.View[@text='Online Video
Consultation']/preceding::android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.verifyAddedCard (MyDocPaymentDetailsScreen.java:139)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps. iVerifyTheMyCardAddedSuccessfully(MyDocSteps.java:819)
at .Then I verify the my card added successfully(features/ph/health/ConsultDoctor.feature:124)

After		0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to start online pre consultation			
Passed: 0	Failed: 1	Undefined: 8	Duration: .05s
Before			0.00s
And I response to the pre consultation questions			0.05s
firstResponse	Feverish		
secondResponse	Couple of days		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
*** Element info: {Using=xpath, value=//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.mydoc.MyDocPreConsultationScreen.fillPreconsultationForm
(MyDocPreConsultationScreen.java:73)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
enterDetailsForPreConsulationForm(MyDocSteps.java:247)
at .And I response to the pre consultation questions(features/ph/health/ConsultDoctor.feature:
127)

And I verify following texts are displayed		0.00s
What concerns or questions do you have for the doctor?		
Feverish		
How long has this been a concern?		
Couple of days		
Any further details you would like to add?		
Then verify user should be prompted to select No or Yes options to type further details		0.00s
Then I click on No button		0.00s
Then I wait for 5 sec		0.00s
And I verify following texts are displayed		0.00s
Please Note		
Make sure you are in an area where your device has good internet connectivity.		
Once the request for consultation is sent, it cannot be recalled or cancelled.		
The Average wait time for a consultation to start is 10-20 minutes.		
Please ensure that the notification function is switched on to ensure you get appointment confirmation, reminder and alerts from the doctor and medical concierge.		
Then I wait for 5 sec		0.00s
Then I click on submit button		0.00s
And I verify following texts are displayed		0.00s
Request sent! We will notify you when your doctor confirms the request.		
After		0.00s

Back to Table of Contents

Scenario: Verify User should be able see the allocated doctor details			
Passed: 2	Failed: 1	Undefined: 1	Duration: 5.08s
Before			0.00s
Then I wait for 5 sec			5.01s
And I click on MyDoc Back button			0.04s
When I access health Consultation Summary			0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ab293924-f3c7-4f15-9232-36ee274d73d4
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary. naviGateToMyDocConsultationSummary(MyDocConsultationSummary.java:139)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps. naviGateToMyDocConsultationSummary(MyDocSteps.java:361)
at .When I access health Consultation Summary(features/ph/health/ConsultDoctor.feature: 153)

And I click on Consultation History and get assigned doctor name into variable

"DOCTOR_NAME"		0.00s
After		0.00s

Feature: Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.

Passed: 0	Failed: 8	Undefined: 0	Duration: 85.12s

Scenario: Verify User should be able to navigate to Consultation Summary and see all available Files

Passed: 7	Failed: 1	Undefined: 5	Duration: 75.97s

Before		0.00s
Given User has pulse app		9.94s
And I assign "${onepulse.login.id.consultdoctor}" to variable "PULSE_EMAIL"		0.00s
When I navigate to login page		7.94s
When user enters credentials		10.61s

UserName	${PULSE_EMAIL}
Password	Pas$1234

And User clicks on signin button		0.36s
Then I wait for 10 sec		10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		32.02s
Then user should be landed to "Home" screen		5.11s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/ph/health
/ConsultDoctorExistingUser.feature:14)

When I navigate to medical records screen		0.00s
Then User verify following texts are displayed in medical records screen		0.00s

Consultation History	
All My Files	

When I click on Consultation History link		0.00s
And I verify following texts are displayed		0.00s

Consultation History	

And I click on Consultation History screen back button		0.00s
After		0.00s

Scenario: Verify User should be able to see the Referral,Prescription and eMC Documents

Passed: 0	Failed: 1	Undefined: 3	Duration: .02s

Before		0.00s
When I click on All My Files link		0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 315f6f65-5a5e-4999-b154-25e79c849164
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='All My Files']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickAllMyFiles
(MyDocConsultationSummary.java:299)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAllMyFiles(MyDocSteps.
java:425)
at .When I click on All My Files link(features/ph/health/ConsultDoctorExistingUser.feature:
25)

Then I wait for 8 sec	0.00s
And I verify following texts are displayed	0.00s
All My Files	
Then User verify following documents are displayed in All My Files Screen	0.00s
Referral-11th-January-2021-KJRYIP3Q2BRB.pdf	
Prescription-11th-January-2021-KJRYHM3H2BRB.pdf	
eMC-11th-January-2021-13980.pdf	
After	0.00s

[Back to Table of Contents](#)

Scenario: Verify User should be able to download eMC Document

Passed: 0	Failed: 1	Undefined: 2	Duration: .01s
Before			0.00s

And I click on emc attachment	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 315f6f65-5a5e-4999-b154-25e79c849164
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='eMC-11th-January-2021-13980.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickEMCAttachment (MyDocConsultationSummary.java:402)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickEmcAttachment (MyDocSteps.java:492)
at .And I click on emc attachment(features/ph/health/ConsultDoctorExistingUser.feature:35)

| And I click on download button for attachments | 0.00s |
| | |

And I download "${EMC_FILE_NAME}" pdf file from phone to local machine			0.00s
After			**0.00s**

Scenario: Verify User should be able to verify the eMC details in downloaded PDF file			
Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before			**0.00s**

Then I verify following details are displayed in PDF File "${EMC_FILE_NAME}"	0.02s

Medical Certificate
${NRIC_NUMBER}
${DOCTOR_NAME}
${FIRST_NAME}

com.prudential.tap.exception.TapException: IO Exception while processing file [C:
\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources
/reports/summary/eMC-11th-January-2021-13980.pdf]
at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)
at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText
(MyDocConsultationSummary.java:760)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF
(MyDocSteps.java:504)
at .Then I verify following details are displayed in PDF File "${EMC_FILE_NAME}"(features
/ph/health/ConsultDoctorExistingUser.feature:40)

Then I close the file attachment	0.00s
After	**0.00s**

Scenario: Verify User should be able to download Prescription Document			
Passed: 0	Failed: 1	Undefined: 2	Duration: 4.06s
Before			**0.00s**

Then I open the Prescription	4.06s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 315f6f65-5a5e-4999-b154-25e79c849164
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Prescription-11th-
January-2021-KJRYHM3H2BRB.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.openPrescription
(MyDocConsultationSummary.java:696)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.openPrescription(MyDocSteps.
java:753)
at .Then I open the Prescription(features/ph/health/ConsultDoctorExistingUser.feature:48)

And I click on download button for attachments	0.00s
And I download "${PRE_FILE_NAME}" pdf file from phone to local machine	0.00s

After		0.00s

Scenario: Verify User should be able to verify the Prescription details in downloaded PDF file

Passed: 0	Failed: 1	Undefined: 1	Duration: .0s

Before		0.00s

Then I verify following details are displayed in PDF File "${PRE_FILE_NAME}"	0.00s

${FIRST_NAME}	
${NRIC_NUMBER}	
${PRESCRIPTION_DOCTOR_NAME}	
${PRESCRPTION_NUMBER}	

com.prudential.tap.exception.TapException: IO Exception while processing file [C:
\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources
/reports/summary/Prescription-11th-January-2021-KJRYHM3H2BRB.pdf]
at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)
at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText
(MyDocConsultationSummary.java:760)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF
(MyDocSteps.java:504)
at .Then I verify following details are displayed in PDF File "${PRE_FILE_NAME}"(features
/ph/health/ConsultDoctorExistingUser.feature:53)

Then I close the file attachment	0.00s

After		0.00s

Scenario: Verify User should be able to download the Referral Document

Passed: 0	Failed: 1	Undefined: 2	Duration: 5.04s

Before		0.00s

Then I open the referral	5.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 315f6f65-5a5e-4999-b154-25e79c849164
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Referral-11th-January-2021-KJRYIP3Q2BRB.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.openReferral (MyDocConsultationSummary.java:672)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.openReferral(MyDocSteps.java:

743)
at .Then I open the referral(features/ph/health/ConsultDoctorExistingUser.feature:61)

| And I click on download button for attachments | 0.00s |
| And I download "${REF_FILE_NAME}" pdf file from phone to local machine | 0.00s |

| After | | 0.00s |

Back to Table of Contents

Scenario: Verify User should be able to verify the Referral details in downloaded PDF file

| Passed: 0 | Failed: 1 | Undefined: 3 | Duration: .0s |

| Before | | 0.00s |

| Then I verify following details are displayed in PDF File "${REF_FILE_NAME}" | 0.00s |

${EPISODE ID}	
${NRIC_NUMBER}	
${PRESCRIPTION_DOCTOR_NAME}	
${REFERRAL_NUMBER}	

com.prudential.tap.exception.TapException: IO Exception while processing file [C:
\Users\manishkumar.gidwani\Automation env setup\pca-onepulse-app-tests/src/test/resources
/reports/summary/Referral-11th-January-2021-KJRYIP3Q2BRB.pdf]
at com.prudential.tap.filehandling.PdfFileUtil.getPDfDocument(PdfFileUtil.java:24)
at com.prudential.tap.filehandling.PdfFileUtil.getPDFText(PdfFileUtil.java:39)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.verifyPDFText
(MyDocConsultationSummary.java:760)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyEMCDetailsInPDF
(MyDocSteps.java:504)
at .Then I verify following details are displayed in PDF File "${REF_FILE_NAME}"(features
/ph/health/ConsultDoctorExistingUser.feature:66)

Then I close the file attachment	0.00s
And I click on Consultation Summary back button	0.00s
And I logout from onepulse app	0.00s

| After | | 0.00s |

Back to Table of Contents

Feature: Verify My Heart clinic functionality in Account screen

| Passed: 2 | Failed: 0 | Undefined: 0 | Duration: 117.78s |

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

| Passed: 8 | Failed: 0 | Undefined: 0 | Duration: 80.44s |

| Before | | 0.00s |

Given User has pulse app	9.31s
And I assign "${onepulse.login.global.idsetting}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.92s
When user enters credentials	10.55s

| UserName | ${PULSE_EMAIL} |
| Password | ${login.mysettings} |

| And User clicks on signin button | 0.32s |

Then I wait for 10 sec		10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		33.07s
Then user should be landed home screen		9.27s
After		0.00s

Scenario: Verify the popup for Health page is display properly

Passed: 10	Failed: 0	Undefined: 0	Duration: 37.34s
Before			0.00s

When I clicks on Health button	16.31s
And I wait for 1 sec	1.01s
Then I scroll down	4.56s
And I wait for 2 sec	2.01s
Then I scroll down	4.52s
And I wait for 2 sec	2.01s
Then I navigate to My Heart clinic screen	1.32s
And I wait for 5 sec	5.01s
Then I verify following texts in my heart clinic are Displayed in the popup	0.19s
${Health.MyeartClinic.AllowStatictext}	
Then I verify following button in my heart clinic are Displayed in the popup	0.41s
${Health.MyeartClinic.WhileUsingtheapptext}	
${Health.MyeartClinic.Onlythistimetext}	
${Health.MyeartClinic.Denytext}	
After	0.00s

Feature: Verify Free PA with COVID+ Vaccine Protection functionality on one pulse App

Passed: 3	Failed: 17	Undefined: 0	Duration: 43.57s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 6	Failed: 1	Undefined: 11	Duration: 32.31s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	10.89s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	14.35s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	3.07s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'	

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName(PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:12)

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s
When user enters registration details	0.00s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then I wait for 2 sec	0.00s
Then I click skip button	0.00s
Then I wait for 2 sec	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 2 sec	0.00s
After	0.00s

Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .02s
Before			0.00s

And I click on pru shoppe button on the home page	0.02s
After	0.00s

Scenario: Verify first time User are presented with T&C to proceed to the Pru Shoppe

Passed: 1	Failed: 1	Undefined: 0	Duration: 5.04s
Before			0.00s

And I wait for 5 sec	5.01s
Then I click on Proceed button on prushoppe screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:52)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to Free PA with COVID+Vaccine Protection tile**			
Passed: 1	Failed: 1	Undefined: 1	Duration: 5.07s
Before			0.00s

Then I wait for 5 sec	5.02s
Then I click on pru Free PA COVID Vaccine protection tile on prushoppe screen	0.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.PruShoppeScreen.clickFreePACovidVaccineProtectTile
(PruShoppeScreen.java:257)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToFreePACovidVaccineProtect(PruShoppeSteps.java:171)
at .Then I click on pru Free PA COVID Vaccine protection tile on prushoppe screen(features
/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:57)

Then I wait for 5 sec		0.00s
After		**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify Free PA with COVID+Vaccine Protection coverage details and conditions are listed above Show More link**

Passed: 0	Failed: 1	Undefined: 0	Duration: .1s
Before			**0.00s**

And I verify following texts are displayed	0.10s

${pavaccine.package.text}
${pavaccine.package.text.package.info.1}
${pavaccine.package.text.package.info.2}
${pavaccine.package.text.package.info.3}

java.lang.AssertionError: The following asserts failed:
PA-ADD with COVID-19 and COVID-19 Vaccine Protection Cover text is displayed on page
expected [true] but found [false],
Coverage Period : 1 year text is displayed on page expected [true] but found [false],
Guaranteed Php 50,000 lump sum in case of death due to COVID-19 text is displayed on page
expected [true] but found [false],
Burial Benefit of Php 10,000 if the Life Assured dies due to natural causes text is displayed on
page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:61)

After		**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify the Show More link is clickable in Free PA with COVID+Vaccine Protection**

screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .02s
Before			0.00s
And user click on following button "${show.more.text}" on prushoppe screen			0.02s
After			0.00s

Back to Table of Contents

Scenario: **Verify the Free PA with COVID+Vaccine Protection coverage details and conditions are listed on click Show More link**

Passed: 0	Failed: 1	Undefined: 0	Duration: .29s
Before			0.00s

And I verify following texts are displayed		0.30s
${pavaccine.package.text.package.info.4}		
${pavaccine.package.text.package.info.5}		
${pavaccine.package.text.package.info.6.1}		
${pavaccine.package.text.package.info.6.2}		
${pavaccine.package.text.package.info.6.3}		
${pavaccine.package.text.package.info.6.4}		
${pavaccine.package.text.package.info.6.5}		
${pavaccine.package.text.package.info.6.6}		
${pavaccine.package.text.package.info.7}		
${pavaccine.package.text.package.info.8}		
${pavaccine.package.text.package.info.9}		

java.lang.AssertionError: The following asserts failed:
Php 25,000 lump sum in case of accidental death and disablement/dismemberment text is displayed on page expected [true] but found [false],
Lump sum of Php 50,000 benefit in case of death due to the adverse effect of a COVID-19 Vaccine text is displayed on page expected [true] but found [false],
To avail of this product, the Life Assured must be: text is displayed on page expected [true] but found [false],
Within ages 18 to 64 text is displayed on page expected [true] but found [false],
Filipino citizen, residing in the Philippines at the time of application text is displayed on page expected [true] but found [false],
In good health, must not have any physical or medical impairment text is displayed on page expected [true] but found [false],
Must not be a suspect, probable, moderate or confirmed case for COVID-19 at the time of application text is displayed on page expected [true] but found [false],
Must not have received any COVID-19 Vaccine prior to applying for this product. text is displayed on page expected [true] but found [false],
If vaccinated within the Coverage Period, the COVID-19 Vaccine should have been approved by the FDA-Philippines and should have been administered in the Philippines text is displayed on page expected [true] but found [false],
The lump sum death benefit shall not be paid if death due to COVID-19 occurs within 14 days after the Coverage Start Date text is displayed on page expected [true] but found [false],
You are required to review the terms and conditions which include the product exclusions, prior to availing this product text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:71)

After		0.00s

Scenario: Verify the Show Less link is clickable in Free PA with COVID+Vaccine Protection screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .02s
Before			0.00s

And user click on following button "${show.less.text}" on prushoppe screen	0.02s

After		0.00s

Scenario: Verify the Your Details section in Free PA with COVID+Vaccine Protection screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .05s
Before			0.00s

And I verify following texts are displayed	0.05s

${your.details.text}
${scan.your.id.text}

java.lang.AssertionError: The following asserts failed:
Your Details text is displayed on page expected [true] but found [false],
Scan your ID text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:88)

After		0.00s

Scenario: Verify all the field headers in Free PA with COVID+Vaccine Protection screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .16s
Before			0.00s

And I verify following texts are displayed	0.16s

${id.no.text}
${firstname.text}
${middlename.text}
${lastname.text}
${prushoppe.gender.text}
${prushoppe.disease.dob}

java.lang.AssertionError: The following asserts failed:
ID Number text is displayed on page expected [true] but found [false],
First Name text is displayed on page expected [true] but found [false],
Middle Name text is displayed on page expected [true] but found [false],

Last name text is displayed on page expected [true] but found [false],
text is displayed on page expected [true] but found [false],
Date of birth text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:94)

After		0.00s

Scenario: **Scroll down for further validation**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

And I scroll down	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:103)

After		0.00s

Back to Table of Contents

Scenario: **Verify User should be able to see the fields in Your Details section**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .24s
Before			0.00s

And I verify following texts are displayed	0.24s

${ph.nationality}
${ph.placeofbirth}
${ph.proshoppe.address}
${ph.proshoppe.city}
${ph.proshoppe.country.code}
${ph.email.address}
${ph.occptn}
${ph.mobile.phone.number}
${ph.referral.code}

java.lang.AssertionError: The following asserts failed:
Nationality text is displayed on page expected [true] but found [false],
Place of Birth text is displayed on page expected [true] but found [false],
Address text is displayed on page expected [true] but found [false],
City/Province text is displayed on page expected [true] but found [false],
Country Code text is displayed on page expected [true] but found [false],
Email Address text is displayed on page expected [true] but found [false],
Occupation text is displayed on page expected [true] but found [false],
Mobile Phone Number text is displayed on page expected [true] but found [false],
Referral code (optional) text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:106)

After		0.00s

Back to Table of Contents

Scenario: **Scroll down for further validation**

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s

Before		0.00s

	And I scroll down	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature: 118)

After		0.00s

Scenario: Verify the Terms and Conditions text in Free PA with COVID+Vaccine Protection screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .06s
Before			0.00s

And I verify following texts are displayed		0.06s

${pavaccine.package.tnc.2}
${pavaccine.package.tnc.2}

java.lang.AssertionError: The following asserts failed:
By clicking PROCEED, I confirm and acknowledge that all the information I provided above including the product package I chose are correct. text is displayed on page expected [true] but found [false],
By clicking PROCEED, I confirm and acknowledge that all the information I provided above including the product package I chose are correct. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe /Pru_Free_PAwithCOVIDVaccine.feature:121)

After			0.00s

Scenario: Verify the Terms and Conditions can be accepted in Free PA with COVID+Vaccine Protection screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			0.00s

Then User accept the term and conditions in PRU Shoppe Screen		0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="termsandcondition"]/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.acceptGYRTTandC(PruShoppeScreen.java:249)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptGYRTTerms(PruShoppeSteps.java:166)
at .Then User accept the term and conditions in PRU Shoppe Screen(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:126)

| After | 0.00s |

Scenario: Scroll down for further validation

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s

Before		0.00s

And I scroll down	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)

at .And I scroll down(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:129)

After		0.00s

Scenario: Verify the presence of PROCEED button

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s

Before		0.00s

And I verify proceed button is displayed on pru shoppe screen		0.03s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.verifyProceedBtn
(PruShoppeSteps.java:146)
at .And I verify proceed button is displayed on pru shoppe screen(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:132)

After		0.00s

Scenario: Verify the validation error messages on click of PROCEED button

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s

Before		0.00s

Then I click on Proceed button on prushoppe screen		0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:135)

Then I verify the validation error message is displayed for following field on the Pru Shoppe screen	0.00s

ID Number	${ph.prushoppe.validation.id}	
Middle Name	${ph.prushoppe.validation.middlename}	
Place of Birth	${ph.prushoppe.validation.pob}	
City/Province	${ph.prushoppe.validation.city}	

And I scroll down	0.00s
And I verify the validation error message is displayed for following field on the Pru Shoppe screen	0.00s

Occupation	${ph.prushoppe.validation.ocptn}

After		0.00s

Scenario: Verify image of unauthorised ID not accepted

Passed: 0	Failed: 1	Undefined: 9	Duration: .01s

Before		0.00s

Then I scroll up	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.java:73)
at .Then I scroll up(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:
147)

And I scroll up	0.00s
And I scroll up	0.00s
And user click on Scan Your ID link	0.00s
Then I wait for 2 sec	0.00s
And user selects Camera option	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
Then I wait for 5 sec	0.00s
Then I verify following error message "${ph.prushoppe.validation.id.image}" is displayed	0.00s
After	**0.00s**

[Back to Table of Contents](#)

Scenario: **Verify user can enter other mandatory fields**			
Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			**0.00s**

And user enters your details in pru shoppe protection screen	0.03s

ID Number	TST5689
Middle Name	Tst Name
Place of Birth	Tst Place
Address	Tst Address
City/Province	Tst City

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ee77ac2c-ee20-4398-8d2d-1160dd1d59b9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'ID Number')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PruShoppeScreen.enterYourDetails(PruShoppeScreen.java:268)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterYourDetails (PruShoppeSteps.java:178)
at .And user enters your details in pru shoppe protection screen(features/ph/home/prushoppe /Pru_Free_PAwithCOVIDVaccine.feature:159)

Then I scroll down	0.00s

	And user enters your details in pru shoppe protection screen		0.00s
	Occupation ${ph.prushoppe.ocptn.student}		
After			0.00s

Back to Table of Contents

Feature: Verify Group Yearly Renewable Term Insurance(GYRT) functionality on one pulse App

Passed: 3	Failed: 17	Undefined: 0	Duration: 185.54s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 16	Failed: 1	Undefined: 1	Duration: 167.65s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	9.85s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	16.67s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	22.58s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.79s
Then I wait for 2 sec	1.99s
When user enters registration details	7.29s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.28s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.38s
Then I wait for 2 sec	1.99s
Then I click skip button	18.93s
Then I wait for 2 sec	2.00s
Then user should be landed to "Home" screen	44.89s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/ph/home/prushoppe/Pru_Group
Yearly Renewable Term Insurance(GYRT).feature:25)

Then I wait for 2 sec			0.00s
After			0.00s

Scenario: **Navigate to PRU Shoppe screen**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 6.67s
Before			0.00s
And I click on pru shoppe button on the home page			6.67s
After			0.00s

Scenario: **Verify first time User are presented with T&C to proceed to the Pru Shoppe**			
Passed: 1	Failed: 1	Undefined: 0	Duration: 5.03s
Before			0.00s
And I wait for 5 sec			5.01s
Then I click on Proceed button on prushoppe screen			0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or @text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:52)

After		0.00s

[Back to Table of Contents]

Scenario: **Verify User should be able to navigate to GYRT tile**			
Passed: 1	Failed: 1	Undefined: 1	Duration: 5.04s
Before			0.00s

And I wait for 5 sec	5.00s
Then I click on pru GYRT tile on prushoppe screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.PruShoppeScreen.clickGYRTTile(PruShoppeScreen.java:241)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.navigateToGYRT (PruShoppeSteps.java:161)
at .Then I click on pru GYRT tile on prushoppe screen(features/ph/home/prushoppe /Pru_Group Yearly Renewable Term Insurance(GYRT).feature:56)

| Then I wait for 5 sec | 0.00s |

| After | 0.00s |

Back to Table of Contents

| Scenario: Verify the GYRT coverage details and conditions are listed above Show More link |
Passed: 0	Failed: 1	Undefined: 0	Duration: .11s
Before	0.00s
And I verify following texts are displayed	0.11s
${gyrtpackage.text}	

${gyrtpackage.info.1}
${gyrtpackage.info.2}
${gyrtpackage.info.3.1}
${gyrtpackage.info.3.2}

java.lang.AssertionError: The following asserts failed:
Group Yearly Renewable Term text is displayed on page expected [true] but found [false],
Provides P50,000 lump sum benefit in case of death text is displayed on page expected [true] but found [false],
Coverage for 1 year, renewable until age 64, subject to certain terms and conditions text is displayed on page expected [true] but found [false],
You can avail of this product if you are within ages 18 text is displayed on page expected [true] but found [false],
64, a Filipino citizen residing in the Philippines at time of application and in good health condition (free of physical or medical impairment) text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:60)

After		0.00s

Scenario: **Verify the Show More link is clickable in GYRT screen**			
Passed: 1	Failed: 0	Undefined: 0	Duration: .02s
Before			0.00s

And user click on following button "${show.more.text}" on prushoppe screen	0.02s
After	0.00s

Scenario: **Verify the GYRT coverage details and conditions are listed on click Show More link**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .06s
Before			0.00s

And I verify following texts are displayed	0.06s

${gyrtpackage.info.4}
${gyrtpackage.info.5}
${gyrtpackage.info.6}

java.lang.AssertionError: The following asserts failed:
During the last five (5) years, you must not have consulted, nor been treated or examined for more than two (2) weeks by a doctor for any disease or injury, and not have undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes text is displayed on page expected [true] but found [false],
You must not have been confined in a hospital for any length of time or had any surgical procedure text is displayed on page expected [true] but found [false],
You are required to review the Terms and Conditions, which include the product exclusions, prior to proceeding text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly
Renewable Term Insurance(GYRT).feature:72)

After		0.00s

Scenario: Verify the Show Less link is clickable in GYRT screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .03s

Before		0.00s

And user click on following button "${show.less.text}" on prushoppe screen	0.03s

After		0.00s

Scenario: Verify the Your Details section in GYRT screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .05s

Before		0.00s

And I verify following texts are displayed	0.05s

${your.details.text}
${scan.your.id.text}

java.lang.AssertionError: The following asserts failed:
Your Details text is displayed on page expected [true] but found [false],
Scan your ID text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly
Renewable Term Insurance(GYRT).feature:81)

After		0.00s

Scenario: Verify all the field headers in GYRT screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .16s

Before		0.00s

And I verify following texts are displayed	0.16s

${id.no.text}
${firstname.text}
${middlename.text}
${lastname.text}
${prushoppe.disease.gender.text}
${prushoppe.disease.dob}

java.lang.AssertionError: The following asserts failed:
ID Number text is displayed on page expected [true] but found [false],
First Name text is displayed on page expected [true] but found [false],
Middle Name text is displayed on page expected [true] but found [false],
Last name text is displayed on page expected [true] but found [false],

Gender text is displayed on page expected [true] but found [false],
Date of birth text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly
Renewable Term Insurance(GYRT).feature:87)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Scroll down for further validation**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

And I scroll down	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term
Insurance(GYRT).feature:96)

After		0.00s

Back to Table of Contents

Scenario: **Verify User should be able to see the fields in Your Details section**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .22s
Before			0.00s

And I verify following texts are displayed	0.22s

${ph.nationality}
${ph.placeofbirth}
${ph.proshoppe.address}
${ph.proshoppe.city}
${ph.proshoppe.country.code}
${ph.email.address}
${ph.occptn}
${ph.mobile.phone.number}
${ph.referral.code}

java.lang.AssertionError: The following asserts failed:
Nationality text is displayed on page expected [true] but found [false],
Place of Birth text is displayed on page expected [true] but found [false],
Address text is displayed on page expected [true] but found [false],
City/Province text is displayed on page expected [true] but found [false],
Country Code text is displayed on page expected [true] but found [false],
Email Address text is displayed on page expected [true] but found [false],
Occupation text is displayed on page expected [true] but found [false],
Mobile Phone Number text is displayed on page expected [true] but found [false],
Referral code (optional) text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly
Renewable Term Insurance(GYRT).feature:99)

After		0.00s

Back to Table of Contents

Scenario: **Scroll down for further validation**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

And I scroll down	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:111)

After	0.00s

Scenario: Verify the Terms and Conditions text in GYRT screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .34s
Before			**0.00s**

And I verify following texts are displayed	0.34s

${gyrtpackage.tnc.1.1}
${gyrtpackage.tnc.1.2}
${gyrtpackage.tnc.1.3}
${gyrtpackage.tnc.1.4}
${gyrtpackage.tnc.1.5}
${gyrtpackage.tnc.1.6}
${gyrtpackage.tnc.1.7}
${gyrtpackage.tnc.1.8}
${gyrtpackage.tnc.2.1}
${gyrtpackage.tnc.2.2}
${gyrtpackage.tnc.2.3}
${gyrtpackage.tnc.2.5}

java.lang.AssertionError: The following asserts failed:
I have read, understood, agree to, and confirm the Product text is displayed on page expected [true] but found [false],
Terms and Conditions text is displayed on page expected [true] but found [false],
Declaration of Understanding. text is displayed on page expected [true] but found [false],
I declare that I text is displayed on page expected [true] but found [false],
(i) am in good health; text is displayed on page expected [true] but found [false],
(ii) have no physical nor medical impairment; text is displayed on page expected [true] but found [false],
(iii) in the last 5 years, have not consulted, nor been examined or treated for more than two (2) weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and text is displayed on page expected [true] but found [false],
(iv) have not been confined in a hospital for any length of time or had any surgical procedure; text is displayed on page expected [true] but found [false],
By clicking PROCEED text is displayed on page expected [true] but found [false],
I confirm and acknowledge text is displayed on page expected [true] but found [false],
that all the information text is displayed on page expected [true] but found [false],
correct. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:114)

After			**0.00s**

Scenario: Verify the Terms and Conditions can be accepted in GYRT screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			**0.00s**

Then User accept the term and conditions in PRU Shoppe Screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="termsandcondition"]/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.acceptGYRTTandC(PruShoppeScreen.java:249)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptGYRTTerms(PruShoppeSteps.java:166)
at .Then User accept the term and conditions in PRU Shoppe Screen(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:130)

After		0.00s

Scenario: **Scroll down for further validation**		
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before		0.00s

And I scroll down		0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term
Insurance(GYRT).feature:133)

After		0.00s

Scenario: **Verify the presence of PROCEED button**			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

And I verify proceed button is displayed on pru shoppe screen	0.03s

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.verifyProceedBtn
(PruShoppeSteps.java:146)
at .And I verify proceed button is displayed on pru shoppe screen(features/ph/home/prushoppe
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:136)

After		0.00s

Scenario: **Verify the validation error messages on click of PROCEED button**			
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s

Then I click on Proceed button on prushoppe screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or @text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:139)

Then I verify the validation error message is displayed for following field on the Pru Shoppe screen	0.00s

ID Number	${ph.prushoppe.validation.id}	
Middle Name	${ph.prushoppe.validation.middlename}	
Place of Birth	${ph.prushoppe.validation.pob}	
City/Province	${ph.prushoppe.validation.city}	

And I scroll down	0.00s
And I verify the validation error message is displayed for following field on the Pru Shoppe screen	0.00s

| Occupation | ${ph.prushoppe.validation.ocptn} | |

After		0.00s

[Back to Table of Contents]

Scenario: Verify image of unauthorised ID not accepted

Passed: 0	Failed: 1	Undefined: 9	Duration: .01s
Before		0.00s	

Then I scroll up	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.java:73)
at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term
Insurance(GYRT).feature:150)

And I scroll up	0.00s
And I scroll up	0.00s
And user click on Scan Your ID link	0.00s
Then I wait for 2 sec	0.00s
And user selects Camera option	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
Then I wait for 5 sec	0.00s
Then I verify following error message "${ph.prushoppe.validation.id.image}" is displayed	0.00s

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify user can enter other mandatory fields

| Passed: 0 | Failed: 1 | Undefined: 2 | Duration: .03s |

| Before | | 0.00s |

| And user enters your details in pru shoppe protection screen | 0.03s |

ID Number	TST5689
Middle Name	Tst Name
Place of Birth	Tst Place
Address	Tst Address
City/Province	Tst City

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 744d706d-05a9-4b3f-a06d-19ba675aa0e1
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'ID Number')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PruShoppeScreen.enterYourDetails(PruShoppeScreen.java:268)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterYourDetails
(PruShoppeSteps.java:178)
at .And user enters your details in pru shoppe protection screen(features/ph/home/prushoppe
/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:162)

Then I scroll down	0.00s
And user enters your details in pru shoppe protection screen	0.00s
Occupation ${ph.prushoppe.ocptn.student}	

After	0.00s

Feature: Verify that user can view his registered policies under My Policies

Passed: 0	Failed: 2	Undefined: 0	Duration: 162.18s

Scenario: Verify that No linked policies information message is displayed

Passed: 9	Failed: 1	Undefined: 0	Duration: 112.95s

Before		0.00s
Given User has pulse app		10.08s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"		0.00s
When I navigate to login page		8.80s
When user enters credentials		10.44s
UserName	${PULSE_EMAIL}	
Password	${Password.text}	
And User clicks on signin button		0.32s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		31.01s
Then user should be landed home screen		8.31s
When I clicks on "${prushoppe.policies.txt}" icon in Home screen		0.52s
Then User can see the list of linked policies		33.47s

java.lang.AssertionError: The following asserts failed:
Link Policy title is not matching with the UI expected [true] but found [false],
Information title is not matching with the UI in link Policies screen expected [true] but found
[false],
No Policies are linked to the logged in user message is not matching with the UI in My Policies
screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.MyPoliciesScreen.validateMyPoliciesScreenUI(MyPoliciesScreen.java:112)
at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.
userCanSeeTheListOfLinkedPolicies(MyPolicySteps.java:32)
at .Then User can see the list of linked policies(features/ph/mypolicies/MyPolicies.feature:17)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify that user can access his policies from Home screen**			
Passed: 6	Failed: 1	Undefined: 17	Duration: 49.23s
Before			0.00s

Given User has pulse app	11.59s
And user click on "${continue.with.google.text}" with Google button	6.70s
And I click the "Email" in Continue with Gmail	15.68s

Emailid	${login.id.continue.with.google}
Password	pulsesgqa@123

Then user should be landed home screen	11.49s
When I clicks on "${my.policies.textchange}" icon in Home screen	0.45s
And I clicks on Proceed button to accept the terms and conditions	1.64s
Then User can see the list of linked policies	1.68s

java.lang.AssertionError: The following asserts failed:
Link Policy title is not matching with the UI expected [true] but found [false],
Information title is not matching with the UI in link Policies screen expected [true] but found
[false],
No Policies are linked to the logged in user message is not matching with the UI in My Policies
screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.MyPoliciesScreen.validateMyPoliciesScreenUI(MyPoliciesScreen.java:112)
at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.userCanSeeTheListOfLinkedPolicies(MyPolicySteps.java:32)
at .Then User can see the list of linked policies(features/ph/mypolicies/MyPolicies.feature:28)

Then Verify the policy details on my policies home screen	0.00s
When User clicks on "${policydetails.inforce.txt}" button to access the PruSafe COVID Vaccine	0.00s
Then I wait for 5 sec	0.00s
Then User will be landed in Policy Info screen	0.00s
And Verify the Policy Info screen UI	0.00s
When User clicks on "${policydetails.benefits.investment.txt}" tab	0.00s
Then User can verify the benefits screen UI	0.00s
When User click on "${policydetails.contract.txt}" tab	0.00s
Then User can verify the Policy Contract screen UI	0.00s
When User clicks on Submit a Claim button	0.00s
Then User can see an authentication pop-up to authenticate the transaction	0.00s
When User clicks on Mobile number checkbox	0.00s
And User clicks on Send button	0.00s
Then User can see OTP verification screen	0.00s
When User enters Invalid OTP and clicks on Continue button	0.00s
OTP 123456	
Then User can see that Invalid OTP error message	0.00s
And User clicks on Cancel button	0.00s

After	0.00s

[Back to Table of Contents](#)

Feature: **Verify wealth channel functionality on one pulse App**			
Passed: 3	Failed: 10	Undefined: 0	Duration: 203.61s

Scenario: **Verify User should be able to login using email account**			
Passed: 9	Failed: 0	Undefined: 0	Duration: 83.35s
Before			0.00s

Given User has pulse app	9.86s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	8.30s
Given I create connection for api service	0.00s
When user enters credentials	10.66s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	0.36s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.31s
Then user should be landed to "Home" screen	13.86s

After			0.00s

Scenario: **Verify User should be able to navigate to wealth page**			
Passed: 4	Failed: 0	Undefined: 0	Duration: 48.1s
Before			0.00s

And I scroll down	4.57s
Then I wait for 10 sec	10.01s
Then I click on Wealth Channels on landing page	0.55s
And I verify following wealth channel option are displayed	32.97s

Wealth Channels

After			0.00s

Scenario: **Verify User should be able to view the story post**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.59s
Before			0.00s

Then I click on "Teach your child with Cha-Ching" wealth channel topic	5.59s

After			0.00s

Scenario: **Verify User should be able to see the story post Like, Share, Comment options**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.09s
Before			0.00s

And I verify following social cite options are displayed	10.09s

Like
Share
Comment

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while

processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:
527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/ph/wealth/WealthChannel.
feature:38)

After		0.00s

Scenario: Verify User should be able to Like the post			
Passed: 0	Failed: 1	Undefined: 3	Duration: 13.08s
Before			0.00s

And I read the "Teach your child with Cha-Ching" post like count	13.08s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Teach your child with Cha-Ching")]/following::android.widget.TextView[contains(@text, 'Likes')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:256)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:188)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount(WealthSteps.java:85)
at .And I read the "Teach your child with Cha-Ching" post like count(features/ph/wealth/WealthChannel.feature:44)

And I Like the post	0.00s
Then I verify "Teach your child with Cha-Ching" post like count is increased	0.00s
And I Like the post	0.00s

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post**			
Passed: 0	Failed: 1	Undefined: 1	Duration: 5.03s
Before			0.00s

And I share the post	5.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/ph/wealth/WealthChannel.feature:50)

Then I Verify the share with friends popup		0.00s
After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Comment the post**			
Passed: 0	Failed: 1	Undefined: 2	Duration: 5.03s
Before			0.00s

And I read the "Teach your child with Cha-Ching" post comment count	5.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Teach your child with Cha-Ching")]/following::android.widget.TextView[5]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:256)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:242)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount
(WealthSteps.java:100)
at .And I read the "Teach your child with Cha-Ching" post comment count(features/ph/wealth
/WealthChannel.feature:54)

| And I commented in the post "${wealth.topic.comment}" | 0.00s |
| Then I verify "Teach your child with Cha-Ching" post comment count is increased | 0.00s |

| After | | 0.00s |

[Back to Table of Contents](#)

Scenario: Verify User should be able to view the full page article post

| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 5.05s |

| Before | | 0.00s |

| Then I click on "Teach your child with Cha-Ching" topic for details full view | 5.05s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Teach your child with Cha-Ching")]/../following::android.widget.ScrollView[1]/android.view. ViewGroup/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Teach your child with Cha-Ching" topic for details full view(features/ph
/wealth/WealthChannel.feature:59)

After		0.00s
[Back to Table of Contents](#)		
Scenario: **Verify User should be able to see the Like, Share, Comment options on full page article post**		
Passed: 1	Failed: 1	Undefined: 0	Duration: 15.08s
Before		0.00s

Then I wait for 5 sec	**5.01s**
And I verify following social cite options are displayed	**10.07s**

Like
Share
Comment

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:

527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/ph/wealth/WealthChannel.
feature:63)

After		0.00s

Scenario: **Verify User should be able to Like the post in full article view screen**			
Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
Before			0.00s

And I Like the post	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/ph/wealth/WealthChannel.feature:68)

| And I Like the post | 0.00s |
| After | 0.00s |

Back to Table of Contents

Scenario: **Verify User should be able to Share the post in full article view screen**

| Passed: 0 | Failed: 1 | Undefined: 1 | Duration: 5.05s |
| Before | | | 0.00s |

| And I share the post | 5.05s |

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:90)
at .And I share the post(features/ph/wealth/WealthChannel.feature:72)

| Then I navigate back to previous page | 0.00s |

After		0.00s

Scenario: Verify User should be able to Comment the post in full article view screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.04s
Before			0.00s

And I comment in full view post article "${wealth.topic.comment}"	5.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 20df8424-2738-42c4-9902-0312ecd010e4
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.java:280)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle(WealthSteps.java:115)
at .And I comment in full view post article "${wealth.topic.comment}"(features/ph/wealth/WealthChannel.feature:76)

After		0.00s

[Back to Table of Contents](#)

Scenario: **Verify User can navigate to wealth homepage**			
Passed: 0	Failed: 1	Undefined: 2	Duration: 3.07s
Before			0.00s

Then I navigate to story post page	3.07s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 20df8424-2738-42c4-9902-0312ecd010e4

*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')] /preceding::android.widget.ImageView}

at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)

at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage (WealthSteps.java:70)

at .Then I navigate to story post page(features/ph/wealth/WealthChannel.feature:79)

Then I click on "Teach your child with Cha-Ching" back button	0.00s
Then I click on "Wealth Channels" back button	0.00s
After	0.00s

Feature: Verify legal and legacy on One Pluse App

Passed: 3	Failed: 1	Undefined: 0	Duration: 119.15s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 8	Failed: 0	Undefined: 0	Duration: 83.97s
Before			0.00s

Given User has pulse app	9.92s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.38s
When user enters credentials	10.68s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.31s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	31.69s
Then user should be landed to "Home" screen	13.98s

After			0.00s

Scenario: Verify the Terms and condition should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 12.0s
Before			0.00s

Then I wait for 5 sec	5.01s
And I click the Account icon in Home screen	0.80s
And I click the Legacy and Privacy in Account screen	3.72s
Then I verify following texts are displayed in terms and condition screen	2.48s

${Terms.conditions.text}
${Privacy.Notice.text}
${Regulatory.text}

After			0.00s

Scenario: Verify the Privacy screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 21.31s
Before			0.00s

And I click the Privacy icon in legal screen	2.92s
And I click the pulse icon in Account screen	13.68s
And I click the Back icon in pulse screen	2.34s
And I click the Back icon in Privacy Notice	2.37s

After			0.00s

Scenario: Verify the Regulator screen should be displayed

Passed: 1	Failed: 1	Undefined: 4	Duration: 1.87s
Before			0.00s

And I click the Regulatory icon in legal screen	1.24s
And I click the Babylons icon in Account screen	0.63s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 8cd992f7-6625-453c-a1dd-f2c8699669ac
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Babylon')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickBabylon(CustomerConnectScreen.java:711)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickBabylon
(CustomerConnectSteps.java:204)
at .And I click the Babylons icon in Account screen(features/sg/profile/LegalAndLegacy.feature:41)

Then I verify following texts are displayed in terms and condition screen		0.00s
${Clinicalsafety.text}		
${AI.in.Healthcare.text}		
${Localisation.text}		
${Privacy.Data.Protection.text}		
${Raising.Concerns}		
And I click the clinical safety icon in Account screen		0.00s
Then I wait for 8 sec		0.00s
And I click the Back icons in pulse screen		0.00s
After		0.00s

[Back to Table of Contents](#)