Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	5	24	0	0	29	17%
Scenarios	93	198	0	0	291	32%
Steps	707	198	0	321	1,226	58%

Overall Duration: 1h 28m 37s

Table of Contents

- 1. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify registration functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. verify the field label on registration screen
 - 3. verify the validation message for mandatory fields
 - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
 - 6. Verify the validation message when user enter already registered email id on registration page
 - 7. Verify the mobile number screen validation using "Continue with Email"
 - 8. Verify the Registration screen validation using "Continue with Email"
 - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Edit profile screen
 - 4. Verify User should be able to change the profile picture in edit profile screen
 - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
 - 6. Verify user can able to change the details in edit profile screen
 - 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
 - 8. verify the user details should be correctly on babylon screen
 - 9. navigate back to health screen
- 4. Verify the Babylon Registration via HRA journey
 - 1. User should be able to Register for Babylon HRA
 - 2. User should be able to Register for Babylon HRA
- 5. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"

- 3. User should be able to locate Hospitals using PruShoppe location
- 4. User can see details of listed hospitals in detail
- 5. User can see the details in speciality tab
- 6. User can see the details in doctor's tab
- 7. User can see the details in rooms tab
- 8. User can navigate out of the hospital details screen
- 9. User should be able to locate cli using PruShoppe location
- 10. User can verify the clinic page
- 11. User can view listed clinic details
- 12. User can view listed clinic info
- 13. User can view listed clinic info details
- 14. User can navigate back to clinics screen
- 6. Verify Medicine Reminder Positive Flow functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Verify User should be able to navigate to medical reminder page
 - 3. verify the static text on medicine reminder screen
 - 4. verify add medicine screen is launched and user can enter the required info on medical info screen
 - 5. verify user navigated to schedule screen and user can enter the required info
 - 6. Verify User should be able to navigate to More Setting page
 - 7. verify Add medicine screen is displayed when user click on add new reminder on success popup
 - 8. verify medicine reminder home screen is displayed when user click on not now button on success popun
 - 9. navigate to health screen
 - 10. Verify User should be able to navigate to calendar page
- 7. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 8. Verify My Health Content functionality on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Health page
 - 4. Verify User should be able to view the full page article post
 - 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 6. Verify User should be able to Like the post in full article view screen
 - 7. Verify User should be able to Share the post in full article view screen
 - 8. Verify User can navigate to Health homepage
- 9. Verify Notification Center functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
- 10. Verify My Challenges on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"

- 3. Verify My Challenges texts
- 4. Click on All challenges and and verify texts
- 11. Verify My Communities on One Pluse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
 - 4. Leave the community if already joined
 - 5. Verify the All Communities Post screen
 - 6. Verify the Likes and comments counts in All communities tab
 - 7. Verify the Share with Friends Functionality in All communities tab
 - 8. Verify the Post Functionality in All communities
 - 9. Verify the Category list and search feature
 - 10. User navigates back to the community screen
 - 11. Leave the community if already joined
- 12. Verify Private My Communities on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify the My communities screen
 - 4. Verify the Private Communities in communities screen
- 13. Verify legal and legacy on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen
 - 4. Verify the Legacy and Privacy should be displayed
 - 5. Verify the Terms and condition screen should be displayed
 - 6. Verify the Privacy screen should be displayed
 - 7. Verify the Regulator screen should be displayed
- 14. Verify My accounts options in Account screen
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen and verify all the options
 - 4. Verify wearable screen in Account tab
 - 5. navigate back to account screen from my wearable screen
 - 6. Navigate to account screen
 - 7. Verify reward screen in Account tab
 - 8. User access My Rewards FAO
 - 9. Verify the FAO on my rewards screen
 - 10. Verify the FAQ on my rewards screen
 - 11. Verify the FAO on my rewards screen
 - 12. Verify the FAO on my rewards screen
 - 13. Verify the FAO on my rewards screen
 - 14. Verify the FAQ on my rewards screen
 - 15. Verify the FAO on my rewards screen
 - 16. Verify the FAQ on my rewards screen
 - 17. navigate back to account screen from my rewards screen
 - 18. Verify Notification screen in Account tab
 - 19. navigate back to account screen from Notification screen
 - 20. Verify my feedback screen in Account tab
 - 21. Verify the submit functionality in My feedback screen
 - 22. Verify the Pulse Personalised tab

- 23. Save the consent with data privacy check
- 24. Save the consent without data privacy check
- 25. navigate back to account screen from pulse personalised screen
- 15. Verify MySettings functionality in Account screen
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Navigate to account screen
 - 4. Verify my setting screen in Account tab
 - 5. navigate back to account screen from my setting screen
- 16. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the user can access My Wearables via Fitness
- 17. Verify the BabyLon HRA Report Nutrition, Body, Activity
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Babylon Health Risk Assessment Report
 - 4. Verify the HRA Activity Report
 - 5. Verify the HRA Activity Report
 - 6. Verify the HRA Nutrition Report
 - 7. Verify the HRA Report Keep It Up sub-section
 - 8. Verify the HRA Report Make a Change sub-section
 - 9. User should be able to access Babylon HRA Healthcheck Body
 - 10. navigate back to digital twin screen
 - 11. User should be able to access Babylon HRA Healthcheck Nutrition
 - 12. Navigate back to nutrition screen and validate the static text
 - 13. <u>navigate back to digital twin screen</u>
 - 14. User should be able to access Babylon HRA Healthcheck Activity
 - 15. Navigate back to Activity screen and validate the static text
 - 16. navigate back to digital twin screen
 - 17. User should be able to access Babylon HRA Healthcheck Mood
 - 18. navigate back to digital twin screen
- 18. Verify that user can access calendar under health section
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Calendar screen
- 19. Verify that user can access Chinese Medicine feature
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. User should be able to access Chinese Medicine screen
 - 3. Verify the carousel on Chinese Medicine journey
 - 4. Verify the carousel on Chinese Medicine journey
 - 5. verify the text and button on final assessment carousel
 - 6. User should be able to complete Chinese Medicine profile
 - 7. Verify the O&A on Chinese Medicine journey
 - 8. Verify the Q&A on Chinese Medicine journey
 - 9. Verify the O&A on Chinese Medicine journey
 - 10. Verify the O&A on Chinese Medicine journey
 - 11. Verify the O&A on Chinese Medicine journey
 - 12. Verify the O&A on Chinese Medicine journey
 - 13. Verify the Q&A on Chinese Medicine journey

- 14. Verify the Q&A on Chinese Medicine journey
- 15. Verify the O&A on Chinese Medicine journey
- 16. Verify the Q&A on Chinese Medicine journey
- 17. Verify the Q&A on Chinese Medicine journey
- 18. Verify the O&A on Chinese Medicine journey
- 19. Verify the Q&A on Chinese Medicine journey
- 20. Verify the Q&A on Chinese Medicine journey
- 21. Verify the O&A on Chinese Medicine journey
- 22. Verify the O&A on Chinese Medicine journey
- 23. Verify the Q&A on Chinese Medicine journey
- 24 Verify the O.S.A. on Chinese Medicine journey
- 24. Verify the Q&A on Chinese Medicine journey
- 25. Verify the Q&A on Chinese Medicine journey
- 26. Verify the Q&A on Chinese Medicine journey
- 27. Verify the Q&A on Chinese Medicine journey
- 28. Verify the Q&A on Chinese Medicine journey
- 29. Verify the Q&A on Chinese Medicine journey
- 30. Verify the O&A on Chinese Medicine journey
- 31. Verify the Q&A on Chinese Medicine journey
- 32. Verify the Q&A on Chinese Medicine journey
- 33. Verify the Q&A on Chinese Medicine journey
- 34. Verify the Q&A on Chinese Medicine journey
- 35. Verify the Q&A on Chinese Medicine journey
- 36. Verify the Q&A on Chinese Medicine journey
- 37. Verify the Q&A on Chinese Medicine journey
- 38. Verify the Q&A on Chinese Medicine journey
- 39. Verify the Q&A on Chinese Medicine journey
- 40. <u>Verify the Q&A on Chinese Medicine journey</u> 41. <u>Verify the Q&A on Chinese Medicine journey</u>
- 41. Verify the QXA on Chinese Wedichie journey
- 42. Verify the Q&A on Chinese Medicine journey 43. Verify the Q&A on Chinese Medicine journey
- 44. Verify the O&A on Chinese Medicine journey
- 45. Verify the O&A on Chinese Medicine journey
- 46. Verify the O&A on Chinese Medicine journey
- 47. Verify the O&A on Chinese Medicine journey
- Tr. Territ the Oart on Chinese Medicine Journey
- 48. Verify the Q&A on Chinese Medicine journey
- 49. Verify the Q&A on Chinese Medicine journey
- 50. Verify the Q&A on Chinese Medicine journey
- 51. Verify the Q&A on Chinese Medicine journey
- 52. Verify the Q&A on Chinese Medicine journey
- 53. Verify the O&A on Chinese Medicine journey
- 54. Verify the Q&A on Chinese Medicine journey
- 55. Verify the Q&A on Chinese Medicine journey
- 56. Verify the Q&A on Chinese Medicine journey
- 57. Verify the Q&A on Chinese Medicine journey
- 58. Verify the O&A on Chinese Medicine journey
- 59. Verify the Q&A on Chinese Medicine journey
- 60. Verify the Q&A on Chinese Medicine journey
- 61. Verify the O&A on Chinese Medicine journey
- 62. Verify the O&A on Chinese Medicine journey
- 63. Verify the O&A on Chinese Medicine journey
- 64. Verify the O&A on Chinese Medicine journey

- 65. Verify the Q&A on Chinese Medicine journey
- 66. Verify the O&A on Chinese Medicine journey
- 67. Verify the Q&A on Chinese Medicine journey
- 68. Verify the Q&A on Chinese Medicine journey
- 69. Verify the O&A on Chinese Medicine journey
- 70. Verify the Assessment completion screen
- 71. Verify the user can view the Assessment Record
- 72. Verify the Assessment Summary
- 73. Verify the "Constitution" Details of the Assessment
- 74. Verify the "Change In Tongue" Details of the Assessment
- 20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Select the expert type as doctor and navigate to next screen
 - 4. Verify User should be able to navigate to specialisation page
 - 5. Verify User should be able to navigate to Educational Details page
 - 6. Verify User should be able to navigate to Add experience page
 - 7. Verify User should be able to navigate to Services Offered page
 - 8. Verify User should be able to navigate to achievement and awards screen
 - 9. Verify User should be able to navigate to Seminar(s) Attended page
 - 10. Verify User should be able to navigate to linked clinic page
 - 11. Verify User should be able to navigate to Take a Picture page
 - 12. Verify User should be able to navigate to schedule Calendar page
- 21. Verify that user can manage events via the Family Vaccine Calendar feature
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. User should be able to access my family vaccination calendar
 - 3. Verify the user can Add Vaccine Information
 - 4. enter information on add vaccination popup
 - 5. Verify the added item displayed on the Vaccine Schedule screen
 - 6. Verify reminder options in vaccine schedule
 - 7. Verify change reminder functionality in vaccine schedule screen
- 22. Verify that user can access Dengue Alert feature
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the map can be expanded
 - 4. User should be able to vew the Dengue Outbreak Malaysia
 - 5. User should be able to vew the Dengue Cases Malaysia
- 23. Verify Pru infectious disease cover functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Navigate to PRU Shoppe screen
 - 3. Verify User should be able to see the infectious disease cover screen options
 - 4. Verify User should be able to see the infectious disease cover Screen options
 - 5. Verify User should be able to see the infectious disease cover term and condition
 - 6. Verify User should be able to see the infectious disease cover term and condition
 - 7. Verify User should be able to see the infectious disease cover term and condition
 - 8. Verify User should be able to see the infectious disease cover term and condition
 - 9. verify that user can see agreement and proceed button
- 24. Verify Pru Shoppe My Coverage functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu

- 2. login to the app with correct credentials using "Continue with Email"
- 3. Verify user can access his policies from Pru Shoppe My Policies screen
- 4. Click on Link policy and verify screen to add policy number
- 5. Verify the error message when the Policy Number is blank
- 6. Verify the error message when the Policy Number is invalid or incorrect
- 7. Verify the error message when the Cancel Button
- 25. Verify wealth channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to wealth page
 - 4. Verify User should be able to view the story post
 - 5. Verify User should be able to Like the post
 - 6. Verify User should be able to Share the post
 - 7. Verify User should be able to Comment the post
 - 8. Verify User should be able to view the full page article post
 - 9. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 10. Verify User should be able to Like the post in full article view screen
 - 11. Verify User should be able to Share the post in full article view screen
 - 12. Verify User should be able to Comment the post in full article view screen
 - 13. Verify User can navigate to wealth homepage
- 26. Verify Notification Center functionality on one pulse App
 - 1. Navigate to notification screen via home screen
 - 2. Verify User should be able to see the Notification screen texts
- 27. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 28. Verify Notification Center functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
- 29. Verify share with friends functionality in OnePulse app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to share the link with Whatsapp
 - 4. Verify User should be able to share the link with Contacts app
 - 5. Verify User should be able to share the link with Messenger app
 - 6. Verify User should be able to share the link with Viber app
 - 7. Verify User should be able to share the link with Line app

Detailed Results Report

Feature: Verify login functionality on One pulse App						
Pas	Passed: 6 Failed: 1 Undefined: 0 Duration: 632.76s					
	Scenario: Launch the app and select the country as per specified lbu					

Passed: 8	Failed: 0 Undefined: 0	Duration: 49.52s			
Before		0.27s			
Given User has pulse ap	op	12.03s			
And I assign "\${login.er	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"				
And user click on "CON	15.40s				
Then I change the coun	Then I change the country as required on registration page				
Then I wait for 2 sec 2.00s					
Then I change the language as required on registration page 0.00					
And I click the Sign in l	4.89s				
Then I verify below lang page	guage options on toggle bar as per specified lbu on login	1.74s			
After		0.00s			
Back to Table of Contents					
Scenario: login to the app	with correct credentials using "Continue with Email"				
Passed: 6	Failed: 0 Undefined: 0	Duration: 43.08s			
Before		0.00s			
Given I select the langu	age option on toggle bar as required on login page	2.33s			
When user enters crede		10.34s			
UserName \${PULSE	EMAIL}				
Password \${login.pa					
And User clicks on signin button 0.26s					
And I wait for 5 sec					
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 10					
Then user should be lan		14.95s			
After		0.00s			
Back to Table of Contents		<u> </u>			
Scenario: Verify the Invali	d Email id in login screen using "Continue with Email"				
Passed: 15	Failed: 0 Undefined: 0	Duration: 68.63s			
Before		0.00s			
Given User has pulse ap	in	12.29s			
Then I wait for 2 sec	F	2.01s			
	NTINUE WITH EMAIL" with Email button	13.12s			
	try as required on registration page	12.40s			
Then I wait for 2 sec	· 1 3	2.01s			
And I click the Sign in l	ink	4.89s			
Then I wait for 2 sec		2.01s			
	ge option on toggle bar as required on login page	2.25s			
When user enters crede		10.49s			
UserName t@gmai					
Password Pas\$1234		0.27			
And User clicks on signi		0.27s			
· ·	il message "Email is required"	0.72s			
I I non I cor clicks on For	got Password button	0.27s			

Then enter the email to	request the new password	4.32s				
Email t@gmai	Email t@gmai					
Then User clicks on Ser	nd button	0.74s				
Then verify invalid ema	ail message ''\${email.invalid.text}''	0.85s				
After		0.00s				
Back to Table of Contents		10000				
	not registerd email in login screen using "Continue wit	h Email''				
Passed: 17	Failed: 0 Undefined: 0	Duration: 70.71s				
Before		0.00s				
Given I generate rando	om number and assign to variable	0.01				
"RANDOM_NUMBER		0.01s				
And I assign value to fo	ollowing variables	0.00s				
USER_NAME	taf-\${RANDOM_NUMBER}@mailinator.com					
USER_PASSWORE	Pas\$1234					
Given User has pulse a	pp	9.77s				
	NTINUE WITH EMAIL" with Email button	15.54s				
Then I change the coun	try as required on registration page	11.57s				
Then I wait for 2 sec		2.00s				
And I click the Sign in	link	4.88s				
Then I wait for 2 sec		2.01s				
And I select the langua	ge option on toggle bar as required on login page	2.25s				
When user enters crede	11.14s					
UserName \${USER_	NAME}					
Password \${USER_	PASSWORD}					
And I scroll down		4.55s				
And User clicks on sign	in button	0.25s				
Then verify invalid ema	ail message "\${invalid.credential.message}"	1.14s				
Then User clicks on Fo	rgot Password button	0.24s				
Then enter the email to	request the new password	3.53s				
Email \${USER_NAM	ME}					
Then User clicks on Sei	nd button	0.72s				
Then verify invalid ema	ail message ''\${invalid.credential.message}''	1.12s				
After		0.00s				
Back to Table of Contents						
Scenario: User should be a	able to retrieve the reset password using forget passwor	d link				
Passed: 8	Failed: 0 Undefined: 0	Duration: 43.52s				
Before		0.00s				
And I assign "\${forgot.	password.email.id}'' to variable "PULSE_EMAIL"	0.00s				
	Then enter the email to request the new password 3.65s					
Email \${PULSE_EM		21030				
	Then User clicks on Send button 0.74s					
	emailid "\${PULSE_EMAIL}" using mailsac api and					
store into a variable "E		27.21s				

Then I wait for 5 sec		5.01s
Then I enter "\${EMAIL_O	TP}" reset code	1.78s
Then I wait for 5 sec		5.00s
Then Verify message: "\${p	assword.reset.success.text}" for Reset Password	0.14s
fter		0.00s
ack to Table of Contents		•
cenario: Verify Account shou	ıld be locked after entering more than 7 times incorre	ect passwords
	iled: 1 Undefined: 0	Duration: 270.
Sefore		0.00s
Given I generate random n "RANDOM_NUMBER"	umber and assign to variable	0.00s
And I assign "pulse\${RAN "PULSE_EMAIL"	DOM_NUMBER}@mailsac.com" to variable	0.00s
And User has pulse app		12.22s
Then I wait for 2 sec		2.01s
And user click on "CONTI	NUE WITH EMAIL" with Email button	14.31s
Then I change the country	as required on registration page	12.24s
Then I wait for 5 sec		5.01s
Then I navigate to pulse reclick on continue with email	gistration page and select the lang on toggle bar then il button	3.89s
Then I wait for 2 sec		2.00s
When user enters registrati	ion details	7.35s
LastName testAutomati Email \${PULSE_EN} Password Pas\$1234		
And taps on continue "Sigr	n_Up'' button	0.35s
Then I wait for otp screen a	after clicking on signup button	4.60s
Then I enter OTP in one pu	ulse app for user email "\${PULSE_EMAIL}"	31.08s
Then I click skip button		117.79s
Then user should be landed	d to ''Home'' screen	13.63s
Then I wait for 4 sec		4.01s
And I click the Account ico	on in Home screen	0.36s
And I click the sign out from	m pulse app	18.80s
Then I wait for 2 sec		2.00s
Then I enter invalid passwo	ord on login screen and verify the error message	18.75s
Pas\$123##\${invalid.cred	lential.message}	
Pas\$123##\${invalid.cred	lential.message}	
	lential.message}	
Pas\$123##\${invalid.cred		
Pas\$123##\${invalid.cred	lential.message}	
	<u> </u>	
Pas\$123##\${invalid.cred	lential.message}	
Pas\$123##\${invalid.cred	lential.message} lential.message}	

```
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 403a4107-f322-4b73-96fe-15675d1c1490
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc='container']
/android.widget.EditText[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.iava:152)
```

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)


at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)

at com.onepulse.app.screens.PulseLoginScreen.verifyInvalidPasswordMessage

(PulseLoginScreen.java:537)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.verifyInvalidPasswordErrorMsg (LoginSteps.java:262)

at .Then I enter invalid password on login screen and verify the error message(features /PulseLoginTest.feature:114)



After			0.00s		
Back to Table of Conten	Back to Table of Contents				
Scenario: Verify the	Login Functionality u	sing "Continue with Facebook"	1		
Passed: 13	Passed: 13 Failed: 0 Undefined: 0 Duration: 86.91s				
Before			0.00s		
Given User has pulse app			10.50s		
Then I wait for 2 sec			2.01s		
And user click on "CONTINUE WITH EMAIL" with Email button		15.05s			
Then I wait for 2 sec		2.01s			
Then I change the country as required on registration page 12.08s			12.08s		

Then I wait for 2 sec	2.01s		
Then I navigate to pulse registration page and select the lang on toggle bar	3.68s		
Then I click on connect with facebook button	0.26s		
Then I wait for 2 sec	2.01s		
And I click the "Email" in Continue with Facebook	2.90s		
Emailid \${emailid.text}	2.708		
Password \${password.texts}			
Then I wait for 10 sec	10.01s		
Then user should be landed to "Home" screen	14.45s		
And I logout from onepulse app	9.95s		
After	0.00s		
Back to Table of Contents			
Feature: Verify registration functionality on one pulse App			
Passed: 7 Failed: 2 Undefined: 0 Duration: 728.79s			
Scenario: User should be able to register on app with correct credentials using			
Email"	Continue with		
	Duration: 240.18		
Passed: 43 Undefined: 3	s		
Before	0.00s		
Given I generate random number and assign to variable "RANDOM NUMBER"	0.00s		
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE EMAIL"	0.00s		
And User has pulse app	11.22s		
Then I wait for 2 sec	2.00s		
And user click on "CONTINUE WITH EMAIL" with Email button	13.53s		
Then I wait for 2 sec	2.01s		
Then I change the country as required on registration page	12.15s		
Then I wait for 2 sec	2.00s		
Then I navigate to pulse registration page and select the lang on toggle bar to click on continue with email button	hen 3.94s		
Then I wait for 2 sec	2.01s		
When user enters registration details	7.95s		
FirstName testAutomation			
LastName testAutomation			
Email \${PULSE_EMAIL}			
Password Pas\$1234			
And taps on continue "Sign_Up" button	0.30s		
Then I wait for otp screen after clicking on signup button	4.53s		
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	32.42s		
Then I wait for 2 sec	2.01s		
And I enter the ''mobile number'' in welcome to pulse	9.82s		
mobileNumber \${registration.mobile.number}			
And I choose my wellness goals under wellness plan screen	2.68s		
That I choose my weathers goals under weathers plan serven	2,000		

And I click the date in Date of Birth field	6.77s
And I click the Done icon	0.39s
And I click the continue button	1.48s
And I select the Male icon	6.02s
And I click the continue button	2.20s
And I click on Calculate BMI button	2.56s
And I click the continue button	1.34s
And I select the "How active are you?" in doing exercise	1.82s
And I click the continue button	1.40s
And I select my favorite food dietary	1.85s
And I click the continue button	1.56s
And I answer as "\${option.yes.text}" to "Any Food allergies?"	3.19s
And I click the continue button	1.58s
And I verify that "Tracking your activity is trending" is displayed	2.45s
And I click on connect Later button	0.56s
And I enter the ''mobile number'' in welcome to pulse	16.83s
mobileNumber \${registration.mobile.number}	
And I see that "Welcome to Pulse" text is displayed	1.00s
And I see that fitness subscription exclusive offers screen is displayed	3.20s
And I click on close icon	4.08s
And I enter NRIC number last 4 digits "122F"	8.57s
Then I click skip buttons	4.21s
Then user should be landed to "Home" screen	13.48s
Then I wait for 4 sec	4.01s
And I click the Account icon in Home screen	0.70s
And I click the sign out from pulse app	17.36s
Then I wait for 4 sec	4.00s
When user enters password credentials in sigin screen	19.00s
Password Pas\$1234	

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 21012f62-7bc6-4f9b-8853-7377de177764
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc='container']
/android.widget.EditText[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseLoginScreen.EnterPasswordRegister(PulseLoginScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.EnterPasswordRegister
(LoginSteps.java:323)
```

1 1 (° 1 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1 ° 1	. 4°
at .When user enters password credentials in sigin screen(features/PulseRegistr feature:65)	ation Test.
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s
After	0.00s
Back to Table of Contents	10000
Scenario: verify the field label on registration screen	
Passed: 9 Failed: 0 Undefined: 0	Duration: 51.04s
Before	0.00s
Given User has pulse app	12.72s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	13.66s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	11.57s
Then I wait for 2 sec	2.02s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	4.16s
Then I wait for 2 sec	2.01s
Then I verify following field label should be displayed on registration screen	0.90s
\${email.text} \${password.text}	
After	0.00s
Back to Table of Contents	
Scenario: verify the validation message for mandatory fields	_
Passed: 2 Failed: 0 Undefined: 0	Duration: 1.83s
Before	0.00s
Given taps on continue "Sign_Up" button	0.22s
Then I verify the validation error message is displayed for following field on registration page	1.61s
FirstName \${firstname.mandatoryField.message}	
LastName \${lastname.mandatoryField.message}	
Email \${email.mandatoryField.message}	
Password \${password.validation.message}	
After	0.00s
Back to Table of Contents	
Scenario Outline: verify validation message when user enters Invalid password: Puregistration page	ılse@1 on
Passed: 3 Failed: 0 Undefined: 0	Duration: 3.14s
Before	0.00s
When user enters registration details	2.02s

Password Pulse@1			
And taps on continue "S	And taps on continue "Sign_Up" button		
Then I verify the validation error message is displayed for following field on registration page			0.80s
Password \${passwor	d.validation.messag	re}	
After			0.00s
Back to Table of Contents			_
	lidation message w	hen user enters Invalid password: Pu	ilse123 on
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.14s
Before			0.00s
When user enters regist	ration details		2.06s
Password Pulse123			
And taps on continue "S	Sign Un'' button		0.30s
		is displayed for following field on	
registration page		as asspect, our for form, and the our	0.78s
Password \${password	d.validation.messag	re}	
After			0.00s
Back to Table of Contents			0000
	tion message when	user enter already registered email i	d on
registration page	tion message when	user enter arready registered email r	u on
Passed: 11	Failed: 0	Undefined: 0	Duration: 57.67s
Before			0.00s
Given User has pulse ag	n		11.82s
Then I wait for 2 sec	<u>r</u>		2.00s
	NTINUE WITH EM	IAIL'' with Email button	13.04s
Then I wait for 2 sec			2.00s
Then I change the coun	try as required on r	registration page	11.79s
Then I wait for 2 sec	•		2.00s
Then I navigate to pulse click on continue with e		and select the lang on toggle bar then	3.89s
Then I wait for 2 sec			2.01s
When user enters regist	ration details		7.40s
FirstName testAuton	nation		
LastName testAuton	nation		
Email \${login.er	nail.id}		
Password Pas\$1234			
And taps on continue "S	Sign_Up" button		0.31s
Then I verify the valida		is displayed for following field on	1.41s
registration page			1.715
Email \${user.exist.te	xt}		
After			0.00s
Back to Table of Contents			

Scenario: V	erify the mobil	e number screen validat	tion using "Continue with Email"	1
Passed: 20		Failed: 0	Undefined: 0	Duration: 116.99
Before				0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"			
	sign ''pulse\${R Z_EMAIL''	ANDOM_NUMBER}@	mailsac.com'' to variable	0.00s
Given U	ser has pulse ap	p		10.55s
Then I v	vait for 2 sec			2.01s
And use	And user click on "CONTINUE WITH EMAIL" with Email button			14.95s
	vait for 2 sec			2.01s
		try as required on regis	tration page	11.53s
	vait for 2 sec			2.01s
	avigate to pulse continue with e		select the lang on toggle bar then	4.07s
Then I v	vait for 2 sec			2.01s
When us	ser enters regist	ration details		7.22s
Last! Emai	Name NewAuto Name NewAuto Strain Stra	mation		
			0.34s	
And I wait for otp screen after clicking on signup button			4.29s	
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			31.46s
	Then I wait for 10 sec			10.01s
Then I v	erify the count	y code should be displa	yed correctly on phone number	0.15s
And I er	ter the "mobile	number" in welcome to	o pulse	11.15s
	leNumber 9176'	_		
	ick the continue			0.96s
Then I v	vait for 2 sec			2.02s
Then ve	rify Again inval	id Mobile message "\${ii	nvalid.mobile.text}''	0.25s
After				0.00s
Back to Table	of Contents			
Scenario: V	erify the Regist	tration screen validation	using "Continue with Email"	
Passed: 29	•	Failed: 0	Undefined: 0	Duration: 65.97s
Before				0.00s
Given I	Given I enter the "mobile number" in welcome to pulse			12.98s
	mobileNumber \${registration.mobile.number}			
	Then I wait for 1 sec 1.01s			
	ick the continue	button		0.64s
	rify validation r		l.alert.text}" on registration	3.36s


And I choose my wellnes	ss goals under	wellness plan screen	1.62s
Then I wait for 1 sec			1.00s
And I click the continue	button		1.08s
Then verify validation n screen	nessage ''\${dol	b.alert.text}'' on registration workflow	3.28s
And I click the date in D	ate of Birth fi	ield	5.41s
And I click the Done ico	n		0.35s
And I click the continue	button		1.48s
Then I wait for 1 sec			1.01s
And I click the continue	button		0.93s
Then verify validation n screen	nessage ''\${ger	nder.alert.text}'' on registration workf	3.32s
And I select the Male ico	on		5.92s
And I click the continue	button		1.16s
Then I wait for 1 sec			1.00s
And I click the continue	button		1.51s
Then verify BMI validat workflow screen	tion message '	'\${bmi.alert.text}'' on registration	3.41s
And I click on Calculate	BMI button		0.79s
And I click the continue	button		1.33s
Then I wait for 1 sec			1.01s
And I click the continue	button		1.27s
Then verify validation n workflow screen	Then verify validation message "\${activity.level.alert.text}" on registration		
And I select the "How a	ctive are you?	'' in doing exercise	0.41s
And I click the continue			1.41s
Then I wait for 1 sec			1.01s
And I click the continue	button		1.36s
Then verify validation n workflow screen	nessage ''\${die	et.preference.alert.text}" on registration	on 3.49s
After			0.00s
Back to Table of Contents			
	OTP function	nality on Enter OTP Screen using "Co	ontinue with Email''
Passed: 17	Failed: 1	Undefined: 0	Duration: 188.82
Before			0.00s
S	Given I generate random number and assign to variable "RANDOM_NUMBER"		
And I assign "pulse\${RA" "PULSE_EMAIL"	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable		
And User has pulse app			11.51s
Then I wait for 2 sec			2.00s
And user click on "CON	TINUE WIT	H EMAIL'' with Email button	14.64s
Then I wait for 2 sec			2.00s
Then I change the count	ry as required	l on registration page	11.57s


11	nen I wait fo	or 2 sec			2.00s	
	nen I naviga	3.98s				
	ck on conti					
_	nen I wait fo	2.00s				
When user enters registration details				ails	7.34s	
	FirstName testAutomation LastName testAutomation					
	Email \${PULSE_EMAIL}					
	Password Pas\$1234				0.33s	
_	Then I wait for otp screen after clicking on signup button			icking on signup button	4.30s	
	nen I wait fo		7.7 // ·	OFFIN	90.01s	
_			d button in		4.23s	
			ie pulse app	for user email "\${PULSE_EMAIL}"	30.70s	
_	nd I wait for		COMO COM	t dienlawed	2.00s	
Ar	nd I verify e	enter otp	screen is no	t displayed	0.21s	
at at	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertFalse(Assert.java:63) at org.testng.Assert.assertFalse(Assert.java:73) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.ValidateEnt (RegistrationSteps.java:196) at .And I verify enter otp screen is not displayed(features/PulseRegistrationTes					
(R		Steps.jav	a:196)			
(R at	.And I veri	Steps.jav	a:196)		feature:218)	
(R at After	And I veri	Steps.jav fy enter	a:196)			
(R at After	And I veri	Steps.jav fy enter o	va:196) otp screen is	not displayed(features/PulseRegistrationTest.	feature:218)	
(R at After Back to	And I veri	Steps.jav fy enter o ntents t Profile	va:196) otp screen is functionalit	not displayed(features/PulseRegistrationTest.) y on Pulse Health & Wealth app	feature:218)	
After Back to eature:	And I verify and I verify Edi	Steps.jav fy enter o ntents t Profile Failed: 2	va:196) otp screen is functionalit	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s	feature:218)	
After Back to eature: assed: 7 Scena	And I verify Table of Co	Steps.jav fy enter o ntents t Profile Failed: 2	ra:196) otp screen is functionalit p and select	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu	feature:218) 0.00s	
After Back to eature: assed: 7 Scena Passed	And I verify ario: Launch: 6	Steps.jav fy enter o ntents t Profile Failed: 2	va:196) otp screen is functionalit	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s	feature:218) 0.00s Duration: 46.99s	
After Back to eature: assed: 7 Scena Passed Befor	And I verify to Table of Co.: Verify Ediario: Launch de Ge	Steps.jav fy enter o ntents t Profile Failed: 2 h the app	ra:196) otp screen is functionalit p and select Failed: 0	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu	Duration: 46.99s 0.00s	
After Back to eature: Scena Passed Befor Gi	And I verify to Table of Co Verify Edi ario: Launch t: 6 re iven User ha	ntents t Profile Failed: 2 h the app	ra:196) otp screen is functionalit p and select Failed: 0	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0	Duration: 46.99s 0.00s	
After Back to eature: assed: 7 Scena Passed Befor Gi Ar	And I verify to Table of Co Verify Edi ario: Launch t: 6 re iven User ha nd I assign '	ntents t Profile Failed: 2 h the app	ra:196) otp screen is functionality p and select to Failed: 0 app ulse.login.edi	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s	
After Back to eature: assed: 7 Scena Passed Befor Gi An	And I verify Table of Co Verify Edi ario: Launch ce iven User ha nd I assign ' nd user click	ntents t Profile Failed: 2 h the app	ra:196) otp screen is functionalit p and select to Failed: 0 app ulse.login.edi ONTINUE W	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s	
After Back to eature: assed: 7 Scena Passed Befor Gi Ar Ar Th	And I verify to Table of Co Verify Edi ario: Launch d: 6 ce iven User ha nd I assign ' nd user clich nen I change	steps.jav fy enter o ntents t Profile Failed: 2 h the app as pulse a "\${onepu k on "CO e the cou	ra:196) otp screen is functionalit p and select to Failed: 0 app ulse.login.edi ONTINUE W	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s	
After Back to Easter: Scena Passed Befor Gi Ar Th	And I verify to Table of Co Verify Edi ario: Launch t: 6 re iven User ha nd I assign ' nd user clich nen I change nen I wait fo	steps.jav fy enter ntents t Profile Failed: 2 h the app as pulse a '\${onepu k on ''CC e the cou	ra:196) otp screen is functionalit p and select the select to the select	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s	
After Back to eature: assed: 7 Scena Passed Befor Gi Ar Th Ar	And I verify to Table of Co Verify Edi ario: Launch d: 6 re iven User ha nd I assign ' nd user clich nen I change nen I wait fo	steps.jav fy enter ntents t Profile Failed: 2 h the app as pulse a '\${onepu k on ''CC e the cou	ra:196) otp screen is functionalit p and select the select to the select	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s 4.93s	
eature: assed: 7 Scena Passed Befor Gi Ar Ar Ar After	And I verify. Table of Co Verify Edi ario: Launch d: 6 re iven User ha nd I assign ' nd user clich nen I change nen I wait fo	steps.jav fy enter o ntents t Profile Failed: 2 h the app as pulse a "\${onepu k on "CO e the cou or 5 sec ae Sign in	ra:196) otp screen is functionalit p and select the select to the select	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s	
After Back to Eassed: 7 Scena Passed Befor Gi Ar Th Ar After Back to	And I verify to Table of Co Verify Edi ario: Launch t: 6 re iven User ha and I assign ' and user clich and I change and I click th to Table of Co	steps.jav fy enter ntents t Profile Failed: 2 h the app as pulse a '\${onepu k on ''CC e the cou or 5 sec ne Sign in	ra:196) otp screen is functionalit p and select to railed: 0 app ulse.login.edi ONTINUE Vontry as required in the requirements of the requireme	y on Pulse Health & Wealth app Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s 4.93s	
eature: Back to Scena Passed Befor Gi Ar Ar Th Ar After Back to	And I verify. Table of Co Verify Edi Ario: Launch I: 6 Te The iven User has a sign 'n duser click The iven I change the ind I click the condition of the	steps.jav fy enter ntents t Profile Failed: 2 h the app as pulse a '\${onepu k on ''CC e the cou or 5 sec ne Sign in	ra:196) otp screen is functionality p and select to Failed: 0 app ulse.login.edi ONTINUE V untry as reque to link	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0 it.profile}'' to variable "PULSE_EMAIL" VITH EMAIL" with Email button aired on registration page et credentials using "Continue with Email"	Duration: 46.99s 0.00s Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s 4.93s 0.00s	
After Back to Back to Back to Back to Back to Befor Gi Ar Ar Th Ar After Back to Scena Passed	And I verify to Table of Co verify Edi ario: Launch t: 6 te iven User ha nd I assign ' nd user clich nen I change nen I wait fo nd I click th to Table of Co ario: login to t: 7	steps.jav fy enter ntents t Profile Failed: 2 h the app as pulse a '\${onepu k on ''CC e the cou or 5 sec ne Sign in	ra:196) otp screen is functionalit p and select to railed: 0 app ulse.login.edi ONTINUE Vontry as required in the requirements of the requireme	y on Pulse Health & Wealth app Undefined: 0	Duration: 46.99s 0.00s Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s 4.93s 0.00s	
After Back to Back to Back to Back to Befor Gi Ar Ar Th Ar After Back to Scena Passed Befor	And I verify to Table of Co Verify Edi ario: Launch the Co iven User ha and I assign ' and user clich and I change and I click the to Table of Co ario: login to the To	steps.jav fy enter o ntents t Profile Failed: 2 h the app as pulse a "\${onepu k on "CO e the cou or 5 sec ae Sign in ntents o the app	ra:196) otp screen is functionalit p and select to Failed: 0 app ulse.login.edi ONTINUE Vontry as requesting the correct pailed: 0	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 it.profile}" to variable "PULSE_EMAIL" WITH EMAIL" with Email button tired on registration page et credentials using "Continue with Email" Undefined: 0	Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s 4.93s 0.00s Duration: 51.01s 0.00s	
After Back to Back to Back to Back to Befor Gi Ar Ar Th Ar After Back to Scena Passed Befor	And I verify to Table of Co Verify Edi ario: Launch the Co iven User ha and I assign ' and user clich and I change and I click the to Table of Co ario: login to the To	steps.jav fy enter o ntents t Profile Failed: 2 h the app as pulse a "\${onepu k on "CO e the cou or 5 sec ae Sign in ntents o the app	ra:196) otp screen is functionalit p and select to Failed: 0 app ulse.login.edi ONTINUE Vontry as requesting the correct pailed: 0	y on Pulse Health & Wealth app Undefined: 0 Duration: 218.55s the country as per specified lbu Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0 it.profile}'' to variable "PULSE_EMAIL" VITH EMAIL" with Email button aired on registration page et credentials using "Continue with Email"	Duration: 46.99s 0.00s Duration: 46.99s 0.00s 10.44s 0.00s 15.16s 11.47s 5.00s 4.93s 0.00s	

When user enters cre	dentials			11.43s	
UserName \${PULS	SE_EMAIL}				
Password \${pulse	Password \${pulse.edit}				
And User clicks on sig	gnin button			0.29s	
And I wait for 5 sec				5.01s	
And I enter OTP in or	and I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				
Then user should be l	Then user should be landed to "Home" screen				
And I wait for 5 sec				5.01s	
After				0.00s	
Back to Table of Contents					
Scenario: Verify User sh	ould be able	to navigate to Ed	it profile screen		
Passed: 3	Failed: 0	Undel	ined: 0	Duration: 22.61s	
Before				0.00s	
Given user navigate t	o account pa	ge		12.47s	
And user click on Edi	t profile link	<u> </u>		5.14s	
Then I wait for 5 sec				5.00s	
After				0.00s	
Back to Table of Contents	<u>'</u>				
Scenario: Verify User sh	ould be able	to change the pro	file picture in edit profile	screen	
Passed: 2	Failed: 0		ined: 0	Duration: 32.78s	
Before				0.00s	
Then I give manage p	rofile camer	a permission		22.56s	
Then I take picture fr	10.22s				
After				0.00s	
Back to Table of Contents					
	il.country co	ode and COR field	ls are non-editable in edit	profile screen	
Passed: 3	Failed: 0		ined: 0	Duration: 3.56s	
Before				0.00s	
And verify email field	is non-edita	ıble		2.18s	
And verify email field is non-editable And verify country code field is non-editable and country code is "\${country.code}"			0.70s		
And verify country of	Residence is	s "\${country.nam	e}" and non-editable	0.68s	
After				0.00s	
Back to Table of Contents					
Scenario: Verify user can able to change the details in edit profile screen					
Passed: 4	Failed: 0		ined: 0	Duration: 18.48s	
Before				0.00s	
Given I generate rand "RANDOM_NUMBE		and assign to var	iable	0.00s	
And I assign value to	following va	riables		0.00s	
	First Name Automation-\${RANDOM_NUMBER} Last Name Testing-\${RANDOM_NUMBER}				
Then I update followi			e screen	3.98s	
Then I update follows	ng prome de	tans in cuit prom	c sel cell	3.708	

And I click on up	date button in edit p	profile screen	14.51s
fter			0.00s
ck to Table of Conten	ts		
cenario: Verify Det	ails updated during	pulse profile registration shou	ıld be reflected in edit
ssed: 0	Failed: 1	Undefined: 1	Duration: 7.4
efore			0.00s
Given user click of	on Edit profile link		7.45s
using the given see For documentation /no_such_elements Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAdesired: {appActiautoDismissAlert newCommandTindeviceManufactur deviceScreenDessure in the command in the com	arch parameters. on on this error, pleathtml n: '3.12.0', revision: : 'TM003LSIN', ip: java.version: '11.0.0 pium.java_client.an Activity: com.prudential vity: com.prudential s: true, automation neout: 10000, noRes rer: Google, device sity: 440, deviceScree	tException: An element could in the servisit: http://seleniumhq.org//rc6e0b3', time: '2018-05-08T' '192.168.1.124', os.name: 'Wing '2' adroid.AndroidDriver ential.pulse.MainAc, appPackage Name: UiAutomator2, datal.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: androidel: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI atextEnabled: false, networkCo	dexceptions 14:04:26.12Z' adows 10', os.arch: 'amd6 kage: com.prudential.pula abaseEnabled: false, c: com.prudential.pulse.us ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P,
platformName: A viewportRect: {he false} Session ID: 6a1b1 *** Element info /following::andro	eight: 2015, left: 0, t cd2-8cd9-4072-b88 (Using=xpath, valuid.view.ViewGroup	ne=//android.widget.TextView[[1]}	takesScreenshot: true, gs: {}, webStorageEnable [contains(@text,'years')]
at java.base/jdk.i (DelegatingConst at java.base/java. at org.openqa.sel	nternal.reflect.Deleg ructorAccessorImpl lang.reflect.Constru	structorAccessor21.newInstand gatingConstructorAccessorImp l.java:45) actor.newInstance(Constructor W3CHttpResponseCodec.creat	pl.newInstance :.java:490)
at org.openqa.sele (W3CHttpRespon at org.openqa.sele (W3CHttpRespon at org.openqa.sele	enium.remote.http.VaseCodec.java:122) enium.remote.http.VaseCodec.java:49)	W3CHttpResponseCodec.decodecodecodec.decodecodecodecodecodecodecodecodecodeco	de
at io.appium.java (AppiumComma	client.remote.Appi	iumCommandExecutor.execut	e


```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:181)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)
```





	Then I change the country as required on registration page 10.63s						
	Then I wait for 2 sec	2.01s					
		en I navigate to pulse registration page and select the lang on toggle bar then ck on continue with email button					
	Then I wait for 2 sec	2.00s					
	When user enters registr	ration details	8.13s				
	FirstName testAutom	nation					
	LastName testAutom						
	Email \${PULSE						
	Password Pas\$1234						
	And taps on continue "S	0.34s					
	And I wait for otp screen	4.17s					
		pulse app for user email "\${PULSE_EMAIL}"	31.47s				
	Then I wait for 2 sec		2.01s				
	Then I click skip button		117.49s				
	Then user should be land		14.15s				
	Then I wait for 4 sec		4.01s				
Aí			0.00s				
	Back to Table of Contents						
_		hle to Register for Babylon HRA					
Sc	Scenario: User should be able to Register for Babylon HRA						
		Failed: 1 Undefined: 1	Duration: 69.78s				
Pa	ssed: 3	Failed: 1 Undefined: 1	Duration: 69.78s				
Pa	ssed: 3 efore		0.00s				
Pa	ssed: 3 efore When I clicks on Health	button	0.00s 11.53s				
Pa	ssed: 3 Efore When I clicks on Health And I navigate to Babylo	button on health Assessment and Accept TermsAndCondition	0.00s 11.53s 15.66s				
Pa	efore When I clicks on Health And I navigate to Babyle And I confirm the regist	button on health Assessment and Accept TermsAndCondition ration	0.00s 11.53s 15.66s 10.79s				
Pa	efore When I clicks on Health And I navigate to Babyle And I confirm the regist	button on health Assessment and Accept TermsAndCondition	0.00s 11.53s 15.66s				

```
Session ID: d163c819-5d5c-41a0-92d7-656090c45d00
*** Element info: {Using=xpath, value=//android.view.ViewGroup/android.widget.TextView
[@text='Get Started']}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.
clickHealthAssessmentGetStarted(BabylonHealthAssessmentScreen.java:67)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.healthAssessmentGetStarted
(BabylonSteps.java:324)
at .And I click on Babylon Health Assessment Get Started button(features/health
/BabylonHRA_Registration.feature:32)
```



```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
718)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp
(LoginSteps.java:349)
at .And I click the Sign in link(features/health/Hospital_Clinic_Locator.feature:12)
```

Af	ter			0.00s		
Bac	Back to Table of Contents					
Sc	Scenario: login to the app with correct credentials using "Continue with Email"					
Pas	ssed: 0	Failed: 1	Undefined: 5	Duration: .07s		
Be	fore			0.00s		
	Given I select the lang	0.07s				
	org.openqa.selenium.WebDriverException: An unknown server-side error occurred while					

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
  (PulseRegistrationScreen.java:1067)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
  (RegistrationSteps.java:338)
  at .Given I select the language option on toggle bar as required on login page(features/health
  /Hospital Clinic Locator.feature:15)
      UserName ${PULSE EMAIL
     Password ${login.password}
                                                                                0.00s
After
Back to Table of Contents
Scenario: User should be able to locate Hospitals using PruShoppe location
                        Failed: 1
                                               Undefined: 4
Passed: 1
                                                                                Duration: 3.06s
Before
                                                                                0.00s
  When I clicks on Health button
                                                                                0.03s
  Then I clicks on Location button
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
```

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
  Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
  (NativeConstructorAccessorImpl.java:62)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java;204)
  at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHealthScreen.jaya:
  158)
  at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocationButton
  (LocationSteps.java:30)
  at .Then I clicks on Location button(features/health/Hospital_Clinic_Locator.feature:27)
After
                                                                               0.00s
Back to Table of Contents
Scenario: User can see details of listed hospitals in detail
                       Failed: 1
Passed: 0
                                              Undefined: 1
                                                                                Duration: .02s
Before
                                                                               0.00s
  When I clicks on See Details button on First result
                                                                               0.02s
  com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath:
```

//android.widget.ScrollView/android.view.ViewGroup/android.view.ViewGroup] at com.prudential.tap.appium.AppiumCommands.findElements(AppiumCommands.java:192) at com.onepulse.app.screens.LocationScreen.selectFirstSearchResults(LocationScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. iClicksOnSeeDetailsButtonOnFirstResult(LocationSteps.java:56) at .When I clicks on See Details button on First result(features/health/Hospital_Clinic_Locator. feature:34) After 0.00s**Back to Table of Contents** Scenario: User can see the details in speciality tab Failed: 1 Passed: 0 **Undefined: 1** Duration: .04s 0.00sBefore When I clicks on "Speciality" tab 0.04sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text," Speciality")]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
  at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
  iava:61)
  at .When I clicks on 'Speciality' tab(features/health/Hospital_Clinic_Locator.feature:38)
After
                                                                               0.00s
Back to Table of Contents
Scenario: User can see the details in doctor's tab
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                               Duration: .04s
Before
                                                                               0.00s
  When I clicks on "Doctors" tab
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
```

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Doctors")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

```
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
  at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
  java:61)
  at .When I clicks on "Doctors" tab(features/health/Hospital Clinic Locator.feature:42)
After
                                                                                0.00s
Back to Table of Contents
Scenario: User can see the details in rooms tab
                       Failed: 1
Passed: 0
                                              Undefined: 1
                                                                                Duration: .04s
Before
                                                                               0.00s
  When I clicks on "Rooms" tab
                                                                               0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Rooms'')]}
  at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
```

```
(AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
  at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
  java:61)
  at .When I clicks on "Rooms" tab(features/health/Hospital_Clinic_Locator.feature:46)
After
                                                                               0.00s
Back to Table of Contents
Scenario: User can navigate out of the hospital details screen
                       Failed: 1
Passed: 0
                                              Undefined: 0
                                                                               Duration: .03s
Before
                                                                               0.00s
  When I clicks on back button in See Details screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
```

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
*** Element info: {Using=xpath, value=//android.view.ViewGroup/android.view.ViewGroup
/android.view.ViewGroup[1]/android.widget.ImageView[@index=0]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.jaya:
```

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86) at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator. feature:50) After 0.00s**Back to Table of Contents** Scenario: User should be able to locate cli using PruShoppe location Failed: 1 Undefined: 2 Passed: 1 **Duration: 4.15s** 0.00sBefore And I clicks on back button in "Hospitals" screen 0.05sWhen I clicks on Search here text field 4.10s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Search here']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.					
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)					
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)					
at io.appium.java_client.DefaultGenericMobileDriver.findElement					
(DefaultGenericMobileDriver.java:62)					
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)					
$at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. java) at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. java) at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. java) at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. java) at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. java) at\ io. appium. java_client. and roid Driver. java. at\ io. appium. at\ io.$					
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.					
java:419)					
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath					
(DefaultGenericMobileDriver.java:152)	45				
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java					
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidD	river.java:1)				
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findEleme	or jove 300)				
at io.appium.java_client.DefaultGenericMobileDriver.findElement	er.java.309)				
(DefaultGenericMobileDriver.java:58)					
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)					
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java	a:1)				
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.jav					
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCom					
19)	, and the second				
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)					
$at\ com. one pulse. app. screens. Location Screen. click Search Text Field In Maps (Location Screen) and the composition of t$	ionScreen.				
java:68)					
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnSearchF	HereTextField				
(LocationSteps.java:35)					
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate	or.feature:55)				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search	or.feature:55) 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location	0.00s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location	or.feature:55) 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location	0.00s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter	0.00s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter ck to Table of Contents enario: User can verify the clinic page	0.00s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location fter ck to Table of Contents enario: User can verify the clinic page ssed: 0 Failed: 1 Undefined: 0	or.feature:55) 0.00s 0.00s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location fter ck to Table of Contents renario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location fter ck to Table of Contents renario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s Duration: .03s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter ck to Table of Contents enario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter ck to Table of Contents renario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter ck to Table of Contents renario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter ck to Table of Contents renario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.03s				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location eter ck to Table of Contents enario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s 0.03s By.xpath:				
And I clicks on Search here text field(features/health/Hospital_Clinic_Located And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location Eter ck to Table of Contents renario: User can verify the clinic page ssed: 0 Failed: 1 Undefined: 0 refore And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results com.prudential.tap.exception.TapException: Not able to find element on screen [I //android.widget.ScrollView/android.view.ViewGroup/android.view.ViewGroup] at com.prudential.tap.appium.AppiumCommands.findElements(AppiumCommands com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.	0.00s 0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s 0.03s By.xpath: nds.java:192) n.java:89)				
And I clicks on Search here text field(features/health/Hospital_Clinic_Locate Then User can see the list of "Clinics" near by to user's current location Eter ck to Table of Contents renario: User can verify the clinic page ssed: 0	0.00s 0.00s 0.00s 0.00s 0.00s Duration: .03s 0.00s 0.03s By.xpath: nds.java:192) n.java:89)				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locator And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location ter ck to Table of Contents enario: User can verify the clinic page ssed: 0 Failed: 1 Undefined: 0 effore And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results com.prudential.tap.exception.TapException: Not able to find element on screen [I //android.widget.ScrollView/android.view.ViewGroup/android.view.ViewGroup] at com.prudential.tap.appium.AppiumCommands.findElements(AppiumCommandat com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResultCocationSteps.java:51)	Duration: .03s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.03s 0.03s By.xpath: nds.java:192) n.java:89) ults				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locator And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location fter ck to Table of Contents enario: User can verify the clinic page ssed: 0	Duration: .03s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.03s 0.03s By.xpath: nds.java:192) n.java:89) ults				
(LocationSteps.java:35) at .When I clicks on Search here text field(features/health/Hospital_Clinic_Locate And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location fter ck to Table of Contents enario: User can verify the clinic page ssed: 0	Duration: .03s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.03s 0.03s By.xpath: nds.java:192) n.java:89) ults				

Scenario: User car	n view listed clinic det	ails	
Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s
When I clicks o	on See Details button o	on First result	0.02s
//android.widge at com.prudent at com.onepulse 106) at com.onepulse iClicksOnSeeDe at .When I click	et.ScrollView/android tial.tap.appium.Appiu e.app.screens.Location e.app.stepdefinitions.i etailsButtonOnFirstR	ception: Not able to find element on view.ViewGroup/android.view.ViewmCommands.findElements(AppiumnScreen.selectFirstSearchResults(Lomobilesteps.LocationSteps.esult(LocationSteps.java:56) on on First result(features/health/Ho	vGroup] nCommands.java:192 ocationScreen.java:
feature:63)			
After			0.00s
Back to Table of Cont			
cenario. Her car	n view listed clinic info		
assed: 0	Failed: 1	Undefined: 0	
Passed: 0 Before			Duration: .11s
Passed: 0 Before Then I can see to buttons java.lang.Asser	the ''Clinic'' Informat	tion screen with Navigate and Call N	0.00s
Passed: 0 Before Then I can see to buttons java.lang.Asser Back button is a Call Now butto found [false], Navigate link is found [false], hospital address found [false] at org.testng.as at com.onepulse java:151) at com.onepulse iCanSeeTheInfat.Then I can see TheInfat.Then I can see TheInfat.	the "Clinic" Informate tionError: The follow not in the Hospitalsscon is not displayed for the se is not displayed for the ses is not displayed for eserts. SoftAssert. assert e. app. screens. Location of the composite compation of the composite c	tion screen with Navigate and Call Naving asserts failed: reen, the firstClinic tile See Details screen firstClinic tile See Details screen ex the first Clinic tile See Details screen tAll(SoftAssert.java:43) nScreen.verifyHospitalInformationS mobilesteps.LocationSteps. NavigateAndCallNowButtons(Locat mation screen with Navigate and Ca	0.00s [ow 0.11s expected [true] but expected [true] but expected [true] but creen(LocationScre
Passed: 0 Before Then I can see to buttons java.lang.Asser Back button is a Call Now button found [false], Navigate link is found [false], hospital address found [false] at org.testng.as at com.onepulse java:151) at com.onepulse iCanSeeTheInfat .Then I can see (features/health After	the "Clinic" Information of the Hospitalsschon is not displayed for the solution of the soluti	tion screen with Navigate and Call Naving asserts failed: reen, the firstClinic tile See Details screen firstClinic tile See Details screen ex the first Clinic tile See Details screen tAll(SoftAssert.java:43) nScreen.verifyHospitalInformationS mobilesteps.LocationSteps. NavigateAndCallNowButtons(Locat mation screen with Navigate and Ca	0.00s [ow 0.11s expected [true] but expected [true] but expected [true] but foreen(LocationScreen) li Now buttons
Then I can see to buttons java.lang.Asser Back button is a Call Now button found [false], Navigate link is found [false], hospital address found [false] at org.testng.as at com.onepulse java:151) at com.onepulse iCanSeeTheInfat .Then I can see (features/healthafter After Back to Table of Controls Back to Table of Controls Back to Table of Controls CanSeeTheInfat .Then I can see (features/healthafter)	the "Clinic" Information of the Hospitalsschon is not displayed for the solution of the soluti	tion screen with Navigate and Call Normal asserts failed: reen, the firstClinic tile See Details screen firstClinic tile See Details screen ex the first Clinic tile See Details screen tAll(SoftAssert.java:43) nScreen.verifyHospitalInformationS mobilesteps.LocationSteps. NavigateAndCallNowButtons(Locate attor.feature:66)	0.00s [ow 0.11s expected [true] but expected [true] but expected [true] but foreen(LocationScreen) li Now buttons
Passed: 0 Before Then I can see to buttons java.lang.Asser Back button is a Call Now button found [false], Navigate link is found [false], hospital address found [false] at org.testng.as at com.onepulse java:151) at com.onepulse iCanSeeTheInfoat .Then I can see (features/health After Back to Table of Context Passed: 0	the "Clinic" Informate tionError: The follow not in the Hospitalsscon is not displayed for the se is not displayed for the se is not displayed for the expression sector of the expression of th	tion screen with Navigate and Call Normal asserts failed: reen, the firstClinic tile See Details screen firstClinic tile See Details screen ex the first Clinic tile See Details screen tAll(SoftAssert.java:43) nScreen.verifyHospitalInformationS mobilesteps.LocationSteps. NavigateAndCallNowButtons(Locate attor.feature:66)	0.00s
Passed: 0 Before Then I can see to buttons java.lang.Asser Back button is a Call Now button found [false], Navigate link is found [false], hospital address found [false] at org.testng.as at com.onepulse java:151) at com.onepulse iCanSeeTheInfat .Then I can see (features/healthafter Back to Table of Controls Back to Table of Controls Then I can see to the Infat to the I can see the Infat to Table of Controls After	the "Clinic" Informate tionError: The follow not in the Hospitalsscon is not displayed for the se is not displayed for the se is not displayed for eserts. SoftAssert. assert e. app. screens. Location e. app. stepdefinitions. It commation a screen with the see the "Clinic" Information Clinic Location and the see the "Clinic" Information and the see the "Clinic Information and Inform	tion screen with Navigate and Call Noting asserts failed: reen, the firstClinic tile See Details screen firstClinic tile See Details screen ex the first Clinic tile See Details screen tAll(SoftAssert.java:43) nScreen.verifyHospitalInformationS mobilesteps.LocationSteps. NavigateAndCallNowButtons(Locat mation screen with Navigate and Cal eator.feature:66)	0.00s

```
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e186ddb2-56ff-4972-a8b1-3ba466e59dca
*** Element info: {Using=xpath, value=//android.view.ViewGroup/android.view.ViewGroup
/android.view.ViewGroup[1]/android.widget.ImageView[@index=0]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86) at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator. feature:69) After 0.00s**Back to Table of Contents** Scenario: User can navigate back to clinics screen Passed: 1 Failed: 0 Undefined: 0 **Duration: .04s** Before 0.00sAnd I clicks on back button in "Clinic" screen 0.04s0.00sAfter **Back to Table of Contents** Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App Passed: 0 Failed: 10 Undefined: 0 Duration: 58.32s Scenario: User should be able to register on app with correct credentials using "Continue with Email'' Passed: 7 Failed: 1 Undefined: 8 Duration: 45.61s 0.00sBefore Given I generate random number and assign to variable 0.00s"RANDOM NUMBER" And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable 0.00s"PULSE EMAIL" And User has pulse app 10.67s And user click on "CONTINUE WITH EMAIL" with Email button 16.31s Then I wait for 2 sec 2.01s Then I change the country as required on registration page 10.95s Then I wait for 2 sec 2.00sThen I navigate to pulse registration page and select the lang on toggle bar then 3.68s click on continue with email button org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2be3b0a0-2686-4d95-887a-a796da7d0ab0
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='CONTINUE
WITH EMAIL']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.selectContinueWithEmailBtn (PulseRegistrationScreen.java:1251) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps. navigateToRegistrationPageAndChangeTheLang(RegistrationSteps.java:395) at .Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button(features/health/MedicineReminder.feature:13) **'irstName** 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to navigate to medical reminder page Failed: 1 Passed: 1 **Undefined: 3 Duration: 8.06s** Before 0.00sGiven I relaunch the app on registration failure 0.00sThen I click the Health icon in Home screen 8.06s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command, Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

C ID. 21-21-0-	0.2000 4305 0077003-730-1-0				
	0-2686-4d95-887a-a796da7d0ab0	(III I and Green)			
	ct.GeneratedConstructorAccessor34.newInstan				
	ernal.reflect.DelegatingConstructorAccessorIn	ipl.newInstance			
` 0 0	(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)				
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException					
(W3CHttpResponseCodec.java:187)					
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode				
	(W3CHttpResponseCodec.java:122)				
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode					
	(W3CHttpResponseCodec.java:49)				
	${\color{blue} \textbf{um.remote.}} \textbf{HttpCommandExecutor.execute} (\textbf{H}$	IttpCommandExecutor.java:			
158)					
	${f lient.remote.Appium Command Executor.executor}$	ıte			
(AppiumCommand)					
	um.remote.RemoteWebDriver.execute(Remot				
	${\bf lient. Default Generic Mobile Driver. execute (Default Generic Mobile Driver) (De$	faultGenericMobileDriver.			
java:46)					
	lient.AppiumDriver.execute(AppiumDriver.ja				
	${\bf lient.android.AndroidDriver.execute} ({\bf Android})$	Driver.java:1)			
at org.openqa.seleni					
	${f SRemoteWebDriverOptions\$RemoteWindow.g}$	getSize(RemoteWebDriver.			
java:804)					
-	${f ap.appium.Appium Commands.swipe (Appium Commands).swipe ($				
	0. screens. Test Base Page. scroll Page Down (Test Base Page) and the property of the pro				
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.					
	o.screens.CustomerConnectScreen.HealthIcons	s(CustomerConnectScreen.			
java:1370)					
java:1370) at com.onepulse.app	o.stepdefinitions.mobilesteps.CustomerConnec				
java:1370) at com.onepulse.app (CustomerConnectS	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412)	tSteps.Healthicons			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l	o.stepdefinitions.mobilesteps.CustomerConnec	tSteps.Healthicons edicineReminder.feature:30)			
java:1370) at com.onepulse.app (CustomerConnectS	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412)	tSteps.Healthicons			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412)	tSteps.Healthicons edicineReminder.feature:30)			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l And I wait for 2 sec And I clicks on click	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo a here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l And I wait for 2 sec And I clicks on click Then I wait for 2 sec	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo a here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l And I wait for 2 sec And I clicks on click Then I wait for 2 sec After	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo a here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l And I wait for 2 sec And I clicks on click Then I wait for 2 sec	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo a here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo a here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo k here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo k here icon in medical Reminder	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Meatheries) k here icon in medical Reminder c tic text on medicine reminder screen Failed: 1 Undefined: 2	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify following	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo k here icon in medical Reminder cutic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the l And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before	o.stepdefinitions.mobilesteps.CustomerConnec Steps.java:412) Health icon in Home screen(features/health/Mo k here icon in medical Reminder cutic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify following	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Mother icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen xt}	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify following \${no.medicine.text} \${Medicalremain}	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Mex here icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen ixt inder.text in the content of t	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify followin \${no.medicine.tex} \${Medicalremain} \${track.medicine}	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Mother icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen xt} hear.text c.text	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify following \${no.medicine.text} \${Medicalremain}	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Mother icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen xt} hear.text c.text	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify followin \${no.medicine.tex} \${Medicalremain} \${track.medicine} \${important.dose	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Mother icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen [xt] [ader.text] [a.text] [a.text]	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s Duration: .14s 0.00s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify following \${no.medicine.tex} \${Medicalremains} \${track.medicine} \${important.dose} java.lang.AssertionI	o.stepdefinitions.mobilesteps.CustomerConnectores.java:412) Health icon in Home screen(features/health/Mother leaf the icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen att; ader.text; c.text; c.text; Error: The following asserts failed:	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s 0.00s 0.14s			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify followin \${no.medicine.tex} \${Medicalremain} \${track.medicine} \${important.dose} java.lang.AssertionI No medicine added!	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Meather icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen attack text j c.text j c.text j c.text j c.text is displayed on page expected [true] but features/health/Meather in Home screen [true] but features/hea	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s 0.00s 0.14s cound [false],			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify followin \${no.medicine.tex} \${Medicalremain} \${track.medicine} \${important.dose} java.lang.AssertionI No medicine added! Medicine Reminder	constepdefinitions.mobilesteps.CustomerConnections.java:412) Health icon in Home screen(features/health/Mother icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen attic text city text	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s 0.00s 0.00s 0.14s ound [false], ound [false],			
java:1370) at com.onepulse.app (CustomerConnectS at .Then I click the I And I wait for 2 sec And I clicks on click Then I wait for 2 sec After Back to Table of Contents Scenario: verify the sta Passed: 0 Before And I verify followin \${no.medicine.tex} \${Medicalremain} \${track.medicine} \${important.dose} java.lang.AssertionI No medicine added! Medicine Reminder Track the medicine	o.stepdefinitions.mobilesteps.CustomerConnecteps.java:412) Health icon in Home screen(features/health/Meather icon in medical Reminder tic text on medicine reminder screen Failed: 1 Undefined: 2 Ing text displayed in Add medicine screen attack text j c.text j c.text j c.text j c.text is displayed on page expected [true] but features/health/Meather in Home screen [true] but features/hea	tSteps.Healthicons edicineReminder.feature:30) 0.00s 0.00s 0.00s Duration: .14s 0.00s 0.14s ound [false], ound [false], oected [true] but found [false],			

	nder.feature:36) "\${add.new.reminde	rl" in ann screens	0.00s
And I wait for 2		1 } III app screens	0.00s
fter			0.00s
ack to Table of Cont	ents		0.000
		launched and user can enter the r	required info on medica
nfo screen			
assed: 0	Failed: 1	Undefined: 3	Duration: .11
efore			0.00s
And I verify fol	llowing text displayed	in Add medicine screen	0.11s
\${medicine.i	info.field}		
\${schedule.f	ield}		
\${more.setti	ng.field}		
Schedule text is More Setting to at org.testng.as at com.onepuls java:885)	ext is displayed on pag serts.SoftAssert.asser e.app.stepdefinitions.	spected [true] but found [false], ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAo yed in Add medicine screen(featur	ddMedicine(MyDocSte
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi	ext is displayed on pag serts.SoftAssert.asser e.app.stepdefinitions.	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAo yed in Add medicine screen(featur] ddMedicine(MyDocSte
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi	ext is displayed on pag serts.SoftAssert.asser e.app.stepdefinitions.a following text display inder.feature:46)	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdyed in Add medicine screen(featurble ''Medicine_Info''] ddMedicine(MyDocSte res/health
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter followed	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. or following text display inder. feature: 46) Paracetamol' to variationing details in add to \${Medicine_Info}	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdyed in Add medicine screen(featurble ''Medicine_Info''] ddMedicine(MyDocSteres/health 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. or following text displayed inder. feature: 46) Paracetamol' to variationing details in additional and page 1.	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdyed in Add medicine screen(featurble ''Medicine_Info''] ddMedicine(MyDocSteres/health 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. or following text displayed ander. feature: 46) Paracetamol' to variate dowing details in add to \${Medicine_Info} Tablet (unit)	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAoyed in Add medicine screen(featurable "Medicine_Info" medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. or following text display inder. feature: 46) Paracetamol' to variationing details in add to \${Medicine_Info}	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAoyed in Add medicine screen(featurable "Medicine_Info" medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ader. feature: 46) Paracetamol' to varial lowing details in add to \${Medicine_Info}{Tablet (unit)} Next icon in app scre	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAoyed in Add medicine screen(featurable "Medicine_Info" medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After Eack to Table of Contents	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. or following text displayed ander. feature: 46) Paracetamol' to varial dowing details in add or following details in add or	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAoyed in Add medicine screen(feature) ble "Medicine_Info" medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After Sack to Table of Contoccenario: verify us	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ander. feature: 46) Paracetamol'' to varial lowing details in add It following details in add It following details in app. Tablet (unit) 2 Next icon in app screents ser navigated to schedule.	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdyed in Add medicine screen(feature ble ''Medicine_Info'' medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After Cack to Table of Cont Cassed: 0	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. or following text displayed ander. feature: 46) Paracetamol' to varial dowing details in add or following details in add or	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAoyed in Add medicine screen(feature) ble "Medicine_Info" medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info Duration: .17
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After ack to Table of Confectors cenario: verify usessed: 0 Sefore	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ander. feature: 46) Paracetamol' to varial lowing details in add a lowing details in add a following details in add a lowing details in app. Tablet (unit) 2 Next icon in app screents ser navigated to sched Failed: 1	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdved in Add medicine screen(feature ble "Medicine_Info" medicine screen ens lule screen and user can enter the Undefined: 4	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info Duration: .17 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After ack to Table of Confecency or consistency of the confecency	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ender. feature: 46) Paracetamol'' to varial lowing details in add a following details in add a following details in app screents Next icon in app screents ser navigated to sched Failed: 1 llowing text displayed	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdyed in Add medicine screen(feature ble ''Medicine_Info'' medicine screen	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info Duration: .17
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After Cack to Table of Cont Scenario: verify us Cassed: 0 Before And I verify foll \${frequency}	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ander. feature: 46) Paracetamol' to varial lowing details in add to some following details in add to some following details in app. Tablet (unit) 2 Next icon in app screens tents	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdved in Add medicine screen(feature ble "Medicine_Info" medicine screen ens lule screen and user can enter the Undefined: 4	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info Duration: .17 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After Back to Table of Cont Scenario: verify us Passed: 0 Before And I verify fol \${frequency} \${dosage.tin}	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ender. feature: 46) Paracetamol'' to varial lowing details in add a following details in add a following details in app screen. Next icon in app screen. Tablet (unit) 2 Next icon in app screen. Tents Ser navigated to sched failed: 1 Illowing text displayed text ing. text ing. text	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdved in Add medicine screen(feature ble "Medicine_Info" medicine screen ens lule screen and user can enter the Undefined: 4	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info Duration: .17 0.00s
Schedule text is More Setting to at org.testng.as at com.onepuls java:885) at .And I verify /MedicineRemi And I assign "I And I enter foll Medicine In Unit Quantity And I clicks on After Back to Table of Cont Scenario: verify us Passed: 0 Before And I verify foll \${frequency}	ext is displayed on pageserts. Soft Assert. asserte. app. stepdefinitions. It following text displayed ender. feature: 46) Paracetamol' to varial lowing details in add it following details in app. Tablet (unit) 2 Next icon in app screens tents ser navigated to sched Failed: 1 Illowing text displayed .text} ining.text text text	ge expected [true] but found [false tAll(SoftAssert.java:43) mobilesteps.MyDocSteps.VerifyAdved in Add medicine screen(feature ble "Medicine_Info" medicine screen ens lule screen and user can enter the Undefined: 4	ddMedicine(MyDocSteres/health 0.00s 0.00s 0.00s 0.00s required info Duration: .17 0.00s

java.lang.AssertionError: The following asserts failed: Frequency text is displayed on page expected [true] but found [false], Dosage Timing text is displayed on page expected [true] but found [false], Start Date text is displayed on page expected [true] but found [false], End Date text is displayed on page expected [true] but found [false], Dose Intake text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps. java:885) at .And I verify following text displayed in Add medicine screen(features/health /MedicineReminder.feature:59) After 0.00s**Back to Table of Contents** Scenario: Verify User should be able to navigate to More Setting page Failed: 1 Undefined: 2 Passed: 1 **Duration: 2.05s** 0.00sBefore Given I wait for 2 sec 2.01s And I enter following details in add medicine screen 0.04s**Medication For fever** Medicine Stock 5 org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 2be3b0a0-2686-4d95-887a-a796da7d0ab0 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='What are you taking this medication for?']/following::android.widget.EditText}

```
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
  at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
  (PulseHealthScreen.java:395)
  at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
  enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
  at .And I enter following details in add medicine screen(features/health/MedicineReminder.
  feature:73)
                                                                             0.00s
After
```

assed: 0 Failed: 1 Undefined: 9 Duratic efore 0.008 And I clicks on "\${add.another.med}" in app screens 0.05s org.openqa.selenium.WebDriverException: An unknown server-side error occurred wl processing the command. Original error: Could not proxy command to the remote serv Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'sos.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLeve deviceMannfacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDD: 0C241FDA0043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDD: 0C241FDA0043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceCortenDensity		D-91-1-1		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred wl processing the command. Original error: Could not proxy command to the remote serv Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'ITM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'sos.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentiaut, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pu autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLeve deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043p, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: tnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: truewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnfalse} Session ID: 2be3b0a0-2686-4d95-887a-a796da7d0ab0 at jdk.internal.reflect.GeneratedConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)		ranea: 1	Undefined: 9	Duration: .05
org.openqa.selenium.WebDriverException: An unknown server-side error occurred wiprocessing the command. Original error: Could not proxy command to the remote serv Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'sos.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentia uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainA	iore			0.00s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred wiprocessing the command. Original error: Could not proxy command to the remote serv Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'sos.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudentia uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainA	And I clicks on "\$	add.another.med}	'' in app screens	0.05s
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMob	org.openqa.selenius processing the com Original error: soo Build info: version System info: host: os.version: '10.0', j Driver info: io.app Capabilities {appA uat, autoDismissAl desired: {appActive autoDismissAlerts: newCommandTime deviceManufacture deviceScreenDensi javascriptEnabled newCommandTime platformName: An viewportRect: {hei false} Session ID: 2be3bo at jdk.internal.refl at java.base/jdk.in (DelegatingConstrat java.base/java.la at org.openqa.selen (W3CHttpRespons at org.openqa.selen at io.appium.java_ (AppiumComman at org.openqa.selen at io.appium.java_ java:46) at io.appium.java_ java:46)	m.WebDriverExcemand. Original ereket hang up : '3.12.0', revision: 'TM003LSIN', ip: ava.version: '11.0.2 ium.java_client.anactivity: com.prudelerts: true, automation leout: 10000, noReser: Google, device ty: 440, deviceScreet true, locationConseout: 10000, noReser: Google, device ty: 440, deviceScreet true, locationConseout: 10000, noReser: Google, device true, locationConseout: 10000, noReser	eption: An unknown server-side of ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14' '192.168.1.124', os.name: 'Windo2' droid.AndroidDriver ential.pulse.MainAc, appPackagetionName: UiAutomator2, databal.pulse.MainAc, appPackage: cName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: et: true, platformName: android Model: Pixel 5, deviceName: 0C24 textEnabled: false, networkConnect: true, pixelRatio: 2.75, platfor ersion: 11, statBarHeight: 145, talop: 145, width: 1080}, warnings: a-a796da7d0ab0 structorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(gatingConstructorAccessor34.newInstance(Constructor.jaW3CHttpResponseCodec.decode W3CHttpResponseCodec.decode CommandExecutor.execute(HttpCommandExecutor.execute(HttpCommandExecutor.execute(Default etc.execute(AppiumDriver.java:1000) deviceDriver.execute(Default etc.execute(AppiumDriver.java:1000) deviceDriver.execute(Default etc.execute(AppiumDriver.java:1000) deviceDriver.execute(Default etc.execute(AppiumDriver.java:1000) deviceDriver.execute(Default etc.execute(AppiumDriver.java:1000) deviceDriver.execute(AppiumDriver.java:1000) deviceDriver.exe	to the remote server. :04:26.12Z' ows 10', os.arch: 'amd6 ge: com.prudential.pulgaseEnabled: false, com.prudential.pulse.ughe: Android-Test, l}, deviceApiLevel: 30, 41FDD40043P, coC241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled (Unknown Source) newInstance ava:490) Exception CommandExecutor.java ebDriver.java:543) tGenericMobileDriver.

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.screens.DieticianScreen.clickMedicalRemainder(DieticianScreen.java: 349) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickDietician(DieticianSteps. at .And I clicks on "\${add.another.med}" in app screens(features/health/MedicineReminder. **Medication For Cold** 0.00sAfter **Back to Table of Contents** Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup Passed: 0 Failed: 1 **Undefined: 1 Duration: .06s** 0.00sBefore And I clicks on Not now icon in app screen 0.06sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 2be3b0a0-2686-4d95-887a-a796da7d0ab0
  at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.DieticianScreen.ClickNotNowbutton(DieticianScreen.java:510)
  at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickNotNowButton
  (DieticianSteps.java:248)
  at .And I clicks on Not now icon in app screen(features/health/MedicineReminder.feature:101)
After
                                                                               0.00s
Back to Table of Contents
Scenario: navigate to health screen
Passed: 0
                       Failed: 1
                                              Undefined: 0
                                                                                Duration: .04s
Before
                                                                               0.00s
  And I click the Back button in medical remainder
                                                                               0.04s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2be3b0a0-2686-4d95-887a-a796da7d0ab0
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Medicine
Reminder')]/preceding::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:421) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back_MedicalRemainder (DieticianSteps.java:197)

at .And I click the Back button in medical remainder(features/health/MedicineReminder. feature:106)

After			0.00s				
Back to Table of Contents	Back to Table of Contents						
Scenario: Verify User sho	ould be able to navigate	to calendar page					
Passed: 1	Failed: 1	Undefined: 2	Duration: 2.02s				
Before		0.00s					
Given I wait for 2 sec 2.00s							
When I scroll down			0.02s				

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 2be3b0a0-2686-4d95-887a-a796da7d0ab0

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

at io.appium.java_clie at org.openqa.selenium RemoteWebDriver\$R java:804) at com.prudential.tap at com.onepulse.app.s at com.onepulse.app.s at .When I scroll down	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver)				
\${Medicalremaind	er.text}				
\${Medicine_Info}		0.00			
After		0.00s			
Back to Table of Contents					
	hannel functionality on one pulse App				
Passed: 1 Failed: 4	Undefined: 0 Duration: 110.35s				
	o and select the country as per specified lbu				
Passed: 6	Failed: 0 Undefined: 0	Duration: 46.61s			
Before		0.00s			
Given User has pulse	арр	9.77s			
	ılse.events.user}'' to variable "PULSE_EMAIL"	0.00s			
And user click on "CO	ONTINUE WITH EMAIL" with Email button	17.86s			
The state of the s	ntry as required on registration page	12.08s			
Then I wait for 2 sec		2.00s			
And I click the Sign in	link	4.89s			
After		0.00s			
Back to Table of Contents					
Scenario: login to the app	with correct credentials using "Continue with Email"				
Passed: 5	Failed: 1 Undefined: 0	Duration: 39.53s			
Before		0.00s			
Given I select the lang	uage option on toggle bar as required on login page	3.64s			
When user enters credentials 10.67s					
UserName \${PULS	UserName \${PULSE_EMAIL}				
Password \${pulse.	Password \${pulse.password}				
And User clicks on sig	And User clicks on signin button 0.29s				
And I wait for 5 sec		5.02s			
And I enter OTP in or	ne pulse app for user email ''\${PULSE_EMAIL}''	10.63s			
Then user should be la	anded to "Home" screen	9.28s			
at org.testng.Assert.fa at org.testng.Assert.fa	Then user should be landed to "Home" screen java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42)				

at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/home/MyEvents.feature:20) 0.00sAfter **Back to Table of Contents** Scenario: Verify MyEvent Functionality in Home screen Failed: 1 Passed: 0 **Undefined: 2 Duration: 8.07s** Before 0.00sAnd I click the MyEvent icons 8.08s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 9280268e-eebd-432c-8f78-e7be81567094 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEvents (CustomerConnectScreen.java:947) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEvents (CustomerConnectSteps.java:277) at .And I click the MyEvent icons(features/home/MyEvents.feature:23) After 0.00s**Back to Table of Contents** Scenario: Verify Events Archive tab Passed: 0 Failed: 1 **Undefined: 1 Duration: 8.06s** 0.00sBefore **And I click the Events Archive icon** 8.06s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 9280268e-eebd-432c-8f78-e7be81567094 at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.jaya:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive (CustomerConnectScreen.java:1889) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive (CustomerConnectSteps.java:590) at .And I click the Events Archive icon(features/home/MyEvents.feature:30) After 0.00s**Back to Table of Contents** Scenario: Verify Open Events tab Failed: 1 Passed: 0 Undefined: 1 **Duration: 8.08s** Before 0.00sAnd I click the Open Events icon 8.08s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

	Session ID: 9280268e-eebd-432c-8f78-e7be81567094				
	at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown	Source)			
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance	,			
	(DelegatingConstructorAccessorImpl.java:45)	.c			
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)				
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException				
	(W3CHttpResponseCodec.java:187)				
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode				
	(W3CHttpResponseCodec.java:122)				
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode				
	(W3CHttpResponseCodec.java:49)				
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommand	Executor.java:			
	158)	Ü			
	at io.appium.java_client.remote.AppiumCommandExecutor.execute				
	(AppiumCommandExecutor.java:231)				
	$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver. januari, proposition of the proposition of$	ava:543)			
	$at\ io. appium. java_client. Default Generic Mobile Driver. execute (Default Generic$	obileDriver.			
	java:46)				
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)				
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)				
	at org.openqa.selenium.remote.	*** * * *			
	RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remote	eWebDriver.			
	java:804)	422)			
	at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.jav				
	at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:2at com.onepulse.app.screens.CustomerConnectScreen.ClickMyOpenEvents	204)			
	(CustomerConnectScreen.java:1873)				
	at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMy	nonEvents			
	(Customer ConnectSteps.java:586)	OpenEvents			
	at .And I click the Open Events icon(features/home/MyEvents.feature:35)				
	And I verify either static text or available open events are displayed on screen	0.00s			
		0.005			
	There are no events available at the moment				
	Stay tuned for events on health and fitness				
A	îter eta	0.00s			
Ba	ck to Table of Contents				
atı	re: Verify My Health Content functionality on One Pulse App				
ssec					
_	enario: Launch the app and select the country as per specified lbu				
_		D 4: 46.64			
_	ssed: 5 Failed: 0 Undefined: 0	Duration: 46.64s			
Be	fore	0.00s			
	Given User has pulse app	10.63s			
	And user click on "CONTINUE WITH EMAIL" with Email button	16.34s			
	Then I change the country as required on registration page	11.75s			
	Then I wait for 3 sec	3.01s			
	And I click the Sign in link	4.92s			
A 4	eter	0.00s			
⊨		0.008			
Ва	ck to Table of Contents				

assed: 7	Failed: 0	Undefined: 0	Duration: 49.27
efore			0.00s
And I assign "S	{login.email.id}" to va	ariable "PULSE_EMAIL"	0.00s
Given I select t	he language option on	toggle bar as required on login page	3.61s
When user ento	ers credentials		10.02s
UserName \$	{PULSE_EMAIL}		
Password \$	{login.password}		
And User click	s on signin button		0.27s
Then I wait for	· 10 sec		10.01s
And I enter OT	TP in one pulse app for	user email ''\${PULSE_EMAIL}''	11.11s
Then user shou	ıld be landed to ''Hom	e'' screen	14.25s
fter			0.00s
ack to Table of Con	tents		
cenario: Verify U	Jser should be able to	navigate to Health page	
assed: 1	Failed: 1	Undefined: 3	Duration: 20.7
efore			0.00s
	r 2 coo		2.01s
Given I wait fo	1 4 Sec		
Then I navigate org.openqa.seld processing the Original error: Build info: vers	e to Health Content screenium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision:	eption: An unknown server-side error oc ror: Could not proxy command to the ro '7c6e0b3', time: '2018-05-08T14:04:26.	emote server. 12Z'
org.openqa.seld processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io.	e to Health Content screenium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an	eption: An unknown server-side error of ror: Could not proxy command to the ro '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2'	ecurred while emote server. 12Z' os.arch: 'amd64
org.openqa.seld processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {ajuat, autoDismis	enium.WebDriverExcernium.WebDriverExcernium.WebDriverExcerning command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.anppActivity: com.prudessAlerts: true, automa	eption: An unknown server-side error of ror: Could not proxy command to the ro '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: com tionName: UiAutomator2, databaseEna	ecurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse
org.openqa.sele processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appA	enium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium.Original er socket hang up sion: '3.12.0', revision: '5.12.0', revision: '11.0.2' system of the system	eption: An unknown server-side error of ror: Could not proxy command to the ro '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comtionName: UiAutomator2, databaseEnath.pulse.MainAc, appPackage: com.pru	ecurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.ua
org.openqa.seloprocessing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlo	enium.WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prude ssAlerts: true, automa ctivity: com.prudentia	eption: An unknown server-side error of ror: Could not proxy command to the ro '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comtionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pru	ecurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.ua/
Then I navigate org.openqa.seld processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {a uat, autoDismit desired: {appA autoDismissAld newCommand'	enium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium.WebDriverExcernium. or socket hang up sion: '3.12.0', revision: '3.12.0', revision: '11.0.2' appium.java_client.an appium.java_client.an appActivity: com.prude ssAlerts: true, automaticivity: com.prudentia erts: true, automation of timeout: 10000, no Reservice.	eption: An unknown server-side error of ror: Could not proxy command to the ro '7c6e0b3', time: '2018-05-08T14:04:26.1 '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comtionName: UiAutomator2, databaseEnath.pulse.MainAc, appPackage: com.pru	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse, dential.pulse.uarlroid-Test, ceApiLevel: 30,
Then I navigate org.openqa.selo processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlonewCommand' deviceManufac deviceScreenDo	enium.WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prude ssAlerts: true, automa ctivity: com.prudentia erts: true, automation! Timeout: 10000, noRese eturer: Google, device!	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.3' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comtionName: UiAutomator2, databaseEnal.pulse.MainAc, appPackage: com.prull.pulse.MainAc, appPackage: c	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.ua' lroid-Test, ceApiLevel: 30, 40043P, FDD40043P,
org.openqa.sele processing the Original error: Build info: vers System info: he os.version: '10. Driver info: io. Capabilities {a uat, autoDismidesired: {appA autoDismissAle newCommand' deviceManufac deviceScreenDejavascriptEnate	enium.WebDriverExcerommand. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.anppActivity: com.prude ssAlerts: true, automaticivity: com.prudentialerts: com.pruden	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnal.pulse.MainAc, appPackage: com.pruName: UiAutomator2, deviceName: Android}, device true, platformName: android}, device true, platformName: 0C241FDDeenSize: 1080x2340, deviceUDID: 0C241 textEnabled: false, networkConnection	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse led: false, ledential.pulse.ualroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true,
org.openqa.sele processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlonewCommand' deviceManufac deviceScreenDiavascriptEnat newCommand'	enium.WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prudential erts: true, automation fimeout: 10000, noRese cturer: Google, device ensity: 440, deviceScree oled: true, locationCon fimeout: 10000, noRese	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comtionName: UiAutomator2, databaseEnaul.pulse.MainAc, appPackage: com.pru.Name: UiAutomator2, deviceName: Android et: true, platformName: android et: true, platformName: 0C241FDD etenSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection et: true, pixelRatio: 2.75, platform: LIN	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse, lidential.pulse.ua' lroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true, NUX,
org.openqa.seloprocessing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlonewCommanddeviceManufactiveScreenDijavascriptEnabnewCommanddplatformName	enium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prudentia erts: true, automation! Timeout: 10000, noReseturer: Google, device! ensity: 440, deviceScreeled: true, locationCon Timeout: 10000, noReseturer: Android, platformVe	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnal.pulse.MainAc, appPackage: com.pruName: UiAutomator2, deviceName: Android}, device true, platformName: android}, device true, platformName: 0C241FDDeenSize: 1080x2340, deviceUDID: 0C241 textEnabled: false, networkConnection	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse.uathen
org.openqa.seloprocessing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlonewCommanddeviceManufacticeScreenDijavascriptEnabnewCommanddplatformNameviewportRect: false} Session ID: fectors	enium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prude ssAlerts: true, automa ctivity: com.prudentia erts: true, automation! Timeout: 10000, noRes eturer: Google, device! ensity: 440, deviceScree oled: true, locationCon Timeout: 10000, noRes chandroid, platformVes (height: 2015, left: 0, to	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pru.Name: UiAutomator2, deviceName: Android et: true, platformName: android et: true, platformName: 0C241FDD eterSize: 1080x2340, deviceUDID: 0C241 textEnabled: false, networkConnection et: true, pixelRatio: 2.75, platform: LINersion: 11, statBarHeight: 145, takesScreen: 145, width: 1080}, warnings: {}, web. 2611da3cc673	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.uathroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled:
org.openqa.sele processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismis desired: {appA autoDismissAle newCommand' deviceManufacticeManuf	enium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prude ssAlerts: true, automation! Cimeout: 10000, noReseturer: Google, device! ensity: 440, deviceScreeled: true, locationCon Cimeout: 10000, noReseturer: Google, device! eled: true, locationCon Cimeout: 10000, noReseturer: Google, device! (height: 2015, left: 0, to	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pru Name: UiAutomator2, deviceName: Android et: true, platformName: android et: true, platformName: android etextEnabled: false, networkConnection etextEnabled: false, networkConnection ete: true, pixelRatio: 2.75, platform: LIN ersion: 11, statBarHeight: 145, takesScreen: 145, width: 1080 etermings: {}, web	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.uathroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled: wm Source)
org.openqa.sele processing the Original error: Build info: vers System info: he os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlenewCommand' deviceManufacticeManufacticeScreenDijavascriptEnatenewCommand' platformName viewportRect: false} Session ID: fect at jdk.internal. at java.base/jdl	enium. WebDriverExcerommand. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prude ssAlerts: true, automaticity: com.prudential erts: true, automaticity: com.prudential erts: true, automaticity: com.prudential erts: true, automaticity: 440, deviceScreensity: 440, deviceScreen	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnaul.pulse.MainAc, appPackage: com.pru.Name: UiAutomator2, deviceName: Android et: true, platformName: android et: true, platformName: android et: true, platformName: 0C241FDD etenSize: 1080x2340, deviceUDID: 0C241 etextEnabled: false, networkConnection et: true, pixelRatio: 2.75, platform: LIN ersion: 11, statBarHeight: 145, takesScreet: true, pixelRatio: 2.75, warnings: {}, weber 1080x2340, warnings: {}, weber 1080x	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.uathroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true, VUX, eenshot: true, oStorageEnabled: wm Source)
org.openqa.seloprocessing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismis desired: {appA autoDismissAlonewCommand deviceManufacticeScreenDijavascriptEnabnewCommand platformName viewportRect: false} Session ID: fectat jdk.internal.at java.base/jdl(DelegatingCommand)	enium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prudentia erts: true, automation! Timeout: 10000, noRese eturer: Google, device! ensity: 440, deviceScreeled: true, locationCon Timeout: 10000, noRese eled: true, locationCon	eption: An unknown server-side error of ror: Could not proxy command to the ror: Could not proxy command to the ror: '7c6e0b3', time: '2018-05-08T14:04:26.1'192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnail.pulse.MainAc, appPackage: com.pruName: UiAutomator2, deviceName: Android et: true, platformName: android et: true, platformName: android et: true, platformName: 0C241FDD etenSize: 1080x2340, deviceUDID: 0C241 etextEnabled: false, networkConnection et: true, pixelRatio: 2.75, platform: LIN ersion: 11, statBarHeight: 145, takesScreen: 145, width: 1080 etenSize: {}, web	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse.uathetial.pulse.uathetial.pulse.uathroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled: wn Source) tance
org.openqa.sele processing the Original error: Build info: vers System info: ho os.version: '10. Driver info: io. Capabilities {auat, autoDismidesired: {appAautoDismissAlenewCommand' deviceManufacti	enium. WebDriverExce command. Original er socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: 0', java.version: '11.0.2 appium.java_client.an ppActivity: com.prudential erts: true, automation! Timeout: 10000, noRese eturer: Google, device! ensity: 440, deviceScreeled: true, locationCon Timeout: 10000, noRese eled: true, locationCon Timeout: 10000, noRese cled: true, locationCon Fimeout: 10000, noRese cled: true, locationCon climeout: 10000, noRese climeout: 10000, noRese	eption: An unknown server-side error of ror: Could not proxy command to the ror' '7c6e0b3', time: '2018-05-08T14:04:26.1' '192.168.1.124', os.name: 'Windows 10', 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: comptionName: UiAutomator2, databaseEnaul.pulse.MainAc, appPackage: com.pru.Name: UiAutomator2, deviceName: Android et: true, platformName: android et: true, platformName: android et: true, platformName: 0C241FDD etenSize: 1080x2340, deviceUDID: 0C241 etextEnabled: false, networkConnection et: true, pixelRatio: 2.75, platform: LIN ersion: 11, statBarHeight: 145, takesScreet: true, pixelRatio: 2.75, warnings: {}, weber 1080x2340, warnings: {}, weber 1080x	ccurred while emote server. 12Z' os.arch: 'amd64 .prudential.pulse bled: false, idential.pulse.uathroid-Test, ceApiLevel: 30, 40043P, FDD40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled: wm Source) tance

	/3CHttpResponseCodec.java:12	22)			
at o		tp.W3CHttpResponseCodec.decode			
	/3CHttpResponseCodec.java:49	· · · · · · · · · · · · · · · · · · ·			
			mandExecutor iava·		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java 158)				
	at io.appium.java_client.remote.AppiumCommandExecutor.execute				
	(AppiumCommandExecutor.java:231)				
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)				
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.				
	java:42)				
•		Oriver.execute(AppiumDriver.java:1)			
		AndroidDriver.execute(AndroidDriver.ja	va:1)		
		sTouchActions.performTouchAction(Per			
	va:41)	• - • • • • • • • • • • • • • • • • • •			
•		etion.perform(TouchAction.java:187)			
		piumCommands.swipe(AppiumComman	ds.java:485)		
		BasePage.scrollPageDown(TestBasePage.	•		
		omerConnectScreen.ClickHealthContent	•		
	ustomerConnectScreen.java:92				
		ns.mobilesteps.CustomerConnectSteps.			
	avigateToWealthScreenz(Custo				
		tent screen(features/home/MyHealthCon	tent.feature:26)		
The	en I wait for 8 sec		0.00s		
An	nd I verify following texts are di	splayed	0.00s		
_	Health Channels		00000		
		AF TT 141 C 4 411 C	0.00		
An	nd I verify the following texts "N	why Health Content" in Screen	0.00s		
	Category				
	Like				
	Share				
	Comment				
After			0.00s		
	o Table of Contents		0.003		
cena		. A •			
		to view the full page article post			
Passed:	: 0 Failed: 1	Undefined: 1	Duration: 5.07s		
Passed:	: 0 Failed: 1		Duration: 5.07s 0.00s		
Passed: Before	: 0 Failed: 1	Undefined: 1			
Passed: Before	: 0 Failed: 1	Undefined: 1	0.00s		
Passed: Before	e Failed: 1 e en I click on "Health Channels	Undefined: 1 '' topic for details full view	0.00s 5.07s		
Passed: Before The	: 0 Failed: 1 e en I click on "Health Channels g.openqa.selenium.WebDriverE	Undefined: 1 '' topic for details full view Exception: An unknown server-side error	0.00s 5.07s occurred while		
Passed: Before The	e Failed: 1 e I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Origina	Undefined: 1 '' topic for details full view	0.00s 5.07s occurred while		
Passed: Before The org	e Failed: 1 e Failed: 1 e Failed: 1 g.openqa.selenium.WebDriverE ocessing the command. Origina riginal error: socket hang up	Undefined: 1 " topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the	0.00s 5.07s occurred while remote server.		
Passed: Before The org pro Ori	e Failed: 1 e e e e e e e e e e e e e e e e e e	Undefined: 1 '' topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the con: '7c6e0b3', time: '2018-05-08T14:04:2	0.00s 5.07s occurred while remote server. 6.12Z'		
Passed: Before The orgonal properties of the second properties of the s	ren I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Origina riginal error: socket hang up tild info: version: '3.12.0', revisi stem info: host: 'TM003LSIN',	Undefined: 1 '' topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the fon: '7c6e0b3', time: '2018-05-08T14:04:2 ip: '192.168.1.124', os.name: 'Windows 19	0.00s 5.07s occurred while remote server. 6.12Z'		
Passed: Before The org pro Ori Bui Sys	ren I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Origina riginal error: socket hang up tild info: version: '3.12.0', revisi stem info: host: 'TM003LSIN', version: '10.0', java.version: '11	Undefined: 1 '' topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the con: '7c6e0b3', time: '2018-05-08T14:04:2 ip: '192.168.1.124', os.name: 'Windows 191.0.2'	0.00s 5.07s occurred while remote server. 6.12Z'		
Passed: Before The org pro Orr Buil Sys os. Dri	ren I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Original riginal error: socket hang up tild info: version: '3.12.0', revisi stem info: host: 'TM003LSIN', version: '10.0', java.version: '11 river info: io.appium.java_client	Undefined: 1 "topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the fon: '7c6e0b3', time: '2018-05-08T14:04:2 ip: '192.168.1.124', os.name: 'Windows 191.0.2' t.android.AndroidDriver	0.00s 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64',		
Passed: Before The org pro Ori Bui Sys os. Dri Caj	ren I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Origina riginal error: socket hang up tild info: version: '3.12.0', revisi stem info: host: 'TM003LSIN', version: '10.0', java.version: '11 river info: io.appium.java_client upabilities {appActivity: com.pr	Undefined: 1 '' topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the fon: '7c6e0b3', time: '2018-05-08T14:04:2 ip: '192.168.1.124', os.name: 'Windows 191.0.2' t.android.AndroidDriver udential.pulse.MainAc, appPackage: could not proxy command to the formula to t	0.00s 5.07s coccurred while remote server. 6.12Z' 0', os.arch: 'amd64',		
Passed: Before The org pro Ori Bui Sys os. Dri Caj	ren I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Origina riginal error: socket hang up tild info: version: '3.12.0', revisi stem info: host: 'TM003LSIN', version: '10.0', java.version: '11 river info: io.appium.java_client upabilities {appActivity: com.pr t, autoDismissAlerts: true, auto	Undefined: 1 '' topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the fon: '7c6e0b3', time: '2018-05-08T14:04:2 ip: '192.168.1.124', os.name: 'Windows 101.0.2' t.android.AndroidDriver udential.pulse.MainAc, appPackage: comationName: UiAutomator2, databaseEn	0.00s 5.07s occurred while remote server. 6.12Z' 0', os.arch: 'amd64', om.prudential.pulse. nabled: false,		
Passed: Before The org pro Orr Bui Sys os. Dri Caj uat des	ren I click on "Health Channels g.openqa.selenium.WebDriverE ocessing the command. Original riginal error: socket hang up tild info: version: '3.12.0', revisi stem info: host: 'TM003LSIN', version: '10.0', java.version: '11 river info: io.appium.java_client tipabilities {appActivity: com.pr t, autoDismissAlerts: true, auto sired: {appActivity: com.prudel	Undefined: 1 '' topic for details full view Exception: An unknown server-side error l error: Could not proxy command to the fon: '7c6e0b3', time: '2018-05-08T14:04:2 ip: '192.168.1.124', os.name: 'Windows 191.0.2' t.android.AndroidDriver udential.pulse.MainAc, appPackage: could not proxy command to the formula to t	0.00s 5.07s coccurred while remote server. 6.12Z' 0', os.arch: 'amd64', om.prudential.pulse. nabled: false, orudential.pulse.uat,		

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: fec95fff-757f-4b84-a850-7611da3cc673
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Health
Channels")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.
ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.ap	p.screens.Wealth	hScreen.clickWealthChannelTo	opicDetailView
(WealthScreen.jav	_		r i
		s.mobilesteps.WealthSteps.	
_		(WealthSteps.java:64)	_
		els" topic for details full view(fe	atures/home
/MyHealthContent	· · · · · · · · · · · · · · · · · · ·		
Then I wait for 10	sec		0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User	should be able t	o see the Like, Share, Commen	t options on full page article
post			
Passed: 0	Failed: 1	Undefined: 0	Duration: 4.09s
Before			0.00s
And I varify the fol	llowing toyte "M	y Health Content" in Screen	4.09s
	nowing texts wi	y Health Content in Screen	4.038
Like			
Share			
Comment			
Capabilities {appA uat, autoDismissAl desired: {appActiv autoDismissAlerts: newCommandTim deviceManufacture deviceScreenDensi javascriptEnabled: newCommandTim platformName: An viewportRect: {hei false} Session ID: fec95ff at jdk.internal.reflationationation at java.base/jdk.internal.reflationationationationationationationation	ctivity: com.pruderts: true, automatics true, automatics true, automatics eout: 10000, noRer: Google, devicty: 440, deviceSc: true, locationCoeout: 10000, noReridoid, platformy ght: 2015, left: 0, f-757f-4b84-a850 ect.GeneratedCoeternal.reflect.Del	onstructorAccessor34.newInstanlegatingConstructorAccessorIm	ntabaseEnabled: false, ge: com.prudential.pulse.uat, Name: Android-Test, lroid}, deviceApiLevel: 30, 0C241FDD40043P, 0ID: 0C241FDD40043P, ConnectionEnabled: true, ntform: LINUX, 5, takesScreenshot: true, ngs: {}, webStorageEnabled: nce(Unknown Source)
(Delegating Constru			
		tructor.newInstance(Constructo	
	-	p.W3CHttpResponseCodec.crea	iteException
(W3CHttpRespons	•		
	-	p.W3CHttpResponseCodec.dec	ode
(W3CHttpRespons	•	z) o.W3CHttpResponseCodec.dec	ode
(W3CHttpRespons	-		Juc
	•	pCommandExecutor.execute(H	IttnCommandExecutor.iava:
at orgroperiquiserer		P	or communicizaceutorijuva.

158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openga.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)

at com.onepulse.app.screens.CustomerConnectScreen.

isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:187)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.

isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)

at .And I verify the following texts "My Health Content" in Screen(features/home/MyHealthContent.feature:60)

●	/					
After			0.00s			
Back to Table of Contents	Back to Table of Contents					
Scenario: Verify User sho	ould be able to Like the	post in full article viev	v screen			
Passed: 0	Failed: 1	Undefined: 1	Duration: .06s			
Before		0.00s				
And I I ike the nest			0.06g			

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: fec95fff-757f-4b84-a850-7611da3cc673

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
  at .And I Like the post(features/home/MyHealthContent.feature:66)
                                                                              0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to Share the post in full article view screen
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                              Duration: 5.04s
Before
                                                                              0.00s
  And I share the post
                                                                              5.04s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
```

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: fec95fff-757f-4b84-a850-7611da3cc673
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

```
at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  at .And I share the post(features/home/MyHealthContent.feature:71)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify User can navigate to Health homepage
Passed: 0
                        Failed: 1
                                               Undefined: 0
                                                                                Duration: 3.09s
Before
                                                                                0.00s
  Then I navigate to story post page
                                                                                3.09s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: fec95fff-757f-4b84-a850-7611da3cc673
  *** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]
  /preceding::android.widget.ImageView}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
```

	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)								
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.j.								
	158)								
at io.appium.java_client.remote.AppiumCommandExecutor.execute									
(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java									
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	*							
	java:42)								
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)								
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	von jovo 217)							
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver at io.appium.java_client.DefaultGenericMobileDriver.findElement								
	(DefaultGenericMobileDriver.java:62)								
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)								
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)								
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.								
	java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath								
	(DefaultGenericMobileDriver.java:152)								
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)								
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidI	Oriver.java:1)							
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findEleme	von jovo (200)							
	at org.openqa.seiemum.remote.kemotewebbriver.imdEiement(Kemotewebbriver.findElement	ver.java:509)							
	(DefaultGenericMobileDriver.java:58)								
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)								
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)								
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)								
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)								
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)								
	at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.clickFullViewBackButton)	,							
	at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage								
	(WealthSteps.java:70) at .Then I navigate to story post page(features/home/MyHealthContent.feature:7	(5)							
	After	0.00s							
=		0.008							
	Back to Table of Contents								
	ture: Verify Notification Center functionality on one pulse App								
	ed: 0 Failed: 3 Undefined: 0 Duration: 52.23s	***							
Scenario: User should be able to register on app with correct credentials using "Continue with Email"									
-	Passed: 10 Failed: 1 Undefined: 7	Duration: 52.17s							
-	Before	0.00s							
=	Given I generate random number and assign to variable								
	"RANDOM_NUMBER"	0.00s							
	And I assign ''pulse\${RANDOM_NUMBER}@mailsac.com'' to variable								
	"PULSE_EMÂIL"								
	_	0.00s							
	And User has pulse app	0.00s 9.76s							

Then I wait for 2 sec	2.01s					
And user click on "CONTINUE WITH EMAIL" with Email button						
Then I wait for 2 sec						
Then I change the country as required on registration page						
Then I wait for 2 sec						
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button						
Then I wait for 2 sec						
When user enters registration details						
FirstName testAutomation						
LastName testAutomation						
Fmail SEPHISE FMAIL)						

Password Pas\$1234

org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 859b54bd-9ced-42dc-8863-7d2deeb00967

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
  at io.appium.java client.DefaultGenericMobileElement.execute(DefaultGenericMobileElement.
  java:45)
  at io.appium.java client.MobileElement.execute(MobileElement.java:1)
  at io.appium.java_client.android.AndroidElement.execute(AndroidElement.java:1)
  at org.openga.selenium.remote.RemoteWebElement.clear(RemoteWebElement.java:118)
  at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
  at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails
  (PulseRegistrationScreen.java:263)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails
  (RegistrationSteps.java:37)
  at .When user enters registration details(features/home/NotificationCenter.feature:16)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Navigate to notification screen via home screen
Passed: 1
                          Failed: 1
                                                Undefined: 1
                                                                                Duration: .02s
Before
                                                                                0.00s
  Given I relaunch the app on registration failure
                                                                                0.00s
  Given I navigate to notification screen from home page
                                                                                0.02s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
```

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 859b54bd-9ced-42dc-8863-7d2deeb00967
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.
navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1050)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240)
```

at .Given I navigate to notification screen from home page(features/home/NotificationCenter. feature:32)									
Then I wait for 2 sec					0.00s				
After					0.00s				
Back to Table of Contents					0.005				
	Scenario: Verify User should be able to see the Notification screen texts								
Passed: 0	Failed: 1	o see the iv	Undefined: 0	en texts	Duration: .04s				
Before	rancu. 1		Ondermed. 0		0.00s				
	And I verify following texts are displayed 0.04s								
\${notification.msg}	\$\{\text{notification.msg}\}								
java.lang.AssertionError: The following asserts failed: Notification Center text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/NotificationCenter.feature:37)									
After		uispiuj cu (i		101111111111111111111111111111111111111	0.00s				
Back to Table of Contents					10.000				
		T A							
Feature: Verify My Challen	<u> </u>		<u> </u>	D (* 100 F					
Passed: 3 Failed:		Undefined: (Duration: 129.7s					
Scenario: Launch the ap		ne country	Undefined: 0	1 1DU	D				
Passed: 5	Failed: 0		Undefined: 0		Duration: 45.84s 0.00s				
	Before								
	Given User has pulse app And user click on "CONTINUE WITH EMAIL" with Email button								
				Dutton	16.72s				
	Then I change the country as required on registration page 11.83s Then I wait for 3 sec 3.00s								
And I click the Sign in	Then I wait for 3 sec								
	l IIIIK				4.81s				
After					0.00s				
Back to Table of Contents Scenario: User should be able to login on app with correct credentials using "Continue with Email"									
Passed: 7	Failed: 0		Undefined: 0		Duration: 49.77s				
Before					0.00s				
And I assign "\${login.email.id}" to variable "PULSE_EMAIL" 0.00									
Given I select the lang	on login page	3.58s							
When user enters cree	When user enters credentials								
UserName \${PULSE_EMAIL} Password \${login.password}									
And User clicks on signin button 0.29s									
Then I wait for 10 sec									
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 10.93									
	Then user should be landed to "Home" screen								

After		0.00s
Back to Table of Contents		
Scenario: Verify My Cha	llenges texts	
Passed: 3	Failed: 0 Undefined: 0	Duration: 18.04s
Before		0.00s
And I click on My Cha	llenges tile on one pulse app	12.51s
And I verify following	texts are displayed	1.18s
\${my.challenges.tex	t}	
\${do.not.have.chall	enges}	
\${challenge.getstar	ed}	
\${do.not.have.chall	enges}	
And I verify the follow	ing texts ''My challenges'' in Screen	4.35s
\${all.challenges.tex		
After		0.00s
Back to Table of Contents		
Scenario: Click on All ch	allenges and and verify texts	
Passed: 2	Failed: 1 Undefined: 1	Duration: 16.05s
Before		0.00s
And I clicks on "\${all.	challenges.text}'' in app screen	0.31s
	ing texts "My challenges" in Screen	8.97s
\${my.challenges.tex		
\${all.challenges.tex		
And I verify following	texts are displayed	6.78s
\${no.challenges.ava		
\${notify.challenge}		
	or: The following asserts failed:	
<u> </u>	isplayed on page expected [true] but found [false],	
page expected [true] b	next Challenge. Meanwhile maintain good health. text is	s displayed on
	oftAssert.assertAll(SoftAssert.java:43)	
	epdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSo	reen
(MyDocSteps.java:717		
· · · · · · · · · · · · · · · · · · ·	ng texts are displayed(features/home/mychallenges/Puls	seMyChallenges.
feature:40)	ly home)!! in one games	0.00s
	k.home}'' in app screen	
After		0.00s
Back to Table of Contents		
eature: Verify My Commu		
ssed: 0 Failed: 1		
	and select the country as per specified lbu	
	ailed: 1 Undefined: 0	Duration: 41.32s
Before		0.00s
Given User has pulse a	nn	9.49s

And user click on "CONTINUE WITH EMAIL" with Email button	16.83s
Then I change the country as required on registration page	11.99s
Then I wait for 3 sec	3.01s
And I click the Sign in link	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.iava:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openga.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java: 718)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp

	(LoginSteps.java:349 at .And I click the Sig		naa/hama/myraammy	nitios/PulsoMyCom	munities features		
	10)	gn m mik(ieatu.	res/nome/mycommu	mues/FulsewryCom	mumues.ieature:		
Ai	fter				0.00s		
Ba	ck to Table of Contents						
So	enario: User should b	e able to login (on app with correct o	credentials using "C	ontinue with		
	Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"						
Pa	ssed: 1	Failed: 1	Undefined: 5		Duration: .03s		
В	efore				0.00s		
	And I assign "\${onep	ulse login glob	al id}" to variable "l	PHISE EMAIL"	0.00s		
	Given I select the lan		-		0.03s		
	Given i select the lan	guage option of	i toggic bar as requi	rea on login page	0.038		
	org.openqa.selenium. processing the comm Original error: socke Build info: version: 'System info: host: 'The os.version: '10.0', jav Driver info: io.appium Capabilities {appActivate uat, autoDismissAler desired: {appActivity autoDismissAlerts: tr newCommandTimeo deviceManufacturer: deviceScreenDensity: javascriptEnabled: tr newCommandTimeo platformName: Andr viewportRect: {heigh false}	and. Original est hang up 3.12.0', revision M003LSIN', ip ra.version: '11.0 m.java_client.a ivity: com.prudenti rue, automation tt: 10000, noRe Google, devices rue, locationCo ut: 10000, noRe roid, platformV	rror: Could not product '7c6e0b3', time: '2c' '192.168.1.124', os. o.2' ndroid.AndroidDriv lential.pulse.MainAcationName: UiAutonal.pulse.MainAc, anname: UiAutomato eset: true, platformNeModel: Pixel 5, devidential.pulse.1080x2340, ntextEnabled: false, eset: true, pixelRatio fersion: 11, statBarHarmanname.	xy command to the r 018-05-08T14:04:26. name: 'Windows 10' rer c, appPackage: com. nator2, databaseEna appPackage: com.pr r2, deviceName: And lame: android}, deviceName: 0C241FDD deviceUDID: 0C241 networkConnection o: 2.75, platform: LII leight: 145, takesScr	remote server. 12Z' , os.arch: 'amd64', n.prudential.pulse. abled: false, udential.pulse.uat, droid-Test, iceApiLevel: 30, 040043P, IFDD40043P, Enabled: true, NUX, eenshot: true,		
	Session ID: ebe69667	-c908-4ddf-a7e	5-87219333b93b				
	*** Element info: {U			——————————————————————————————————————			
	at jdk.internal.reflect			`			
	at java.base/jdk.inter			ccessorImpl.newIns	tance		
	(DelegatingConstruct at java.base/java.lang			Constructor isvs·400	<u> </u>		
	at org.openqa.seleniu	9	· · · · · · · · · · · · · · · · · · ·	· ·			
	(W3CHttpResponse)	——————————————————————————————————————					
	at org.openqa.seleniu	•		Codec.decode			
	(W3CHttpResponseC		* *				
	at org.openqa.seleniu (W3CHttpResponseC	ım.remote.http.		Codec.decode			
	at org.openqa.seleniu	m.remote.Http	CommandExecutor	.execute(HttpComm	andExecutor.java:		
	158)						
	at io.appium.java_cli			utor.execute			
	(AppiumCommandE	•		uto(DomotoWohD.	on joyo (542)		
	at org.openqa.seleniu at io.appium.java_cli java:42)						

	at io.appium.java_clien	t Annium Driver ov	courts (Annium Driver issee 1)	
			Driver.execute(AndroidDriver.	iava:1)
			ebDriver.findElement(Remote)	
			obileDriver.findElement	(CODITION GRANDED)
	(DefaultGenericMobile)			
	at io.appium.java_clien	t.AppiumDriver.fir	ndElement(AppiumDriver.java	:1)
	at io.appium.java_clien	t.android.Androidl	Driver.findElement(AndroidDi	river.java:1)
		.remote.RemoteWe	ebDriver.findElementByXPath	(RemoteWebDriver.
	java:419)			
			obileDriver.findElementByXP	ath
	(DefaultGenericMobile)			• • 4\
			ndElementByXPath(AppiumDi	
	at org.openqa.selenium		Driver.findElementByXPath(A	nuroluDriver.java:1)
			ebDriver.findElement(Remote\	WehDriver iava·309)
			obileDriver.findElement	(CDDII) (Ci.juvu.20)
	(DefaultGenericMobile)			
	11 7		ndElement(AppiumDriver.java	:1)
	at io.appium.java_clien	t.android.Androidl	Driver.findElement(AndroidDi	river.java:1)
	_		s\$15.executeCommand(Comm	
	_	elenium.ExecuteCo	ommand.executeCommand(Exe	ecuteCommand.java:
	19)	W (D D		1(0)
			${f e.click Button}({f Test Base Page.jav})$	The state of the s
			- 4° C 1 4′Dl T	
			ntionScreen.selectTheLanguage	eroggie
	(PulseRegistrationScree	en.java:1067)		
	(PulseRegistrationScree at com.onepulse.app.ste	en.java:1067) epdefinitions.mobile	ntionScreen.selectTheLanguage esteps.RegistrationSteps.select	
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java	en.java:1067) epdefinitions.mobile :338)		ΓheLangOption
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java	en.java:1067) epdefinitions.mobile :338) nguage option on to	esteps.RegistrationSteps.select	ΓheLangOption
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea	esteps.RegistrationSteps.select	ΓheLangOption
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar /mycommunities/PulseN When user enters crede	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea	esteps.RegistrationSteps.select	ΓheLangOption page(features/home
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseNwhen user enters crede UserName \${PULSE}	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials LEMAIL}	esteps.RegistrationSteps.select	ΓheLangOption page(features/home
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseNWhen user enters crede UserName \${PULSEPassword \${pulse.ps}}	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword}	esteps.RegistrationSteps.select	TheLangOption page(features/home 0.00s
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseMwhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword}	esteps.RegistrationSteps.select	TheLangOption page(features/home 0.00s 0.00s
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseNWhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword} in button	esteps.RegistrationSteps.select	TheLangOption page(features/home 0.00s 0.00s 0.00s
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseMwhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword} in button	esteps.RegistrationSteps.select oggle bar as required on login pature:14)	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s
Af	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseMwhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lar	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword} in button	esteps.RegistrationSteps.select oggle bar as required on login pature:14)	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be larger.	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword} in button	esteps.RegistrationSteps.select oggle bar as required on login pature:14)	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s
Ba	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseMwhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be larger ter ck to Table of Contents	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials EMAIL} assword} in button e pulse app for user nded to "Home" scr	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Ba Sc	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lare ter ck to Table of Contents enario: User should be a	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword} in button e pulse app for user nded to "Home" scr	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Ba Sc Er	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseMwhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be larger ter ck to Table of Contents enario: User should be a mail" and Verify the Myster company to the state of the should be a mail" and Verify the Myster company to the state of the should be a mail" and Verify the Myster company to the should be a mail" and Verify the Myster company to the state of the should be a mail" and Verify the Myster company to the should be a mail" and Verify the Myster company to the should be a mail" and Verify the Myster company to the should be a mail where the should be a sho	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials EMAIL} assword} in button e pulse app for user nded to "Home" scr	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 1.00s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lare tereck to Table of Contents enario: User should be a nail" and Verify the Myssed: 3	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials C_EMAIL} assword} in button e pulse app for user nded to "Home" scr	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s Uration: 12.11s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lared tereck to Table of Contents enario: User should be a nail" and Verify the Myssed: 3 fore	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials EMAIL} assword} in button e pulse app for user nded to "Home" scr	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	TheLangOption page(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s Ucontinue with Duration: 12.11s 0.00s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseMwhen user enters crede UserName \${PULSE Password \${pulse.ps}} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lared tereck to Table of Contents enario: User should be a mail" and Verify the Mysted: 3 fore Then I wait for 6 sec	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials EMAIL} assword} in button e pulse app for user nded to "Home" scr able to login on app communities screen iled: 1	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	TheLangOption age(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 1.Continue with Duration: 12.11s 0.00s 6.01s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password } {pulse.ps} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lared tereck to Table of Contents enario: User should be a mail" and Verify the Mycome Sed: 3 fore Then I wait for 6 sec And I click the MyCom	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials EMAIL} assword} in button e pulse app for user nded to "Home" scr able to login on app communities screen iled: 1	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	TheLangOption Dage(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 1.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password } {{Pulse.password } {{Pulse.passw	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials EMAIL} assword} in button e pulse app for user nded to "Home" scr able to login on app communities screen niled: 1	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	Duration: 12.11s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password }{pulse.ps} And User clicks on sign Then I wait for 10 sec And I enter OTP in one Then user should be lared tereck to Table of Contents enario: User should be anail" and Verify the Myssed: 3 Fast of the I wait for 6 sec And I click the MyCom Then I wait for 6 sec And I verify following to the state of the sec And I verify following to the sec An	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials _EMAIL} assword} in button e pulse app for user nded to "Home" scr able to login on app communities screen illed: 1 munities icon exts are displayed	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	TheLangOption Dage(features/home 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 1.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Ba Sc Er Pa	(PulseRegistrationScree at com.onepulse.app.ste (RegistrationSteps.java at .Given I select the lar/mycommunities/PulseN When user enters crede UserName \${PULSE Password } {{Pulse.password } {{Pulse.passw	en.java:1067) epdefinitions.mobile :338) nguage option on to MyCommunities.fea entials _EMAIL} assword} in button e pulse app for user nded to "Home" scr able to login on app communities screen illed: 1 munities icon exts are displayed	esteps.RegistrationSteps.select oggle bar as required on login pature:14) remail "\${PULSE_EMAIL}" reen with correct credentials using	Duration: 12.11s

java.lang.AssertionError: The following asserts failed: Communities text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/home/mycommunities /PulseMyCommunities.feature:27) After 0.00s**Back to Table of Contents** Scenario: Leave the community if already joined Passed: 0 Failed: 1 **Undefined: 2 Duration: .04s** Before 0.00sAnd I clicks on "\${my.communities.text}" in app screen 0.04sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My Communities'')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
  iava:1741)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
  (CustomerConnectSteps.java:534)
  at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities
  /PulseMyCommunities.feature:34)
                                                                              0.00s
After
Back to Table of Contents
Scenario: Verify the All Communities Post screen
Passed: 1
                      Failed: 1
                                            Undefined: 7
                                                                              Duration: 5.04s
                                                                              0.00s
Before
  Then I wait for 5 sec
                                                                              5.00s
  And I clicks on "${All.Communities.text}" in app screen
                                                                              0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
```

```
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Communities'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.jaya client.android.AndroidDriver.findElement(AndroidDriver.jaya:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. iava:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "\${All.Communities.text}" in app screen(features/home/mycommunities /PulseMyCommunities.feature:43) POST welcome After 0.00s**Back to Table of Contents** Scenario: Verify the Likes and comments counts in All communities tab Failed: 1 **Undefined: 7** Passed: 0 **Duration: 8.08s** 0.00sBefore And I click the Post icon in My communities 8.08s org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
(MyCommunitiesScreen.java:311)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons
(MyCommunitiesSteps.java:106)
```

	0.00s
And I click the like button in Post screen	0.00s
And Verify the like count in Post screen '' 1 Likes'' likes	0.00s
And I click the Comment icon in feed screen	0.00s
And Enter the comments in Feeds screen	0.00s
Comments TEST1	
And I click the submit icon in feeds screen	0.00s
And Verify the comments count in Feeds screen " 0 Comments" comments	0.00s
er er	0.00s
c to Table of Contents	
nario: Verify the Share with Friends Functionality in All communities tab	
ed: 0 Failed: 1 Undefined: 3	Duration:
ore	0.00s
And I click the share icon in Post screen	4.09s
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: con uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEn	, os.arch: 'am n.prudential.p abled: false,
Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEng desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.pr autoDismissAlerts: true, automationName: UiAutomator2, deviceName: An newCommandTimeout: 10000, noReset: true, platformName: android}, deviceMarviceMarvicesTurger Capala, deviceMadala, Pival 5, deviceName: OC241EDE	, os.arch: 'am n.prudential.p abled: false, udential.pulso droid-Test, iceApiLevel: (
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnglesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudeoDismissAlerts: true, automationName: UiAutomator2, deviceName: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, devidewiceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDI	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 3
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: contat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnstesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, devideviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDIdeviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 3040043P,
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEngatesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prutoDismissAlerts: true, automationName: UiAutomator2, deviceName: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, devideviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDIdeviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24. javascriptEnabled: true, locationContextEnabled: false, networkConnectionnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI	n.prudential.pabled: false, udential.pulse droid-Test, iceApiLevel: 3040043P, IFDD40043P, Enabled: true
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: conuat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEngatesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudeoDismissAlerts: true, automationName: UiAutomator2, deviceName: An newCommandTimeout: 10000, noReset: true, platformName: android}, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24/javascriptEnabled: true, locationContextEnabled: false, networkConnectionnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScr	n.prudential.pabled: false, udential.pulse droid-Test, iceApiLevel: 3040043P, 1FDD40043P, Enabled: true NUX, reenshot: true
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEngatesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudeolismissAlerts: true, automationName: UiAutomator2, deviceName: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, devideviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDI deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24 javascriptEnabled: true, locationContextEnabled: false, networkConnectionnewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreviewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, weight in the platform in	n.prudential.pabled: false, udential.pulse droid-Test, iceApiLevel: 3040043P, 1FDD40043P, Enabled: true NUX, reenshot: true
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnglesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudeolismissAlerts: true, automationName: UiAutomator2, deviceName: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, devideviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDI deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24 javascriptEnabled: true, locationContextEnabled: false, networkConnection newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScrewiewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, we false}	n.prudential.pabled: false, udential.pulse droid-Test, iceApiLevel: 3040043P, 1FDD40043P, Enabled: true NUX, reenshot: true
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.at, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnstesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudentioDismissAlerts: true, automationName: UiAutomator2, deviceName: An newCommandTimeout: 10000, noReset: true, platformName: android}, devideviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDI deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24 (avascriptEnabled: true, locationContextEnabled: false, networkConnection newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenSesion ID: ebe69667-c908-4ddf-a7e5-87219333b93b *** Element info: {Using=xpath, value=//android.widget.TextView[contains]	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 2040043P, 1FDD40043P, Enabled: true NUX, reenshot: true bStorageEnab
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. at, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnstesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPack	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 040043P, 1FDD40043P, Enabled: true NUX, reenshot: true bStorageEnabled.
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: contat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnstesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudeoDismissAlerts: true, automationName: UiAutomator2, deviceName: AntewCommandTimeout: 10000, noReset: true, platformName: android}, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDEdeviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24 avascriptEnabled: true, locationContextEnabled: false, networkConnection newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenPersion in the info: {Using=xpath, value=//android.widget.TextView[containsPulsemate!')]} ******Element info: {Using=xpath, value=//android.widget.TextView[containsPulsemate!')]} ***********It is the info: {Using=xpath, value=//android.widget.TextView[containsPulsemate!')]} ***********************************	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 5040043P, 1FDD40043P, Enabled: true NUX, reenshot: true bStorageEnabled (@text,'Hi
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: contat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnst desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPac	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 5040043P, 1FDD40043P, Enabled: true NUX, reenshot: true bStorageEnabled (@text,'Hi
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. at, autoDismissAlerts: true, automationName: UiAutomator2, databaseEndelesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudtoDismissAlerts: true, automationName: UiAutomator2, deviceName: AntewCommandTimeout: 10000, noReset: true, platformName: android}, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDIdeviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24 avascriptEnabled: true, locationContextEnabled: false, networkConnection newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreicewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, weights alsesion ID: ebe69667-c908-4ddf-a7e5-87219333b93b *** Element info: {Using=xpath, value=//android.widget.TextView[containsPulsemate!')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknot) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Juknot) DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 5040043P, 1FDD40043P, Enabled: true bStorageEnabled (@text,'Hiown Source) stance
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEngatesidesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulses.MainAc, appPackag	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 5040043P, 1FDD40043P, Enabled: true bStorageEnabled (@text,'Hiown Source) stance
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnglesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudeolismissAlerts: true, automationName: UiAutomator2, deviceName: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, devideviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDIdeviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C24 javascriptEnabled: true, locationContextEnabled: false, networkConnection newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LI platformName: Android, platformVersion: 11, statBarHeight: 145, takesScr. viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, weightse} Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b *** Element info: {Using=xpath, value=//android.widget.TextView[contains Pulsemate!']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknotat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknotat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(ConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createExceptic(W3CHttpResponseCodec.java:187)	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 5040043P, 1FDD40043P, Enabled: true bStorageEnabled (@text,'Hiown Source) stance
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEndesired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prautoDismissAlerts: true, automationName: UiAutomator2, deviceName: AnnewCommandTimeout: 10000, noReset: true, platformName: android}, deviceName	n.prudential.pabled: false, udential.pulsed droid-Test, iceApiLevel: 5040043P, 1FDD40043P, Enabled: true bStorageEnabled (@text,'Hiown Source) stance

```
(W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
  at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
  (MyCommunitiesScreen.java:556)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
  (MyCommunitiesSteps.java:173)
  at .And I click the share icon in Post screen(features/home/mycommunities
  /PulseMyCommunities.feature:68)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify the Post Functionality in All communities
Passed: 0
                      Failed: 1
                                            Undefined: 11
                                                                              Duration: .08s
Before
                                                                              0.00s
  Then I click skip button in feeds screen
                                                                              0.08s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
```

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

at io.appium. (DefaultGene at io.appium.	.java_client.DefaultGene ericMobileDriver.java:5 .java_client.AppiumDriv	oteWebDriver.findElement(Ren ericMobileDriver.findElement 8) ver.findElement(AppiumDriver droidDriver.findElement(Andro	∴java:1)
at com.prude 19)	ential.tap.selenium.Exect	mands\$15.executeCommand(CouteCommand.executeCommand.executeCommand.executeCommand.exeCom	d(ExecuteCommand.java:
at com.onepu (MyCommun	ulse.app.screens.mydocu nitiesScreen.java:662)	ePage.popupstart(TestBasePage i.MyCommunitiesScreen.ClickS	Skipfeedbutton
_		mobilesteps.MyCommunitiesSte	ps.clickSkipbutton
	nitiesSteps.java:208) ck skip button in feeds s	creen(features/home/mycommu	ınities
	nmunities.feature:75)		
Then I wait fo	or 2 sec		0.00s
And I click th	ne Back icon in Stay Act	ive screen	0.00s
Then I wait fo	or 3 sec		0.00s
And I click E	dit icon in stay Active ic	on	0.00s
And I click th	ne Camera icon in create	e post screen	0.00s
And I click th	ne Upload Image icon		0.00s
And I give ca	mera permission		0.00s
Then I take p	oicture from Camera		0.00s
	e post in community scr	een	0.00s
POST TES			
	e post in community lar	ge text screen	0.00s
POST weld			
	ne Post icon in create pos	et cereen	0.00s
After	e l'ost icon in create po	St Screen	0.00s
			0.008
Back to Table of Co			
•	the Category list and so		- 4 4 5 00
Passed: 1	Failed: 1	Undefined: 4	Duration: 15.08s
Before			0.00s
Then I wait fo			15.01s
And I clicks of	on "\${category.text}" in	app screen	0.07s
processing the Original erro Build info: ve System info: los.version: '10 Driver info: ie Capabilities { uat, autoDisn	e command. Original er or: socket hang up ersion: '3.12.0', revision: host: 'TM003LSIN', ip: 0.0', java.version: '11.0. o.appium.java_client.an (appActivity: com.prudenissAlerts: true, automa		d to the remote server. 14:04:26.12Z' dows 10', os.arch: 'amd64', tage: com.prudential.pulse. abaseEnabled: false,

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.Cus	tomerConnectScreen.clickButton((CustomerConnectScreen.
java:1741)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	ons.mobilesteps.CustomerConnect	Steps.clickUploadIcon
(CustomerConnectSteps.java:534 at .And I clicks on "\${category.te	+) ext}'' in app screen(features/home/	/mycommunities
/PulseMyCommunities.feature:93		
And I verify the following texts '		0.00s
COVID-19		
Fitness		
Global Awareness Days		
Mental Health		
And I clicks on "\${no.post.catego	ory}'' in app screen	0.00s
And I clicks on "\${apply.button}		0.00s
And I verify following texts are d	lisplayed	0.00s
\${no.post.found.text}		
fter		0.00s
ack to Table of Contents		
cenario: User navigates back to the	e community screen	
	Undefined: 0	Duration: .08s
ssed: 0 Failed: 1		0.00s
		U.UUS
And I click the Back icon in Stay org.openqa.selenium.WebDriver processing the command. Origina	Active screen Exception: An unknown server-side al error: Could not proxy comman	0.08s
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revision:	Exception: An unknown server-sical error: Could not proxy commarsion: '7c6e0b3', time: '2018-05-08T	de error occurred while nd to the remote server.
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revision:	Exception: An unknown server-side al error: Could not proxy commansion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Win	de error occurred while nd to the remote server.
org.openqa.selenium.WebDriver processing the command. Original original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '10.0' priver info: io.appium.java_clien	Exception: An unknown server-sidual error: Could not proxy commansion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wintandroid.AndroidDriver	0.08s de error occurred while and to the remote server. F14:04:26.12Z' andows 10', os.arch: 'amd64'
org.openqa.selenium.WebDriver processing the command. Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clien Capabilities {appActivity: com.p.	Exception: An unknown server-sidual error: Could not proxy commansion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wintandroid.AndroidDriver rudential.pulse.MainAc, appPac	de error occurred while nd to the remote server. T14:04:26.12Z' ndows 10', os.arch: 'amd64
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1Driver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, auto	Exception: An unknown server-sidual error: Could not proxy commansion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wint.0.2' ht.android.AndroidDriver rudential.pulse.MainAc, appPacomationName: UiAutomator2, date	0.08s de error occurred while and to the remote server. 114:04:26.12Z' and
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '10.0' priver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude	Exception: An unknown server-sidual error: Could not proxy commansion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wintandroid.AndroidDriver rudential.pulse.MainAc, appPac	0.08s de error occurred while and to the remote server. 114:04:26.12Z' andows 10', os.arch: 'amd64' amd64' amd66' amd66
org.openqa.selenium.WebDriver.processing the command. Original original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automatnewCommandTimeout: 10000, n	Exception: An unknown server-sidual error: Could not proxy commands on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wintandroid.AndroidDriver rudential.pulse.MainAc, appPacomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: android.	de error occurred while nd to the remote server. [14:04:26.12Z' ndows 10', os.arch: 'amd64 ekage: com.prudential.pulse tabaseEnabled: false, e: com.prudential.pulse.uat Name: Android-Test, coid}, deviceApiLevel: 30,
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '10.0' priver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automatnewCommandTimeout: 10000, ndeviceManufacturer: Google, deviceManufacturer: Google,	Exception: An unknown server-sidular error: Could not proxy commansion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wintandroid.AndroidDriver rudential.pulse.MainAc, appPacomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: androiceModel: Pixel 5, deviceName: 0	de error occurred while and to the remote server. 114:04:26.12Z' andows 10', os.arch: 'amd64' abaseEnabled: false, e: com.prudential.pulse.uatwase: Android-Test, coid}, deviceApiLevel: 30, C241FDD40043P,
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clien Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, n deviceManufacturer: Google, deviceScreenDensity: 440, device	Exception: An unknown server-sidular error: Could not proxy commands on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Windlandroid.AndroidDriver rudential.pulse.MainAc, appPacomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: androiceModel: Pixel 5, deviceName: 0.8creenSize: 1080x2340, deviceUD	de error occurred while and to the remote server. T14:04:26.12Z' andows 10', os.arch: 'amd64' abaseEnabled: false, e: com.prudential.pulse.uathane: Android-Test, coid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P,
org.openqa.selenium.WebDriver.processing the command. Original original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automat newCommandTimeout: 10000, n deviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location	Exception: An unknown server-sidual error: Could not proxy commarsion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wintandroid.AndroidDriver rudential.pulse.MainAc, appPacomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: androiceModel: Pixel 5, deviceName: 0. ScreenSize: 1080x2340, deviceUD: ContextEnabled: false, networkCo	de error occurred while nd to the remote server. [14:04:26.12Z' ndows 10', os.arch: 'amd64] [kage: com.prudential.pulse tabaseEnabled: false, e: com.prudential.pulse.uath [ame: Android-Test, coid], deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true,
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, n deviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, n	Exception: An unknown server-sidular error: Could not proxy commands on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Windlandroid.AndroidDriver rudential.pulse.MainAc, appPacomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: androiceModel: Pixel 5, deviceName: 0.8creenSize: 1080x2340, deviceUD	de error occurred while and to the remote server. 114:04:26.12Z' andows 10', os.arch: 'amd64 andows 10', os.arch: 'amd64 andows Enabled: false, e: com.prudential.pulse.uat and andoid-Test, coid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX,
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, n deviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, n platformName: Android, platfor viewportRect: {height: 2015, left.	Exception: An unknown server-sidal error: Could not proxy commands on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Windlow', ip: '192.168.1.124', os.name: 'Windlow', os.name: 'Windlow', os.name: 'Windlow', os.name: UiAutomator2, date of the command of the co	de error occurred while and to the remote server. 114:04:26.12Z' andows 10', os.arch: 'amd64' abaseEnabled: false, e: com.prudential.pulse.uathame: Android-Test, coid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, , takesScreenshot: true,
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '10.0', java.version: '10.0' priver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceManufacturer: Google, deviceManu	Exception: An unknown server-sidal error: Could not proxy commands on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Winklow', ip: '192.168.1.124', os.name: 'No.168.184', ip: '192.168.1.124', os.name: '192.168.1.124', os.name: '192.168.1.124', os.name: '192.168.1.124	de error occurred while nd to the remote server. 114:04:26.12Z' ndows 10', os.arch: 'amd64 ekage: com.prudential.pulse tabaseEnabled: false, e: com.prudential.pulse.uatName: Android-Test, coid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, , takesScreenshot: true,
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clien Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, n deviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, n platformName: Android, platfor viewportRect: {height: 2015, left: false} Session ID: ebe69667-c908-4ddf-session ID: ebe69667-c908-4ddf-se	Exception: An unknown server-sidular error: Could not proxy commars on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wind 1.0.2' of the control of the con	de error occurred while nd to the remote server. [14:04:26.12Z' ndows 10', os.arch: 'amd64] [kage: com.prudential.pulse.tabaseEnabled: false, e: com.prudential.pulse.uat] [Name: Android-Test, roid], deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled:
org.openqa.selenium.WebDriver processing the command. Origina Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, n deviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, n platformName: Android, platfor viewportRect: {height: 2015, left: false} Session ID: ebe69667-c908-4ddf-*** Element info: {Using=xpath,	Exception: An unknown server-sidal error: Could not proxy commands on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Winklow', ip: '192.168.1.124', os.name: 'No.168.184', ip: '192.168.1.124', os.name: '192.168.1.124', os.name: '192.168.1.124', os.name: '192.168.1.124	de error occurred while nd to the remote server. [14:04:26.12Z' ndows 10', os.arch: 'amd64] [kage: com.prudential.pulse.tabaseEnabled: false, e: com.prudential.pulse.uat] [Name: Android-Test, roid], deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled:
org.openqa.selenium.WebDriver processing the command. Original Original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '10.0', java.version: '10.0' priver info: io.appium.java_clier Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automanewCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceManufacturer: Google, deviceManufacturer	Exception: An unknown server-sidular error: Could not proxy commars on: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wind 1.0.2' of the control of the con	de error occurred while nd to the remote server. 114:04:26.12Z' ndows 10', os.arch: 'amd64 ekage: com.prudential.pulse tabaseEnabled: false, e: com.prudential.pulse.uat Name: Android-Test, roid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, , takesScreenshot: true, gs: {}, webStorageEnabled: [contains(@text,'Hi
org.openqa.selenium.WebDriver processing the command. Original original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '1 Driver info: io.appium.java_client Capabilities {appActivity: com.puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automannewCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: Google, deviceManufacturer: Google, deviceManufacturer: Google, deviceManufacturer: Google, deviceManufacturer: Google, deviceManufacturer: Google, deviceManufacturer: Go	Exception: An unknown server-sidal error: Could not proxy commarsion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wind 11.0.2' ot.android.AndroidDriver rudential.pulse.MainAc, appPactomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: androiceModel: Pixel 5, deviceName: 0. ScreenSize: 1080x2340, deviceUD: ContextEnabled: false, networkCookset: true, pixelRatio: 2.75, platenVersion: 11, statBarHeight: 145, co., top: 145, width: 1080}, warning are5-87219333b93b value=//android.widget.TextView ConstructorAccessor34.newInstanDelegatingConstructorAccessorIm	de error occurred while nd to the remote server. [14:04:26.12Z' ndows 10', os.arch: 'amd64' [kage: com.prudential.pulse tabaseEnabled: false, e: com.prudential.pulse.uat Name: Android-Test, roid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, , takesScreenshot: true, gs: {}, webStorageEnabled: [contains(@text,'Hi nce(Unknown Source)
org.openqa.selenium.WebDriver processing the command. Original original error: socket hang up Build info: version: '3.12.0', revis System info: host: 'TM003LSIN' os.version: '10.0', java.version: '10.0', java.version: '10.0' puat, autoDismissAlerts: true, autodesired: {appActivity: com.prude autoDismissAlerts: true, automannewCommandTimeout: 10000, ndeviceManufacturer: Google, deviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: true, location newCommandTimeout: 10000, ndeviceManufacturer: {autodeviceScreenDensity: 440, device javascriptEnabled: {autodeviceScreenDen	Exception: An unknown server-sidal error: Could not proxy commarsion: '7c6e0b3', time: '2018-05-08T, ip: '192.168.1.124', os.name: 'Wind 11.0.2' ot.android.AndroidDriver rudential.pulse.MainAc, appPactomationName: UiAutomator2, datential.pulse.MainAc, appPackagetionName: UiAutomator2, deviceNoReset: true, platformName: androiceModel: Pixel 5, deviceName: 0. ScreenSize: 1080x2340, deviceUD: ContextEnabled: false, networkCookset: true, pixelRatio: 2.75, platenVersion: 11, statBarHeight: 145, co., top: 145, width: 1080}, warning are5-87219333b93b value=//android.widget.TextView ConstructorAccessor34.newInstanDelegatingConstructorAccessorIm	de error occurred while nd to the remote server. 114:04:26.12Z' ndows 10', os.arch: 'amd64' ekage: com.prudential.pulse tabaseEnabled: false, e: com.prudential.pulse.uat Name: Android-Test, roid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P, onnectionEnabled: true, tform: LINUX, , takesScreenshot: true, gs: {}, webStorageEnabled: [contains(@text,'Hi nce(Unknown Source) pl.newInstance

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:464)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
(MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/home/mycommunities
/PulseMyCommunities.feature:105)
```

After			0.00s		
Back to Table of Contents					
Scenario: Leave the com	munity if already joine	d			
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s		
Before			0.00s		
And I clicks on "\${m	And I clicks on "\${my.communities.text}" in app screen 0.03s				
Before			0.00s		

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command, Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ebe69667-c908-4ddf-a7e5-87219333b93b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Communities'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(Delegating Constructor Accessor Impl.java: 45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

	at org.openqa.seleniat io.appium.java_cl (DefaultGenericMokat io.appium.java_cl at io.appium.java_cl at com.prudential.ta at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app java:1741) at com.onepulse.app (CustomerConnectS	ient.AppiumDriver.findElement(AppiumDriver.java:1) lient.android.AndroidDriver.findElement(AndroidDriver. p.selenium.Commands\$15.executeCommand(Commands. p.selenium.ExecuteCommand.executeCommand(ExecuteCommand.executeCommand.executeCommand(ExecuteCommand.executeCommand.executeCommand(ExecuteCommand.execut	java:1) java:141) Command.java: 3) ConnectScreen. UploadIcon
		iconcuture (190)	0.00-
	And I scroll down		0.00s
		ed community three dots menu icon	0.00s
	And I click on leave	button for joined community	0.00s
	After		0.00s
	Back to Table of Contents		
Fe	ature: Verify Private M	y Communities on One Pulse App	
	sed: 3 Failed		
		pp and select the country as per specified lbu	
			D
	Passed: 5	Failed: 0 Undefined: 0	Duration: 50.3s
	Before		0.00s
	Given User has puls		10.51s
	A 1 11 11 11 /	CONTINUE WITH EMAIL" with Email button	17.86s
	And user click on "C		
		ountry as required on registration page	11.93s
			11.93s 3.01s
	Then I change the co		
	Then I change the co		3.01s
	Then I change the co Then I wait for 3 sec And I click the Sign		3.01s 6.99s
	Then I change the contents Then I wait for 3 second And I click the Sign After Back to Table of Contents		3.01s 6.99s 0.00s
	Then I change the control of Then I wait for 3 second and I click the Sign After Back to Table of Contents Scenario: User should be	in link	3.01s 6.99s 0.00s
	Then I change the content I wait for 3 second I click the Sign After Back to Table of Contents Scenario: User should be Email"	in link De able to login on app with correct credentials using "Cor	3.01s 6.99s 0.00s
	Then I change the content I wait for 3 second I click the Sign After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before	in link De able to login on app with correct credentials using "Correct of the state of the sta	3.01s 6.99s 0.00s ntinue with Duration: 50.66s
	Then I change the content I wait for 3 section And I click the Sign After Back to Table of Contents Scenario: User should be Email" Passed: 7 Before And I assign "\${myo	in link De able to login on app with correct credentials using "Correct cr	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s
	Then I change the content I wait for 3 section I click the Sign After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before And I assign ''\${myo Given I select the larger of the I select the larger of the I wait for a section I wait f	in link De able to login on app with correct credentials using "Correct of the state of the sta	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s 0.00s 3.63s
	Then I change the content I wait for 3 section I wait for 3 section I click the Sign After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before And I assign ''\${myo Given I select the land When user enters created and the section I select the land When user enters created and I was a section I select the land When user enters created and I was a section I select the land When user enters created and I was a section I select the land When user enters created and I was a section I select the land When user enters created and I was a section I	in link De able to login on app with correct credentials using "Correct of the correct of the c	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s
	Then I change the content I wait for 3 section I wait for 3 section After Back to Table of Contents Scenario: User should I Email" Passed: 7 Before And I assign "\${myo Given I select the land When user enters crules UserName \${PUI}	in link De able to login on app with correct credentials using "Correct cr	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s 0.00s 3.63s
	Then I change the content I wait for 3 section And I click the Sign After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before And I assign ''\${myo Given I select the land When user enters crack UserName \${PUI Password \${login 1} } \${login 1} \${lo	in link De able to login on app with correct credentials using "Correct of the correct of the c	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s 0.00s 3.63s 10.55s
	Then I change the content I wait for 3 section And I click the Sign After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before And I assign ''\${myo Given I select the land When user enters crowder UserName \${PUI Password \${login And User clicks on section of the content of the	in link De able to login on app with correct credentials using "Correct able to login on app with correct credentials using "Correct able to login on app with correct credentials using "Correct able to login on together to variable "PULSE_EMAIL" In guage option on toggte bar as required on login page edentials In password In password In password In password	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s 0.00s 10.55s
	Then I change the content I wait for 3 section After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before And I assign ''\${myo Given I select the land When user enters or UserName \${PUI Password \${login And User clicks on set Then I wait for 10 se	in link De able to login on app with correct credentials using "Correct of the correct of the c	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s 0.00s 3.63s 10.55s
	Then I change the content I wait for 3 section After Back to Table of Contents Scenario: User should be Email'' Passed: 7 Before And I assign ''\${myo} Given I select the land When user enters or UserName \${PUI} Password \${login} And User clicks on so Then I wait for 10 sections.	in link De able to login on app with correct credentials using "Correct able to login on app with correct credentials using "Correct able to login on app with correct credentials using "Correct able to login on together to variable "PULSE_EMAIL" In guage option on toggte bar as required on login page edentials In password In password In password In password	3.01s 6.99s 0.00s ntinue with Duration: 50.66s 0.00s 0.00s 10.55s

	d be landed to "Home" screen	15.22s
fter		0.00s
ick to Table of Conte	<u>nts</u>	
	e My communities screen	
ssed: 5	Failed: 0 Undefined: 0	Duration: 18.93
efore		0.00s
	MyCommunities icon	3.03s
Then I wait for 3	- 200	3.00s
	owing texts are displayed	0.39s
\${icon.comm		
	following texts "All Communities" in Screen	9.51s
\${my.commu		
\${All.Commu		
Then I wait for 3	3 sec	3.00s
fter		0.00s
ck to Table of Conte		
	e Private Communities in communities screen	
ssed: 0	Failed: 1 Undefined: 11	Duration: 4.09
And I click the Forg.openqa.selen	Private "\${All.Communities.text}" in Communities scr nium.WebDriverException: An unknown server-side of ommand. Original error: Could not proxy command	error occurred while
And I click the F	nium.WebDriverException: An unknown server-side	een 4.09s
And I click the Forg.openqa.selent processing the contribution of	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up	error occurred while to the remote server.
And I click the Forg.openqa.selen processing the cooriginal error: substitution in the cooriginal error in t	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14	error occurred while to the remote server.
And I click the Forg.openqa.selent processing the configural error: Suild info: version System info: hos	nium.WebDriverException: An unknown server-side of ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo	error occurred while to the remote server.
And I click the Forg.openqa.selent processing the configural error: Suild info: version System info: hos os.version: '10.0'	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2'	error occurred while to the remote server.
org.openqa.selen processing the co Original error: s Build info: versionsystem info: hos os.version: '10.0' Driver info: io.a Capabilities {app	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14'; 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackag	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64'
org.openqa.selen processing the co Original error: s Build info: versions.version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackago.	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse aseEnabled: false,
org.openqa.selen processing the co Original error: s Build info: version System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage of Alerts: true, automationName: UiAutomator2, databativity: com.prudential.pulse.MainAc, appPackage: of the com.prudentia	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.uat
org.openqa.selen processing the co Original error: s Build info: versionsystem info: hos os.version: '10.0' Driver info: io.a Capabilities {appuat, autoDismiss desired: {appActautoDismissAler	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage: Alerts: true, automationName: UiAutomator2, databetivity: com.prudential.pulse.MainAc, appPackage: ots: true, automationName: UiAutomator2, deviceNametrical.pulse.MainAc, appPackage: ots: true, automatical.pulse.MainAc, appPackage: ots: true, automatical.pulse.MainAc	error occurred while to the remote server. 2:04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse baseEnabled: false, com.prudential.pulse.uan
org.openqa.selen processing the co Original error: s Build info: versions.version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTi	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage of Alerts: true, automationName: UiAutomator2, databativity: com.prudential.pulse.MainAc, appPackage: of the com.prudentia	error occurred while to the remote server. 2:04:26.12Z' 2:0ws 10', os.arch: 'amd64' 2:0seEnabled: false, 2:0m.prudential.pulse.uathe: Android-Test, 2:d}, deviceApiLevel: 30,
org.openqa.selen processing the conginal error: selent build info: versions yetem info: hose os.version: '10.0' Driver info: io.ay Capabilities {appact autoDismiss desired: {appAct autoDismiss AlernewCommandTideviceManufact deviceScreenDeriver info: io.ay commandTideviceManufact deviceScreenDeriver.	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage: Alerts: true, automationName: UiAutomator2, databitivity: com.prudential.pulse.MainAc, appPackage: ots: true, automationName: UiAutomator2, deviceNamimeout: 10000, noReset: true, platformName: androidurer: Google, deviceModel: Pixel 5, deviceName: 0C2 insity: 440, deviceScreenSize: 1080x2340, deviceUDID:	error occurred while to the remote server. 3:04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse.uarne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, c OC241FDD40043P,
org.openqa.selen processing the co Original error: s Build info: versions.version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactudeviceScreenDerigavascriptEnables	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackageAlerts: true, automationName: UiAutomator2, databtivity: com.prudential.pulse.MainAc, appPackage: ots: true, automationName: UiAutomator2, deviceName: uis: true, automationName: UiAutomator2, deviceName: Google, deviceModel: Pixel 5, deviceName: 0C2 nsity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContextEnabled: false, networkContextEnabled:	error occurred while to the remote server. 2:04:26.12Z' 2:0ws 10', os.arch: 'amd64' 2:0aseEnabled: false, 2:0aseEnabled: false, 2:0aseEnabled: false, 3:0aseEnabled: false, 4:0com.prudential.pulse.uat 4:0aseEnabled: false, 2:0aseEnabled: false, 3:0aseEnabled: false, 4:0aseEnabled: false, 4:0aseEnabled: false, 5:0aseEnabled: false, 6:0aseEnabled: false, 6:0aseEnabled: false, 6:0aseEnabled: false, 7:0aseEnabled: false, 8:0aseEnabled: fals
org.openqa.selen processing the conginal error: selent build info: versions version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactate deviceScreenDeriavascriptEnable newCommandTideviceManufactate for the commandTideviceManufactate for the commandTideviceManuf	nium.WebDriverException: An unknown server-side command. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage: Alerts: true, automationName: UiAutomator2, databitivity: com.prudential.pulse.MainAc, appPackage: ots: true, automationName: UiAutomator2, deviceName: true, automationName: UiAutomator2, deviceName: OC2 insity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforimeout: 10000, noReset: 10000, noReset: true, pixelRatio: 2.75, platforimeout: 10000, noReset: 100000, noReset: 100000, noReset:	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.uathe: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, coc241FDD40043P, nectionEnabled: true, rm: LINUX,
org.openqa.selen processing the co Original error: s Build info: versic System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: J	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackageAlerts: true, automationName: UiAutomator2, databtivity: com.prudential.pulse.MainAc, appPackage: ots: true, automationName: UiAutomator2, deviceName: uis: true, automationName: UiAutomator2, deviceName: Google, deviceModel: Pixel 5, deviceName: 0C2 nsity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContextEnabled: false, networkContextEnabled:	error occurred while to the remote server. ::04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse.uathe: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, :: 0C241FDD40043P, nectionEnabled: true, rm: LINUX, ikesScreenshot: true,
org.openqa.selen processing the conginal error: selent build info: versions version: '10.0' Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactateviceScreenDeriavascriptEnable newCommandTiplatformName: viewportRect: {bfalse}	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage sAlerts: true, automationName: UiAutomator2, datab tivity: com.prudential.pulse.MainAc, appPackage: octs: true, automationName: UiAutomator2, deviceName imeout: 10000, noReset: true, platformName: android urer: Google, deviceModel: Pixel 5, deviceName: 0C2 nsity: 440, deviceScreenSize: 1080x2340, deviceUDID; ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforAndroid, platformVersion: 11, statBarHeight: 145, tatheight: 2015, left: 0, top: 145, width: 1080}, warnings:	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse.uathe: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true,
org.openqa.selen processing the co Original error: s Build info: versic System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {Ir false} Session ID: ee74	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage: Alerts: true, automationName: UiAutomator2, databitivity: com.prudential.pulse.MainAc, appPackage: Ots: true, automationName: UiAutomator2, deviceNamimeout: 10000, noReset: true, platformName: androidurer: Google, deviceModel: Pixel 5, deviceName: 0C2 onsity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforAndroid, platformVersion: 11, statBarHeight: 145, tatheight: 2015, left: 0, top: 145, width: 1080}, warnings: 947b-895c-4a90-b045-34048b87a441	error occurred while to the remote server. 2:04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse.uathe: Android-Test, dly, deviceApiLevel: 30, 41FDD40043P, coc241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled:
org.openqa.selen processing the concessing the concessing the concessing the concession or selection of the concession o	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage sAlerts: true, automationName: UiAutomator2, datab tivity: com.prudential.pulse.MainAc, appPackage: octs: true, automationName: UiAutomator2, deviceName imeout: 10000, noReset: true, platformName: android urer: Google, deviceModel: Pixel 5, deviceName: 0C2 nsity: 440, deviceScreenSize: 1080x2340, deviceUDID; ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforAndroid, platformVersion: 11, statBarHeight: 145, tatheight: 2015, left: 0, top: 145, width: 1080}, warnings:	error occurred while to the remote server. 2:04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse baseEnabled: false, com.prudential.pulse.uat ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, 10C241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled:
org.openqa.selen processing the conginal error: selenting the conginal error info: selenting the conginal error info the congi	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackagsAlerts: true, automationName: UiAutomator2, databtivity: com.prudential.pulse.MainAc, appPackage: ots: true, automationName: UiAutomator2, deviceNamimeout: 10000, noReset: true, platformName: androidurer: Google, deviceModel: Pixel 5, deviceName: 0C2 nsity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforAndroid, platformVersion: 11, statBarHeight: 145, tatheight: 2015, left: 0, top: 145, width: 1080}, warnings: 947b-895c-4a90-b045-34048b87a441	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse caseEnabled: false, com.prudential.pulse.uat ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, coC241FDD40043P, nectionEnabled: true, rm: LINUX, lkesScreenshot: true, {}, webStorageEnabled:
org.openqa.selen processing the co Original error: s Build info: versic System info: hos os.version: '10.0' Driver info: io.aj Capabilities {apj uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {h false} Session ID: ee74 *** Element info Pulsemate!')]} at jdk.internal.re	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage: Alerts: true, automationName: UiAutomator2, databitivity: com.prudential.pulse.MainAc, appPackage: Ots: true, automationName: UiAutomator2, deviceNamimeout: 10000, noReset: true, platformName: androidurer: Google, deviceModel: Pixel 5, deviceName: 0C2 onsity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforAndroid, platformVersion: 11, statBarHeight: 145, tatheight: 2015, left: 0, top: 145, width: 1080}, warnings: 947b-895c-4a90-b045-34048b87a441	error occurred while to the remote server. 2:04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse baseEnabled: false, com.prudential.pulse.uat ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled: ontains(@text,'Hi (Unknown Source)
org.openqa.selen processing the conginal error: selection of the conginal error of the conginal err	nium.WebDriverException: An unknown server-side ommand. Original error: Could not proxy command socket hang up on: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14 ot: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windo', java.version: '11.0.2' ppium.java_client.android.AndroidDriver pActivity: com.prudential.pulse.MainAc, appPackage of SAlerts: true, automationName: UiAutomator2, databetivity: com.prudential.pulse.MainAc, appPackage: of true, automationName: UiAutomator2, deviceNamimeout: 10000, noReset: true, platformName: androidurer: Google, deviceModel: Pixel 5, deviceName: 0C2 nsity: 440, deviceScreenSize: 1080x2340, deviceUDID: ed: true, locationContextEnabled: false, networkContimeout: 10000, noReset: true, pixelRatio: 2.75, platforAndroid, platformVersion: 11, statBarHeight: 145, taneight: 2015, left: 0, top: 145, width: 1080}, warnings: 947b-895c-4a90-b045-34048b87a441 o: {Using=xpath, value=//android.widget.TextView[content-co	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse caseEnabled: false, com.prudential.pulse.uat ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, coC241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled: ontains(@text,'Hi (Unknown Source) newInstance

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

```
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickPrivateCommunities
(MyCommunitiesScreen.java:994)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.
Click PrivateCommunities(MyCommunitiesSteps.java:288)
at .And I click the Private "${All.Communities.text}" in Communities screen(features/home
/mycommunities/PulseMyCommunities_private.feature:40)
```

Then I wait for 3 sec		0.00s
And I scroll down		0.00s
And I click the contin	nue button	0.00s
Then I click skip but	ton in feeds screen	0.00s
And I clicks on "OK"	' in app screen	0.00s
After		0.00s
Back to Table of Contents		•
ature: Verify legal and le	egacy on One pulse Ann	
ssed: 7 Failed:		
	op and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 46.23
Before	Zanear v	0.00s
	onn	9.41s
Given User has pulse	app e.legal.privacy.login.id}'' to variable "PULSE_EMAIL"	9.418 0.00s
	ONTINUE WITH EMAIL" with Email button	0.00s 15.26s
		15.268 10.43s
Then I change the co	untry as required on registration page	5.01s
	151-	6.12s
And I click the Sign i	n iink	
After		0.00s
Back to Table of Contents		
Scenario: login to the ap	p with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 44.53
Before		0.00s
Given I select the lan	guage option on toggle bar as required on login page	3.56s
When user enters cre		10.51s
UserName \${PUL}	SE_EMAIL}	
Password \${pulse		
And User clicks on si		0.28s
And I wait for 5 sec		5.01s
	one pulse app for user email ''\${PULSE_EMAIL}''	10.29s
	landed to "Home" screen	14.88s
After		0.00s
Back to Table of Contents		0.005
Scenario: Navigate to ac	equipt sergon	
Passed: 1	Failed: 0 Undefined: 0	Duration: 11.4s
Before	Paneu. U Undermed: U	0.00s
Given user navigate t	o account page	11.40s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Leg	gacy and Privacy should be displayed	
Passed: 2	Failed: 0 Undefined: 0	Duration: 7.52s

	egacy and Privacy		4.87s
		played in terms and condition screen	2.65s
\${Terms.condi			
\${icon.privacy			
\${icon.regulate			
\${app.version.	text}		
After			0.00s
Back to Table of Conten	<u>ts</u>		
Scenario: Verify the	Terms and conditi	ion screen should be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 18.5
Before			0.00s
And I click on "\$	{Terms.conditions.	.text}" link in Account screen	0.25s
And I click the pu	ılse icon in Accoun	t screen	13.69s
And I click the Ba	ack icon in pulse sc	reen	3.12s
And I click the Ba	ack icon in Terms a	and conditions screen	1.46s
After			0.00s
Back to Table of Conten	<u>ts</u>		
Scenario: Verify the	Privacy screen sho	ould be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 20.8
Before			0.00s
And I click the Pr	rivacy icon in legal	screen	2.37s
	ılse icon in Accoun		13.69s
	ack icon in pulse sc		2.38s
	ack icon in Privacy		2.37s
After			0.00s
Back to Table of Conten	ts		
Scenario: Verify the	Regulator screen s	should be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 7.9s
Before			0.00s
Given I wait for 2	Sec		2.01s
	egulatory icon in le	egal screen	0.35s
	abylons icon in Acc		1.71s
		played in terms and condition screen	3.83s
\${clinicalSafet			
\${ai.healthcare			
\${localisation.t			
	e.protection.text}		
\${concern.repo			
After			0.00s
Back to Table of Conten	ts		
ture: Verify My acc			

My Rewards My Notifications				
My Feedback Pulse Personalised				
ssed: 21 Faile	d: 4	Undefined: 0	Duration: 249.97s	
Scenario: Launch the	app and sel	ect the country as per sp	ecified lbu	
Passed: 6	Failed: 0	Undefined		Duration: 49.7
Before				0.00s
Given User has puls	se ann			12.08s
		.edit.profile}'' to variable	e "PULSE EMAIL"	0.00s
		E WITH EMAIL' with 1		15.63s
		required on registration p		12.15s
Then I wait for 5 se	<u> </u>	1 0 1	. 0	5.02s
And I click the Sign	in link			4.90s
After				0.00s
Back to Table of Contents				
	npp with co	rrect credentials using "	Continue with Email"	
Passed: 6	Failed: 0	Undefined		Duration: 44.
Before			· ·	0.00s
Given I select the la	nguage ont	tion on toggle bar as requ	uired on login nage	3.54s
When user enters c	<u> </u>	don on toggic bar as requ	in cu on login page	9.55s
UserName \${PU		π \		7.555
Password \${pul				
And User clicks on		on		0.28s
And I wait for 5 sec		UII		5.02s
		app for user email "\${PU	II SE EMAII V''	11.66s
Then user should be			CDE_EMAIL;	14.27s
After		Home sereen		0.00s
Back to Table of Contents				0.008
	aggraph com	een and verify all the opt	ions	
Passed: 3	Failed: 0	Undefined		Duration: 17.
Before	raneu: 0	Underined	. V	0.00s
	1			
Given user navigate		t page		11.59s
Then I wait for 2 se		na antiona an accessor	40.079	2.00s 4.10s
		ng options on account sci	reeli	4.1US
\${my.wearable.t				
\${my.rewards.te				
\${my.notification				
\${icon.mySetting \${my.feedback.te				
\${icon.legal&Pri				
\${pulsePersonali				
\${sign.out.button				
\${logs.text}	1.ttAl			
φ(lugs.text)				

After		0.00s			
Back to Table of Contents					
Scenario: Verify wearab	le screen in Account tab				
Passed: 4	Failed: 0 Undefined: 0	Duration: 4.38s			
Before		0.00s			
And I click on "\${my	wearable.text}'' link in Account screen	0.38s			
Then I wait for 2 sec		2.00s			
Then I verify following	g text are displayed under My Wearables screen	1.68s			
\${wearables.title}					
\${wearables.subTi					
\${wearables.descri					
\${wearables.fitbit}					
\${wearables.garmi					
	g wearables are displayed as per the device	0.33s			
\${apple.health.text	}##\${wearables.googleFit}				
After		0.00s			
Back to Table of Contents					
Scenario: navigate back	to account screen from my wearable screen				
Passed: 2	Failed: 0 Undefined: 0	Duration: 3.18s			
Before		0.00s			
And user navigate ba	ck to the Home screen from My Wearables screen	1.17s			
And I wait for 2 sec		2.01s			
After		0.00s			
Back to Table of Contents					
Scenario: Navigate to ac	count screen				
Passed: 2	Failed: 0 Undefined: 0	Duration: 14.87s			
Before		0.00s			
Given user navigate t	o account page	12.85s			
Then I wait for 2 sec		2.01s			
After		0.00s			
Back to Table of Contents					
Scenario: Verify reward	screen in Account tab				
Passed: 3	Failed: 0 Undefined: 0	Duration: 6.12s			
Before		0.00s			
And I click on "\${my	rewards.text}'' link in Account screen	1.05s			
Then I wait for 2 sec		2.02s			
Then User verify follo	owing texts are displayed in My Rewards screen	3.05s			
\${myRewards.title					
	\${myRewards.badges}				
\${myRewards.vou					
\${myRewards.discover}					
\${my.rewards.text					

After			0.00s
Back to Table of Contents			
Scenario: User access M	y Rewards FAQ		
Passed: 3	Failed: 0	Undefined: 0	Duration: 7.19s
Before			0.00s
When I scroll down			4.57s
Then I wait for 2 sec			2.01s
Then User verify follo	owing texts are display	ed in My Rewards screen	0.62s
\${myRewards.faq.	title}		
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the FAQ on my rewar	rds screen	
Passed: 4	Failed: 0	Undefined: 0	Duration: 2.51s
Before			0.00s
Then User verify follo		s ''\${myRewards.faq.1}'' are	0.41s
\${myRewards.faq.	1}		
And I expand faq "\${	myRewards.faq.1}'' in	My Rewards screen	0.45s
Then User verify follo displayed in My Rewa		s ''\${myRewards.faq.1.ans}'' are	1.23s
\${myRewards.faq.	1.ans}		
And I expand faq "\${	myRewards.faq.1}'' in	My Rewards screen	0.42s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the FAQ on my rewar	rds screen	
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.84s
Before			0.00s
Then User verify follo		s ''\${myRewards.faq.2}'' are	1.25s
\${myRewards.faq.	2}		
And I expand faq ''\${	myRewards.faq.2}'' in	My Rewards screen	0.41s
Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen			1.75s
\${myRewards.faq.	2.ans}		
And I expand faq "\${	myRewards.faq.2}'' in	My Rewards screen	0.43s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify	the FAQ on my rewar	rds screen	
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.41s
Before			0.00s
Then User verify follo		s ''\${myRewards.faq.3}'' are	1.28s
\${myRewards.faq.			
	,		

And I expand faq ''\${1	myRewards.faq.3}'' in My Rewards screen	0.45s				
· ·	wing faqs and answers "\${myRewards.faq.3.ans.	1.25s				
	d in My Rewards screen					
	\$\{\text{myRewards.faq.3.ans.1}\}\\$\{\text{myRewards.faq.3.ans.2}\}\\$\{\text{myRewards.faq.}\}\\$					
	##\${myRewards.faq.3.ans.4}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.6} ##\${myRewards.faq.3.ans.7}					
And I expand faq "\${myRewards.faq.3}" in My Rewards screen 0.44s						
After	ingrewards.raq.og in rig rewards sereen	0.00s				
Back to Table of Contents		0.005				
	the FAQ on my rewards screen					
Passed: 4	Failed: 0 Undefined: 0	Duration: 4.83s				
Before		0.00s				
Then User verify follo	wing faqs and answers ''\${myRewards.faq.5}'' are					
displayed in My Rewa		2.69s				
\${myRewards.faq.5						
And I expand faq "\${1	nyRewards.faq.5}'' in My Rewards screen	0.47s				
Then User verify follo	wing faqs and answers "\${myRewards.faq.5.ans.	1.24s				
subtext}" are displaye	d in My Rewards screen	1.248				
	5.ans.1}##\${myRewards.faq.5.ans.2}##\${myRewards.faq.	5.ans.3}				
##\${myRewards.fa		1				
	myRewards.faq.5}'' in My Rewards screen	0.42s				
After		0.00s				
Back to Table of Contents						
	the FAQ on my rewards screen	1				
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.78s				
Before		0.00s				
Then User verify follo displayed in My Rewa	wing faqs and answers ''\${myRewards.faq.6}'' are ards screen	1.04s				
\${myRewards.faq.6	<u>}</u>					
	myRewards.faq.6}'' in My Rewards screen	0.43s				
Then User verify follo displayed in My Rewa	wing faqs and answers "\${myRewards.faq.6.ans}" are ords screen	1.89s				
\${myRewards.faq.6	5.ans}					
And I expand faq "\${1	myRewards.faq.6}'' in My Rewards screen	0.43s				
And I expand faq ''\${1 After	nyRewards.faq.6}'' in My Rewards screen	0.43s 0.00s				
	nyRewards.faq.6}'' in My Rewards screen					
After Back to Table of Contents	myRewards.faq.6}" in My Rewards screen the FAQ on my rewards screen					
After Back to Table of Contents						
After Back to Table of Contents Scenario Outline: Verify	the FAQ on my rewards screen	0.00s				
After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before	the FAQ on my rewards screen Failed: 0 Undefined: 0 wing faqs and answers "\${myRewards.faq.7}" are	0.00s Duration: 3.23s				
After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before Then User verify follo	the FAQ on my rewards screen Failed: 0 Undefined: 0 wing faqs and answers ''\${myRewards.faq.7}'' are ards screen	0.00s Duration: 3.23s 0.00s				
After Back to Table of Contents Scenario Outline: Verify Passed: 4 Before Then User verify follor displayed in My Rewards.faq.7	the FAQ on my rewards screen Failed: 0 Undefined: 0 wing faqs and answers ''\${myRewards.faq.7}'' are ards screen	0.00s Duration: 3.23s 0.00s				

displayed in My Rewards	screen	1.08s					
\${myRewards.faq.7.an	s}						
And I expand faq "\${myR	Rewards.faq.7}'' in My Rewards screen	0.43s					
After		0.00s					
Back to Table of Contents							
Scenario Outline: Verify the	FAQ on my rewards screen						
Passed: 4 Fail	ed: 0 Undefined: 0	Duration: 4.12s					
Before		0.00s					
Then User verify following displayed in My Rewards	g faqs and answers ''\${myRewards.faq.8}'' are screen	2.00s					
\${myRewards.faq.8}							
	Rewards.faq.8}" in My Rewards screen	0.45s					
Then User verify following subtext}'' are displayed in	g faqs and answers ''\${myRewards.faq.8.ans. n My Rewards screen	1.26s					
	$s.1\} \#\#\$\{myRewards.faq.8.ans.2\} \#\#\$\{myRewards.faq.8ans.2\} \#\#\#\{myRewards.faq.8ans.2\} \#\#\#\{myRewards.6ans.2\} \#\#\#\{myRewards.6a$						
	Rewards.faq.8}" in My Rewards screen	0.41s					
After		0.00s					
Back to Table of Contents							
Scenario Outline: Verify the	FAQ on my rewards screen						
Passed: 4 Faile	ed: 0 Undefined: 0	Duration: 3.99s					
Before		0.00s					
Then User verify following displayed in My Rewards	g faqs and answers ''\${myRewards.faq.9}'' are screen	1.25s					
\${myRewards.faq.9}							
And I expand faq "\${myR	Rewards.faq.9}" in My Rewards screen	0.43s					
Then User verify following displayed in My Rewards	g faqs and answers ''\${myRewards.faq.9.ans}'' are screen	1.24s					
\${myRewards.faq.9.an	<u>s</u> }						
And I expand faq "\${myR	Rewards.faq.9}" in My Rewards screen	1.07s					
After		0.00s					
Back to Table of Contents							
Scenario: navigate back to ac	ccount screen from my rewards screen						
Passed: 2 Faile	ed: 0 Undefined: 0	Duration: 44.97					
Before		0.00s					
Then I click on back butto	on on my reward screen to navigate to account screen	42.97s					
And I wait for 2 sec		2.00s					
After		0.00s					
Back to Table of Contents							
Scenario: Verify Notification	screen in Account tab						
· · · · · · · · · · · · · · · · · · ·	ed: 0 Undefined: 0	Duration: 2.92s					
Before		0.00s					
And I click on "\${mv.noti	fication.text}'' link in Account screen	0.42s					
	g texts are displayed in My Notification screen	2.50s					

\${notification.msg}			
After			0.00s
Back to Table of Contents			
Scenario: navigate back	to account screen fron	1 Notification screen	
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.44s
Before			0.00s
Then I click on back b	outton on notification	screen to navigate to account screen	0.43s
And I wait for 2 sec			2.01s
After			0.00s
Back to Table of Contents			
Scenario: Verify my feed	back screen in Accou	nt tab	
Passed: 4	Failed: 0	Undefined: 0	Duration: 5.98s
Before		·	0.00s
And I click on "\${my.	feedback.text}'' link ii	n Account screen	0.40s
• •		ed in My feedback screen	2.16s
\${feedback.static.te			
\${feedback.improv			
		s are displayed in My feedback	2.05
screen			3.05s
\${aime.text}			
\${health.article.tex	t}		
\${bmi.text.upperca	se}		
\${wrinkle.text}			
\${health.assessmen			
\${babylon.sympton			
		is displayed in account screen	0.37s
\${share.thought.tex	<u>xt}</u>		
After			0.00s
Back to Table of Contents			
Scenario: Verify the sub	nit functionality in M	y feedback screen	
Passed: 4	Failed: 0	Undefined: 0	Duration: 8.24s
Before			0.00s
Given I select "5" star	in feedback screen		0.42s
Then I enter feedback			2.77s
Feedback Test_123	45		
And I click the Submi	t icon in Feedback Sci	reen	3.04s
And I wait for 2 sec			2.02s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Puls	e Personalised tab		
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s

```
And I click on "${pulsePersonalised.text}" link in Account screen
                                                                            0.03s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6be3f776-4d93-4922-84f4-f3a78064ed0a
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Pulse
Personalised'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
```

at io.appium.java at io.appium.java at org.openqa.sele at org.openqa.sele at io.appium.java (DefaultGenericM at io.appium.java at io.appium.java at com.prudential at com.prudential at com.onepulse.a at com.onepulse.a (PulseManagePro at com.onepulse.a (ManageProfileSt	_client.android.Andenium.By\$ByXPath.enium.remote.Remoi_client.DefaultGene_lobileDriver.java:58_client.AppiumDriv_client.android.Andl.tap.selenium.Compl.tap.selenium.Executap.screens.PulseMapp.screens.PulseMapp.stepdefinitions.mapp.stepdefin	rer.findElementByXPath(AppiumDriver.froidDriver.findElementByXPath(AndroffindElement(By.java:353) teWebDriver.findElement(RemoteWebDricMobileDriver.findElement B) rer.findElement(AppiumDriver.java:1) droidDriver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(Commands) teCommand.executeCommand(Executed) ePage.clickButton(TestBasePage.java:16.6) taggeProfileScreen.clickOnAccountOption	java:1) java:1) java:141) Command.java: 3) on
And I wait for 2 se	,		0.00s
		lisplayed in pulse personalised screen	0.00s
\${pulsePersona			
\${data.privacy	.text}		
Then I verify data	and privacy conser	nt in pulse personalised screen	0.00s
\${pulse.person	alised.consent.text1	}	
\${pulse.person	alised.consent.text2	}	
\${pulse.person	alised.consent.text3	}	
\${pulse.person	alised.consent.text4	}	
\${pulse.person	alised.consent.text5	}	
\${pulse.person	alised.consent.text6	}	
\${pulse.person	alised.consent.text7	}	
After			0.00s
Back to Table of Content	<u>s</u>		
Scenario: Save the co	onsent with data pri	vacy check	
Passed: 0	Failed: 1	Undefined: 4	Duration: .03s
Before			0.00s
Given I select the	data privacy checkb	oox	0.03s
processing the cor Original error: so Build info: version System info: host: os.version: '10.0', Driver info: io.app Capabilities {appa uat, autoDismissA	mmand. Original errocket hang up n: '3.12.0', revision: : 'TM003LSIN', ip: ' java.version: '11.0.2 pium.java_client.ano Activity: com.prude Alerts: true, automat	eption: An unknown server-side error occ ror: Could not proxy command to the res '7c6e0b3', time: '2018-05-08T14:04:26.12 '192.168.1.124', os.name: 'Windows 10', o 2' droid.AndroidDriver ntial.pulse.MainAc, appPackage: com.] tionName: UiAutomator2, databaseEnab l.pulse.MainAc, appPackage: com.prud	mote server. 2Z' bs.arch: 'amd64', prudential.pulse. bled: false,

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6be3f776-4d93-4922-84f4-f3a78064ed0a
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Data Privacy']
/following::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.	app.screens.PulseMa	mager rumescreem.screetDatar rivacy C.	
-	ofileScreen.java:1017	· · · · · · · · · · · · · · · · · · ·	
at com.onepulse.	app.stepdefinitions.m	nobilesteps.ManageProfileSteps.dataPr	ivacyCheckbox
(ManageProfileS	_ ·		
at .Given I select	the data privacy che	eckbox(features/my/MyAccount/PulseM	IyAccount.featui
149)			
And I click the sa			0.00s
Then User verify	following texts are d	lisplayed in pulse personalised screen	0.00s
\${consent.succ	ress.msg.text}	X V X	
	k button in pulse per	reanlised corean	0.00s
		isomiseu screen	
Then I wait for 2	sec		0.00s
<u>ter </u>			0.00s
ck to Table of Conten	<u>ıts</u>		
enario: Save the c	onsent without data	privacy check	
ssed: 0	Failed: 1	Undefined: 3	Duration: .04
efore			0.00s
Given I select the	data privacy checkb	DOX	0.04s
Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismiss.	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 pium.java_client.and Activity: com.prude	droid.AndroidDriver ntial.pulse.MainAc, appPackage: con tionName: UiAutomator2, databaseEna	12Z' , os.arch: 'amd6 1.prudential.puls bled: false,
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismiss, desired: {appAct autoDismissAleronewCommandTi	ocket hang up on: '3.12.0', revision: : 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and oActivity: com.pruder Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRes	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnal.pulse.MainAc, appPackage: com.pre Name: UiAutomator2, deviceName: Andret: true, platformName: android}, devi	.12Z' , os.arch: 'amd6' n.prudential.puls abled: false, udential.pulse.ua droid-Test, iceApiLevel: 30,
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAleronewCommandTideviceManufactudeviceScreenDen javascriptEnable	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.pruder Alerts: true, automativity: com.prudential ts: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnal.pulse.MainAc, appPackage: com.pre. Name: UiAutomator2, deviceName: Android (Set: true, platformName: android), deviced: Pixel 5, deviceName: 0C241FDD (Set: 1080x2340, deviceUDID: 0C241) textEnabled: false, networkConnection	12Z' , os.arch: 'amd6 n.prudential.puls abled: false, udential.pulse.ua droid-Test, iceApiLevel: 30, 040043P, IFDD40043P, Enabled: true,
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential tivity: com.prudential tivity: com.prudential tivity: com.prudential tivity: Google, deviceN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont meout: 10000, noRes Android, platformVer	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnal.pulse.MainAc, appPackage: com.preName: UiAutomator2, deviceName: Android true, platformName: android device true, platformName: android deviceName: OC241FDD denSize: 1080x2340, deviceUDID: OC241	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true,
processing the co Original error: so Build info: version System info: host os.version: '10.0'; Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential ts: true, automativity: com.prudential ts: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pr. Name: UiAutomator2, deviceName: Android (Set: true, platformName: android), deviced: true, platformName: android), deviceNize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection (Set: true, pixelRatio: 2.75, platform: LII (Sersion: 11, statBarHeight: 145, takesScrop: 145, width: 1080), warnings: {}, well	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true,
processing the co Original error: so Build info: version System info: host os.version: '10.0'; Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAleronewCommandTideviceManufacture deviceManufacture deviceScreenDen javascriptEnable newCommandTiplatformName: AviewportRect: {hosts? Session ID: 6be36	ocket hang up on: '3.12.0', revision: : 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential tivity:	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ontial.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.prolame: UiAutomator2, deviceName: Android & Grand	12Z' , os.arch: 'amd6 1.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, IFDD40043P, Enabled: true, NUX, eenshot: true, bStorageEnabled
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAleronewCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: 6be36**** Element info	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.pruder Alerts: true, automativity: com.prudential is: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pre. Name: UiAutomator2, deviceName: Android (Set: true, platformName: android), deviced: Pixel 5, deviceName: 0C241FDD (Set: true, pixel 5, deviceName: 0C241FDD (Set: true, pixel 8 android), devicettextEnabled: false, networkConnection (Set: true, pixel 8 android), warnings: {}, well-f3a78064ed0a se=//android.widget.TextView[@text='I	12Z' , os.arch: 'amd6' n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, IFDD40043P, Enabled: true, NUX, eenshot: true, bStorageEnabled
processing the co Original error: so Build info: version System info: host os.version: '10.0'; Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: 6be36 *** Element info /following::andro	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential ts: true, automativity: com.prudential ts: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to t776-4d93-4922-84f4- : {Using=xpath, value oid.widget.ImageViev	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pr. Name: UiAutomator2, deviceName: Android}, devicet: true, platformName: android}, deviced: Pixel 5, deviceName: 0C241FDD enSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection set: true, pixelRatio: 2.75, platform: LII ersion: 11, statBarHeight: 145, takesScrop: 145, width: 1080}, warnings: {}, well-f3a78064ed0a	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAleron autoDismissAleron ewCommandTindeviceManufactur deviceManufactur deviceScreenDen javascriptEnable newCommandTin platformName: A viewportRect: {h false} Session ID: 6be30 *** Element info /following::andro at jdk.internal.re	ocket hang up on: '3.12.0', revision: : 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential destrue, automativity: com.prudential ts: true, automationNameout: 10000, noRes arer: Google, deviceNativ: 440, deviceScree destrue, locationContameout: 10000, noRes Android, platformVereight: 2015, left: 0, to 6776-4d93-4922-84f4- : {Using=xpath, value oid.widget.ImageView effect.GeneratedCons	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.prolame: UiAutomator2, deviceName: Android & Green	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAdesired: {appAct autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: 6be3f *** Element info /following::andro at jdk.internal.re at java.base/jdk.i	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential ivity: com.prudential is: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to f776-4d93-4922-84f4- : {Using=xpath, value oid.widget.ImageView afflect.GeneratedCons internal.reflect.Deleg	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.prolame: UiAutomator2, deviceName: Android (Set: true, platformName: android), deviced: Pixel 5, deviceName: 0C241FDD (Set: true, platformName: 0C241FDD) (Set: true, pixel 5, deviceUDID: 0C241) (textEnabled: false, networkConnection (Set: true, pixelRatio: 2.75, platform: LINGS) (Set: true, pixelRatio: 145, takesScrop: 145, width: 1080), warnings: {}, well-f3a78064ed0a se=//android.widget.TextView[@text='Iwy] structorAccessor34.newInstance(UnknowstatingConstructorAccessorImpl.newInstance(UnknowstatingConstructorAccessorImpl.newInstance)	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled
processing the coordiginal error: so Build info: version System info: host os.version: '10.0'. Driver info: io.ap Capabilities {appuat, autoDismissAlert autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: AviewportRect: {hfalse} Session ID: 6be36*** Element info/following::androat jdk.internal.reat java.base/jdk.i(DelegatingConst	ocket hang up on: '3.12.0', revision: : 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential dest: true, automativity: com.prudential dest: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree de: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to f776-4d93-4922-84f4- : {Using=xpath, value ofd.widget.ImageView oflect.GeneratedCons internal.reflect.Deleg tructorAccessorImple	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pr. Name: UiAutomator2, deviceName: Android}, device: true, platformName: android}, device: true, platformName: 0C241FDD enSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection set: true, pixelRatio: 2.75, platform: LIDersion: 11, statBarHeight: 145, takesScrop: 145, width: 1080}, warnings: {}, well-f3a78064ed0a le=//android.widget.TextView[@text='Iw] structorAccessor34.newInstance(UnknowatingConstructorAccessorImpl.newInstaljava:45)	1.12Z' , os.arch: 'amd6' 1.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, IFDD40043P, Enabled: true, NUX, eenshot: true, bStorageEnabled Oata Privacy'] own Source) tance
processing the co Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAleron autoDismissAleron mewCommandTindeviceManufactur deviceManufactur deviceScreenDen javascriptEnable newCommandTin platformName: A viewportRect: {hostale} Session ID: 6be36*** Element info /following::androat jdk.internal.reat at java.base/jdk.internal.reat java.base/java	ocket hang up on: '3.12.0', revision: c: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential dest: true, automativity: com.prudential ts: true, automation meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree de: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to f776-4d93-4922-84f4- c: {Using=xpath, value oid.widget.ImageView flect.GeneratedCons anternal.reflect.Deleg tructorAccessorImple lang.reflect.Construct	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.prolame: UiAutomator2, deviceName: Android & Green	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled. Data Privacy'] own Source) stance
processing the coordiginal error: so Build info: version System info: host os.version: '10.0'; Driver info: io.ap Capabilities {appuat, autoDismissAleronewCommandTideviceManufactudeviceScreenDenjavascriptEnable newCommandTiplatformName: AviewportRect: {hfalse} Session ID: 6be36*** Element info/following::androat jdk.internal.reat java.base/jdk.i(DelegatingConstat java.base/java.at org.openqa.sel	ocket hang up on: '3.12.0', revision: :: 'TM003LSIN', ip: ' , java.version: '11.0.2 opium.java_client.and Activity: com.prudential ts: true, automativity: com.prudential ts: true, automationN meout: 10000, noRes arer: Google, deviceN sity: 440, deviceScree d: true, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to f776-4d93-4922-84f4- : {Using=xpath, value oid.widget.ImageView flect.GeneratedCons internal.reflect.Deleg tructorAccessorImple lang.reflect.Construct enium.remote.http.V	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pr. Name: UiAutomator2, deviceName: Android}, device: true, platformName: android}, device: true, platformName: 0C241FDD enSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection set: true, pixelRatio: 2.75, platform: LIDersion: 11, statBarHeight: 145, takesScrop: 145, width: 1080}, warnings: {}, well-f3a78064ed0a le=//android.widget.TextView[@text='Iw] structorAccessor34.newInstance(UnknowatingConstructorAccessorImpl.newInstaljava:45)	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled. Data Privacy'] own Source) stance
processing the coordiginal error: so Build info: version System info: host os.version: '10.0'. Driver info: io.ap Capabilities {appuat, autoDismissAlert autoDismissAlert newCommandTideviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: AviewportRect: {hfalse} Session ID: 6be36*** Element info/following::androat jdk.internal.reat java.base/jdk.i(DelegatingConstat java.base/jdvaat org.openqa.sel(W3CHttpResports)	ocket hang up on: '3.12.0', revision: c: 'TM003LSIN', ip: ' d, java.version: '11.0.2 opium.java_client.and oActivity: com.prudential dest: true, automativity: com.prudential dest: true, automationN meout: 10000, noRes destrue, locationCont meout: 10000, noRes destrue, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to f776-4d93-4922-84f4- c: {Using=xpath, value oid.widget.ImageView deflect.GeneratedCons internal.reflect.Deleg tructorAccessorImple clang.reflect.Construct enium.remote.http.Ver nseCodec.java:187)	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.prolame: UiAutomator2, deviceName: Android & Green	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled. Data Privacy'] own Source) stance
processing the coordiginal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAleronewCommandTideviceManufacture deviceManufacture deviceManufacture deviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {hfalse} Session ID: 6be36*** Element info/following::androat jdk.internal.reat java.base/jdk.i(DelegatingConstat java.base/javaat org.openqa.sel(W3CHttpResporat org.openqa.sel	ocket hang up on: '3.12.0', revision: c: 'TM003LSIN', ip: ' d, java.version: '11.0.2 opium.java_client.and oActivity: com.prudential dest: true, automativity: com.prudential dest: true, automationN meout: 10000, noRes destrue, locationCont meout: 10000, noRes destrue, locationCont meout: 10000, noRes Android, platformVer eight: 2015, left: 0, to f776-4d93-4922-84f4- c: {Using=xpath, value oid.widget.ImageView deflect.GeneratedCons internal.reflect.Deleg tructorAccessorImple clang.reflect.Construct enium.remote.http.Ver nseCodec.java:187)	'7c6e0b3', time: '2018-05-08T14:04:26. '192.168.1.124', os.name: 'Windows 10' 2' droid.AndroidDriver ential.pulse.MainAc, appPackage: contionName: UiAutomator2, databaseEnall.pulse.MainAc, appPackage: com.pr. Name: UiAutomator2, deviceName: Android}, device: true, platformName: android}, deviced: Pixel 5, deviceName: 0C241FDD enSize: 1080x2340, deviceUDID: 0C241textEnabled: false, networkConnection set: true, pixelRatio: 2.75, platform: LIDersion: 11, statBarHeight: 145, takesScrop: 145, width: 1080}, warnings: {}, well-f3a78064ed0a le=//android.widget.TextView[@text='Iw] structorAccessor34.newInstance(UnknowatingConstructorAccessorImpl.newInstance(Constructor.java:496, W3CHttpResponseCodec.createException)	n.prudential.pulsabled: false, udential.pulse.uadroid-Test, iceApiLevel: 30, 040043P, Enabled: true, NUX, eenshot: true, bStorageEnabled. Data Privacy'] own Source) stance

	(W3CHttpResponseCodec.java:49)	
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandI	Executor.java:
	158)	
	at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.ja	va·543)
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	*
	java:42)	
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	245)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement	ver.java:317)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jav	
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remote java:419)	eWebDriver.
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
	(DefaultGenericMobileDriver.java:152)	. 45
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.javatio.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AppiumDriver.java.findElementByXPath(AppiumDr	*
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	Jiivei.java.i)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement)	ver.java:309)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	
	(DefaultGenericMobileDriver.java:58)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jav	va•1)
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.ja	
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCo	
	19)	
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)	D.
	at com.onepulse.app.screens.PulseManageProfileScreen.selectDataPrivacyCheck (PulseManageProfileScreen.java:1017)	ROX
	at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.dataPrivac	vCheckbox
	(ManageProfileSteps.java:197)	, 01100110011
	at .Given I select the data privacy checkbox(features/my/MyAccount/PulseMyAc	count.feature:
	157)	
	And I click the save button in pulse personalised icons	0.00s
	Then User verify following texts are displayed in pulse personalised screen	0.00s
	\${consent.success.msg.text}	
	And I click the Ok button in pulse personlised screen	0.00s
	ter	0.00s
-	ck to Table of Contents	
	enario: navigate back to account screen from pulse personalised screen	
-	ssed: 0 Failed: 1 Undefined: 1	Duration: 8.07s
Ве	fore	0.00s
	And I click the Back icon in pulse personalised screen	8.07s
		1 11
	org.openqa.selenium.WebDriverException: An unknown server-side error occur	rea while

```
processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 6be3f776-4d93-4922-84f4-f3a78064ed0a
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
  at com.onepulse.app.screens.CustomerConnectScreen.BackbuttonpulsePersonalised
  (CustomerConnectScreen.java:867)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
  clickBackpersonalisedScreen(CustomerConnectSteps.java:255)
  at .And I click the Back icon in pulse personalised screen(features/my/MyAccount
  /PulseMyAccount.feature:165)
                                                                              0.00s
After
```

Back to Table of Contents

ssed: 5 Failed: 0 Undefined: 0 Duration: 113.22s	
Scenario: Launch the app and select the country as per specified lbu	
Passed: 6 Failed: 0 Undefined: 0	Duration: 48.99s
Before	0.00s
Given User has pulse app	9.76s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.83s
Then I change the country as required on registration page	12.44s
Then I wait for 5 sec	5.01s
And I click the Sign in link	4.95s
After	0.00s
Back to Table of Contents	
Scenario: login to the app with correct credentials using "Continue with Email"	
Passed: 6 Failed: 0 Undefined: 0	Duration: 44.89s
Before	0.00s
Given I select the language option on toggle bar as required on login page	3.58s
When user enters credentials	10.77s
UserName \${PULSE_EMAIL}	
Password \${pulse.edit}	
And User clicks on signin button	0.32s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	11.28s
Then user should be landed to "Home" screen	13.94s
After	0.00s
Back to Table of Contents	
Scenario: Navigate to account screen	
Passed: 1 Failed: 0 Undefined: 0	Duration: 11.06s
Before	0.00s
Given user navigate to account page	11.06s
After	0.00s
Back to Table of Contents	
Scenario: Verify my setting screen in Account tab	
Passed: 3 Failed: 0 Undefined: 0	Duration: 4.62s
Before	0.00s
Given I wait for 2 sec	2.01s
And I click on "\${icon.mySettings}" link in Account screen	0.61s
Then I wait for 2 sec	2.00s
After	0.00s
Back to Table of Contents	0.000
Scenario: navigate back to account screen from my setting screen	
Passed: 2 Failed: 0 Undefined: 0	Duration: 3.66s
Tanca. V Charling. V	Daradon, 5.005

Before		0.00s
Then I click on back b	utton on my settings screen to navigate to account screen	1.63s
And I wait for 2 sec		2.03s
After		0.00s
Back to Table of Contents		
ature: Verify My wearabl	e functionality via fitness tab on Pulse Health & Wealth a	op
sed: 3 Failed: 0		
Scenario: Launch the app	and select the country as per specified lbu	
	Failed: 0 Undefined: 0	Duration: 50.72
Before		0.00s
Given User has pulse a	app	12.86s
	email.id}'' to variable ''PULSE_EMAIL''	0.00s
	ONTINUE WITH EMAIL" with Email button	16.34s
Then I change the cou	ntry as required on registration page	11.58s
Then I wait for 5 sec		5.01s
And I click the Sign in	link	4.93s
After		0.00s
Back to Table of Contents		
Scenario: login to the app	with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 46.58
Before		0.00s
Given I select the lang	uage option on toggle bar as required on login page	3.63s
When user enters cred		11.91s
UserName \${PULS	E_EMAIL}	
Password \${login.		
And User clicks on sig	nin button	0.31s
And I wait for 5 sec		5.01s
And I enter OTP in on	ne pulse app for user email ''\${PULSE_EMAIL}''	10.98s
Then user should be la	anded to "Home" screen	14.74s
After		0.00s
Back to Table of Contents		
Scenario: Verify the user	can access My Wearables via Fitness	
Passed: 4	Failed: 0 Undefined: 0	Duration: 19.5
Before		0.00s
When User clicks on F	itness tab	13.96s
Then I verify My Wea	rables tile on Fitness screen	0.95s
\${fitness.myWeara	bles}	
\${fitness.myWeara	bles.description}	
When I click on Conne	ect Now button on Fitness screen	0.51s
Then I verify following	g text are displayed under My Wearables screen	4.10s
\${wearables.title}		

\$\\ \text{wearables.description} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	ote server. Z' .arch: 'amd64',
Steer Stee	Duration: 13.85s 0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
After Back to Table of Contents eature: Verify the BabyLon HRA Report - Nutrition, Body, Activity assed: 0	Duration: 13.85s 0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
After Back to Table of Contents eature: Verify the BabyLon HRA Report - Nutrition, Body, Activity assed: 0	Duration: 13.85s 0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
eature: Verify the BabyLon HRA Report - Nutrition, Body, Activity assed: 0	Duration: 13.85s 0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
eature: Verify the BabyLon HRA Report - Nutrition, Body, Activity assed: 0	0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
Scenario: Launch the app and select the country as per specified lbu Passed: 3 Before Given User has pulse app And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Androi newCommandTimeout: 10000, noReset: true, platformName: android}, deviced deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD javascriptEnabled: true, locationContextEnabled: false, networkConnectionEna newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINU2	0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
Passed: 3 Failed: 1 Undefined: 2	0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
Passed: 3 Before Given User has pulse app And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Androi newCommandTimeout: 10000, noReset: true, platformName: android}, deviceA deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD javascriptEnabled: true, locationContextEnabled: false, networkConnectionEna newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX	0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
Given User has pulse app And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential. autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainA	0.00s 11.74s 0.00s 2.04s 0.07s rred while ote server.
Given User has pulse app And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com	11.74s 0.00s 2.04s 0.07s rred while ote server.
And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL" And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.qulse.MainAc, appPackage: com.prudential.qulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc.	0.00s 2.04s 0.07s rred while ote server. 2' .arch: 'amd64',
And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.pr uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Androi newCommandTimeout: 10000, noReset: true, platformName: android}, deviceA deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD javascriptEnabled: true, locationContextEnabled: false, networkConnectionEna newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX	2.04s 0.07s rred while ote server. 2' .arch: 'amd64',
And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.pr uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Androi newCommandTimeout: 10000, noReset: true, platformName: android}, deviceA deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD javascriptEnabled: true, locationContextEnabled: false, networkConnectionEna newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX	o.07s rred while ote server. Z' .arch: 'amd64',
org.openqa.selenium.WebDriverException: An unknown server-side error occur processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.quise.MainAc, appPackage: com.prudential.pulse.MainAc, ap	rred while ote server. Z' .arch: 'amd64',
processing the command. Original error: Could not proxy command to the remo Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude autoDismissAlerts: true, automationName: UiAutomator2, deviceName: AndroinewCommandTimeout: 10000, noReset: true, platformName: android}, deviceAdeviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnanewCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX	ote server. Z' .arch: 'amd64',
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreens viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStafalse} Session ID: 9a66aead-9414-4324-8bf2-414059662e2d *** Element info: {Using=xpath, value=//android.widget.Spinner[1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	ntial.pulse.uat, id-Test, apiLevel: 30, 043P, 0440043P, abled: true, X, shot: true, orageEnabled:

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
  (PulseRegistrationScreen.java:1016)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
  (RegistrationSteps.java:306)
  at .Then I change the country as required on registration page(features/my/health
  /BabylonHRA_Report.feature:9)
After
                                                                               0.00s
Back to Table of Contents
Scenario: login to the app with correct credentials using "Continue with Email"
Passed: 0
                       Failed: 1
                                              Undefined: 7
                                                                               Duration: .04s
                                                                               0.00s
Before
  Given I select the language option on toggle bar as required on login page
                                                                               0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
```

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle (PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(features/my /health/BabylonHRA_Report.feature:14) serName \${PULSE EMAIL \${hra.password} After 0.00s**Back to Table of Contents** Scenario: User should be able to access Babylon Health Risk Assessment Report Failed: 1 **Undefined: 2** Passed: 0 Duration: .03s 0.00sBefore When I click on "Report" link on digital twin screen 0.03sorg.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 9a66aead-9414-4324-8bf2-414059662e2d *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Report')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:110)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Report" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:26)
```

ed: 0 ore Then I verify the H	IRA Activity Repor	Undefined: 0	0.00s Duration: .0
nario: Verify the I ed: 0 ore Then I verify the H	IRA Activity Repor		Duration: .0
ed: 0 ore Then I verify the H			Duration: .0
re Then I verify the H	Failed: 1	Undefined: 0	Duration: .0
Then I verify the H			
			0.00s
¢(hahrdan huaD	IRA Results are dis	played	0.02s
\${babylon.nrak	eport.summary.titl	e}	
\${babylon.hraR	eport.summary.des	scription}	
\${babylon.hraR	eport.summary.dis	easeRisk}	
\${babylon.hraR	eport.summary.dis	easeRiskDescription}	
\${babylon.hraR	eport.summary.dis	easeRisk.statement1}	
\${babylon.hraR	eport.summary.dis	easeRisk.statement2}	
\${babylon.hraR	eport.summary.dis	easeRisk.statement3}	
\${babylon.hraR	eport.summary.dis	easeRisk.statement4}	
\${babylon.hraR	eport.summary.org	gan.title}	
\${babylon.hraR	eport.summary.org	ganDescription}	
\${babylon.hraR	eport.summary.org	gan.statement1}	
\${babylon.hraR	eport.summary.org	gan.statement2}	
ystem info: host: s.version: '10.0', j Priver info: io.app Papabilities {appA at, autoDismissAl esired: {appActiv utoDismissAlerts: ewCommandTim eviceManufacturo eviceScreenDension	'TM003LSIN', ip: 'ava.version: '11.0.2 ium.java_client.and.ctivity: com.pruderets: true, automatiity: com.prudentialetrue, automationNeout: 10000, noReser: Google, deviceMey: 440, deviceScreettrue, locationCont	Iroid.AndroidDriver ntial.pulse.MainAc, appPacka ionName: UiAutomator2, data .pulse.MainAc, appPackage: ame: UiAutomator2, deviceNa et: true, platformName: androi Iodel: Pixel 5, deviceName: 0C. enSize: 1080x2340, deviceUDID extEnabled: false, networkCon	lows 10', os.arch: 'amdo age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true,
latformName: An	droid, platformVer	et: true, pixelRatio: 2.75, platforsion: 11, statBarHeight: 145, top: 145, width: 1080}, warnings	akesScreenshot: true,
alse}	ad-9414-4324-8bf2-	414059662e2d	
alse} ession ID: 9a66ae t jdk.internal.refl t java.base/jdk.int	ect.GeneratedCons	tructorAccessor34.newInstanceatingConstructorAccessorImpl	

(W3CHttpResponseCodec.java:122)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openga.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. java:610)

at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report. feature:37)

After				0.00s
Back to T	able of Contents			
Scenario	o: Verify the HRA	A Activity Report	i e	
Passed: 0		Failed: 1	Undefined: 0	Duration: .02s
Before				0.00s
Then	I verify the HRA	Results are disp	olayed	0.02s
\${	babylon.hraRepo	ort.activity.title}		
\${	babylon.hraRepo	ort.activity.subTi	tle}	
\${	babylon.hraRepo	ort.activity.staten	nent1}	
\${	babylon.hraRepo	ort.activity.staten	nent2}	
			<u> </u>	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

		ad-9414-4324-8bf2-4		
			uctorAccessor34.newInsta	
	· ·	0	ingConstructorAccessorI	npl.newInstance
	·	actorAccessorImpl.ja		
	· ·	0	or.newInstance(Construct	· · · · · · · · · · · · · · · · · · ·
	~ -		CHttpResponseCodec.cre	ateException
	(W3CHttpRespons			
	~ -		CHttpResponseCodec.dec	code
	(W3CHttpRespons		CH4 D	. 1.
		_	3CHttpResponseCodec.dec	code
	(W3CHttpRespons		mmandEvacutan avacuta(1	HttpCommandExecutor.java:
	158)	num.remote.nttpCo	mmanuExecutor.execute(1	ittpCommandExecutor.java:
		client remote Anniur	nCommandExecutor.exec	nte
		dExecutor.java:231)	ircommandizaccutor.exec	ute
			WebDriver.execute(Remo	teWehDriver java•543)
				faultGenericMobileDriver.
	java:46)			
	· · · · · · · · · · · · · · · · · · ·	client.AppiumDriver	.execute(AppiumDriver.ja	nva:1)
			oidDriver.execute(Android	
	at org.openqa.seler			, ,
	~		Options\$RemoteWindow.	getSize(RemoteWebDriver.
	java:804)			
	at com.onepulse.ap	p.stepdefinitions.mo	bilesteps.BabylonSteps.ver	rifyHRAResult(BabylonSteps.
	java:610)			
	at .Then I verify th	e HRA Results are d	isplayed(features/my/heal	th/BabylonHRA_Report.
	feature:52)			
Af	ter			0.00s
Bac	k to Table of Contents			
		IRA Nutrition Repor	~ f	
	sed: 0			Dynation, 02a
		Failed: 1	Undefined: 0	Duration: .02s
Be	fore			0.00s
	Then I verify the H	IRA Results are displ	layed	0.02 s
	\${babylon.hraR	eport.nutrition.title}		
		eport.nutrition.subT		
		eport.nutrition.state		
	φ (υαυ y ιυπ. ιπ arx	epor unum monistate	ment d	
	Chahrlan huaD	amant mutuitian statu	o42]	
	<u> </u>	eport.nutrition.state		
	\${babylon.hraR	eport.nutrition.state	ment3}	
	\${babylon.hraR		ment3}	
	\${babylon.hraR \${babylon.hraR	eport.nutrition.state	ment3} ment4}	
	\${babylon.hraR \${babylon.hraR \${babylon.hraR	eport.nutrition.state	ment3} ment4} ment5}	
	\${babylon.hraR \${babylon.hraR \${babylon.hraR \${babylon.hraR	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6}	
	\${babylon.hraR \${babylon.hraR \${babylon.hraR \${babylon.hraR \${babylon.hraR	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6} ment7}	
	\${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR}	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6} ment7}	
	\${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR}	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6} ment7}	
	\${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR}	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6} ment7} ment8} ment9}	
	\${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} org.openqa.seleniu	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6} ment7} ment8} ment9}	
	\${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} \${babylon.hraR} org.openqa.seleniu	eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state eport.nutrition.state	ment3} ment4} ment5} ment6} ment7} ment8} ment9}	

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
  iava:610)
  at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
  feature:59)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify the HRA Report - Keep It Up sub-section
                        Failed: 1
Passed: 0
                                              Undefined: 0
                                                                                Duration: .01s
                                                                               0.00s
Before
   Then I verify the HRA Results are displayed
                                                                               0.02s
     ${babylon.hraReport.keepItUp}
```

Detailed Results	Report
\${babylon.hraReport.lowFat}	
\${babylon.hraReport.lowFat.description}	
\${babylon.hraReport.lowAlcohol}	
\${babylon.hraReport.lowAlcohol.description}	
\${babylon.hraReport.redMeat}	
\${babylon.hraReport.redMeat.description}	
org.openqa.selenium.WebDriverException: An un processing the command. Original error: Could in Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', ft System info: host: 'TM003LSIN', ip: '192.168.1.12 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.Andro Capabilities {appActivity: com.prudential.pulse.Nuat, autoDismissAlerts: true, automationName: Udesired: {appActivity: com.prudential.pulse.Mair autoDismissAlerts: true, automationName: UiAutoDismissAlerts: UiAutoDismissAlerts: UiAutoDismissAlerts: UiAutoDismissAlerts: UiAutoDismissAlerts: UiAutoDismiss	ime: '2018-05-08T14:04:26.12Z' 24', os.name: 'Windows 10', os.arch: 'amd64', oidDriver MainAc, appPackage: com.prudential.pulse. JiAutomator2, databaseEnabled: false, nAc, appPackage: com.prudential.pulse.uat,

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 9a66aead-9414-4324-8bf2-414059662e2d

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.iava:804)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.

-1- 4- T-1-1 C C44-			0.00s
ck to Table of Contents			
enario: Verify the HRA	Report - Make a Ch	ange sub-section	
ssed: 0	Failed: 1	Undefined: 0	Duration: .02s
fore			0.00s
Then I verify the HRA	Results are displayed	d	0.02s
\${babylon.hraRepo	rt.makeAChange}		
\${babylon.hraRepo	rt.change1}		
\${babylon.hraRepo	rt.change2}		
\${babylon.hraRepo	rt.change3}		
\${babylon.hraRepo	rt.change4}		
\${babylon.hraRepo	<u> </u>		
\${babylon.hraRepo	rt.change6}		
uat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: tru newCommandTimeou deviceManufacturer: (true, automationNacom.prudential.pulse, automationName: t: 10000, noReset: trugogle, deviceModel: 140, deviceScreenSize	oulse.MainAc, appPackagome: UiAutomator2, databa e.MainAc, appPackage: co UiAutomator2, deviceNam e, platformName: android] Pixel 5, deviceName: 0C24 e: 1080x2340, deviceUDID: pabled: false, networkConno	seEnabled: false, om.prudential.pulse.ua e: Android-Test, }, deviceApiLevel: 30, 1FDD40043P,

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
  iava:610)
  at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
After
                                                                                0.00s
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Body
Passed: 0
                        Failed: 1
                                               Undefined: 3
                                                                                Duration: .04s
Before
                                                                                0.00s
  When I click on "Healthcheck" link on digital twin screen
                                                                                0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains
  (@text,'Healthcheck')]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
```

(W3CHttpResponseCodec.java:187)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCom	nmandExecutor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebD	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	iericwiodnedriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.j	ava:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteW	
at io.appium.java_client.DefaultGenericMobileDriver.findElement	,
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPa	ath.
(DefaultGenericMobileDriver.java:152)	1411
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDr	iver.iava:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(A)	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	y /
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement)	VebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Comma at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Exe	
19)	cuteCommanu.java.
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java	a:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.cli	
(BabylonHealthAssessmentScreen.java:114)	o e
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDig	gitalTwin
(BabylonSteps.java:350)	
at .When I click on "Healthcheck" link on digital twin screen(features/my	/health
/BabylonHRA_Report.feature:96) When I click on ''Body'' link on digital twin screen	0.00s
Then I verify the HRA Results are displayed	0.00s
	0.008
\${babylon.hraReport.bodyButtton} Then I world following text is displayed on IIB A report	0.000
Then I verify following text is displayed on HRA report	0.00s
\${babylon.hraReport.body.bones}	
\${babylon.hraReport.body.heart}	
\${babylon.hraReport.body.brain}	
\${babylon.hraReport.body.liver}	
After	0.00s
Back to Table of Contents	

ssed: 0	Failed: 1	Undefined: 0	Duration: .05
efore			0.00s
And I click on	"Back" link on digital	twin screen	0.05s
processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, autoDism desired: {appautoDismissAl newCommand deviceManufa deviceScreenEjavascriptEna	command. Original eresocket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: .0', java.version: '11.0.2 .appium.java_client.anappActivity: com.prude issAlerts: true, automaterts: true, automation Timeout: 10000, no Resocturer: Google, device density: 440, device Screbled: true, location Con	droid.AndroidDriver ential.pulse.MainAc, appPackages tionName: UiAutomator2, databas el.pulse.MainAc, appPackage: cor Name: UiAutomator2, deviceName set: true, platformName: android}, Model: Pixel 5, deviceName: 0C241 tenSize: 1080x2340, deviceUDID: 0 textEnabled: false, networkConnec	the remote server. 4:26.12Z' s 10', os.arch: 'amd6 c com.prudential.pulseEnabled: false, n.prudential.pulse.ua : Android-Test, deviceApiLevel: 30, FDD40043P, C241FDD40043P, ctionEnabled: true,
newCommand platformName viewportRect: false}	Timeout: 10000, noRese: Android, platformVe	set: true, pixelRatio: 2.75, platform ersion: 11, statBarHeight: 145, take op: 145, width: 1080}, warnings: {}	: LINUX, sScreenshot: true,
at jdk.internal at java.base/jd (DelegatingCo	.reflect.GeneratedCons k.internal.reflect.Deleg nstructorAccessorImpl		nknown Source) wInstance
at org.openqa. (W3CHttpRes at org.openqa.	selenium.remote.http.V ponseCodec.java:187) selenium.remote.http.V	ictor.newInstance(Constructor.java W3CHttpResponseCodec.createExc W3CHttpResponseCodec.decode	a:490) ception
at org.openqa. (W3CHttpRes	ponseCodec.java:49)	W3CHttpResponseCodec.decode	
158) at io.appium.j	ava_client.remote.Appi	CommandExecutor.execute(HttpCo	ommandexecutor.jav
at org.openqa.		1) oteWebDriver.execute(RemoteWeb ericMobileDriver.execute(DefaultG	
at io.appium.j. at org.openqa. at io.appium.j.	ava_client.android.And selenium.remote.Remo	ver.execute(AppiumDriver.java:1) lroidDriver.execute(AndroidDriver lteWebDriver.findElement(Remote ericMobileDriver.findElement 2)	
at io.appium.jat io.appium.j	ava_client.AppiumDrivava_client.android.And	ver.findElement(AppiumDriver.jav lroidDriver.findElement(AndroidE teWebDriver.findElementByXPatl	Priver.java:1)

```
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
```

reactar corre			
After			0.00s
Back to Table of Cont	<u>ents</u>		
Scenario: User sho	ould be able to access B	abylon HRA - Healthcheck - N	utrition
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s
When I click on	"Nutrition" link on d	igital twin screen	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 9a66aead-9414-4324-8bf2-414059662e2d

*** Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Nutrition')]}

```
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:122)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Nutrition" link on digital twin screen(features/my/health
/BabylonHRA Report.feature:110)
```

ter				0.00s
ck to Table of Con	tents			
enario: Navigat	e back to nutrition scr	een and validate the s	tatic text	
ssed: 0	Failed: 1	Undefined: 1		Duration: .
fore				0.00s
And Lelick on	"Back" link on digital	l twin screen		0.03s
And I chek on	Dack link on digital	twin screen		0.055
processing the Original errors Build info: ver System info: he	command. Original en socket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip:	eption: An unknown soror: Could not proxy: '7c6e0b3', time: '2018' '192.168.1.124', os.nar	command to the ren 8-05-08T14:04:26.12	note server. Z'
	0', java.version: '11.0.	.2' ndroid.AndroidDriver		
Capabilities {a uat, autoDismi desired: {appA autoDismissAle newCommand deviceManufactericeScreenD javascriptEnaktericeCommand platformName viewportRect: false}	ppActivity: com.prudessAlerts: true, automa activity: com.prudential erts: true, automation Timeout: 10000, noRecturer: Google, devicedensity: 440, deviceScrobled: true, locationCor Timeout: 10000, noRectionCor Android, platformVolleight: 2015, left: 0, to	ential.pulse.MainAc, ationName: UiAutomaral.pulse.MainAc, app. Name: UiAutomator2, set: true, platformName Model: Pixel 5, deviced eenSize: 1080x2340, dentextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeigtop: 145, width: 1080},	appPackage: com.ptor2, databaseEnable Package: com.prud deviceName: Androme: android}, deviceName: 0C241FDD40eviceUDID: 0C241FletworkConnectionEnable 2.75, platform: LINUght: 145, takesScreenable 2.75, platform: LINUght: 145, takesScreen	ed: false, ential.pulse. oid-Test, ApiLevel: 30 0043P, DD40043P, nabled: true, UX, nshot: true,
	66aead-9414-4324-8bf2			
		ue=(//android.widget.I	,	. (C)
•		structorAccessor34.ne gatingConstructorAcc	· · · · · · · · · · · · · · · · · · ·	
	nstructorAccessorImp		essoi impi.newinsta	псе
	-	uctor.newInstance(Co	nstructor.iava:490)	
		W3CHttpResponseCo		
	ponseCodec.java:187)			
	-	W3CHttpResponseCo	dec.decode	
	ponseCodec.java:122)	W2CII44DawaC	doo doos do	
	seienium.remote.nttp. ponseCodec.java:49)	W3CHttpResponseCo	uec.aecoae	
	•	CommandExecutor.ex	ecute(HttpComman	dExecutor is
158)				
	va_client.remote.App	iumCommandExecuto	or.execute	
	nandExecutor.java:23			
		oteWebDriver.execute		•
at io.appium.ja java:42)	va_chent.DefaultGen	ericMobileDriver.exec	ute(DefaultGeneric)	VIobileDrive
· · · · · · · · · · · · · · · · · · ·	va client.AppiumDri	ver.execute(AppiumDi	river.java:1)	
		droidDriver.execute(A		1)
A A		oteWebDriver.findEle	· · · · · · · · · · · · · · · · · · ·	
	va_client.DefaultGen			

```
(DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:119)
After
                                                                               0.00s
Back to Table of Contents
Scenario: navigate back to digital twin screen
                       Failed: 1
Passed: 0
                                              Undefined: 0
                                                                               Duration: .03s
Before
                                                                               0.00s
  And I click on "Back" link on digital twin screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
```

```
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
```

```
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:125)
                                                                                0.00s
After
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Activity
                        Failed: 1
                                              Undefined: 3
Passed: 0
                                                                                Duration: .04s
Before
                                                                                0.00s
  When I click on "Activity" link on digital twin screen
                                                                                0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
```

```
at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:126)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Activity" link on digital twin screen(features/my/health
  /BabylonHRA_Report.feature:129)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Navigate back to Activity screen and validate the static text
Passed: 0
                        Failed: 1
                                               Undefined: 1
                                                                                Duration: .04s
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                               0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
```

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin (BabylonHealthAssessmentScreen.java:134) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350) at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA Report. feature:139) 0.00sAfter **Back to Table of Contents** Scenario: navigate back to digital twin screen Passed: 0 Failed: 1 Undefined: 0 **Duration: .03s** 0.00sBefore And I click on "Back" link on digital twin screen 0.03sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 9a66aead-9414-4324-8bf2-414059662e2d *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
  feature:145)
                                                                               0.00s
After
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood
                        Failed: 1
                                              Undefined: 3
Passed: 0
                                                                               Duration: .04s
Before
                                                                               0.00s
  When I click on "Mood" link on digital twin screen
                                                                               0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
```

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 9a66aead-9414-4324-8bf2-414059662e2d
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin (BabylonHealthAssessmentScreen.java:130) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350) at .When I click on "Mood" link on digital twin screen(features/my/health /BabylonHRA_Report.feature:149) 0.00sAfter **Back to Table of Contents** Scenario: navigate back to digital twin screen Failed: 1 Passed: 0 Undefined: 0 **Duration: .04s** Before 0.00sAnd I click on "Back" link on digital twin screen 0.04sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P. javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 9a66aead-9414-4324-8bf2-414059662e2d *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]} at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openga.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
     (BabylonHealthAssessmentScreen.java:134)
     at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
     (BabylonSteps.java:350)
     at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA Report.
     feature:159)
                                                                                 0.00s
   After
  Back to Table of Contents
Feature: Verify that user can access calendar under health section
Passed: 3
                   Failed: 0
                                      Undefined: 0
                                                              Duration: 160.09s
  Scenario: Launch the app and select the country as per specified lbu
                          Failed: 0
  Passed: 6
                                                 Undefined: 0
                                                                                 Duration: 43.93s
  Before
                                                                                 0.00s
     Given User has pulse app
                                                                                 9.51s
     And I assign "${login.email.id}" to variable "PULSE_EMAIL"
                                                                                 0.00s
     And user click on "CONTINUE WITH EMAIL" with Email button
                                                                                 16.62s
     Then I change the country as required on registration page
                                                                                 10.91s
```

Then I wait for 2 sec				2.00s
And I click the Sign in	n link			4.90s
After				0.00s
Back to Table of Contents				
Scenario: login to the ap	p with correct	credentials using "Cor	ntinue with Email"	
Passed: 6	Failed: 0	Undefined: 0		Duration: 44.41s
Before		·		0.00s
Given I select the lang	guage option o	n toggle bar as require	d on login page	3.53s
When user enters cre		1		10.10s
UserName \${PULS	SE EMAIL}			
Password \${pulse				
And User clicks on sig	gnin button			0.27s
And I wait for 5 sec				5.01s
And I enter OTP in o	ne pulse app fo	or user email "\${PULS	E_EMAIL}''	10.94s
Then user should be l				14.57s
After				0.00s
Back to Table of Contents				
Scenario: User should be	e able to access	Calendar screen		
Passed: 8	Failed: 0	Undefined: 0		Duration: 71.74
Before				0.00s
And I wait for 3 sec				3.01s
When I clicks on Hea	lth button			12.93s
And I scroll down				4.60s
And I click on Calend	lar tile			16.73s
And I wait for 3 sec				3.01s
Then I verify following	g texts are dis	played		1.97s
\${calendar.text}				
\${no.events.text}				
And I click on events	dropdown but	ton in calendar screen		0.60s
Then I verify the follo	owing texts "C	alendar events'' in Scre	een	28.90s
\${medicine.remind	lers.text}			
\${appointments.tex	xt}			
\${vaccination.text}	}			
\${workout.text}				
\${pulse.tv.text}				
\${policy.remainde	r.text}			
After				0.00s
Back to Table of Contents				
eature: Verify that user ca	n access Chine	ese Medicine feature		
ssed: 0 Failed:		Undefined: 0	Duration: 232.9s	
Scenario: User should be				Continue with
		* *	-	
Email"				

efore	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign ''pulse\${RANDOM_NUMBER}@mailsac.com'' to variable ''PULSE_EMAIL''	0.00s
And User has pulse app	13.73s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.45s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	12.20s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	4.03s
Then I wait for 2 sec	2.02s
When user enters registration details	8.06s
FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234	
And taps on continue "Sign_Up" button	0.34s
And I wait for otp screen after clicking on signup button	4.18s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	29.86s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 8f182d4f-493a-43c2-b55e-f458af6fc567

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
  at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
  311)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
  (RegistrationSteps.java:294)
  at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/my/health
  /ChineseMedicine.feature:25)
After
                                                                             0.00s
Back to Table of Contents
Scenario: User should be able to access Chinese Medicine screen
```

ssed: 1	Failed: 1	Undefined: 2	Duration: 2.07
efore			0.00s
When I clicks or	Health button		0.04s
	chinese Medicine but	ton	2.03s
org.openqa.seler processing the contiginal error: Build info: versions yestem info: hostos.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismiss desired: {appAcautoDismissAlernewCommandTdeviceManufactdeviceScreenDesigavascriptEnablenewCommandTplatformName:	nium.WebDriverExcommand. Original encocket hang up on: '3.12.0', revisionate: 'TM003LSIN', ip: ', java.version: '11.0, ppium.java_client.arpActivity: com.prudentiativity: com.prudentiativity: com.prudentiativity: devicedurer: Google, devicedurer: Google, devicedurer: Google, devicedurer: 10000, noRedurer: 10000, noRe	eption: An unknown server-side or ror: Could not proxy command to '7c6e0b3', time: '2018-05-08T14' '192.168.1.124', os.name: 'Windo	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd6' ge: com.prudential.puls aseEnabled: false, com.prudential.pulse.uane: Android-Test, dly, deviceApiLevel: 30, 41FDD40043P, e0C241FDD40043P, nectionEnabled: true, cm: LINUX, kesScreenshot: true,
at jdk.internal.r at java.base/jdk (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se	internal.reflect.DelegatructorAccessorImpa.lang.reflect.Constructenium.remote.http.'onseCodec.java:187) elenium.remote.http.'onseCodec.java:122) elenium.remote.http.'olenium.remote.http.'olenium.remote.http.'	nstructorAccessor34.newInstance(gatingConstructorAccessorImpl.) ol.java:45) uctor.newInstance(Constructor.ja W3CHttpResponseCodec.createE	newInstance ava:490)
at org.openqa.se	Ť	CommandExecutor.execute(Http	CommandExecutor.jav
(AppiumCommat org.openqa.seat io.appium.jav	andExecutor.java:23 elenium.remote.Remo a_client.DefaultGeno	oteWebDriver.execute(RemoteWo ericMobileDriver.execute(Default	tGenericMobileDriver.
at io.appium.jav at org.openqa.se	a_client.android.Andlenium.remote.	ver.execute(AppiumDriver.java:1 droidDriver.execute(AndroidDriv verOptions\$RemoteWindow.getS	ver.java:1)
at com.prudenti at com.onepulse	.app.screens.TestBas .app.screens.PulseHe	nmCommands.swipe(AppiumComsePage.scrollPageDown(TestBaselealthScreen.clickChineseMedicine	Page.java:204)

\${chineseN		
	fedicine.welcomeMessage}	
\${chineseN	[ledicine.statement]	
	fedicine.pruLife}	
	Iedicine.pruLife.research}	
	on Continue button on Chinese Medicine screen	0.00s
fter		0.00s
ack to Table of Con		
	: Verify the carousel on Chinese Medicine journey	D 41 04
efore	Failed: 1 Undefined: 2	Duration: .04 0.00s
	10 0 N 1 1 1 1 1 1 1 N N N N N N N N N N	
	rify following texts are displayed in Chinese Medicine screen fedicine.page1.text}	0.04s
java.lang.Asso the expected to correlation be must first und at org.testng.a at com.onepul verifyFollowin at .Then User	ertionError: The following asserts failed: ext is: Chinese Constitution research statistics have found that etween certain constitutions and some diseases, so to maintain elerstand your own constitution condition. expected [true] but asserts.SoftAssert.assertAll(SoftAssert.java:43) lse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. agTextsDisplayedInChineseMedScreen(ChineseMedicineStep) verify following texts are displayed in Chinese Medicine screen	your body, you found [false] s.java:49)
java.lang.Assethe expected to correlation be must first und at org.testng.a at com.onepul verifyFollowin at .Then User/health/ChinesThen I verify carousel1# When I swipe page1.partial	ext is: Chinese Constitution research statistics have found that tween certain constitutions and some diseases, so to maintain lerstand your own constitution condition. expected [true] but asserts.SoftAssert.assertAll(SoftAssert.java:43) [se.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. agTextsDisplayedInChineseMedScreen(ChineseMedicineSteps verify following texts are displayed in Chinese Medicine screened seeMedicine.feature:44) [following button are displayed on chinese medicine carousal [#\${chineseMedicine.skipButton}] [to Right for chinese medicine on carousal [#\${chineseMedicine.skipButton}]	your body, you found [false] s.java:49) en(features/my 0.00s
java.lang.Asso the expected to correlation be must first und at org.testng.a at com.onepul verifyFollowin at .Then User /health/Chines Then I verify carousel1# When I swipe page1.partial	ext is: Chinese Constitution research statistics have found that tween certain constitutions and some diseases, so to maintain lerstand your own constitution condition. expected [true] but asserts.SoftAssert.assertAll(SoftAssert.java:43) [se.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.agTextsDisplayedInChineseMedScreen(ChineseMedicineSteps verify following texts are displayed in Chinese Medicine screenseMedicine.feature:44) [seMedicine.feature:44] [seMedicine.feature:44] [seMedicine.skipButton] [seMedicine.skipButton] [seMedicine.skipButton] [semination of the chinese medicine on carousal "\${chineseMedicine.skipButton}] [semination of the chinese medicine of th	your body, you found [false] s.java:49) en(features/my
java.lang.Asso the expected to correlation be must first und at org.testng.a at com.onepul verifyFollowin at .Then User /health/Chines Then I verify carousel1# When I swipe page1.partial.	ext is: Chinese Constitution research statistics have found that tween certain constitutions and some diseases, so to maintain lerstand your own constitution condition. expected [true] but asserts.SoftAssert.assertAll(SoftAssert.java:43) [se.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. angTextsDisplayedInChineseMedScreen(ChineseMedicineSteps verify following texts are displayed in Chinese Medicine screenseMedicine.feature:44) [following button are displayed on chinese medicine carousal [#\${chineseMedicine.skipButton}] to Right for chinese medicine on carousal [#\${chineseMedicine.skipButton}] to Right for chinese medicine on carousal [#\${chineseMedicine.skipButton}]	your body, you found [false] s.java:49) en(features/my 0.00s
java.lang.Asso the expected to correlation be must first und at org.testng.a at com.onepul verifyFollowin at .Then User /health/Chines Then I verify carousel1# When I swipe page1.partial.	ext is: Chinese Constitution research statistics have found that tween certain constitutions and some diseases, so to maintain lerstand your own constitution condition. expected [true] but asserts.SoftAssert.assertAll(SoftAssert.java:43) [se.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.agTextsDisplayedInChineseMedScreen(ChineseMedicineSteps verify following texts are displayed in Chinese Medicine screenseMedicine.feature:44) [seMedicine.feature:44] [seMedicine.feature:44] [seMedicine.skipButton] [seMedicine.skipButton] [seMedicine.skipButton] [semination of the chinese medicine on carousal "\${chineseMedicine.skipButton}] [semination of the chinese medicine of th	your body, you found [false] s.java:49) en(features/my 0.00s
java.lang.Asso the expected to correlation be must first und at org.testng.a at com.onepul verifyFollowin at .Then User /health/Chines Then I verify carousel1# When I swipe page1.partial.	ext is: Chinese Constitution research statistics have found that tween certain constitutions and some diseases, so to maintain lerstand your own constitution condition. expected [true] but asserts.SoftAssert.assertAll(SoftAssert.java:43) [se.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.ngTextsDisplayedInChineseMedScreen(ChineseMedicineStep verify following texts are displayed in Chinese Medicine screenedMedicine.feature:44) [seeMedicine.feature:44] [following button are displayed on chinese medicine carousal [seeMedicine.skipButton]] [seeMedicine.skipButton] [seeMedicine.skipButton	your body, you found [false] s.java:49) en(features/my 0.00s 0.00s

carousel2##\$ When I swipe to page2.partialTe	llowing button are displayed on chinese medicine carousa { {chineseMedicine.skipButton}	0.00s
page2.partialTe		<u> </u>
a U a		ine. 0.00s
	ext}"	0.00s
fter		0.00s
ack to Table of Conte	<u>ents</u>	
cenario: verify th	e text and button on final assessment carousel	
assed: 0	Failed: 1 Undefined: 1	Duration: .04
efore		0.00s
Then User verif	fy following texts are displayed in Chinese Medicine screen	n 0.04s
\${chineseMe	edicine.page3.text}	
	but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) e app stendefinitions mobilestens ChineseMedicineStens	
at com.onepulse verifyFollowing at .Then User ve	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSteps) erify following texts are displayed in Chinese Medicine scr	
at com.onepulse verifyFollowing at .Then User ve /health/Chinesel	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSte erify following texts are displayed in Chinese Medicine scr Medicine.feature:56)	reen(features/my
at com.onepulse verifyFollowing at .Then User ve /health/Chinesel Then I verify fo	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSteps) erify following texts are displayed in Chinese Medicine screening for the series of the series	reen(features/my
at com.onepulse verifyFollowing at .Then User ve /health/Chinesel Then I verify for carousel3##\$	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSte erify following texts are displayed in Chinese Medicine scr Medicine.feature:56)	reen(features/my
at com.onepulse verifyFollowing at .Then User vo /health/Chinese Then I verify fo carousel3##\$	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSteps) erify following texts are displayed in Chinese Medicine screening for the series of the series	reen(features/my 0.00s
at com.onepulse verifyFollowing at .Then User verifyHollowing at .Then User verify for carousel3##\$ fter ack to Table of Conte	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSteps) erify following texts are displayed in Chinese Medicine screening following texts are displayed in Chinese Medicine screening following button are displayed on chinese medicine carousa section for the seminary forms and section for the seminary forms are displayed on chinese medicine carousa section for the seminary forms are displayed on chinese medicine carousa section for the seminary forms are displayed on chinese medicine carousa section for the seminary forms are displayed on chinese medicine carousa section for the seminary forms are displayed on chinese medicine carousa section for the seminary forms are displayed on chinese medicine carousa section for the seminary for the seminary forms are displayed on chinese medicine carousa section for the seminary for the s	reen(features/my 0.00s
at com.onepulse verifyFollowing at .Then User vo /health/Chinese Then I verify fo carousel3##\$ fter ack to Table of Contection Contection User shows the contection of the content of the contection of the content of	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSteps) erify following texts are displayed in Chinese Medicine screening for the series of the series	reen(features/my 0.00s
at com.onepulse verifyFollowing at .Then User verifyHollowing at .Then User verify for carousel3##\$ fter ack to Table of Conte	serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. gTextsDisplayedInChineseMedScreen(ChineseMedicineSteps) erify following texts are displayed in Chinese Medicine screening following texts are displayed in Chinese Medicine screening following button are displayed on chinese medicine carousate (SchineseMedicine.startAssessmentBtn) ents ould be able to complete Chinese Medicine profile	reen(features/my 1 0.00s 0.00s

```
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 8f182d4f-493a-43c2-b55e-f458af6fc567
*** Element info: {Using=xpath, value=//android.widget.TextView[@text=''Start
Assessment'']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickStartAssessmentButton
(ChineseMedicineScreen.java:56)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
clickOnStartAssessment(ChineseMedicineSteps.java:76)
```

/ChineseMedicine.feat	art Assessment button on Chinese Medicine scr ure:62)	cen(reatures/my/nearm
And I wait for 5 sec	, , , , , , , , , , , , , , , , , , ,	0.00s
Then User verify follo	wing texts are displayed in Chinese Medicine so	creen 0.00s
\${chineseMedicine.	profile.title}	
\${chineseMedicine.	profile.description}	
\${chineseMedicine.	profile.mandatoryFields}	
Then change Chinese l	Medicine user profile details	0.00s
City \${0	chineseMedicine.profile.cityValue}	
Smoking Habits \${0	chineseMedicine.profile.smokingHabitsValue}	
Drinking Habits \${0	chineseMedicine.profile.drinkingHabitsValue}	
Exercise Habits \${0}	chineseMedicine.profile.exerciseHabitsValue}	
When I click on Next l	button on Chinese Medicine Profile screen	0.00s
When User verify follo	owing texts are displayed in Chinese Medicine s	screen 0.00s
\${chineseMedicine.	question.1}	
\${chineseMedicine.	statement.1}	
Then I verify following	g answer options are displayed on Chinese Med	licine 0.00s
screen		0.008
\${chineseMedicine.	answer.option1}	
\${chineseMedicine.	answer.option2}	
\${chineseMedicine.	answer.option3}	
\${chineseMedicine.	answer.option4}	
\${chineseMedicine.	answer.option5}	
	answer.option5}	0.00s
\${chineseMedicine. fter tek to Table of Contents	answer.option5}	0.00s
fter ack to Table of Contents		0.00s
fter ock to Table of Contents cenario Outline: Verify	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	
fter ack to Table of Contents	the Q&A on Chinese Medicine journey	
fter ck to Table of Contents cenario Outline: Verify ssed: 0 efore	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.04 0.00s
fter ck to Table of Contents cenario Outline: Verify ssed: 0 efore	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 inneseMedicine.answer.1}" for the question	Duration: 2.04
cenario Outline: Verify ssed: 0 efore And user selects "\${chineseMedicine.qu java.lang.AssertionErr (@text,"Based on your [contains(@text,"Occa at org.testng.Assert.fai at com.onepulse.app.so 167) at com.onepulse.app.so (ChineseMedicineStep at .And user selects "\$	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 tineseMedicine.answer.1}'' for the question uestion.1}'' ror: Unable to find the Question //android.widgr experience in past 3 months'')] and Answer //assionally'')] il(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicinesteps.ChineseMedicineSteps.java:104) {chineseMedicine.answer.1}'' for the question '	Duration: 2.04 0.00s 2.04s get.TextView[contains android.widget.TextView] ineseMedicineScreen.jav ps.handleQnA
cenario Outline: Verify ssed: 0 efore And user selects '\\${ch '\\${chineseMedicine.qu java.lang.AssertionErr (@text,''Based on your [contains(@text,''Occa at org.testng.Assert.fai at com.onepulse.app.so 167) at com.onepulse.app.so (ChineseMedicineStep at .And user selects '\\$ question.1}''(features/n	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 InneseMedicine.answer.1}'' for the question uestion.1}'' ror: Unable to find the Question //android.widgr experience in past 3 months'')] and Answer //assionally'')] il(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104)	Duration: 2.04 0.00s 2.04s get.TextView[contains android.widget.TextView] ineseMedicineScreen.jav ps.handleQnA "\${chineseMedicine.
cenario Outline: Verify ssed: 0 efore And user selects "\${ch "\${chineseMedicine.qu} java.lang.AssertionErr (@text,"Based on your [contains(@text,"Occa at org.testng.Assert.fai at com.onepulse.app.so 167) at com.onepulse.app.so (ChineseMedicineStep at .And user selects "\$ question.1}"(features/notes)	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 tineseMedicine.answer.1}'' for the question uestion.1}'' ror: Unable to find the Question //android.widgr experience in past 3 months'')] and Answer //assionally'')] il(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicinesteps.ChineseMedicineSteps.java:104) {chineseMedicine.answer.1}'' for the question '	Duration: 2.04 0.00s 2.04s get.TextView[contains android.widget.TextView] ineseMedicineScreen.jav ps.handleQnA
cenario Outline: Verify ssed: 0 efore And user selects "\${ch "\${chineseMedicine.qu java.lang.AssertionErr (@text,"Based on your [contains(@text,"Occa at org.testng.Assert.fai at com.onepulse.app.so (ChineseMedicineStep at .And user selects "\$ question.1}"(features/note fter ck to Table of Contents	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 tineseMedicine.answer.1}'' for the question uestion.1}'' ror: Unable to find the Question //android.widger experience in past 3 months'')] and Answer //assionally'')] il(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicines.ChineseMedicineSteps.java:104) {chineseMedicine.answer.1}'' for the question 'my/health/ChineseMedicine.feature:88)	Duration: 2.04 0.00s 2.04s get.TextView[contains android.widget.TextView] ineseMedicineScreen.jav ps.handleQnA "\${chineseMedicine.
cenario Outline: Verify essed: 0 efore And user selects "\${ch "\${chineseMedicine.qu java.lang.AssertionErr (@text,"Based on your [contains(@text,"Occa at org.testng.Assert.fai at com.onepulse.app.so (ChineseMedicineStep at .And user selects "\$ question.1}"(features/notes) fter	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 tineseMedicine.answer.1}'' for the question uestion.1}'' ror: Unable to find the Question //android.widgr experience in past 3 months'')] and Answer //assionally'')] il(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicinesteps.ChineseMedicineSteps.java:104) {chineseMedicine.answer.1}'' for the question '	Duration: 2.04s 0.00s 2.04s get.TextView[contains android.widget.TextView] ineseMedicineScreen.jav. ps.handleQnA "\${chineseMedicine.

A 7 7 116		0.00s
And user selects "S	{chineseMedicine.answer.2}" for the question	2.04%
"\${chineseMedicin	ne.question.2}''	2.04s
(@text,"I get fatig (@text,"Occassion at org.testng.Asser	nError: Unable to find the Question //android.widget.Toued or tired easily.'')] and Answer //android.widget.Tentally'')] et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese	xtView[contains
at com.onepulse.ap (ChineseMedicines at .And user select	op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s ''\${chineseMedicine.answer.2}'' for the question ''\${c res/my/health/ChineseMedicine.feature:88)	
After	res/my/nearth/Chineselvieurchie.ieature.oo)	0.00s
Back to Table of Contents		10000
	rify the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.05s
Before		0.00s
And user selects "S" "\${chineseMedicing	{chineseMedicine.answer.3}" for the question	2.05s
Disagree'')] at org.testng.Asser	nError: Unable to find the Question //android.widget.Tom insomnia'')] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleOnA(Chinese	w[contains(@text,''
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select	om insomnia")] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h	w[contains(@text,'' eMedicineScreen.java andleQnA
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select	om insomnia")] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${c	w[contains(@text,'' eMedicineScreen.java andleQnA
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select question.3}"(featur After Back to Table of Contents	om insomnia")] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${c res/my/health/ChineseMedicine.feature:88)	w[contains(@text," eMedicineScreen.java andleQnA hineseMedicine.
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select question.3}"(featur After Back to Table of Contents Scenario Outline: Ver	om insomnia")] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${cres/my/health/ChineseMedicine.feature:88} iterify the Q&A on Chinese Medicine journey	w[contains(@text," eMedicineScreen.java andleQnA hineseMedicine.
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select question.3}"(featur After Back to Table of Contents Scenario Outline: Ver	om insomnia")] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${c res/my/health/ChineseMedicine.feature:88)	w[contains(@text," eMedicineScreen.java andleQnA hineseMedicine. 0.00s Duration: 2.06s
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select question.3}"(featur After Back to Table of Contents Scenario Outline: Ver Passed: 0 Before	om insomnia")] and Answer //android.widget.TextView et.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${cres/my/health/ChineseMedicine.feature:88} rify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	w[contains(@text," eMedicineScreen.java andleQnA hineseMedicine.
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select question.3}"(featur After Back to Table of Contents Scenario Outline: Ver Passed: 0 Before	om insomnia")] and Answer //android.widget.TextView t.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${cres/my/health/ChineseMedicine.feature:88} fify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 \${chineseMedicine.answer.4}" for the question	w[contains(@text," eMedicineScreen.java andleQnA hineseMedicine. 0.00s Duration: 2.06s
Disagree")] at org.testng.Asser at com.onepulse.ap 167) at com.onepulse.ap (ChineseMedicines at .And user select question.3}"(featur After Back to Table of Contents Scenario Outline: Ver Passed: 0 Before And user selects "S "\${chineseMedicinese	om insomnia")] and Answer //android.widget.TextView t.fail(Assert.java:94) op.screens.ChineseMedicineScreen.handleQnA(Chinese op.stepdefinitions.mobilesteps.ChineseMedicineSteps.h Steps.java:104) s "\${chineseMedicine.answer.3}" for the question "\${cres/my/health/ChineseMedicine.feature:88} fify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 \${chineseMedicine.answer.4}" for the question	w[contains(@text," eMedicineScreen.java andleQnA hineseMedicine. 0.00s Duration: 2.06s 0.00s 2.06s CextView[contains vironment.")] and]

After		0.00s
Back to Table of Contents		
Scenario Outline: Verify t	the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.05
Before		0.00s
And user selects ''\${chi ''\${chineseMedicine.qu	ineseMedicine.answer.5}" for the question testion.5}"	2.05s
(@text,"I am prone to widget.TextView[conta at org.testng.Assert.fai at com.onepulse.app.sc 167) at com.onepulse.app.st (ChineseMedicineSteps	ereens.ChineseMedicineScreen.handleQnA(Chinesepdefinitions.mobilesteps.ChineseMedicineSteps.h	Answer //android. eMedicineScreen.jav andleQnA
question.5}''(features/n	my/health/ChineseMedicine.feature:88)	0.00s
Back to Table of Contents		
Juck to Tubic of Contents		
	the Q&A on Chinese Medicine journey	
	the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.06
Scenario Outline: Verify t		Duration: 2.06: 0.00s
Scenario Outline: Verify to Passed: 0 Before	Failed: 1 Undefined: 0 ineseMedicine.answer.6}'' for the question	
And user selects "\${chi "\${chineseMedicine.qu java.lang.AssertionErr (@text,"I feel tense in r [contains(@text,"Agre at org.testng.Assert.fai at com.onepulse.app.sc 167) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\$	Failed: 1 Undefined: 0 ineseMedicine.answer.6}'' for the question lestion.6}'' or: Unable to find the Question //android.widget.7 my torso or lower body.'')] and Answer //android.ve'')] l(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.handleQnA)	2.06s CextView[contains widget.TextView] eMedicineScreen.jav
And user selects "\${chi "\${chineseMedicine.qu java.lang.AssertionErr (@text,"I feel tense in r [contains(@text,"Agre at org.testng.Assert.fai at com.onepulse.app.sc 167) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\${	ineseMedicine.answer.6}" for the question lestion.6}" or: Unable to find the Question //android.widget.Tmy torso or lower body.")] and Answer //android.ve")] l(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.hs.java:104) {chineseMedicine.answer.6}" for the question "\${c	0.00s 2.06s CextView[contains widget.TextView] eMedicineScreen.jav andleQnA
Ard user selects "\${chi "\${chineseMedicine.qu} java.lang.AssertionErr (@text,"I feel tense in r [contains(@text,"Agre at org.testng.Assert.fai at com.onepulse.app.sc (ChineseMedicineSteps at .And user selects "\${ question.6}"(features/r	ineseMedicine.answer.6}" for the question lestion.6}" or: Unable to find the Question //android.widget.Tmy torso or lower body.")] and Answer //android.ve")] l(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.hs.java:104) {chineseMedicine.answer.6}" for the question "\${c	2.06s CextView[contains widget.TextView] eMedicineScreen.jav andleQnA chineseMedicine.
And user selects "\${chi "\${chineseMedicine.qu} java.lang.AssertionErr (@text,"I feel tense in r [contains(@text,"Agre at org.testng.Assert.fai at com.onepulse.app.sc 167) at com.onepulse.app.sc (ChineseMedicineSteps at .And user selects "\${ question.6}"(features/n	ineseMedicine.answer.6}" for the question lestion.6}" or: Unable to find the Question //android.widget.Tmy torso or lower body.")] and Answer //android.ve")] l(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.hs.java:104) {chineseMedicine.answer.6}" for the question "\${c	2.06s CextView[contains widget.TextView] eMedicineScreen.jav andleQnA chineseMedicine.
And user selects "\${chi "\${chineseMedicine.qu} java.lang.AssertionErr (@text,"I feel tense in r [contains(@text,"Agre at org.testng.Assert.fai at com.onepulse.app.sc 167) at com.onepulse.app.st (ChineseMedicineSteps at .And user selects "\${ question.6}"(features/r After Back to Table of Contents Scenario Outline: Verify to	Failed: 1 InneseMedicine.answer.6}" for the question lestion.6}" For: Unable to find the Question //android.widget.T my torso or lower body.")] and Answer //android.ve")] I(Assert.java:94) Pereens.ChineseMedicineScreen.handleQnA(Chinese lepdefinitions.mobilesteps.ChineseMedicineSteps.hs.java:104) {chineseMedicine.answer.6}" for the question "\${cmy/health/ChineseMedicine.feature:88}	2.06s CextView[contains widget.TextView] eMedicineScreen.jav andleQnA chineseMedicine.
And user selects "\${chi "\${chineseMedicine.qu} java.lang.AssertionErr (@text,"I feel tense in r [contains(@text,"Agre at org.testng.Assert.fai at com.onepulse.app.sc 167) at com.onepulse.app.sc (ChineseMedicineSteps at .And user selects "\${ question.6}"(features/n	ineseMedicine.answer.6}" for the question lestion.6}" or: Unable to find the Question //android.widget.Tmy torso or lower body.")] and Answer //android.ve")] l(Assert.java:94) creens.ChineseMedicineScreen.handleQnA(Chinesepdefinitions.mobilesteps.ChineseMedicineSteps.hss.java:104) {chineseMedicine.answer.6}" for the question "\${cmy/health/ChineseMedicine.feature:88}	2.06s CextView[contains widget.TextView] eMedicineScreen.jav andleQnA chineseMedicine.

(@text,''I cough or get asmethic symptoms due to changes in seasons'')] and Answer //android. widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine. question.7}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.04s** Before 0.00sAnd user selects "\${chineseMedicine.answer.8}" for the question 2.04s "\${chineseMedicine.question.8}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I am allergic to drugs")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine. question.8}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.04s** 0.00sBefore And user selects "\${chineseMedicine.answer.9}" for the question 2.04s **"\${chineseMedicine.question.9}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I frequently catch a chill")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.jaya: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine. question.9}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
	''\${chineseMedicine.cine.question.10}''	answer.10}" for the question	2.05s
(@text,''I can't s Occassionally'')] at org.testng.Ass	stand feeling cold'')] a 	find the Question //android.widget.7 and Answer //android.widget.TextV 4) MedicineScreen.handleQnA(Chines	iew[contains(@text,"
(ChineseMedicin	neSteps.java:104)	nobilesteps.ChineseMedicineSteps.h	
		ineseMedicine.feature:88)	(cinneservieureme.
After			0.00s
Back to Table of Conte	<u>nts</u>		
Scenario Outline: \	rerify the Q&A on Cl	hinese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s
(@text,"I feel unwidget.TextViewat org.testng.Assat com.onepulse 167) at com.onepulse (ChineseMedicinat .And user sele	acomfortable after converged a		and Answer //android seMedicineScreen.java nandleQnA
Back to Table of Conte	nts		0000
		hinese Medicine journey	
Passed: 0 Before	Failed: 1	Undefined: 0	Duration: 2.04s 0.00s
	"\${chineseMedicine.cine.question.12}"	answer.12}" for the question	2.04s
(@text,''I feel m Occassionally'')] at org.testng.Ass	y face'')] and Answer sert.fail(Assert.java:9	find the Question //android.widget. ://android.widget.TextView[contain 4) MedicineScreen.handleQnA(Chines	ns(@text,"

Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.07 Before 0.008 And user selects "\${chineseMedicine.answer.13}" for the question 2.07s "\${chineseMedicine.question.13}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Pailed: 1 Undefined: 0 Duration: 2.06 Before 0.00s And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.screens.ChineseMedicine.answer.14}" for the question "\${chineseMedicineScreen.jav 167} at com.onepulse.app.screens.ChineseMedicine.semedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineScreen.jav 167} at com.onepulse.app.screens.ChineseMedicine.answer.14}" for the question "\${chineseMedicineScreen.jav 167} at com.onepulse	Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	
Scenario Outline: Verify the Q&A on Chinese Medicine journey Duration: 2.07	Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Before And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally") at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreenseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMediquestion.13}"(features/my/health/ChineseMedicine.feature:88) After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[context,"I feel that I have a weak voice.")] for the question //android.widget.TextView[context,"I feel that I have a weak voice.")] for the question //android.widget.TextView[context,"I feel that I have a weak voice."] for the question //android.widget.TextView[context,"I feel that I have a weak voice."] for the question //android.widget.TextView[context,"I feel that I have a weak voice."] for the question //android.widget.TextView[context,"I feel that	s
Passed: 0 Failed: 1 Undefined: 0 Duration: 2.07 Before 0.008 And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" 2.07s java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.") and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" (features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.06s And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text," feel that I have a weak voice.") and Answer //android.widget.TextView[contains (@text," occassionally") at orm.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineScreen.jav 167} at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine} o.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	Passed: 0 Failed: 1 Undefined: 0 Durs Before	
And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}"(features/my/health/ChineseMedicine.feature:88) After	And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"My hands and legs sweat even if the weather is not hot or when I'm not doin; exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally") at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMed question.13}"(features/my/health/ChineseMedicine.feature:88) After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Dura Before 0.00 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" 2.06 "\${chineseMedicine.question.14}" 2.06 at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.han	
And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testing.Assert.fail(Assert.java:94) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine. question.13}"(features/my/health/ChineseMedicine.feature:88) After	And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally") at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMed question.13}" (features/my/health/ChineseMedicine.feature:88) After	
"\${chineseMedicine.question.13}"	java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.lava:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMediquestion.13}"(features/my/health/ChineseMedicine.feature:88) After	S
(@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}" (features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine.journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.06 "\${chineseMedicine.question.14}" 2.06s "\${chineseMedicine.question.14}" 2.06s "\${chineseMedicine.question.14}" 2.06s "\${chineseMedicine.question.14}" 2.06s "\${chineseMedicine.question.14}" 2.06s (@text, "I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text, "Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.smobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" (features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	(@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing exercise.")] and Answer //android.widget.TextView[contains(@text,"Occassionally") at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMed question.13}"(features/my/health/ChineseMedicine.feature:88) After	S
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine. question.13}"(features/my/health/ChineseMedicine.feature:88) After	at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.13}" (features/my/health/ChineseMedicine.feature:88) After	g intense
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.06 Before 0.008 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps,java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine. question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.008 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.008	Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Dura Before 0.00 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[con(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.sems.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.sem.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.sem.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.sem.java:1	cine.
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.06 Before 0.000s And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.000s	Passed: 0 Failed: 1 Undefined: 0 Dura Before 0.00 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[con(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.feature:88} After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	s
Passed: 0 Failed: 1 Undefined: 0 Duration: 2.06 Before 0.008 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.008 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.0008	Passed: 0 Failed: 1 Undefined: 0 Dura Before 0.00 And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[con(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineSeMedicine.14}" for the question "\${chineseMedicineSeMedicine.14}" for the question "\${chineseMedicineSeMedicine.14}" for the question "\${chineseMedicine.14}" for the question "\${chineseMed	
And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[con(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicineseMedicine.14}" (features/my/health/ChineseMedicine.feature:88) After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	
And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:88) After	And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[con(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.14}" (features/my/health/ChineseMedicine.feature:88) After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	tion: 2.06s
"\${chineseMedicine.question.14}"	java.lang.AssertionError: Unable to find the Question //android.widget.TextView[con (@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[con (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineSc 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.14}" (features/my/health/ChineseMedicine.feature:88) After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	S
(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java;94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine. question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	(@text,"I feel that I have a weak voice.")] and Answer //android.widget.TextView[cond (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.handleQnA(ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.14}" (features/my/health/ChineseMedicine.feature:88) After 0.00 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine. question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects ''\${chineseMedicine.answer.14}'' for the question ''\${chineseMedicine.14}''(features/my/health/ChineseMedicine.feature:88) After Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	S
(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"(features/my/health/ChineseMedicine.feature:88) After 0.00s 3	(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMed question.14}"(features/my/health/ChineseMedicine.feature:88) After Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	ntains ntains
After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	After Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey	ntains ntains
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	Scenario Outline: Verify the Q&A on Chinese Medicine journey	ntains ntains reen.jav
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s	Scenario Outline: Verify the Q&A on Chinese Medicine journey	ntains ntains reen.jav
Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.00s		ntains ntains reen.jav
		ntains ntains reen.jav
	And user selects "\${chineseMedicine.answer.15}" for the question	ntains ntains reen.jav icine.

java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"In general")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine. question.15}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 Duration: 2.05s Before 0.00sAnd user selects "\${chineseMedicine.answer.16}" for the question 2.05s **"\${chineseMedicine.question.16}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my skin and lips are dry.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine. question.16}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.2s** Before 0.00sAnd user selects "\${chineseMedicine.answer.17}" for the question 2.20s**'\${chineseMedicine.question.17}''** iava.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I get bruises easily for no reason.")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine. question.17}''(features/my/health/ChineseMedicine.feature:88) After 0.00s

Passed: 0	Failed: 1 Undefined: 0	Duration: 2.05s
Before		0.00s
	ts ''\${chineseMedicine.answer.18}'' for the question dicine.question.18}''	2.05s
(@text,''I have TextView[cont at org.testng.A	rtionError: Unable to find the Question //android.widget. broken out in hives (outbreak of swollen'')] and Answer fains(@text,''Occassionally'')] ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese	//android.widget.
167) at com.onepuls	se.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104)	
	elects ''\${chineseMedicine.answer.18}'' for the question ''\$ features/my/health/ChineseMedicine.feature:88)	{chineseMedicine.
After		0.00s
Back to Table of Con	tents .	
Scenario Outline:	Verify the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.06
Before		0.00s
And user select	ts ''\${chineseMedicine.answer.19}'' for the question	
''\${chineseMed	dicine.question.19}''	2.06s
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answains(@text,''Occassionally'')] ssert.fail(Assert.java:94)	TextView[contains er //android.widget.
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answains(@text,''Occassionally'')] .ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.l	FextView[contains er //android.widget. seMedicineScreen.jav
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answains(@text,''Occassionally'')] .ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese)	FextView[contains er //android.widget.seMedicineScreen.jav
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.19}''(f	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answering (@text,''Occassionally'')] sesert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chineseapp.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104) selects ''\${chineseMedicine.answer.19}'' for the question ''\$	FextView[contains er //android.widget.seMedicineScreen.jav
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.19}"(f	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answering (@text,''Occassionally'')] ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104) elects ''\${chineseMedicine.answer.19}'' for the question ''\$ features/my/health/ChineseMedicine.feature:88)	FextView[contains er //android.widget.seMedicineScreen.javnandleQnA
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.19}''(f	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answering (@text,''Occassionally'')] ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104) elects ''\${chineseMedicine.answer.19}'' for the question ''\$ features/my/health/ChineseMedicine.feature:88)	FextView[contains er //android.widget.seMedicineScreen.javnandleQnA
java.lang.Asser (@text,"I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.19}"(f	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots'')] and Answering (@text,''Occassionally'')] .ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104) elects ''\${chineseMedicine.answer.19}'' for the question ''\$ features/my/health/ChineseMedicine.feature:88)	FextView[contains er //android.widget. seMedicineScreen.jav nandleQnA {chineseMedicine. 0.00s
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.19}''(f	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots")] and Answains(@text,"Occassionally")] .ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104) elects "\${chineseMedicine.answer.19}" for the question "\$features/my/health/ChineseMedicine.feature:88) tents Verify the Q&A on Chinese Medicine journey	FextView[contains er //android.widget.seMedicineScreen.javandleQnA
java.lang.Asser (@text,''I get p TextView[cont at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.19}"(f After Back to Table of Con Scenario Outline: Passed: 0 Before And user select	rtionError: Unable to find the Question //android.widget.burple rashes on my skin (purple blood spots")] and Answains(@text,"Occassionally")] .ssert.fail(Assert.java:94) se.app.screens.ChineseMedicineScreen.handleQnA(Chinese.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.leineSteps.java:104) elects "\${chineseMedicine.answer.19}" for the question "\$features/my/health/ChineseMedicine.feature:88) tents Verify the Q&A on Chinese Medicine journey	TextView[contains er //android.widget. seMedicineScreen.jav nandleQnA {chineseMedicine. 0.00s

at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine. question.20}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.04s** Before 0.00sAnd user selects "\${chineseMedicine.answer.21}" for the question 2.04s **"\${chineseMedicine.guestion.21}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to feel depressed and moody.")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine. question.21}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the O&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.22}" for the question 2.05s **"\${chineseMedicine.guestion.22}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I easily forget things.")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine. question.22}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Passed: 0 Failed: 1 **Duration: 2.05s** Before 0.00s

And user selects "\${chineseMedicine.answer.23}" for the question 2.05s**"\${chineseMedicine.question.23}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to feel tense and")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine. question.23}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.07s** Before 0.00sAnd user selects "\${chineseMedicine.answer.24}" for the question 2.07s"\${chineseMedicine.question.24}" java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I am sentimental and my feelings get hurt easily.")] and Answer //android.widget. TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine. question.24}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.06s** Before 0.00sAnd user selects "\${chineseMedicine.answer.25}" for the question 2.06s "\${chineseMedicine.guestion.25}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel fearful")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

After		0.00s
Back to Table of Contents		
Scenario Outline: Verif	y the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.04s
Before		0.00s
And user selects '\\${chineseMedicine.	chineseMedicine.answer.26}" for the question question.26}"	2.04s
(@text,"I sigh often for Occassionally")] at org.testng.Assert.for at com.onepulse.app. 167) at com.onepulse.app. (ChineseMedicineSte	$. screens. Chinese Medicine Screen. handle QnA (Chinese Medicine Steps.) \\ . step definitions. mobile steps. Chinese Medicine Steps. h$	View[contains(@text, one of the contains is a second contains in the contains is a second contains in the contains is a second contains in the contains in the contains is a second contains in the contains in the contains is a second contains in the conta
	res/my/health/ChineseMedicine.feature:88)	0.00s
Back to Table of Contents		
	y the Q&A on Chinese Medicine journey	
Back to Table of Contents Scenario Outline: Verify Passed: 0	y the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.04s
Scenario Outline: Verify		Duration: 2.04s 0.00s
Scenario Outline: Verif Passed: 0 Before	Failed: 1 Undefined: 0 chineseMedicine.answer.27}'' for the question	
And user selects "\${o"\${chineseMedicine.} java.lang.AssertionE (@text,"I get dizzy w (@text,"Occassionall at org.testng.Assert.f at com.onepulse.app. 167) at com.onepulse.app. (ChineseMedicineSte at .And user selects "	Failed: 1 ChineseMedicine.answer.27}'' for the question question.27}'' Crror: Unable to find the Question //android.widget.To when changing posture.'')] and Answer //android.widly'')] fail(Assert.java:94) .screens.ChineseMedicineScreen.handleQnA(Chinese.stepdefinitions.mobilesteps.ChineseMedicineSteps.heps.java:104) "\${chineseMedicine.answer.27}'' for the question ''\${	0.00s 2.04s ExtView[contains get.TextView[contain] eMedicineScreen.javandleQnA
And user selects "\${o"\${chineseMedicine.o"} java.lang.AssertionE (@text,"I get dizzy w (@text,"Occassionall at org.testng.Assert.f at com.onepulse.app. 167) at com.onepulse.app. (ChineseMedicineSte at .And user selects " question.27}"(feature	Failed: 1 Undefined: 0 chineseMedicine.answer.27}'' for the question question.27}'' Crror: Unable to find the Question //android.widget.To the changing posture.'')] and Answer //android.widgly'')] fail(Assert.java:94) .screens.ChineseMedicineScreen.handleQnA(Chinese .stepdefinitions.mobilesteps.ChineseMedicineSteps.heps.java:104)	0.00s 2.04s CextView[contains get.TextView[contains] eMedicineScreen.javandleQnA chineseMedicine.
And user selects "\${c "\${chineseMedicine.} java.lang.AssertionE (@text,"I get dizzy w (@text,"Occassionall at org.testng.Assert.f at com.onepulse.app. 167) at com.onepulse.app. (ChineseMedicineSte at .And user selects " question.27}"(feature	Failed: 1 ChineseMedicine.answer.27}'' for the question question.27}'' Crror: Unable to find the Question //android.widget.To when changing posture.'')] and Answer //android.widly'')] fail(Assert.java:94) .screens.ChineseMedicineScreen.handleQnA(Chinese.stepdefinitions.mobilesteps.ChineseMedicineSteps.heps.java:104) "\${chineseMedicine.answer.27}'' for the question ''\${	0.00s 2.04s ExtView[contains get.TextView[contains] eMedicineScreen.javandleQnA
And user selects "\${o" \${chineseMedicine.} java.lang.AssertionE (@text,"I get dizzy w (@text,"Occassionall at org.testng.Assert.f at com.onepulse.app. 167) at com.onepulse.app. (ChineseMedicineSte at .And user selects " question.27}"(feature After Back to Table of Contents	Failed: 1 ChineseMedicine.answer.27}'' for the question question.27}'' Crror: Unable to find the Question //android.widget.T when changing posture.'')] and Answer //android.wid ly'')] fail(Assert.java:94) .screens.ChineseMedicineScreen.handleQnA(Chinese .stepdefinitions.mobilesteps.ChineseMedicineSteps.h eps.java:104) '\${chineseMedicine.answer.27}'' for the question ''\${ res/my/health/ChineseMedicine.feature:88)	0.00s 2.04s CextView[contains get.TextView[contains] eMedicineScreen.javandleQnA chineseMedicine.
And user selects "\${o" \${chineseMedicine.} java.lang.AssertionE (@text,"I get dizzy w (@text,"Occassionall at org.testng.Assert.f at com.onepulse.app. (ChineseMedicineSte at .And user selects " question.27}"(feature After Back to Table of Contents Scenario Outline: Verify	chineseMedicine.answer.27}" for the question question.27}" Crror: Unable to find the Question //android.widget.To when changing posture.")] and Answer //android.wid ly")] fail(Assert.java:94) .screens.ChineseMedicineScreen.handleQnA(Chinese.stepdefinitions.mobilesteps.ChineseMedicineSteps.heps.java:104) "\${chineseMedicine.answer.27}" for the question "\${ces/my/health/ChineseMedicine.feature:88}) Ty the Q&A on Chinese Medicine journey	0.00s 2.04s ExtView[contains get.TextView[contains] eMedicineScreen.javandleQnA chineseMedicine. 0.00s
And user selects "\${o"\${chineseMedicine.} igua.lang.AssertionE (@text,"I get dizzy w (@text,"Occassionall at org.testng.Assert.f at com.onepulse.app. 167) at com.onepulse.app. (ChineseMedicineSte at .And user selects " question.27}"(feature After Back to Table of Contents	Failed: 1 ChineseMedicine.answer.27}'' for the question question.27}'' Crror: Unable to find the Question //android.widget.T when changing posture.'')] and Answer //android.wid ly'')] fail(Assert.java:94) .screens.ChineseMedicineScreen.handleQnA(Chinese .stepdefinitions.mobilesteps.ChineseMedicineSteps.h eps.java:104) '\${chineseMedicine.answer.27}'' for the question ''\${ res/my/health/ChineseMedicine.feature:88)	0.00s 2.04s CextView[contains get.TextView[contains] eMedicineScreen.javandleQnA chineseMedicine.

Detailed Results Report (@text,''I have a pale or anemic complexion.'')] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\{chineseMedicine.answer.28}" for the question "\{chineseMedicine. question.28}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.29}" for the question 2.05s"\${chineseMedicine.question.29}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have rosy cheeks.")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine. question.29}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Failed: 1 Passed: 0 **Duration: 2.05s** 0.00sBefore And user selects "\${chineseMedicine.answer.30}" for the question 2.05s**"\${chineseMedicine.question.30}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have visible blood veins on my cheeks")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine. question.30}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
	"\${chineseMedicine.cine.question.31}"	answer.31}" for the question	2.04s
(@text,''I have a //android.widge at org.testng.As	darker complexion a t.TextView[contains() sert.fail(Assert.java:9	find the Question //android.widget.7 and have pigmentation on my cheek @text,''Occassionally'')] 04) MedicineScreen.handleQnA(Chines	s'')] and Answer
167) at com.onepulse	•	mobilesteps.ChineseMedicineSteps.h	· ·
		ine.answer.31}'' for the question ''\$- ineseMedicine.feature:88)	{chineseMedicine.
After	J. J		0.00s
Back to Table of Conte	nts		
Scenario Outline: \	Verify the Q&A on Cl	hinese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s
(@text,''My nos [contains(@text at org.testng.As at com.onepulse 167) at com.onepulse (ChineseMedicinat .And user sele	e and forehead frequency ("Occassionally")] sert.fail(Assert.java:9 .app.screens.Chinesel .app.stepdefinitions.n neSteps.java:104) ects "\${chineseMedici	find the Question //android.widget.7 ently get oily'')] and Answer //andro 4) MedicineScreen.handleQnA(Chines nobilesteps.ChineseMedicineSteps.h ine.answer.32}'' for the question ''\$ ineseMedicine.feature:88)	oid.widget.TextView seMedicineScreen.java nandleQnA
After Back to Table of Conte	nto		0.008
		hinese Medicine journey	
Passed: 0 Before	Failed: 1	Undefined: 0	Duration: 2.06s 0.00s
	''\${chineseMedicine.cine.question.33}''	answer.33}" for the question	2.06s
(@text,"I get pin Occassionally") at org.testng.Ass	mples easily'')] and A sert.fail(Assert.java:9	find the Question //android.widget.7 .nswer //android.widget.TextView[c 4) MedicineScreen.handleQnA(Chines	ontains(@text,"

After	catures/my/nearth/emm	neseMedicine.feature:88)	0.00s
Back to Table of Conto	ents		0.008
		inese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04
Before			0.00s
''\${chineseMedi	cine.question.34}"	nswer.34}'' for the question	2.04s
(@text,''I get pa [contains(@text at org.testng.As at com.onepulse	nnda eyes (dark eye baş ;,''Occassionally'')] sert.fail(Assert.java:94	nd the Question //android.widget.gs) easily'')] and Answer //android) IedicineScreen.handleQnA(Chine	l.widget.TextView
(ChineseMedici at .And user sele	neSteps.java:104) ects ''\${chineseMedicin	obilesteps.ChineseMedicineSteps. ne.answer.34}'' for the question ''\$ neseMedicine.feature:88)	
A C4 are			0.00
After			0.00s
After Back to Table of Conto	ents		0.00s
Back to Table of Conto		inese Medicine journey	0.00s
Back to Table of Conto Scenario Outline: Vassed: 0		inese Medicine journey Undefined: 0	Duration: 2.04
Back to Table of Conto Scenario Outline: Veassed: 0 Before	Verify the Q&A on Chi Failed: 1	Undefined: 0	
Back to Table of Conto Scenario Outline: Versed: 0 Before And user selects	Verify the Q&A on Chi Failed: 1		Duration: 2.04
Cack to Table of Conto Scenario Outline: Vassed: 0 Before And user selects ''\${chineseMeditary in the contour	Failed: 1 S ''\${chineseMedicine.a icine.question.35}'' tionError: Unable to fi	undefined: 0 nswer.35}'' for the question nd the Question //android.widget. ny / purplish / blueish'')] and Ans illy'')]	Duration: 2.04 0.00s 2.04s TextView[contains
And user selects java.lang.Assert (@text,''My lip TextView[conta at org.testng.As at com.onepulse 167)	Failed: 1 S ''\${chineseMedicine.a icine.question.35}'' tionError: Unable to fi color is generally gloor ins(@text,''Occassiona sert.fail(Assert.java:94 e.app.screens.ChineseMedicineseM	nswer.35}" for the question nd the Question //android.widget. ny / purplish / blueish")] and Ans illy")] i) ledicineScreen.handleQnA(Chine	Duration: 2.04 0.00s 2.04s TextView[contains wer //android.widget]
And user selects "\${chineseMedi java.lang.Asser (@text,"My lip TextView[conta at org.testng.As at com.onepulse (ChineseMedici at .And user selects	Failed: 1 Failed: 1 S''\${chineseMedicine.a icine.question.35}'' tionError: Unable to fit color is generally gloomins(@text,"Occassional sert.fail(Assert.java:94 e.app.screens.ChineseMedicineseM	undefined: 0 Inswer.35}'' for the question Ind the Question //android.widget. Inswer.35 January Jan	Duration: 2.04 0.00s 2.04s TextView[contains wer //android.widget.seMedicineScreen.jav
And user selects "\${chineseMedi java.lang.Assert (@text,"My lip TextView[conta at org.testng.As at com.onepulse (ChineseMedici at .And user sele question.35}"(fe	Failed: 1 Failed: 1 S''\${chineseMedicine.a icine.question.35}'' tionError: Unable to fit color is generally gloomins(@text,"Occassional sert.fail(Assert.java:94 e.app.screens.ChineseMedicineseM	nswer.35}" for the question nd the Question //android.widget. ny / purplish / blueish")] and Ans ally")] ledicineScreen.handleQnA(Chine obilesteps.ChineseMedicineSteps.	Duration: 2.04 0.00s 2.04s TextView[contains wer //android.widget.seMedicineScreen.jav
And user selects java.lang.Assert (@text,''My lip TextView[conta at org.testng.As at com.onepulse (ChineseMedici at .And user selects (ChineseMedici at .And user selects (After	Failed: 1 S''\${chineseMedicine.a dcine.question.35}'' tionError: Unable to fit color is generally gloor ins(@text,"Occassional sert.fail(Assert.java:94 e.app.screens.ChineseMedicineSteps.java:104) ects ''\${chineseMedicineatures/my/health/ChineseMedicin	undefined: 0 Inswer.35}'' for the question Ind the Question //android.widget. Inswer.35 January Jan	Duration: 2.04 0.00s 2.04s TextView[contains wer //android.widget.seMedicineScreen.jav handleQnA 6{chineseMedicine.
And user selects java.lang.Asser (@text,''My lip TextView[conta at org.testng.As at com.onepulse (ChineseMedici at .And user selects	Failed: 1 Failed: 1 S''\${chineseMedicine.a icine.question.35}'' tionError: Unable to fit color is generally gloor ins(@text,"Occassional sert.fail(Assert.java:94) e.app.screens.ChineseMedicinesets.java:104) ects ''\${chineseMedicine eatures/my/health/Chine ents	undefined: 0 Inswer.35}'' for the question Ind the Question //android.widget. Inswer.35 January Jan	Duration: 2.04 0.00s 2.04s TextView[contains wer //android.widget.seMedicineScreen.jav handleQnA 6{chineseMedicine.
And user selects java.lang.Asser (@text,''My lip TextView[conta at org.testng.As at com.onepulse (ChineseMedici at .And user sele question.35}''(fo	Failed: 1 Failed: 1 S''\${chineseMedicine.a icine.question.35}'' tionError: Unable to fit color is generally gloor ins(@text,"Occassional sert.fail(Assert.java:94) e.app.screens.ChineseMedicinesets.java:104) ects ''\${chineseMedicine eatures/my/health/Chine ents	nswer.35}" for the question nd the Question //android.widget. my / purplish / blueish")] and Ans ally")] ledicineScreen.handleQnA(Chine obilesteps.ChineseMedicineSteps. ne.answer.35}" for the question "\$ neseMedicine.feature:88)	Duration: 2.04 0.00s 2.04s TextView[contains wer //android.widget.seMedicineScreen.jav handleQnA 6{chineseMedicine.

java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"My lip color is reddish")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine. question.36}"(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 Duration: 2.05s Before 0.00sAnd user selects "\${chineseMedicine.answer.37}" for the question 2.05s **"\${chineseMedicine.guestion.37}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My lip color is slightly pale or whiteish")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine. question.37}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.38}" for the question 2.05s**'\${chineseMedicine.question.38}''** java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I have puffy eyelids")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\\${chineseMedicine.answer.38}" for the question "\\${chineseMedicine. question.38\"(features/my/health/ChineseMedicine.feature:88) After 0.00s

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06
Before		<u> </u>	0.00s
	ts ''\${chineseMedicine.ar licine.question.39}''	nswer.39}" for the question	2.06s
(@text,"I have (@text,"Occass at org.testng.A at com.onepuls 167) at com.onepuls	dry eyes or blurry visio sionally")] ssert.fail(Assert.java:94) se.app.screens.ChineseM	nd the Question //android.widget.Tn'')] and Answer //android.widget. dedicineScreen.handleQnA(Chinese) bbilesteps.ChineseMedicineSteps.ha	TextView[contains
at .And user se	cineSteps.java:104) clects ''\${chineseMedicin features/my/health/Chin	e.answer.39}" for the question "\${ eseMedicine.feature:88)	chineseMedicine.
After		escrizourementeurur (100)	0.00s
Back to Table of Con	tents		10000
	Verify the Q&A on Chi	nese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06
Before			0.00s
	-	nswer.40}'' for the question	2 06s
''\${chineseMed	licine.question.40}'' rtionError: Unable to fi	nd the Question //android.widget.T	
java.lang.Asser	licine.question.40}'' rtionError: Unable to fi	<u> </u>	extView[contains
java.lang.Asser (@text,"I tend [contains(@text at org.testng.A	rtionError: Unable to fin to sneeze even if I am no at,"Occassionally")] ssert.fail(Assert.java:94)	nd the Question //android.widget.Tot sick'')] and Answer //android.wi	extView[contains dget.TextView
java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls	rtionError: Unable to fin to sneeze even if I am no at,"Occassionally")] ssert.fail(Assert.java:94)	nd the Question //android.widget.Tot sick'')] and Answer //android.wi	extView[contains dget.TextView
java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se	rtionError: Unable to fin to sneeze even if I am no at,"Occassionally")] ssert.fail(Assert.java:94) se.app.screens.ChineseM se.app.stepdefinitions.mo cineSteps.java:104)	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView eMedicineScreen.jav
java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.40}"(f	rtionError: Unable to fine to sneeze even if I am not, ''Occassionally'')] ssert.fail(Assert.java:94) se.app.screens.ChineseM se.app.stepdefinitions.motioneSteps.java:104)	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView]eMedicineScreen.javandleQnA
java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.40}"(f	rtionError: Unable to fine to sneeze even if I am not, "Occassionally")] ssert.fail(Assert.java:94) se.app.screens.ChineseMete.app.stepdefinitions.motineSteps.java:104) elects "\${chineseMedicineatures/my/health/ChineseMedicinesteps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps.java:health/Allexemps	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView eMedicineScreen.jav
"\${chineseMed java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.40}"(f	rtionError: Unable to fin to sneeze even if I am no at,''Occassionally'')] ssert.fail(Assert.java:94) se.app.screens.ChineseM se.app.stepdefinitions.mo eineSteps.java:104) elects ''\${chineseMedicin features/my/health/Chin	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView]eMedicineScreen.javandleQnA
java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls (ChineseMedic at .And user se question.40}"(f	rtionError: Unable to fine to sneeze even if I am not, "Occassionally")] ssert.fail(Assert.java:94) se.app.screens.ChineseM se.app.stepdefinitions.motioneSteps.java:104) elects "\${chineseMedicineSteps.java:health/Chinesetms/bealth/bealth	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView] eMedicineScreen.jav andleQnA chineseMedicine.
java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls (ChineseMedic at .And user se question.40}"(f	rtionError: Unable to fin to sneeze even if I am no at,''Occassionally'')] ssert.fail(Assert.java:94) se.app.screens.ChineseM se.app.stepdefinitions.mo eineSteps.java:104) elects ''\${chineseMedicin features/my/health/Chin	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView] eMedicineScreen.jav andleQnA chineseMedicine. 0.00s
"\${chineseMed java.lang.Asser (@text,"I tend [contains(@tex at org.testng.A at com.onepuls 167) at com.onepuls (ChineseMedic at .And user se question.40}"(f	rtionError: Unable to fing to sneeze even if I am not, "Occassionally")] ssert.fail(Assert.java:94) se.app.screens.ChineseM se.app.stepdefinitions.motioneSteps.java:104) elects "\${chineseMedicineSteps.java:health/Chinesetms/bealth/bealth	nd the Question //android.widget.Tot sick'')] and Answer //android.widget.Tot	extView[contains dget.TextView] eMedicineScreen.jandleQnA chineseMedicine.

at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine. question.41}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.42}" for the question 2.05s **"\${chineseMedicine.guestion.42}"** java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine. question.42}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the O&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.43}" for the question 2.05s **"\${chineseMedicine.guestion.43}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have sticky saliva")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine. question.43}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Undefined: 0 Passed: 0 Failed: 1 **Duration: 2.06s** Before 0.00s

And user selects "\${chineseMedicine.answer.44}" for the question 2.06s **"\${chineseMedicine.question.44}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to have a bitter taste in my mouth")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine. question.44}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.05s** Before 0.00sAnd user selects "\${chineseMedicine.answer.45}" for the question 2.05s"\${chineseMedicine.question.45}" java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"The surface of my tongue feels sticky")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine. question.45}''(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.08s** Before 0.00sAnd user selects "\${chineseMedicine.answer.46}" for the question 2.08s "\${chineseMedicine.guestion.46}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to have phlegm in my throat even if I am not sick")] and Answer //android. widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

After		0.00s
Back to Table of Contents		
Scenario Outline: Veri	fy the Q&A on Chinese Medicine journey	
Passed: 0	Failed: 1 Undefined: 0	Duration: 2.06s
Before		0.00s
And user selects "\${ "\${chineseMedicine}	chineseMedicine.answer.47}'' for the question e.question.47}''	2.06s
(@text,''I tend to ha TextView[contains(at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app (ChineseMedicineSt	p.screens.ChineseMedicineScreen.handleQnA(Chinese p.stepdefinitions.mobilesteps.ChineseMedicineSteps.ha teps.java:104)	er //android.widget. eMedicineScreen.jav
	''\${chineseMedicine.answer.47}'' for the question ''\${cres/my/health/ChineseMedicine.feature:88)	0.00s
Back to Table of Contents		•
Dack to Table of Contents		
	fy the Q&A on Chinese Medicine journey	
Scenario Outline: Veri	fy the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0	Duration: 2.06
Scenario Outline: Veril Passed: 0		Duration: 2.06 0.00s
Scenario Outline: Veri Passed: 0 Before	Failed: 1 Undefined: 0 [chineseMedicine.answer.48]" for the question	
And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassional at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app	Failed: 1 ChineseMedicine.answer.48}'' for the question equestion.48}'' Error: Unable to find the Question //android.widget.Totness in my chest'')] and Answer //android.widget.Textolly'')] Chail(Assert.java:94) Conscreens.ChineseMedicineScreen.handleQnA(Chinese obstepdefinitions.mobilesteps.ChineseMedicineSteps.ha	0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav
And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassional at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app (ChineseMedicineSt at .And user selects	Failed: 1 ChineseMedicine.answer.48}'' for the question equestion.48}'' Error: Unable to find the Question //android.widget.Totness in my chest'')] and Answer //android.widget.Textolly'')] Chail(Assert.java:94) Conscreens.ChineseMedicineScreen.handleQnA(Chinese obstepdefinitions.mobilesteps.ChineseMedicineSteps.ha	0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav
And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassional at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app (ChineseMedicineSt at .And user selects	Failed: 1 CchineseMedicine.answer.48}'' for the question e.question.48}'' Error: Unable to find the Question //android.widget.Textoness in my chest'')] and Answer //android.widget.Textoness in my chest'')] and Answer //android.widget.Textoness in my chest'')] Scalia (Assert.java:94) Scalia (0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav
After Scenario Outline: Verification Passed: 0 Before And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassional at org.testng.Assert. at com.onepulse.app (ChineseMedicineSt at .And user selects question.48}"(featureAfter	Failed: 1 CchineseMedicine.answer.48}'' for the question e.question.48}'' Error: Unable to find the Question //android.widget.Textoness in my chest'')] and Answer //android.widget.Textoness in my chest'')] and Answer //android.widget.Textoness in my chest'')] Scalia (Assert.java:94) Scalia (0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav andleQnA chineseMedicine.
And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassiona at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app (ChineseMedicineSt at .And user selects question.48}"(featur After Back to Table of Contents	Failed: 1 CchineseMedicine.answer.48}'' for the question e.question.48}'' Error: Unable to find the Question //android.widget.Textoness in my chest'')] and Answer //android.widget.Textoness in my chest'')] and Answer //android.widget.Textoness in my chest'')] Scalia (Assert.java:94) Scalia (0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav andleQnA chineseMedicine.
And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassiona at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app (ChineseMedicineSt at .And user selects question.48}"(feature After Back to Table of Contents Scenario Outline: Verification Passert of Contents Scenario Outline: Verification	Failed: 1 [chineseMedicine.answer.48]" for the question e.question.48]" Error: Unable to find the Question //android.widget.Textoness in my chest")] and Answer //android.widget.Textoness in my chest")] and Answer //android.widget.Textoness in my chest")] [chinese in display in the individual in the properties of the compact of the properties of the	0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav andleQnA chineseMedicine.
And user selects "\${ "\${chineseMedicine} java.lang.AssertionI (@text,"I have tight (@text,"Occassiona at org.testng.Assert. at com.onepulse.app 167) at com.onepulse.app (ChineseMedicineSt at .And user selects question.48}"(featur After Back to Table of Contents	Failed: 1 CchineseMedicine.answer.48}" for the question equestion.48}" Error: Unable to find the Question //android.widget.Textoness in my chest")] and Answer //android.widget.Textoness in my chest")] and Answer //android.widget.Textoness in my chest")] Joscreens.ChineseMedicineScreen.handleQnA(Chinese obstepdefinitions.mobilesteps.ChineseMedicineSteps.hatteps.java:104) "\${chineseMedicine.answer.48}" for the question "\${cres/my/health/ChineseMedicine.feature:88} The Q&A on Chinese Medicine journey	0.00s 2.06s extView[contains tView[contains] eMedicineScreen.jav andleQnA chineseMedicine. 0.00s

(@text,''I have asthma or feel the need to occassionally take deep breaths'')] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine. question.49}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.06s** Before 0.00sAnd user selects "\${chineseMedicine.answer.50}" for the question 2.06s "\${chineseMedicine.guestion.50}" java.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"| feel conscious of sudden heart palpitations or increased heartbeat") and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine. question.50}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.05s** 0.00sBefore And user selects "\${chineseMedicine.answer.51}" for the question 2.05s**"\${chineseMedicine.question.51}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel pain at the side of my chest or breasts")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleOnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine. question.51}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey

Before	Failed: 1	Undefined: 0	Duration: 2.05s
			0.00s
	ts ''\${chineseMedicine.ar licine.question.52}''	nswer.52}'' for the question	2.05s
(@text,"My sto Occassionally" at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic	omach fat is tender")] an)] ssert.fail(Assert.java:94) e.app.screens.ChineseM e.app.stepdefinitions.mo ineSteps.java:104)	nd the Question //android.widget nd Answer //android.widget.Text) ledicineScreen.handleQnA(Chine obilesteps.ChineseMedicineSteps ne.answer.52}'' for the question ''	View[contains(@text,'' eseMedicineScreen.java .handleQnA
		eseMedicine.feature:88)	
After			0.00s
Back to Table of Cont	<u>tents</u>		
Scenario Outline:	Verify the Q&A on Chi	nese Medicine journey	
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s
	ts ''\${chineseMedicine.a licine.question.53}''	nswer.53}'' for the question	2.06s
	ssert.fail(Assert.java:94		
167) at com.onepuls (ChineseMedic at .And user se	e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicin	IedicineScreen.handleQnA(Chino obilesteps.ChineseMedicineSteps le.answer.53}'' for the question '' leseMedicine.feature:88)	.handleQnA
167) at com.onepuls (ChineseMedic at .And user se	e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicin	obilesteps.ChineseMedicineSteps ne.answer.53}'' for the question ''	.handleQnA
167) at com.onepuls (ChineseMedic at .And user se question.53}"(f	e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicin features/my/health/Chin	obilesteps.ChineseMedicineSteps ne.answer.53}'' for the question ''	.handleQnA \${chineseMedicine.
167) at com.onepuls (ChineseMedic at .And user se question.53}"(f	e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicin features/my/health/Chin	obilesteps.ChineseMedicineSteps ne.answer.53}'' for the question ''neseMedicine.feature:88)	.handleQnA \${chineseMedicine.
167) at com.onepuls (ChineseMedic at .And user se question.53}''(f After Back to Table of Cont Scenario Outline:	e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicin features/my/health/Chin	obilesteps.ChineseMedicineSteps ne.answer.53}'' for the question ''neseMedicine.feature:88)	.handleQnA \${chineseMedicine.
167) at com.onepuls (ChineseMedic at .And user se question.53}"(f After Back to Table of Cont Scenario Outline: Passed: 0	e.app.stepdefinitions.moineSteps.java:104) lects ''\${chineseMedicinfeatures/my/health/Chinfeatures/my/health/Chinfents	ne.answer.53}'' for the question ''neseMedicine.feature:88)	.handleQnA \${chineseMedicine. 0.00s
167) at com.onepuls (ChineseMedic at .And user se question.53}"(f After Back to Table of Cont Scenario Outline: Passed: 0 Before And user select	e.app.stepdefinitions.mo ineSteps.java:104) lects ''\${chineseMedicin features/my/health/Chin tents Verify the Q&A on Chi Failed: 1	ne.answer.53}'' for the question ''neseMedicine.feature:88)	.handleQnA \${chineseMedicine. 0.00s Duration: 2.08

After 0.008 Back to Table of Contents 1 0 0 0 0 0 0 0 0 0	questionie i (ica)	tures/my/health/ChineseMedicine.feature:88)	
Scenario Outline: Verify the Q&A on Chinese Medicine journey	After		0.00s
Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text," 1 get constipations")] and Answer //android.widget.TextView[contains (@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" (features/my/health/ChineseMedicine.feature:88) After	Back to Table of Content	<u>is</u>	
And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text," I get constipations")] and Answer //android.widget.TextView[contains (@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"(features/my/health/ChineseMedicine.feature:88) After	Scenario Outline: <mark>Ve</mark>	erify the Q&A on Chinese Medicine journey	
And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text," I get constipations")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine. question.55}"(features/my/health/ChineseMedicine.feature:88) After		Failed: 1 Undefined: 0	Duration: 2.05s
"\${chineseMedicine.question.55}"	Before		0.00s
(@text,"I get constipations")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}" (features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Duration: 2.04 Before 0.00s And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicineSteps.java:104} at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s			2.05s
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"(features/my/health/ChineseMedicine.feature:88) After	(@text,''I get cons Occassionally'')] at org.testng.Asse	stipations")] and Answer //android.widget.TextVirt.fail(Assert.java:94)	dew[contains(@text,''
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.008 And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA ((ChineseMedicineSteps,java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After 0.008 Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.000s	at com.onepulse.a (ChineseMedicine at .And user select	Steps.java:104) ts ''\${chineseMedicine.answer.55}'' for the questi	
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before 0.000s And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	After		0.00s
Passed: 0 Failed: 1 Undefined: 0 Duration: 2.04 Before	Back to Table of Content	t <u>s</u>	
And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After	Scenario Outline: <mark>Ve</mark>	erify the Q&A on Chinese Medicine journey	
And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}" java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After	Passed. 0	Failed: 1 Undefined: 0	Duration, 2.04
"\${chineseMedicine.question.56}"	asseu. V	ranca. 1	Duration: 2.04
(@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextViev [contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.jav 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s		Tanca. 1 Charmed. V	
167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine. question.56}"(features/my/health/ChineseMedicine.feature:88) After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	Before And user selects ''	'\${chineseMedicine.answer.56}'' for the question	0.00s
(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88) After Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	And user selects " "\${chineseMedicing java.lang.Assertion (@text,"I feel that [contains(@text," at org.testng.Asse	'\${chineseMedicine.answer.56}'' for the question ne.question.56}'' onError: Unable to find the Question //android.wi t my feces are sticky and not clean'')] and Answer Occassionally'')] ort.fail(Assert.java:94)	0.00s 2.04s idget.TextView[contains r //android.widget.TextView
After 0.00s Back to Table of Contents Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	And user selects " "\${chineseMedicing java.lang.Assertion (@text,"I feel that [contains(@text," at org.testng.Assertion at com.onepulse.at 167)	"\${chineseMedicine.answer.56}" for the question ne.question.56}" onError: Unable to find the Question //android.wi t my feces are sticky and not clean")] and Answer Occassionally")] ort.fail(Assert.java:94) app.screens.ChineseMedicineScreen.handleQnA(C	0.00s 2.04s dget.TextView[contains r //android.widget.TextView] ChineseMedicineScreen.jav
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	And user selects " "\${chineseMedicing in the contains of the contains of the contains of the common	"\${chineseMedicine.answer.56}" for the question ne.question.56}" onError: Unable to find the Question //android.wit my feces are sticky and not clean")] and Answer Occassionally")] rt.fail(Assert.java:94) app.screens.ChineseMedicineScreen.handleQnA(Capp.stepdefinitions.mobilesteps.ChineseMedicineSesteps.java:104) ts "\${chineseMedicine.answer.56}" for the question	2.04s ddget.TextView[contains r //android.widget.TextView ChineseMedicineScreen.jav Steps.handleQnA
Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	And user selects " "\${chineseMedicing in the selects of the selects of the selects of the select in	"\${chineseMedicine.answer.56}" for the question ne.question.56}" onError: Unable to find the Question //android.wit my feces are sticky and not clean")] and Answer Occassionally")] rt.fail(Assert.java:94) app.screens.ChineseMedicineScreen.handleQnA(Capp.stepdefinitions.mobilesteps.ChineseMedicineSesteps.java:104) ts "\${chineseMedicine.answer.56}" for the question	2.04s diget.TextView[contains r //android.widget.TextView ChineseMedicineScreen.jav Steps.handleQnA on ''\${chineseMedicine.
Passed: 0 Failed: 1 Undefined: 0 Duration: 2.05 Before 0.00s	And user selects " "\${chineseMedicing in the selects of the selects of the selects of the select of	"\${chineseMedicine.answer.56}" for the question ne.question.56}" onError: Unable to find the Question //android.wit my feces are sticky and not clean")] and Answer Occassionally")] ort.fail(Assert.java:94) opp.screens.ChineseMedicineScreen.handleQnA(Comp.stepdefinitions.mobilesteps.ChineseMedicineSexteps.java:104) ts "\${chineseMedicine.answer.56}" for the question tures/my/health/ChineseMedicine.feature:88)	0.00s 2.04s dget.TextView[contains r //android.widget.TextView] ChineseMedicineScreen.jav dteps.handleQnA on ''\${chineseMedicine.
	And user selects " "\${chineseMedicing in the selects of the selects of the selects of the select of	"\${chineseMedicine.answer.56}" for the question ne.question.56}" onError: Unable to find the Question //android.wit my feces are sticky and not clean")] and Answer Occassionally")] rt.fail(Assert.java:94) app.screens.ChineseMedicineScreen.handleQnA(Capp.stepdefinitions.mobilesteps.ChineseMedicineSesteps.java:104) ts "\${chineseMedicine.answer.56}" for the questitures/my/health/ChineseMedicine.feature:88)	2.04s diget.TextView[contains r //android.widget.TextView ChineseMedicineScreen.jav Steps.handleQnA on ''\${chineseMedicine.
	And user selects " "\${chineseMedicing in the property of the p	"\${chineseMedicine.answer.56}" for the question ne.question.56}" onError: Unable to find the Question //android.wit my feces are sticky and not clean")] and Answer Occassionally")] ort.fail(Assert.java:94) opp.screens.ChineseMedicineScreen.handleQnA(Comp.stepdefinitions.mobilesteps.ChineseMedicineSesteps.java:104) ts "\${chineseMedicine.answer.56}" for the question tures/my/health/ChineseMedicine.feature:88) serify the Q&A on Chinese Medicine journey	2.04s idget.TextView[contains r //android.widget.TextView ChineseMedicineScreen.jav Steps.handleQnA on ''\${chineseMedicine. 0.00s Duration: 2.05

java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"Apart from the first urination in the morning")] and Answer //android.widget. TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine. question.57}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 Duration: 2.05s Before 0.00sAnd user selects "\${chineseMedicine.answer.58}" for the question 2.05s **"\${chineseMedicine.guestion.58}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel feverish on my hands")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine. question.58}"(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Passed: 0 Failed: 1 Undefined: 0 **Duration: 2.06s** Before 0.00sAnd user selects "\${chineseMedicine.answer.59}" for the question 2.06s '\${chineseMedicine.question.59}'' iava.lang.AssertionError: Unable to find the Ouestion //android.widget.TextView[contains (@text,"My feet and hands get cold easily")] and Answer //android.widget.TextView[contains (@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleOnA (ChineseMedicineSteps.java:104) at .And user selects "\{chineseMedicine.answer.59}" for the question "\{chineseMedicine. question.59}''(features/my/health/ChineseMedicine.feature:88) After 0.00s

Passed: 0	Failed: 1 Undefined	l: 0 Duration: 2.05
Before		0.00s
	ts ''\${chineseMedicine.answer.60}'' for the licine.question.60}''	e question 2.05s
(@text,"My bo (@text,"Occass at org.testng.As	ctionError: Unable to find the Question //a ody and limbs feel numb'')] and Answer //a sionally'')] ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han	android.widget.TextView[contains
167) at com.onepuls	e.app.stepdefinitions.mobilesteps.Chinese	
at .And user sel	ineSteps.java:104) lects ''\${chineseMedicine.answer.60}'' for features/my/health/ChineseMedicine.featu	
After		0.00s
Back to Table of Cont	tents	
Scenario Outline:	Verify the Q&A on Chinese Medicine jou	ırney
Passed: 0	Failed: 1 Undefined	
Before		0.00s
"\${chineseMed	ts ''\${chineseMedicine.answer.61}'' for the licine.question.61}'' ctionError: Unable to find the Question //3	2.048
((a)toyt "My for	on!') and Angway //android widget TaytVi	iow[containg(@toxt !!Occassionally!!)
at org.testng.As at com.onepuls	ce")] and Answer //android.widget.TextVi ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.ha	
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for	eMedicineSteps.handleQnA the question ''\${chineseMedicine.
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}''(f	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.had e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104)	ndleQnA(ChineseMedicineScreen.javeMedicineSteps.handleQnA the question ''\${chineseMedicine.
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}''(f	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for features/my/health/ChineseMedicine.featu	ndleQnA(ChineseMedicineScreen.javeMedicineSteps.handleQnA the question ''\${chineseMedicine.
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}"(f	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for features/my/health/ChineseMedicine.features/	ndleQnA(ChineseMedicineScreen.javeMedicineSteps.handleQnA the question ''\${chineseMedicine.ure:88}
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}''(f	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for features/my/health/ChineseMedicine.features/ tents Verify the Q&A on Chinese Medicine jour	eMedicineSteps.handleQnA the question ''\${chineseMedicine.ure:88}
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}"(f	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for features/my/health/ChineseMedicine.features/	ndleQnA(ChineseMedicineScreen.javeMedicineSteps.handleQnA the question ''\${chineseMedicine.ure:88} 0.00s urney 1: 0 Duration: 2.04
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}"(f	e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for features/my/health/ChineseMedicine.featurestents Verify the Q&A on Chinese Medicine jour Failed: 1 Undefined	eMedicineSteps.handleQnA the question ''\${chineseMedicine.ure:88} 0.00s Irney 1: 0
at org.testng.As at com.onepuls 167) at com.onepuls (ChineseMedic at .And user sel question.61}"(f	ssert.fail(Assert.java:94) e.app.screens.ChineseMedicineScreen.han e.app.stepdefinitions.mobilesteps.Chinese ineSteps.java:104) lects ''\${chineseMedicine.answer.61}'' for features/my/health/ChineseMedicine.features/ tents Verify the Q&A on Chinese Medicine jour	ndleQnA(ChineseMedicineScreen.javeMedicineSteps.handleQnA the question ''\${chineseMedicine.ure:88} 0.00s Irney 1: 0

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine. question.62}"(features/my/health/ChineseMedicine.feature:88) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the Q&A on Chinese Medicine journey Failed: 1 Undefined: 0 Passed: 0 **Duration: 2.06s** 0.00sBefore And user selects "\${chineseMedicine.answer.63}" for the question 2.06s **"\${chineseMedicine.question.63}"** java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My scrotum feels hot (Limited to men answer)")] and Answer //android.widget. **TextView[contains(@text,''Occassionally'')]** at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: **167**) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.63}" for the question "\${chineseMedicine. question.63}''(features/my/health/ChineseMedicine.feature:88) 0.00sAfter **Back to Table of Contents** Scenario: Verify the Assessment completion screen Failed: 1 Undefined: 0 Passed: 1 **Duration: 5.17s** Before 0.00sGiven I wait for 5 sec 5.01s Then User verify following texts are displayed in Chinese Medicine screen 0.17s\${chineseMedicine.viewAssessment.header} \${chineseMedicine.viewAssessment.subTitle} \${chineseMedicine.viewAssessment.description1 \${chineseMedicine.viewAssessment.description2} java.lang.AssertionError: The following asserts failed: the expected text is: Great!! expected [true] but found [false], the expected text is: You've completed the assessment expected [true] but found [false], the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false], the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my /health/ChineseMedicine.feature:158) After 0.00s**Back to Table of Contents** Scenario: Verify the user can view the Assessment Record Failed: 1 Undefined: 1 Passed: 0 **Duration: .04s** 0.00sBefore When user clicks on View Results button on Chinese Medicine Assessment 0.04sscreen org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command, Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 8f182d4f-493a-43c2-b55e-f458af6fc567 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"View Results")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
  (ChineseMedicineScreen.java:70)
  at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
  (ChineseMedicineSteps.java:121)
  at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
  /my/health/ChineseMedicine.feature:166)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify the Assessment Summary
                         Failed: 1
Passed: 0
                                               Undefined: 1
                                                                               Duration: .09s
Before
                                                                               0.00s
  Then User verify following texts are displayed in Chinese Medicine screen
                                                                               0.09s
     ${chineseMedicine.assessment.summary.title}
     ${chineseMedicine.assessment.summary.description}
```

java.lang.AssertionError: The following asserts failed: the expected text is: Assessment Summary expected [true] but found [false], the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak and chills, and have cold limbs. This is a symptom of moderate yang deficiency. It is recommended that your eating habits be based on the principle of warmth, and you should eat more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular habit of medium intensity exercise, and have daily care and acupoint care matching with four seasons, so that you can gradually improve your body constitution. expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my /health/ChineseMedicine.feature:179) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the "Constitution" Details of the Assessment Passed: 0 Failed: 1 Undefined: 0 **Duration: .04s** Before 0.00sThen User verify Assessment Details for the "\${chineseMedicine.assessment. details.constitution}" and "\${chineseMedicine.assessment.details. 0.04sconstitutionDescription}" java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution. at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails (ChineseMedicineScreen.iava:196) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyAssessmentDetails(ChineseMedicineSteps.java:132) at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details. constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"(features /my/health/ChineseMedicine.feature:186) After 0.00s**Back to Table of Contents** Scenario Outline: Verify the "Change In Tongue" Details of the Assessment Passed: 0 Failed: 1 Undefined: 0 **Duration: .04s** Before 0.00sThen User verify Assessment Details for the "\${chineseMedicine.assessment. details.changeInTongue}" and "\${chineseMedicine.assessment.details. 0.04schangeInTongueDescription}" java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yangdeficiency constitution. at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails

(ChineseMedicineScreen.java:196)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.

verifyAssessmentDetails(ChineseMedicineSteps.java:132)

After			0.00s
Back to Table of Contents			
ature: Verify Dieticiar	Positive Flow for D	octor functionality on one pulse App	
ssed: 0 Fail	ed: 12 Und	efined: 0 Duration: 155.96s	
Scenario: Verify the I	Home screen validati	on using "Continue with Email"	
Passed: 13	Failed: 1	Undefined: 2	Duration: 142.0
Before			0.00s
Given I generate ra "RANDOM_NUM	andom number and a	assign to variable	0.00s
And I assign "puls "PULSE_EMAIL"		IBER}@mailsac.com'' to variable	0.00s
And User has pulse	e app		10.67s
And user click on '	'CONTINUE WITH	[EMAIL" with Email button	18.03s
Then I wait for 2 s			2.01s
	country as required	on registration page	10.85s
Then I wait for 2 s			2.01s
Then I navigate to click on continue w		age and select the lang on toggle bar the	4.05s
	registration details		9.02s
FirstName Diet			
LastName Test			
<u> </u>	JLSE_EMAIL}		
Password Pas\$			0.26
	nue "Sign_Up" butto		0.26s
	screen after clicking	on signup button iser email "\${PULSE_EMAIL}"	4.62s 31.48s
Then I wait for 2 s		isci ciliali - \$\text{i OLSE_EMAIL}	2.01s
Then I click skip b			47.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 107cfa07-d2ef-4fca-8849-a7f75c7e0179
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Continue" or
@text="Connect Later"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

```
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1131)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:377)
  at .Then I click skip button(features/my/health/Dietician Doctor.feature:23)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to navigate to Dietician page
                                              Undefined: 1
Passed: 0
                         Failed: 1
                                                                                Duration: 8.07s
Before
                                                                                0.00s
  Then I click the Health icon in Home screen
                                                                                8.07s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat. autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 107cfa07-d2ef-4fca-8849-a7f75c7e0179
  at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
```

at is annium ious alia	m4 Amminum Duirean arraan4a(Amminum Duirean iarraa 1	\
	nt.AppiumDriver.execute(AppiumDriver.java:1)	
at org.openqa.seleniun	nt.android.AndroidDriver.execute(AndroidDriver.execute)	er.java:1)
	emoteWebDriverOptions\$RemoteWindow.getSiz	ze(RemoteWebDriver.
java:804)	1	
	appium.AppiumCommands.swipe(AppiumCom	
	creens.TestBasePage.scrollPageDown(TestBaseP	
java:1370)	creens.CustomerConnectScreen.HealthIcons(Cu	stomerConnectScreen.
,	tepdefinitions.mobilesteps.CustomerConnectStep	os.Healthicons
(CustomerConnectSte		
	alth icon in Home screen(features/my/health/Die	etician_Doctor.feature:
28) There I eliels the Dietie	ion to heaven in Hoolth Course	0.000
	ian tab for my in Health Screen	0.00s
<u>'ter</u>		0.00s
ck to Table of Contents		
	rt type as doctor and navigate to next screen	
ssed: 0	Failed: 1 Undefined: 9	Duration: .13s
fore		0.00s
Then I verify following	g text is displayed in dietician screen	0.13s
\${choose.expertise.t	text}	
\${select.expert.type	<u>}</u>	
Choose Expertise text	ror: The following asserts failed: is displayed on page expected [true] but found [f	
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type of Please let us know wha [true] but found [false] at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow	ror: The following asserts failed: is displayed on page expected [true] but found [fitext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	nd [false], d on page expected
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type of Please let us know wha [true] but found [false] at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat	ror: The following asserts failed: is displayed on page expected [true] but found [facted is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	nd [false], d on page expected /my/health
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type of Please let us know wha [true] but found [false] at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\${doc	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	nd [false], d on page expected /my/health 0.00s
\$\{\text{what.expert.text}\} java.lang.AssertionErr Choose Expertise text Select the expert type of Please let us know what [true] but found [false] at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\$\{doc And I click the continuations of the continuation of t	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	hd [false], d on page expected /my/health 0.00s 0.00s
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type of Please let us know what [true] but found [false at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\${doc And I click the continue Then I wait for 2 sec	ror: The following asserts failed: is displayed on page expected [true] but found [fact is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state	/my/health 0.00s 0.00s 0.00s
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type of Please let us know what [true] but found [false] at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\${doc And I click the continue Then I wait for 2 sec Then I verify following	ror: The following asserts failed: is displayed on page expected [true] but found [factext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second st	hd [false], d on page expected /my/health 0.00s 0.00s
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type to Please let us know wha [true] but found [false] at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\${doc And I click the continu Then I wait for 2 sec Then I verify following \${what.isyour.servi}	ror: The following asserts failed: is displayed on page expected [true] but found [factext is displayed on page expected [true] but found at expert you are for our records text is displayed of the sert assert All (Soft Assert	/my/health 0.00s 0.00s 0.00s
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type to Please let us know what [true] but found [false at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\${doc And I click the continu Then I wait for 2 sec Then I verify following \${what.isyour.servi} \${complete.details.text}	ror: The following asserts failed: is displayed on page expected [true] but found [fact is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state	/my/health 0.00s 0.00s 0.00s 0.00s
\$\{\text{what.expert.text}\} java.lang.AssertionErr Choose Expertise text Select the expert type of the Please let us know what [true] but found [false at org.testng.asserts.So at com.onepulse.app.so VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I click on "\$\{doc And I click the continuation I wait for 2 sec Then I werify following \$\{\text{what.isyour.servi}\} \{complete.details.tern I verify following} \$\{\text{complete.details.tern} Then I verify following}	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the sert. It is displayed o	/my/health 0.00s 0.00s 0.00s
\${what.expert.text} java.lang.AssertionErr Choose Expertise text Select the expert type to Please let us know what [true] but found [false] at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDie at .Then I verify follow/Dietician_Doctor.featt And I clicks on "\${doc And I click the continut Then I wait for 2 sec Then I verify following \${what.isyour.servi} \${complete.details.terterservice.num} \${enterservice.num}	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the sert assert All (Soft Assert. java: 43) tepdefinitions. mobile steps. Dietician Steps. tician Screen (Dietician Steps. java: 265) wing text is displayed in dietician screen (features ure: 33) extxt} in app screen the button text is displayed in dietician screen (sext) text i	/my/health 0.00s 0.00s 0.00s 0.00s
\$\{\text{what.expert.text}\} java.lang.AssertionErr Choose Expertise text Select the expert type of the Please let us know what [true] but found [false at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\$\{doc And I click the continue Then I wait for 2 sec Then I verify following \$\{\text{what.isyour.servi}\} \{\text{complete.details.templete} Then I verify following \$\{\text{enterservice.num}\} \{\text{entername.of.inst} }	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	md [false], d on page expected /my/health 0.00s 0.00s 0.00s 0.00s 0.00s
\$\{\text{what.expert.text}\} java.lang.AssertionErr Choose Expertise text Select the expert type of the Please let us know what [true] but found [false at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on '\\$\{doc And I click the continue Then I wait for 2 sec Then I verify following \$\{\text{what.isyour.servi}\}\{\text{complete.details.templete} Then I verify following \$\{\text{enterservice.num}\}\{\text{enterservice.num}\}\}\{\text{enterservice.num}\}\{\text{entername.of.inst} And I assign value to formation of the properties of the p	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	/my/health 0.00s 0.00s 0.00s 0.00s
\$\{\text{what.expert.text}\} java.lang.AssertionErr Choose Expertise text Select the expert type of the Please let us know what [true] but found [false at org.testng.asserts.So at com.onepulse.app.st VerifyStaticTextInDie at .Then I verify follow /Dietician_Doctor.feat And I clicks on "\$\{doc And I click the continue Then I wait for 2 sec Then I verify following \$\{\text{what.isyour.servi}\} \{\text{complete.details.templete} Then I verify following \$\{\text{enterservice.num}\} \{\text{entername.of.inst} }	ror: The following asserts failed: is displayed on page expected [true] but found [fatext is displayed on page expected [true] but found at expert you are for our records text is displayed of the second state of the second sta	/my/health 0.00s 0.00s 0.00s 0.00s 0.00s

46	details in dietician screen	
\${service.num.text		
\${issuing.org.text}		
\${valid.till.text}	01-01-2030	70 (0 0
		dietician 0.00s
screen And I click the contin	as button	0.00s
fter	le button	0.00s
		0.008
ck to Table of Contents		
	ould be able to navigate to specialisation pa	
ssed: 0	Failed: 1 Undefined: 8	Duration: .12
efore		0.00s
Then I verify followin	g text is displayed in dietician screen	0.13 s
	ation? text is displayed on page expected [t	
page expected [true] be Or choose from the list at org.testng.asserts. Sat com.onepulse.app.s VerifyStaticTextInDic	t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265)	but found [false]
page expected [true] to Or choose from the list at org.testng.asserts. So at com.onepulse.app.so VerifyStaticTextInDicat .Then I verify follow/Dietician_Doctor.feat	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57)	but found [false] atures/my/health
page expected [true] k Or choose from the list at org.testng.asserts.S at com.onepulse.app.s VerifyStaticTextInDic at .Then I verify follow /Dietician_Doctor.feat Then I verify following	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feaure:57) g specialisation options are displayed in die	but found [false] atures/my/health
page expected [true] k Or choose from the list at org.testng.asserts.S at com.onepulse.app.s VerifyStaticTextInDicat.Then I verify follow /Dietician_Doctor.feat Then I verify following \${mental.health.tex	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) wing text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietic	but found [false] atures/my/health
page expected [true] k Or choose from the list at org.testng.asserts.S at com.onepulse.app.s VerifyStaticTextInDic at .Then I verify follow/ /Dietician_Doctor.feat Then I verify followin \${mental.health.tex}	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietician	but found [false] atures/my/health
page expected [true] k Or choose from the list at org.testng.asserts.S at com.onepulse.app.s VerifyStaticTextInDicat.Then I verify followin /Dietician_Doctor.feat Then I verify followin S{mental.health.text S{psychologist.text S{general.physician	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feaure:57) g specialisation options are displayed in dieticles t .text	but found [false] atures/my/health etician screen 0.00s
page expected [true] k Or choose from the list at org.testng.asserts.S at com.onepulse.app.s VerifyStaticTextInDicat.Then I verify followin /Dietician_Doctor.feat Then I verify followin S{mental.health.text S{psychologist.text S{general.physician	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dieticiansteps. text]	but found [false] atures/my/health etician screen 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.stat com.onepulse.app.stat. Then I verify follow / Dietician_Doctor.feat Then I verify following Statemental.health.test	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feaure:57) g specialisation options are displayed in dietician screen(feaure:57) t.text}	but found [false] atures/my/health etician screen 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. So at com.onepulse.app.st VerifyStaticTextInDicat .Then I verify following Then I verify following S{mental.health.text S{general.physician Then I enter '\\${physician And I click the continuous from the list of the list	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feaure:57) g specialisation options are displayed in dietician screen(feaure:57) t.text}	but found [false] atures/my/health etician screen 0.00s n And select 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. So at com.onepulse.app.st VerifyStaticTextInDicat .Then I verify following Then I verify following S{mental.health.text S{general.physician Then I enter '\\${physician And I click the continuous from the list of the list	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietity the button text is displayed in dietician screen text is displayed in dietician screen	but found [false] atures/my/health etician screen 0.00s n And select 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static Indicators for the state of the sta	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) wing text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietitalisation options are displayed in dietitalisation screen(ext)! text is displayed in dietician screen	but found [false] atures/my/health etician screen 0.00s n And select 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static Indicator I verify following Indicator I verify following Indicator I verify following Static Indicator I verify following I verify following Static Indicator I verify following Static Indicator I verify following I verify	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietit t} cian.text} cian.text}'' speciality on specilisation screen ext}'' the button text is displayed in dietician screen alisation.text} on.text}	but found [false] atures/my/health etician screen 0.00s n And select 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static Indicator In Indicator Indicator In Indicator Indicator In Indicator Indicator In Indicator Indicator In Indicato	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) wing text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietician.text} cian.text}'' speciality on specilisation screenext}'' the button text is displayed in dietician screenext alisation.text on.text ollowing variables	atures/my/health etician screen 0.00s n And select 0.00s 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static Indicator I verify following Indicator I verify following Indicator I verify following Static I verify following Static I verify following Static I verify following Static I verify following	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) wing text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietitalisation screen tt tt cian.text} cian.text}'' speciality on specilisation screen ext}'' the button text is displayed in dietician screen talisation.text} collowing variables rtension	atures/my/health etician screen 0.00s n And select 0.00s 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static Indicator In Indicator Indicator In Indicator Indicator In Indicator Indicator In Indicator Indicator In Indicato	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietitalisation. text} cian.text}'' speciality on specilisation screenext}'' te button text is displayed in dietician screenealisation.text} on.text onlowing variables rtension details in dietician screen	atures/my/health etician screen 0.00s n And select 0.00s 0.00s 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static TextInDicat. The I verify following Static TextInDi	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) wing text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietician.text} cian.text}'' speciality on specilisation screen ext}'' te button text is displayed in dietician screen alisation.text} onlowing variables rtension details in dietician screen alisation.text \${specialisation} ###################################	atures/my/health etician screen 0.00s n And select 0.00s 0.00s 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following S{mental.health.text S{general.physician. Then I enter ''\${physician. Then I enter ''\${physician. Then I enter ''\${physician. And I click the continuous And I click the continuous S{enter.super.specialisation And I enter following S{enter.super.specialisation And I click on field later.specialisation And I click on field later.specialisation	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietitalisation. text} cian.text}'' speciality on specilisation screenext}'' te button text is displayed in dietician screenealisation.text} on.text onlowing variables rtension details in dietician screen	atures/my/health etician screen 0.00s n And select 0.00s 0.00s 0.00s 0.00s
page expected [true] to Or choose from the list at org.testng.asserts. Stat com.onepulse.app.st VerifyStaticTextInDicat. Then I verify following Static TextInDicat. The I verify following Static TextInDi	ut found [false], t. text is displayed on page expected [true] oftAssert.assertAll(SoftAssert.java:43) tepdefinitions.mobilesteps.DieticianSteps. ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietit t} text ticianScreen(DieticianSteps.java:265) ving text is displayed in dietician screen(feature:57) g specialisation options are displayed in dietit t} text ticianScreen(Dietician screen(feature:57) g specialisation options are displayed in dietit t} text ticianScreen(Dietician screen ticianSteps. dietician screen ticianSteps. dieticianSteps. dietician screen ticianSteps. dieticianSteps. dieticianSteps	atures/my/health etician screen 0.00s n And select 0.00s 0.00s 0.00s 0.00s

ssed: 0	Failed: 1	Undefined: 5	Duration: .07
fore			0.00s
And I verify for	llowing text is displayed	d in dietician screen	0.07s
\${education	.details.text}		
\${add.degre	e.text}		
Educational De Add your degre [false] at org.testng.as at com.onepuls	ee, diploma, certificates serts.SoftAssert.assert	on page expected [true] but found [falses is here text is displayed on page expected All(SoftAssert.java:43) nobilesteps.DieticianSteps.	
	following text is displa	ayed in dietician screen(features/my/he	alth
And I verify fo	llowing edit field sampl	le text in dietician screen	0.00s
\${enter.degi	ree.name.text}		
\${enter.field	l.of.study.text}		
	n.name.enter.text}		
And I enter fol	lowing details in dietici	an screen	0.00s
Then I enter fo	.text} test university llowing details in edit t	ext field in dietician screen	0.00s
	l.of.study.text} physicia	_	
And I click on a dietician screen			0.00s
	continue button		0.00s
ter			0.00s
ck to Table of Cont	tents		00000
		navigate to Add experience page	
ssed: 0	Failed: 1	Undefined: 9	Duration: .08
efore			0.00s
And I verify fo	llowing text is displayed	d in dietician screen	0.08s
\${add.exper	ience.txt}		
	erience.details}		
Add Experienc		ing asserts failed: age expected [true] but found [false], details. text is displayed on page expect	ted [true] but

VerifyStaticTextInI			(I 14)
/Dietician Doctor.fe		ved in dietician screen(features/m	y/health
	, , , , , , , , , , , , , , , , , , ,	text in dietician screen	0.00s
\${enterHospital.	text}		
Then I enter followi	ng details in edit tex	xt field in dietician screen	0.00s
\${profile.title.tex	t} Test		
And I enter following	ng details in dieticia	n screen	0.00s
\${experience1.tex	xt} Test University		
Then I enter following	ng details in edit te	xt field in dietician screen	0.00s
\${enterLocation.	text} \${country.nan	ne}	
And I Enter the "St	art Date'' in ''10'' iı	n dynamic start date Experience s	screen 0.00s
And I Enter the "St screen	art Date'' in ''2010'	' in dynamic start years Experien	0.00s
And I click on field screen	label ''\${add.experi	ence.txt}" to close keyboard on d	ietician 0.00s
Then I click on chec screen	kbox next to text "S	{currently.praticing.here}'' in di	ietician 0.00s
And I click the cont	inue button		0.00s
fter			0.00s
ack to Table of Contents			
ack to Table of Conteilts			
	should be able to na	vigate to Services Offered page	
	should be able to na Failed: 1	vigate to Services Offered page Undefined: 4	Duration: .05s
cenario: Verify User			Duration: .05s 0.00s
cenario: Verify User s	Failed: 1	Undefined: 4	
cenario: Verify User sassed: 0	Failed: 1 ng text is displayed	Undefined: 4	0.00s
cenario: Verify User (assed: 0 defore And I verify followi \${public.profile.to} java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify followith /Dietician_Doctor.fo	Failed: 1 ng text is displayed ex} Error: The followin page expected [true .SoftAssert.assertA .stepdefinitions.mo DieticianScreen(Diet owing text is displayeature:113)	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health
cenario: Verify User sassed: 0 defore And I verify following spublic.profile. Spublic.prof	Failed: 1 ng text is displayed ex} Error: The followin page expected [true .SoftAssert.assertA o.stepdefinitions.mo DieticianScreen(Dieto owing text is display eature:113) o following variable	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s
cenario: Verify User sassed: 0 defore And I verify followide \$\{\text{public.profile.}\} \ java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.apply VerifyStaticTextInI at .And I verify followide following text is a service offered with the service of the servi	Failed: 1 Ing text is displayed (ex) Error: The following page expected [true as a second content of the cont	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bilesteps.DieticianSteps. ticianSteps.java:265) zed in dietician screen(features/m	0.00s 0.05s y/health 0.00s
cenario: Verify User (assed: 0 defore And I verify followi \${public.profile.to} java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following And I assign value to service offered And I enter following And I enter following And I enter following And I enter following Assertion \$\$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	Failed: 1 Ing text is displayed (ex) Error: The following page expected [trueSoftAssert.assertAstepdefinitions.mo DieticianScreen(Dietowing text is displayeature:113) o following variable (BBS DOCTOR) ing details in dietician	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health
cenario: Verify User (assed: 0 defore And I verify following fo	Failed: 1 Ing text is displayed (ex) Error: The following page expected [true]. SoftAssert. assertA (o. stepdefinitions. modietician Screen (Dietowing text is displayed exture: 113) In following variable (BBS DOCTOR) Ing details in dietician (text) \${service offerences.}	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health 0.00s
cenario: Verify User (assed: 0 defore And I verify followi \${public.profile.t} java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify follo /Dietician_Doctor.fo And I assign value to service offered And I enter followin \${service.offered} And I click on field dietician screen	railed: 1 ng text is displayed ex} Error: The followin page expected [true SoftAssert.assertA Ostepdefinitions.mo DieticianScreen(Diet Owing text is display eature:113) o following variable BBS DOCTOR ng details in dieticia text \${service offeelabel "\${service.offeelabel \$}	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health 0.00s 0.00s
cenario: Verify User sassed: 0 defore And I verify following spublic.profile. java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following service offered Mand I assign value to service offered Mand I click on field dietician screen And I click the control of the service of the	railed: 1 ng text is displayed ex} Error: The followin page expected [true SoftAssert.assertA Ostepdefinitions.mo DieticianScreen(Diet Owing text is display eature:113) o following variable BBS DOCTOR ng details in dieticia text \${service offeelabel "\${service.offeelabel \$}	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health 0.00s 0.00s 0.00s
cenario: Verify User (assed: 0 defore And I verify followi \${public.profile.t} java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify follo /Dietician_Doctor.fo And I assign value to service offered And I enter followin \${service.offered} And I click on field dietician screen	railed: 1 ng text is displayed ex} Error: The followin page expected [true SoftAssert.assertA Ostepdefinitions.mo DieticianScreen(Diet Owing text is display eature:113) o following variable BBS DOCTOR ng details in dieticia text \${service offeelabel "\${service.offeelabel \$}	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health 0.00s 0.00s
cenario: Verify User sassed: 0 defore And I verify following spublic.profile. java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following service offered Mand I assign value to service offered Mand I click on field dietician screen And I click the control of the service of the	railed: 1 ng text is displayed ex} Error: The followin page expected [true SoftAssert.assertA Ostepdefinitions.mo DieticianScreen(Diet Owing text is display eature:113) o following variable BBS DOCTOR ng details in dieticia text \${service offeelabel "\${service.offeelabel \$}	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health 0.00s 0.00s 0.00s
cenario: Verify User sassed: 0 defore And I verify followi \${public.profile.t} java.lang.Assertion text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at com.onepulse.app VerifyStaticTextInI at .And I verify following text is displayed on at org.testng.asserts at .And I verify following text is displayed on at .And I verify following text is displayed on .And I click text is displayed on .And I cli	Failed: 1 Ing text is displayed (ex) Error: The following page expected [true]. SoftAssert. assertA (o. stepdefinitions. modietician Screen (Dietowing text is displayed eature: 113) In following variable (BBS DOCTOR) Ing details in dietician (text) \${service offer label "\${service.offer label "}{service.offer label "\${service.offer label "}{service.offer label	in dietician screen g asserts failed:] but found [false] ll(SoftAssert.java:43) bbilesteps.DieticianSteps. ticianSteps.java:265) yed in dietician screen(features/m	0.00s 0.05s y/health 0.00s 0.00s 0.00s 0.00s 0.00s

			0.00s
	llowing text is displaye	ed in dietician screen	0.08s
	ent.award.text}		
\${add.semin	ar.details.text}		
Achievements of Add seminar do page expected [at org.testng.as at com.onepuls VerifyStaticTex at .And I verify	etails whether you atte [true] but found [false] serts.SoftAssert.assert e.app.stepdefinitions.n xtInDieticianScreen(D	ayed on page expected [true] but found [feended as a participant or as a speaker. tex	t is displayed
_		ext field in dietician screen	0.00s
\${enter.title.	.award.text} TEST award.text} Test		
	lowing details in dietic	ian screen	0.00s
\${year.text}			
	field label ''\${add.semi	inar.details.text}" to close keyboard on	0.00s
And I click the	continue button		0.00s
ter			0.00s
ck to Table of Cont	tents		
enario: Verify U	Jser should be able to 1	navigate to Seminar(s) Attended page	
ssed: 0	Failed: 1	Undefined: 4	Duration: .0
0			0.00s
fore			
And I verify fol	llowing text is displaye	ed in dietician screen	0.07s
\$\\$ \{\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ttended.text} ar.details} tionError: The followed text is displayed etails whether you attended text found [false] serts.SoftAssert.assert e.app.stepdefinitions.nxtInDieticianScreen(D	ing asserts failed: l on page expected [true] but found [false] ended as a participant or as a speaker. tex	, t is displayed
\$\footnote{seminar.a} \\$\{\text{add.seminar.a}} \\$\{add.seminar.	ttended.text} ar.details} rtionError: The followended text is displayed etails whether you attended text found [false] serts.SoftAssert.assert e.app.stepdefinitions.nxtInDieticianScreen(Dyfollowing text is displayed tor.feature:135)	ing asserts failed: l on page expected [true] but found [false] ended as a participant or as a speaker. tex tAll(SoftAssert.java:43) nobilesteps.DieticianSteps. ieticianSteps.java:265) ayed in dietician screen(features/my/heal	, t is displayed
\$\{\secondariang \text{Seminar.a} \\ \{\add.\seminar.a} \\ \{\add.	ttended.text} ar.details} rtionError: The followended text is displayed etails whether you attended text found [false] serts.SoftAssert.assert e.app.stepdefinitions.nxtInDieticianScreen(Dyfollowing text is displayed tor.feature:135)	ing asserts failed: l on page expected [true] but found [false] ended as a participant or as a speaker. tex l tAll(SoftAssert.java:43) nobilesteps.DieticianSteps. ieticianSteps.java:265) ayed in dietician screen ext field in dietician screen	, t is displayed
\$\{\secondary \text{seminar.a}\} \\$\{\add.\seminar.a}\\$ \\$\{\add.\se	ttended.text} ar.details} tionError: The follow ended text is displayed etails whether you attended text found [false] serts.SoftAssert.assert e.app.stepdefinitions.nextInDieticianScreen(Defollowing text is displayed tor.feature:135) lowing details in edit to inar.title	ing asserts failed: l on page expected [true] but found [false] ended as a participant or as a speaker. tex l tAll(SoftAssert.java:43) nobilesteps.DieticianSteps. ieticianSteps.java:265) ayed in dietician screen(features/my/healtext	, t is displayed
\$\{\secondary \text{seminar.a}\} \\$\{\add.\seminar.a}\\$ \\$\{\add.\se	tionError: The followended text is displayed etails whether you attestill but found [false] serts.SoftAssert.assert e.app.stepdefinitions.nxtInDieticianScreen(Dyfollowing text is displayed tor.feature:135) lowing details in edit to inar.title TEST semintion.text SINGAPOR lowing details in dietic	ing asserts failed: l on page expected [true] but found [false] ended as a participant or as a speaker. tex l tAll(SoftAssert.java:43) nobilesteps.DieticianSteps. ieticianSteps.java:265) ayed in dietician screen(features/my/healtext	th

And I click the co			0.00s
	ntinue button		0.00s
After			0.00s
Back to Table of Conten	<u>ts</u>		
Scenario: Verify Use	er should be able to na	vigate to linked clinic page	
Passed: 0	Failed: 1	Undefined: 3	Duration: .08s
Before			0.00s
Given I verify foll	lowing text is displaye	ed in dietician screen	0.08s
\${linked.clinic	.text}		
\${add.clinic.in	fo.text}		
at com.onepulse.a VerifyStaticTextI at .Given I verify /Dietician_Doctor	npp.stepdefinitions.mo inDieticianScreen(DieticianScreen) following text is display.feature:147)	ll(SoftAssert.java:43) obilesteps.DieticianSteps. ticianSteps.java:265) ayed in dietician screen(features/	my/health 0.00s
\${enter.name.o	of.clinic} clinic1		
\${enter.name.c \${enterLocation	on.text SINGAPOR		tician
\${enter.name.c \${enterLocation	on.text SINGAPOR	E ic.text}'' to close keyboard on die	tician 0.00s
\${enter.name.o \${enterLocation And I click on field	on.text} SINGAPORI ld label ''\${linked.clin		tician 0.00s 0.00s
\${enter.name.o \${enterLocation And I click on field screen And I click the co	on.text} SINGAPORI ld label ''\${linked.clin		0.00S
\${enter.name.o \${enterLocation And I click on field screen And I click the co	on.text} SINGAPORI ld label ''\${linked.clin ontinue button		0.00s 0.00s
\${enter.name.o \${enterLocation And I click on field screen And I click the condition	on.text} SINGAPORI ld label ''\${linked.clin ontinue button		0.00s 0.00s
\${enter.name.o \${enterLocation And I click on field screen And I click the condition	on.text} SINGAPORI ld label ''\${linked.clin ontinue button	ic.text}" to close keyboard on die	0.00s 0.00s
\${enter.name.o \${enterLocation And I click on field screen And I click the condition After Cack to Table of Content Cocenario: Verify Use Cassed: 0	on.text} SINGAPORI Id label ''\${linked.clin ontinue button ts or should be able to na	ic.text}" to close keyboard on die	0.00s 0.00s 0.00s
\${enter.name.o \${enterLocation And I click on field screen And I click the condition After Back to Table of Content Scenario: Verify Use Passed: 0 Before	on.text} SINGAPORI Id label ''\${linked.clin ontinue button ts or should be able to na	ic.text}" to close keyboard on die vigate to Take a Picture page Undefined: 11	0.00s 0.00s 0.00s Duration: .12s
\${enter.name.o \${enterLocation And I click on field screen And I click the condition After Back to Table of Content Scenario: Verify Use Passed: 0 Before	on.text} SINGAPORI Id label ''\${linked.clin Intinue button Its	ic.text}" to close keyboard on die vigate to Take a Picture page Undefined: 11	0.00s 0.00s 0.00s Duration: .12s 0.00s
\${enter.name.o \${enterLocation And I click on field screen And I click the condition After Back to Table of Content Cocenario: Verify Use Coassed: 0 Before Given I verify follows	on.text} SINGAPORI Id label ''\${linked.clin Intinue button Its Its Its Its Its Its Its Its Its It	ic.text}" to close keyboard on die vigate to Take a Picture page Undefined: 11	0.00s 0.00s 0.00s Duration: .12s 0.00s

4 / -		options are displayed in Dietician Screen	0.00s
\${uploadfile			
\${takepictur			
	"\${takepicture.text}"	in app screen	0.00s
	era permission		0.00s
Then I take picture from Camera			0.00s
	continue button		0.00s
Then I wait for			0.00s
	ollowing text is display	ed in dietician screen	0.00s
\${confirmde			
\${confirmde			
\${service nu			
\${issuing org			
\${specialisat			
\${service off			0.00
And I scroll do			0.00s
Then I wait for		O 194° 11 - 00	0.00s
<u> </u>		Conditions' confirm screen	0.00s
	"Terms and Condition	ns text in app screen	0.00s
er			0.00s
	Failed: 1	navigate to schedule Calendar page Undefined: 6	Duration: 5.0
sed: 1			Duration: 5.0
sed: 1	Failed: 1		
sed: 1 fore Then I wait for And I verify fol \${conversati	Failed: 1 • 5 sec llowing text is displayed ion.history.text}	Undefined: 6	0.00s
sed: 1 fore Then I wait for And I verify fol \${conversati} \${no.appoin} java.lang.Asser Conversation H No Appointment at org.testng.as at com.onepulse VerifyStaticTex at .And I verify	Failed: 1 '5 sec Ilowing text is displayed ion.history.text} tmnt.now.text} rtionError: The following text is displayed its Now text is displayed in the second in the secon	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected [true] but found [talsed on page expected] [talsed on page expected on page expected] [talsed on page expected on page expected] [talsed on page expected on page expected] [talsed on page expected] [tal	0.00s 5.00s 0.08s e], kse]
Then I wait for And I verify fol \${conversati} \${no.appoin} java.lang.Asser Conversation F No Appointment at org.testng.as at com.onepulse VerifyStaticTent at .And I verify /Dietician_Doct	Failed: 1 '5 sec Illowing text is displayed ion.history.text} ctionError: The following text is displayed into the second sectors. Soft Assert. assert is expected in the second second second second second in the second second second in the second seco	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected [true] but found [falked on page expected [true] but found [true] but f	0.00s 5.00s 0.08s e], lse]
Then I wait for And I verify fol \$\{\text{conversati}\} \{\text{no.appoin}\} iava.lang.Asser Conversation Hoo Appointment or g. testing. as at com.one pulse Verify Static Text at . And I verify /Dietician_Doct Then User verify the conversation of	Failed: 1 '5 sec Ilowing text is displayed ion.history.text} ctionError: The following text is displayed its Now text is no	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected [true] but found [falked on page expected [true] but found [true] but f	0.00s 5.00s 0.08s e], kse]
Then I wait for And I verify fol \${conversati} \${no.appoin} java.lang.Asser Conversation H No Appointment at org.testng.as at com.onepulse VerifyStaticTex at .And I verify /Dietician_Doct Then User veri	Failed: 1 '5 sec Illowing text is displayed ion.history.text} ctionError: The following text is displayed into the second secret. SoftAssert. assert te app. stepdefinitions. In a string text is displayed to the second secon	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected [true] but found	0.00s 5.00s 0.08s e], lse]
Then I wait for And I verify fol \${conversati} \${no.appoin} java.lang.Asser Conversation F No Appointment at org.testng.as at com.onepulse VerifyStaticTen at .And I verify /Dietician_Doct Then User veri \${click.mans} And I clicks on	Failed: 1 '5 sec llowing text is displayed ion.history.text} ctionError: The following text is displayed into the second seco	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected [true] but found [falked on page expected [true] but found	0.00s 5.00s 0.08s e], lse] 0.00s
Then I wait for And I verify fol \${conversati} \${no.appoin} java.lang.Asser Conversation F No Appointment at org.testng.as at com.onepulse VerifyStaticTen at .And I verify /Dietician_Doct Then User veri \${click.mans} And I clicks on	Failed: 1 '5 sec Ilowing text is displayed ion.history.text} Itmnt.now.text ItionError: The following text is displayed into Now text in Now text is displayed into Now text in Now text	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected [true] but found [falked on page expected [true] but found	0.00s 5.00s 0.08s e], lse]
Then I wait for And I verify fol \${conversati} \${no.appoin} java.lang.Asser Conversation H No Appointment at org.testng.as at com.onepulse VerifyStaticTent at .And I verify /Dietician_Doct Then User verif \${click.mana} And I clicks on And I verify fol \${calendar.terese	Failed: 1 '5 sec Ilowing text is displayed ion.history.text} Itmnt.now.text ItionError: The following text is displayed into Now text in Now text is displayed into Now text in Now text	Undefined: 6 d in dietician screen ing asserts failed: d on page expected [true] but found [falsed on page expected on page expected [true] but found [falsed on page expected on page expected on page expected [true] but found [falsed on page expected o	0.00s 5.00s 0.08s e], lse] 0.00s

And I clicks on "10:00	AM" in app scree	n		0.00s
After				0.00s
Back to Table of Contents				
ature: Verify that user car	n manage events vi	ia the Family V	Vaccine Calendar feature	
ssed: 2 Failed: 5	Undef	ined: 0	Duration: 260.19s	
Scenario: User should be	able to register on	app with corr	ect credentials using "Co	ntinue with
Email''				
Passed: 18	Failed: 0	Undefine	ed: 0	Duration: 233.2 s
Before				0.00s
Given I generate rando "RANDOM_NUMBEI		sign to variab	le	0.00s
And I assign "pulse\${F	RANDOM_NUMB	ER}@mailsac	c.com'' to variable	0.00s
And User has pulse ap	p			10.86s
Then I wait for 2 sec				2.00s
And user click on "CO	NTINUE WITH I	EMAIL" with	Email button	13.69s
Then I wait for 2 sec				2.01s
Then I change the cour	ntry as required or	n registration	page	11.06s
Then I wait for 2 sec				2.00s
Then I navigate to puls click on continue with		e and select th	e lang on toggle bar then	5.38s
Then I wait for 2 sec				2.00s
When user enters regis	stration details			7.30s
Password Pas\$123	mation E_EMAIL}			
And taps on continue '				0.32s
And I wait for otp scre		<u> </u>		4.07s
And I enter OTP in on	e pulse app for use	er email ''\${PU	ULSE_EMAIL}''	30.95s
Then I wait for 2 sec				2.01s
Then I click skip butto				121.09s
Then user should be la	nded to "Home" s	screen		14.55s
Then I wait for 4 sec				4.01s
After				0.00s
Back to Table of Contents				
Scenario: User should be				
Passed: 5	Failed: 0	Undefine	ed: 0	Duration: 17.31
Before				0.00s
Given I clicks on Healt	h button			12.41s
Then I wait for 2 sec				2.01s
Then I click on vaccine	calendar tile			0.42s
Then I wait for 2 sec				2.01s

	Tonowing texts are ans	played in Vaccine Calendar	screen 0.47s
\${vaccineCalen			
\${vaccineCalen	dar.description}		
After			0.00s
ack to Table of Contents	3		
cenario: Verify the	user can Add Vaccine I	nformation	
assed: 2	Failed: 1	Undefined: 1	Duration: 3.39
Before			0.00s
When I click on A	dd more button in Vac	cine Calendar screen	0.23s
And I wait for 2 se	ec		2.01s
Then User verifies	following texts are disp	played in Vaccine Calendar	screen 1.14s
\${vaccineCalen \${vaccineCalen } java.lang.Assertion Name is present as DOB is present as at org.testng.asser at com.onepulse.aj (VaccineCalendar	• •	asserts failed: ue] but found [false], e] but found [false]	ps.verifyVaccineCalText
/health/FamilyVac Then User verifies \${vaccineCalen}	fies following texts are ccineCalendar.feature:4 following buttons are dar.addMore.cancelBu	displayed in Vaccine Calend	
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen}	fies following texts are ccineCalendar.feature:4 following buttons are	displayed in Vaccine Calend	ar screen 0.00s
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen} After	fies following texts are ccineCalendar.feature:4 following buttons are dar.addMore.cancelBudar.addMore.saveButt	displayed in Vaccine Calend	
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen} After ack to Table of Contents	fies following texts are ccineCalendar.feature:4 following buttons are dar.addMore.cancelBudar.addMore.saveButt	displayed in Vaccine Calend atton} on}	ar screen 0.00s
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen} After ack to Table of Contents cenario: enter information	fies following texts are cineCalendar.feature:4 following buttons are dar.addMore.cancelBudar.addMore.saveButt	displayed in Vaccine Calend atton} on}	0.00s 0.00s
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen} After ack to Table of Contents cenario: enter information	fies following texts are ccineCalendar.feature:4 following buttons are dar.addMore.cancelBudar.addMore.saveButt	displayed in Vaccine Calend atton} on}	0.00s 0.00s Duration: .03s
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen} ack to Table of Contents cenario: enter informassed: 1 Before	fies following texts are ccineCalendar.feature:4 following buttons are dar.addMore.cancelBudar.addMore.saveButt mation on add vaccinate Failed: 1	displayed in Vaccine Calend atton} on}	0.00s 0.00s Duration: .03s 0.00s
/health/FamilyVac Then User verifies \${vaccineCalen} \${vaccineCalen} \${vaccineCalen} \${ceneCalen} \${ceneCalen	fies following texts are ccineCalendar.feature:4 following buttons are dar.addMore.cancelButdar.addMore.saveButt mation on add vaccinate Failed: 1 to following variables one ing information in Vaccinate and information in Vaccinate	displayed in Vaccine Calend atton} on}	0.00s 0.00s Duration: .03s 0.00s 0.00s

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 0e691248-c65a-4bc3-a414-15d6a161d5d3
*** Element info: {Using=xpath, value=(//android.widget.TextView[@text='Name']/following::
android.widget.EditText)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.onepulse.aj (PulseHealthScree at com.onepulse.aj enterAddInformat	pp.screens.TestBasePage.setTextWithTab(TestBasePage.jav pp.screens.PulseHealthScreen.enterAddInformationForm en.java:343) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps.tionDetails(VaccineCalendarSteps.java:50) owing information in Vaccine Calendar add information scr	
/health/FamilyVac	ccineCalendar.feature:55)	
Then I wait for 2 s And I click on "\${	vaccineCalendar.addMore.saveButton}'' button in Vaccine	0.00s
Calendar screen	,	0.00s
ter		0.00s
ck to Table of Contents		
	added item displayed on the Vaccine Schedule screen	
ssed: 1	Failed: 1 Undefined: 6	Duration: 2.0
fore		0.00s
Given I wait for 2		2.01s
Then User verifies screen	s following dynamic texts are displayed in Vaccine Calendar	0.07 s
Child is present as	nError: The following asserts failed: s expected expected [true] but found [false],	
\${name} java.lang.Assertion Child is present as testing_one is present at org.testng.asser at com.onepulse.apverifyDynamicText at .Then User verifyDynamicText at .Then User verifyDynamicTex	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calend	lar screen
\${name} java.lang.Assertion Child is present as testing_one is present org.testng.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine CalendarIfeature:64)	
\$\{\text{name}\} java.lang.Assertion Child is present as testing_one is present at org.testing.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt Then I click on ''\$ And I click on ''\$	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calend	lar screen 0.00s 0.00s
\$\{\text{name}\} java.lang.Assertion Child is present as testing_one is present at org.testng.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt Then I click on "\$\{\text{And I click on "\$}\{\text{Calendar screen}\}\}	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. ktOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine	0.00s
\$\{\text{name}\} java.lang.Assertion Child is present as testing_one is present at org.testng.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt Then I click on "\$ And I click on "\$ Calendar screen Then I wait for 2 s	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. ktOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine	0.00s 0.00s
java.lang.Assertion Child is present as testing_one is present as testing_one is present at org.testng.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt Then I click on ''\$ And I click on ''\$ Calendar screen Then I wait for 2 s Then User verifies \${vaccineCalendar}	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine	0.00s 0.00s 0.00s
java.lang.Assertion Child is present as testing_one is present as testing_one is present at org.testng.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt Then I click on "\$ And I click on "\$ Calendar screen Then I wait for 2 s Then User verifies \${vaccineCalent \${vaccine.text}} Then User verifies	sexpected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine	0.00s 0.00s 0.00s 0.00s
java.lang.Assertion Child is present as testing_one is present at org.testing.asser at com.onepulse.ap verifyDynamicTex at .Then User veri (features/my/healt Then I click on ''\$ And I click on ''\$ And I click on ''\$ Calendar screen Then I wait for 2 s Then User verifies \${vaccineCalen} \${vaccine.text}	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine sec s following texts are displayed in Vaccine Calendar screen idar.select.child.text}	0.00s 0.00s 0.00s 0.00s
java.lang.Assertion Child is present as testing_one is present as testing_one is present at org.testing.asser at com.onepulse.aj verifyDynamicTex at .Then User veri (features/my/healt Then I click on "\$ And I click on "\$ Calendar screen Then I wait for 2 s Then User verifies \${vaccineCalen \${vaccine.text}} Then User verifies screen \${name}	s expected expected [true] but found [false], sent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine sec s following texts are displayed in Vaccine Calendar screen idar.select.child.text}	0.00s 0.00s 0.00s 0.00s
java.lang.Assertion Child is present as testing_one is present as testing_one is present at org.testing.asser at com.onepulse.aj verifyDynamicTex at .Then User veri (features/my/healt Then I click on "\$ And I click on "\$ Calendar screen Then I wait for 2 s Then User verifies \${vaccineCalen \${vaccine.text}} Then User verifies screen \${name}	s expected expected [true] but found [false], tent as expected expected [true] but found [false] ts.SoftAssert.assertAll(SoftAssert.java:43) pp.stepdefinitions.mobilesteps.VaccineCalendarSteps. atOnVaccineCal(VaccineCalendarSteps.java:78) fies following dynamic texts are displayed in Vaccine Calendar/h/FamilyVaccineCalendar.feature:64) {name} \${relation}'' button in Vaccine Calendar screen vaccineCalendar.continue.button}'' button in Vaccine sec following texts are displayed in Vaccine Calendar screen dar.select.child.text} s following dynamic texts are displayed in Vaccine Calendar ving texts are displayed ext]	0.00s 0.00s 0.00s 0.00s

	D-9-1-4	TI1-C1-C	D 4 0
ssed: 0 efore	Failed: 1	Undefined: 2	Duration: .03 0.00s
Then I click rem	inder icon for BCG vac	ccine	0.03s
org.openqa.selen processing the co Original error: s Build info: versio System info: host os.version: '10.0' Driver info: io.ap Capabilities {app uat, autoDismiss. desired: {appAct autoDismissAlert newCommandTi deviceManufactu deviceScreenDen javascriptEnable newCommandTi platformName: A viewportRect: {h false} Session ID: 0e69 *** Element info android.view.Vie at jdk.internal.re at java.base/jdk.i (DelegatingConst at java.base/java at org.openqa.sel (W3CHttpRespo at org.openqa.sel at io.appium.java (AppiumComma at org.openqa.sel at io.appium.java java:42)	mmand. Original erro ocket hang up on: '3.12.0', revision: '7 :: 'TM003LSIN', ip: '19 ; java.version: '11.0.2' opium.java_client.andro Activity: com.prudent Alerts: true, automation ivity: com.prudential.pts: true, automation ameout: 10000, noReset arer: Google, deviceMo sity: 440, deviceScreen d: true, locationConte meout: 10000, noReset Android, platformVers eight: 2015, left: 0, top 1248-c65a-4bc3-a414-1 : {Using=xpath, value= wGroup[1]/android.vic flect.GeneratedConstruct fructorAccessorImpl.ja lang.reflect.Construct enium.remote.http.W3 nseCodec.java:187) enium.remote.http.W3 nseCodec.java:49) enium.remote.http.W3 nseCodec.java:49) enium.remote.HttpCod a_client.remote.Appium ndExecutor.java:231) enium.remote.Remote a_client.DefaultGeneric a_client.DefaultGeneric	cion: An unknown server-side r: Could not proxy command c6e0b3', time: '2018-05-08T1492.168.1.124', os.name: 'Windows coid.AndroidDriver ial.pulse.MainAc, appPackaconName: UiAutomator2, databoulse.MainAc, appPackage: eme: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androidel: Pixel 5, deviceName: 0C20Size: 1080x2340, deviceUDID extEnabled: false, networkCommister true, pixelRatio: 2.75, platfomion: 11, statBarHeight: 145, tate: 145, width: 1080}, warnings: 5d6a161d5d3	to the remote server. 1:04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, d}, deviceApiLevel: 30, 241FDD40043P, : 0C241FDD40043P, nectionEnabled: true, rm: LINUX, nkesScreenshot: true, a {}, webStorageEnable Otext='BCG']/following w.ViewGroup[2]} (Unknown Source) newInstance ava:490) Exception CommandExecutor.ja CommandExecutor.ja CommandExecutor.ja CommandExecutor.ja

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationIcon
  (PulseHealthScreen.java:434)
  at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
  iClickReminderIconForBCGVaccine(VaccineCalendarSteps.java:84)
  at .Then I click reminder icon for BCG vaccine(features/my/health/FamilyVaccineCalendar.
  feature:82)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify change reminder functionality in vaccine schedule screen
Passed: 0
                          Failed: 1
                                                Undefined: 0
                                                                                Duration: 4.05s
Before
                                                                               0.00s
  And I click Yes option
                                                                               4.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
```

```
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 0e691248-c65a-4bc3-a414-15d6a161d5d3
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='BCG']/following::
android.view.ViewGroup[1]/android.view.ViewGroup[1]/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationYesOption
(PulseHealthScreen.java:443)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.iClickYesOption
(VaccineCalendarSteps.java:94)
at .And I click Yes option(features/my/health/FamilyVaccineCalendar.feature:88)
```

After					0.00s
Back to Table of	<u>Contents</u>				
ature: Verify tl	nat user can acc	ess Dengue Alert i	feature		
ssed: 4	Failed: 1	Undefined:	0	Duration: 213.56s	
Scenario: Lau	nch the app and	select the country	as per specifi	ed lbu	
Passed: 6	Failed	1: 0	Undefined: 0		Duration: 52.36
Before					0.00s
Given User	has pulse app				9.86s
And I assign	n ''\${login.emai	l.id}'' to variable '	'PULSE_EMA	AL"	0.00s
And user cl	ick on "CONTI	NUE WITH EMA	IL" with Ema	il button	16.81s
Then I char	nge the country	as required on reg	gistration page		10.79s
Then I wait	for 10 sec				10.00s
And I click	the Sign in link				4.91s
After					0.00s
Back to Table of	Contents				
Scenario: login	n to the app with	correct credentia	als using "Cont	tinue with Email'	
Passed: 6	Failed	l: 0	Undefined: 0		Duration: 46.58
Before					0.00s
Given I sele	ect the language	option on toggle k	ar as required	on login page	3.61s
When user	enters credentia	ıls			10.49s
UserNar	ne \${PULSE_EN	MAIL}			
Passwor	d \${pulse.passv	vord}			
And User c	licks on signin b	utton			0.31s
And I wait	for 5 sec				5.01s
And I enter	OTP in one pul	lse app for user en	nail ''\${PULSE	E_EMAIL}''	12.89s
Then user s	hould be landed	l to "Home" scree	n		14.27s
After					0.00s
Back to Table of	Contents				
Scenario: Veri	fy the map can	be expanded			
Passed: 4	Failed		Undefined: 0		Duration: 25.31
Before					0.00s
Given I clic	ks on Health bu	tton			14.45s
	s on Dengue Ale				7.62s
_	on the mapIma				2.43s
	on map back bu				0.81s
After					0.00s
Back to Table of	Contents				
Scenario: User	should be able	to vew the Dengu	e Outbreak - N	Ialaysia	
Passed: 8	Failed		Undefined: 0		Duration: 38.10
Before					0.00s
Then I veri	fy the following	texts "Dengue Ale	ert" in Screen		9.85s
	a l				7.000

Outbreaks				
	ng dynamic static text is displayed in Dengue Alert Scr	een 3.33s		
\${dengueAlert.out		5.338		
\${dengueAlert.out				
\${dengueAlert.out \${dengueAlert.out				
\${dengueAlert.out		1.40		
Then I verify following		1.48s		
\${dengueAlert.out	break.total.title}			
When I scroll down		4.46s		
Then I verify following		2.01s		
\${dengueAlert.zon				
\${dengueAlert.zon	al.country}			
Then I verify following	g texts are displayed	5.01s		
\${dengueAlert.zon	e1}			
\${dengueAlert.zon	<u>e2}</u>			
\${dengueAlert.zon	e3}			
\${dengueAlert.zon	<u>e4}</u>			
\${dengueAlert.zon	<u>e5}</u>			
\${dengueAlert.zon	e6 }			
When I scroll down		4.43s		
Then I verify following	ng texts are displayed	7.60s		
\${dengueAlert.zon		•		
\${dengueAlert.zon				
After		0.00s		
Back to Table of Contents		0.005		
	e able to vew the Dengue Cases - Malaysia			
Passed: 0	Failed: 1 Undefined: 8	Duration: 51.15s		
Before	CHACIMEST O	0.00s		
	(\$(dongue elect mon)!! element dienlaved			
when I scroll up till	'\${dengue.alert.map}'' element displayed	51.15s		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',				
System into: nost: 11	viousing, ip. 172,100,1,124, usiname: windows 10	, os.arcii. alliuo4,		

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 24ba2290-ddb3-4bcd-bbf1-d96e3b61d95c
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)
at io.appium.java client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumCommands.java:876)
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.jaya:
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollTillElementDisplayed
(BaseSteps.java:78)
at .When I scroll up till "${dengue.alert.map}" element displayed(features/my/home
/DengueAlert.feature:87)
```

\${dengueAlert.outbreak.thisW	eek}		
Then I verify following texts are d	lisplayed		0.00s
\${dengueAlert.cases.total.title}			
Then I verify following texts are d	lisplayed		0.00s
\${dengueAlert.zonal.title}			
\${dengueAlert.zonal.country}			
When I scroll down			0.00s
Then I verify following texts are d	lisplayed		0.00s
\${dengueAlert.zone1}			
\${dengueAlert.zone2}			
\${dengueAlert.zone3}			
\${dengueAlert.zone4}			
\${dengueAlert.zone5}			
\${dengueAlert.zone6}			
When I scroll down			0.00s
Then I verify following texts are d	lisplayed		0.00s
\${dengueAlert.zone7}			
\${dengueAlert.zone8}			
\${dengueAlert.zone9}			
\${dengueAlert.zone10}			
\${dengueAlert.zone11}			
\${dengueAlert.zone12}			
\${dengueAlert.zone13}			
\${dengueAlert.zone14}			
\${dengueAlert.zone15}			
\${dengueAlert.zone16}			
After			0.00s
Back to Table of Contents			
Feature: Verify Pru infectious disease co	over functionality (on one pulse App	
Passed: 1 Failed: 8	Undefined: 0	Duration: 179.76s	
Scenario: User should be able to regi Email''	ster on app with co	orrect credentials using "C	Continue with
Passed: 15 Failed: 1	Undefin	ned: 2	Duration: 178.87
Before			0.00s
Given I generate random number "RANDOM_NUMBER"	and assign to varia	able	0.00s
And I assign ''pulse\${RANDOM_ ''PULSE_EMAIL''	NUMBER}@mails	ac.com'' to variable	0.00s
And User has pulse app			10.95s
Then I wait for 2 sec			2.00s
And user click on "CONTINUE V	WITH EMAIL'' wi	th Email button	14.48s
Then I wait for 2 sec			2.01s
			2.013

Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then	5.84s
click on continue with email button	
Then I wait for 2 sec	1.99s
When user enters registration details	7.37s
FirstName testAutomation	
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.30s
And I wait for otp screen after clicking on signup button	5.72s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	31.29s
Then I wait for 2 sec	2.00s
Then I click skip button	81.10s
org.openga.selenium.WebDriverException: An unknown server-side error occu	rred while
processing the command. Original error: Could not proxy command to the remo	
Original error: socket hang up	
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z	'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.	.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.pr	
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnable	
desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prude	· · · · · · · · · · · · · · · · · · ·
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Androi newCommandTimeout: 10000, noReset: true, platformName: android}, deviceA	
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD400	· 📥
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FD	
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEna	
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX	
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreens	
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webSto	
false}	
Session ID: 6db96e3c-92c3-4a7d-9377-60847c084c2e	
*** Element info: {Using=xpath, value=//android.view.ViewGroup[2]/android.v	iew.ViewGroup
/android.view.ViewGroup/android.widget.ImageView}	
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown	
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstand	ce
(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	
at or sopenda selemental emote in the 11 Seriet presponse concert cate exception	
(W3CHttpResponseCodec.jaya:187)	
(W3CHttpResponseCodec.java:187) at org.openga.selenjum.remote.http.W3CHttpResponseCodec.decode	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	Executor.java:

	at io.appium.java_clien	nt.remote.Appiur	mCommandExecutor.execute					
	(AppiumCommandExc	ecutor.java:231)						
			WebDriver.execute(RemoteWe					
		nt.DefaultGeneri	cMobileDriver.execute(Default	GenericMobileDriver.				
	java:42)							
			r.execute(AppiumDriver.java:1					
			oidDriver.execute(AndroidDriv					
			WebDriver.findElement(Remo	tewebDriver.java:317)				
	at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)							
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)							
			WebDriver.findElementByXPa					
	java:419)		, , , e , e , , , , , , , , , , , , , ,					
	· · · · · · · · · · · · · · · · · · ·	nt.DefaultGeneri	cMobileDriver.findElementBy	XPath				
	(DefaultGenericMobile		· · · · · · · · · · · · · · · · · · ·					
	at io.appium.java_clien	nt.AppiumDriver	${f r.findElementByXPath}({f Appiun}$	ıDriver.java:1)				
			${f oidDriver.findElementByXPath}$	(AndroidDriver.java:1)				
			ndElement(By.java:353)					
			WebDriver.findElement(Remo	teWebDriver.java:309)				
			cMobileDriver.findElement					
	(DefaultGenericMobile	•		1)				
			r.findElement(AppiumDriver.ja oidDriver.findElement(Android					
			ands\$15.executeCommand(Con					
			eCommand.executeCommand()					
	19)			222ccute Communa.ju va.				
		reens.TestBaseP	Page.clickButton(TestBasePage.	java:163)				
			strationScreen.clickSkipButton	•				
	(PulseRegistrationScre		•					
	at com.onepulse.app.st	epdefinitions.mo	bilesteps.RegistrationSteps.iCl	ickSkipButton				
	(RegistrationSteps.java							
	_	itton(features/my	y/home/prushopee/PruInfectiou	sDiseaseCover.feature:				
	24)	1 1/ 1177		0.00				
	Then user should be la	nded to "Home"	screen	0.00s				
A	Then I wait for 4 sec			0.00s 0.00s				
-				0.008				
	ck to Table of Contents							
	enario: Navigate to PRI							
_	ssed: 1	Failed: 0	Undefined: 0	Duration: .05s				
Be	efore			0.00s				
	And I click on pru sho	ppe button on the	e home page	0.05s				
Af	fter			0.00s				
Ba	ck to Table of Contents							
Sc	enario: Verify User sho	ould be able to see	e the infectious disease cover sc	reen options				
-	ssed: 0	Failed: 1	Undefined: 11	Duration: .08s				
	efore							
	1010			0.00s				
	Then I click on Proceed	d hutton on prus	honne sergen					

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6db96e3c-92c3-4a7d-9377-60847c084c2e
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(Androi at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jat com.prudential.tap.selenium.Commands\$15.executeCommand(Commands, at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteComputer of the computer of the compute	java:1) java:141) Command.jav 8) reen.java:143
Then I click on pru infectious disease cover tile on prushoppe screen	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s
\${infectious.disease.cover.text}	
\${infectious.disease.cover.info.1}	
\${infectious.disease.cover.info.2}	
\${infectious.disease.cover.info.3}	
\${infectious.disease.cover.info.4}	
And user click on following button '\\$\{\show.more.text\}'' on prushoppe screen	0.00s
And I verify following texts are displayed	0.00s
\${infectious.disease.cover.info.5}	
\${infectious.disease.cover.info.6}	
And user click on following button '\\${show.less.text}'' on prushoppe screen	0.00s
And I verify following texts are displayed	0.00s
\${infectious.disease.disclosure.text.1}	-
\${infectious.disease.disclosure.text.2}	
\${infectious.disease.disclosure.text.3}	
\${infectious.disease.disclosure.text.4}	
\${infectious.disease.disclosure.text.5}	
\${infectious.disease.disclosure.text.6}	
\${infectious.disease.disclosure.text.7}	
And I verify following texts are displayed	0.00s
\${your.details.text}	
And I scroll down	0.00s
And I verify following texts are displayed	0.00s
\${my.name.as.nric.text}	
\${infectious.disease.gender.text}	
\${infectious.disease.dob}	
\$\psi\left(\text{intertwonstable about 000}\right)	

ssed: 0	Failed: 1	Undefined: 3	Duration: .23
efore			0.00s
And I verify follo	owing texts are disp	layed	0.23s
\${my.resident	tial.text}		
\${my.country	of.residence}		
\${my.reseden	tial.status}		
\${email.text}			
\${my.country	v.code}		
\${my.mobile.	phone.number}		
\${my.referral	l.code}		
Referral code (o	ptional) text is displ	yed on page expected [true] but for ayed on page expected [true] but for rtAll(SoftAssert.iava:43)	
Referral code (o) at org.testng.asso at com.onepulse. (MyDocSteps.jav at .And I verify t	ptional) text is displerts.SoftAssert.assert.assert.app.stepdefinitions.va:717) following texts are d	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prusho	ound [false] xtsOnScreen
Referral code (o) at org.testng.asso at com.onepulse. (MyDocSteps.javat .And I verify f	ptional) text is displerts.SoftAssert.assert.asp.stepdefinitions.va:717) following texts are diseaseCover.feature	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prusho	ound [false] xtsOnScreen opee
Referral code (o) at org.testng.asso at com.onepulse. (MyDocSteps.jav at .And I verify f/PruInfectiousDi	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee 0.00s
Referral code (o) at org.testng.asso at com.onepulse. (MyDocSteps.javat .And I verify for Infectious Display And I scroll dow	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify f/PruInfectiousDiAnd I scroll dow And I verify follows{payment.su	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee 0.00s
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify for /PruInfectiousDicAnd I scroll dow And I verify follows {payment.su}	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee 0.00s
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify for at .And I verify for at .And I scroll dow And I verify follows a spanning to the statement of the state	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee 0.00s 0.00s
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify f/PruInfectiousDiAnd I scroll dow And I verify follows { [payment.su \$ { [insurance.p \$ { total.premical.p	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee 0.00s 0.00s 0.00s
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify follow And I scroll dow And I verify follow \${payment.su} \${insurance.p} \${total.premicAnd I scroll dow	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushoc:66)	ound [false] xtsOnScreen opee 0.00s 0.00s
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify follows) And I scroll dow And I verify follows { [payment.su \$ { [insurance.p \$ { total.premice to Table of Contered to Table of Cont	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushox:66) layed	ound [false] xtsOnScreen opee 0.00s 0.00s 0.00s 0.00s
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify follows) And I scroll dow And I verify follows { [payment.su \$ { [insurance.p \$ { total.premice to Table of Contered to Table of Cont	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prusho:66) layed e able to see the infectious disease of the see th	ound [false] xtsOnScreen pee 0.00s 0.00s 0.00s 0.00s cover term and conditi
Referral code (og at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify for /PruInfectiousDi And I scroll dow And I verify follows { fasurance.p \$ { total.premi And I scroll dow } ter ck to Table of Contered to Table of Conter	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushox:66) layed	ound [false] xtsOnScreen pee 0.00s 0.00s 0.00s 0.00s cover term and conditi
Referral code (of at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify follows) And I scroll dow And I verify follows { payment.su \$ { insurance.p \$ { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table Outline: Verify follo	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prushox:66) layed e able to see the infectious disease of Undefined: 0	ound [false] xtsOnScreen opee 0.00s 0.00s 0.00s 0.00s cover term and conditi Duration: .03s 0.00s in
Referral code (of at org.testng.asse at com.onepulse. (MyDocSteps.javat .And I verify follows) And I scroll dow And I verify follows { payment.su \$ { insurance.p \$ { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table of Contemporario Outline: Verify follows } { total.premice to Table Outline: Verify follo	ptional) text is displerts.SoftAssert.assert	ayed on page expected [true] but fortAll(SoftAssert.java:43) .mobilesteps.MyDocSteps.verifyTextlisplayed(features/my/home/prusho:66) layed e able to see the infectious disease of the see th	ound [false] xtsOnScreen opee 0.00s 0.00s 0.00s 0.00s cover term and conditi Duration: .03s 0.00s

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6db96e3c-92c3-4a7d-9377-60847c084c2e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am
aware that the product provides coverage/pays out RM1,000 upon diagnosis of Dengue Fever,
Malaria, Measles or Typhoid. This benefit is only payable once.")]/parent::android.view.
ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="
termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.1}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
```

After			0.00s			
Back to Table of Contents						
Scenario Outline: Verify U	J <mark>ser should be able to s</mark>	ee the infectious disease cover term	and condition			
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s			
Before			0.00s			
Given User accept the t		infectious.disease.tnc.2}" in	0.04s			

org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 6db96e3c-92c3-4a7d-9377-60847c084c2e

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am aware that the product does not provide coverage/pay out benefits within the first 15 days from the Commencement Date.")]/parent::android.view.ViewGroup//preceding-sibling:: android.view.ViewGroup[@content-desc="termsandcondition"][1]}

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
```

ack to Table of Contents							
Scenario Outline: Verify User should be able to see the infectious disease cover term and condition							
Passed: 0 Failed: 1 Undefined: 0 Duration							
Before							
Given User accept the term and conitions "\${infectious.disease.tnc.3}" in infectious disease cover Screen							
10	Failed: 1 e term and conition ver Screen	Failed: 1 Undefined: 0 te term and conitions "\${infectious.disease.tnc.3}" in					

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 6db96e3c-92c3-4a7d-9377-60847c084c2e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''I am
aware that if I change my mind, I have 15 days from the policy commencement date to cancel
my coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-
sibling::android.view.ViewGroup[@content-desc="termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.3}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
```

After			0.00s					
Back to Table of Contents								
Scenario Outline: Verify U	Scenario Outline: Verify User should be able to see the infectious disease cover term and condition							
Passed: 0	Passed: 0 Failed: 1 Undefined: 0							
Before			0.00s					
Given User accept the t infectious disease cover	0.03s							

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 6db96e3c-92c3-4a7d-9377-60847c084c2e

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my consent to Prudential Assurance Malaysia Berhad")]/parent::android.view.ViewGroup //preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"][1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

```
(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
  (PruShoppeScreen.java:152)
  at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
  acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
  at .Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease
  cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)
                                                                              0.00s
After
Back to Table of Contents
Scenario: verify that user can see agreement and proceed button
                        Failed: 1
                                             Undefined: 1
Passed: 0
                                                                              Duration: .39s
```

Before

Given I verify following texts are displayed

Page 202 of 237		
Page 202 of 237		

0.00s

0.39s

	φ(* e · (* - 3* 4 - 2.1)	
	\${infectious.disease.tnc.3.1} \$(infectious disease tno 4.1)	
	\${infectious.disease.tnc.4.1} \$(infectious disease tno 4.2)	
	\${infectious.disease.tnc.4.2} \$(infectious disease tno 4.3)	
	\${infectious.disease.tnc.4.3} \$(infectious disease tno 4.4)	
	\${infectious.disease.tnc.4.4}	
	\${infectious.disease.agreement.text.1}	
	\${infectious.disease.agreement.text.2}	
	\${infectious.disease.agreement.text.3}	
	\${infectious.disease.agreement.text.4}	
	\${infectious.disease.agreement.text.5}	
	\${infectious.disease.agreement.text.6}	
	java.lang.AssertionError: The following asserts failed: I am aware that if I am unsure, and for more details on exclusions, terms and of well as claims guide, I can refer to the Product Materials below. I may also reaservice at customer.mys@prudential.com.my for any other enquiries. text is disexpected [true] but found [false], PAMB text is displayed on page expected [true] but found [false], the insurer text is displayed on page expected [true] but found [false], to release my personal data to third parties for direct marketing purposes. text page expected [true] but found [false], I can withdraw my consent at any time by letting PAMB know in writing. text page expected [true] but found [false], By clicking Proceed, I acknowledge the information provided is accurate and t and fully understood the text is displayed on page expected [true] but found [false], Product Materials text is displayed on page expected [true] but found [false], PAMB text is displayed on page expected [true] but found [false], Privacy Policy and text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but on found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding on me. text is displayed on page expected [true] but found [false], I agree that they are binding to the text is displayed on page exp	isplayed on page it is displayed on is displayed on that I have read alse],
	/PruInfectiousDiseaseCover.feature:92) And I verify proceed button is displayed on pru shoppe screen	0.00s
	After	0.00s
	Back to Table of Contents	100000
Fea	ature: Verify Pru Shoppe My Coverage functionality on one pulse App	
	sed: 2 Failed: 5 Undefined: 0 Duration: 110.54s	
	Scenario: Launch the app and select the country as per specified lbu	
	Passed: 6 Failed: 0 Undefined: 0	Duration: 49.45s
	Before	0.00s
	Given User has pulse app	10.63s
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
	And Tassign \$\{\text{login.eman.id}\} \to variable \text{PULSE_ENIAIL} And user click on "CONTINUE WITH EMAIL" with Email button	16.68s
	Then I change the country as required on registration page	11.90s

processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: true, autoDismissAlerts: true, an newCommandTimeout: 10	option on toggle s [AIL]	Undefined: 0	Duration 0.00s	n: 44.86			
Given I select the language When user enters credenti UserName \${PULSE_E} Password \${login.pass} And User clicks on signin And I wait for 5 sec And I enter OTP in one puthen user should be landed after Back to Table of Contents Scenario: Verify user can accepased: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies And I click on my policies org.openqa.selenium.Webiprocessing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.version: '10.0	option on toggle s [AIL]	Undefined: 0	Duration 0.00s in page 3.53s	n: 44.86			
Grenario: login to the app with Passed: 6 Before Given I select the language When user enters credenti UserName \${PULSE_E} Password \${login.passed: 4} Password \${login.passed: 4} Password \${login.passed: 5} Password \${login.passed: 6} Password \${login.	option on toggle s [AIL]	Undefined: 0	Duration 0.00s in page 3.53s	n: 44.86			
Given I select the language When user enters credenti UserName \${PULSE_E} Password \${login.pass} And User clicks on signin And I wait for 5 sec And I enter OTP in one pu Then user should be lande After Back to Table of Contents Scenario: Verify user can acc Passed: 2 Faile Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Web processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: true, a newCommandTimeout: 10	option on toggle s [AIL]	Undefined: 0	Duration 0.00s in page 3.53s	n: 44.86			
Given I select the language When user enters credenti UserName \${PULSE_E} Password \${login.pass} And User clicks on signin And I wait for 5 sec And I enter OTP in one pu Then user should be lande After Back to Table of Contents Scenario: Verify user can acc Passed: 2 Faile And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webl processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: true, a newCommandTimeout: 10	option on toggle s [AIL]		0.00s in page 3.53s	1: 44.86			
Given I select the language When user enters credenti UserName \${PULSE_E} Password \${login.pass} And User clicks on signin And I wait for 5 sec And I enter OTP in one pu Then user should be lande After Back to Table of Contents Scenario: Verify user can acc Passed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Web processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: true, a newCommandTimeout: 10	s [AIL]	bar as required on log	in page 3.53s				
When user enters credenti UserName \${PULSE_E} Password \${login.pass} And User clicks on signin And I wait for 5 sec And I enter OTP in one puter Then user should be landed after Back to Table of Contents Scenario: Verify user can accessed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webprocessing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.version: '10.0', ja	s [AIL]	bar as required on log					
UserName \${PULSE_E} Password \${login.pass} And User clicks on signin And I wait for 5 sec And I enter OTP in one puter Then user should be landed after Back to Table of Contents Scenario: Verify user can accessed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webiprocessing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.version: '10.0', java.versio	[AIL]		10.53s				
And User clicks on signin And I wait for 5 sec And I enter OTP in one put Then user should be landed after Back to Table of Contents Scenario: Verify user can accessed: 2 Faile Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webprocessing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.versor: '10.							
And I wait for 5 sec And I enter OTP in one pu Then user should be landed After Back to Table of Contents Scenario: Verify user can accessed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: true, autoDismissAlerts: true, an newCommandTimeout: 10							
And I wait for 5 sec And I enter OTP in one pu Then user should be landed After Back to Table of Contents Scenario: Verify user can accessed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webi processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: true, autoDismissAlerts: true, autoDismissAlerts: true, aunewCommandTimeout: 10	ord}						
And I enter OTP in one purchen user should be landed after Back to Table of Contents Scenario: Verify user can according assed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.version: '10.0', java.v	itton		0.29s				
Then user should be landed After Back to Table of Contents Scenario: Verify user can accessed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.version: '10			5.00s				
Then user should be landed After Back to Table of Contents Scenario: Verify user can according assed: 2 Before And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.version: '10.0', java.versi	e app for user e	mail "\${PULSE_EMA	IL}'' 11.18s				
And I click on pru shoppe And I click on pru shoppe And I click on my policies org.openqa.selenium.Webl processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, as newCommandTimeout: 10			14.31s				
And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webi processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10			0.00s				
And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Web processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10							
And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Web processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10	s his policies fro	m Pru Shoppe My Pol	icies screen				
And I click on pru shoppe And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10		Undefined: 2	Duration	n: 16.1			
And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. (Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10			0.00s				
And I wait for 5 sec And I click on my policies org.openqa.selenium.Webb processing the command. (Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10	utton on the hon	ne nage	11.08s				
And I click on my policies org.openqa.selenium.Webi processing the command. (Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: tru desired: {appActivity: com autoDismissAlerts: true, a newCommandTimeout: 10		no pugo	5.00s				
org.openqa.selenium.Webbprocessing the command. Original error: socket han Build info: version: '3.12.0 System info: host: 'TM003 os.version: '10.0', java.vers Driver info: io.appium.jav Capabilities {appActivity: uat, autoDismissAlerts: trudesired: {appActivity: comautoDismissAlerts: true, annewCommandTimeout: 10.00 or commandTimeout: 10.00 or	e on priishoppe	screen	0.05s				
uat, autoDismissAlerts: trudesired: {appActivity: comautoDismissAlerts: true, a newCommandTimeout: 10	org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver						
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,							

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickOnMyPoliciesTile(PruShoppeScreen.java:
98)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.navigateToMyPoliciesScreen
(PruShoppeSteps.java:46)
at .And I click on my policies tile on prushoppe screen(features/my/home/prushopee
/PruShoppeCoverage.feature:25)
```

ick to Table of Contents			0.00s					
Scenario: Click on Link policy and verify screen to add policy number								
Passed: 0 Failed: 1 Undefined: 3 Duration: .03s								
efore			0.00s					
And I clicks on "\$!	mvCoverage linkPol	icvRutton}'' in ann screen	0.03s					
org.openqa.seleniu processing the com Original error: soc Build info: version System info: host: os.version: '10.0', j Driver info: io.app Capabilities {appAuat, autoDismissAldesired: {appActivautoDismissAlerts: newCommandTimdeviceManufacture deviceScreenDensijavascriptEnabled: newCommandTim	m.WebDriverExcept mand. Original error ket hang up : '3.12.0', revision: '7 'TM003LSIN', ip: '19 ava.version: '11.0.2' ium.java_client.andr ctivity: com.prudential.p true, automationNateout: 10000, noReset er: Google, deviceMo ty: 440, deviceScreen true, locationContex eout: 10000, noReset droid, platformVersi	icyButton}" in app screen ion: An unknown server-side of r: Could not proxy command to c6e0b3', time: '2018-05-08T14', 22.168.1.124', os.name: 'Windo oid.AndroidDriver ial.pulse.MainAc, appPackagenName: UiAutomator2, databaselse.MainAc, appPackage: cme: UiAutomator2, deviceName: true, platformName: android del: Pixel 5, deviceName: 0C2aSize: 1080x2340, deviceUDID: xtEnabled: false, networkConm: true, pixelRatio: 2.75, platforion: 11, statBarHeight: 145, tal	error occurred while to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64 ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.ua ne: Android-Test, 1}, deviceApiLevel: 30, 41FDD40043P, 10C241FDD40043P, nectionEnabled: true, cm: LINUX,					

(D. 6. 1) C	7 1 1 D						
	MobileDriver.java:62)						
		er.findElement(AppiumDriver.java:1)	.:1)				
		roidDriver.findElement(AndroidDriver teWebDriver.findElementByXPath(Ren	· ·				
java:419)	emum.remote.Remot	e webbriver.inidelementbyArath(Keh	note webbriver.				
· · · · · · · · · · · · · · · · · · ·	a client.DefaultGener	ricMobileDriver.findElementByXPath					
	MobileDriver.java:152	· · · · · · · · · · · · · · · · · · ·					
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)							
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)							
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)							
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)							
at io.appium.java_client.DefaultGenericMobileDriver.findElement							
	MobileDriver.java:58)						
		er.findElement(AppiumDriver.java:1)	1)				
		roidDriver.findElement(AndroidDrivernands\$15.executeCommand(Commands					
_	•	teCommand.executeCommand(Execute					
19)	n.tap.sciemum.Dxecu	te Command, execute Command (12xecute	Commanu.java.				
	app.screens.TestBasel	Page.clickButton(TestBasePage.java:16	(3)				
		rConnectScreen.clickButton(Customer					
java:1741)		`					
_		obilesteps.CustomerConnectSteps.click	UploadIcon				
	ectSteps.java:534)						
	• •	kPolicyButton}" in app screen(features	/my/home				
	hoppeCoverage.featu	re:33)					
And I wait for 2			0.00s				
	ulse app mobile keybo		0.00s				
And I verify follo	wing texts are display	yed	0.00s				
\${myCoverage	e.policyNumber.title}						
\${myCoverage	e.policyNumber.descr	ription}					
\${myCoverage	e.policyNumber.descr	ription1}					
After			0.00s				
Back to Table of Conten	<u>its</u>						
Scenario: Verify the	error message when	the Policy Number is blank					
Passed: 0	Failed: 1	Undefined: 2	Duration: .03s				
Before			0.00s				
Then I click on n	olicy number save hu	tton on my policies screen	0.03s				
		ponois server	0000				
org onenga selen	ium WehDriverExcer	otion: An unknown server-side error oc	curred while				
		or: Could not proxy command to the re					
Original error: so							
<u> </u>		'7c6e0b3', time: '2018-05-08T14:04:26.1	12 Z '				
	and the second s	192.168.1.124', os.name: 'Windows 10',	os.arch: 'amd64',				
	, java.version: '11.0.2'						
_	pium.java_client.and						
		ntial.pulse.MainAc, appPackage: com					
		ionName: UiAutomator2, databaseEnal					
~	ivity: com.prudentiai	.pulse.MainAc, appPackage: com.pru	dential.bulse.uat.				
outo Diamica Alone		ame: UiAutomator2, deviceName: And	and the second of the second o				

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 024c7180-ae14-4872-b391-c305930e641d
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Save'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickPolicyNumSaveBtn(PruShoppeScreen.
iava:225)
```

/prushopee/PruSho								
/prushopee/PruSho	iolicy number save l	hutton on my nolicies s	creen(features/my	y/home				
Then I aliak on poli	at .Then I click on policy number save button on my policies screen(features/my/home/prushopee/PruShoppeCoverage.feature:42)							
Then I click on policy number save button on my policies screen 0.00s								
Then I verify following texts are displayed 0.00s								
\${myCoverage.p	olicyNumber.errorl	Message}						
After				0.00s				
Back to Table of Contents	•							
Scenario: Verify the en	ror message when t	the Policy Number is in	valid or incorrect					
Passed: 0	Failed: 1	Undefined: 4		Duration: .02s				
Before				0.00s				
When I enter "1234	" as the Policy num	ıber		0.02s				
Capabilities {appA		roid.AndroidDriver	nDooltogor oom ny					

	(AppiumCommandExecutor.java:231)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.j	ava•543)
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	
	java:42)	tobileDiffer.
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDr	
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	, , ,
	(DefaultGenericMobileDriver.java:62)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.ja	va:1)
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remo	
	java:419)	
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
	(DefaultGenericMobileDriver.java:152)	
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.ja	va:1)
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(Android	Driver.java:1)
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
	$at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. find Element) at\ org. open qa. selenium. The find Element (Remote Web Driver. fi$	iver.java:309)
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	
	(DefaultGenericMobileDriver.java:58)	
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.ja	
	at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.ja	
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteC	ommand.java:
		260)
	at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java	
	at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeStr	screen.java:
	at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNu	ımhor
	(PruShoppeSteps.java:96)	inner
	at .When I enter "1234" as the Policy number(features/my/home/prushopee	
	/PruShoppeCoverage.feature:50)	
	And I hide one pulse app mobile keyboard	0.00s
	Then I click on policy number save button on my policies screen	0.00s
	And I wait for 2 sec	0.00s
	Then I verify following texts are displayed	0.00s
	\${myCoverage.policyNumber.errorMessage}	
A	fter	0.00s
Ba	ack to Table of Contents	
_	cenario: Verify the error message when the Cancel Button	
-		- · · · · · · · · ·
_		
	efore	0.00s
Be		
Be	Then I click on policy number cancel button on my policies screen	0.02s
Be	Then I click on policy number cancel button on my policies screen	0.02s
Be	Then I click on policy number cancel button on my policies screen org.openqa.selenium.WebDriverException: An unknown server-side error occu	
Be		rred while
Be	org.openqa.selenium.WebDriverException: An unknown server-side error occu	rred while ote server.
Pa	Failed: 1 Undefined: 1	Duration: .02s 0.00s

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 024c7180-ae14-4872-b391-c305930e641d
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Cancel'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PruShoppeScreen.clickPolicyNumCancelBtn(PruShoppeScreen.java:233) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickPolicyNumCancelBtn(PruShoppeSteps.java:156) at .Then I click on policy number cancel button on my policies screen(features/my/home/prushoppeCoverage.feature:58) Then user should be landed to "Home" screen						
	Af	ter				0.00s	
	Bac	ck to Table of Contents					
Fe	atu	re: Verify wealth chan	nel function	ality on one pulse App			
Pas				Undefined: 0	Duration: 200.69s		
	Sc	enario: Launch the app	and select t	the country as per speci	fied lbu		
		ssed: 6	Failed: 0	Undefined: 0		Duration: 52.07s	
	Be	fore				0.00s	
		Given User has pulse a	арр			9.78s	
				variable "PULSE_EM	IAIL''	0.00s	
				/ITH EMAIL" with En		15.69s	
				ired on registration pag		11.63s	
		Then I wait for 10 sec				10.00s	
		And I click the Sign in	link			4.97s	
	Af	ter				0.00s	
	Bac	ck to Table of Contents					
	Sc	enario: login to the app	with correc	et credentials using "Co	ntinue with Email"		
	Pas	ssed: 6	Failed: 0	Undefined: 0		Duration: 45.44s	
	Be	fore				0.00s	
		Given I select the lang	uage option	on toggle bar as requir	ed on login page	3.66s	
		When user enters cred				11.11s	
	UserName \${PULSE_EMAIL}						
	Password \${pulse.password}						
	And User clicks on signin button 0.33s						
	And I wait for 5 sec 5.01s					5.01s	
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"					10.38s	
						14.96s	
	After 0.0						
	Bac	ck to Table of Contents					
	Sc	enario: Verify User sho	ould be able	to navigate to wealth pa	age		
	Pas	ssed: 5	Failed: 0	Undefined: 0		Duration: 28.34s	
	Be	fore				0.00s	
		And I click the Wealth	n Channel til	e for Malaysia		17.73s	

	Th	nen I verify followin	g texts are displayed		3.42s				
		Wealth Channels							
	Th	nen I verify followin	g tile texts are displayed	on wealth channel scr	een 1.32s				
		Investing 123	<u> </u>						
			h the basic investment to	ols					
		First Steps							
	The importance of investor education								
	Ar	nd I scroll down			4.50s				
	Th	nen I verify followin	g tile texts are displayed	on wealth channel scr	een 1.37s				
		Remove The Weed	S						
		Dispel investment r	myths to achieve desired	investment outcomes					
		Mutual Funds							
		Make mutual funds	s your first investment s	top					
Aí	ter				0.00s				
Ba	ck t	o Table of Contents							
Sc	ena	ario: Verify User sho	ould be able to view the s	story post					
Pa	ssed	l: 4	Failed: 1	Undefined: 0	Duration: 20.25s				
Ве	for	·e			0.00s				
	Th	nen I click on ''Mutu	ual Funds'' wealth chann	nel topic	5.72s				
	_	nen I wait for 2 sec			2.01s				
	Th	nen I verify followin	g texts are displayed		0.37s				
		Mutual Funds							
	Th	nen I verify followin	g tile texts are displayed	on wealth channel scr	een 2.03s				
		Make mutual funds	s your first investment s	top					
	Ar	nd I verify following	social cite options are d	isplayed	10.11s				
		Like							
		Share							
		Comment							
	org.openqa.selenium.WebDriverException: An unknown server-side error occurred while								
	processing the command. Original error: Could not proxy command to the remote server.								
	Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'								
	Build info: version: '3.12.0', revision: "/c6e0b3', time: '2018-05-08114:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',								
	os.version: '10.0', java.version: '11.0.2'								
	Driver info: io.appium.java_client.android.AndroidDriver								
	Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.								
	uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,								
	desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,								
			it: 10000, noReset: true,						
			Google, deviceModel: Pi	-					
	deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,								
	_								
	ne	wCommandTimeou	ue, locationContextEnab it: 10000, noReset: true, oid, platformVersion: 11	pixelRatio: 2.75, platfo	orm: LINUX,				

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e434953d-cd14-430e-89a6-c521054effff
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
iava:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:
527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.
feature:45)
```

After	0.00s							
Back to Table of Contents								
Scenario: Verify User should be able to Like the post								
Passed: 0 Undefined: 3			Duration: 13.08s					
Before			0.00s					
And I read the "Mutu	al Funds'' post l	like count	13.08s					
processing the comma Original error: socket Build info: version: '3. System info: host: 'TM os.version: '10.0', java Driver info: io.appium Capabilities {appActiv uat, autoDismissAlerts	org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat,							

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e434953d-cd14-430e-89a6-c521054effff
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Mutual
Funds")]/following::android.widget.TextView[contains(@text, 'Likes')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.jaya:188)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount
(WealthSteps.iava:85)
```

And I Like the po	ost			0.00s
Then I verify ''M	utual Funds'' post li	ike count is increased		0.00s
And I Like the po	ost			0.00s
ter				0.00s
ck to Table of Conten	<u>ts</u>			
enario: Verify Use	er should be able to	Share the post		
ssed: 0	Failed: 1	Undefined: 1		Duration: 5.0
fore				0.00s
And I share the p	ost			5.03s
Driver info: io.ap Capabilities {app uat, autoDismiss desired: {appAct autoDismissAlert	Activity: com.prude Alerts: true, automa	ndroid.AndroidDriver ential.pulse.MainAc, tionName: UiAutoma al.pulse.MainAc, app	appPackage: tor2, database Package: com	Enabled: false, .prudential.pulse.ua
deviceManufactudeviceScreenDen javascriptEnable newCommandTi platformName: A viewportRect: {h false} Session ID: e4349 *** Element info	meout: 10000, noRestrer: Google, device Screetity: 440, device Screetity: 440, device Screetity: 10000, noRestreetity: 10000, noRestreetity: 2015, left: 0, to 253d-cd14-430e-89a6; {Using=xpath, value screetity: 10000, noRestreetity: 2015, left: 0, to 253d-cd14-430e-89a6;	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig top: 145, width: 1080}, 6-c521054effff ue=//android.widget.T	ne: android}, on Name: 0C241FeviceUDID: 0C24tworkConnected	deviceApiLevel: 30, FDD40043P, C241FDD40043P, cionEnabled: true, LINUX, Screenshot: true, webStorageEnabledt='Share']}
deviceManufactudeviceScreenDen javascriptEnable newCommandTi platformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re	meout: 10000, noRestrer: Google, devices sity: 440, deviceScred: true, locationConmeout: 10000, noRest android, platformVeright: 2015, left: 0, to 253d-cd14-430e-89a6: {Using=xpath, valuation true signs and true signs are signs and true signs are signs and true signs are sign	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig cop: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes a warnings: {}, warning	deviceApiLevel: 30, FDD40043P, C241FDD40043P, cionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source)
deviceManufactu deviceScreenDen javascriptEnable newCommandTi platformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i	meout: 10000, noRestrer: Google, devices sity: 440, deviceScred: true, locationConmeout: 10000, noRest android, platformVeright: 2015, left: 0, to 253d-cd14-430e-89a6: {Using=xpath, valuation true signs and true signs are signs and true signs are signs and true signs are sign	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig top: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAcc	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes a warnings: {}, warning	deviceApiLevel: 30, FDD40043P, C241FDD40043P, cionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source)
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConstat java.base/java	meout: 10000, noRestrer: Google, devicely sity: 440, deviceScred: true, locationCommeout: 10000, noRestandroid, platformVeright: 2015, left: 0, to 253d-cd14-430e-89a6: {Using=xpath, valuation of the comment of the co	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, de atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig fop: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes a warnings: {}, warning	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConstat java.base/java at org.openqa.sel	meout: 10000, noRestrer: Google, device Screetity: 440, deviceScreetity: 440, deviceScreetity: 10000, noRestreetity: 10000, noRestreetity: 2015, left: 0, to 253d-cd14-430e-89active: 2015, left: 0, to 253d-cd14-430e-89active: Generated Construction (Construction) (Construction	set: true, platformNar Model: Pixel 5, deviced eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig top: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45)	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes a warnings: {}, warning	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConstat java.base/java. at org.openqa.sel (W3CHttpResport	meout: 10000, noRestrer: Google, device of sity: 440, device Screet: 440, device Screet: 10000, noRest of sity: 10000, noRest of sity: 2015, left: 0, to 253d-cd14-430e-89at: {Using=xpath, valuation of sity: 2015, left: 0, to 2016, left: 0, to 201	set: true, platformNar Model: Pixel 5, deviced eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig top: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes a warnings: {}, warning	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConst at java.base/java at org.openqa.sel (W3CHttpResporat org.openqa.sel	meout: 10000, noRestrer: Google, device Isity: 440, deviceScred: true, locationCommeout: 10000, noRest Indroid, platformVeright: 2015, left: 0, to 253d-cd14-430e-89ate: {Using=xpath, valuation (Using=xpath) and	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, de atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig fop: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes a warnings: {}, warning	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConstat java.base/java at org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel	meout: 10000, noRestrer: Google, device of sity: 440, device Screet: 440, device Screet: 10000, noRest of sity: 10000, noRest of sity: 10000, noRest of sity: 2015, left: 0, to sity: 2015, left: 2015, left: 0, to sity: 2015, left: 2015	set: true, platformNar Model: Pixel 5, deviced eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig top: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon	me: android}, on Name: 0C241E eviceUDID: 0C241E eviceUDID: 0C2475, platform: ght: 145, takes warnings: {}, extView[@textextView[@textextView] extView[@textextView] extView[@textextextView] extView[@textextextextView] extView[@textextextextextextextextextextextextext	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConst at java.base/java at org.openqa.sel (W3CHttpResporat at org.openqa.sel (W3CHttpResporat at org.openqa.sel (W3CHttpResporat	meout: 10000, noRestrer: Google, device of sity: 440, device Screet: 440, device Screet: 10000, noRest of sity: 10	set: true, platformNar Model: Pixel 5, deviced eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig fop: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon W3CHttpResponseCon	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes warnings: {}, extView[@textextView[@textextView[mstructor.java: dec.createExcetdec.decode	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance (490) eption
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConstat java.base/java at org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel	meout: 10000, noRestrer: Google, device of sity: 440, device Screet: 440, device Screet: 10000, noRest of sity: 10	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig top: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes warnings: {}, extView[@textextView[@textextView[mstructor.java: dec.createExcetdec.decode	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance (490) eption
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConstat java.base/java at org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel	meout: 10000, noRestrer: Google, device of sity: 440, device Screet: 440, device Screet: 10000, noRest of true, location Commeout: 10000, noRest of true; 10000, noRest of true; 2015, left: 0, to 253d-cd14-430e-89a6: {Using=xpath, valuation of the construction of the	set: true, platformNar Model: Pixel 5, deviced eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig fop: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon W3CHttpResponseCon	me: android}, on Name: 0C241FeviceUDID: 0C241FeviceUDID: 0C2475, platform: ght: 145, takes warnings: {}, extView[@textextView[@textextView].new extructor.javatec.createExceduc.dec.decode dec.decode	deviceApiLevel: 30, FDD40043P, C241FDD40043P, CionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) vInstance (490) eption
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConst at java.base/java at org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel	meout: 10000, noRestrer: Google, device sity: 440, deviceScred: true, locationCommeout: 10000, noRest android, platformVeleight: 2015, left: 0, to 253d-cd14-430e-89a6: {Using=xpath, valuation valuation of the conternal reflect. Delegance of the conternal reflect. Construction of the content	set: true, platformNar Model: Pixel 5, devicel eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHei top: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon	me: android}, on Name: 0C241FeviceUDID: 0CetworkConnected.75, platform: ght: 145, takes warnings: {}, extView[@textextView[@textext] available.createExcedec.dec.decode dec.decode	deviceApiLevel: 30, EDD40043P, E241FDD40043P, EionEnabled: true, LINUX, Screenshot: true, webStorageEnabled t='Share']} known Source) Instance (2490) eption
deviceManufactudeviceScreenDen javascriptEnable newCommandTiplatformName: A viewportRect: {h false} Session ID: e4349 *** Element info at jdk.internal.re at java.base/jdk.i (DelegatingConst at java.base/java at org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel (W3CHttpResporat org.openqa.sel	meout: 10000, noRestrer: Google, device sity: 440, deviceScred: true, locationCommeout: 10000, noRest android, platformVeleight: 2015, left: 0, to 253d-cd14-430e-89a6: {Using=xpath, valuation valuation of the conternal reflect. Delegance of the conternal reflect. Construction of the content	set: true, platformNar Model: Pixel 5, deviced eenSize: 1080x2340, do atextEnabled: false, ne set: true, pixelRatio: 2 ersion: 11, statBarHeig fop: 145, width: 1080}, 6-c521054effff ne=//android.widget.T structorAccessor34.ne gatingConstructorAccel.java:45) nctor.newInstance(Con W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon W3CHttpResponseCon	me: android}, on Name: 0C241FeviceUDID: 0CetworkConnected.75, platform: ght: 145, takes warnings: {}, extView[@textextView[@textext] available.createExcedec.dec.decode dec.decode	levi FDD C241 tion LIN Screwel t='S know Ins :490 eptio

```
java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  90)
  at .And I share the post(features/my/wealth/WealthChannel.feature:57)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify User should be able to Comment the post
                        Failed: 1
Passed: 0
                                              Undefined: 2
                                                                               Duration: 5.03s
Before
                                                                               0.00s
  And I read the "Mutual Funds" post comment count
                                                                               5.03s
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
```

```
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e434953d-cd14-430e-89a6-c521054effff
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''Mutual
Funds'')]/following::android.widget.TextView[5]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:242)
at com. one pulse. app. step definitions. mobile steps. We alth S teps. iRead The Post Comment Count
(WealthSteps.java:100)
at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel.
feature:61)
```

fter	Tutuai Funds post co	omment count is increased	0.00s	
			0.00s	
ack to Table of Conte	<u>nts</u>			
Scenario: Verify User should be able to view the full page article post				
ssed: 0	Failed: 1	Undefined: 0	Duration: 5.0	
efore			0.00s	
Then I click on '	'Mutual Funds'' topic	c for details full view	5.06s	
	Triatauri arias topic	e ioi detuiis idii vie v	2.005	
Original error: s Build info: versi System info: hos os.version: '10.0 Driver info: io.a Capabilities {ap uat, autoDismiss desired: {appAc autoDismissAler newCommandT deviceManufact deviceScreenDer	socket hang up on: '3.12.0', revision: it: 'TM003LSIN', ip: ' ', java.version: '11.0.2 ppium.java_client.and pActivity: com.prude sAlerts: true, automat tivity: com.prudential rts: true, automationN imeout: 10000, noRes urer: Google, deviceN nsity: 440, deviceScreen		'14:04:26.12Z' ndows 10', os.arch: 'amd64 kage: com.prudential.pulse. abaseEnabled: false, e: com.prudential.pulse.ua lame: Android-Test, roid}, deviceApiLevel: 30, C241FDD40043P, ID: 0C241FDD40043P,	
platformName: viewportRect: {lfalse} Session ID: e434	Android, platformVeneight: 2015, left: 0, to		takesScreenshot: true, gs: {}, webStorageEnabled	
Funds")]//folloviewGroup[2]}	wing::android.widget	te=//android.widget.TextView[t.ScrollView[1]/android.view.V structorAccessor34.newInstan	ViewGroup/android.view.	
at java.base/jdk. (DelegatingCons	internal.reflect.Deleg structorAccessorImpl	${f gating Constructor Accessor Imp}$		
at java.base/java	lang roffeet Constru			
(W3CHttpRespo	elenium.remote.http.V onseCodec.java:187)	octor.newInstance(Constructor V3CHttpResponseCodec.creat	r.java:490) teException	
(W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se	elenium.remote.http.VonseCodec.java:187) elenium.remote.http.VonseCodec.java:122) elenium.remote.http.V	ctor.newInstance(Constructor	r.java:490) teException de	
(W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se 158)	elenium.remote.http.VonseCodec.java:187) elenium.remote.http.VonseCodec.java:122) elenium.remote.http.VonseCodec.java:49) elenium.remote.HttpC	V3CHttpResponseCodec.decodecodec.decodecodecodecodecodecodecodecodecodeco	r.java:490) teException de de ttpCommandExecutor.jav	
(W3CHttpResporations) or general set	elenium.remote.http.VonseCodec.java:187) elenium.remote.http.VonseCodec.java:122) elenium.remote.http.VonseCodec.java:49) elenium.remote.HttpCodec.java:231 elenium.remote.Remotelenium.remote.Remotelenium.remote.Remotelenium.remote.Remotelenium.remote.Remotelenium.r	victor.newInstance(Constructor) V3CHttpResponseCodec.create V3CHttpResponseCodec.decode V3CHttpResponseCodec.decodecodecodecodecodecodecodecodecodeco	r.java:490) teException de de ttpCommandExecutor.jav te	

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth
/WealthChannel.feature:66)
```

After			0.00s
Back to Table of Contents			
Scenario: Verify User sho	ould be able to s	ee the Like, Share, Comment op	tions on full page article
post			
Passed: 1	Failed: 1	Undefined: 0	Duration: 13.11s
Before			0.00s
Then I wait for 3 sec			3.01s
And I verify following	social cite optio	ons are displayed	10.10s
Like			
Share			
Comment			

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e434953d-cd14-430e-89a6-c521054effff
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.jaya:
527)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)
at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.
```

reature: 70)			
After			0.00s
Back to Table of Cor	<u>ıtents</u>		
Scenario: Verify	User should be able to L	ike the post in full article view	screen
Passed: 0	Failed: 1	Undefined: 1	Duration: .07s
Before			0.00s
And I Like the	e post		0.07s
processing the	-	otion: An unknown server-side or: Could not proxy command	

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: e434953d-cd14-430e-89a6-c521054effff
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
  75)
  at .And I Like the post(features/my/wealth/WealthChannel.feature:76)
After
                                                                                0.00s
Back to Table of Contents
Scenario: Verify User should be able to Share the post in full article view screen
Passed: 0
                        Failed: 1
                                               Undefined: 1
                                                                                Duration: 5.05s
Before
                                                                                0.00s
  And I share the post
                                                                                5.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: e434953d-cd14-430e-89a6-c521054effff
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
  at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
```

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  90)
  at .And I share the post(features/my/wealth/WealthChannel.feature:80)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to Comment the post in full article view screen
Passed: 0
                        Failed: 1
                                              Undefined: 0
                                                                               Duration: 5.06s
Before
                                                                               0.00s
  And I comment in full view post article "${wealth.topic.comment}"
                                                                               5.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e434953d-cd14-430e-89a6-c521054effff
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.java:280)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle (WealthSteps.java:115)

at .And I comment in full view post article "\${wealth.topic.comment}"(features/my/wealth/WealthChannel.feature:84)

After			0.00s
Back to Table of Contents			
Scenario: Verify User car	n navigate to we	alth homepage	
Passed: 0	Failed: 1	Undefined: 2	Duration: 3.09s
Before			0.00s
Then I navigate to stor	ry post page		3.09s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: e434953d-cd14-430e-89a6-c521054effff

*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')] /preceding::android.widget.ImageView}

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     iava:419)
     at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openga.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     19)
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165)
     at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage
     (WealthSteps.java:70)
     at .Then I navigate to story post page(features/my/wealth/WealthChannel.feature:87)
                                                                                   0.00s
  After
  Back to Table of Contents
Feature: Verify Notification Center functionality on one pulse App
Passed: 0
                    Failed: 2
                                       Undefined: 0
                                                                Duration: .08s
  Scenario: Navigate to notification screen via home screen
                           Failed: 1
                                                  Undefined: 1
  Passed: 0
                                                                                   Duration: .04s
  Before
                                                                                   0.00s
     Given I navigate to notification screen from home page
                                                                                   0.04s
     org.openga.selenium.WebDriverException: An unknown server-side error occurred while
     processing the command, Original error: Could not proxy command to the remote server.
     Original error: socket hang up
     Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
     System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
     os.version: '10.0', java.version: '11.0.2'
     Driver info: io.appium.java_client.android.AndroidDriver
     Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
     uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e434953d-cd14-430e-89a6-c521054effff
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app	.screens.TestBasePage.clickButton(TestBasePage.java:16	(3)
	screens.PulseManageProfileScreen.	
navigateToNotificati	ionScreenFromHomePage(PulseManageProfileScreen.jav	va:1050)
	.stepdefinitions.mobilesteps.ManageProfileSteps.	
	ionScreenFromHomePage(ManageProfileSteps.java:240)	
at .Given I navigate feature:66)	to notification screen from home page(features/ph/Notific	cationCenter.
/		0.00a
Then I wait for 2 sec		0.00s
After		0.00s
Back to Table of Contents		
	hould be able to see the Notification screen texts	
Passed: 0	Failed: 1 Undefined: 0	Duration: .04s
Before		0.00s
And I verify following	ng texts are displayed	0.04s
\${notification.ms	g}	
	Error: The following asserts failed:	
	text is displayed on page expected [true] but found [false]	
	SoftAssert.assertAll(SoftAssert.java:43)	
	. step definitions. mobile steps. My Doc Steps. verify Texts On Steps and the step step step step step step step ste	creen
(MyDocSteps.java:7		471)
	wing texts are displayed(features/ph/NotificationCenter.f	
After		0.00s
Back to Table of Contents		
	t channel functionality on one pulse App	
eature: Verify MY Event		
eature: Verify MY Event ssed: 5 Failed		
eature: Verify MY Event ssed: 5 Failed	: 0 Undefined: 0 Duration: 264.95s	Duration: 46.55s
eature: Verify MY Event ssed: 5 Failed Scenario: Launch the a	: 0 Undefined: 0 Duration: 264.95s pp and select the country as per specified lbu	Duration: 46.55s 0.00s
sature: Verify MY Event ssed: 5 Failed Scenario: Launch the a Passed: 6 Before	pp and select the country as per specified lbu Failed: 0 Undefined: 0 Undefined: 0	0.00s
sature: Verify MY Event ssed: 5 Scenario: Launch the a Passed: 6 Before Given User has pulse	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app	0.00s 11.08s
sature: Verify MY Event ssed: 5 Failed Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one}	Undefined: 0 Duration: 264.95s pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}'' to variable ''PULSE_EMAIL''	0.00s 11.08s 0.00s
sature: Verify MY Event ssed: 5 Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C	Undefined: 0 Duration: 264.95s pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button	0.00s 11.08s 0.00s 16.08s
sature: Verify MY Event ssed: 5 Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	0.00s 11.08s 0.00s 16.08s 12.54s
sature: Verify MY Eventssed: 5 Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s
sature: Verify MY Event ssed: 5 Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s
sature: Verify MY Event ssed: 5 Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s
Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s
cature: Verify MY Event ssed: 5 Failed Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents Scenario: login to the a	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link pp with correct credentials using "Continue with Email"	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s
Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents Scenario: login to the a Passed: 6	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s Duration: 44.66s
cature: Verify MY Event ssed: 5 Failed Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents Scenario: login to the a	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link pp with correct credentials using "Continue with Email"	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s
Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents Scenario: login to the a Passed: 6 Before	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link pp with correct credentials using "Continue with Email"	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s Duration: 44.66s
Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents Scenario: login to the a Passed: 6 Before	pp and select the country as per specified lbu Failed: 0 undefined: 0 undefined: 0 e app pulse.events.user}" to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button buntry as required on registration page in link pp with correct credentials using "Continue with Email" Failed: 0 undefined: 0 undefined: 0	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s Duration: 44.66s 0.00s
Scenario: Launch the a Passed: 6 Before Given User has pulse And I assign "\${one} And user click on "C Then I change the co Then I wait for 2 sec And I click the Sign After Back to Table of Contents Scenario: login to the a Passed: 6 Before Given I select the lan When user enters cr	pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link pp with correct credentials using "Continue with Email" Failed: 0 Undefined: 0 undefined: 0	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s Duration: 44.66s 0.00s 3.59s
Cature: Verify MY Event Seature: Verify MY Seature:	Undefined: 0 Duration: 264.95s pp and select the country as per specified lbu Failed: 0 Undefined: 0 e app pulse.events.user}'' to variable "PULSE_EMAIL" CONTINUE WITH EMAIL" with Email button ountry as required on registration page in link pp with correct credentials using "Continue with Email" Failed: 0 Undefined: 0 Inguage option on toggle bar as required on login page edentials SE_EMAIL}	0.00s 11.08s 0.00s 16.08s 12.54s 2.01s 4.85s 0.00s Duration: 44.66s 0.00s 3.59s

And User clicks on			0.31s
And I wait for 5 sec			5.01s
		mail ''\${PULSE_EMAIL}''	10.28s
	e landed to "Home" scre	en	14.96s
After			0.00s
Back to Table of Contents			
Scenario: Verify MyE	vent Functionality in Hor	me screen	
Passed: 3	Failed: 0	Undefined: 0	Duration: 62.22
Before			0.00s
And I click the My	Event icons		21.59s
And I wait for 40 se	ec		40.00s
And I verify follow	ng texts are displayed		0.62s
You do not have	any events enrolled yet		
Please choose fr	om the open events and g	get started	
After			0.00s
Back to Table of Contents			
Scenario: Verify Even	ts Archive tab		
Passed: 3	Failed: 0	Undefined: 0	Duration: 49.6
Before			0.00s
And I click the Eve	nts Archive icon		9.27s
And I wait for 40 se			40.00s
	ng texts are displayed		0.38s
	any events in your archi	ve.	100000
After			0.00s
Back to Table of Contents			0.005
Scenario: Verify Open	Events tah		
Passed: 3	Failed: 0	Undefined: 0	Duration: 61.80
Before	rancu. v	Charlinea, V	0.00s
	n Events ison		8.65s
And I click the Ope			40.02s
		pen events are displayed on scree	
	ents available at the mom		11 13.178
	vents on health and fitnes		
	ents on hearth and fittles	55	0.000
After			0.00s
Back to Table of Contents			
•	on Center functionality of		
sed: 0 Faile			
Scenario: User should Email''	be able to register on app	p with correct credentials using '	'Continue with
Passed: 6	Failed: 1	Undefined: 11	Duration: 32.13

"RANDOM_NUMBER"	0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	13.52s
Then I wait for 2 sec	2.00s
And user click on "CONTINUE WITH EMAIL" with Email button	14.52s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	0.09s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: fa81e167-8c5a-43b1-9ff5-4b25ad7d17b4

*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}

at idk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.AppiumDriver.iindElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jav	70• 1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remote	
java:419)	cvv cobiivei.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.jav	va:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	3 · · · · · · · · · · · · · · · · · · ·
at org.openqa.selenium.remote.RemoteWebDriver.findElement(ver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jav	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.jav	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	mmand.java:
19)	
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName	
(PulseRegistrationScreen.java:1016)	
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCou	untrv
(RegistrationSteps.java:306)	and y
at .Then I change the country as required on registration page(features/ph/home/	/prushoppe
/general/NotificationCenter.feature:12)	•
Then I wait for 2 sec	1
Then I want for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then	
	0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then	
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details	0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation	0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation	0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}	0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234	0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button	0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button	0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec	0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}\$ Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow Then user should be landed to "Home" screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow Then user should be landed to "Home" screen Then I wait for 4 sec	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow Then user should be landed to "Home" screen Then I wait for 4 sec After	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow Then user should be landed to "Home" screen Then I wait for 4 sec After Table of Contents	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow Then user should be landed to "Home" screen Then I wait for 4 sec After Tack to Table of Contents Cenario: Navigate to notification screen via home screen	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button And I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec Then I click skip button for PH LBU registration flow Then user should be landed to "Home" screen Then I wait for 4 sec After Tack to Table of Contents Cenario: Navigate to notification screen via home screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

```
Given I navigate to notification screen from home page
                                                                            0.04s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: fa81e167-8c5a-43b1-9ff5-4b25ad7d17b4
*** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.
ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
```

	(DefaultGenericMob at io.appium.java_cli at io.appium.java_cli at org.openqa.seleniu at org.openqa.seleniu at io.appium.java_cli (DefaultGenericMob at io.appium.java_cli at io.appium.java_cli at io.appium.java_cli at com.prudential.taj at com.prudential.taj at com.onepulse.app. at com.onepulse.app. navigateToNotificatio at com.onepulse.app. navigateToNotificatio at .Given I navigate t /general/Notificatione	ent.AppiumD ent.android.A m.By\$ByXPa m.remote.Ren ent.DefaultGe ileDriver.java ent.AppiumD ent.android.A o.selenium.Co o.selenium.Ex screens.TestB screens.Pulsel onScreenFron stepdefinition onScreenFron o notification	river.findEl androidDriv ath.findElem moteWebDr enericMobile ::58) river.findEl androidDriv mmands\$15 ecuteComm assePage.clic ManageProf nHomePage s.mobilestep nHomePage screen from	er.findElementent(By.java:35 eiver.findElementent(Appium er.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.findElementer.fileScreen.fil	tByXPath(Android 53) ent(RemoteWebDri ement nDriver.java:1) t(AndroidDriver.ja nand(Commands.ja ommand(ExecuteCo BasePage.java:163) ProfileScreen.java: ileSteps. eSteps.java:240)	Driver.java:1) ver.java:309) va:1) va:141) ommand.java:
	Then I wait for 2 sec		<u> </u>			0.00s
A	After					0.00s
B	ack to Table of Contents					
S	cenario: Verify User sl	ould be able t	to see the No	otification scre	en texts	
P	assed: 0	Failed: 1	U :	ndefined: 0		Duration: .04s
	Sefore					0.00s
E						
	And I verify followin \${notification.msg} java.lang.AssertionE Notification Center t at org.testng.asserts.s at com.onepulse.app. (MyDocSteps.java:7) at .And I verify follow /NotificationCenter.f	rror: The folloext is displaye SoftAssert.assetepdefinition (7) wing texts are	owing asserted on page exertAll(SoftAs.mobileste	xpected [true] Assert.java:43) os.MyDocSteps	s.verifyTextsOnScr	0.04s
A	And I verify followin \${notification.msg} java.lang.AssertionE Notification Center t at org.testng.asserts.s at com.onepulse.app. (MyDocSteps.java:71 at .And I verify follow/NotificationCenter.f	rror: The folloext is displaye SoftAssert.assetepdefinition (7) wing texts are	owing asserted on page exertAll(SoftAs.mobileste	xpected [true] Assert.java:43) os.MyDocSteps	s.verifyTextsOnScr	een val
A	And I verify followin \$\{\text{notification.msg}} java.lang.AssertionE Notification Center t at org.testng.asserts.\(\text{asserts.ps}\) at com.onepulse.app. (MyDocSteps.java:71\) at .And I verify follow /NotificationCenter.f	rror: The folloext is displaye SoftAssert.ass stepdefinition (7) wing texts are eature:36)	owing asserted on page exertAll(SoftAs.mobilester	xpected [true] Assert.java:43) ps.MyDocSteps eatures/ph/hon	s.verifyTextsOnScr	een val
A B	And I verify followin \$\{\text{notification.msg}} java.lang.AssertionE Notification Center t at org.testng.asserts.\(\text{asserts.policy}\) at com.onepulse.app. (MyDocSteps.java:71\) at .And I verify follow /NotificationCenter.f After ack to Table of Contents	rror: The folloext is displaye SoftAssert.ass stepdefinition (7) wing texts are eature:36)	owing asserted on page exertAll(SoftAs.mobilester	xpected [true] Assert.java:43) ps.MyDocSteps eatures/ph/hon	s.verifyTextsOnScr	een val
eat asso P	And I verify followin \$\{\text{notification.msg}} java.lang.AssertionE Notification Center to at org.testng.asserts.stat com.onepulse.app. (MyDocSteps.java:7) at .And I verify follow./NotificationCenter.ft After ack to Table of Contents ture: Verify share with	rror: The following text is displayer softAssert.ass stepdefinition (7) wing texts are eature:36) friends function and select to Failed: 0 app app a.email.id}" to	owing asserted on page exertAll(SoftAs.mobilestep) displayed(formality in Oundefined: 0 the country are ovariable "Here"	eatures/ph/hon onePulse app undefined: 0	ne/prushoppe/gener Duration: 168.13s	een cal

Then I change the lan	guage as required on re	egistration page	0.00s
And I click the Sign in	ı link		5.00s
Then I verify below la page	inguage options on togg	le bar as per specified lbu on login	1.84s
After			0.00s
Back to Table of Contents			•
	o with correct credentia	als using "Continue with Email"	
Passed: 6	Failed: 0	Undefined: 0	Duration: 45.14s
Before			0.00s
Given I select the lang	uage option on toggle b	oar as required on login page	2.35s
When user enters cred	<u> </u>		10.08s
UserName \${PULS	E_EMAIL}		
Password \${login.			
And User clicks on sig			0.33s
)		nail ''\${PULSE_EMAIL}''	12.86s
And I wait for 5 sec			5.00s
Then user should be la	anded to "Home" scree	n	14.53s
After			0.00s
Back to Table of Contents	<u> </u>		•
Scenario: Verify User sh	ould be able to share th	e link with Whatsapp	
Passed: 1	Failed: 0	Undefined: 0	Duration: 14.32s
Before			0.00s
Then I verify the shar	e with friends links		14.32s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sh	ould be able to share th	e link with Contacts app	
·	Failed: 0		Duration: 9.36s
Before			0.00s
Then I verify the cont	acts share icon		9.36s
After			0.00s
Back to Table of Contents			
	ould be able to share th	e link with Messenger app	
Passed: 1	Failed: 0	Undefined: 0	Duration: 6.48s
Before			0.00s
Then I verify the fb m	essenger share icon		6.48s
After	Sound of Summer Leads		0.00s
Back to Table of Contents			0.003
Scenario: Verify User sho	ould be able to share th	e link with Viber ann	
Passed: 1	Failed: 0	Undefined: 0	Duration: 22.99s
Before	L MILOUR U	Chaemear v	0.00s
Then I verify the Vibe	er chara ican		22.99s
	Share icon		0.00s
After			U.UUS

sed: 0	Failed: 1	Undefined: 0	Duration: 20
fore		Chathaca v	0.00s
Then I verify t	he Line share icon		20.86s
processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, autoDismidesired: {appAautoDismissAlnewCommand deviceManufadeviceScreenDjavascriptEnalnewCommand platformName	command. Original errors cocket hang up sion: '3.12.0', revision: ost: 'TM003LSIN', ip: '0', java.version: '11.0.2 appium.java_client.and ppActivity: com.prudential errors: true, automaticativity: com.prudential errors: true, automation Timeout: 10000, no Resecturer: Google, device Mensity: 440, device Screen led: true, location Conto Timeout: 10000, no Resecture: Android, platform Veneral errors of the couter of the c		d to the remote server. 14:04:26.12Z' ndows 10', os.arch: 'amdo kage: com.prudential.pul abaseEnabled: false, e: com.prudential.pulse.u [ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true,
*** Element in at jdk.internal at java.base/jd (DelegatingCo at java.base/ja at org.openqa. (W3CHttpRes at org.openqa. (W3CHttpRes	reflect.GeneratedConsk.internal.reflect.DelegnstructorAccessorImpleva.lang.reflect.ConstructorImpleva.lang.reflect.ConstructorImpleva.lang.reflect.ConstructorImpleva.lang.reflect.ConstructorImpleva.lang.remote.http.VponseCodec.java:187)	e=(//android.widget.TextView structorAccessor34.newInstan atingConstructorAccessorIm	ce(Unknown Source) pl.newInstance r.java:490) teException de
(W3CHttpRes at org.openqa. 158) at io.appium.ja (AppiumComr at org.openqa. at io.appium.ja java:42) at io.appium.ja at org.openqa.	ponseCodec.java:49) selenium.remote.HttpC ava_client.remote.Appir nandExecutor.java:231 selenium.remote.Remote ava_client.DefaultGeneral ava_client.AppiumDriv ava_client.android.And selenium.remote.Remote	CommandExecutor.execute(Ht	tpCommandExecutor.ja WebDriver.java:543) tultGenericMobileDriver a:1) briver.java:1) moteWebDriver.java:31

at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:639) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon (LoginSteps.java:311) at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39) 0.00s

After

Back to Table of Contents